

"لمتحملا ميلستلا" ةزيم لعفت اذام

تايوتحملا

[لأؤس](#)
[ةباجإلا](#)

لأؤس

"لمتحملا ميلستلا" ةزيم لعفت اذام

ةباجإلا

ميلست "اهنا" لىلع ةلاسري أ عم AsyncOS لماعتى، "لمتحملا ميلستلا" ةزيم نيكمت دنع ملتسملا فيضم فرتعي نأ لبق نكلو، ةلاسرلا صن ميلست دعب اهلاسرا مت اذإ "نكمم ام ةلاسرنم ةددعتم خسن مالتسا نم نيمملتسملا ةفيظولا هذه عنمت. ةلاسرلا مالتساب مالتسالا مالعإ عنمت مهب ةصاخلا ملتسملا فيضملا يف ةرمتسملا ءاطخألا تناك اذإ باسحب موقيو وديربلا تالجس يف لمتحملا ميلستك ملتسملا اذه ليجستب AsyncOS موقيو. ةلمتكم ةلاسرلا

```
<#root>
```

```
myesa.local>
```

```
deliveryconfig
```

```
Default interface to deliver mail: Auto
"Possible Delivery": Enabled
Default system wide maximum outbound message delivery
concurrency: 10000
Default system wide TLS maximum outbound message delivery
concurrency: 100
```

```
Choose the operation you want to perform:
- SETUP - Configure mail delivery.
[ ]>
```

```
setup
```

```
Choose the default interface to deliver mail.
1. Auto
2. Management (192.168.0.199/24: myesa.local)
[1]>
```

```
Enable "Possible Delivery" (recommended)? [Y]>
```

Please enter the default system wide maximum outbound message
delivery concurrency.
[10000]>

Please enter the default system wide TLS maximum outbound message
delivery concurrency.
[100]>

قئاقءء 4 لبق SMTP ةلهم يهتننتس .قئاقءء 5 ةءاع ، TCP ةلهم يه ةلهملا

ةلاسرلا لاسرلا ةءاع (ESA) ينورتكللالا ءيربلا نامأ زاهج لواحيسف ، ةزيملا هءه ليطعت مت اذا
ملسي ك تيأر ةلاسرلا ، نوكي ةمسللا تنكم نإ

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا ذه Cisco ت مچرت
م ل ا ل ا ل ا ن ا ع مچ م ف ن م دخت س م ل م عد و ت م م م دقت ل ة يرش ب ل و
م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م ي ج ر ي . ة ص ا خ ل م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت م م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا م ل ا ح ل ا و ه
ل ا ل ا م ا د ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا هذه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا