

لكل لمعلل صقألا دحلا ينعي اذام ريبت

تايوت حمل

مدمقلا

سساس تامولعم

"ريبت لكل لمعلل صقألا دحلا" أطخلا لئاسر يلع ةلثمأ

ديربل تالجس

لئاسرل بقعت

قبطتلا أطخ

اهالص اوءاطخألا فاشكتسا

سساموقلا

موسرل مدختسمل ةهجاو ربع

رماوأل رطس ةهجاو لالخنم

يوت حمل ةيفصت لماع

موسرل مدختسمل ةهجاو ربع

رماوأل رطس ةهجاو لالخنم

لئاسرل ةيفصت لماع

موسرل مدختسمل ةهجاو ربع

رماوأل رطس ةهجاو لالخنم

ةلص تاذ تامولعم

مدمقلا

لكل لمعلل صقألا دحلا زواجت: ةلكشملا حسم " أطخلا ةلاسرينعم دنتسمل اذفصي
اهنع تجتن يتلا لكاشملا لحي ةيفيكو " تانايب دح/ريبت

سساس تامولعم

نأ نكمي " تانايب دح/ريبت لكل لمعلل صقألا دحلا زواجت: ةلكشملا حسم " أطخلا ةلاسرينعم
يتلا لئاسرل ةيفصت لماع وأ يوت حمل ةيفصت لماع وأ سوماقلا تالخال دببب نوكي
ببب اذف ببب تعقو عيطتسي أطخ اذف. (Regex) يداعل ريبعتلا تاقباطت نم ديدعلا هل

• سوماق يف تالخدمل نم ريبك ددع درس دنع.

• {5,}. وأ +. وأ *. :لاثم) ريغتم لوط يلع يوتحت يتلا (Regex) ةيداعل تاريبتلا قباطت.

• ريبك دراوم ةقباطملا ةساولا ةمظتنملا تاريبتلا ةريبتلا سماموقلا بلطت
اهبجت بجيو، ماطنلل

"ريبت لكل لمعلل صقألا دحلا" أطخلا لئاسر يلع ةلثمأ

ديربل تالجس

Thu Feb 15 12:01:20 2021 Warning: MID #####,
Message Scanning Problem: maximum work per expression/data limit exceeded

لئاسرلا بقعت

Message ##### encountered message scanning error: maximum work per expression/data limit exceeded

قېبطلال أطخ

An application fault occurred: ('egg/filters.py expand_short_url|1570', '<type 'exceptions.RuntimeError'>', 'maximum work per expression/data limit exceeded', ['egg/omh.py queue_worker_thread|3733] [egg/omh.py process_item|4209] [egg/omh.py pass_spamcheck|6402] [egg/omh.py update_url_reporting_info|4951] [egg/filters.py get_web_info|1810] [egg/filters.py fetch_urlinfo|1480] [egg/filters.py get_url_info|1658] [egg/filters.py get_expanded_url_list|1606] [egg/filters.py expand_short_url|1570]') MID: #####

اهحالص او اطخال فاشكتسا

سېماوقلا

ةيموسرلا مدختسملا ةهجاو ربع

1. ةنمآلا ينورتكلال دي ربال ةباوبل (GUI) ةيموسرلا مدختسملا ةهجاو ىلا لوخدلا ل ج س.
2. دي ربال جهن قوف رورملا.
3. سېماوقلا رقنا.
4. تالخدملال او سېماوقلا عجار.

رم اوآل رطس ةهجاو لال خ نم

```
> dictionaryconfig
```

Currently configured content dictionaries:

1. Test

Choose the operation you want to perform:

- NEW - Create a new content dictionary.
 - EDIT - Modify a content dictionary.
 - DELETE - Remove a content dictionary.
 - RENAME - Change the name of a content dictionary.
 - CLUSTERSET - Set how content dictionaries are configured in a cluster.
 - CLUSTERSHOW - Display how content dictionaries are configured in a cluster.
- ```
[]>
```

تالخدملال او سېماوقلا عجار.

### ىوتحمل ةيفصت لم اوع

#### ةيموسرلا مدختسملا ةهجاو ربع

1. ةنمآلا ينورتكلال دي ربال ةباوبل (GUI) ةيموسرلا مدختسملا ةهجاو ىلا لوخدلا ل ج س.

2. دېرېل جەن قوف رورم لال.
3. ەردااصلال ىوتحملال ەيفصت لماع و ا ەدراولال ىوتحملال ەيفصت لماع قوف رونا.
4. ەيفصت لال لماع عجار.

## رم اوالا رطس ەجاولال خ نم

```
> policyconfig
```

```
Would you like to configure Incoming Mail Policy or Outgoing Mail Policies or Match Headers Priority?
```

1. Incoming Mail Policies
2. Outgoing Mail Policies
3. Match Headers Priority

```
[1]> 1 <- Enter 1 or 2
```

```
Incoming Mail Policy Configuration
```

```
Name: Anti-Spam: Anti-Virus: Advanced Malware Protection: Graymail: Content Filter:
Outbreak Filters: Advanced Phishing Protection
```

```

DEFAULT Off Sophos Off Off Enabled
```

```
Retention Time: N/A
```

```
Virus: 15 minutes
```

```
Choose the operation you want to perform:
```

- NEW - Create a new policy
- EDIT - Edit an existing policy
- PRINT - Print all policies
- FILTERS - Edit content filters
- CLUSTERSET - Set how Incoming Mail Policies are configured in a cluster
- CLUSTERSHOW - Display how Incoming Mail Policies are configured in a cluster

```
[]> filters
```

```
Defined filters:
```

1. example\_filter\_one
2. example\_filter\_two

```
Choose the operation you want to perform:
```

- NEW - Create a new filter
- EDIT - Edit an existing filter
- DELETE - Delete a filter
- PRINT - Print all filters
- MOVE - Reorder a filter
- RENAME - Rename a filter

رم اوالا مزلا اذا ەردااصلال ىوتحملال ەيفصت لماع راركتب مق. ەيفصت لال لماع عجار.

## لائس رللا ەيفصت لماع

### ەي موسرللا مدختسم لال ەجاولا رربع

رفوت م ريغ.

## رم اوالا رطس ەجاولال خ نم

> filters

Choose the operation you want to perform:

- NEW - Create a new filter.
- DELETE - Remove a filter.
- IMPORT - Import a filter script from a file.
- EXPORT - Export filters to a file
- MOVE - Move a filter to a different position.
- SET - Set a filter attribute.
- LIST - List the filters.
- DETAIL - Get detailed information on the filters.
- LOGCONFIG - Configure log subscriptions used by filters.
- ROLLOVERNOW - Roll over a filter log file.
- CLUSTERSET - Set how filters are configured in a cluster.
- CLUSTERSHOW - Display how filters are configured in a cluster.

[> list

Num Active Valid Name

1 Y Y example\_message\_filter

ةيفصتلا لم اوع عجار

## ةلص تاذا تامولعم

- [Cisco نم ةنمألا ينورتكلالال ديربلا ةرابعل يئاهنلا مدختس ملأ ةلدأ](#)
- [Cisco نم ةنمألا ينورتكلالال ديربلا ةرابع رادصا تاظالم](#)
- [Cisco Systems - تادنتس ملأو ينقتلا معدلا](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت  
م ل ا ل ا ا ن ا ع مچ م ف ن م دخت س م ل م عد و ت م م م دقت ل ة م ش ب ل و  
م ك ة ق م ق د ن و ك ت ن ل ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م م چ ر م . ة ص ا خ ل م ه ت غ ل ب  
Cisco مچرت م ا م د ق م م ي ت ل ا ة م ف ا ر ت ح ا ل ا ة مچرت ل ا م ل ا ح ل ا و ه  
ل ا م ا د ا د ع و چ ر ل ا ب م ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت م ل و ئ س م  
Systems (ر ف و ت م ط ب ا ر ل ا) م ل ص ا ل ا م ي ز م ل چ ن ا ل ا دن ت س م ل ا