



# Cisco UCS C890 M5 Rack Server Release Notes, Release 06.73.10

---

**Firmware Build Time:** 2021-05-28

**First Published:** 2021-07-19

## Introduction

The Cisco UCS® C890 M5 Rack Server is an 8-socket server based on the Second Generation (2nd Gen) Intel® Xeon® Scalable processors.

## System Requirements

There are no specific system requirements for this firmware release.

## Changed Features

This is the first release for the Cisco UCS C890 M5 Rack Server. Hence there is no specific change in any of the software features.

## Installation and Upgrade Notes

The installation and upgrade notes are part of the released firmware bundle. The following table maps the firmware release versions with individual components:

<b>Component</b>	<b>Revision</b>
IPMI Firmware	06.73.10
BIOS	3.4
Redfish	1.8.0
CPLD	04.b1.01
AVAGO 3108 MegaRAID (C890-M5-RAIDCOUNT)	24.21.0-0126
AVAGO MegaRAID SAS 9361-16i	24.22.0-0091
Mellanox 5th generation network adapters	14.28.2006
Emulex LightPulse LPe32002-M2 2-Port 32Gb Fiber Channel Adapter	12.4.243.17

## Revision History

Revision	Date	Description
1.0	July 19, 2021	Created release notes for 1st release for the Cisco UCS C890 M5 Rack Server product.

## Open and Resolved Caveats

There are no open or resolved caveats for this release.

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see What's New in Cisco Product Documentation, at: <http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html>

Subscribe to What's New in Cisco Product Documentation, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service.

---



## Related Documentation

For more information for this release, refer to the following:

- [Cisco UCS C890 M5 Rack Server Service Guide](#)
- [Cisco UCS C890 M5 Rack Server Configuration Guide](#)