Open Source Used In Cisco AppDynamics Cloud Test Runner 23.6.3

Cisco Systems, Inc.
www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1706450723

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this form.

In your requests please include the following reference number 78EE117C99-1706450723

Contents

1.1 libjpeg 6b
- 1.1.1 Notifications
- 1.1.2 Available under license

1.2 javax-inject 1
- 1.2.1 Available under license

1.3 commons-math 2.1
- 1.3.1 Available under license

1.4 jeromq 0.3.5
- 1.4.1 Available under license

1.5 annotations 13.0
- 1.5.1 Available under license

1.6 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.7 failureaccess 1.0.1

1.8 j2objc-annotations 1.3
- 1.8.1 Available under license

1.9 bean-validation-api 2.0.1.Final
- 1.9.1 Available under license

1.10 giflib 5.2.1
- 1.10.1 Available under license

1.11 error_prone_annotations 2.3.4
- 1.11.1 Available under license

1.12 tre 0.8.0
- 1.12.1 Available under license

1.13 jctools-core 3.1.0
- 1.13.1 Available under license

1.14 xerces-j 2.12.2

1.14.1 Available under license
1.15 httpcomponents-client 4.5.13
1.15.1 Available under license
1.16 guava 30.1-jre
1.16.1 Available under license
1.17 bridgeutils 1.6
1.17.1 Available under license
1.18 httpcomponents-core 4.4.13
1.18.1 Available under license
1.19 httpcore-nio 4.4.13
1.19.1 Available under license
1.20 httpclient-cache 4.5.13
1.20.1 Available under license
1.21 commons-logging 1.2
1.21.1 Available under license
1.22 commons-io 2.8.0
1.22.1 Available under license
1.23 commons-codec 1.14
1.23.1 Available under license
1.24 javassist 3.27.0-GA
1.24.1 Available under license
1.25 zt 1.14
1.25.1 Available under license
1.26 httpcomponents-mime 4.5.12
1.26.1 Available under license
1.27 commons-codec 1.15
1.27.1 Available under license
1.28 lcms 2.12
1.28.1 Available under license
1.29 asm 6.0
1.29.1 Available under license
1.30 xorg-randr 1.0.7
1.30.1 Available under license
1.31 namespace 1.4.01
1.31.1 Available under license
1.32 jackson 2.14.1
1.32.1 Available under license
1.33 alpine-keys 2.4-r1
1.33.1 Available under license

1.34 jackson 2.15.0
1.34.1 Available under license
1.35 log4j-api 2.17.1
1.35.1 Available under license
1.36 apache-log4j 2.17.1
1.36.1 Available under license
1.37 log4j-jcl 2.17.1
1.37.1 Available under license
1.38 opentracing-api 0.33.0
1.38.1 Available under license
1.39 opentracing-util 0.33.0
1.39.1 Available under license
1.40 opentracing-noop 0.33.0
1.40.1 Available under license
1.41 dom 1.0
1.41.1 Available under license
1.42 dagger 2.4
1.42.1 Available under license
1.43 paranamer 2.5.1
1.43.1 Available under license
1.44 annotations 4.1.1.4
1.44.1 Available under license
1.45 animal-sniffer-annotation 1.19
1.45.1 Available under license
1.46 jakarta-inject-api 2.0.1
1.46.1 Available under license
1.47 error_prone_annotations 2.3.3
1.47.1 Available under license
1.48 picocontainer 2.15
1.48.1 Available under license
1.49 javax-annotation-api 1.3.2
1.49.1 Available under license
1.50 slf4j 1.7.36
1.50.1 Available under license
1.51 error_prone_annotations 2.10.0
1.51.1 Available under license
1.52 logback-core 1.2.11
1.52.1 Available under license
1.53 guava 31.1-jre

1.53.1 Available under license
1.54 guava 31.0.1-android
1.54.1 Available under license
1.55 animal-sniffer-annotation 1.21
1.55.1 Available under license
1.56 gson 2.8.9
1.56.1 Available under license
1.57 gson 2.9.0
1.57.1 Available under license
1.58 okhttp 4.10.0
1.58.1 Available under license
1.59 jakarta-annotation-api 2.1.1
1.59.1 Available under license
1.60 jline 3.20.0
1.60.1 Available under license
1.61 protobuf-java 3.19.6
1.61.1 Available under license
1.62 kotlin 1.6.21
1.62.1 Available under license
1.63 libpng 1.6.38
1.63.1 Available under license
1.64 jackson-datatype-jdk8 2.14.0
1.64.1 Available under license
1.65 jackson-annotations 2.14.0
1.65.1 Available under license
1.66 jackson-datatype-jsr310 2.14.0
1.66.1 Available under license
1.67 zlib 1.2.13-r1
1.67.1 Available under license
1.68 jackson-databind 2.14.1
1.68.1 Available under license
1.69 swagger-annotations 2.2.7
1.69.1 Available under license
1.70 jctools-core 4.0.1
1.70.1 Available under license
1.71 slf4j 1.6.6
1.71.1 Available under license
1.72 netty-codec-http 4.1.87.Final
1.72.1 Available under license

1.73 netty 4.1.87.Final
1.73.1 Available under license
1.74 netty-transport-native-unix-common 4.1.87.Final
1.74.1 Available under license
1.75 netty-transport 4.1.87.Final
1.75.1 Available under license
1.76 netty-resolver 4.1.87.Final
1.76.1 Available under license
1.77 netty-codec 4.1.87.Final
1.77.1 Available under license
1.78 netty-codec-socks 4.1.87.Final
1.78.1 Available under license
1.79 netty-handler 4.1.87.Final
1.79.1 Available under license
1.80 netty-handler-proxy 4.1.87.Final
1.80.1 Available under license
1.81 error_prone_annotations 2.14.0
1.81.1 Available under license
1.82 proto-google-common-protos 2.9.0
1.82.1 Available under license
1.83 commons-fileupload 1.5
1.83.1 Available under license
1.84 micronaut-grpc-client-runtime 3.5.0
1.84.1 Available under license
1.85 micronaut-grpc-opentracing 3.5.0
1.85.1 Available under license
1.86 micronaut-grpc-annotation 3.5.0
1.86.1 Available under license
1.87 snake-yaml 2.0
1.87.1 Available under license
1.88 opentelemetry-proto 0.11.0
1.88.1 Available under license
1.89 protobuf-java 3.22.2
1.89.1 Available under license
1.90 micronaut-inject 3.8.7
1.90.1 Available under license
1.91 micronaut-json-core 3.8.7
1.91.1 Available under license
1.92 micronaut-runtime 3.8.7

1.92.1 Available under license
1.93 micronaut-http-client 3.8.7
1.93.1 Available under license
1.94 micronaut-http-server-netty 3.8.7
1.94.1 Available under license
1.95 micronaut-aop 3.8.7
1.95.1 Available under license
1.96 micronaut-jackson-core 3.8.7
1.96.1 Available under license
1.97 micronaut-buffer-netty 3.8.7
1.97.1 Available under license
1.98 micronaut-http-server 3.8.7
1.98.1 Available under license
1.99 micronaut-websocket 3.8.7
1.99.1 Available under license
1.100 micronaut-jackson-databind 3.8.7
1.100.1 Available under license
1.101 micronaut-management 3.8.7
1.101.1 Available under license
1.102 micronaut-http-client-core 3.8.7
1.102.1 Available under license
1.103 micronaut-core-reactive 3.8.7
1.103.1 Available under license
1.104 micronaut-router 3.8.7
1.104.1 Available under license
1.105 micronaut-validation 3.8.7
1.105.1 Available under license
1.106 micronaut-http-netty 3.8.7
1.106.1 Available under license
1.107 micronaut-http 3.8.7
1.107.1 Available under license
1.108 micronaut-context 3.8.7
1.108.1 Available under license
1.109 micronaut-core 3.8.7
1.109.1 Available under license
1.110 openjdk-jre 11.0.19u7
1.110.1 Available under license
1.111 jre 11.0.19+7-LTS
1.111.1 Available under license

1.112 pax-utils 1.3.7-r1
1.112.1 Available under license
1.113 openjdk 11.0.19
1.113.1 Available under license
1.114 jsr305 3.0.2
1.114.1 Available under license
1.115 xml-apis 1.4.01
1.115.1 Available under license
1.116 servlet-api 3.0.1
1.116.1 Available under license
1.117 perfmark-api 0.17.0
1.117.1 Available under license
1.118 jackson-annotations 2.15.0
1.118.1 Available under license
1.119 jackson-dataformat-yaml 2.15.0
1.119.1 Available under license
1.120 jackson-databind 2.15.0
1.120.1 Available under license
1.121 okio 3.3.0
1.121.1 Available under license
1.122 disruptor 2.11.2.3
1.122.1 Available under license
1.123 musl 1.2.4-r0
1.123.1 Available under license
1.124 ca-certificates 20230506-r0
1.124.1 Available under license
1.125 apk-tools 2.14.0-r2
1.125.1 Available under license
1.126 alpine-baselayout 3.4.3-r1
1.126.1 Available under license
1.127 musl-utils 1.2.4-r0
1.127.1 Available under license
1.128 ca-certificates-bundle 20230506-r0
1.128.1 Available under license
1.129 libc-utils 0.7.2-r5
1.129.1 Available under license
1.130 jackson-annotations 2.15.1
1.130.1 Available under license
1.131 jackson-databind 2.15.1

1.131.1 Available under license
1.132 jackson 2.15.1
1.132.1 Available under license
1.133 jackson-dataformat-yaml 2.15.1
1.133.1 Available under license
1.134 alpine-baselayout-data 3.4.3-r1
1.134.1 Available under license
1.135 opentelemetry-sdk 1.24.0
1.135.1 Available under license
1.136 opentelemetry-semconv 1.24.0-alpha
1.136.1 Available under license
1.137 opentelemetry-sdk-extension-autoconfigure-spi 1.24.0
1.137.1 Available under license
1.138 busybox 1.36.1-r0
1.138.1 Available under license
1.139 scanelf 1.3.7-r1
1.139.1 Available under license
1.140 openssl 3.1.1-r1
1.140.1 Available under license
1.141 libssl3 3.1.1-r1
1.141.1 Available under license
1.142 libcrypto3 3.1.1-r1
1.142.1 Available under license
1.143 ssl-client 1.36.1-r0
1.143.1 Available under license
1.144 busybox 1.36.1
1.144.1 Available under license
1.145 free-type 2.12.1-r0
1.145.1 Available under license

1.1 libjpeg 6b

1.1.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

1.1.2 Available under license :

The Independent JPEG Group's JPEG software

==========

README for release 6b of 27-Mar-1998

==========

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at jpeg-info@uunet.uu.net to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

DOCUMENTATION
ROADMAP
==========

This file contains the following sections:

OVERVIEW General description of JPEG and the IJG software.
LEGAL ISSUES Copyright, lack of warranty, terms of distribution.
REFERENCES Where to learn more about JPEG.
ARCHIVE LOCATIONS Where to find newer versions of this software.
RELATED SOFTWARE Other stuff you should get.
FILE FORMAT WARS Software *not* to get.
TO DO Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:
install.doc How to configure and install the IJG software.
usage.doc Usage instructions for cjpeg, djpeg, jpegtran, rdjpgcom, and wrjpgcom.
*.1 Unix-style man pages for programs (same info as usage.doc).
wizard.doc Advanced usage instructions for JPEG wizards only.
change.log Version-to-version change highlights.
Programmer and internal documentation:
libjpeg.doc How to use the JPEG library in your own programs.
example.c Sample code for calling the JPEG library.
structure.doc Overview of the JPEG library's internal structure.
filelist.doc Road map of IJG files.
coderules.doc Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

OVERVIEW
========

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and gray-scale images.
JPEG is intended for compressing
"real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the
hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats. The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments

in JFIF files.

The emphasis in designing this software has been on achieving portability and
flexibility, while also making it fast enough to be useful. In particular,
the software is not intended to be read as a tutorial on JPEG. (See the
REFERENCES section for introductory material.) Rather, it is intended to
be reliable, portable, industrial-strength code. We do not claim to have
achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products.
No royalty is required, but we do ask for an acknowledgement in product
documentation, as described under LEGAL ISSUES.

LEGAL ISSUES
============

In plain English:

1. We don't promise that this software works. (But if you find any bugs,
please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a
program, you
must acknowledge somewhere in your documentation that
you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS", and you,
its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this
software (or portions thereof) for any purpose, without fee, subject to these
conditions:
(1) If any part of the source code for this software is distributed, then this
README file must be included, with this copyright and no-warranty notice
unaltered; and any additions, deletions, or changes to the original files
must be clearly indicated in accompanying documentation.
(2) If only executable code is distributed,
then the accompanying
documentation must state that "this software is based in part on the work of
the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived from
it. This software may be referred to only as "the Independent JPEG Group's
software".

We specifically permit and encourage the use of this software as the basis of
commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of
 L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it. (See the file
ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part
of any program generated from the IJG code, this does not limit you more than
the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by
patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic
 coding cannot
legally be used without obtaining one or more licenses. For this reason,
support for arithmetic coding has been removed from the free JPEG software.
(Since arithmetic coding provides only a marginal gain over the unpatented
Huffman mode, it is unlikely that very many implementations will support it.)
So far as we are aware, there are no patent restrictions on the remaining
code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support has
been removed altogether, and the GIF writer has been simplified to produce
"uncompressed GIFs". This technique does not use the LZW algorithm; the

resulting GIF files are larger than usual, but are readable by all standard
GIF decoders.

We are required to state that
"The Graphics Interchange Format(c) is the Copyright property of
CompuServe Incorporated. GIF(sm) is a Service Mark property of
CompuServe Incorporated."

REFERENCES
==========

We
highly recommend reading one or more of these references before trying to
understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is
Wallace, Gregory K. "The JPEG Still Picture Compression Standard",
Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44.
(Adjacent articles in that issue discuss MPEG motion picture compression,
applications of JPEG, and related topics.) If you don't have the CACM issue
handy, a PostScript file containing a revised version of Wallace's article is
available at ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz. The file (actually
a preprint for an article that appeared in IEEE Trans. Consumer Electronics)
omits the sample images that appeared in CACM, but it includes corrections
and some added material. Note: the Wallace article is copyright ACM and IEEE,
and it may not be used for commercial purposes.

A somewhat less technical, more
leisurely introduction to JPEG can be found in
"The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by
M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides
good explanations and example C code for a multitude of compression methods
including JPEG. It is an excellent source if you are comfortable reading C
code but don't know much about data compression in general. The book's JPEG
sample code is far from industrial-strength, but when you are ready to look
at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data
Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published
by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US$59.95, 638 pp.
The book includes the complete text of the ISO JPEG standards (DIS 10918-1
and draft DIS 10918-2). This is by far the most complete exposition of JPEG
in existence, and we highly recommend it.

The
JPEG standard itself is not available electronically; you must order a
paper copy through ISO or ITU. (Unless you feel a need to own a certified

official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.) In the USA, copies of the standard may be ordered from ANSI Sales at (212) 642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging $95 for Part 1 and $47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still
Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:
Literature Department
C-Cube Microsystems, Inc.
1778 McCarthy Blvd.
Milpitas, CA 95035
phone (408) 944-6300, fax (408) 944-6314
A PostScript version of this document is available by FTP at ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz. There is also a plain text version at ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz. The JPEG incorporation scheme
found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems. IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from ftp.sgi.com or from ftp://ftp.uu.net/graphics/jpeg/. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from ftp://ftp.sgi.com/graphics/tiff/.

ARCHIVE LOCATIONS
==========

The "official" archive site for this software is ftp.uu.net (Internet
address 192.48.96.9). The most recent released version can always be found
there in directory graphics/jpeg. This particular version will be archived
as ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz. If you don't
have
direct Internet access, UUNET's archives are also available via UUCP; contact
help@uunet.uu.net for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only
ftp.uu.net is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from
the SimTel archives (ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/), or
on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12
"JPEG Tools". Again, these versions may sometimes lag behind the ftp.uu.net
release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of
general information about JPEG. It is updated constantly and therefore is
not included in this distribution. The FAQ is posted every two weeks to
Usenet newsgroups comp.graphics.misc, news.answers, and other groups.
It is available on the World Wide Web at http://www.faqs.org/faqs/jpeg-faq/
and other news.answers
archive sites, including the official news.answers
archive at rtfm.mit.edu: ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/.
If you don't have Web or FTP access, send e-mail to mail-server@rtfm.mit.edu
with body
send usenet/news.answers/jpeg-faq/part1
send usenet/news.answers/jpeg-faq/part2

RELATED SOFTWARE
==========

Numerous viewing and image manipulation programs now support JPEG. (Quite a
few of them use this library to do so.) The JPEG FAQ described above lists
some of the more popular free and shareware viewers, and tells where to
obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free
PBMPLUS software, which provides many useful operations on PPM-format image
files. In particular, it can convert PPM images to and from a wide range of
other formats, thus making cjpeg/djpeg considerably more useful. The latest
version is distributed by the NetPBM group, and is available from numerous
sites,
notably ftp://wuarchive.wustl.edu/graphics/graphics/packages/NetPBM/.
Unfortunately PBMPLUS/NETPBM is not nearly as portable as the IJG software is;

you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford,
is available from ftp://havefun.stanford.edu/pub/jpeg/. This program
is designed for research and experimentation rather than production use;
it is slower, harder to use, and less portable than the IJG code, but it
is easier to read and modify. Also, the PVRG code supports lossless JPEG,
which we do not. (On the other hand, it doesn't do progressive JPEG.)

FILE FORMAT WARS

Some JPEG programs produce files that are not compatible with our library.
The root of the problem is that the ISO JPEG committee failed to specify a
concrete file format. Some vendors "filled in the blanks" on their own,
creating proprietary formats that no one else could read.
(For example, none
of the early commercial JPEG implementations for the Macintosh were able to
exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format
has been agreed to by a number of major commercial JPEG vendors, and it has
become the de facto standard. JFIF is a minimal or "low end" representation.
We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF
Technical Note #2) for "high end" applications that need to record a lot of
additional data about an image. TIFF/JPEG is fairly new and not yet widely
supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF.
SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should
be able to read the most common variant of SPIFF. SPIFF has some technical
advantages over JFIF, but its major claim to fame is simply that it is an
official standard rather than an informal one. At this point it is unclear
whether
SPIFF will supersede JFIF or whether JFIF will remain the de-facto
standard. IJG intends to support SPIFF once the standard is frozen, but we
have not decided whether it should become our default output format or not.
(In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist.
We have little or no sympathy for the existence of these formats. Indeed,
one of the original reasons for developing this free software was to help
force convergence on common, open format standards for JPEG files. Don't
use a proprietary file format!

TO DO

=====

The major thrust for v7 will probably be improvement of visual quality.
The current method for scaling the quantization tables is known not to be
very good at low Q values. We also intend to investigate block boundary
smoothing, "poor man's variable quantization", and other means of improving
quality-vs-file-size performance without
 sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG
Part 3 extensions --- principally, variable quantization and the SPIFF file
format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to jpeg-info@uunet.uu.net.

1.2 javax-inject 1

1.2.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental,
or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Copyright (C) 2009 The JSR-330 Expert Group
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
```

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.3 commons-math 2.1

1.3.1 Available under license :

Apache Commons Math
Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

==========

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,
RelationShip, SimplexSolver and SimplexTableau classes in package
org.apache.commons.math.optimization.linear include software developed by
Benjamin McCann (http://www.benmccann.com) and distributed with
the following copyright: Copyright 2009 Google Inc.
==========

This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.
The LevenbergMarquardtOptimizer class in package
org.apache.commons.math.optimization.general includes software
translated from the lmder, lmpar and qrsolv Fortran routines
from the Minpack package
Minpack Copyright
Notice (1999) University of Chicago. All rights reserved
==========

The GraggBulirschStoerIntegrator class in package
org.apache.commons.math.ode.nonstiff includes software translated
from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer
==========

The EigenDecompositionImpl class in package
org.apache.commons.math.linear includes software translated
from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

==========

The MersenneTwister class in package org.apache.commons.math.random
includes software translated from the 2002-01-26 version of
the Mersenne-Twister generator written in C by Makoto Matsumoto
and Takuji
Nishimura. Original source copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved
==========

The complete text of licenses and disclaimers associated with the the original
sources enumerated above at the time of code translation are in the LICENSE.txt
file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

==========

For the lmder, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer

class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the
redistribution, if any, must include the following
acknowledgment:

"This product includes software developed by the
University of Chicago, as Operator of Argonne National
Laboratory.

Alternately, this acknowledgment may appear in the
software
itself, if and wherever such third-party acknowledgments
normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS"
WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE
UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND
THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE
OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY
OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR
USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF
THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4)
DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION
UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL
BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT
HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF

ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT,
INCIDENTAL, CONSEQUENTIAL,
SPECIAL OR PUNITIVE DAMAGES OF
ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF
PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER
SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT
(INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE,
EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE
POSSIBILITY OF SUCH LOSS OR DAMAGES.
==========

Copyright and license statement for the odex Fortran routine developed by
E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class
in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- Redistributions in
binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright
and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

$COPYRIGHT$

Additional copyrights may follow

$HEADER$

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer listed
 in this license in the documentation and/or other materials
 provided with the distribution.

- Neither the name of the copyright holders nor the names of its
 contributors may be used to endorse or promote products derived
 from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
==========

Copyright and license statement for the original Mersenne twister C
routines
 translated in MersenneTwister class in package
org.apache.commons.math.random:

  Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
  All rights reserved.

  Redistribution and use in source and binary forms, with or without
  modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.4 jeromq 0.3.5

1.4.1 Available under license :

GNU General Lesser Public License (LGPL) version 3.0
http://www.gnu.org/licenses/lgpl-3.0.html

1.5 annotations 13.0

1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2006 Sascha Weinreuter
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Identifier.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Pattern.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Language.java
*
 /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/PrintFormat.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/RegExp.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Subst.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2013 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Contract.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/Flow.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2009 JetBrains s.r.o.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nls.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/Nullable.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/NonNls.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/PropertyKey.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2000-2012 JetBrains s.r.o.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/jetbrains/annotations/TestOnly.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/JdkConstants.java
* /opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-

jar/org/jetbrains/annotations/NotNull.java
*
/opt/cola/permits/173667507_1695324641.7896898/0/annotations-13-0-sources-jar/org/intellij/lang/annotations/MagicConstant.java

1.6 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.7 failureaccess 1.0.1

1.8 j2objc-annotations 1.3

1.8.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
```

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

1.9 bean-validation-api 2.0.1.Final

1.9.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0
See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.

1.10 giflib 5.2.1

1.10.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
 OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.11 error_prone_annotations 2.3.4

1.11.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Immutable.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/Var.java
*
 /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/RequiredModifiers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
 /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CheckReturnValue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/NoAllocation.java
*
 /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/FormatString.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/CompatibleWith.java
*
 /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/ws_local/PERMITS_SQL/1059106420_1592475238.99/0/error-prone-annotations-2-3-4-sources-1-jar/com/google/errorprone/annotations/FormatMethod.java

1.12 tre 0.8.0

1.12.1 Available under license :

This is the license, copyright notice, and disclaimer for TRE, a regex
matching package (library and tools) with support for approximate
matching.

Copyright (c) 2001-2009 Ville Laurikari <vl@iki.fi>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER
 OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.13 jctools-core 3.1.0

1.13.1 Available under license :

No license file was found, but licenses were detected in source scan.

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
 <modelVersion>4.0.0</modelVersion>

 <artifactId>jctools-core</artifactId>
 <groupId>org.jctools</groupId>
 <version>3.1.0</version>
 <name>Java Concurrency Tools Core Library</name>
 <description>Java Concurrency Tools Core Library</description>
 <packaging>bundle</packaging>

 <dependencies>
  <dependency>
   <groupId>org.hamcrest</groupId>
   <artifactId>hamcrest-all</artifactId>
   <version>${hamcrest.version}</version>
   <scope>test</scope>
  </dependency>

  <dependency>
   <groupId>junit</groupId>
   <artifactId>junit</artifactId>
   <version>${junit.version}</version>
   <scope>test</scope>
  </dependency>

  <dependency>
   <groupId>com.google.guava</groupId>
   <artifactId>guava-testlib</artifactId>
   <version>${guava-testlib.version}</version>
   <scope>test</scope>

```
 </dependency>
</dependencies>
<build>
 <plugins>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-surefire-plugin</artifactId>
   <version>3.0.0-M3</version>
   <configuration>
    <includes>
     <include>*</include>
    </includes>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.felix</groupId>
   <artifactId>maven-bundle-plugin</artifactId>
   <version>4.2.1</version>
   <extensions>true</extensions>
   <configuration>
    <instructions>
     <Import-Package>sun.misc;resolution:=optional</Import-Package>
    </instructions>
   </configuration>
  </plugin>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-source-plugin</artifactId>
   <version>3.2.0</version>
   <executions>
    <execution>
     <id>attach-sources</id>
     <phase>verify</phase>
     <goals>
      <goal>jar-no-fork</goal>
     </goals>
    </execution>
   </executions>
  </plugin>
  <plugin>
   <groupId>org.apache.maven.plugins</groupId>
   <artifactId>maven-javadoc-plugin</artifactId>
   <version>3.1.1</version>
   <configuration>
    <additionalOptions>
     <additionalOption>-Xdoclint:none</additionalOption>
    </additionalOptions>
    <source>8</source>
```

```
  </configuration>
  <executions>
   <execution>
    <id>attach-javadocs</id>
    <goals>
     <goal>jar</goal>
    </goals>
   </execution>
  </executions>
 </plugin>
</plugins>
</build>

<distributionManagement>
 <repository>
  <id>bintray-jctools-jctools</id>
  <name>jctools-jctools</name>
  <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
 </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
 <license>
  <name>Apache
License, Version 2.0</name>
  <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
  <distribution>repo</distribution>
 </license>
</licenses>

<scm>
 <url>https://github.com/JCTools/JCTools</url>
 <connection>scm:git:https://github.com/JCTools/JCTools</connection>
 <tag>HEAD</tag>
</scm>

<developers>
 <developer>
  <url>https://github.com/nitsanw</url>
 </developer>
 <developer>
  <url>https://github.com/mjpt777</url>
 </developer>
 <developer>
  <url>https://github.com/RichardWarburton</url>
```

```
 </developer>
 <developer>
  <url>https://github.com/kay</url>
 </developer>
 <developer>
  <url>https://github.com/franz1981</url>
 </developer>
</developers>

<prerequisites>
 <maven>3.5.0</maven>
</prerequisites>

<properties>
 <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
 <java.version>1.6</java.version>
 <java.test.version>1.8</java.test.version>

 <maven.compiler.source>${java.version}</maven.compiler.source>
 <maven.compiler.target>${java.version}</maven.compiler.target>
 <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
 <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

 <hamcrest.version>1.3</hamcrest.version>
 <junit.version>4.12</junit.version>
 <guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

Found
 in path(s):
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Ordering.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/LinkedQueueAtomicNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/Preference.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MessagePassingQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SupportsIterator.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscGrowableArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseSpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpmcArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/maps/AbstractEntry.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/InternalAPI.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/Pow2.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscChunkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/ConcurrentAutoTable.java
*
/opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/LinkedQueueNode.java

* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/PortableJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/maps/NonBlockingSetInt.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscCompoundQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/QueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/UnsafeAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/SpscGrowableAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
*
 /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/SpscGrowableArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/util/RangeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/org/jctools/queues/package-info.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/queues/BaseSpscLinkedArrayQueue.java

1.14 xerces-j 2.12.2

1.14.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation http://www.apache.org/

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
==  Version 2.0, in this case for the Apache Xerces Java distribution. ==
=========================================================================
```

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.

==
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
==

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software was originally based on the following:
- software copyright (c) 1999-2002, Lotus Development Corporation.,
  http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems.,
  http://www.sun.com.
- software copyright (c) 2003, IBM Corporation.,
  http://www.ibm.com.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii)
beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the
Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.15 httpcomponents-client 4.5.13

1.15.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

==========

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <http://mozilla.org/MPL/2.0/>

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code
 Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the
      terms of a Secondary License.

1.6. "Executable Form"
  means any form of the work other than Source Code Form.

1.7. "Larger Work"
  means a work that combines Covered Software with other material, in
  a separate file or files, that is not Covered Software.

1.8. "License"
  means this document.

1.9. "Licensable"
  means having the right to grant, to the maximum extent possible,

whether at the time of the initial grant or subsequently,
any and
all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

(b) any new file in Source Code Form that contains any Covered
Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making, using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General
Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,

non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if

permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a

recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  ------------------------                                            *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
```

* essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *
****

****
* *
* 7. Limitation of Liability *
* ---------- *
* *
* *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation
of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation

which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license
steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary
Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.
Apache HttpComponents Client
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

1.16 guava 30.1-jre

1.16.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Quantiles.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Java8Usage.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/HashingInputStream.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/CharSequenceReader.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
 * This following method is a modified version of one found in
 * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
 * which contained the following notice:
 *
 * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
 *
the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
 */

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/AllEqualOrdering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MoreFiles.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Serialization.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Table.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Range.java

*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Shorts}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the

```
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
copyright to this source code.
 */
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSink.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/Stats.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Element.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/SipHashFunction.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractByteHasher.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CartesianList.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/Traverser.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby
 disclaims copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
```

*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
 wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/SuccessorsFunction.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/MutableGraph.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/graph/Network.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AtomicDoubleArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/Striped64.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Doubles.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Booleans.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Chars.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Joiner.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Bytes.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Converter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Ints.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/internal/Finalizer.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMapDifference.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/escape/Escapers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

```
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
  * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
  * version.
  *
  * @throws UnsupportedOperationException always
  * @deprecated <b>Pass a key of type {@code Comparable}
 to use {@link
  *     ImmutableSortedMap#of(Comparable, Object)}.</b>
  */
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
* version.
*/
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableClassToInstanceMap.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/TableCollectors.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableSortedSet.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
```

jar/com/google/common/collect/ImmutableSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/package-info.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Strings.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Equivalence.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under

* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Comparators.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Doubles}. Intended to be empty for regular

* version.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Ints}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/IntsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Resources.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/Predicates.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Function.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Throwables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/primitives/Primitives.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Files.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/package-info.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/LineReader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Preconditions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Objects.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/MultiInputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Interners.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Closeables.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Suppliers.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Defaults.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/CharStreams.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multimaps.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multisets.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Ordering.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NullsLastOrdering.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSet.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Iterables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/MapDifference.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/Platform.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Internal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may

* obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Streams.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/ToDoubleRounder.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Java8Compatibility.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Guava Authors
*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/IgnoreJRERequirement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/JdkBackedImmutableSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/hash/ImmutableSupplier.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/ExecutionSequencer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
  * and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
  * java.util.HashMap
 class.
  */

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-
jar/com/google/common/collect/GeneralRange.java
*

/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Count.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/Hashing.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Optional.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Present.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/PrimitiveSink.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java

* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Absent.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Hasher.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Murmur3_128HashFunction.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/base/Enums.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java
*
 /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/package-info.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/ForwardingCache.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-

jar/com/google/common/hash/BloomFilter.java
*
/opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Returns an array containing all of the elements in the specified collection. This method
  * returns the elements in the order they are returned by the collection's iterator. The returned
  * array is "safe" in that no references to it are maintained by the collection. The caller is
  * thus free to modify the returned
 array.
  *
  * <p>This method assumes that the collection size doesn't change while the method is running.
  *
  * <p>TODO(kevinb): support concurrently modified collections?
  *
  * @param c the collection for which to return an array of elements
  */
```

Found in path(s):
* /opt/cola/permits/1119092615_1608716259.54/0/guava-30-1-jre-sources-1-jar/com/google/common/collect/ObjectArrays.java

1.17 bridgeutils 1.6

1.17.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed
to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute
and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time
you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution
of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any
other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19yy name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.18 httpcomponents-core 4.4.13

1.18.1 Available under license :

Apache HttpCore
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.19 httpcore-nio 4.4.13

1.19.1 Available under license :

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.20 httpclient-cache 4.5.13

1.20.1 Available under license :

Apache HttpClient Cache
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.21 commons-logging 1.2

1.21.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogFactory.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2001-2004,2006 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/AvalonLogger.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/WeakHashtable.java
No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/package.html
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/package.html
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2001-2004 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java
*
 /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 The Apache Software Foundation.

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

1.22 commons-io 2.8.0

1.22.1 Available under license :

Apache Commons IO
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.23 commons-codec 1.14

1.23.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)

the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.24 javassist 3.27.0-GA

1.24.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Visitor.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/AppletServer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ArrayInit.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Mnemonic.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Parser.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefineClassHelper.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/SubroutineScanner.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMember.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/FieldInfo.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/URLClassPath.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestMembersAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AttributeInfo.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Subroutine.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/DefinePackageHelper.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolFactory.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Modifier.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Expr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtPrimitiveType.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Callback.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/MethodInfo.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtMethod.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/NewExpr.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SecurityActions.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassMap.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/FieldDecl.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CodeConverter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTree.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/NotFoundException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Variable.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFilePrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Stmnt.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/framedump.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Bytecode.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyFactory.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/tools/rmi/RemoteException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClassType.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtBehavior.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypedBlock.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberCodeGen.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/SerializedProxy.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/BadHttpRequest.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPool.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewWrappedMethod.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/SyntheticAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/ExprEditor.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ExceptionsAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtField.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/Dump.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/MethodDecl.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Handler.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Viewer.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/SerialVersionUID.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/Transformer.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/AnnotationsAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiArrayType.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/JvstTypeChecker.java

* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Loader.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/HotSwapper.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/LongVector.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/CastExpr.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtClass.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/Translator.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/MethodHandler.java
*
 /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/expr/Cast.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/util/proxy/RuntimeSupport.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/compiler/ast/Pair.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/convert/TransformWriteField.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/analysis/MultiType.java
No license file was found, but licenses were detected in source scan.

/*
* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/EnumMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-

jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/BooleanMemberValue.java
*
/opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1135872664_1613621010.52/0/javassist-3-27-0-ga-sources-1-jar/javassist/bytecode/annotation/DoubleMemberValue.java

1.25 zt 1.14

1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
*  Licensed to the Apache Software Foundation (ASF) under one or more
*  contributor license agreements.  See the NOTICE file distributed with
*  this work for additional information regarding copyright ownership.
*  The ASF licenses this file to You under the Apache License, Version 2.0
*  (the "License"); you may not use this file except in compliance with
*  the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
*  Unless required by applicable law or agreed to in writing, software
*  distributed under the License is distributed on an "AS IS" BASIS,
*  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*  See the License for the specific language governing permissions and
*  limitations under the License.
*
*/
```

Found in path(s):
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/AsiExtraField.java
*

/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipLong.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipExtraField.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipShort.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/ZipConstants.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FileExistsException.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/IOUtils.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/commons/FilenameUtils.java
No license file was found, but licenses were detected in source scan.

```
/**
*    Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
*
```

```
*    Licensed under the Apache License, Version 2.0 (the "License");
*    you may not use this file except in compliance with the License.
*    You may obtain a copy of the License at
*
*       http://www.apache.org/licenses/LICENSE-2.0
*
*    Unless required by applicable law or agreed to in writing, software
*    distributed under the License is distributed on an "AS IS" BASIS,
*    WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
*    See the License for the specific language governing permissions and
*    limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZTFileUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipInfoCallback.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/NameMapper.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/FileSource.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/Zips.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ByteSource.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntrySource.java
*
/opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipUtil.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /opt/cola/permits/1135879776_1613624027.25/0/zt-zip-1-14-sources-1-jar/org/zeroturnaround/zip/ZipEntryCallback.java

1.26 httpcomponents-mime 4.5.12

1.26.1 Available under license :

Apache HttpClient Mime
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.27 commons-codec 1.15

1.27.1 Available under license :

Apache Commons Codec
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from http://aspell.net/test/orig/batch0.tab.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

==========

The content of package org.apache.commons.codec.language.bm has been translated
from the original php source code available at http://stevemorse.org/phoneticinfo.htm
with permission from the original authors.
Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.28 lcms 2.12

1.28.1 Available under license :

Little CMS
Copyright (c) 1998-2011 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs,
please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.

3. You may not pretend that you wrote this software. If you use it in a
program, you must acknowledge somewhere in your documentation that
you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS", and you,
its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this
software (or portions thereof) for any purpose, without
fee, subject to these
conditions:
(1) If any part of the source code for this software is distributed, then this
README file must be included, with this copyright and no-warranty notice
unaltered; and any additions, deletions, or changes to the original files
must be clearly indicated in accompanying documentation.
(2) If only executable code is distributed, then the accompanying
documentation must state that "this software is based in part on the work of
the Independent JPEG Group".
(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products
derived from
it. This software may be referred to only as "the Independent JPEG Group's
software".

We specifically permit and encourage the use of this software as the basis of
commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltmain.sh). Another support script, install-sh, is copyright by X Consortium

but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support has
been removed altogether, and the GIF writer has been simplified to produce
"uncompressed GIFs". This technique does not use the LZW algorithm; the
resulting GIF files are larger than usual, but are readable by
 all standard
GIF decoders.

We are required to state that
  "The Graphics Interchange Format(c) is the Copyright property of
  CompuServe Incorporated. GIF(sm) is a Service Mark property of
  CompuServe Incorporated."

1.29 asm 6.0

1.29.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED
 WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/package.html
No license file was found, but licenses were detected in source scan.

```
/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
   * Creates a new {@link GeneratorAdapter}. <i>Subclasses must not use this
   * constructor</i>. Instead, they must use the
   * {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}
   * version.
   *
   * @param mv
   *            the
 method visitor to which this adapter delegates calls.
   * @param access
   *            the method's access flags (see {@link Opcodes}).
   * @param name
   *            the method's name.
```

```
   * @param desc
   *            the method's descriptor (see {@link Type Type}).
   * @throws IllegalStateException
   *             If a subclass calls this constructor.
   */
```

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/GeneratorAdapter.java
No license file was found, but licenses were detected in source scan.

```
/**
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
```

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/ASMifiable.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Textifiable.java
No license file was found, but licenses were detected in source scan.

```
/***
```

```
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
   * Creates a new JSRInliner. <i>Subclasses must not use this
   * constructor</i>. Instead, they must use the
   * {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}
   * version.
   *
   * @param mv
   *
  the <code>MethodVisitor</code> to send the resulting inlined
   *          method code to (use <code>null</code> for none).
   * @param access
   *          the method's access flags (see {@link Opcodes}). This
   *          parameter also indicates if the method is synthetic and/or
   *          deprecated.
   * @param name
   *          the method's name.
   * @param desc
   *          the method's descriptor (see {@link Type}).
   * @param signature
```

```
   *          the method's signature. May be <tt>null</tt>.
   * @param exceptions
   *          the internal names of the method's exception classes (see
   *          {@link Type#getInternalName() getInternalName}). May be
   *          <tt>null</tt>.
   * @throws IllegalStateException
   *           If a subclass calls this constructor.
   */
```

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java
No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/asm-xml.dtd
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom
* All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/package.html
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/package.html
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/package.html
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/package.html
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/signature/package.html
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/package.html
No license file was found, but licenses were detected in source scan.

/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/SimpleRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/InnerClassNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/CurrentFrame.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/FrameNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/ParameterNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/util/TraceModuleVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/MethodWriter.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/Analyzer.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/util/CheckModuleAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Frame.java

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleProvideNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/Frame.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/IntInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/FieldNode.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SmallSet.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/AbstractInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleExportNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/Remapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/FieldRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/IincInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LabelNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/ASMifier.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckMethodAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/InstructionAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckFieldAdapter.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceMethodVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/MethodRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ModuleWriter.java

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceFieldVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Label.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/Method.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tools/Retrofitter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/VarInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/AnnotationRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassReader.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InsnList.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/MethodInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckClassAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/TraceClassVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/AdviceAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleRequireNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/analysis/BasicValue.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Opcodes.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Context.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-

jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ModuleNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/LineNumberNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/AnnotationNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/Value.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/FieldVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/TypeInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/ModuleRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/TypeAnnotationNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/SourceValue.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LdcInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Printer.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/Subroutine.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/MethodNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/signature/SignatureWriter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/ClassRemapper.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/FieldInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/analysis/Interpreter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tools/ModuleInfoBndPlugin.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/LocalVariablesSorter.java

* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/SignatureRemapper.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/LocalVariableNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Item.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/JumpInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/Attribute.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ModuleVisitor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/commons/StaticInitMerger.java
*
 /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
No license file was found, but licenses were detected in source scan.

/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

```
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
   * Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must
   * not use this constructor</i>. Instead, they must use the
   * {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}
   * version.
   *

   * @param typeRef
   *          a reference to the annotated type. See {@link TypeReference}.
   * @param typePath
   *          the path to the annotated type argument, wildcard bound, array
   *          element type, or static inner type within 'typeRef'. May be
   *          <tt>null</tt> if the annotation targets 'typeRef' as a whole.
   * @param start
   *          the fist instructions corresponding to the continuous ranges
   *          that make the scope of this local variable (inclusive).
   * @param end
   *          the last instructions corresponding to the continuous ranges
   *          that make the scope of this local variable (exclusive). This
   *          array must have the same size as the 'start' array.
   * @param index
   *          the local variable's index in each range. This array must have
   *          the same size as the 'start' array.
   * @param desc
   *          the class descriptor of
 the annotation class.
   */

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java
No license file was found, but licenses were detected in source scan.

/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2013 INRIA, France Telecom
```

* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/TypePath.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/TypeReference.java
No license file was found, but licenses were detected in source scan.

/***
* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/SAXModuleAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/SAXFieldAdapter.java
*
/opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/ASMContentHandler.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/SAXAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/xml/Processor.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/SAXClassAdapter.java
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/xml/SAXCodeAdapter.java
No license file was found, but licenses were detected in source scan.

/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its

```
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
   * Creates a new {@link AnalyzerAdapter}. <i>Subclasses must not use this
   * constructor</i>. Instead, they must use the
   * {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
   * version.
   *
   * @param owner
   *
     the owner's class name.
   * @param access
   *          the method's access flags (see {@link Opcodes}).
   * @param name
   *          the method's name.
   * @param desc
   *          the method's descriptor (see {@link Type Type}).
   * @param mv
   *          the method visitor to which this adapter delegates calls. May
   *          be <tt>null</tt>.
   * @throws IllegalStateException
   *           If a subclass calls this constructor.
   */

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-
jar/org/objectweb/asm/commons/AnalyzerAdapter.java
No license file was found, but licenses were detected in source scan.

/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
```

```
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
   * Constructs a new {@link Textifier}. <i>Subclasses must not use this
   * constructor</i>. Instead, they must use the {@link #Textifier(int)}
   * version.
   *
   * @throws IllegalStateException
   *             If a subclass calls this constructor.
    */
```

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/util/Textifier.java
No license file was found, but licenses were detected in source scan.

```
/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
    * Constructs a new {@link ClassNode}. <i>Subclasses must not use this
    * constructor</i>. Instead, they must use the {@link #ClassNode(int)}
    * version.
    *
    * @throws IllegalStateException
    *             If a subclass calls this constructor.
     */
```

Found in path(s):
* /opt/cola/permits/1138554392_1614291227.62/0/asm-6-0-sources-1-jar/org/objectweb/asm/tree/ClassNode.java

1.30 xorg-randr 1.0.7

1.30.1 Available under license :

```
Copyright  2001 Keith Packard, member of The XFree86 Project, Inc.
Copyright  2002 Hewlett Packard Company, Inc.
Copyright  2006 Intel Corporation

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that copyright
notice and this permission notice appear in supporting documentation, and
that the name of the copyright holders not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission.  The copyright holders make no representations
about the suitability of this software for any purpose.  It is provided "as
```

is" without express or implied warranty.

THE COPYRIGHT HOLDERS DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.31 namespace 1.4.01

1.31.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as
of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own
copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names
of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law
(such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your
sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
=========================================================================
==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
==  distribution.                                                      ==
=========================================================================
```

Apache XML Commons XML APIs
Copyright 1999-2009 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215 2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing copyright notice of the original author, or if it doesn't exist, a notice (hypertext is preferred, but a textual representation is permitted) of the form: "Copyright [$date-of-document] World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved. http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright
FAQ) are satisfied, the right to create modifications or derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO

REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C

standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original
version of the W3C Software Copyright Notice and License could be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms

and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising
or
publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at
all times remain with copyright holders.
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $

This license came from: http://www.megginson.com/SAX/copying.html

However please note future versions of SAX may be covered
under http://saxproject.org/?selected=pd

This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05

1.32 jackson 2.14.1

1.32.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.33 alpine-keys 2.4-r1

1.33.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
 ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.34 jackson 2.15.0

1.34.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.35 log4j-api 2.17.1

1.35.1 Available under license :

Apache Log4j 1.x Compatibility API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.36 apache-log4j 2.17.1

1.36.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache license, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the license for the specific language governing permissions and
* limitations under the license.
*/

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.37 log4j-jcl 2.17.1

1.37.1 Available under license :

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.38 opentracing-api 0.33.0

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016-2019 The OpenTracing Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/IntOrStringTag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/log/Fields.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Tracer.java
*
/opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/SpanContext.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tags.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryInject.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryExtract.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapExtract.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/StringTag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryAdapters.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-

jar/io/opentracing/propagation/TextMap.java
*
/opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/Format.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/TextMapExtractAdapter.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Span.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/References.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/tag/AbstractTag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Scope.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/tag/BooleanTag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/TextMapInject.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/TextMapInjectAdapter.java
*
/opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/TextMapAdapter.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/tag/IntTag.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/ScopeManager.java
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-
jar/io/opentracing/propagation/Binary.java
No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
or implied. See the License for the specific language governing permissions and limitations under
the License.

Found in path(s):
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/META-
INF/maven/io.opentracing/opentracing-api/pom.xml

1.39 opentracing-util 0.33.0

1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
or implied. See the License for the specific language governing permissions and limitations under
the License.

Found in path(s):
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-jar/META-INF/maven/io.opentracing/opentracing-util/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016-2019 The OpenTracing Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-jar/io/opentracing/util/ThreadLocalScope.java
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-jar/io/opentracing/util/ThreadLocalScopeManager.java
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-jar/io/opentracing/util/GlobalTracer.java

1.40 opentracing-noop 0.33.0

1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software distributed under the License
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
or implied. See the License for the specific language governing permissions and limitations under
the License.

Found in path(s):
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/META-INF/maven/io.opentracing/opentracing-noop/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016-2019 The OpenTracing Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopScopeManager.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpanContext.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopTracerFactory.java

*
/opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopTracer.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpan.java
* /opt/cola/permits/1257210881_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpanBuilder.java

1.41 dom 1.0

1.41.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2000 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE. See W3C License http://www.w3.org/Consortium/Legal/ for more
* details.
*/

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/w3c/dom/html/HTMLDOMImplementation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2001 World Wide Web Consortium,
* (Massachusetts Institute of Technology, Institut National de
* Recherche en Informatique et en Automatique, Keio University). All
* Rights Reserved. This program is distributed under the W3C's Software
* Intellectual Property License. This program is distributed in the
* hope that it will be useful, but WITHOUT ANY WARRANTY; without even
* the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
* PURPOSE.
* See W3C License http://www.w3.org/Consortium/Legal/ for more details.
*/

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ElementEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASNotationDeclaration.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASObject.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/CharacterDataEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMImplementationAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DocumentAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASAttributeDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASElementDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASEntityDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASNamedObjectMap.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASDataType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASWriter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DocumentEditAS.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/ASObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/DOMASException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom3/as/NodeEditAS.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
   * Checks if this content model has had its min/maxOccurs values reduced for
   * purposes of speeding up UPA.  If
 so, this content model should not be used
   * for any purpose other than checking unique particle attribution
   *
   * @return a boolean that says whether this content has been compacted for UPA
   */
```

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMValidator.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * DOM Level 3 LS CR - Experimental.
   * Create a new <code>LSParser</code>. The newly constructed parser may
   *
 then be configured by means of its <code>DOMConfiguration</code>
   * object, and used to parse documents by means of its <code>parse</code>
   *  method.
   * @param mode  The <code>mode</code> argument is either
   *   <code>MODE_SYNCHRONOUS</code> or <code>MODE_ASYNCHRONOUS</code>, if
   *   <code>mode</code> is <code>MODE_SYNCHRONOUS</code> then the
   *   <code>LSParser</code> that is created will operate in synchronous
   *   mode, if it's <code>MODE_ASYNCHRONOUS</code> then the
```

```
    *   <code>LSParser</code> that is created will operate in asynchronous
    *   mode.
    * @param schemaType  An absolute URI representing the type of the schema
    *   language used during the load of a <code>Document</code> using the
    *   newly created <code>LSParser</code>. Note that no lexical checking
    *   is done on the absolute URI. In order to create a
    *   <code>LSParser</code> for any kind of schema types (i.e. the
    *   LSParser will be free to use any schema
 found), use the value
    *   <code>null</code>.
    * <p ><b>Note:</b>    For W3C XML Schema [<a href='http://www.w3.org/TR/2001/REC-xmlschema-1-
20010502/'>XML Schema Part 1</a>]
    *   , applications must use the value
    *   <code>"http://www.w3.org/2001/XMLSchema"</code>. For XML DTD [<a
href='http://www.w3.org/TR/2000/REC-xml-20001006'>XML 1.0</a>],
    *   applications must use the value
    *   <code>"http://www.w3.org/TR/REC-xml"</code>. Other Schema languages
    *   are outside the scope of the W3C and therefore should recommend an
    *   absolute URI in order to use this method.
    * @return  The newly created <code>LSParser</code> object. This
    *   <code>LSParser</code> is either synchronous or asynchronous
    *   depending on the value of the <code>mode</code> argument.
    * <p ><b>Note:</b>    By default, the newly created <code>LSParser</code>
    *    does not contain a <code>DOMErrorHandler</code>, i.e. the value of
    *   the "<a href='http://www.w3.org/TR/2003/WD-DOM-Level-3-Core-20030609/core.html#parameter-error-
handler'>
     *   error-handler</a>" configuration parameter is <code>null</code>. However, implementations
    *   may provide a default error handler at creation time. In that case,
    *   the initial value of the <code>"error-handler"</code> configuration
    *   parameter on the new created <code>LSParser</code> contains a
    *   reference to the default error handler.
    * @exception DOMException
    *    NOT_SUPPORTED_ERR: Raised if the requested mode or schema type is
    *   not supported.
   */
```

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/dom/CoreDOMImplementationImpl.java
No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements.  See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License.  You may obtain a copy of the License at
```

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDocumentInfo.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDElementTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFrameElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLEntityDescriptionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ShadowedSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ObjectListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLImgElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOptgroupElement.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLImgElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCDATASectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractIDConstraintTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTimerElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSParticle.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLWmlElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnySimpleDV.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/StringList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTimerElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/CaseInsensitiveMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMImplementation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultXMLDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAnchorElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLSerializer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHtmlElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/DefaultNamespaceContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/MultipleScopeNamespaceSupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaParsingConfig.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11NSDTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLMetaElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLQuoteElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EncodingMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeTextReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMInputImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLCatalogResolver.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/TeeXMLDocumentFilterImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableSectionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMStateSet.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/Base64BinaryDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DraconianErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPValidatorComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTitleElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11NonValidatingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementDefinitionImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLElementDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeGroupDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractDOMParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLSelectElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLabelElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFieldSetElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLCardElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/ShortListImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/Base64.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CDATASectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XSGrammarPoolContainer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLMetaElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/XSSimpleType.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDelegate.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOMParser.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegularExpression.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/UIEventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Method.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityReferenceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ByteList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBodyElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNSDTDValidator.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMBinOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMUtil.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLIElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ElementSchemePointer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SoftReferenceGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/AbstractXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DurationImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTdElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SecurityManager.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLErrorCode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultAugmentor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/FieldActivator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ParentNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XIntPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCellElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaSymbols.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF16Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/TextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMStringListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/NonValidatingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLImageElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DecimalDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSModelImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ShortList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ListDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXEventResultBuilder.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredAttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityReferenceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/ObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/XPathMatcher.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLHeadElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/PSVIErrorList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11NMTOKENDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/KeyRef.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLAttributes.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLHeadElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredEntityImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/Latin1Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/LCount.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDProcessor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BooleanDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLEntityResolver.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/xs/SchemaGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidatedInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ChildNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Constants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MouseEventImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidatorFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/Util.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XInclude11TextReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DefaultValidationErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOptgroupElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SchemaValidatorConfiguration.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPostfieldElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/StAXSchemaParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNotationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CoreDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLNSDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ReadOnlyGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMErrorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLAttributesImpl.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLDocumentParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDComplexTypeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DatatypeMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLIElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLNoopElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeException.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/ENTITYDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLInputElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTableElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/SchemaContentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SoftReferenceSymbolTableConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/BalancedDTDGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/ShortHandPointer.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/BasicParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLPreElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecurityConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractXMLDocumentParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ValidationState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/HTMLdtd.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDOMImplementation.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AugmentationsImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSImplementation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXLocatorWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SynchronizedSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGrammarBucket.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLNoopElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerErrorHandler.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/ProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/NamespaceContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchemaFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTdElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DayTimeDurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLUElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSNamedMap4Types.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDateTime.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultText.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTerm.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xni/parser/XMLComponent.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSmallElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DocumentBuilderImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTextAreaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/AttributePSVI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Token.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XML11Serializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAttributeGroupTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/HexBinaryDV.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLGoElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/SimpleLocator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/MessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLErrorReporter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSLoaderImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NamespaceBinder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLResourceIdentifierImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPath.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMenuElementImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLCollectionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentFragmentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSComplexTypeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXInputSource.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XPointerParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedDuration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UTF8Reader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeValueException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSNotationDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAreaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBigElement.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLChar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPostfieldElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeepNodeListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityReferenceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPrevElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMXSImplementationSourceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/MixedContentModel.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/Augmentations.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/XMLVersionDetector.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLDTDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSComplexTypeDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NotationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/UniqueOrKey.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/DatatypeFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAnchorElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLIFrameElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/LineSeparator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLLocatorWrapper.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSWildcard.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StreamValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/StAXLocationWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDoElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/IntegratedParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLNotationDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/BaseSchemaDVFactory.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/IdentityConstraint.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDouble.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CommentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredProcessingInstructionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CommentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSetvarElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASDOMImplementationImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NotationDeclarationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SoftReferenceSymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/EntityState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/XHTMLSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLWmlElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ASModelImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentTypeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMValidatorHelper.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAnnotationInfo.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DTDScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarCachingConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerPart.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/QName.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLEmElementImpl.java

*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFormControl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredTextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/FloatDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11DocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeGroupDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMAny.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/StartElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/DOMSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroupDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EndElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/QNameDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBrElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLScriptElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLStringBuffer.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/MutationEventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDGroupTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/FullDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/DTDImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/parsers/DOMParserImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTrElement.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMUniOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentFragmentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLSelectElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDSimpleTypeTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11EntityScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/StringDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDREFDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLButtonElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Field.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/TextImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOneventElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/ByteListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLStrongElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/CachingParserPool.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ParserConfigurationSettings.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLDocument.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/EmptyXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObjectList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultNode.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMapElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XML11NSDocumentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSmallElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDContentModelHandler.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLEmElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/DTDGrammarBucket.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/ElementPSVImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/REUtil.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLParseException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Op.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDContentModelSource.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11DTDConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTemplateElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLInputElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NMTOKENDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLParagraphElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/OutputFormat.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/NOTATIONDatatypeValidator.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SymbolHash.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dv/xs/ListDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLUListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationSourceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBrElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/CharacterDataImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/RangeImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SerializerFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLGrammarPoolImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLStrongElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNotationDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/EncodingInfo.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLMetaElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/CMNodeFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFontElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTableElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLAppletElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IDDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSObject.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/SchemaDVFactory.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLEntityDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/ErrorHandlerProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/DTDDVFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMNode.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/StringListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLTemplateElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configurable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/InvalidDatatypeFacetException.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractParticleTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/StAXStreamResultBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/XMLGregorianCalendarImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XInt.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSConstants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Serializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SubstitutionGroupHandler.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/TypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/SAXParserImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSGroupDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DoubleDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/Version.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/IntStack.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/ASCIIReader.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSIDCDefinition.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLCardElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLFieldsetElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttrImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/DefaultDocument.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/FilePathToURI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPrevElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/util/HexBin.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/datatype/SerializedXMLGregorianCalendar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDContentModelFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSModelGroup.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBaseFontElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementDefinitionImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSElementDeclHelper.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLComponentManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/PrimeNumberSequenceGenerator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOneventElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDVFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/ImmutableLocation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/jaxp/validation/XMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/UnionDV.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XNIException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XSGrammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLBElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SAXParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSDecimal.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSWildcardDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMConfigurationImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableColElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLTrElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMUniOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLGrammarLoader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ConfigurableValidationState.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/IndentPrinter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/ElementState.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/ObjectFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/DFAContentModel.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/AttributeMap.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EndDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLPElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSFloat.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/StringDatatypeValidator.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMRepeatingLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIAttrNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDocumentFragmentScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/ValidationContext.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/Grammar.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAccessElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/Match.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSMessageFormatter.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/TextSerializer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/NamespaceImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/JAXPConstants.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EntityResolverWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMOutputImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecuritySupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/ExternalSubsetResolver.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/NodeListCache.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/PSVIElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SAXMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredCommentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHRElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamespaceItemList.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMEntityResolverWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RegexParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/ElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/AttributeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/IDREFDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLUElement.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSCMLeaf.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/LocatorProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/Selector.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSElementDeclaration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAnnotationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/LSInputList.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/XPathException.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/EntityDeclarationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/AbstractSAXParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLBigElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLLocator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSTypeDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/ItemPSVI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/URI.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLObjectElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyAtomicDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/NamedNodeMapImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/WeakReferenceXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/datatypes/XSQName.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeIteratorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DefaultErrorHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/BMPattern.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DTDConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/SimpleXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLegendElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDWildcardTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLHeadingElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/XSFacets.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/xs/ElementPSVI.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLRefreshElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSGrammarPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLResourceIdentifier.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDirectoryElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XML11Configuration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/EntityImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/MalformedByteSequenceException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/UnparsedEntityHandler.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLAccessElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XMLSymbols.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xpointer/XPointerProcessor.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSetvarElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDTDHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSMultiValueFacet.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAnnotation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLinkElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/events/EventImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DTDDVFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/identity/ValueStore.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorHandlerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/DOMErrorHandlerWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/XMLEventImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XS10TypeHelper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDivElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamespaceItem.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/XML11Char.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLFrameSetElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLNamespaceBinder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarPreparser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLBRElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/RangeExceptionImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/PSVIProvider.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSNamedMap.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLStyleElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeUseImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/validation/ValidationManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/EntityResolver2Wrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSElementDecl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLAttributeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLLIElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSParticleDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/impl/dtd/models/ContentModelValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/StAXInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLContentSpec.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DocumentTypeImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLOptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/AttributePSVImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLSelectElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLString.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/XMLSchemaValidatorComponentManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableRowElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLOListElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/SchemaDOM.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLDTDScannerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLInputElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/PrecisionDecimalDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLPullParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/SecureProcessingConfiguration.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDocumentFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/XSObjectListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NamedNodeMapImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSFacet.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLGoElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDAbstractTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Printer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11DTDProcessor.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLRefreshElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/ParserForXMLSchema.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMNormalizer.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/IntegerDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/DocumentBuilderFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLIsIndexElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/SimpleContentModel.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSSimpleTypeDefinition.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/EmptyLocation.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/SerializerFactory.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/HTTPInputSource.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/Encodings.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSAttributeUse.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xml/serialize/BaseMarkupSerializer.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/events/CharactersImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-

jar/org/apache/xerces/dom/DeferredDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/stax/XMLEventFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/JAXPNamespaceContextWrapper.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/NamespaceSupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/XMLDocumentHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMLocatorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/util/LSInputListImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSDeclarationPool.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/JAXPValidationMessageFormatter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/models/CMBinOp.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/ExtendedSchemaDVFactoryImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XML11DTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/EntityDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/SymbolTable.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AnyURIDV.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityScanner.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityManager.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSAttributeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xinclude/XIncludeNamespaceSupport.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSEmptyCM.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLOptGroupElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/DVFactoryException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLDocumentImpl.java
*

/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/SchemaDateTimeException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLOptionElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLPElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLOptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/WMLElement.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLParamElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/TreeWalkerImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11DTDDVFactoryImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/ParseException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLDTDFilter.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLDTDValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDNotationTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/grammars/XMLSchemaDescription.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/DOMResultBuilder.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLAnchorElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLModElementImpl.java
*
/opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDocumentImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DeferredElementNSImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/HTMLTableCaptionElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/XMLEntityHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/StandardParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/models/XSAllCM.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/opti/AttrImpl.java

* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLFieldsetElementImpl.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDoElementImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/RangeToken.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/DOMASBuilderImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/html/dom/NameNodeListImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/wml/dom/WMLDOMImplementationImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/io/UCSReader.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XIncludeAwareParserConfiguration.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/RevalidationHandler.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xs/XSValue.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/NodeImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/dtd/XML11IDREFDatatypeValidator.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/xni/parser/XMLConfigurationException.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/util/AttributesProxy.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/jaxp/validation/ValidatorImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/parsers/XMLGrammarParser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dtd/XMLSimpleType.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/SchemaNamespaceSupport.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/dom/DOMImplementationListImpl.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
    * used to check the 3 constraints against each complex type
    * (should be each model group):
    * Unique Particle
 Attribution, Particle Derivation (Restriction),
    * Element Declrations Consistent.
    */

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSConstraints.java
No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more
 contributor license agreements. See the NOTICE file distributed with
 this work for additional information regarding copyright ownership.
 The ASF licenses this file to You under the Apache License, Version 2.0
 (the "License"); you may not use this file except in compliance with

the License. You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/xs/datatypes/package.html
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
// Unique Particle Attribution

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-
jar/org/apache/xerces/impl/xs/models/XSDFACM.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/AbstractDateTimeDV.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDKeyrefTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DateDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DateTimeDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDUniqueOrKeyTraverser.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/MonthDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DurationDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/MonthDayDV.java
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/TimeDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSAttributeChecker.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/YearMonthDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XSModelGroupImpl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/XSSimpleTypeDecl.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/traversers/XSDHandler.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/dv/xs/DayDV.java
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xs/XMLSchemaValidator.java
No license file was found, but licenses were detected in source scan.

The ASF licenses this file to You under the Apache License, Version 2.0

(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLSchemaMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/message.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/DOMMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XPointerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/DatatypeMessages.properties
*
 /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/message_fr.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/SAXMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XIncludeMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/XMLSerializerMessages.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/xpath/regex/message_ja.properties
* /opt/cola/permits/1257218116_1642790294.82/0/xercesimpl-2-12-0-sources-jar/org/apache/xerces/impl/msg/JAXPValidationMessages.properties

1.42 dagger 2.4

1.42.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Google, Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Lazy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DelegateFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MapKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Component.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/InstanceFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SingleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Factory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MapProviderFactory.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Collections.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/SetFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 Google Inc.
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Provides.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/MembersInjectors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Multibindings.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/StringKey.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/LongKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Beta.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/ClassKey.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Subcomponent.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Reusable.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/ProviderOfLazy.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Binds.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/Preconditions.java
*
 /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/internal/DoubleCheck.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-
jar/dagger/multibindings/ElementsIntoSet.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoMap.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/package-info.java
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/multibindings/IntoSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/Module.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1257772315_1643010337.24/0/dagger-2-4-sources-jar/dagger/MembersInjector.java

1.43 paranamer 2.5.1

1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

/***
*
* Portions Copyright (c) 2007 Paul Hammant
* Portions copyright (c) 2000-2007 INRIA, France Telecom
* All rights reserved.
*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
 IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/BytecodeReadingParanamer.java
No license file was found, but licenses were detected in source scan.

/***
*
* Copyright (c) 2009 Paul Hammant
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-
jar/com/thoughtworks/paranamer/AnnotationParanamer.java
No license file was found, but licenses were detected in source scan.

/***
*
* Copyright (c) 2007 Paul Hammant
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*
*/

Found in path(s):
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/Paranamer.java
No license file was found, but licenses were detected in source scan.

/***
*
* Copyright (c) 2007 Paul Hammant
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/NullParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/AdaptiveParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/ParameterNamesNotFoundException.java
*

/opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/CachingParanamer.java
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/DefaultParanamer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2007 Paul Hammant
* Copyright 2007 ThinkTank Maths Limited
*
* ThinkTank Maths Limited grants a non-revocable, perpetual licence
* to Paul Hammant for unlimited use, relicensing and redistribution. No
* explicit permission is required from ThinkTank Maths Limited for
* any future decisions made with regard to this file.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
 *   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1257772269_1643010353.74/0/paranamer-2-5-1-sources-jar/com/thoughtworks/paranamer/JavadocParanamer.java

1.44 annotations 4.1.1.4

1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Android Open Source Project
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/SuppressLint.java
* /opt/cola/permits/1258811491_1643111603.33/0/annotations-4-1-1-4-sources-jar/android/annotation/TargetApi.java

1.45 animal-sniffer-annotation 1.19

1.45.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):
* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1258876677_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java

1.46 jakarta-inject-api 2.0.1

1.46.1 Available under license :

Notices for Eclipse Jakarta Dependency Injection

This content is produced and maintained by the Eclipse Jakarta Dependency Injection project.

* Project home: https://projects.eclipse.org/projects/cdi.batch

Trademarks

Jakarta Dependency Injection is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For
more information regarding authorship of content, please consult the listed
source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms
of the Apache License, Version 2.0 which is available at
https://www.apache.org/licenses/LICENSE-2.0.

SPDX-License-Identifier: Apache-2.0

Source Code

The project maintains the following source code repositories:

https://github.com/eclipse-ee4j/injection-api
https://github.com/eclipse-ee4j/injection-spec
https://github.com/eclipse-ee4j/injection-tck

Third-party Content

This project
 leverages the following third party content.

None

Cryptography

None

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.47 error_prone_annotations 2.3.3

1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompatibleWith.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/MustBeClosed.java
*
/opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-

jar/com/google/errorprone/annotations/FormatString.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
 /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/NoAllocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Immutable.java
*
 /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/Var.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/ForOverride.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1264660152_1643871085.34/0/error-prone-annotations-2-3-3-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java

1.48 picocontainer 2.15

1.48.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ProviderAdapter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentLifecycle.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/security/CustomPermissionsURLClassLoader.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentMonitorStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Stored.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/FactoryInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/references/SimpleReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Guarded.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Provider.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/CompositeInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Injector.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/InjectInto.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/references/ThreadLocalMapObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/CompositeInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Injector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/injectors/MultiInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ObjectReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Decorated.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Reinjection.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/references/ThreadLocalReference.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Reinjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/MultiInjection.java
No license file was found, but licenses were detected in source scan.

/***
* Copyright (C) PicoContainer Organization. All rights reserved.
* ---
* The software in this package is published under the terms of the BSD style
* license a copy of which has been included with this distribution in the
* LICENSE.txt file.
***/

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassPathElement.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassName.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/ClassLoadingPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/DefaultConstructorParameter.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/classname/DefaultClassLoadingPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/NullParameter.java
No license file was found, but licenses were detected in source scan.

/***
* Copyright (C) PicoContainer Organization. All rights reserved.   *
* -- *
* The software in this package is published under the terms of the BSD   *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.   *
***/

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/LifecycleState.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/StartableLifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/MethodCallingVisitor.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/AbstractMonitoringLifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/TraversalCheckingVisitor.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/converters/Converter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/ReflectionLifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoVisitor.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentAdapter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/JavaEE5LifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Converters.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/LifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/VerifyingVisitor.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/DefaultLifecycleState.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/CompositeLifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/ReflectionLifecycleException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/visitors/AbstractPicoVisitor.java
No license file was found, but licenses were detected in source scan.

/***
* Copyright (C) PicoContainer Organization. All rights reserved. *
* -- *
* The software in this package is published under the terms of the BSD *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file. *
* *
* Original code by *
***/

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedFieldInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedFieldInjector.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Automated.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Locked.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/NameBinding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AdaptingBehavior.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplicator.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedFieldInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/LifecycleComponentMonitor.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoContainer.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Automating.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentFactory.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/AbstractAdapter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/Injectors.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Characteristics.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/PropertyApplying.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Inject.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/TransientPicoContainer.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/DefaultPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/lifecycle/NullLifecycleStrategy.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/BasicComponentParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-

jar/org/picocontainer/behaviors/Synchronizing.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedMethodInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoVerificationException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Cache.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CommandLinePicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/TypedFieldInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/adapters/InstanceAdapter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/TypedFieldInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/NamedFieldInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/CollectionComponentParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Locking.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/annotations/Nullable.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Behaviors.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AbstractInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/BehaviorFactory.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoBuilder.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/InjectionFactory.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedMethodInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/ImplementationHiding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/HiddenImplementation.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/ComponentParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/ImmutablePicoContainer.java

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Synchronized.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/SetterInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoClassNotFoundException.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Paul Hammant & Obie Fernandez & Aslak Helles&oslash;y    *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/NullComponentMonitor.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Jon Tirsen                                               *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AbstractBehavior.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) NanoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Joerg Schaibe                                            *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Decorating.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/FieldDecorating.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Paul Hammaant                                            *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ComponentMonitorHelper.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/WriterComponentMonitor.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ConsoleComponentMonitor.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by the committers                                           *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/AbstractDelegatingMutablePicoContainer.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
```

```
* Original Code By: Centerline Computers, Inc.                          *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/PrimitiveMemberChecker.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Committers. All rights reserved.            *
* ------------------------------------------------------------------------ *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Joerg Schaibe                                           *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/BindKey.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------ *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Paul Hammant & Obie Fernandez & Aslak                   *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/ComponentMonitor.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------ *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Idea by Rachel Davies, Original code by various                          *
*****************************************************************************/
```

Found in path(s):

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CompositePicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/MutablePicoContainer.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Mauro Talevi                                             *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/AbstractComponentMonitor.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved. *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD * style
* license a copy of which has been included with this distribution in * the
* LICENSE.txt file. * * Original code by *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/AbstractBehaviorFactory.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/PropertiesPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/MethodInjector.java

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Intercepting.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoLifecycleException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ForgetfulConstructorInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Intercepted.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/SystemPropertiesPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/CommandLineArgumentsPicoContainer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ParameterNameBinding.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/AbstractParameter.java
*
 /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/SingleMemberInjector.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.           *
* ------------------------------------------------------------------------ *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/composers/RegexComposer.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/monitors/ComposingMonitor.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.           *
* ------------------------------------------------------------------------ *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Idea by Rachel Davies, Original code by Jon Tirsen                        *
*****************************************************************************/
```

Found in path(s):

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/parameters/ConstantParameter.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Parameter.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (C) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Original code by Paul Hammant                                             *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Behavior.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/containers/EmptyPicoContainer.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the license.html file.                                                    *
*                                                                           *
* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant   *
*****************************************************************************/
```

Found in path(s):
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Disposable.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/Startable.java
No license file was found, but licenses were detected in source scan.

```
/*****************************************************************************
* Copyright (c) PicoContainer Organization. All rights reserved.            *
* ------------------------------------------------------------------------- *
* The software in this package is published under the terms of the BSD      *
* style license a copy of which has been included with this distribution in *
* the LICENSE.txt file.                                                     *
*                                                                           *
* Idea by Rachel Davies, Original code by Aslak Hellesoy and Paul Hammant   *
*****************************************************************************/
```

Found in path(s):

* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/ThreadCached.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Guarding.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/SetterInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/MethodInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AnnotatedMethodInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/AdaptingInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ConstructorInjection.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/ThreadCaching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/injectors/ConstructorInjector.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Storing.java
*
/opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Caching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/PicoCompositionException.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/OptInCaching.java
* /opt/cola/permits/1266565840_1644246713.67/0/picocontainer-2-15-sources-jar/org/picocontainer/behaviors/Cached.java

1.49 javax-annotation-api 1.3.2

1.49.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without

Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium

customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer

includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the
License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To

prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from

the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do

not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 2005-2018 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://oss.oracle.com/licenses/CDDL+GPL-1.1
* or LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
*
 Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license."  If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above.  However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/
```

1.50 slf4j 1.7.36

1.50.1 Available under license :

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2004-2022 QOS.ch Sarl
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2022 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

1.51 error_prone_annotations 2.10.0

1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
*
 /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/NoAllocation.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RestrictedApi.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/MustBeClosed.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompatibleWith.java
*
 /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotMock.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatMethod.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatString.java
No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

 Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2021 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*     http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMeValidationDisabled.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMe.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Modifier.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2017 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
```

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
*
 /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
*
 /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Var.java

* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Immutable.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/ForOverride.java

1.52 logback-core 1.2.11

1.52.1 Available under license :

Eclipse Public License - v 1.0
THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT’S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
b) in the case of each subsequent Contributor:

i)changes to the Program, and

ii)additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor’s behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor"
means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer
to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder,
each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively
excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL
DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims
or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor’s responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor
to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement , including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such
Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward
has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property
laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.
Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the

Free Software Foundation.'
Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.53 guava 31.1-jre

1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Doubles}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RowSortedTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSetMultimap.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MinMaxPriorityQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedMapDifference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableCollection.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/primitives/Platform.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/Internal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/JdkBackedImmutableMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/ImmutableSupplier.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ExecutionSequencer.java
*

/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableSet.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby disclaims
 copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
  * and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
  * java.util.HashMap
 class.
  */
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Comparators.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/GraphConstants.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ElementOrder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/DirectedNetworkConnections.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/UndirectedNetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ValueGraphBuilder.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MutableValueGraph.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/StandardValueGraph.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/UndirectedGraphConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractNetwork.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ImmutableValueGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/EndpointPairIterator.java
*

/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/EdgesConnecting.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/SubscriberRegistry.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may
* obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Streams.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMapEntry.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/MoreFiles.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MultimapBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/Network.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/InsecureRecursiveDeleteException.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MutableGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/SuccessorsFunction.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TableCollectors.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SingletonImmutableList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableEnumSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingTable.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSetMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Chars.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Converter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/CharMatcher.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Ints.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Booleans.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/thirdparty/publicsuffix/TrieParser.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Joiner.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Java8Compatibility.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/ToDoubleRounder.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/BigDecimalMath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Java8Compatibility.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby
disclaims copyright to this source code.
 */

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/HashingInputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/Runnables.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractRangeSet.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Count.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```
*/
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/BaseImmutableMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/IndexedImmutableSet.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Returns an array containing all of the elements in the specified collection. This method
  * returns the elements in the order they are returned by the collection's iterator. The returned
  * array is "safe" in that no references to it are maintained by the collection. The caller is
  * thus free to modify the returned
 array.
  *
  * <p>This method assumes that the collection size doesn't change while the method is running.
  *
  * <p>TODO(kevinb): support concurrently modified collections?
  *
  * @param c the collection for which to return an array of elements
  */
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ObjectArrays.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableMap.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingDeque.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashMap.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/DescendingMultiset.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredEntryMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TransformedListIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/Traverser.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ClosingFuture.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/AbstractBaseGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CollectSpliterators.java
No license file was found, but licenses were detected in source scan.

// Copyright 2011 Google Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Fingerprint2011.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Optional.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractSortedMultiset.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Enums.java
*

/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/PairwiseEquivalence.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EmptyContiguousSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/CacheLoader.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/CacheStats.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/MediaType.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Present.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/Murmur3_128HashFunction.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Absent.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/reflect/TypeParameter.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/Hashing.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/package-
info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
 * This following method is a modified version of one found in
 * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
 * which contained the following notice:
 *
 * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
 *
the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
 */

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Shorts}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/xml/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/escape/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/ParametricNullness.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/html/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/reflect/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/net/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/ParametricNullness.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/ParametricNullness.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMapKeySet.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/StandardTable.java
*

/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Table.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Range.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSet.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EmptyImmutableListMultimap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/NullnessCasts.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/NullnessCasts.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/NullnessCasts.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/primitives/ImmutableLongArray.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/primitives/ImmutableIntArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.

*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
 wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/package-info.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Strings.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Atomics.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Ascii.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompactHashing.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/CommonMatcher.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/CommonPattern.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/ReferenceEntry.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteArrayDataOutput.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractIdleService.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/SignedBytes.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AggregateFuture.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/escape/CharEscaperBuilder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/TimeoutFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/AbstractTransformFuture.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/CollectionFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/FuturesGetChecked.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/FluentFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ImmediateFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/PatternFilenameFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Function.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/Subscribe.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteStreams.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Predicates.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Preconditions.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/LineBuffer.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/MultiInputStream.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/DirectExecutor.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/LineReader.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/collect/EnumMultiset.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/Objects.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/Throwables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/CharStreams.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/collect/Interners.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/Predicate.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/Closeables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/Resources.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/base/Suppliers.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/package-
info.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-
jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/Files.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/Defaults.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/Primitives.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**

```
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable}
to use {@link
 *     ImmutableSortedMap#of(Comparable, Object)}.</b>
 */
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSortedAsList.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/CombinedFuture.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AggregateFutureState.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/Platform.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ReaderInputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Ints}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/Invokable.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/Stats.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CartesianList.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableRangeSet.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/Closer.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/html/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/TypeCapture.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/xml/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/CharSource.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/math/LinearTransformation.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/hash/LongAdder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TreeMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EnumHashBiMap.java

*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimap.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableSet.java

* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ComparatorOrdering.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Multisets.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Iterables.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Synchronized.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMap.java
*
 /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-

jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/LinkedHashMultiset.java
*
/opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ArrayListMultimap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/ForwardingIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1292116189_1647933632.95/0/guava-31-1-jre-sources-jar/com/google/common/collect/GwtTransient.java

1.54 guava 31.0.1-android

1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Dispatcher.java
*

/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Subscriber.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Table.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Range.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/PeekingIterator.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableCollection.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableBiMap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CollectPreconditions.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ImmutableSupplier.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionSequencer.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/ToDoubleRounder.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Java8Compatibility.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/BigDecimalMath.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/AtomicLongMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/base/Present.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/cache/RemovalListeners.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/Hashing.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/package-info.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/EmptyContiguousSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/hash/Hasher.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilter.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/DoubleUtils.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Optional.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Murmur3_128HashFunction.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FunctionalEquivalence.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Types.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Enums.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheLoader.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/PairwiseEquivalence.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Absent.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ImmutableIntArray.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingCondition.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Shorts}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ShortsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Guava Authors
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSequentialIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMapDifference.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RowSortedTable.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableListIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableCollection.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MinMaxPriorityQueue.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactHashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeVisitor.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/HashingInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Verify.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredMultimapValues.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Returns an array containing all of the elements in the specified collection. This method
```

```
 * returns the elements in the order they are returned by the collection's iterator. The returned
 * array is "safe" in that no references to it are maintained by the collection. The caller is
 * thus free to modify the returned
array.
 *
 * <p>This method assumes that the collection size doesn't change while the method is running.
 *
 * <p>TODO(kevinb): support concurrently modified collections?
 *
 * @param c the collection for which to return an array of elements
 */
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectArrays.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/GwtTransient.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
```

express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Strings.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Atomics.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/Beta.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncaughtExceptionHandlers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Floats}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/FloatsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MapRetrievalCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ForwardingNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Comparators.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EdgesConnecting.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/NetworkBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/NetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphConstants.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EndpointPairIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/GraphConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ValueGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/graph/ForwardingGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/MultiEdgesConnecting.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/UndirectedNetworkConnections.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractGraphBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/StandardMutableNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/ElementOrder.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-
jar/com/google/common/graph/AbstractGraph.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for extra methods of {@code Objects} only in web. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMultisets.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMultiset.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingImmutableSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/CompactLinkedHashSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeMap.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableAsList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EvictingQueue.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredEntryMultimap.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TransformedIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeRangeMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeTraverser.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactHashMap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingImmutableList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DescendingMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompactLinkedHashMap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TransformedListIterator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LittleEndianByteArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AggregateFutureState.java
*

/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/MacHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ReaderInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/InterruptibleTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CombinedFuture.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* http://creativecommons.org/publicdomain/zero/1.0/
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/Striped64.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2005 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Reflection.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/Subscribe.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/MultiInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Objects.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineReader.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineBuffer.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteStreams.java
*

/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Function.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Files.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/DeadEvent.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Interners.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Predicates.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CountingInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharStreams.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Suppliers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Primitives.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CountingOutputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Closeables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Defaults.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Throwables.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashBiMap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Resources.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/package-info.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Preconditions.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableGraph.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Network.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ImmutableNetwork.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MultimapBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
  * This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
  * and released to the public domain, as explained at
  * http://creativecommons.org/licenses/publicdomain
  *
  * As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
  * java.util.HashMap
 class.
  */

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Striped.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
  * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
  * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
  * version.
  *
  * @throws UnsupportedOperationException always
  * @deprecated <b>Pass a key of type {@code Comparable}
 to use {@link
  *     ImmutableSortedMap#of(Comparable, Object)}.</b>
  */
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Platform.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/BaseEncoding.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteSink.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/Closer.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/PairedStats.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/package-info.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ChecksumHashFunction.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/CharSource.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/MutableTypeToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/LongAddables.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/StatsAccumulator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/Stats.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/AbstractInvocationHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectCountLinkedHashMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ClosingFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/AbstractBaseGraph.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/Traverser.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/BaseGraph.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ObjectCountHashMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
 * This following method is a modified version of one found in
 * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
 * which contained the following notice:
 *
 * Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
 *
the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
 *
 * Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
 */

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SequentialExecutor.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Shorts.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Ints.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/net/InetAddresses.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Longs.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/MultiReader.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/UnicodeEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Doubles.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ListenableFutureTask.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Chars.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/PercentEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Joiner.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Converter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Booleans.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/FluentIterable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/Bytes.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/FileBackedOutputStream.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComputationException.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComparisonChain.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableAsList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DiscreteDomain.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingTable.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler
 wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ExplicitOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multiset.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingQueue.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumBiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/CompoundOrdering.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSet.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMapEntry.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Lists.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMultiset.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractBiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SetMultimap.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multisets.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapDifference.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeMultiset.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingCollection.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Synchronized.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ListMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ArrayListMultimap.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ComparatorOrdering.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Iterables.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2008 The Guava Authors
```

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/*
  * This method was rewritten in Java from an intermediate step of the Murmur hash function in
  * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
  * following header:
  *
  * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
  * hereby
 disclaims copyright to this source code.
  */
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Hashing.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CommonPattern.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/JdkPattern.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CommonMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
 * This method was rewritten in Java from an intermediate step of the Murmur hash function in
 * http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp, which contained the
 * following header:
 *
 * MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
 * hereby disclaims
copyright to this source code.
 */

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/SmallCharMatcher.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under

* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ReferenceEntry.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/HtmlEscapers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Callables.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractService.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/SignedBytes.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2006 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/CharEscaper.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/PatternFilenameFilter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/TypeToken.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/annotations/VisibleForTesting.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/Futures.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/CaseFormat.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/AppendableWriter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-

jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/NullnessCasts.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/NullnessCasts.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/NullnessCasts.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under

* the License.
*/
/**
* Holder for web specializations of methods of {@code Doubles}. Intended to be empty for regular
* version.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/DoublesMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/ParametricNullness.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ParametricNullness.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ParametricNullness.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/html/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/net/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ParametricNullness.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/eventbus/ParametricNullness.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/graph/ParametricNullness.java
*
 /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java
No license file was found, but licenses were detected in source scan.

/*

```
* Copyright (C) 2020 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of {@code Ints}. Intended to be empty for regular
* version.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/primitives/IntsMethodsForWeb.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2011 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/Count.java
*
/opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RangeSet.java

* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1312950193_1650560245.64/0/guava-31-0-1-android-sources-1-jar/com/google/common/collect/AbstractRangeSet.java

1.55 animal-sniffer-annotation 1.21

1.55.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* The MIT License
*
* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT
 HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1319211632_1651231549.68/0/animal-sniffer-annotations-1-21-sources-jar/org/codehaus/mojo/animal_sniffer/IgnoreJRERequirement.java

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):
* /opt/cola/permits/1319211632_1651231549.68/0/animal-sniffer-annotations-1-21-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

1.56 gson 2.8.9

1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TreeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ConstructorConstructor.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LazilyParsedNumber.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/TypeAdapter.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonTreeWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/$Gson$Preconditions.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/GsonBuilder.java
*

/opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonNull.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/JsonAdapter.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedHashTreeMap.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LinkedTreeMap.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonReader.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/MalformedJsonException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonScope.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonToken.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/ReflectionAccessor.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java
*
 /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/PreJava9DateFormatProvider.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/JavaVersion.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/NumberTypeAdapter.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2021 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSyntaxException.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Streams.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2008 Google Inc.
*

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/$Gson$Types.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/LongSerializationPolicy.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldAttributes.java
*
/opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java

1.57 gson 2.9.0

1.57.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ToNumberStrategy.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ToNumberPolicy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/GsonBuildConfig.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TypeAdapters.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonTreeWriter.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/JsonAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/NumberTypeAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonStreamParser.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/FieldAttributes.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonParser.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/LongSerializationPolicy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 The Gson authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/JavaVersion.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/PreJava9DateFormatProvider.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 The Android Open Source Project
* Copyright (C) 2012 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/LinkedTreeMap.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/$Gson$Types.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonReader.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonToken.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonScope.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/MalformedJsonException.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/stream/JsonWriter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializationContext.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/ExclusionStrategy.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/Gson.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonPrimitive.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonIOException.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/reflect/TypeToken.java

* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Expose.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/ObjectConstructor.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Since.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/$Gson$Preconditions.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/Excluder.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingStrategy.java
*
/opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonElement.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializer.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/InstanceCreator.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonArray.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonObject.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonDeserializationContext.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/SerializedName.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/FieldNamingPolicy.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonParseException.java
*
/opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/GsonBuilder.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonSerializer.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/Primitives.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonNull.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/annotations/Until.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2010 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/Streams.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/JsonSyntaxException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/LazilyParsedNumber.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java
*
 /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/ConstructorConstructor.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/DateTypeAdapter.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/UnsafeAllocator.java
* /opt/cola/permits/1331093984_1653033295.598981/0/gson-2-9-0-sources-1-jar/com/google/gson/internal/bind/TreeTypeAdapter.java

1.58 okhttp 4.10.0

1.58.1 Available under license :

Note that publicsuffixes.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
https://mozilla.org/MPL/2.0/

```
/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.59 jakarta-annotation-api 2.1.1

1.59.1 Available under license :

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:
i) changes to the Program, and
ii) additions to the Program;
where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file

in Source Code form that
contains any contents of the Program. Modified
Works shall not include works that contain only declarations,
interfaces, types, classes, structures, or files of the Program solely
in each case in order to link to, bind by name, or subclass the Program
or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available
in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making
modifications, including but not limited to software source code,
documentation source, and configuration files.

"Secondary License" means either the GNU General Public License,
Version 2.0, or any later versions of that license, including any
exceptions or additional permissions as identified by the initial
Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby
grants Recipient a non-exclusive, worldwide, royalty-free
copyright
license to reproduce, prepare Derivative Works of, publicly display,
publicly perform, Distribute and sublicense the Contribution of such
Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby
grants Recipient a non-exclusive, worldwide, royalty-free patent
license under Licensed Patents to make, use, sell, offer to sell,
import and otherwise transfer the Contribution of such Contributor,
if any, in Source Code or other form. This patent license shall
apply to the combination of the Contribution and the Program if, at
the time the Contribution is added by the Contributor, such addition
of the Contribution causes such combination to be covered by the
Licensed Patents. The patent license shall not apply to any other
combinations which include the Contribution. No hardware per se is
licensed hereunder.

c) Recipient understands
that although each Contributor grants the
licenses to its Contributions set forth herein, no assurances are
provided by any Contributor that the Program does not infringe the
patent or other intellectual property rights of any other entity.
Each Contributor disclaims any liability to Recipient for claims
brought by any other entity based on infringement of intellectual
property rights or otherwise. As a condition to exercising the

rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant

the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance

claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other

software
or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves
the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel
or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely
to
look for such a notice.

You may add additional accurate notices of copyright ownership.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to
share and change it. By contrast, the GNU General Public License is
intended to guarantee your freedom to share and change free software--to
make sure the software is free for all its users. This General Public
License applies to most of the Free Software Foundation's software and
to any other program whose authors commit to using it. (Some other Free
Software Foundation software is covered by the GNU Library General
Public License instead.)
You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.
Our General Public Licenses are designed to make sure that you have the
freedom to distribute copies of free software (and charge for this
service if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone
to deny you these rights or to ask you to surrender the rights. These
restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis
or for a fee, you must give the recipients all the rights that you have.
You must make sure that they, too, receive or can get the source code.

And you
must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software patents.
We wish to avoid the danger that redistributors of a free program will
individually obtain patent licenses, in effect making the program
proprietary. To prevent this, we have made it clear that any patent must
be licensed for everyone's free use or not licensed
at all.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a
notice placed by the copyright holder saying it may be distributed under
the terms of this General Public License. The "Program", below, refers
to any such program or work, and a "work based on the Program" means
either the Program or any derivative work under copyright law: that is
to say, a work containing the Program or a portion of it, either
verbatim or with modifications and/or translated into another language.
(Hereinafter, translation is included without limitation in the term
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of running
the Program is not restricted,
and the output from the Program is
covered only if its contents constitute a work based on the Program
(independent of having been made by running the Program). Whether that
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously
and appropriately publish on each copy an appropriate copyright notice
and disclaimer of warranty; keep intact all the notices that refer to

this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications
or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how
to view a copy of this License.
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed
need not include anything that is
normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have
their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible
for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular
circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that

system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH

YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF
TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.

The hypothetical commands `show
w' and `show c' should show the
appropriate parts of the General Public License. Of course, the commands
you use may be called something other than `show w' and `show c'; they
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications
with the library. If this is what you want to do, use the GNU
Library
General Public License instead of this License.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is
making a combined work based on this library. Thus, the terms and
conditions of the GNU General Public License version 2 cover the whole
combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent
modules, and to copy and distribute the resulting executable under
terms of your choice, provided that you also meet, for each linked
independent module, the terms and conditions of the license of that
module. An independent module is a module which is not derived from or
based on this library. If you modify this library, you may extend this

exception to your version of the library, but you are not obligated to
do so. If
you do not wish to do so, delete this exception statement
from your version.
Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

* Project home: https://projects.eclipse.org/projects/ee4j.ca

Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at http://www.eclipse.org/legal/epl-2.0. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at https://www.gnu.org/software/classpath/license.html.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Source Code

The project maintains the following source code repositories:

* https://github.com/eclipse-ee4j/common-annotations-api

##
Third-party Content

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.
/*
* Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved.
*
* This program and the accompanying materials are made available under the
* terms of the Eclipse Public License v. 2.0, which is available at

* http://www.eclipse.org/legal/epl-2.0.
*
* This Source Code may also be made available under the following Secondary
* Licenses when the conditions for such availability set forth in the
* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,
* version 2 with the GNU Classpath Exception, which is available at
* https://www.gnu.org/software/classpath/license.html.
*
* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0
*/

1.60 jline 3.20.0

1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2016, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
 either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* Based on http://antony.lesuisse.org/software/ajaxterm/
* Public Domain License
*/

Found in path(s):

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ScreenTerminal.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Buffer.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/NonBlockingPumpInputStream.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ssh/Ssh.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ssh/ShellFactoryImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/AbstractWindowsConsoleWriter.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/BufferImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/InterpolationHelper.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleBundle.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/WriterOutputStream.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleBundleInvocationHandler.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleResolver.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyledWriter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/MemoryStyleSource.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/PumpReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/SimpleMaskingCallback.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ssh/ShellCommand.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleColor.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/Telnet.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/win/JnaWinConsoleWriter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/NonBlockingPumpReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/NopStyleSource.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2018, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author
 nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/ConnectionManager.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/ConnectionEvent.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/TelnetIO.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/Connection.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/ConnectionData.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/PortListener.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2018, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/InputRC.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/ParsedLine.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/History.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/PosixSysTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/CompletingParsedLine.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/NonBlocking.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/NonBlockingReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleExpression.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-

jar/org/jline/reader/impl/KillRing.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/StyleResolver.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/Size.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Completer.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/reader/impl/completer/FileNameCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/terminal/impl/PosixPtyTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Colors.java
*
/opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/utils/AttributedStringBuilder.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/Styler.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/Terminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Curses.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/terminal/impl/LineDisciplineTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleFactory.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/terminal/impl/ExternalTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/terminal/impl/DumbTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/NfaMatcher.java
*
/opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/utils/NonBlockingInputStream.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/utils/NonBlockingReaderImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/terminal/impl/jna/win/Kernel32.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/keymap/BindingReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/reader/MaskingCallback.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/style/StyleSource.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-
jar/org/jline/utils/NonBlockingInputStreamImpl.java
No license file was found, but licenses were detected in source scan.

#
Copyright (c) 2002-2016, the original author or authors.
#
This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.
#
https://opensource.org/licenses/BSD-3-Clause
#

auto_left_margin, bw, bw
auto_right_margin, am, am
back_color_erase, bce, ut
can_change, ccc, cc
ceol_standout_glitch, xhp, xs
col_addr_glitch, xhpa, YA
cpi_changes_res, cpix, YF
cr_cancels_micro_mode, crxm, YB
dest_tabs_magic_smso, xt, xt
eat_newline_glitch, xenl, xn
erase_overstrike, eo, eo
generic_type, gn, gn
hard_copy, hc, hc
hard_cursor, chts, HC
has_meta_key, km, km
has_print_wheel, daisy, YC
has_status_line, hs, hs
hue_lightness_saturation, hls, hl
insert_null_glitch, in, in
lpi_changes_res, lpix, YG
memory_above, da, da
memory_below, db, db
move_insert_mode, mir, mi
move_standout_mode, msgr, ms
needs_xon_xoff, nxon, nx
no_esc_ctlc, xsb, xb
no_pad_char, npc,
NP
non_dest_scroll_region, ndscr, ND
non_rev_rmcup, nrrmc, NR
over_strike, os, os
prtr_silent, mc5i, 5i
row_addr_glitch, xvpa, YD
semi_auto_right_margin, sam, YE
status_line_esc_ok, eslok, es
tilde_glitch, hz, hz
transparent_underline, ul, ul
xon_xoff, xon, xo
columns, cols, co
init_tabs, it, it
label_height, lh, lh
label_width, lw, lw
lines, lines, li
lines_of_memory, lm, lm
magic_cookie_glitch, xmc, sg
max_attributes, ma, ma
max_colors, colors, Co
max_pairs, pairs, pa

maximum_windows, wnum, MW
no_color_video, ncv, NC
num_labels, nlab, Nl
padding_baud_rate, pb, pb
virtual_terminal, vt, vt
width_status_line, wsl, ws
bit_image_entwining, bitwin, Yo
bit_image_type, bitype, Yp
buffer_capacity, bufsz, Ya
buttons, btns, BT
dot_horz_spacing, spinh, Yc
dot_vert_spacing, spinv, Yb
max_micro_address, maddr, Yd
max_micro_jump, mjump, Ye
micro_col_size, mcs, Yf
micro_line_size, mls, Yg
number_of_pins, npins, Yh
output_res_char, orc, Yi
output_res_horz_inch, orhi, Yk
output_res_line, orl, Yj
output_res_vert_inch,
orvi, Yl
print_rate, cps, Ym
wide_char_size, widcs, Yn
acs_chars, acsc, ac
back_tab, cbt, bt
bell, bel, bl
carriage_return, cr, cr
change_char_pitch, cpi, ZA
change_line_pitch, lpi, ZB
change_res_horz, chr, ZC
change_res_vert, cvr, ZD
change_scroll_region, csr, cs
char_padding, rmp, rP
clear_all_tabs, tbc, ct
clear_margins, mgc, MC
clear_screen, clear, cl
clr_bol, el1, cb
clr_eol, el, ce
clr_eos, ed, cd
column_address, hpa, ch
command_character, cmdch, CC
create_window, cwin, CW
cursor_address, cup, cm
cursor_down, cud1, do
cursor_home, home, ho
cursor_invisible, civis, vi
cursor_left, cub1, le

cursor_mem_address, mrcup, CM
cursor_normal, cnorm, ve
cursor_right, cuf1, nd
cursor_to_ll, ll, ll
cursor_up, cuu1, up
cursor_visible, cvvis, vs
define_char, defc, ZE
delete_character, dch1, dc
delete_line, dl1, dl
dial_phone, dial, DI
dis_status_line, dsl, ds
display_clock, dclk, DK
down_half_line, hd, hd
ena_acs, enacs, eA
enter_alt_charset_mode, smacs, as
enter_am_mode, smam,
SA
enter_blink_mode, blink, mb
enter_bold_mode, bold, md
enter_ca_mode, smcup, ti
enter_delete_mode, smdc, dm
enter_dim_mode, dim, mh
enter_doublewide_mode, swidm, ZF
enter_draft_quality, sdrfq, ZG
enter_insert_mode, smir, im
enter_italics_mode, sitm, ZH
enter_leftward_mode, slm, ZI
enter_micro_mode, smicm, ZJ
enter_near_letter_quality, snlq, ZK
enter_normal_quality, snrmq, ZL
enter_protected_mode, prot, mp
enter_reverse_mode, rev, mr
enter_secure_mode, invis, mk
enter_shadow_mode, sshm, ZM
enter_standout_mode, smso, so
enter_subscript_mode, ssubm, ZN
enter_superscript_mode, ssupm, ZO
enter_underline_mode, smul, us
enter_upward_mode, sum, ZP
enter_xon_mode, smxon, SX
erase_chars, ech, ec
exit_alt_charset_mode, rmacs, ae
exit_am_mode, rmam, RA
exit_attribute_mode, sgr0, me
exit_ca_mode, rmcup, te
exit_delete_mode, rmdc, ed
exit_doublewide_mode, rwidm, ZQ
exit_insert_mode, rmir, ei

exit_italics_mode, ritm, ZR
exit_leftward_mode, rlm, ZS
exit_micro_mode, rmicm, ZT
exit_shadow_mode, rshm,
ZU
exit_standout_mode, rmso, se
exit_subscript_mode, rsubm, ZV
exit_superscript_mode, rsupm, ZW
exit_underline_mode, rmul, ue
exit_upward_mode, rum, ZX
exit_xon_mode, rmxon, RX
fixed_pause, pause, PA
flash_hook, hook, fh
flash_screen, flash, vb
form_feed, ff, ff
from_status_line, fsl, fs
goto_window, wingo, WG
hangup, hup, HU
init_1string, is1, i1
init_2string, is2, is
init_3string, is3, i3
init_file, if, if
init_prog, iprog, iP
initialize_color, initc, Ic
initialize_pair, initp, Ip
insert_character, ich1, ic
insert_line, il1, al
insert_padding, ip, ip
key_a1, ka1, K1
key_a3, ka3, K3
key_b2, kb2, K2
key_backspace, kbs, kb
key_beg, kbeg, @1
key_btab, kcbt, kB
key_c1, kc1, K4
key_c3, kc3, K5
key_cancel, kcan, @2
key_catab, ktbc, ka
key_clear, kclr, kC
key_close, kclo, @3
key_command, kcmd, @4
key_copy, kcpy, @5
key_create, kcrt, @6
key_ctab, kctab, kt
key_dc, kdch1, kD
key_dl, kdl1, kL
key_down, kcud1, kd
key_eic, krmir, kM

key_end, kend, @7
key_enter, kent, @8
key_eol, kel, kE
key_eos,
ked, kS
key_exit, kext, @9
key_f0, kf0, k0
key_f1, kf1, k1
key_f10, kf10, k;
key_f11, kf11, F1
key_f12, kf12, F2
key_f13, kf13, F3
key_f14, kf14, F4
key_f15, kf15, F5
key_f16, kf16, F6
key_f17, kf17, F7
key_f18, kf18, F8
key_f19, kf19, F9
key_f2, kf2, k2
key_f20, kf20, FA
key_f21, kf21, FB
key_f22, kf22, FC
key_f23, kf23, FD
key_f24, kf24, FE
key_f25, kf25, FF
key_f26, kf26, FG
key_f27, kf27, FH
key_f28, kf28, FI
key_f29, kf29, FJ
key_f3, kf3, k3
key_f30, kf30, FK
key_f31, kf31, FL
key_f32, kf32, FM
key_f33, kf33, FN
key_f34, kf34, FO
key_f35, kf35, FP
key_f36, kf36, FQ
key_f37, kf37, FR
key_f38, kf38, FS
key_f39, kf39, FT
key_f4, kf4, k4
key_f40, kf40, FU
key_f41, kf41, FV
key_f42, kf42, FW
key_f43, kf43, FX
key_f44, kf44, FY
key_f45, kf45, FZ
key_f46, kf46, Fa

key_f47, kf47, Fb
key_f48, kf48, Fc
key_f49, kf49, Fd
key_f5, kf5, k5
key_f50, kf50, Fe
key_f51, kf51, Ff
key_f52, kf52, Fg
key_f53, kf53, Fh
key_f54, kf54, Fi
key_f55, kf55, Fj
key_f56, kf56, Fk
key_f57, kf57, Fl
key_f58, kf58,
Fm
key_f59, kf59, Fn
key_f6, kf6, k6
key_f60, kf60, Fo
key_f61, kf61, Fp
key_f62, kf62, Fq
key_f63, kf63, Fr
key_f7, kf7, k7
key_f8, kf8, k8
key_f9, kf9, k9
key_find, kfnd, @0
key_help, khlp, %1
key_home, khome, kh
key_ic, kich1, kI
key_il, kil1, kA
key_left, kcub1, kl
key_ll, kll, kH
key_mark, kmrk, %2
key_message, kmsg, %3
key_move, kmov, %4
key_next, knxt, %5
key_npage, knp, kN
key_open, kopn, %6
key_options, kopt, %7
key_ppage, kpp, kP
key_previous, kprv, %8
key_print, kprt, %9
key_redo, krdo, %0
key_reference, kref, &1
key_refresh, krfr, &2
key_replace, krpl, &3
key_restart, krst, &4
key_resume, kres, &5
key_right, kcuf1, kr
key_save, ksav, &6

key_sbeg, kBEG, &9
key_scancel, kCAN, &0
key_scommand, kCMD, *1
key_scopy, kCPY, *2
key_screate, kCRT, *3
key_sdc, kDC, *4
key_sdl, kDL, *5
key_select, kslt, *6
key_send, kEND, *7
key_seol, kEOL, *8
key_sexit, kEXT, *9
key_sf, kind, kF
key_sfind, kFND, *0
key_shelp, kHLP, #1
key_shome, kHOM, #2
key_sic, kIC, #3
key_sleft, kLFT, #4
key_smessage,
kMSG, %a
key_smove, kMOV, %b
key_snext, kNXT, %c
key_soptions, kOPT, %d
key_sprevious, kPRV, %e
key_sprint, kPRT, %f
key_sr, kri, kR
key_sredo, kRDO, %g
key_sreplace, kRPL, %h
key_sright, kRIT, %i
key_srsume, kRES, %j
key_ssave, kSAV, !1
key_ssuspend, kSPD, !2
key_stab, khts, kT
key_sundo, kUND, !3
key_suspend, kspd, &7
key_undo, kund, &8
key_up, kcuu1, ku
keypad_local, rmkx, ke
keypad_xmit, smkx, ks
lab_f0, lf0, l0
lab_f1, lf1, l1
lab_f10, lf10, la
lab_f2, lf2, l2
lab_f3, lf3, l3
lab_f4, lf4, l4
lab_f5, lf5, l5
lab_f6, lf6, l6
lab_f7, lf7, l7
lab_f8, lf8, l8

lab_f9, lf9, l9
label_format, fln, Lf
label_off, rmln, LF
label_on, smln, LO
meta_off, rmm, mo
meta_on, smm, mm
micro_column_address, mhpa, ZY
micro_down, mcud1, ZZ
micro_left, mcub1, Za
micro_right, mcuf1, Zb
micro_row_address, mvpa, Zc
micro_up, mcuu1, Zd
newline, nel, nw
order_of_pins, porder, Ze
orig_colors, oc, oc
orig_pair, op, op
pad_char, pad, pc
parm_dch, dch, DC
parm_delete_line, dl, DL
parm_down_cursor, cud, DO
parm_down_micro,
mcud, Zf
parm_ich, ich, IC
parm_index, indn, SF
parm_insert_line, il, AL
parm_left_cursor, cub, LE
parm_left_micro, mcub, Zg
parm_right_cursor, cuf, RI
parm_right_micro, mcuf, Zh
parm_rindex, rin, SR
parm_up_cursor, cuu, UP
parm_up_micro, mcuu, Zi
pkey_key, pfkey, pk
pkey_local, pfloc, pl
pkey_xmit, pfx, px
plab_norm, pln, pn
print_screen, mc0, ps
prtr_non, mc5p, pO
prtr_off, mc4, pf
prtr_on, mc5, po
pulse, pulse, PU
quick_dial, qdial, QD
remove_clock, rmclk, RC
repeat_char, rep, rp
req_for_input, rfi, RF
reset_1string, rs1, r1
reset_2string, rs2, r2
reset_3string, rs3, r3

reset_file, rf, rf
restore_cursor, rc, rc
row_address, vpa, cv
save_cursor, sc, sc
scroll_forward, ind, sf
scroll_reverse, ri, sr
select_char_set, scs, Zj
set_attributes, sgr, sa
set_background, setb, Sb
set_bottom_margin, smgb, Zk
set_bottom_margin_parm, smgbp, Zl
set_clock, sclk, SC
set_color_pair, scp, sp
set_foreground, setf, Sf
set_left_margin, smgl, ML
set_left_margin_parm, smglp, Zm
set_right_margin,
smgr, MR
set_right_margin_parm, smgrp, Zn
set_tab, hts, st
set_top_margin, smgt, Zo
set_top_margin_parm, smgtp, Zp
set_window, wind, wi
start_bit_image, sbim, Zq
start_char_set_def, scsd, Zr
stop_bit_image, rbim, Zs
stop_char_set_def, rcsd, Zt
subscript_characters, subcs, Zu
superscript_characters, supcs, Zv
tab, ht, ta
these_cause_cr, docr, Zw
to_status_line, tsl, ts
tone, tone, TO
underline_char, uc, uc
up_half_line, hu, hu
user0, u0, u0
user1, u1, u1
user2, u2, u2
user3, u3, u3
user4, u4, u4
user5, u5, u5
user6, u6, u6
user7, u7, u7
user8, u8, u8
user9, u9, u9
wait_tone, wait, WA
xoff_character, xoffc, XF
xon_character, xonc, XN

zero_motion, zerom, Zx
alt_scancode_esc, scesa, S8
bit_image_carriage_return, bicr, Yv
bit_image_newline, binel, Zz
bit_image_repeat, birep, Xy
char_set_names, csnm, Zy
code_set_init, csin, ci
color_names, colornm, Yw
define_bit_image_region, defbi, Yx
device_type, devt, dv
display_pc_char, dispc, S1
end_bit_image_region, endbi, Yy
enter_pc_charset_mode,
smpch, S2
enter_scancode_mode, smsc, S4
exit_pc_charset_mode, rmpch, S3
exit_scancode_mode, rmsc, S5
get_mouse, getm, Gm
key_mouse, kmous, Km
mouse_info, minfo, Mi
pc_term_options, pctrm, S6
pkey_plab, pfxl, xl
req_mouse_pos, reqmp, RQ
scancode_escape, scesc, S7
set0_des_seq, s0ds, s0
set1_des_seq, s1ds, s1
set2_des_seq, s2ds, s2
set3_des_seq, s3ds, s3
set_a_background, setab, AB
set_a_foreground, setaf, AF
set_color_band, setcolor, Yz
set_lr_margin, smglr, ML
set_page_length, slines, YZ
set_tb_margin, smgtb, MT
enter_horizontal_hl_mode, ehhlm, Xh
enter_left_hl_mode, elhlm, Xl
enter_low_hl_mode, elohlm, Xo
enter_right_hl_mode, erhlm, Xr
enter_top_hl_mode, ethlm, Xt
enter_vertical_hl_mode, evhlm, Xv
set_a_attributes, sgr1, sA
set_pglen_inch, slength, sL

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/capabilities.txt
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author
nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/ConnectionListener.java
*
/opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/telnet/ConnectionFilter.java
No license file was found, but licenses were detected in source scan.

#

Copyright (c) 2002-2018, the original author or authors.
#
This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.
#
https://opensource.org/licenses/BSD-3-Clause
#

black
maroon
green
olive
navy
purple
teal
silver
grey
red
lime
yellow
blue
fuchsia
aqua
white
grey0
navyblue
darkblue
blue3
blue3a
blue1
darkgreen
deepskyblue4
deepskyblue4a
deepskyblue4b
dodgerblue3
dodgerblue2
green4
springgreen4
turquoise4
deepskyblue3
deepskyblue3a
dodgerblue1
green3
springgreen3
darkcyan
lightseagreen
deepskyblue2
deepskyblue1

green3a
springgreen3a
springgreen2
cyan3
darkturquoise
turquoise2
green1
springgreen2a
springgreen1
mediumspringgreen
cyan2
cyan1
darkred
deeppink4
purple4
purple4a
purple3
blueviolet
orange4
grey37
mediumpurple4
slateblue3
slateblue3a
royalblue1
chartreuse4
darkseagreen4
paleturquoise4
steelblue
steelblue3
cornflowerblue
chartreuse3
darkseagreen4a
cadetblue
cadetbluea
skyblue3
steelblue1
chartreuse3a
palegreen3
seagreen3
aquamarine3
mediumturquoise
steelblue1a
chartreuse2
seagreen2
seagreen1
seagreen1a
aquamarine1
darkslategray2

darkreda
deeppink4a
darkmagenta
darkmagentaa
darkviolet
purplea
orange4a
lightpink4
plum4
mediumpurple3
mediumpurple3a
slateblue1
yellow4
wheat4
grey53
lightslategrey
mediumpurple
lightslateblue
yellow4a
darkolivegreen3
darkseagreen
lightskyblue3
lightskyblue3a
skyblue2
chartreuse2a
darkolivegreen3a
palegreen3a
darkseagreen3
darkslategray3
skyblue1
chartreuse1
lightgreen
lightgreena
palegreen1
aquamarine1a
darkslategray1
red3
deeppink4b
mediumvioletred
magenta3
darkvioleta
purpleb
darkorange3
indianred
hotpink3
mediumorchid3
mediumorchid
mediumpurple2

darkgoldenrod
lightsalmon3
rosybrown
grey63
mediumpurple2a
mediumpurple1
gold3
darkkhaki
navajowhite3
grey69
lightsteelblue3
lightsteelblue
yellow3
darkolivegreen3b
darkseagreen3a
darkseagreen2
lightcyan3
lightskyblue1
greenyellow
darkolivegreen2
palegreen1a
darkseagreen2a
darkseagreen1
paleturquoise1
red3a
deeppink3
deeppink3a
magenta3a
magenta3b
magenta2
darkorange3a
indianreda
hotpink3a
hotpink2
orchid
mediumorchid1
orange3
lightsalmon3a
lightpink3
pink3
plum3
violet
gold3a
lightgoldenrod3
tan
mistyrose3
thistle3
plum2

yellow3a
khaki3
lightgoldenrod2
lightyellow3
grey84
lightsteelblue1
yellow2
darkolivegreen1
darkolivegreen1a
darkseagreen1a
honeydew2
lightcyan1
red1
deeppink2
deeppink1
deeppink1a
magenta2a
magenta1
orangered1
indianred1
indianred1a
hotpink
hotpinka
mediumorchid1a
darkorange
salmon1
lightcoral
palevioletred1
orchid2
orchid1
orange1
sandybrown
lightsalmon1
lightpink1
pink1
plum1
gold1
lightgoldenrod2a
lightgoldenrod2b
navajowhite1
mistyrose1
thistle1
yellow1
lightgoldenrod1
khaki1
wheat1
cornsilk1
grey100

grey3
grey7
grey11
grey15
grey19
grey23
grey27
grey30
grey35
grey39
grey42
grey46
grey50
grey54
grey58
grey62
grey66
grey70
grey74
grey78
grey82
grey85
grey89
grey93

Found
in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/colors.txt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2016, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Reference.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Expander.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/spi/Pty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/package-info.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/CursorSupport.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java

*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/NullCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Levenshtein.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/AggregateCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/history/package-info.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/keymap/KeyMap.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/OSUtils.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/package-info.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/MouseEvent.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/package-info.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/Attributes.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/MouseSupport.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/ExecPty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/AttributedString.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/ShutdownHooks.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/AbstractPosixTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/DiffHelper.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/WCWidth.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/DefaultExpander.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Source.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/ExecHelper.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/Cursor.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Macro.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/InputStreamReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Binding.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/UserInterruptException.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/UndoTree.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/EnumCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Widget.java

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/package-info.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/ClosedException.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/NativeSignalHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2020, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/ReaderUtils.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/widget/AutosuggestionWidgets.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Signals.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/CommandInput.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/JansiNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/AbstractCommandRegistry.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/win/JnaWinSysTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/LineReaderBuilder.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/SystemCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/linux/CLibrary.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/osx/CLibrary.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/widget/Widgets.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/linux/LinuxNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/widget/AutopairWidgets.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/CommandRegistry.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Nano.java

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/CommandMethods.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/spi/JnaSupport.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/TerminalBuilder.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/JnaSupportImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/Builtins.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Display.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/win/JansiWinSysTerminal.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/solaris/SolarisNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/JansiSupportImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Log.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/DefaultParser.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Parser.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/LineReaderImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ConsoleOptionGetter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/JlineCommandRegistry.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/CompletionMatcher.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/CmdLine.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/EndOfFileException.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/TTop.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/ConsoleEngine.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/ColorPalette.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/solaris/CLibrary.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/CmdDesc.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/freebsd/CLibrary.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/spi/JansiSupport.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/ScriptEngine.java

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/freebsd/FreeBsdNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/JnaNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jna/osx/OsXNativePty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Less.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2020, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND,
 either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Options.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2009-2018 the original author(s).
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/AnsiWriter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java
No license file was found, but licenses were detected in source scan.

<!--

  Copyright (c) 2002-2020, the original author or authors.

  This software is distributable under the BSD license. See the terms of the
  BSD license in the documentation provided with this software.

  https://opensource.org/licenses/BSD-3-Clause

-->

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-console/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-terminal-jansi/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-remote-ssh/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-reader/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-terminal-jna/pom.xml
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-builtins/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-style/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-terminal/pom.xml
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/META-INF/maven/org.jline/jline-remote-telnet/pom.xml

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2019, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Candidate.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/Status.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/AbstractPty.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/ConfigurationPath.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Tmux.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/ArgumentCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/completer/StringsCompleter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/InfoCmp.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Highlighter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/Editor.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2021, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

Found in path(s):
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/DefaultPrinter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/ConsoleEngineImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/PrintAboveWriter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Commands.java

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/history/DefaultHistory.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/ArgDesc.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/DefaultHighlighter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/Printer.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/widget/TailTipWidgets.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Styles.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/LineReader.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/SystemRegistryImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/AttributedCharSequence.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/impl/CompletionMatcherImpl.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/builtins/Completers.java
*
 /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/terminal/impl/AbstractTerminal.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/impl/SystemHighlighter.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/console/SystemRegistry.java
* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/utils/AttributedStyle.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/SyntaxError.java
*
/opt/cola/permits/1434683282_1665037674.3132415/0/jline-3-20-0-sources-jar/org/jline/reader/EOFError.java

1.61 protobuf-java 3.19.6

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Automatic-Module-Name: com.google.protobuf
Bnd-LastModified: 1664485905970
Build-Jdk: 1.8.0_181-google-v7
Built-By: mkruskal
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are
a way of encoding structured data in an efficient yet extensible for
mat.
Bundle-DocURL: https://developers.google.com/protocol-buffers/
Bundle-License: https://opensource.org/licenses/BSD-3-Clause
Bundle-ManifestVersion: 2
Bundle-Name: Protocol Buffers [Core]
Bundle-SymbolicName: com.google.protobuf
Bundle-Version: 3.19.6
Created-By: Apache Maven Bundle Plugin
Export-Package: com.google.protobuf;version="3.19.6"
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;versio
n="[3.19,4)"
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-3.0.0.201509101326

Found in path(s):
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/timestamp.proto

* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/struct.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/wrappers.proto
*
/opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/type.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/empty.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/any.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/duration.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-
jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1444789790_1666041710.804059/0/protobuf-java-3-19-6-jar/google/protobuf/api.proto

1.62 kotlin 1.6.21

1.62.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/ioH.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/charCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","j

s/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annotationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableList.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/internalAnnotations.kt","js/src/kotlin/json.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.kt","js/src/kotlin/random/PlatformRandom.kt","js/src/kotlin/reflect/AssociatedObjects.kt","js/src/kotlin/reflect/JsClass.kt","js/src/kotlin/reflect/KClassImpl.kt","js/src/kotlin/reflect/KClassesImpl.kt","js/src/kotlin/reflect/KTypeHelpers.kt","js/src/kotlin/reflect/KTypeImpl.kt","js/src/kotlin/reflect/KTypeParameterImpl.kt","js/src/kotlin/reflect/primitives.kt","js/src/kotlin/reflect/reflection.kt","js/src/kotlin/regexp.kt","js/src/kotlin/sequence.kt","js/src/kotlin/text/CharCategoryJS.kt","js/src/kotlin/text/CharacterCodingExceptionJs.kt","js/src/kotlin/text/StringBuilderJs.kt","js/src/kotlin/text/numberConversions.kt","js/src/kotlin/text/regex.kt","src/kotlin/text/StringBuilder.kt","js/src/kotlin/text/stringsCode.kt","js/src/kotlin/text/utf8Encoding.kt","js/src/kotlin/throwableExtensions.kt","js/src/kotlin/time/DurationJs.kt","js/src/kotlin/time/DurationUnit.kt","js/src/kotlin/time/MonoTimeSource.kt","js/src/kotlinx/dom/Builders.kt","js/src/kotlinx/dom/Classes.kt","src/kotlin/text/regex/RegexExtensions.kt","js/src/kotlinx/dom/Dom.kt","js/src/kotlinx/dom/Mutations.kt","js/src/org.w3c/deprecated.kt","js/src/org.w3c/org.khronos.webgl.kt","js/src/org.w3c/org.w3c.dom.clipboard.kt","js/src/org.w3c/org.w3c.dom.css.kt","js/src/org.w3c/org.w3c.dom.encryptedmedia.kt","js/src/org.w3c/org.w3c.dom.events.kt","js/src/org.w3c/org.w3c.dom.kt","js/src/org.w3c/org.w3c.fetch.kt","js/src/org.w3c/org.w3c.dom.mediacapture.kt","js/src/org.w3c/org.w3c.dom.mediasource.kt","js/src/org.w3c/org.w3c.dom.pointerevents.kt","js/src/org.w3c/org.w3c.dom.svg.kt","js/src/org.w3c/org.w3c.files.kt","js/src/org.w3c/org.w3c.notifications.kt","js/src/org.w3c/org.w3c.workers.kt","js/src/org.w3c/org.w3c.xhr.kt","src/kotlin/annotations/Experimental.kt","src/kotlin/annotations/ExperimentalStdlibApi.kt","src/kotlin/annotations/Inference.kt","src/kotlin/annotations/Multiplatform.kt","src/kotlin/annotations/OptIn.kt","src/kotlin/collections/AbstractCollection.kt","src/kotlin/collections/AbstractIterator.kt","src/kotlin/collections/AbstractList.kt","src/kotlin/collections/AbstractMap.kt","src/kotlin/collections/AbstractSet.kt","src/kotlin/collections/ArrayDeque.kt","src/kotlin/collections/Arrays.kt","src/kotlin/collections/BrittleContainsOptimization.kt","src/kotlin/collections/IndexedValue.kt","src/kotlin/collections/MapAccessors.kt","src/kotlin/collections/MapWithDefault.kt","src/kotlin/collections/MutableCollections.kt","src/kotlin/collections/ReversedViews.kt","src/kotlin/collections/SequenceBuilder.kt","src/kotlin/collections/SlidingWindow.kt","src/kotlin/collections/UArraySorting.kt","src/kotlin/comparisons/compareTo.kt","src/kotlin/contracts/ContractBuilder.kt","src/kotlin/coroutines/ContinuationInterceptor.kt","src/kotlin/coroutines/CoroutineContext.kt","src/kotlin/coroutines/CoroutineContextImpl.kt","src/kotlin/coroutines/intrinsics/Intrinsics.kt","src/kotlin/experimental/bitwiseOperations.kt","src/kotlin/experimental/inferenceMarker.kt","src/kotlin/internal/Annotations.kt","src/kotlin/properties/Delegates.kt","src/kotlin/properties/Interfaces.kt","src/kotlin/properties/ObservableProperty.kt","src/kotlin/properties/PropertyReferenceDelegates.kt","src/kotlin/random/Random.kt","src/kotlin/random/URandom.kt","src/kotlin/random/XorWowRandom.kt","src/kotlin/ranges/Ranges.kt","src/kotlin/reflect/KClasses.kt","src/kotlin/reflect/KTypeProjection.kt","src/kotlin/reflect/KVariance.kt","src/kotlin/reflect/typeOf.kt","src/kotlin/text/Appendable.kt","src/kotlin/text/Indent.kt","src/kotlin/text/Typography.kt","src/kotlin/text/regex/MatchResult.kt","src/kotlin/time/DurationUnit.kt","src/kotlin/time/ExperimentalTime.kt","src/kotlin/time/TimeSource.kt","src/kotlin/time/TimeSources.kt","src/kotlin/time/measureTime.kt","src/kotlin/util/DeepRecursive.kt","src/kotlin/util/FloorDivMod.kt","src/kotlin/util/HashCode.kt","src/kotlin/util/Kotlin

Version.kt","src/kotlin/util/Lateinit.kt","src/kotlin/util/Lazy.kt","src/kotlin/util/Numbers.kt","src/kotlin/util/Suspend.kt","src/kotlin/util/Tuples.kt","unsigned/src/kotlin/UIntRange.kt","unsigned/src/kotlin/UIterators.kt","unsigned/src/kotlin/ULongRange.kt","unsigned/src/kotlin/UMath.kt","unsigned/src/kotlin/UNumbers.kt","unsigned/src/kotlin/UProgressionUtil.kt","unsigned/src/kotlin/UStrings.kt","unsigned/src/kotlin/annotations/Unsigned.kt","common/src/kotlin/MathH.kt"],"sourcesContent":["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n}(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n}));\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.$type$ === \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.$type$!== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.$type$ === \"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.$type$ === \"LongArray\"\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) && !a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n return Array.isArray(a) || ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n if (a === null) return \"null\"\n var toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n return \"[\" + Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n if (a === b) {\n return true;\n }\n if (a === null || b === null || !Kotlin.isArrayish(b) || a.length !== b.length) {\n return false;\n }\n\n for (var i = 0, n = a.length; i < n; i++) {\n if (!Kotlin.equals(a[i], b[i])) {\n return false;\n }\n }\n return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n if (arr === null) return 0\n var result = 1;\n for (var i = 0, n = arr.length; i < n; i++) {\n result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n }\n return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n return Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n array.sort(Kotlin.doubleCompareTo)\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n f.callableName = name;\n return f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n getter.get = getter;\n getter.set = setter;\n getter.callableName = name;\n return getPropertyRefClass(getter, setter, propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n obj.constructor = obj;\n return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n {\n mutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KMutableProperty0\n }\n },\n immutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KProperty0\n }\n }\n },\n {\n mutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KMutableProperty1\n }\n },\n immutable: { value: null, implementedInterface: function () {\n return Kotlin.kotlin.reflect.KProperty1\n }\n }\n}];\n\nfunction getPropertyRefMetadata(cache) {\n if (cache.value === null) {\n cache.value = {\n interfaces: [cache.implementedInterface()],\n baseClass: null,\n functions: {},\n properties: {},\n types: {},\n staticMembers: {}\n

};\n }\n return cache.value;\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n return (a & 0xFFFF) << 16 >> 16;\n};\n\nKotlin.toByte = function (a) {\n return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n return a instanceof Kotlin.Long ? a : Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n return a instanceof Kotlin.Long ? a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n return Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n return Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n return +a;\n};\n\nKotlin.numberToChar = function (a) {\n return Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n if (a > 2147483647) return 2147483647;\n if (a < -2147483648) return -2147483648;\n return a | 0;\n};\n\nKotlin.toBoxedChar = function (a) {\n if (a == null) return a;\n if (a instanceof Kotlin.BoxedChar) return a;\n return new Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n if (a == null) return a;\n return Kotlin.toChar(a);\n};\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n if (obj1 == null) {\n   return obj2 == null;\n }\n\n if (obj2 == null) {\n   return false;\n }\n\n if (obj1 !== obj1) {\n   return obj2 !== obj2;\n }\n\n if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n   return obj1.equals(obj2);\n }\n\n if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n   return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n }\n\n return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n if (obj == null) {\n   return 0;\n }\n var objType = typeof obj;\n if (\"object\" === objType) {\n   return \"function\" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n }\n if (\"function\" === objType) {\n   return getObjectHashCode(obj);\n }\n if (\"number\" === objType) {\n   return Kotlin.numberHashCode(obj);\n }\n if (\"boolean\" === objType) {\n   return Number(obj)\n }\n\n var str = String(obj);\n return getStringHashCode(str);\n};\n\n\nKotlin.toString = function (o) {\n if (o == null) {\n   return \"null\";\n }\n else if (Kotlin.isArrayish(o)) {\n   return \"[...]\";\n }\n else {\n   return o.toString();\n }\n};\n\n/** @const */\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n/** @const */\nvar OBJECT_HASH_CODE_PROPERTY_NAME = \"kotlinHashCodeValue$\";\n\nfunction getObjectHashCode(obj) {\n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n   var hash = (Math.random() * POW_2_32) | 0; // Make 32-bit singed integer.\n   Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, { value: hash, enumerable: false });\n }\n return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n var hash = 0;\n for (var i = 0; i < str.length; i++) {\n   var code = str.charCodeAt(i);\n   hash = (hash * 31 + code) | 0; // Keep it 32-bit.\n }\n return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n//\n// Licensed under the Apache License, Version 2.0 (the \"License\");\n// you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n//\n// http://www.apache.org/licenses/LICENSE-2.0\n//\n// Unless required by applicable law or agreed to in writing, software\n// distributed under the License is distributed on an \"AS-IS\" BASIS,\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n\n/**\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit values.\n * We use 32-bit pieces because these are the size of integers on which\n *

Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n */\nKotlin.Long = function(low, high) {\n /**\n   * @type {number}\n   * @private\n   */\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n   * @type {number}\n   * @private\n   */\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ = {\n kind: \"class\",\n simpleName: \"Long\",\n interfaces:[]\n};\n\n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n * @private\n */\nKotlin.Long.IntCache_ = {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromInt = function(value) {\n if (-128 <= value && value < 128) {\n   var cachedObj = Kotlin.Long.IntCache_[value];\n   if (cachedObj) {\n   return cachedObj;\n   }\n }\n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-128 <= value && value < 128) {\n   Kotlin.Long.IntCache_[value] = obj;\n }\n return obj;\n};\n\n\n/**\n * Converts this number value to `Long`.\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`,\n * `Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.\n * @param {number} value The number in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromNumber = function(value) {\n if (isNaN(value)) {\n   return Kotlin.Long.ZERO;\n } else if (value <= -Kotlin.Long.TWO_PWR_63_DBL_) {\n   return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >= Kotlin.Long.TWO_PWR_63_DBL_) {\n   return Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n   return Kotlin.Long.fromNumber(-value).negate();\n } else {\n   return new Kotlin.Long(\n   (value % Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n   (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n }\n};\n\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number} highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits = function(lowBits, highBits) {\n return new Kotlin.Long(lowBits, highBits);\n};\n\n\n/**\n * Returns a Long representation of the given string, written using the given\n * radix.\n * @param {string} str The textual representation of the Long.\n * @param {number=} opt_radix The radix in which the text is written.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str, opt_radix) {\n if (str.length == 0) {\n   throw Error('number format error: empty string');\n }\n\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n   throw Error('radix out of range: ' + radix);\n }\n\n if (str.charAt(0) == '-') {\n   return Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-') >= 0) {\n   throw Error('number format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 8));\n\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length; i += 8) {\n   var size = Math.min(8, str.length - i);\n   var value = parseInt(str.substring(i, i + size), radix);\n   if (size < 8) {\n   var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n   result = result.multiply(power).add(Kotlin.Long.fromNumber(value));\n   } else {\n   result = result.multiply(radixToPower);\n   result = result.add(Kotlin.Long.fromNumber(value));\n   }\n }\n return result;\n};\n\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these

variables, so there should be no runtime penalty for these.\n\n\n/**\n * Number used repeated below in calculations. This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_31_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_16_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ * Kotlin.Long.TWO_PWR_32_DBL_;\n\n\n/**\n * @type {number}\n * @private\n */\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.NEG_ONE = Kotlin.Long.fromInt(-1);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MAX_VALUE =\n Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n\n/** @type {!Kotlin.Long} */\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n\n/**\n * @type {!Kotlin.Long}\n * @private\n */\nKotlin.Long.TWO_PWR_24_\n = Kotlin.Long.fromInt(1 << 24);\n\n\n/** @return {number} The value, assuming it is a 32-bit integer. */\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n\n/** @return {number} The closest floating-point representation to this value. */\nKotlin.Long.prototype.toNumber = function() {\n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n this.getLowBitsUnsigned();\n};\n\n/** @return {number} The 32-bit hashCode of this value. */\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n/**\n * @param {number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n var radix = opt_radix || 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (this.isZero()) {\n return '0';\n }\n\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE))\n {\n // We need to change the Long value before it can be negated, so we remove\n // the bottom-most digit in this base and then recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div = this.div(radixLong);\n var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) + rem.toInt().toString(radix);\n } else {\n return '-' + this.negate().toString(radix);\n }\n }\n\n // Do several (6) digits each time through the loop, so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower = Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var result = '';\n while (true) {\n var remDiv = rem.div(radixToPower);\n var intval = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var digits = intval.toString(radix);\n\n rem = remDiv;\n if (rem.isZero()) {\n return digits + result;\n } else {\n while (digits.length < 6) {\n digits = '0' + digits;\n }\n result = '' + digits + result;\n }\n }\n};\n\n\n/** @return {number} The high 32-bits as a signed value. */\nKotlin.Long.prototype.getHighBits = function() {\n return this.high_;\n};\n\n\n/** @return {number} The low 32-bits as a signed value. */\nKotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n\n/** @return {number} The low 32-bits as an unsigned value. */\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >= 0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n\n/**\n * @return {number} Returns the number of bits needed to represent the absolute\n * value of this Long.\n */\nKotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_

: this.low_;\n for (var bit = 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n return this.high_ != 0 ? bit + 33 : bit + 1;\n }\n};\n\n\n/** @return {boolean} Whether this value is zero. */\nKotlin.Long.prototype.isZero = function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n\n/** @return {boolean} Whether this value is negative. */\nKotlin.Long.prototype.isNegative = function() {\n return this.high_ < 0;\n};\n\n\n/** @return {boolean} Whether this value is odd. */\nKotlin.Long.prototype.isOdd = function() {\n return (this.low_ & 1) == 1;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n return (this.high_ == other.high_) && (this.low_ == other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long does not equal the other.\n */\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ != other.low_);\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n return this.compare(other) < 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual = function(other) {\n return this.compare(other) <= 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than the other.\n */\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual
 = function(other) {\n return this.compare(other) >= 0;\n};\n\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long} other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n * if the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg && !otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n }\n\n // at this point, the signs are the same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n return -1;\n } else {\n return 1;\n }\n};\n\n\n/** @return {!Kotlin.Long} The negation of this value. */\nKotlin.Long.prototype.negate = function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.MIN_VALUE;\n } else {\n return this.not().add(Kotlin.Long.ONE);\n
 }\n};\n\n\n/**\n * Returns the sum of this and the given Long.\n * @param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given Long.\n */\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00 += a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the difference of this and the
 given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return {!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other) {\n return this.add(other.negate());\n};\n\n\n/**\n * Returns the product of this and the given long.\n * @param {Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n */\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n

```
}\n  } else if (other.isNegative()) {\n    return this.multiply(other.negate()).negate();\n  }\n\n  // If both longs are small, use float multiplication\n  if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n    return Kotlin.Long.fromNumber(this.toNumber() * other.toNumber());\n  }\n\n  // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n  // We can skip products that would overflow.\n\n  var a48 = this.high_ >>> 16;\n  var a32 = this.high_ & 0xFFFF;\n  var a16 = this.low_ >>> 16;\n  var a00 = this.low_ & 0xFFFF;\n\n  var b48 = other.high_ >>> 16;\n  var b32 = other.high_ & 0xFFFF;\n  var b16 = other.low_ >>> 16;\n  var b00 = other.low_ & 0xFFFF;\n\n  var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n  c00 += a00 * b00;\n  c16 += c00 >>> 16;\n  c00 &= 0xFFFF;\n  c16 += a16 * b00;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c16 += a00 * b16;\n  c32 += c16 >>> 16;\n  c16 &= 0xFFFF;\n  c32 += a32 * b00;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c32 += a16 * b16;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c32 += a00 * b32;\n  c48 += c32 >>> 16;\n  c32 &= 0xFFFF;\n  c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n  c48 &= 0xFFFF;\n  return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns this Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return {!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n  if (other.isZero()) {\n    throw Error('division by zero');\n  } else if (this.isZero()) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    if (other.equalsLong(Kotlin.Long.ONE) ||\n        other.equalsLong(Kotlin.Long.NEG_ONE)) {\n      return Kotlin.Long.MIN_VALUE;  // recall that -MIN_VALUE == MIN_VALUE\n    } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n      return Kotlin.Long.ONE;\n    } else {\n      // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n      var halfThis = this.shiftRight(1);\n      var approx = halfThis.div(other).shiftLeft(1);\n      if (approx.equalsLong(Kotlin.Long.ZERO)) {\n        return other.isNegative() ? Kotlin.Long.ONE : Kotlin.Long.NEG_ONE;\n      } else {\n        var rem = this.subtract(other.multiply(approx));\n        var result = approx.add(rem.div(other));\n        return result;\n      }\n    }\n  } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n    return Kotlin.Long.ZERO;\n  }\n\n  if (this.isNegative()) {\n    if (other.isNegative()) {\n      return this.negate().div(other.negate());\n    } else {\n      return this.negate().div(other).negate();\n    }\n  } else if (other.isNegative()) {\n    return this.div(other.negate()).negate();\n  }\n\n  // Repeat the following until the remainder is less than other:  find a\n  // floating-point that approximates remainder / other *from below*, add this\n  // into the result, and subtract it from the remainder.  It is critical that\n  // the approximate value is less than or equal to the real value so that the\n  // remainder never becomes negative.\n  var res = Kotlin.Long.ZERO;\n  var rem = this;\n  while (rem.greaterThanOrEqual(other)) {\n    // Approximate the result of division. This may be a little greater or\n    // smaller than the actual value.\n    var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n    // We will tweak the approximate result by changing it in the 48-th digit or\n    // the smallest non-fractional digit, whichever is larger.\n    var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n    var delta = (log2 <= 48) ? 1 : Math.pow(2, log2 - 48);\n\n    // Decrease the approximation until it is smaller than the remainder.  Note\n    // that if it is too large, the product overflows and is negative.\n    var approxRes = Kotlin.Long.fromNumber(approx);\n    var approxRem = approxRes.multiply(other);\n    while (approxRem.isNegative() || approxRem.greaterThan(rem)) {\n      approx -= delta;\n      approxRes = Kotlin.Long.fromNumber(approx);\n      approxRem = approxRes.multiply(other);\n    }\n\n    // We know the answer can't be zero... and actually, zero would cause\n    // infinite recursion since we would make no progress.\n    if (approxRes.isZero()) {\n      approxRes = Kotlin.Long.ONE;\n    }\n\n    res = res.add(approxRes);\n    rem = rem.subtract(approxRem);\n  }\n  return res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo = function(other) {\n  return this.subtract(this.div(other).multiply(other));\n};\n\n\n/** @return {!Kotlin.Long} The bitwise-NOT of this value.\n */\nKotlin.Long.prototype.not = function() {\n  return Kotlin.Long.fromBits(~this.low_, ~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and
```

the given one.\n * @param {Kotlin.Long} other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n */\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ | other.low_,\n this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long} The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return Kotlin.Long.fromBits(this.low_ ^ other.low_,\n

this.high_ ^ other.high_);\n};\n\n\n/**\n * Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else {\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n };\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >> (numBits - 32),\n high >= 0 ? 0 : -1);\n }\n };\n\n\n/**\n * Returns this Long with bits shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n * zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high << (32 - numBits)),\n high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high, 0);\n } else {\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }\n };\n\n// Support for Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long && this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ = Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n return this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n return this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n return this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n return this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\nKotlin.Long.prototype.inv = Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n return new Kotlin.kotlin.ranges.LongRange(this, other);\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/**\n * @param {string} id\n * @param {Object} declaration\n */\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n var f = function() {\n f = fun();\n return f.apply(this, arguments);\n };\n return function() {\n return f.apply(this, arguments);\n };\n};\n\nKotlin.isTypeOf = function(type) {\n return function (object) {\n return typeof object === type;\n }\n};\n\nKotlin.isInstanceOf = function (klass) {\n return function (object) {\n return Kotlin.isType(object, klass);\n }\n};\n\nKotlin.orNull = function (fn) {\n return function (object) {\n return object == null || fn(object);\n

```
}\n};\n\nKotlin.andPredicate = function (a, b) {\n    return function (object) {\n        return a(object) && b(object);\n    }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data) {\n};\n\nKotlin.suspendCall = function(value) {\n    return value;\n};\n\nKotlin.coroutineResult = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n    throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n    throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n    throwMarkerError();\n};\n\nfunction throwMarkerError() {\n    throw new Error(\n        \"This marker function should never been called. \" +\n        \"Looks like compiler did not eliminate it properly. \" +\n        \"Please, report an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n    return function() {\n        return defaultValue;\n    }\n};","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n    var typeA = typeof a;\n    if (typeA === \"number\") {\n        if (typeof b === \"number\") {\n            return Kotlin.doubleCompareTo(a, b);\n        }\n        return Kotlin.primitiveCompareTo(a, b);\n    }\n    if (typeA === \"string\" || typeA === \"boolean\") {\n        return Kotlin.primitiveCompareTo(a, b);\n    }\n    return a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n    return a < b ? -1 : a > b ? 1 : 0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n    if (a < b) return -1;\n    if (a > b) return 1;\n\n    if (a === b) {\n        if (a !== 0) return 0;\n\n        var ia = 1 / a;\n        return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n\n    return a !== a ? (b !== b ? 0 : 1) : -1\n};\n\nKotlin.charInc = function (value) {\n    return Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n    return Kotlin.toChar(value-1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n    return ((a & 0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n\n(function() {\n    var buf = new ArrayBuffer(8);\n    var bufFloat64 = new Float64Array(buf);\n    var bufFloat32 = new Float32Array(buf);\n    var bufInt32 = new Int32Array(buf);\n    var lowIndex = 0;\n    var highIndex = 1;\n\n    bufFloat64[0] = -1; // bff00000_00000000\n    if (bufInt32[lowIndex] !== 0) {\n        lowIndex = 1;\n        highIndex = 0;\n    }\n\n    Kotlin.doubleToBits = function(value) {\n        return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n    };\n\n    Kotlin.doubleToRawBits = function(value) {\n        bufFloat64[0] = value;\n        return Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n    };\n\n    Kotlin.doubleFromBits = function(value) {\n        bufInt32[lowIndex] = value.low_;\n        bufInt32[highIndex] = value.high_;\n        return bufFloat64[0];\n    };\n\n    Kotlin.floatToBits = function(value) {\n        return Kotlin.floatToRawBits(isNaN(value) ? NaN : value);\n    };\n\n    Kotlin.floatToRawBits = function(value) {\n        bufFloat32[0] = value;\n        return bufInt32[0];\n    };\n\n    Kotlin.floatFromBits = function(value) {\n        bufInt32[0] = value;\n        return bufFloat32[0];\n    };\n\n    // returns zero value for number with positive sign bit and non-zero value for number with negative sign bit.\n    Kotlin.doubleSignBit = function(value) {\n        bufFloat64[0] = value;\n        return bufInt32[highIndex] & 0x80000000;\n    };\n\n    Kotlin.numberHashCode = function(obj) {\n        if ((obj | 0) === obj) {\n            return obj | 0;\n        }\n        else {\n            bufFloat64[0] = obj;\n            return (bufInt32[highIndex] * 31 | 0) + bufInt32[lowIndex] | 0;\n        }\n    }\n})();\n\nKotlin.ensureNotNull = function(x) {\n    return x != null ? x : Kotlin.throwNPE();\n};\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nif (typeof String.prototype.startsWith === \"undefined\") {\n    Object.defineProperty(String.prototype, \"startsWith\", {\n        value: function (searchString, position) {\n            position = position || 0;\n            return this.lastIndexOf(searchString, position) === position;\n        }\n    });\n}\nif (typeof String.prototype.endsWith === \"undefined\") {\n    Object.defineProperty(String.prototype, \"endsWith\", {\n        value: function (searchString, position) {\n            var subjectString = this.toString();\n            if (position === undefined || position > subjectString.length) {\n                position = subjectString.length;\n            }\n            position -= searchString.length;\n            var lastIndex = subjectString.indexOf(searchString,
```

```
position);\n            return lastIndex !== -1 && lastIndex === position;\n        }\n    });\n}\n// ES6 Math polyfills\nif (typeof Math.sign === \"undefined\") {\n    Math.sign = function(x) {\n        x = +x; // convert to a number\n        if (x === 0 || isNaN(x)) {\n            return Number(x);\n        }\n        return x > 0 ? 1 : -1;\n    };\n}\nif (typeof Math.trunc === \"undefined\") {\n    Math.trunc = function(x) {\n        if (isNaN(x)) {\n            return NaN;\n        }\n        if (x > 0) {\n            return Math.floor(x);\n        }\n        return Math.ceil(x);\n    };\n}\n\n(function() {\n    var epsilon = 2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound = Math.sqrt(taylor_2_bound);\n
    var upper_taylor_2_bound = 1/taylor_2_bound;\n    var upper_taylor_n_bound = 1/taylor_n_bound;\n\n    if (typeof Math.sinh === \"undefined\") {\n        Math.sinh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 6;\n                }\n                return result;\n            } else {\n                var y = Math.exp(x);\n                var y1 = 1 / y;\n                if (!isFinite(y)) return Math.exp(x - Math.LN2);\n                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n                return (y - y1) / 2;\n            }\n        };\n    }\n    if (typeof Math.cosh === \"undefined\") {\n        Math.cosh = function(x) {\n            var y = Math.exp(x);\n            var y1 = 1 / y;\n            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n            return (y + y1) / 2;\n        };\n    }\n\n    if (typeof Math.tanh === \"undefined\") {\n        Math.tanh = function(x){\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result -= (x * x * x) / 3;\n                }\n                return result;\n            }\n            else {\n                var a = Math.exp(+x), b = Math.exp(-x);\n                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n            }\n        };\n    }\n\n    // Inverse hyperbolic function implementations derived from boost special math functions,\n    // Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh === \"undefined\") {\n        var asinh = function(x) {\n            if (x >= +taylor_n_bound)\n            {\n                if (x > upper_taylor_n_bound)\n                {\n                    if (x > upper_taylor_2_bound)\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                        return Math.log(x) + Math.LN2;\n                    }\n                    else\n                    {\n                        // approximation by laurent series in 1/x at 0+ order from -1 to 1\n                        return Math.log(x * 2 + (1 / (x * 2)));\n                    }\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x + 1));\n                }\n            }\n            else if (x <= -taylor_n_bound)\n            {\n                return -asinh(-x);\n            }\n            else\n            {\n                // approximation by taylor series in x at 0 up to order 2\n                var result = x;\n                if (Math.abs(x) >= taylor_2_bound)\n                {\n                    var x3 = x * x * x;\n                    // approximation by taylor series in x at 0 up to order 4\n                    result -= x3 / 6;\n                }\n                return result;\n            }\n        };\n        Math.asinh = asinh;\n    }\n    if (typeof Math.acosh === \"undefined\") {\n        Math.acosh = function(x) {\n            if (x < 1)\n            {\n                return NaN;\n            }\n            else if (x - 1 >= taylor_n_bound)\n            {\n                if (x > upper_taylor_2_bound)\n                {\n                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                    return Math.log(x) + Math.LN2;\n                }\n                else\n                {\n                    return Math.log(x + Math.sqrt(x * x - 1));\n                }\n            }\n            else\n            {\n                var y = Math.sqrt(x - 1);\n                // approximation by taylor series in y at 0 up to order 2\n                var result = y;\n                if (y >= taylor_2_bound)\n                {\n                    var y3 = y * y * y;\n                    // approximation by taylor series in y at 0 up to order 4\n                    result -= y3 / 12;\n                }\n\n                return Math.sqrt(2) * result;\n            }\n        };\n    }\n    if (typeof Math.atanh === \"undefined\") {\n        Math.atanh = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var result = x;\n                if (Math.abs(x) > taylor_2_bound) {\n                    result += (x * x * x) / 3;\n                }\n                return result;\n            }\n            return Math.log((1 + x) / (1 - x)) / 2;\n        };\n    }\n    if (typeof Math.log1p === \"undefined\") {\n        Math.log1p = function(x) {\n            if (Math.abs(x) < taylor_n_bound) {\n                var x2 = x * x;\n                var x3 = x2 * x;\n                var x4 = x3 * x;\n                // approximation by taylor series in x at 0 up to order 4\n                return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n
```

```
    }\n        return Math.log(x + 1);\n    };\n  }\n  if (typeof Math.expm1 === \"undefined\") {\n
Math.expm1 = function(x) {\n        if (Math.abs(x) < taylor_n_bound) {\n            var x2 = x * x;\n            var
x3 = x2 * x;\n            var x4 = x3 * x;\n            // approximation by taylor series in x at 0 up to order 4\n
 return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n        }\n        return Math.exp(x) - 1;\n    };\n  }\n})();\nif (typeof
Math.hypot === \"undefined\") {\n  Math.hypot = function() {\n    var y = 0;\n    var length =
arguments.length;\n\n    for (var i = 0; i < length; i++) {\n        if (arguments[i] === Infinity || arguments[i] ===
-Infinity) {\n            return Infinity;\n        }\n        y += arguments[i] * arguments[i];\n    }\n    return
Math.sqrt(y);\n  };\n}\nif (typeof Math.log10 === \"undefined\") {\n  Math.log10 = function(x) {\n
 return Math.log(x) * Math.LOG10E;\n  };\n}\nif (typeof Math.log2 === \"undefined\") {\n  Math.log2 =
function(x) {\n    return Math.log(x) * Math.LOG2E;\n  };\n}\nif (typeof Math.clz32 === \"undefined\") {\n
Math.clz32 = (function(log, LN2) {\n    return function(x) {\n        var asUint = x >>> 0;\n        if (asUint
=== 0) {\n            return 32;\n        }\n        return 31 - (log(asUint) / LN2 | 0) | 0; // the \"| 0\" acts like
math.floor\n    };\n  })(Math.log, Math.LN2);\n}\n\n// For HtmlUnit and PhantomJs\nif (typeof
ArrayBuffer.isView === \"undefined\") {\n  ArrayBuffer.isView = function(a) {\n    return a != null &&
a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n  };\n}\n\nif (typeof
Array.prototype.fill === \"undefined\") {\n  // Polyfill from https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n  Object.defineProperty(Array.prototype,
 'fill', {\n    value: function (value) {\n\n        // Steps 1-2.\n        if (this == null) {\n            throw new
TypeError('this is null or not defined');\n        }\n\n        var O = Object(this);\n\n        // Steps 3-5.\n
var len = O.length >>> 0;\n\n        // Steps 6-7.\n        var start = arguments[1];\n        var relativeStart = start
>> 0;\n\n        // Step 8.\n        var k = relativeStart < 0 ?\n            Math.max(len + relativeStart, 0) :\n
    Math.min(relativeStart, len);\n\n        // Steps 9-10.\n        var end = arguments[2];\n        var
relativeEnd = end === undefined ?\n                len : end >> 0;\n\n        // Step 11.\n        var finalValue
= relativeEnd < 0 ?\n                Math.max(len + relativeEnd, 0) :\n                Math.min(relativeEnd,
len);\n\n        // Step 12.\n        while (k < finalValue)
 {\n            O[k] = value;\n            k++;\n        }\n\n        // Step 13.\n        return O;\n    }\n
});\n}\n\n(function() {\n  function normalizeOffset(offset, length) {\n    if (offset < 0) return Math.max(0, offset
+ length);\n    return Math.min(offset, length);\n  }\n  function typedArraySlice(begin, end) {\n    if (typeof
end === \"undefined\") {\n        end = this.length;\n    }\n    begin = normalizeOffset(begin || 0, this.length);\n
    end = Math.max(begin, normalizeOffset(end, this.length));\n    return new
this.constructor(this.subarray(begin, end));\n  }\n\n  var arrays = [Int8Array, Int16Array, Uint16Array,
Int32Array, Float32Array, Float64Array];\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray =
arrays[i];\n    if (typeof TypedArray.prototype.fill === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'fill', {\n            value: Array.prototype.fill\n
    });\n    }\n    if (typeof TypedArray.prototype.slice === \"undefined\") {\n
Object.defineProperty(TypedArray.prototype, 'slice', {\n            value: typedArraySlice\n        });\n    }\n
}\n\n  // Patch apply to work with TypedArrays if needed.\n  try {\n    (function() {}).apply(null, new
Int32Array(0))\n  } catch (e) {\n    var apply = Function.prototype.apply;\n
Object.defineProperty(Function.prototype, 'apply', {\n        value: function(self, array) {\n            return
apply.call(this, self, [].slice.call(array));\n        }\n    });\n  }\n\n\n  // Patch map to work with TypedArrays if
needed.\n  for (var i = 0; i < arrays.length; ++i) {\n    var TypedArray = arrays[i];\n    if (typeof
TypedArray.prototype.map === \"undefined\") {\n      Object.defineProperty(TypedArray.prototype, 'map', {\n
    value: function(callback, self) {\n
  return [].slice.call(this).map(callback, self);\n            }\n        });\n    }\n  }\n\n  // Patch sort to work
with TypedArrays if needed.\n  // TODO: consider to remove following function and replace it with
`Kotlin.doubleCompareTo` (see misc.js)\n  var totalOrderComparator = function (a, b) {\n    if (a < b) return -
1;\n    if (a > b) return 1;\n\n    if (a === b) {\n        if (a !== 0) return 0;\n\n        var ia = 1 / a;\n
return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n    }\n\n    return a !== a ? (b !== b ? 0 : 1) : -1\n  };\n\n  for (var i =
```

0; i < arrays.length; ++i) {\n var TypedArray = arrays[i];\n if (typeof TypedArray.prototype.sort === \"undefined\") {\n Object.defineProperty(TypedArray.prototype, 'sort', {\n value: function(compareFunction) {\n return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n }\n });\n }\n }\n})();\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nKotlin.Kind = {\n CLASS: \"class\",\n INTERFACE: \"interface\",\n OBJECT: \"object\"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.get != null) {\n return propertyDescriptor.get.call(thisObject);\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n return thisObject[propertyName];\n }\n\n return Kotlin.callGetter(thisObject, Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass,
propertyName, value) {\n var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n if (propertyDescriptor != null && propertyDescriptor.set != null) {\n propertyDescriptor.set.call(thisObject, value);\n return;\n }\n\n propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject, propertyName);\n if (propertyDescriptor != null && \"value\" in propertyDescriptor) {\n thisObject[propertyName] = value;\n return\n }\n\n Kotlin.callSetter(thisObject, Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n if (ctor === iface) return true;\n\n var metadata = ctor.$metadata$;\n if (metadata != null) {\n var interfaces = metadata.interfaces;\n for (var i = 0; i < interfaces.length; i++) {\n if (isInheritanceFromInterface(interfaces[i], iface)) {\n return true;\n }\n }\n }\n\n var superPrototype
= ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n var superConstructor = superPrototype != null ? superPrototype.constructor : null;\n return superConstructor != null && isInheritanceFromInterface(superConstructor, iface);\n}\n\n/**\n *\n * @param {*} object\n * @param {Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n if (klass === Object) {\n switch (typeof object) {\n case \"string\":\n case \"number\":\n case \"boolean\":\n case \"function\":\n return true;\n default:\n return object instanceof Object;\n }\n }\n\n if (object == null || klass == null || (typeof object !== 'object' && typeof object !== 'function')) {\n return false;\n }\n\n if (typeof klass === \"function\" && object instanceof klass) {\n return true;\n }\n\n var proto = Object.getPrototypeOf(klass);\n
var constructor = proto != null ? proto.constructor : null;\n if (constructor != null && \"$metadata$\" in constructor) {\n var metadata = constructor.$metadata$;\n if (metadata.kind === Kotlin.Kind.OBJECT) {\n return object === klass;\n }\n }\n\n var klassMetadata = klass.$metadata$;\n\n // In WebKit (JavaScriptCore) for some interfaces from DOM typeof returns \"object\", nevertheless they can be used in RHS of instanceof\n if (klassMetadata == null) {\n return object instanceof klass;\n }\n\n if (klassMetadata.kind === Kotlin.Kind.INTERFACE && object.constructor != null) {\n return isInheritanceFromInterface(object.constructor, klass);\n }\n\n return false;\n};\n\nKotlin.isNumber = function (a) {\n return typeof a == \"number\" || a instanceof Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n return value instanceof Kotlin.BoxedChar\n};\n\nKotlin.isComparable = function (value) {\n var type = typeof
value;\n\n return type === \"string\" ||\n type === \"boolean\" ||\n Kotlin.isNumber(value) ||\n Kotlin.isType(value, Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n return typeof value === \"string\" || Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@PublishedApi\nexternal internal fun <T> Array(size: Int):

Array<T>\n\n@JsName(\"newArray\")\nfun <T> newArray(size: Int, initValue: T) = fillArrayVal(Array<T>(size), initValue)\n\n@JsName(\"newArrayF\")\ninline fun <T> arrayWithFun(size: Int, init: (Int) -> T) = fillArrayFun(Array<T>(size), init)\n\n@JsName(\"fillArray\")\ninline fun <T> fillArrayFun(array: Array<T>, init: (Int)
-> T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = init(i)\n }\n return array\n}\n\n@JsName(\"booleanArray\")\nfun booleanArray(size: Int, init: dynamic): Array<Boolean> {\n val result: dynamic = Array<Boolean>(size)\n result.`$type$` = \"BooleanArray\"\n return when (init) {\n null, true -> fillArrayVal(result, false)\n false -> result\n else -> fillArrayFun<Boolean>(result, init)\n }\n}\n\n@JsName(\"booleanArrayF\")\ninline fun booleanArrayWithFun(size: Int, init: (Int) -> Boolean): Array<Boolean> = fillArrayFun(booleanArray(size, false), init)\n\n@JsName(\"charArray\")\n@Suppress(\"UNUSED_PARAMETER\")\nfun charArray(size: Int, init: dynamic): Array<Char> {\n val result = js(\"new Uint16Array(size)\")\n result.`$type$` = \"CharArray\"\n return when (init) {\n null, true, false -> result // For consistency\n else -> fillArrayFun<Char>(result, init)\n }\n}\n\n@JsName(\"charArrayF\")\ninline fun charArrayWithFun(size:
Int, init: (Int) -> Char): Array<Char> {\n val array = charArray(size, null)\n for (i in 0..array.size - 1) {\n @Suppress(\"UNUSED_VARIABLE\") // used in js block\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"untypedCharArrayF\")\ninline fun untypedCharArrayWithFun(size: Int, init: (Int) -> Char): Array<Char> {\n val array = Array<Char>(size)\n for (i in 0..array.size - 1) {\n @Suppress(\"UNUSED_VARIABLE\") // used in js block\n val value = init(i)\n js(\"array[i] = value;\")\n }\n return array\n}\n\n@JsName(\"longArray\")\nfun longArray(size: Int, init: dynamic): Array<Long> {\n val result: dynamic = Array<Long>(size)\n result.`$type$` = \"LongArray\"\n return when (init) {\n null, true -> fillArrayVal(result, 0L)\n false -> result\n else -> fillArrayFun<Long>(result, init)\n }\n}\n\n@JsName(\"longArrayF\")\ninline fun longArrayWithFun(size:
Int, init: (Int) -> Long): Array<Long> = fillArrayFun(longArray(size, false), init)\n\nprivate fun <T> fillArrayVal(array: Array<T>, initValue: T): Array<T> {\n for (i in 0..array.size - 1) {\n array[i] = initValue\n }\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> : Comparable<Enum<T>> {\n @JsName(\"name$\") private var _name: String = \"\"\n @JsName(\"ordinal$\") private var _ordinal: Int = 0\n\n val name: String\n get() = _name\n\n val ordinal: Int\n get() = _ordinal\n\n override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n\n override fun equals(other: Any?) = this === other\n\n override fun hashCode(): Int = js(\"Kotlin.identityHashCode\")(this)\n\n override fun
toString() = name\n\n companion object\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js.internal\n\n@JsName(\"DoubleCompanionObject\")\ninternal object DoubleCompanionObject {\n @JsName(\"MIN_VALUE\")\n const val MIN_VALUE: Double = 4.9E-324\n\n @JsName(\"MAX_VALUE\")\n const val MAX_VALUE: Double = 1.7976931348623157E308\n\n @JsName(\"POSITIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val POSITIVE_INFINITY: Double = 1.0 / 0.0\n\n @JsName(\"NEGATIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NEGATIVE_INFINITY: Double = -1.0 / 0.0\n\n @JsName(\"NaN\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val NaN: Double = -(0.0 / 0.0)\n\n @JsName(\"SIZE_BYTES\")\n const val SIZE_BYTES = 8\n\n @JsName(\"SIZE_BITS\")\n const val SIZE_BITS
= 64\n}\n\n@JsName(\"FloatCompanionObject\")\ninternal object FloatCompanionObject {\n @JsName(\"MIN_VALUE\")\n const val MIN_VALUE: Float = 1.4E-45F\n\n @JsName(\"MAX_VALUE\")\n const val MAX_VALUE: Float = 3.4028235E38F\n\n @JsName(\"POSITIVE_INFINITY\")\n @Suppress(\"DIVISION_BY_ZERO\")\n const val POSITIVE_INFINITY: Float = 1.0F / 0.0F\n\n

@JsName(\"NEGATIVE_INFINITY\")\n   @Suppress(\"DIVISION_BY_ZERO\")\n   const val NEGATIVE_INFINITY: Float = -1.0F / 0.0F\n\n   @JsName(\"NaN\")\n   @Suppress(\"DIVISION_BY_ZERO\")\n   const val NaN: Float = -(0.0F / 0.0F)\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 4\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 32\n}\n\n@JsName(\"IntCompanionObject\")\ninternal object IntCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Int = -2147483647 - 1\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Int = 2147483647\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 4\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 32\n}\n\n@JsName(\"LongCompanionObject\")\ninternal object LongCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Long = js(\"Kotlin.Long.MIN_VALUE\")\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Long = js(\"Kotlin.Long.MAX_VALUE\")\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 8\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 64\n}\n\n@JsName(\"ShortCompanionObject\")\ninternal object ShortCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Short = -32768\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Short = 32767\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 16\n}\n\n@JsName(\"ByteCompanionObject\")\ninternal object ByteCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   val MIN_VALUE: Byte = -128\n\n   @JsName(\"MAX_VALUE\")\n   val MAX_VALUE: Byte = 127\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 1\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 8\n}\n\n@JsName(\"CharCompanionObject\")\ninternal object CharCompanionObject {\n   @JsName(\"MIN_VALUE\")\n   public const val MIN_VALUE: Char = '\\u0000'\n\n   @JsName(\"MAX_VALUE\")\n   public const val MAX_VALUE: Char = '\\uFFFF'\n\n   @JsName(\"MIN_HIGH_SURROGATE\")\n   public const val MIN_HIGH_SURROGATE: Char = '\\uD800'\n\n   @JsName(\"MAX_HIGH_SURROGATE\")\n   public const val MAX_HIGH_SURROGATE: Char = '\\uDBFF'\n\n   @JsName(\"MIN_LOW_SURROGATE\")\n   public const val MIN_LOW_SURROGATE: Char = '\\uDC00'\n\n   @JsName(\"MAX_LOW_SURROGATE\")\n   public const val MAX_LOW_SURROGATE: Char = '\\uDFFF'\n\n   @JsName(\"MIN_SURROGATE\")\n   public const val MIN_SURROGATE: Char = MIN_HIGH_SURROGATE\n\n   @JsName(\"MAX_SURROGATE\")\n   public const val MAX_SURROGATE: Char = MAX_LOW_SURROGATE\n\n   @JsName(\"SIZE_BYTES\")\n   const val SIZE_BYTES = 2\n\n   @JsName(\"SIZE_BITS\")\n   const val SIZE_BITS = 16\n}\n\ninternal object StringCompanionObject {}\n\ninternal object BooleanCompanionObject {}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n   return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n return get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ByteArray.contains(element: Byte): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun ShortArray.contains(element: Short): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun IntArray.contains(element: Int): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun LongArray.contains(element: Long): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"any { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Suppress(\"DEPRECATION_ERROR\")\npublic operator fun FloatArray.contains(element: Float): Boolean {\n return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"any { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =

\"1.6\")\n@Suppress(\"DEPRECATION_ERROR\")\npublic operator fun DoubleArray.contains(element: Double): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\npublic operator fun CharArray.contains(element: Char): Boolean {\n   return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun <T> Array<out T>.elementAt(index: Int): T\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ByteArray.elementAt(index: Int): Byte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun ShortArray.elementAt(index: Int): Short\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun IntArray.elementAt(index: Int): Int\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun LongArray.elementAt(index: Int): Long\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun FloatArray.elementAt(index: Int): Float\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun DoubleArray.elementAt(index: Int): Double\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun BooleanArray.elementAt(index: Int): Boolean\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharArray.elementAt(index: Int): Char\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n   return if (index >= 0 && index <=

lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
* \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n
* Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic
inline fun CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.elementAtOrNull(index: Int): Byte? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.elementAtOrNull(index: Int): Short? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.elementAtOrNull(index: Int): Int? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.elementAtOrNull(index: Int): Long? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.elementAtOrNull(index: Int): Float? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.elementAtOrNull(index: Int): Double? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate:\n (Boolean) -> Boolean): Boolean? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n   return lastOrNull(predicate)\n}\n\n/**\n *\n Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element
 matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n
 * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n
 * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(): Char {\n   if (isEmpty())\n   throw NoSuchElementException(\"Array is empty.\")\n   return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate:
 (Byte) -> Boolean): Byte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n
 * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n *

Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array
contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or throws [NoSuchElementException] if no non-null
value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out T>.firstNotNullOf(transform: (T) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the array was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Array<out T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ByteArray.firstOrNull(): Byte? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull(): Int? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n
* Returns the first element, or `null` if the array is empty.\n */\npublic fun DoubleArray.firstOrNull(): Double? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun CharArray.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (element in this)
if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->

Boolean): Short? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrElse(index: Int, defaultValue: (Int) -> T): T {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.getOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.getOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex)

get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun ShortArray.getOrNull(index: Int): Short? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun IntArray.getOrNull(index: Int): Int? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun LongArray.getOrNull(index: Int): Long? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun FloatArray.getOrNull(index: Int): Float? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun CharArray.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int {\n if (element == null) {\n for (index in indices) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfFirst { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfFirst { it == element }' instead to continue using this behavior, or '.asList().indexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfFirst { it ==

element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun DoubleArray.indexOf(element: Double): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element
matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n
}\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T> Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n for (index

in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun DoubleArray.indexOfLast(predicate:
(Double) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last(): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double
{\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last(): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.last(predicate:
(T) -> Boolean): T {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element

matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean): Short {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean): Long {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean): Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.last(predicate: (Double) -> Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) -> Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int

{\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfLast { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@Deprecated(\"The function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }' instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a list.\", ReplaceWith(\"indexOfLast { it == element }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.lastOrNull(): Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun IntArray.lastOrNull(): Int? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.lastOrNull(): Float? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n

*/\npublic fun CharArray.lastOrNull(): Char? {\n   return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n   for (index in this.indices.reversed()) {\n   val element = this[index]\n   if (predicate(element)) return element\n   }\n   return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.random(): Byte {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.random(): Int {\n   return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws

NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.random(): Boolean {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ByteArray.random(random: Random): Byte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntArray.random(random: Random): Int {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongArray.random(random: Random): Long {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun FloatArray.random(random: Random): Float {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun DoubleArray.random(random: Random): Double {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun BooleanArray.random(random: Random): Boolean {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharArray.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ByteArray.randomOrNull(): Byte? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null`
 if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ShortArray.randomOrNull(): Short? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntArray.randomOrNull(): Int? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongArray.randomOrNull(): Long? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun FloatArray.randomOrNull():
 Float? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this
array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun DoubleArray.randomOrNull(): Double? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun BooleanArray.randomOrNull(): Boolean? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharArray.randomOrNull(): Char? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array using the specified source of
 randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out
T>.randomOrNull(random: Random): T? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ByteArray.randomOrNull(random: Random): Byte? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ShortArray.randomOrNull(random: Random): Short? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from
 this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntArray.randomOrNull(random: Random): Int? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongArray.randomOrNull(random: Random): Long? {\n   if (isEmpty())\n   return null\n   return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun

```
FloatArray.randomOrNull(random: Random): Float? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun DoubleArray.randomOrNull(random: Random): Double? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun BooleanArray.randomOrNull(random: Random): Boolean? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharArray.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun ShortArray.single(): Short {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun IntArray.single(): Int {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun FloatArray.single(): Float {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun DoubleArray.single(): Double {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun BooleanArray.single(): Boolean {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun CharArray.single(): Char {\n    return when (size) {\n        0 -> throw NoSuchElementException(\"Array is empty.\")\n        1 -> this[0]\n        else -> throw IllegalArgumentException(\"Array has more than one element.\")\n    }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if
```

(!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Byte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Short\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Int\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Long\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Float\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic

inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun IntArray.singleOrNull(): Int? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun DoubleArray.singleOrNull(): Double? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull(): Boolean? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n var single: Byte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n var single: Short? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n var single: Int? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n var single: Long? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean): Float? {\n var single: Float? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or

`null` if element was not found or more than one element was found.\n */\npublic inline fun DoubleArray.singleOrNull(predicate: (Double) -> Boolean): Double? {\n var single: Double? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n var single: Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n var single: Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.drop(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.drop(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.drop(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.drop(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.drop(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.drop(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.drop(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun

CharArray.drop(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Array<out T>.dropLast(n: Int): List<T> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun IntArray.dropLast(n: Int): List<Int> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun LongArray.dropLast(n: Int): List<Long> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun FloatArray.dropLast(n: Int): List<Float> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun DoubleArray.dropLast(n: Int): List<Double> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun BooleanArray.dropLast(n: Int): List<Boolean> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun CharArray.dropLast(n: Int): List<Char> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return take(index + 1)\n   }\n   }\n   return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun

ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n var yielding = false\n val list = ArrayList<T>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n var yielding = false\n val list = ArrayList<Byte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n *
\n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n var yielding = false\n val list = ArrayList<Short>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n var yielding = false\n val list = ArrayList<Int>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except
first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropWhile(predicate:

(Long) -> Boolean): List<Long> {\n var yielding = false\n val list = ArrayList<Long>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n var yielding = false\n val list = ArrayList<Float>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropWhile(predicate: (Double) -> Boolean): List<Double> {\n var yielding = false\n val list = ArrayList<Double>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n var yielding = false\n val list = ArrayList<Boolean>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropWhile(predicate: (Char) -> Boolean): List<Char> {\n var yielding = false\n val list = ArrayList<Char>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n return filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n return filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n return filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n return filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample

samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Array<out T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n   return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n   return filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ShortArray.filterIndexed(predicate: (index: Int, Short) -> Boolean): List<Short> {\n   return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun IntArray.filterIndexed(predicate:
(index: Int, Int) -> Boolean): List<Int> {\n   return filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun LongArray.filterIndexed(predicate: (index: Int, Long) -> Boolean): List<Long> {\n   return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) ->
Boolean): List<Float> {\n   return filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n   return filterIndexedTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n   return filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n   return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean):
C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:

(index: Int, Byte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination:
C, predicate: (index: Int, Float) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n
}\n   return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n   return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C :

MutableCollection<in R>> Array<*>.filterIsInstanceTo(destination: C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n return filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n return filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n return filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double> {\n return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic
inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean): List<Boolean> {\n return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun CharArray.filterNot(predicate: (Char) -> Boolean): List<Char> {\n return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n for (element in this) if
(element != null) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*/\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n for (element in this) if

(!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (!predicate(element))
 destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
 */\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n
    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic
 inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n
 * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C {\n   for (element in this) if (predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n

```
*/\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.slice(indices: IntRange): List<Short> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.slice(indices: IntRange): List<Long> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
```

*/\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n   val size
 = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<Double>(size)\n
  for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>): List<Boolean> {\n   val
size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list =
ArrayList<Boolean>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list =
ArrayList<Char>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n *
Returns an array containing elements of this array at specified
 [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n   val result =
arrayOfNulls(this, indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n
val result = ByteArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing elements
of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n
 val result = ShortArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in indices) {\n
result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns
 an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices:
Collection<Int>): IntArray {\n   val result = IntArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex in
indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices:
Collection<Int>): LongArray {\n   val result = LongArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex
in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices:
Collection<Int>): FloatArray {\n   val result = FloatArray(indices.size)\n   var targetIndex = 0\n   for (sourceIndex
in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n
    return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic
fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n   val result = DoubleArray(indices.size)\n
var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n   val result = BooleanArray(indices.size)\n
var targetIndex = 0\n   for (sourceIndex in indices) {\n   result[targetIndex++] = this[sourceIndex]\n   }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n   val result = CharArray(indices.size)\n   var
targetIndex = 0\n   for (sourceIndex in indices) {\n
  result[targetIndex++] = this[sourceIndex]\n   }\n   return result\n}\n\n/**\n * Returns an array containing
elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange):
Array<T> {\n   if (indices.isEmpty()) return copyOfRange(0, 0)\n   return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n   if (indices.isEmpty()) return
ByteArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array
containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices:
IntRange): ShortArray {\n   if (indices.isEmpty()) return ShortArray(0)\n   return copyOfRange(indices.start,
indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices]
 range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n   if (indices.isEmpty()) return
IntArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array

containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n   if (indices.isEmpty()) return LongArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n   if (indices.isEmpty()) return FloatArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n   if (indices.isEmpty()) return DoubleArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray {\n   if (indices.isEmpty()) return BooleanArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun CharArray.sliceArray(indices: IntRange): CharArray {\n   if (indices.isEmpty()) return CharArray(0)\n   return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<T>(n)\n   for (item in this) {\n list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.take(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Byte>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.take(n: Int): List<Short> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Short>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.take(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Int>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.take(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Long>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.take(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<Float>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun

DoubleArray.take(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Double>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.take(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Boolean>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.take(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (n >= size) return toList()\n if (n == 1) return listOf(this[0])\n var count = 0\n val list = ArrayList<Char>(n)\n for (item in this) {\n list.add(item)\n if (++count == n)\n break\n }\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Array<out T>.takeLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<T>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Byte>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Short>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun IntArray.takeLast(n: Int): List<Int> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Int>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun LongArray.takeLast(n: Int): List<Long> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Long>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Float>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws

IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun DoubleArray.takeLast(n: Int): List<Double> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Double>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun BooleanArray.takeLast(n: Int): List<Boolean> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Boolean>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun CharArray.takeLast(n: Int): List<Char> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(this[size - 1])\n val list = ArrayList<Char>(n)\n for (index in size - n until size)\n list.add(this[index])\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeLastWhile(predicate: (Int) -> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeLastWhile(predicate: (Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeLastWhile(predicate:

(Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ByteArray.takeWhile(predicate: (Byte) -> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list = ArrayList<Short>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun IntArray.takeWhile(predicate: (Int) -> Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n val list = ArrayList<Long>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n val list = ArrayList<Float>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list = ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n val list = ArrayList<Boolean>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n val list = ArrayList<Char>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses

elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array
in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements
of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n
* @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex = toIndex - 1\n for (index in fromIndex until midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val midPoint = (fromIndex + toIndex) / 2\n if (fromIndex == midPoint) return\n var reverseIndex =

toIndex - 1\n   for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException
if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   val midPoint = (fromIndex + toIndex) / 2\n   if (fromIndex == midPoint) return\n   var reverseIndex = toIndex - 1\n   for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.reverse(fromIndex:
Int, toIndex: Int): Unit {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   val midPoint = (fromIndex + toIndex) / 2\n   if (fromIndex == midPoint) return\n   var reverseIndex = toIndex - 1\n   for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   val midPoint
= (fromIndex + toIndex) / 2\n   if (fromIndex == midPoint) return\n   var reverseIndex = toIndex - 1\n   for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   val midPoint = (fromIndex + toIndex) / 2\n   if (fromIndex == midPoint) return\n   var reverseIndex = toIndex - 1\n
    for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   val midPoint = (fromIndex + toIndex) / 2\n   if (fromIndex == midPoint) return\n   var reverseIndex = toIndex - 1\n   for (index in fromIndex until midPoint) {\n   val tmp = this[index]\n   this[index] = this[reverseIndex]\n   this[reverseIndex] = tmp\n   reverseIndex--\n   }\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun ShortArray.reversed(): List<Short> {\n   if (isEmpty()) return emptyList()\n   val list =

toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun IntArray.reversed(): List<Int> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements
 in reversed order.\n */\npublic fun LongArray.reversed(): List<Long> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun FloatArray.reversed(): List<Float> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun DoubleArray.reversed(): List<Double> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun BooleanArray.reversed(): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun CharArray.reversed(): List<Char> {\n   if (isEmpty()) return
 emptyList()\n   val list = toMutableList()\n   list.reverse()\n   return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n   if (isEmpty()) return this\n   val result = arrayOfNulls(this, size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n   if (isEmpty()) return this\n   val result = ByteArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n   if (isEmpty()) return this\n   val result = ShortArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n
        result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n   if (isEmpty()) return this\n   val result = IntArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n   if (isEmpty()) return this\n   val result = LongArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n   if (isEmpty()) return this\n   val result = FloatArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n
    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n   if (isEmpty()) return this\n   val result = DoubleArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n   if (isEmpty()) return this\n   val result = BooleanArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n   if (isEmpty()) return this\n   val result = CharArray(size)\n   val lastIndex = lastIndex\n   for (i in 0..lastIndex)\n   result[lastIndex - i] = this[i]\n   return result\n}\n\n/**\n
 * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.shuffle(): Unit {\n   shuffle(Random)\n}\n\n/**\n * Randomly

shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo

1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n if (size >
1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n sortWith(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun
DoubleArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun CharArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sorted(): List<T> {\n return sortedArray().asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ByteArray.sorted(): List<Byte> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun ShortArray.sorted(): List<Short> {\n return toTypedArray().apply
{ sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun IntArray.sorted(): List<Int> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun LongArray.sorted(): List<Long> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun FloatArray.sorted(): List<Float> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun DoubleArray.sorted(): List<Double> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\npublic fun CharArray.sorted(): List<Char> {\n return toTypedArray().apply { sort() }.asList()\n}\n\n/**\n
* Returns an array with all elements of this array sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ByteArray.sortedArray(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun ShortArray.sortedArray(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply {

sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun IntArray.sortedArray():
IntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun LongArray.sortedArray():
LongArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun FloatArray.sortedArray():
FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\npublic fun
DoubleArray.sortedArray(): DoubleArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\npublic fun CharArray.sortedArray(): CharArray {\n if (isEmpty()) return this\n
return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {\n if (isEmpty()) return this\n return this.copyOf().apply {
sortWith(reverseOrder()) }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedArrayDescending(): ByteArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
ShortArray.sortedArrayDescending(): ShortArray {\n if (isEmpty()) return this\n return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n
* Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*/\npublic fun IntArray.sortedArrayDescending(): IntArray {\n if (isEmpty()) return this\n return
this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedArrayDescending(): LongArray
{\n if (isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
FloatArray.sortedArrayDescending(): FloatArray {\n if (isEmpty()) return this\n return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedArrayDescending(): DoubleArray {\n if
(isEmpty()) return this\n return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\npublic fun
CharArray.sortedArrayDescending(): CharArray {\n if (isEmpty()) return this\n return this.copyOf().apply {
sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{\n if (isEmpty()) return this\n return this.copyOf().apply { sortWith(comparator) }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R :
Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> {\n return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample
samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>>

ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> {\n   return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n   return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n

return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to
natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending():
List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n
*/\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic
fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/**\n * Returns a [List]

that wraps the original array.\n */\npublic expect fun ByteArray.asList(): List<Byte>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun ShortArray.asList(): List<Short>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun IntArray.asList(): List<Int>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun LongArray.asList(): List<Long>\n\n/**\n * Returns a [List]
that wraps the original array.\n */\npublic expect fun FloatArray.asList(): List<Float>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun DoubleArray.asList(): List<Double>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic expect fun CharArray.asList(): List<Char>\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested
arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentDeepHashCode(): Int\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic
expect fun <T> Array<out T>.contentDeepToString(): String\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentDeepToString(): String\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince
= \"1.4\")\npublic expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun

ByteArray.contentEquals(other: ByteArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN`
is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun IntArray.contentEquals(other: IntArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun LongArray.contentEquals(other: LongArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun FloatArray.contentEquals(other:
FloatArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality
with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix

fun ByteArray?.contentEquals(other: ByteArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun IntArray?.contentEquals(other: IntArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun LongArray?.contentEquals(other: LongArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\npublic expect infix fun CharArray?.contentEquals(other: CharArray?): Boolean\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ByteArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ShortArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun IntArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun LongArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun FloatArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is

[List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun BooleanArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun CharArray.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun BooleanArray?.contentHashCode(): Int\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray?.contentHashCode(): Int\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ByteArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun ShortArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun IntArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun LongArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun FloatArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample

samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun DoubleArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use
Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n
* \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun BooleanArray?.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray?.contentToString(): String\n\n/**\n * Copies this array or its subrange
into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect
fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the

destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex

> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun ShortArray.copyOf(): ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun IntArray.copyOf(): IntArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun LongArray.copyOf():

LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun FloatArray.copyOf(): FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun DoubleArray.copyOf(): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun BooleanArray.copyOf(): BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic expect fun CharArray.copyOf(): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ByteArray.copyOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun BooleanArray.copyOf(newSize: Int): BooleanArray\n\n/**\n * Returns new array which is a copy of the original

array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic expect fun CharArray.copyOf(newSize: Int): CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOf(newSize: Int): Array<T?>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T>\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int):

DoubleArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end

of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val <T> Array<out T>.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ByteArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val ShortArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val IntArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val LongArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val FloatArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val DoubleArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val BooleanArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n */\npublic val CharArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n return size == 0\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isNotEmpty(): Boolean {\n return

!isEmpty()\n}\n\n/**\n * Returns the last valid index for the array.\n */\npublic val <T> Array<out T>.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ByteArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val ShortArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val IntArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val LongArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val FloatArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val DoubleArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val BooleanArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns the last valid index for the array.\n */\npublic val CharArray.lastIndex: Int\n get() = size - 1\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(element: T): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun ShortArray.plus(element: Short): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun LongArray.plus(element: Long): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun FloatArray.plus(element: Float): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun BooleanArray.plus(element: Boolean): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\npublic expect operator fun CharArray.plus(element: Char): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun IntArray.plus(elements: Collection<Int>): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun LongArray.plus(elements: Collection<Long>): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic expect operator fun CharArray.plus(elements: Collection<Char>): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>\n\n/**\n * Returns an array containing all elements of the

original
array and then all elements of the given [elements] array.\n */\npublic expect operator fun ByteArray.plus(elements: ByteArray): ByteArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun ShortArray.plus(elements: ShortArray): ShortArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n/**\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\npublic expect operator fun CharArray.plus(elements: CharArray): CharArray\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NO_ACTUAL_FOR_EXPECT\")\npublic expect fun <T> Array<T>.plusElement(element: T): Array<T>\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun IntArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n
* \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun LongArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ByteArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun ShortArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun DoubleArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun FloatArray.sort(): Unit\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic expect fun CharArray.sort(): Unit\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n
* \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sortWith(reverseOrder(), fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sort(fromIndex, toIndex)\n   reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun

ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n *
Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than
zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the
array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n
* \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray
{\n return ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n return CharArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n */\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n return

DoubleArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n */\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n   return FloatArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out Int>.toIntArray(): IntArray {\n   return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray(): LongArray {\n   return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing all of the elements of this generic array.\n */\npublic fun Array<out Short>.toShortArray(): ShortArray {\n   return ShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n/**\n * Returns a *typed* object array containing
all of the elements of this primitive array.\n */\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic expect fun CharArray.toTypedArray(): Array<Char>\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic
inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have
the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return
associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order

of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n */\npublic inline fun <K, V> CharArray.associate(transform: (Char) -> Pair<K,
V>): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <T, K> Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, Byte>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> ShortArray.associateBy(keySelector: (Short) ->

K): Map<K, Short> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Short>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Int>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Long>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Float>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Double>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Boolean>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K> CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n   val capacity = mapCapacity(size).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline

fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of

the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n
* \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte)
-> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n *
and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination:
M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the

last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by

the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned
by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination:
M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n
* Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added
to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform:

(T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n

}\n   return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n   val result = LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {\n   val result = LinkedHashMap<Byte, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n   val result = LinkedHashMap<Short, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n   val result = LinkedHashMap<Int, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n   val result = LinkedHashMap<Long, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n   val result = LinkedHashMap<Float, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V> DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n   val result = LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n   return associateWithTo(result,

valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned
map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result
= LinkedHashMap<Char, V>(mapCapacity(size.coerceAtMost(128)).coerceAtLeast(16))\n return
associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-
value pairs for each element of the given array,\n * where key is the element itself and value is provided by the
[valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Array<out
K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by
the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the
former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic
inline fun <V, M : MutableMap<in Short, in V>> ShortArray.associateWithTo(destination: M, valueSelector:
(Short) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the
[destination]
mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value
is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one
overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo\n

*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>> LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>> FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>> DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided
by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Char, in V>> CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n
}\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {\n for (item
in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return

destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n return toCollection(HashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun ShortArray.toHashSet(): HashSet<Short> {\n return toCollection(HashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return toCollection(HashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun FloatArray.toHashSet(): HashSet<Float> {\n return toCollection(HashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun DoubleArray.toHashSet(): HashSet<Double> {\n return toCollection(HashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return toCollection(HashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return ArrayList(this.asCollection())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n val list = ArrayList<Short>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new

[MutableList] filled with all elements of this array.\n */\npublic fun IntArray.toMutableList(): MutableList<Int> {\n val list = ArrayList<Int>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun LongArray.toMutableList(): MutableList<Long> {\n val list = ArrayList<Long>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n val list = ArrayList<Float>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n val list = ArrayList<Double>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n val list = ArrayList<Boolean>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this array.\n */\npublic fun CharArray.toMutableList(): MutableList<Char> {\n val list = ArrayList<Char>(size)\n for (item in this) list.add(item)\n return list\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toSet(): Set<T> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toSet(): Set<Byte> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toSet(): Set<Short> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet(): Set<Int> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet(): Set<Long> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet(): Set<Float> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet(): Set<Double> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toSet(): Set<Boolean> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toSet(): Set<Char> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else -> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ByteArray.flatMap(transform:

(Byte) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ShortArray.flatMap(transform: (Short) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform: (Long) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <T, R> Array<out T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n
 * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n
* and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the
 original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char)
 -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a
single list of all elements yielded from results of [transform] function being invoked on each element\n * and its
index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n   return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given

[destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val
list = transform(index++, element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends
all elements yielded from results of [transform] function being invoked on each element\n * and its index in the
original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Short) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c
inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Int) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Long)
-> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Float) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and
its index in the original array, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli

c inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index: Int, Double) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index: Int, Boolean) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int, Char) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C, transform: (Int) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given

[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C, transform: (Double) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n return groupByTo(LinkedHashMap<K, MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the

entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector:
(Double) -> K): Map<K, List<Double>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration
order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n
* Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned
map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n

return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map
where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> DoubleArray.groupBy(keySelector:
(Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n
* by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>>
Array<out T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Byte>() }\n

list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Short>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Int>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Long>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Float>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Double>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Boolean>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Char>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding

values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector: (Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key)
{ ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector: (Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each
element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector: (Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding
values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector: (Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic

inline fun <K, V, M : MutableMap<in K, MutableList<V>>>
DoubleArray.groupByTo(destination: M, keySelector: (Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later
with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Array<out T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ByteArray.map(transform: (Byte) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> ShortArray.map(transform: (Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> IntArray.map(transform: (Int) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> LongArray.map(transform: (Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample

samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n
* to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R> CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied

to the element.\n */\npublic inline fun <T, R : Any> Array<out T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes
the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function
to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic
inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n

destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform:
(T) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in
R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results
to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C, transform: (Char) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out T>.withIndex(): Iterable<IndexedValue<T>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun

ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun FloatArray.withIndex(): Iterable<IndexedValue<Float>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun BooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * Among equal elements of the given array, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Array<out T>.distinct(): List<T>
{\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ByteArray.distinct(): List<Byte> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun ShortArray.distinct(): List<Short> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun IntArray.distinct(): List<Int> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun LongArray.distinct(): List<Long> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun FloatArray.distinct(): List<Float> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting
list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun DoubleArray.distinct(): List<Double> {\n   return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source

```
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun BooleanArray.distinct(): List<Boolean> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Array<out T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list = ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list = ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list = ArrayList<Long>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list = ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list = ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
```

were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n val set = HashSet<K>()\n val list = ArrayList<Boolean>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K> CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n val set = HashSet<K>()\n val list = ArrayList<Char>()\n for (e in this) {\n val key = selector(e)\n if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other:

Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.retainAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not
 contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n
    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other: Iterable<Long>): Set<Long> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
 */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array
 and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n   val set = this.toMutableSet()\n   set.removeAll(other)\n   return set\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out T>.toMutableSet(): MutableSet<T> {\n   return toCollection(LinkedHashSet<T>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ByteArray.toMutableSet(): MutableSet<Byte> {\n   return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given
 array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n   return toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n   return toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n   return

toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n return toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n return toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n return toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun CharArray.toMutableSet(): MutableSet<Char> {\n return toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun LongArray.union(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n

set.addAll(other)\n   return set\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun CharArray.union(other: Iterable<Char>):
Set<Char> {\n   val set = this.toMutableSet()\n   set.addAll(other)\n   return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n
* Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n   return

!isEmpty()\n}\n\n/**\n * Returns
`true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*/\npublic inline fun LongArray.any(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic
inline fun BooleanArray.any(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this
array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Array<out

T>.count(predicate: (T) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun LongArray.count(predicate: (Long) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun CharArray.count(predicate: (Char) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and

an element, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R,

operation: (index: Int, acc: R, Long) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n
 * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates
 the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and
 current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates
 value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>

IntArray.foldRight(initial: R, operation: (Int, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element
and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n   var index = lastIndex\n   var
accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from
right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n

*/\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n var index = lastIndex\n var accumulator
= initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element
itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator
= initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs

the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.max(): Double? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",

ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince
= \"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n   return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun ByteArray.max(): Byte? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.max(): Short? {\n   return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun IntArray.max(): Int? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.max():
Long? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun FloatArray.max(): Float? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use
maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.max(): Double? {\n   return
maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\",
ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun CharArray.max(): Char? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use
maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector:
(T) -> R): T? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector: (Byte) -> R):
Byte? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R):
Short? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int?
{\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull
instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector:
(Long) -> R): Long? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R):
Float? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) ->
R): Double? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? {\n   return
maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\",
ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =

\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R): Char? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function
or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex
= this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n
* Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> DoubleArray.maxByOrNull(selector: (Double)
-> R): Double? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n

*/\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to

each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n
 * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOf(selector: (T) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n
 * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->

Float): Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float): Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) -> Float):
Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) -> Float): Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the
largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) -> Float): Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array
is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) -> Float): Float {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float): Float {\n   if

(isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxOf(selector: (T) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied
 to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.maxOf(selector: (Byte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.maxOf(selector:
 (Short) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.maxOf(selector: (Int) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all
 values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> LongArray.maxOf(selector: (Long) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline
 fun <R : Comparable<R>> FloatArray.maxOf(selector: (Float) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>

DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> CharArray.maxOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector: (T) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) -> Double): Double?
{\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if

there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue,
v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector: (T) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue

= selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOfOrNull(selector: (Long) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOfOrNull(selector: (Float) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOfOrNull(selector: (Double) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.maxOfOrNull(selector: (Boolean) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOfOrNull(selector: (Char) ->

Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n val
 v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxOfOrNull(selector: (T) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <R : Comparable<R>> ByteArray.maxOfOrNull(selector: (Byte) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.maxOfOrNull(selector: (Short) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.maxOfOrNull(selector: (Int) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <R : Comparable<R>> LongArray.maxOfOrNull(selector: (Long) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> FloatArray.maxOfOrNull(selector: (Float) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among
 all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> DoubleArray.maxOfOrNull(selector: (Double) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue =

selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> BooleanArray.maxOfOrNull(selector:\n (Boolean) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharArray.maxOfOrNull(selector: (Char) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values\n produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n inline fun <R> ByteArray.maxOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator: Comparator<in R>, selector: (Short) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator: Comparator<in R>, selector: (Int) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(maxValue, v) < 0) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value according

to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator: Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.maxOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.maxOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n if (isEmpty())
throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.maxOfWith(comparator: Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n
}\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Array<out T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest
value according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n if (isEmpty()) return
null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n if
(isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val
v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n
return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function
applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *

Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Double>.maxOrNull(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Float>.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.maxOrNull(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.maxOrNull(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.maxOrNull(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.maxOrNull(): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.maxOrNull(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.maxOrNull(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n

return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<out T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.maxWithOrNull(comparator: Comparator<in Byte>): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {\n if (isEmpty())\n return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.maxWithOrNull(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.maxWithOrNull(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max =

e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.maxWithOrNull(comparator: Comparator<in Boolean>): Boolean? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Double>.min(): Double? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Array<out Float>.min(): Float? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.min(): Byte? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.min(): Short? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.min(): Int? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.min(): Long? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.min(): Float? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.min(): Double? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.min(): Char? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.minBy(selector: (T) -> R): T? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector: (Byte) -> R): Byte? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R): Short? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int?

{\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R): Long? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R): Float? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) -> R): Double? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R): Char? {\n   return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n   if (isEmpty()) return null\n   var minElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return minElem\n   var minValue = selector(minElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   }\n   return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {\n   if (isEmpty()) return null\n   var minElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return minElem\n   var minValue = selector(minElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   }\n   return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n   if (isEmpty()) return null\n   var minElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return minElem\n   var minValue = selector(minElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   }\n   return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n   if (isEmpty()) return null\n   var minElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return minElem\n   var minValue = selector(minElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (minValue > v) {\n   minElem = e\n   minValue = v\n   }\n   }\n   return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n   if (isEmpty()) return null\n   var minElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return minElem\n   var minValue = selector(minElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (minValue > v)

{\n minElem = e\n minValue
= v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>>
DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.minOf(selector: (Byte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->

Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val
v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced
by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.minOf(selector: (Float) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n
minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for

(i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]

function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.minOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.minOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.minOf(selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.minOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n

```
    }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> LongArray.minOf(selector: (Long) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <R : Comparable<R>> FloatArray.minOf(selector: (Float) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> DoubleArray.minOf(selector: (Double) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> BooleanArray.minOf(selector: (Boolean) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <R : Comparable<R>> CharArray.minOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Double): Double? {\n    if (isEmpty()) return
 null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) ->
```

Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element
 in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun IntArray.minOfOrNull(selector: (Int) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n
 * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun DoubleArray.minOfOrNull(selector: (Double) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector: (Boolean) -> Double): Double? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n
    for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
 * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector: (T) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among
 all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOfOrNull(selector: (Int) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun LongArray.minOfOrNull(selector: (Long) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n
 minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOfOrNull(selector: (Double) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector: (Boolean) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) -> Float): Float? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.minOfOrNull(selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ByteArray.minOfOrNull(selector: (Byte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ShortArray.minOfOrNull(selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> IntArray.minOfOrNull(selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic

inline fun <R : Comparable<R>> LongArray.minOfOrNull(selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> FloatArray.minOfOrNull(selector: (Float) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> DoubleArray.minOfOrNull(selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R : Comparable<R>> BooleanArray.minOfOrNull(selector: (Boolean) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharArray.minOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array
is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator: Comparator<in R>, selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator: Comparator<in
R>, selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator: Comparator<in R>, selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v)
> 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator: Comparator<in R>, selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator: Comparator<in R>, selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.minOfWith(comparator: Comparator<in R>, selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator: Comparator<in R>, selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue,
v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there
are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float)
-> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return

minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Double>.minOrNull(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun Array<out Float>.minOrNull(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull(): T? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.minOrNull(): Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.minOrNull(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.minOrNull(): Int? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun LongArray.minOrNull(): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.minOrNull(): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.minOrNull(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n

min = minOf(min, e)\n   }\n   return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.minOrNull(): Char? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (min > e) min = e\n   }\n   return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>): Boolean? {\n   return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n   return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Array<out T>.minWithOrNull(comparator: Comparator<in T>): T? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ByteArray.minWithOrNull(comparator: Comparator<in Byte>): Byte? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? {\n   if (isEmpty()) return null\n   var min = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

*/\n@SinceKotlin(\"1.4\")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>): Double? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>): Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Array<out T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ByteArray.none(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun ShortArray.none(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun IntArray.none(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n

return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun LongArray.none(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun FloatArray.none(predicate: (Float)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun DoubleArray.none(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this)
if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) -> Unit): Array<out T> {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) -> Unit): ByteArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) -> Unit): ShortArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns
the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEach(action: (Int) -> Unit): IntArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) -> Unit): LongArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) -> Unit): FloatArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action:
(Double) -> Unit): DoubleArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean) -> Unit): BooleanArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) -> Unit): CharArray {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index

with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEachIndexed(action: (index: Int, Byte) -> Unit): ByteArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEachIndexed(action:
(index: Int, Short) -> Unit): ShortArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEachIndexed(action: (index: Int, Int) -> Unit): IntArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEachIndexed(action: (index: Int, Long) -> Unit):
LongArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {\n return apply { forEachIndexed(action)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEachIndexed(action: (index: Int, Char) -> Unit): CharArray {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator
value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator

value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in
an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *

@param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun IntArray.reduceIndexed(operation:

(index: Int, acc: Int, Int) -> Int): Int {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n *
 Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample

samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n   if (isEmpty())\n   throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n   if (isEmpty())\n   return null\n   var accumulator: S = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element
itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ShortArray.reduceIndexedOrNull(operation: (index: Int, acc: Short, Short) -> Short): Short? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic
inline fun IntArray.reduceIndexedOrNull(operation: (index: Int, acc: Int, Int) -> Int): Int? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun LongArray.reduceIndexedOrNull(operation: (index: Int, acc: Long, Long) -> Long): Long? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(index, accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator

value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun FloatArray.reduceIndexedOrNull(operation: (index: Int, acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun DoubleArray.reduceIndexedOrNull(operation: (index: Int, acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun BooleanArray.reduceIndexedOrNull(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation:
(acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n   if (isEmpty())\n   return null\n   var accumulator\n   = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying\n [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n   if (isEmpty())\n   return null\n   var accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and\n an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n   if (isEmpty())\n   return null\n   var

accumulator = this[0]\n   for (index in 1..lastIndex) {\n   accumulator = operation(accumulator, this[index])\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and

current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each
element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original
array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current

accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each
element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with
the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n
* Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *

Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun

ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun BooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun

CharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator: S = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n
 * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun LongArray.reduceRightOrNull(operation: (Long, acc: Long) -> Long): Long? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n
 * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun

FloatArray.reduceRightOrNull(operation: (Float, acc: Float) -> Float): Float? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the
array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceRightOrNull(operation: (Double, acc: Double) -> Double): Double? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceRightOrNull(operation: (Char,
acc: Char) -> Char): Char? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(get(index--), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R>
Array<out T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n   if (isEmpty()) return
listOf(initial)\n   val result
= ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result
= ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to

each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R, operation: (acc: R, Short) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R, operation: (acc: R, Int) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R, operation: (acc: R, Long) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R, operation: (acc: R, Float) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R, operation: (acc: R, Double) -> R): List<R> {\n   if (isEmpty()) return listOf(initial)\n   val result = ArrayList<R>(size + 1).apply { add(initial) }\n   var accumulator = initial\n   for (element in this) {\n   accumulator = operation(accumulator, element)\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R> Array<out T>.runningFoldIndexed(initial: R,
operation: (index: Int, acc: R, T) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and

current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n
* \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns
a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample

samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result =

ArrayList<Int>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Long>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Float>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Double>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<Char>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that

takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Int>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator

value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Float>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Double>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value

and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator

value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial:
R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]

from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator
value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n
* and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Array<out T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\",

ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\npublic inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun FloatArray.sumBy(selector: (Float) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied
to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic
inline fun CharArray.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n
sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n

```
    sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
 applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince
 = \"1.5\")\npublic inline fun DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> Double): Double
 {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> Double):
 Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
```

this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float)
-> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector:
(Boolean) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Array<out T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector:
(Short) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> Int):

Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> Int): Int {\n   var sum: Int\n   = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> Long): Long {\n   var sum: Long = 0.toLong()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n   var sum: UInt = 0.toUInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n

*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this)
{\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector:
(Short) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTy

pes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.sumOf(selector: (Double) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Array<T?>.requireNoNulls(): Array<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Array<T>\n}\n\n/**\n * Splits the original array into pair of lists,\n *
where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun <T> Array<out T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>,
List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n val

first = ArrayList<Short>()\n   val second = ArrayList<Short>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n   val first = ArrayList<Int>()\n   val second = ArrayList<Int>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n   val first = ArrayList<Long>()\n   val second = ArrayList<Long>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n   val first = ArrayList<Float>()\n   val second = ArrayList<Float>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n   val first = ArrayList<Double>()\n   val second = ArrayList<Double>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n   val first = ArrayList<Boolean>()\n   val second = ArrayList<Boolean>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n   val first = ArrayList<Char>()\n   val second = ArrayList<Char>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Array<out R>): List<Pair<T, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Array<out R>):

List<Pair<Byte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned
 list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out R>): List<Pair<Short, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out R>): List<Pair<Long, R>> {\n   return zip(other) { t1, t2 ->
 t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out R>): List<Pair<Double, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
 */\npublic infix fun <R> BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>): List<Pair<Char, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V):
 List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
 pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n

val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Iterable<R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample

samples.collections.Iterables.Operations.zipIterable\n
*/\npublic infix fun <R> LongArray.zip(other: Iterable<R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Iterable<R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements
of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Iterable<R>): List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n
var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> LongArray.zip(other: Iterable<R>,

transform: (a: Long, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n   val arraySize = size\n   val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10),
arraySize))\n   var i = 0\n   for (element in other) {\n   if (i >= arraySize) break\n   list.add(transform(this[i++], element))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ByteArray.zip(other: ByteArray): List<Pair<Byte, Byte>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun IntArray.zip(other: IntArray): List<Pair<Int, Int>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun FloatArray.zip(other:

FloatArray): List<Pair<Float, Float>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun BooleanArray.zip(other: BooleanArray): List<Pair<Boolean, Boolean>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> IntArray.zip(other: IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n

```
 * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <V> CharArray.zip(other:
 CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for
 (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix:
 CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
 samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1,
```

truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit],
in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using
[separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element.toString())\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection

could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\",
limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit) {\n if (transform != null)\n buffer.append(transform(element))\n else\n buffer.append(element)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic
fun <T> Array<out T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ByteArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Byte) -> CharSequence)?
= null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun ShortArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using
the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun IntArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun LongArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be

appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun FloatArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence
= \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun DoubleArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix,
limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun BooleanArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could
be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun CharArray.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun <T> Array<out T>.asIterable(): Iterable<T> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic
fun ByteArray.asIterable(): Iterable<Byte> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun ShortArray.asIterable(): Iterable<Short> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun IntArray.asIterable(): Iterable<Int> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun LongArray.asIterable(): Iterable<Long> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements
when being iterated.\n */\npublic fun FloatArray.asIterable(): Iterable<Float> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun DoubleArray.asIterable(): Iterable<Double> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being iterated.\n */\npublic fun CharArray.asIterable(): Iterable<Char> {\n if (isEmpty()) return emptyList()\n return Iterable { this.iterator()

```
}\n}\n\n/**\n * Creates a [Sequence] instance that wraps the
 original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun ShortArray.asSequence():
Sequence<Short> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps
 the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun IntArray.asSequence():
Sequence<Int> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun LongArray.asSequence():
Sequence<Long> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that
 wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n    if (isEmpty()) return emptySequence()\n    return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n    if (isEmpty()) return emptySequence()\n    return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n    if (isEmpty()) return emptySequence()\n    return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value
 of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Array<out Byte>.average():
Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Array<out Short>.average():
Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Array<out Int>.average(): Double
{\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        ++count\n
  }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n
 * Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun
Array<out Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
    sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun
Array<out Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
    sum += element\n        ++count\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n *
Returns an average value of elements in the array.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun
Array<out Double>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this)
```

{\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun ShortArray.average(): Double {\n var sum: Double =
0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic
fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the array.\n */\npublic fun LongArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int
= 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\npublic fun
DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Array<out
Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n
sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Array<out Short>.sum(): Int {\n var sum: Int = 0\n for
(element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the
array.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Array<out Int>.sum(): Int {\n var sum: Int = 0\n
for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in
the array.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Array<out Long>.sum(): Long {\n var sum:
Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Array<out Float>.sum(): Float
{\n var sum: Float = 0.0f\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Array<out Double>.sum(): Double {\n var sum:
Double = 0.0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of
all elements in the array.\n */\npublic fun ByteArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n
sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
ShortArray.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun IntArray.sum(): Int {\n var sum:
Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all
elements in the array.\n */\npublic fun LongArray.sum(): Long {\n var sum: Long = 0L\n for (element
in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*/\npublic fun FloatArray.sum(): Float {\n var sum: Float = 0.0f\n for (element in this) {\n sum +=
element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\npublic fun
DoubleArray.sum(): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += element\n }\n
return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random

element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.random(): Long {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun IntRange.random(random: Random): Int {\n try {\n return random.nextInt(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun LongRange.random(random: Random): Long {\n try {\n return random.nextLong(this)\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharRange.random(random: Random): Char {\n try {\n return random.nextInt(first.code, last.code + 1).toChar()\n } catch(e: IllegalArgumentException) {\n throw NoSuchElementException(e.message)\n }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.randomOrNull(): Int? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.randomOrNull(): Long? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun IntRange.randomOrNull(random:
Random): Int? {\n if (isEmpty())\n return null\n return random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun LongRange.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharRange.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun IntRange.contains(element: Int?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element: Long?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n *

Returns `true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element: Char?): Boolean {\n return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Byte): Boolean {\n return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Byte): Boolean {\n return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Byte): Boolean {\n return contains(value.toShort())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Byte): Boolean {\n return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Byte): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Double): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Double): Boolean {\n return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Double): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Double): Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Double): Boolean {\n return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Float): Boolean {\n return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

*/\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Float): Boolean {\n   return value.toLongExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Float): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Float): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Float): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Int): Boolean {\n   return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Int): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Int): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Int): Boolean {\n   return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Long): Boolean {\n   return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n   return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Long): Boolean {\n   return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Long): Boolean {\n   return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n

```
*/\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value: Long): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value: Short): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun ClosedRange<Long>.contains(value: Short): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value:
 Short): Boolean {\n    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value: Short): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince = \"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
 Short): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Byte): IntProgression {\n    return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Byte): LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this`
 value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Byte): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Char.downTo(to: Char): CharProgression {\n    return CharProgression.fromClosedRange(this, to,
 -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Int): IntProgression {\n    return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Int): LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
```

returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Int): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to:
Long): LongProgression {\n return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Int.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Long.downTo(to: Short): LongProgression {\n return LongProgression.fromClosedRange(this, to.toLong(), -1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to]
value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Byte.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\npublic infix fun Short.downTo(to: Short): IntProgression {\n return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun IntProgression.reversed(): IntProgression {\n return IntProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction
with the same step.\n */\npublic fun LongProgression.reversed(): LongProgression {\n return LongProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n */\npublic fun CharProgression.reversed(): CharProgression {\n return CharProgression.fromClosedRange(last, first, -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun IntProgression.step(step: Int): IntProgression {\n checkStepIsPositive(step > 0, step)\n return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n */\npublic infix fun LongProgression.step(step: Long): LongProgression {\n checkStepIsPositive(step > 0, step)\n return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a
progression that goes over the same range with the given step.\n */\npublic infix fun CharProgression.step(step: Int): CharProgression {\n checkStepIsPositive(step > 0, step)\n return CharProgression.fromClosedRange(first,

last, if (this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun Long.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun Short.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun Double.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun Float.toByteExactOrNull(): Byte? {\n return if (this in Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat())
this.toInt().toByte() else null\n}\n\ninternal fun Long.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong()) this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun Float.toIntExactOrNull(): Int? {\n return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat()) this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun Float.toLongExactOrNull(): Long? {\n return if (this in Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun Int.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt()) this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull():
Short? {\n return if (this in Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun Double.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun Float.toShortExactOrNull(): Short? {\n return if (this in Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Byte): LongRange {\n
return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Byte): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n if (to <= '\\u0000') return CharRange.EMPTY\n return this .. (to - 1).toChar()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to -

1).toInt()\n}\n\n/**\n * Returns a range from this value
up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Int): IntRange {\n if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n return this.toInt() .. (to - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n
* Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short):
Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue]

```
 or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n
 * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is
 not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n */\npublic fun Double.coerceAtMost(maximumValue: Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null && maximumValue !== null) {\n        if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n
        if (this < minimumValue) return minimumValue\n        if (this > maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this < minimumValue) return minimumValue\n        if (maximumValue !== null && this > maximumValue) return maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Byte.coerceIn(minimumValue: Byte, maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue)
```

throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Short.coerceIn(minimumValue: Short, maximumValue: Short): Short {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(minimumValue: Int, maximumValue: Int): Int {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Float.coerceIn(minimumValue: Float, maximumValue: Float): Float {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Double.coerceIn(minimumValue: Double, maximumValue: Double): Double {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInFloatingPointRange\n */\n@SinceKotlin(\"1.1\")\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n   if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n   return when {\n   // this < start equiv to this <= start && !(this >= start)\n   range.lessThanOrEquals(this, range.start) && !range.lessThanOrEquals(range.start, this) -> range.start\n   // this > end equiv to this >= end && !(this <= end)\n   range.lessThanOrEquals(range.endInclusive, this) && !range.lessThanOrEquals(this, range.endInclusive) ->

range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n */\npublic fun <T : Comparable<T>> T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Int>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n */\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<Long>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UByte can have.\n */\n public const val MIN_VALUE: UByte = UByte(0)\n\n /**\n * A constant holding the maximum value an instance of UByte can have.\n */\n public const val MAX_VALUE: UByte = UByte(-1)\n\n /**\n * The number of bytes used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BYTES: Int = 1\n\n /**\n * The number of bits used to represent an instance of UByte in a binary form.\n */\n public const val SIZE_BITS: Int = 8\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n

public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n   /** Adds the other value to this value. */\n   @kotlin.internal.InlineOnly\n   public
 inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n   /** Adds the other value to this value. */\n
 @kotlin.internal.InlineOnly\n   public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n   /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n   /** Multiplies this value by
 the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value, truncating the result to an integer
 that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n   /**\n   * Calculates the remainder of truncating division of this value by the other
 value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are
 the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring

division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n   /**\n   * Returns this value incremented by one.\n   *\n   * @sample samples.misc.Builtins.inc\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun inc(): UByte = UByte(data.inc())\n\n   /**\n   * Returns this value decremented by one.\n   *\n   * @sample samples.misc.Builtins.dec\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UByte = UByte(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n   /** Performs a bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n   /** Inverts the bits in this value. */\n   @kotlin.internal.InlineOnly\n   public inline fun inv(): UByte = UByte(data.inv())\n\n   /**\n   * Converts this [UByte] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n   * the same numerical value as this `UByte`. Otherwise the result is negative.\n   *\n   * The resulting `Byte` value has the same binary representation as this `UByte` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data\n   /**\n   * Converts this [UByte] value to [Short].\n   *\n   * The resulting `Short` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Short` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 8 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short = data.toShort() and 0xFF\n   /**\n   * Converts this [UByte] value to [Int].\n   *\n   * The resulting `Int` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 24 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFF\n   /**\n   * Converts this [UByte] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this `UByte`.\n   *\n   * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n   * whereas the most significant 56 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long = data.toLong() and 0xFF\n\n   /** Returns this value. */\n

@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n *\n * The resulting `UShort` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)\n /**\n * Converts this [UByte] value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `UByte` value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)\n

/**\n * Converts this [UByte] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UByte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `UByte` value,\n * whereas the most significant 56 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)\n\n /**\n * Converts this [UByte] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UByte] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UByte`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public

override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UByte].\n *\n * If this value is positive, the resulting `UByte` value represents the same numerical value as this `Byte`.\n *\n * The resulting `UByte` value has the same binary representation as this `Byte` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUByte(): UByte = UByte(this)\n/**\n * Converts this [Short] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Short`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Short` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Int]

value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Int` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUByte(): UByte = UByte(this.toByte())\n/**\n * Converts this [Long] value to [UByte].\n *\n * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `Long` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and

Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UInt can have.\n */\n public const val MIN_VALUE: UInt = UInt(0)\n\n /**\n * A constant holding the maximum value an instance of UInt can have.\n */\n public const val MAX_VALUE: UInt = UInt(-1)\n\n /**\n * The number of bytes used to represent an instance of UInt in a binary form.\n

```
 */\n        public const val SIZE_BYTES: Int = 4\n\n
 /**\n         * The number of bits used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress(\"OVERRIDE_BY_INLINE\")\n    public override inline operator fun compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n
    public inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = UInt(this.data.minus(other.data))\n    /** Subtracts the other value from
 this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt = this.times(other.toUInt())\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public
 inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt = this.div(other.toUInt())\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n    /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other:
 UByte): UInt = this.rem(other.toUInt())\n    /**\n     * Calculates the remainder of truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     */\n    @kotlin.internal.InlineOnly\n
```

public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is
closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): UInt = div(other)\n /**\n * Divides this value
by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte = this.mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort = this.mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt = rem(other)\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n *\n * @sample samples.misc.Builtins.inc\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UInt = UInt(data.inc())\n\n /**\n * Returns this value decremented by one.\n *\n * @sample samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UInt = UInt(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this, other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n *\n * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..31`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n\n /**\n * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits
with zeros.\n *\n * Note that only the five lowest-order bits of the [bitCount] are used as the shift distance.\n * The shift distance actually used is therefore always in the range `0..31`.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)\n\n /** Performs a bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)\n /** Performs a bitwise OR operation between the two values. */\n

@kotlin.internal.InlineOnly\n public inline infix fun or(other: UInt): UInt = UInt(this.data or other.data)\n /** Performs a bitwise XOR operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)\n /** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UInt
= UInt(data.inv())\n\n /**\n * Converts this [UInt] value to [Byte].\n *\n * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UInt` value.\n * Note that the resulting `Byte` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n /**\n * Converts this [UInt] value to [Short].\n *\n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `Short` value is represented by the least significant 16 bits of this `UInt` value.\n * Note that the resulting `Short` value may be negative.\n */\n @kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort()\n
/**\n * Converts this [UInt] value to [Int].\n *\n * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n * the same numerical value as this `UInt`. Otherwise the result is negative.\n *\n * The resulting `Int` value has the same binary representation as this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data\n /**\n * Converts this [UInt] value to [Long].\n *\n * The resulting `Long` value represents the same numerical value as this `UInt`.\n *\n * The least significant 32 bits of the resulting `Long` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and 0xFFFF_FFFF\n\n /**\n * Converts this [UInt] value to [UByte].\n *\n * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [UInt] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `UInt`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `UInt` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = this\n /**\n * Converts this [UInt] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value
as this `UInt`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `UInt` value,\n * whereas the most significant 32 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)\n\n /**\n * Converts this [UInt] value to [Float].\n *\n * The resulting value is the closest `Float` to this `UInt` value.\n * In case when this `UInt` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [UInt] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this `UInt`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = uintToDouble(data)\n\n public
override fun toString(): String = toLong().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this `Byte` value,\n * whereas the most significant 24 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Short] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n * whereas the most

significant 16 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\n *\n * The resulting `UInt` value has the same binary representation as this `Int` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUInt(): UInt =
UInt(this.toInt())\n\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n","/\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UShort @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of UShort can have.\n */\n public const val MIN_VALUE: UShort = UShort(0)\n\n /**\n * A constant holding the maximum value an instance of UShort can have.\n */\n public const val MAX_VALUE: UShort = UShort(-1)\n\n /**\n * The number of bytes used to represent an instance of UShort in a binary form.\n */\n public const val SIZE_BYTES: Int = 2\n\n /**\n * The number of bits used to represent an instance of UShort in a binary form.\n
*/\n public const val SIZE_BITS: Int = 16\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if
this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the other value to this value. */\n

@kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt = this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun

floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n   /**\n
* Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n
* For unsigned types, the results of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: ULong): ULong =
this.toULong().floorDiv(other)\n\n   /**\n   * Calculates the remainder of flooring division of this value by the
other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders
of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline
fun mod(other: UByte): UByte = this.toUInt().mod(other.toUInt()).toUByte()\n   /**\n   * Calculates the remainder
of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
* For unsigned types, the remainders of flooring division and truncating
division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UShort): UShort =
this.toUInt().mod(other.toUInt()).toUShort()\n   /**\n   * Calculates the remainder of flooring division of this
value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the
remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n
public inline fun mod(other: UInt): UInt = this.toUInt().mod(other)\n   /**\n   * Calculates the remainder of
flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n
* For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n
/**\n   * Returns this value incremented by one.\n
*\n   * @sample samples.misc.Builtins.inc\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun
inc(): UShort = UShort(data.inc())\n\n   /**\n   * Returns this value decremented by one.\n   *\n   * @sample
samples.misc.Builtins.dec\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun dec(): UShort =
UShort(data.dec())\n\n   /** Creates a range from this value to the specified [other] value. */\n
@kotlin.internal.InlineOnly\n   public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n   /** Performs a bitwise AND operation between the two values. */\n
@kotlin.internal.InlineOnly\n   public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n   /** Performs a bitwise OR operation between the two values. */\n   @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n   /** Performs a
bitwise XOR operation between the two values. */\n   @kotlin.internal.InlineOnly\n   public inline infix fun
xor(other: UShort): UShort = UShort(this.data xor other.data)\n   /** Inverts the bits in this value. */\n
@kotlin.internal.InlineOnly\n   public inline fun inv(): UShort = UShort(data.inv())\n\n   /**\n   * Converts this
[UShort] value to [Byte].\n   *\n   * If this value is less than or equals to [Byte.MAX_VALUE], the resulting
`Byte` value represents\n   * the same numerical value as this `UShort`.\n   *\n   * The resulting `Byte` value is
represented by the least significant 8 bits of this `UShort` value.\n   * Note that the resulting `Byte` value may be
negative.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toByte(): Byte = data.toByte()\n   /**\n   *
Converts this [UShort] value to [Short].\n   *\n   * If this value is less than or equals to [Short.MAX_VALUE],
the resulting `Short` value represents\n   * the same numerical
value as this `UShort`. Otherwise the result is negative.\n   *\n   * The resulting `Short` value has the same binary
representation as this `UShort` value.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toShort(): Short =
data\n   /**\n   * Converts this [UShort] value to [Int].\n   *\n   * The resulting `Int` value represents the same
numerical value as this `UShort`.\n   *\n   * The least significant 16 bits of the resulting `Int` value are the same as
the bits of this `UShort` value,\n   * whereas the most significant 16 bits are filled with zeros.\n   */\n
@kotlin.internal.InlineOnly\n   public inline fun toInt(): Int = data.toInt() and 0xFFFF\n   /**\n   * Converts this
[UShort] value to [Long].\n   *\n   * The resulting `Long` value represents the same numerical value as this
`UShort`.\n   *\n   * The least significant 16 bits of the resulting `Long` value are the same as the bits of this
`UShort` value,\n   * whereas the most
significant 48 bits are filled with zeros.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun toLong(): Long
= data.toLong() and 0xFFFF\n\n   /**\n   * Converts this [UShort] value to [UByte].\n   *\n   * If this value is

less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UShort`.\n *\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = this\n /**\n * Converts this [UShort] value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n * whereas
the most significant 16 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n /**\n * Converts this [UShort] value to [ULong].\n *\n * The resulting `ULong` value represents the same numerical value as this `UShort`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n * whereas the most significant 48 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong(): ULong = ULong(data.toLong() and 0xFFFF)\n\n /**\n * Converts this [UShort] value to [Float].\n *\n * The resulting `Float` value represents the same numerical value as this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this [UShort] value to [Double].\n *\n * The resulting `Double` value
represents the same numerical value as this `UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n\n}\n\n/**\n * Converts this [Byte] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this `Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Short] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.\n *\n * The resulting `UShort` value has the same binary
representation as this `Short` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUShort(): UShort = UShort(this)\n/**\n * Converts this [Int] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `Int` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUShort(): UShort = UShort(this.toShort())\n/**\n * Converts this [Long] value to [UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by the least significant 16
bits of this `Long` value.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUShort(): UShort = UShort(this.toShort())\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\npublic class CharRange(start: Char, endInclusive: Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n override val start: Char get() = first\n override val endInclusive: Char get() = last\n\n override fun contains(value: Char): Boolean = first <= value && value <= last\n\n /** \n * Checks whether the range is empty.\n *\n * The range is empty if its start value is greater than the end value.\n */\n override fun

```
isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is CharRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.code + last.code)\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Char. */\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n    }\n}\n\n/**\n * A range of values of type `Int`.\n */\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start, endInclusive, 1), ClosedRange<Int> {\n    override val start: Int get() = first\n    override val endInclusive: Int get() = last\n\n    override fun contains(value: Int): Boolean = first <= value && value <= last\n\n    /** \n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than the end value.\n
     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is IntRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first + last)\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Int. */\n        public val EMPTY: IntRange = IntRange(1, 0)\n    }\n}\n\n/**\n * A range of values of type `Long`.\n */\npublic class LongRange(start: Long, endInclusive: Long) : LongProgression(start, endInclusive, 1), ClosedRange<Long> {\n    override val start: Long get() = first\n    override val endInclusive: Long get() = last\n\n    override fun contains(value: Long): Boolean = first <= value && value <= last\n\n    /** \n     * Checks whether the range is empty.\n     *\n     * The range is empty if its start value is greater than
    the end value.\n     */\n    override fun isEmpty(): Boolean = first > last\n\n    override fun equals(other: Any?): Boolean =\n        other is LongRange && (isEmpty() && other.isEmpty() ||\n        first == other.first && last == other.last)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))).toInt()\n\n    override fun toString(): String = \"$first..$last\"\n\n    companion object {\n        /** An empty range of values of type Long. */\n        public val EMPTY: LongRange = LongRange(1, 0)\n    }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\nimport kotlin.random.Random\n\ninternal object EmptyIterator : ListIterator<Nothing> {\n    override fun hasNext(): Boolean = false\n    override fun hasPrevious(): Boolean = false\n    override fun nextIndex(): Int = 0\n    override fun previousIndex(): Int = -1\n    override fun next(): Nothing = throw NoSuchElementException()\n    override fun previous(): Nothing = throw NoSuchElementException()\n}\n\ninternal object EmptyList : List<Nothing>, Serializable, RandomAccess {\n    private const val serialVersionUID: Long = -7390468764508069838L\n\n    override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\n    override fun hashCode(): Int = 1\n    override fun toString(): String = \"[]\"\n\n    override val size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n    override fun contains(element: Nothing): Boolean = false\n    override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n    override fun get(index:
    Int): Nothing = throw IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\n    override fun indexOf(element: Nothing): Int = -1\n    override fun lastIndexOf(element: Nothing): Int = -1\n\n    override fun iterator(): Iterator<Nothing> = EmptyIterator\n    override fun listIterator(): ListIterator<Nothing> = EmptyIterator\n    override fun listIterator(index: Int): ListIterator<Nothing> {\n        if (index != 0) throw IndexOutOfBoundsException(\"Index: $index\")\n        return EmptyIterator\n    }\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<Nothing> {\n        if (fromIndex == 0 && toIndex == 0) return this\n        throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\n    }\n\n    private fun readResolve(): Any = EmptyList\n}\n\ninternal fun <T> Array<out T>.asCollection(): Collection<T> = ArrayAsCollection(this, isVarargs = false)\n\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val isVarargs:
    Boolean) : Collection<T> {\n    override val size: Int get() = values.size\n    override fun isEmpty(): Boolean = values.isEmpty()\n    override fun contains(element: T): Boolean = values.contains(element)\n    override fun
```

containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\n   override fun iterator(): Iterator<T> = values.iterator()\n   // override hidden toArray implementation to prevent copying of values array\n public fun toArray(): Array<out Any?> = values.copyToArrayOfAny(isVarargs)\n}\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\npublic fun <T> emptyList(): List<T> = EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.readOnlyList\n */\npublic fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList()
 else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.emptyReadOnlyList\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n * @sample samples.collections.Collections.Lists.emptyArrayList\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n * @sample samples.collections.Collections.Lists.mutableList\n */\npublic fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements,
 isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n * @sample samples.collections.Collections.Lists.arrayList\n */\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n   if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n */\npublic fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates
 a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for a list element given its index.\n *\n * @sample samples.collections.Collections.Lists.mutableListFromInitializer\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline
 fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n   val list = ArrayList<T>(size)\n repeat(size) { index -> list.add(init(index)) }\n   return list\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * The returned list is serializable (JVM).\n *\n * @sample samples.collections.Builders.Lists.buildListSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninter

nal
 expect inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E>\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *\n * The list passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * The returned list is serializable (JVM).\n *\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Lists.buildListSampleWithCapacity\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>.() -> Unit): List<E> {\n contract
 { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildListInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit): List<E>\n\n/**\n * Returns an [IntRange] of the valid indices for this collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val Collection<*>.indices: IntRange\n get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n *\n * @sample samples.collections.Collections.Lists.lastIndexOfList\n */\npublic val <T> List<T>.lastIndex: Int\n   get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n
 * Returns `true` if this nullable collection is either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Collections.collectionOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and the empty list otherwise.\n * @sample samples.collections.Collections.Lists.listOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n * Returns this collection if it's not empty\n * or the
 result of calling [defaultValue] function if the collection is empty.\n *\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Collection<*>, C : R =\n   if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all elements in the specified collection are contained in this collection.\n *\n * Allows to overcome type-safety restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n\n/**\n * Returns a new list with the elements of this list randomly
 shuffled\n * using the specified [random] instance as the source of randomness.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n 0 -> emptyList()\n   1 -> listOf(this[0])\n   else -> this\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n *\n * If the list contains

multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchOnComparable\n * @sample samples.collections.Collections.Lists.binarySearchWithBoundaries\n */\npublic fun <T : Comparable<T>> List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = compareValues(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the specified [comparator],\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements equal to the specified [element], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted according to the specified [comparator].\n * @sample samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T> List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n rangeCheck(size, fromIndex, toIndex)\n\n var low = fromIndex\n var high = toIndex - 1\n\n while (low <= high) {\n val mid = (low + high).ushr(1) // safe from overflows\n val midVal = get(mid)\n val cmp = comparator.compare(midVal, element)\n\n if (cmp < 0)\n low = mid + 1\n else if (cmp > 0)\n high = mid - 1\n else\n return mid // key found\n }\n return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n *\n * If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n *\n * `null` value is considered to be less than any non-null value.\n *\n * @return the index of the element with the specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>> List<T>.binarySearchBy(\n key: K?,\n fromIndex: Int = 0,\n toIndex: Int = size,\n crossinline selector: (T) -> K?\n): Int =\n binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this overload --- too rare\n//public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n// binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which the given [comparison] function returns zero using the binary search algorithm.\n *\n * The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,\n * i.e. negative values come before zero and zeroes come before positive values.\n * Otherwise, the result is undefined.\n *\n * If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n *\n * @param comparison function that returns zero when called on the list element being searched.\n * On the elements coming before the target element, the function must return negative values;\n * on the elements coming after the target element, the function must return positive values.\n *\n * @return the index of the found element, if it is contained in the list within the specified range;\n * otherwise, the inverted insertion

point `(-insertion point - 1)`.\n * The insertion point is defined as the index
 at which the element should be inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T> List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n   rangeCheck(size, fromIndex, toIndex)\n\n   var low = fromIndex\n   var high = toIndex - 1\n\n   while (low <= high) {\n   val mid = (low + high).ushr(1) // safe from overflows\n   val midVal = get(mid)\n   val cmp = comparison(midVal)\n\n   if (cmp < 0)\n   low = mid + 1\n   else if (cmp > 0)\n   high = mid - 1\n   else\n   return mid // key found\n   }\n   return -(low + 1) // key not found\n}\n\n/**\n * Checks that `from` and `to` are in\n * the range of [0..size] and throws an appropriate exception, if they aren't.\n */\nprivate fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {\n   when {\n   fromIndex > toIndex -> throw IllegalArgumentException(\"fromIndex ($fromIndex) is greater than toIndex ($toIndex).\")\n   fromIndex < 0 -> throw IndexOutOfBoundsException(\"fromIndex ($fromIndex) is less than zero.\")\n   toIndex > size -> throw IndexOutOfBoundsException(\"toIndex ($toIndex) is greater than size ($size).\")\n   }\n}\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkIndexOverflow(index: Int): Int\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal expect fun checkCountOverflow(count: Int): Int\n\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwIndexOverflow() { throw ArithmeticException(\"Index overflow has happened.\") }\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun throwCountOverflow() { throw ArithmeticException(\"Count overflow has happened.\") }\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can
 be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n   private const val serialVersionUID: Long = 8246714829545688274\n\n   override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"{}\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n\n   override fun containsKey(key: Any?): Boolean = false\n   override fun containsValue(value: Nothing): Boolean = false\n   override fun get(key: Any?): Nothing? = null\n   override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n   override val keys: Set<Any?> get() = EmptySet\n   override val values: Collection<Nothing> get() = EmptyList\n\n
    private fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n *\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress(\"UNCHECKED_CAST\") (EmptyMap as Map<K, V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first value is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =\n   if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else emptyMap()\n\n/**\n * Returns an empty read-only map.\n
 *\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n *\n * The returned map preserves the entry iteration order.\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are

iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample samples.collections.Maps.Instantiation.emptyMutableMap\n */\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =\n   LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [HashMap].\n *\n * @sample samples.collections.Maps.Instantiation.emptyHashMap\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * @sample samples.collections.Maps.Instantiation.hashMapFromPairs\n */\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n * Returns an empty new [LinkedHashMap].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new [LinkedHashMap]
with the specified contents, given as a list of pairs\n * where the first component is the key and the second is the value.\n *\n * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.\n *\n * Entries of the map are iterated in the order they were specified.\n *\n * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * The returned map is serializable (JVM).\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>.() -> Unit): Map<K, V>\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n *\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * The returned map is serializable (JVM).\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Maps.buildMapSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildMapInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.() -> Unit): Map<K, V>\n\n/**\n * Calculate the initial capacity of a map.\n */\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int): Int\n\n/**\n * Returns
`true` if this map is not empty.\n * @sample samples.collections.Maps.Usage.mapIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n

```
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n *\n * @sample samples.collections.Maps.Usage.mapOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n    if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n *\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n *\n * @sample samples.collections.Maps.Usage.containsKey\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n@Suppress(\"UNCHECKED_CAST\") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n    put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n@Suppress(\"UNCHECKED_CAST\") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n * Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n * @sample samples.collections.Maps.Usage.containsValue\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean\n    = this.containsValue(value)\n\n\n/**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n\n * Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableMap<K, V>).remove(key)\n\n/**\n * Returns the key component of the map entry.\n *\n * This method allows to use destructuring declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key\n\n/**\n * Returns the value component of the map entry.\n *\n * This method allows to use destructuring\n declarations when working with maps, for example:\n * ```\n * for ((key, value) in map) {\n *     // do something with the key and the value\n * }\n * ```\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map.Entry<K, V>.component2(): V = value\n\n/**\n * Converts entry to [Pair] with key being first component and value being second.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key, value)\n\n/**\n * Returns the value for the given key, or the result of the [defaultValue] function if there was no entry for the given key.\n *\n * @sample samples.collections.Maps.Usage.getOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V = get(key) ?: defaultValue()\n\n\ninternal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: () -> V): V {\n    val value = get(key)\n    if (value == null && !containsKey(key)) {\n        return defaultValue()\n    } else {\n        @Suppress(\"UNCHECKED_CAST\")\n        return value as V\n    }\n}\n\n/**\n * Returns the value for the given [key] or throws an exception if there is no such key in the map.\n *\n * If the map was created by
```

[withDefault], resorts to its `defaultValue` provider function\n * instead of throwing an exception.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and\n * no implicit default value was provided for that map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<K, V>.getValue(key: K): V = getOrImplicitDefault(key)\n\n/**\n * Returns the value for the given key. If the key is not found in the map, calls the [defaultValue] function,\n * puts its result into the map under the given key and returns it.\n *\n * Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.\n *\n * @sample samples.collections.Maps.Usage.getOrPut\n */\npublic inline fun <K, V> MutableMap<K, V>.getOrPut(key: K, defaultValue: () -> V): V {\n   val value = get(key)\n   return if (value == null) {\n   val answer = defaultValue()\n   put(key, answer)\n   answer\n   } else {\n   value\n   }\n}\n\n/**\n * Returns an [Iterator] over the entries in the [Map].\n *\n * @sample samples.collections.Maps.Usage.forOverEntries\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> Map<out K, V>.iterator(): Iterator<Map.Entry<K, V>> = entries.iterator()\n\n/**\n * Returns a [MutableIterator] over the mutable entries in the [MutableMap].\n *\n */\n@kotlin.jvm.JvmName(\"mutableIterator\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> = entries.iterator()\n\n/**\n * Populates the given [destination] map with entries having the keys of this map and the values obtained\n * by applying the [transform] function to each entry in this [Map].\n */\npublic inline fun <K, V, R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n   return entries.associateByTo(destination, { it.key }, transform)\n}\n\n/**\n * Populates the given [destination] map with entries having the keys obtained\n * by applying the [transform] function to each entry in this [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n */\npublic inline fun <K, V, R, M : MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M {\n   return entries.associateByTo(destination, transform, { it.value })\n}\n\n/**\n * Puts all the given [pairs] into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {\n   for ((key, value) in pairs) {\n   put(key, value)\n   }\n}\n\n/**\n * Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {\n   for ((key, value) in pairs) {\n   put(key, value)\n   }\n}\n\n/**\n * Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.\n */\npublic fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {\n   for ((key, value) in pairs) {\n   put(key, value)\n   }\n}\n\n/**\n * Returns a new map with entries having the keys of this map and the values obtained by applying the [transform]\n * function to each entry in this [Map].\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapValues\n */\npublic inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {\n   return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this\n * [Map] and the values of this map.\n *\n * In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite\n * the value associated with the former one.\n *\n * The returned map preserves the entry iteration order of the original map.\n *\n * @sample samples.collections.Maps.Transformations.mapKeys\n */\npublic inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {\n   return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()\n}\n\n/**\n * Returns a map containing all key-value pairs with keys matching the given [predicate].\n *\n * The returned map preserves
the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterKeys\n */\npublic inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {\n   val result = LinkedHashMap<K, V>()\n   for (entry in this) {\n   if (predicate(entry.key)) {\n   result.put(entry.key, entry.value)\n   }\n   }\n   return result\n}\n\n/**\n * Returns a map containing all key-value pairs with values

matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterValues\n */\npublic inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n for (entry in this) {\n if (predicate(entry.value)) {\n result.put(entry.key, entry.value)\n }\n }\n return result\n}\n\n\n/**\n * Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filter\n */\npublic inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Appends all entries not matching the given [predicate] into the given [destination].\n *\n * @return the destination map.\n * @sample samples.collections.Maps.Filtering.filterNotTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {\n for (element in this) {\n if (!predicate(element)) {\n destination.put(element.key, element.value)\n }\n }\n return destination\n}\n\n/**\n * Returns a new map containing all key-value pairs not matching the given [predicate].\n *\n * The returned map preserves the entry iteration order of the original map.\n * @sample samples.collections.Maps.Filtering.filterNot\n */\npublic inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {\n return filterNotTo(LinkedHashMap<K, V>(), predicate)\n}\n\n/**\n * Returns a new map containing all key-value pairs from the given collection of pairs.\n *\n * The returned map preserves the entry iteration order of the original collection.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(if (this is List) this[0] else iterator().next())\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n }\n }\n return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n *\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> mapOf(this[0])\n else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =\n destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {\n 0 -> emptyMap()\n 1 -> toSingletonMap()\n else -> toMutableMap()\n}\n\n/**\n * Returns a new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration order of

the original map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin(\"1.1\")\npublic fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n   destination.apply { putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or adding an
 entry to this map from a given key-value [pair].\n *\n * The returned map preserves the entry iteration order of the original map.\n * The [pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =\n   if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].\n *\n * The
 returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n   if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =\n   LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map preserves the entry iteration order of the original map.\n * Those
 entries of another [map] that are missing in this map are iterated in the end in the order of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =\n   LinkedHashMap(this).apply { putAll(map) }\n\n\n/**\n * Appends or replaces the given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {\n   put(pair.first, pair.second)\n}\n\n/**\n * Appends or replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Array<out Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or
 replaces all pairs from the given sequence of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n   putAll(pairs)\n}\n\n/**\n * Appends or replaces all entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n   putAll(map)\n}\n\n/**\n * Returns a map containing all entries of the original map except the entry with the given [key].\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(key: K): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(key) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] collection.\n *\n * The returned map preserves
 the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Iterable<K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] array.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys:

Array<out K>): Map<K, V> =\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n * the keys of which are contained in the given [keys] sequence.\n *\n * The returned map preserves the entry iteration order of the original map.\n */\n@SinceKotlin(\"1.1\")\npublic operator fun <K, V> Map<out K, V>.minus(keys: Sequence<K>): Map<K, V>
=\n   this.toMutableMap().apply { minusAssign(keys) }.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(key: K) {\n   remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] collection from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Iterable<K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of which are contained in the given [keys] array from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Array<out K>) {\n   this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the keys of which are contained in the given [keys] sequence from this mutable map.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.minusAssign(keys: Sequence<K>) {\n   this.keys.removeAll(keys)\n}\n\n\n// do not expose for now @PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n   0 -> emptyMap()\n   1 -> toSingletonMapOrSelf()\n   else -> this\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n   private const val serialVersionUID: Long = 3406603774387020532\n\n   override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n   override fun hashCode(): Int = 0\n   override fun toString(): String = \"[]\"\n\n   override val size: Int get() = 0\n   override fun isEmpty(): Boolean = true\n   override fun contains(element: Nothing): Boolean = false\n   override fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n   private fun readResolve(): Any = EmptySet\n}\n\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\npublic fun <T> emptySet(): Set<T> = EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.readOnlySet\n */\npublic fun <T> setOf(vararg elements: T): Set<T> = if (elements.size > 0) elements.toSet() else emptySet()\n\n/**\n
 * Returns an empty read-only set. The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty new [MutableSet].\n *\n * The returned set preserves the element iteration order.\n * @sample samples.collections.Collections.Sets.emptyMutableSet\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n */\npublic fun <T> mutableSetOf(vararg elements: T): MutableSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/** Returns an empty new [HashSet]. */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T>
 = HashSet()\n\n/** Returns a new [HashSet] with the given elements. */\npublic fun <T> hashSetOf(vararg elements: T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n

*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T> = LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n */\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> = elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns a new read-only set either with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n\n/**\n * Returns a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in the order they were specified.\n * The returned set is serializable (JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Any> setOfNotNull(vararg elements: T?): Set<T> {\n   return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n *\n * The returned set is serializable (JVM).\n *\n * @sample samples.collections.Builders.Sets.buildSetSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E>\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n *\n * [capacity] is used to hint the expected number of elements added in the [builderAction].\n *\n * Elements of the set are iterated in the order they were added by the [builderAction].\n *\n * The returned set is serializable (JVM).\n *\n * @throws IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample samples.collections.Builders.Sets.buildSetSample\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return buildSetInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E>\n\n/** Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n   0 -> emptySet()\n   1 -> setOf(iterator().next())\n   else -> this\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"PLATFORM_CLASS_MAPPED_TO_KOTLIN\")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for

```
 string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toByteOrNull(radix: Int): Byte? {\n val int = this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n    return int.toByte()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toShortOrNull(radix: Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n/**\n *
 Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n  val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n\n    val firstChar = this[0]\n    if (firstChar < '0') {  // Possible leading sign\n        if (length == 1) return null  // non-digit (possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Int.MIN_VALUE\n
        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Int.MAX_VALUE\n        } else\n
 return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Int.MAX_VALUE\n    }\n\n\n    val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= radix\n\n        if (result < limit + digit) return null\n\n        result -= digit\n    }\n\n    return if (isNegative) result else -result\n}\n\n/**\n * Parses
 the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.1\")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Long\n\n    val firstChar = this[0]\n    if (firstChar < '0') {  // Possible leading sign\n        if (length == 1) return null  // non-digit (possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-') {\n            isNegative = true\n            limit = Long.MIN_VALUE\n
        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n
    return null\n    } else {\n        start = 0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n\n    val limitForMaxRadix = (-Long.MAX_VALUE) / 36\n\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0L\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n\n                if (result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n        }\n\n        result *= radix\n\n        if (result < limit + digit) return null\n\n        result -= digit\n    }\n\n    return if (isNegative) result else -result\n}\n\n\ninternal
 fun numberFormatError(input: String): Nothing = throw NumberFormatException(\"Invalid number format: '$input'\")\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\nimport kotlin.jvm.JvmInline\nimport kotlin.math.*\n\n/**\n * Represents the amount of time one instant of time is away from another instant.\n *\n * A negative duration is
```

possible in a situation when the second instant is earlier than the first one.\n *\n * The type can store duration values up to \u00b1146 years with nanosecond precision,\n * and up to \u00b1146 million years with millisecond precision.\n * If a duration-returning operation provided in `kotlin.time` produces a duration value that doesn't fit into the above range,\n * the returned `Duration` is infinite.\n *\n * An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\n *\n * To construct a duration use either the extension function [toDuration],\n * or the extension properties [hours], [minutes], [seconds], and so on,\n * available on [Int], [Long], and [Double] numeric types.\n *\n * To get the value of this duration expressed in a particular [duration units][DurationUnit]\n * use the functions [toInt], [toLong], and [toDouble]\n * or the properties [inWholeHours], [inWholeMinutes], [inWholeSeconds], [inWholeNanoseconds], and so on.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@JvmInline\npublic value class Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {\n\n   private val value: Long get() = rawValue shr 1\n   private inline val unitDiscriminator: Int get() = rawValue.toInt() and 1\n   private fun isInNanos() = unitDiscriminator == 0\n   private fun isInMillis() = unitDiscriminator == 1\n   private val storageUnit get()\n   = if (isInNanos()) DurationUnit.NANOSECONDS else DurationUnit.MILLISECONDS\n\n   init {\n   if (durationAssertionsEnabled) {\n   if (isInNanos()) {\n   if (value !in -MAX_NANOS..MAX_NANOS) throw AssertionError(\"$value ns is out of nanoseconds range\")\n   } else {\n   if (value !in -MAX_MILLIS..MAX_MILLIS) throw AssertionError(\"$value ms is out of milliseconds range\")\n   if (value in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw AssertionError(\"$value ms is denormalized\")\n   }\n   }\n   }\n\n   companion object {\n   /** The duration equal to exactly 0 seconds. */\n   public val ZERO: Duration = Duration(0L)\n\n   /** The duration whose value is positive infinity. It is useful for representing timeouts that should never expire. */\n   public val INFINITE: Duration = durationOfMillis(MAX_MILLIS)\n   internal val NEG_INFINITE: Duration = durationOfMillis(-MAX_MILLIS)\n\n   /** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n   @ExperimentalTime\n   public fun convert(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =\n   convertDurationUnit(value, sourceUnit, targetUnit)\n\n   // Duration construction extension properties in Duration companion scope\n\n   /** Returns a [Duration] equal to this [Int] number of nanoseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of nanoseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double] number of nanoseconds.\n   *\n   * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n   *\n   * @throws IllegalArgumentException if this [Double] value is `NaN`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n\n   /** Returns a [Duration] equal to this [Int] number of microseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of microseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double] number of microseconds.\n   *\n   * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n   *\n   * @throws IllegalArgumentException if this [Double] value is `NaN`.\n   */\n   @kotlin.internal.InlineOnly\n   public inline val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n\n   /** Returns a [Duration] equal to this [Int] number of milliseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n   /** Returns a [Duration] equal to this [Long] number of milliseconds. */\n   @kotlin.internal.InlineOnly\n   public inline val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n   /**\n   * Returns a [Duration] equal to this [Double]

number of milliseconds.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n\n /** Returns a [Duration] equal to this [Int] number of seconds. */\n @kotlin.internal.InlineOnly\n public inline val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n /** Returns a [Duration] equal to this [Long] number of seconds. */\n @kotlin.internal.InlineOnly\n public inline val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of seconds.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n\n /** Returns a [Duration] equal to this [Int] number of minutes. */\n @kotlin.internal.InlineOnly\n public inline val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n /** Returns a [Duration] equal to this [Long] number of minutes. */\n @kotlin.internal.InlineOnly\n public inline val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n /**\n * Returns a [Duration] equal to this [Double] number of minutes.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n\n /** Returns a [Duration] equal to this [Int] number of hours. */\n @kotlin.internal.InlineOnly\n public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n /** Returns a [Duration] equal to this [Long] number of hours. */\n @kotlin.internal.InlineOnly\n public inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of hours.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n\n /** Returns a [Duration] equal to this [Int] number of days. */\n @kotlin.internal.InlineOnly\n public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n /** Returns a [Duration] equal to this [Long] number of days. */\n @kotlin.internal.InlineOnly\n public inline val Long.days get() = toDuration(DurationUnit.DAYS)\n\n /**\n * Returns a [Duration] equal to this [Double] number of days.\n *\n * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n @kotlin.internal.InlineOnly\n public inline val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n // deprecated static factory functions\n\n /** Returns a [Duration] representing the specified [value] number of nanoseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Int): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of nanoseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Long): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of nanoseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n

@DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun nanoseconds(value: Double): Duration = value.toDuration(DurationUnit.NANOSECONDS)\n\n\n /**
Returns a [Duration] representing the specified [value] number of microseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Int): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of microseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Long): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of microseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun microseconds(value: Double): Duration = value.toDuration(DurationUnit.MICROSECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Int): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of milliseconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Long): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of milliseconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun milliseconds(value: Double): Duration = value.toDuration(DurationUnit.MILLISECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of seconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n /** Returns a [Duration] representing the specified [value] number of seconds. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun seconds(value: Long): Duration = value.toDuration(DurationUnit.SECONDS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of seconds.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public

fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n\n /** Returns a [Duration] representing the specified [value] number of minutes. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Int): Duration = value.toDuration(DurationUnit.MINUTES)\n\n /** Returns a [Duration] representing the specified [value] number of minutes. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Long): Duration = value.toDuration(DurationUnit.MINUTES)\n\n /**\n * Returns a [Duration] representing the specified [value] number of minutes.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun minutes(value: Double): Duration = value.toDuration(DurationUnit.MINUTES)\n\n\n /** Returns a [Duration] representing the specified [value] number of hours. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)\n\n /** Returns a [Duration] representing the specified [value] number of hours. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Long): Duration = value.toDuration(DurationUnit.HOURS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of hours.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)\n\n\n /** Returns a [Duration] representing the specified [value] number of days. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Int.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)\n\n /** Returns a [Duration] representing the specified [value] number of days. */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Long.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Long): Duration = value.toDuration(DurationUnit.DAYS)\n\n /**\n * Returns a [Duration] representing the specified [value] number of days.\n *\n * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n */\n @SinceKotlin(\"1.5\")\n @ExperimentalTime\n @Deprecated(\"Use 'Double.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n @DeprecatedSinceKotlin(warningSince = \"1.6\")\n public fun days(value: Double): Duration = value.toDuration(DurationUnit.DAYS)\n\n /**\n * Parses a string that represents a duration and returns the parsed [Duration] value.\n *\n * The following formats are accepted:\n *\n * - ISO-8601

```
Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n *\n * @throws IllegalArgumentException if the string doesn't represent a duration in any of the supported formats.\n * @sample samples.time.Durations.parse\n */\n public fun parse(value: String): Duration = try {\n parseDuration(value, strictIso = false)\n } catch (e: IllegalArgumentException) {\n throw IllegalArgumentException(\"Invalid duration string format: '$value'.\", e)\n }\n\n /**\n * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.\n *\n * @throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.\n * @sample samples.time.Durations.parseIsoString\n */\n public fun parseIsoString(value: String): Duration = try {\n parseDuration(value, strictIso = true)\n } catch (e: IllegalArgumentException) {\n throw IllegalArgumentException(\"Invalid ISO duration string format: '$value'.\", e)\n }\n\n /**\n * Parses a string that represents a duration and returns the parsed [Duration] value,\n * or `null` if the string doesn't represent
a duration in any of the supported formats.\n *\n * The following formats are accepted:\n *\n * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n * - The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n * @sample samples.time.Durations.parse\n */\n public fun parseOrNull(value: String): Duration? = try {\n parseDuration(value, strictIso = false)\n } catch (e: IllegalArgumentException) {\n null\n }\n\n /**\n * Parses a string that represents a duration in ISO-8601 format and returns the parsed [Duration] value,\n * or `null` if the string doesn't represent a duration in ISO-8601 format.\n * @sample samples.time.Durations.parseIsoString\n */\n public fun parseIsoStringOrNull(value: String): Duration? =
try {\n parseDuration(value, strictIso = true)\n } catch (e: IllegalArgumentException) {\n null\n }\n }\n\n // arithmetic operators\n\n /** Returns the negative of this value. */\n public operator fun unaryMinus(): Duration = durationOf(-value, unitDiscriminator)\n\n /**\n * Returns a duration whose value is the sum of this and [other] duration values.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when adding infinite durations of different sign.\n */\n public operator fun plus(other: Duration): Duration {\n when {\n this.isInfinite() -> {\n if (other.isFinite() || (this.rawValue xor other.rawValue >= 0))\n return this\n else\n throw IllegalArgumentException(\"Summing infinite durations of different signs yields an undefined result.\")\n }\n
other.isInfinite() -> return other\n }\n\n return when {\n this.unitDiscriminator == other.unitDiscriminator -> {\n val result = this.value + other.value // never overflows long, but can overflow long63\n when {\n isInNanos() ->\n durationOfNanosNormalized(result)\n else ->\n durationOfMillisNormalized(result)\n }\n }\n this.isInMillis() ->\n addValuesMixedRanges(this.value, other.value)\n else ->\n addValuesMixedRanges(other.value, this.value)\n }\n }\n\n private fun addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {\n val otherMillis = nanosToMillis(otherNanos)\n val resultMillis = thisMillis + otherMillis\n return if (resultMillis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n val otherNanoRemainder
= otherNanos - millisToNanos(otherMillis)\n durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n } else {\n durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n }\n }\n\n /**\n * Returns a duration whose value is the difference between this and [other] duration values.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when subtracting infinite durations of the same sign.\n */\n public operator fun minus(other: Duration): Duration = this + (-other)\n\n /**\n * Returns a duration whose value is this duration value multiplied by the given [scale] number.\n *\n * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n * e.g. when multiplying an infinite duration by
```

```
zero.\n     */\n    public operator fun times(scale: Int): Duration {\n        if (isInfinite())
 {\n            return when {\n                scale == 0 -> throw IllegalArgumentException(\"Multiplying infinite duration
by zero yields an undefined result.\")\n                scale > 0 -> this\n                else -> -this\n            }\n        }\n        if
(scale == 0) return ZERO\n\n        val value = value\n        val result = value * scale\n        return if (isInNanos()) {\n
        if (value in (MAX_NANOS / Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n                // can't
overflow nanos range for any scale\n                durationOfNanos(result)\n            } else {\n                if (result / scale
== value) {\n                    durationOfNanosNormalized(result)\n                } else {\n                    val millis =
nanosToMillis(value)\n                    val remNanos = value - millisToNanos(millis)\n                    val resultMillis =
millis * scale\n                    val totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n
                if (resultMillis / scale == millis && totalMillis xor resultMillis >= 0) {\n
durationOfMillis(totalMillis.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n                    } else {\n                        if
(value.sign * scale.sign > 0) INFINITE else NEG_INFINITE\n                    }\n                }\n            }\n        } else
{\n            if (result / scale == value) {\n                durationOfMillis(result.coerceIn(-
MAX_MILLIS..MAX_MILLIS))\n            } else {\n                if (value.sign * scale.sign > 0) INFINITE else
NEG_INFINITE\n            }\n        }\n    }\n\n    /**\n     * Returns a duration whose value is this duration value
multiplied by the given [scale] number.\n     *\n     * The operation may involve rounding when the result cannot be
represented exactly with a [Double] number.\n     *\n     * @throws IllegalArgumentException if the operation
results in an undefined value for the given arguments,\n     * e.g. when
 multiplying an infinite duration by zero.\n     */\n    public operator fun times(scale: Double): Duration {\n        val
intScale = scale.roundToInt()\n        if (intScale.toDouble() == scale) {\n            return times(intScale)\n        }\n\n
 val unit = storageUnit\n        val result = toDouble(unit) * scale\n        return result.toDuration(unit)\n    }\n\n
/**\n     * Returns a duration whose value is this duration value divided by the given [scale] number.\n     *\n     *
@throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n     *
e.g. when dividing zero duration by zero.\n     */\n    public operator fun div(scale: Int): Duration {\n        if (scale ==
0) {\n            return when {\n                isPositive() -> INFINITE\n                isNegative() -> NEG_INFINITE\n
    else -> throw IllegalArgumentException(\"Dividing zero duration by zero yields an undefined result.\")\n
}\n
 }\n        if (isInNanos()) {\n            return durationOfNanos(value / scale)\n        } else {\n            if (isInfinite())\n
            return this * scale.sign\n\n            val result = value / scale\n\n            if (result in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n                val rem = millisToNanos(value - (result *
scale)) / scale\n                return durationOfNanos(millisToNanos(result) + rem)\n            }\n            return
durationOfMillis(result)\n        }\n    }\n\n    /**\n     * Returns a duration whose value is this duration value divided
by the given [scale] number.\n     *\n     * @throws IllegalArgumentException if the operation results in an
undefined value for the given arguments,\n     * e.g. when dividing an infinite duration by infinity or zero duration
by zero.\n     */\n    public operator fun div(scale: Double): Duration {\n        val intScale = scale.roundToInt()\n
if (intScale.toDouble() == scale && intScale != 0) {\n
            return div(intScale)\n        }\n\n        val unit = storageUnit\n        val result = toDouble(unit) / scale\n
return result.toDuration(unit)\n    }\n\n    /** Returns a number that is the ratio of this and [other] duration values.
*/\n    public operator fun div(other: Duration): Double {\n        val coarserUnit = maxOf(this.storageUnit,
other.storageUnit)\n        return this.toDouble(coarserUnit) / other.toDouble(coarserUnit)\n    }\n\n    /** Returns
true, if the duration value is less than zero. */\n    public fun isNegative(): Boolean = rawValue < 0\n\n    /** Returns
true, if the duration value is greater than zero. */\n    public fun isPositive(): Boolean = rawValue > 0\n\n    /**
Returns true, if the duration value is infinite. */\n    public fun isInfinite(): Boolean = rawValue ==
INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n\n    /** Returns true, if the duration value is finite.
*/\n    public fun isFinite(): Boolean = !isInfinite()\n\n    /**
 Returns the absolute value of this value. The returned value is always non-negative. */\n    public val absoluteValue:
Duration get() = if (isNegative()) -this else this\n\n    override fun compareTo(other: Duration): Int {\n        val
compareBits = this.rawValue xor other.rawValue\n        if (compareBits < 0 || compareBits.toInt() and 1 == 0) //
```

different signs or same sign/same range\n return this.rawValue.compareTo(other.rawValue)\n // same sign/different ranges\n val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges\n return if (isNegative()) -r else r\n }\n\n\n // splitting to components\n\n /**\n * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value
is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;\n * - `days` represents the whole number of days in this duration.\n *\n * Infinite durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the sign of infinity),\n * and zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n return action(inWholeDays, hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)\n }\n\n /**\n * Splits this
duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;\n * - `hours` represents the whole number of hours in this duration.\n *\n * Infinite durations are represented as either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity),\n * and zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (hours: Long, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {\n contract { callsInPlace(action,
InvocationKind.EXACTLY_ONCE) }\n return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)\n }\n\n /**\n * Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;\n * - `minutes` represents the whole number of minutes in this duration.\n *\n * Infinite durations are represented as either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity),\n * and zeroes in the lower components.\n */\n public inline fun <T> toComponents(action: (minutes: Long, seconds: Int, nanoseconds: Int) -> T): T {\n
contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n return action(inWholeMinutes, secondsComponent, nanosecondsComponent)\n }\n\n /**\n * Splits this duration into seconds, and nanoseconds and executes the given [action] with these components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration.\n *\n * Infinite durations are represented as either [Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity),\n * and zero nanoseconds.\n */\n public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T {\n contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }\n return action(inWholeSeconds, nanosecondsComponent)\n
}\n\n @PublishedApi\n internal val hoursComponent: Int\n get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()\n\n @PublishedApi\n internal val minutesComponent: Int\n get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()\n\n @PublishedApi\n internal val secondsComponent: Int\n get() = if (isInfinite()) 0 else (inWholeSeconds % 60).toInt()\n\n @PublishedApi\n internal val nanosecondsComponent: Int\n get() = when {\n isInfinite() -> 0\n isInMillis() -> millisToNanos(value % 1_000).toInt()\n

```
    else -> (value % 1_000_000_000).toInt()\n        }\n\n\n    // conversion to units\n\n    /**\n     * Returns the value of this duration expressed as a [Double] number of the specified [unit].\n     *\n     * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n     *\n     * An infinite duration value is converted either to [Double.POSITIVE_INFINITY]
 or [Double.NEGATIVE_INFINITY] depending on its sign.\n     */\n    public fun toDouble(unit: DurationUnit): Double {\n        return when (rawValue) {\n            INFINITE.rawValue -> Double.POSITIVE_INFINITY\n            NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY\n            else -> {\n                // TODO: whether it's ok to convert to Double before scaling\n                convertDurationUnit(value.toDouble(), storageUnit, unit)\n            }\n        }\n    }\n\n    /**\n     * Returns the value of this duration expressed as a [Long] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n     * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n     * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n     */\n    public fun
 toLong(unit: DurationUnit): Long {\n        return when (rawValue) {\n            INFINITE.rawValue -> Long.MAX_VALUE\n            NEG_INFINITE.rawValue -> Long.MIN_VALUE\n            else -> convertDurationUnit(value, storageUnit, unit)\n        }\n    }\n\n    /**\n     * Returns the value of this duration expressed as an [Int] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Int] type, it is coerced into that range:\n     * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n     * - [Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n     */\n    public fun toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toLong(), Int.MAX_VALUE.toLong()).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days. */\n    @ExperimentalTime\n    @Deprecated(\"Use
 inWholeDays property instead or convert toDouble(DAYS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.DAYS)\"))\n    public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeHours property instead or convert toDouble(HOURS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.HOURS)\"))\n    public val inHours: Double get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of minutes. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMinutes property instead or convert toDouble(MINUTES) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MINUTES)\"))\n    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration expressed as a [Double] number of seconds. */\n    @ExperimentalTime\n
    @Deprecated(\"Use inWholeSeconds property instead or convert toDouble(SECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.SECONDS)\"))\n    public val inSeconds: Double get() = toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of milliseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMilliseconds property instead or convert toDouble(MILLISECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MILLISECONDS)\"))\n    public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of microseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeMicroseconds property instead or convert toDouble(MICROSECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.MICROSECONDS)\"))\n    public val inMicroseconds: Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n
    /** The value of this duration expressed as a [Double] number of nanoseconds. */\n    @ExperimentalTime\n    @Deprecated(\"Use inWholeNanoseconds property instead or convert toDouble(NANOSECONDS) if a double value is required.\", ReplaceWith(\"toDouble(DurationUnit.NANOSECONDS)\"))\n    public val inNanoseconds: Double get() = toDouble(DurationUnit.NANOSECONDS)\n\n\n    /**\n     * The value of this duration expressed as
```

a [Long] number of days.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeDays: Long\n get() = toLong(DurationUnit.DAYS)\n\n /**\n * The value of this duration expressed as a [Long] number of hours.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeHours: Long\n get() = toLong(DurationUnit.HOURS)\n\n /**\n * The value of this
duration expressed as a [Long] number of minutes.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMinutes: Long\n get() = toLong(DurationUnit.MINUTES)\n\n /**\n * The value of this duration expressed as a [Long] number of seconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeSeconds: Long\n get() = toLong(DurationUnit.SECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number of milliseconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMilliseconds: Long\n get() {\n return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n }\n\n /**\n * The value of this
duration expressed as a [Long] number of microseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMicroseconds: Long\n get() = toLong(DurationUnit.MICROSECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number of nanoseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeNanoseconds: Long\n get() {\n val value = value\n return when {\n isInNanos() -> value\n value > Long.MAX_VALUE / NANOS_IN_MILLIS -> Long.MAX_VALUE\n value < Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n else -> millisToNanos(value)\n }\n }\n\n // shortcuts\n\n /**\n * Returns the value of this duration expressed as a [Long] number of nanoseconds.\n *\n * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n */\n @ExperimentalTime\n @Deprecated(\"Use inWholeNanoseconds property instead.\", ReplaceWith(\"this.inWholeNanoseconds\"))\n public fun toLongNanoseconds(): Long = inWholeNanoseconds\n\n
/**\n * Returns the value of this duration expressed as a [Long] number of milliseconds.\n *\n * The value is coerced to the range of [Long] type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed as a `Long` number of milliseconds is approximately \u00b1292 million years.\n */\n @ExperimentalTime\n @Deprecated(\"Use inWholeMilliseconds property instead.\", ReplaceWith(\"this.inWholeMilliseconds\"))\n public fun toLongMilliseconds(): Long = inWholeMilliseconds\n\n /**\n * Returns a string representation of this duration value\n * expressed as a combination of numeric components, each in its own unit.\n *\n * Each component is a number followed by the unit abbreviated name: `d`, `h`, `m`, `s`:\n * `5h`, `1d 12h`, `1h 0m 30.340s`.\n * The last component, usually seconds, can be a number with a fractional part.\n *\n * If the duration
is less than a second, it is represented as a single number\n * with one of sub-second units: `ms` (milliseconds), `us` (microseconds), or `ns` (nanoseconds):\n * `140.884ms`, `500us`, `24ns`.\n *\n * A negative duration is prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n * `-12m` and `-(1h 30m)`.\n *\n * Special cases:\n * - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"`

```
without a unit.\n     *\n     * It's recommended to use [toIsoString] that uses more strict ISO-8601 format instead of this `toString`\n     * when you want to convert a duration to a string in cases of serialization, interchange, etc.\n     *\n     * @sample samples.time.Durations.toStringDefault\n     */\n    override fun toString(): String = when (rawValue) {\n        0L -> \"0s\"\n        INFINITE.rawValue -> \"Infinity\"\n        NEG_INFINITE.rawValue -> \"-Infinity\"\n        else -> {\n            val isNegative
 = isNegative()\n            buildString {\n                if (isNegative) append('-')\n                absoluteValue.toComponents { days, hours, minutes, seconds, nanoseconds ->\n                    val hasDays = days != 0L\n                    val hasHours = hours != 0\n                    val hasMinutes = minutes != 0\n                    val hasSeconds = seconds != 0 || nanoseconds != 0\n                    var components = 0\n                    if (hasDays) {\n                        append(days).append('d')\n                        components++\n                    }\n                    if (hasHours || (hasDays && (hasMinutes || hasSeconds))) {\n                        if (components++ > 0) append(' ')\n                        append(hours).append('h')\n                    }\n                    if (hasMinutes || (hasSeconds && (hasHours || hasDays))) {\n                        if (components++ > 0) append(' ')\n                        append(minutes).append('m')\n                    }\n                    if (hasSeconds) {\n                        if (components++ > 0) append(' ')\n                        when {\n                            seconds != 0 || hasDays || hasHours || hasMinutes ->\n                                appendFractional(seconds, nanoseconds, 9, \"s\", isZeroes = false)\n                            nanoseconds >= 1_000_000 ->\n                                appendFractional(nanoseconds / 1_000_000, nanoseconds % 1_000_000, 6, \"ms\", isZeroes = false)\n                            nanoseconds >= 1_000 ->\n                                appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, \"us\", isZeroes = false)\n                            else ->\n                                append(nanoseconds).append(\"ns\")\n                        }\n                    }\n                    if (isNegative && components > 1) insert(1, '(').append(')')\n                }\n            }\n        }\n    }\n\n    private fun StringBuilder.appendFractional(whole:
 Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {\n        append(whole)\n        if (fractional != 0) {\n            append('.')\n            val fracString = fractional.toString().padStart(fractionalSize, '0')\n            val nonZeroDigits = fracString.indexOfLast { it != '0' } + 1\n            when {\n                !isoZeroes && nonZeroDigits < 3 -> appendRange(fracString, 0, nonZeroDigits)\n                else -> appendRange(fracString, 0, ((nonZeroDigits + 2) / 3) * 3)\n            }\n        }\n        append(unit)\n    }\n\n    /**\n     * Returns a string representation of this duration value expressed in the given [unit]\n     * and formatted with the specified [decimals] number of digits after decimal point.\n     *\n     * Special cases:\n     *  - an infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a unit.\n     *\n     * @param decimals the number of digits after decimal point
 to show. The value must be non-negative.\n     * No more than 12 decimals will be shown, even if a larger number is requested.\n     *\n     * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n     *\n     * @throws IllegalArgumentException if [decimals] is less than zero.\n     *\n     * @sample samples.time.Durations.toStringDecimals\n     */\n    public fun toString(unit:
 DurationUnit, decimals: Int = 0): String {\n        require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n        val number = toDouble(unit)\n        if (number.isInfinite()) return number.toString()\n        return formatToExactDecimals(number, decimals.coerceAtMost(12)) + unit.shortName()\n    }\n\n    /**\n     * Returns an ISO-8601 based string representation of this duration.\n     *\n     * The returned value is presented in the format `PThHmMs.fS`, where `h`, `m`, `s` are the integer components
 of this duration (see [toComponents])\n     * and `f` is a fractional part of second. Depending on the roundness of the value the fractional part can be formatted with either\n     * 0, 3, 6, or 9 decimal digits.\n     *\n     * The infinite duration is represented as `\"PT9999999999999H\"` which is larger than any possible finite duration in Kotlin.\n     *\n     * Negative durations are indicated with the sign `-` in the beginning of the returned string, for example, `\"-PT5M30S\"`.\n     *\n     * @sample samples.time.Durations.toIsoString\n     */\n    public fun toIsoString(): String = buildString {\n        if (isNegative()) append('-')\n        append(\"PT\")\n        this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n            @Suppress(\"NAME_SHADOWING\")\n            var hours = hours\n            if (isInfinite()) {\n                // use large enough value instead of Long.MAX_VALUE\n                hours = 9_999_999_999_999\n
```

```
}\n            val hasHours = hours != 0L\n            val hasSeconds = seconds != 0 || nanoseconds != 0\n            val
hasMinutes = minutes != 0 || (hasSeconds && hasHours)\n            if (hasHours) {\n
append(hours).append('H')\n            }\n            if (hasMinutes) {\n                append(minutes).append('M')\n
}\n            if (hasSeconds || (!hasHours && !hasMinutes)) {\n                appendFractional(seconds, nanoseconds, 9,
\"S\", isoZeroes = true)\n            }\n        }\n    }\n\n}\n\n// constructing from number of units\n// extension
functions\n\n/** Returns a [Duration] equal to this [Int] number of the specified [unit].
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun Int.toDuration(unit:
DurationUnit): Duration {\n    return if (unit <= DurationUnit.SECONDS) {\n
durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))\n    } else\n
    toLong().toDuration(unit)\n}\n\n/**
 Returns a [Duration] equal to this [Long] number of the specified [unit].
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun Long.toDuration(unit:
DurationUnit): Duration {\n    val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS,
DurationUnit.NANOSECONDS, unit)\n    if (this in -maxNsInUnit..maxNsInUnit) {\n        return
durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))\n    } else {\n        val
millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)\n        return
durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n}\n\n/**\n * Returns a [Duration] equal
to this [Double] number of the specified [unit].\n *\n * Depending on its magnitude, the value is rounded to an
integer number of nanoseconds or milliseconds.\n *\n * @throws IllegalArgumentException if this `Double` value is
`NaN`.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic fun
Double.toDuration(unit:
 DurationUnit): Duration {\n    val valueInNs = convertDurationUnit(this, unit, DurationUnit.NANOSECONDS)\n
require(!valueInNs.isNaN()) { \"Duration value cannot be NaN.\" }\n    val nanos = valueInNs.roundToLong()\n
return if (nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n        val millis =
convertDurationUnit(this, unit, DurationUnit.MILLISECONDS).roundToLong()\n
durationOfMillisNormalized(millis)\n    }\n}\n\n// constructing from number of units\n// deprecated extension
properties\n\n/** Returns a [Duration] equal to this [Int] number of nanoseconds.
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.nanoseconds' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to
 this [Long] number of nanoseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Long.nanoseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of nanoseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.nanoseconds' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.nanoseconds\",
\"kotlin.time.Duration.Companion.nanoseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n\n/** Returns a [Duration] equal to
this [Int] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
 'Int.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.microseconds\",
\"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of microseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Long.microseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.microseconds\",
\"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/**\n * Returns a [Duration] equal to
```

this [Double] number of microseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.microseconds' extension property from Duration.Companion
instead.\", ReplaceWith(\"this.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of milliseconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic
val Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of milliseconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal
to this [Long] number of seconds. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of seconds.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n\n/** Returns a [Duration] equal to this [Int] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.minutes' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of minutes. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double] number of minutes.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.5\")\npublic val Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n\n/** Returns a [Duration] equal to this [Int] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\",

\"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of hours. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\", \"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of hours.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.hours' extension property from Duration.Companion instead.\", ReplaceWith(\"this.hours\", \"kotlin.time.Duration.Companion.hours\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.hours get() = toDuration(DurationUnit.HOURS)\n\n\n/** Returns a [Duration] equal to this [Int] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days. */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Long.days get() = toDuration(DurationUnit.DAYS)\n\n/**\n * Returns a [Duration] equal to this [Double] number of days.\n *\n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days' extension property from Duration.Companion instead.\", ReplaceWith(\"this.days\", \"kotlin.time.Duration.Companion.days\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Double.days get() = toDuration(DurationUnit.DAYS)\n\n\n/** Returns a duration whose value is the specified [duration] value multiplied by this number. */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/**\n * Returns a duration whose value is the specified [duration] value multiplied by this number.\n *\n * The operation may involve rounding when the result cannot be represented exactly with a [Double] number.\n *\n * @throws IllegalArgumentException if the operation results in a `NaN` value.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\n\nprivate fun parseDuration(value: String, strictIso: Boolean): Duration {\n   var length = value.length\n   if (length == 0) throw IllegalArgumentException(\"The string is empty\")\n   var index = 0\n   var result = Duration.ZERO\n   val infinityString = \"Infinity\"\n   when (value[index]) {\n   '+', '-' -> index++\n   }\n   val hasSign = index > 0\n   val isNegative = hasSign && value.startsWith('-')\n   when {\n   length <= index ->\n   throw IllegalArgumentException(\"No components\")\n   value[index] == 'P' -> {\n   if (++index == length) throw IllegalArgumentException()\n   val nonDigitSymbols = \"+-.\"\n   var isTimeComponent = false\n   var prevUnit: DurationUnit? = null\n   while (index < length) {\n   if (value[index] == 'T') {\n   if (isTimeComponent || ++index == length) throw IllegalArgumentException()\n   isTimeComponent = true\n   continue\n   }\n   val component = value.substringWhile(index) { it in '0'..'9' || it in nonDigitSymbols }\n   if (component.isEmpty()) throw IllegalArgumentException()\n   index += component.length\n   val unitChar = value.getOrElse(index) { throw IllegalArgumentException(\"Missing unit for value $component\") }\n   index++\n   val unit = durationUnitByIsoChar(unitChar, isTimeComponent)\n   if (prevUnit != null && prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n   prevUnit = unit\n   val dotIndex = component.indexOf('.')\n

```
            if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n                val whole =
component.substring(0, dotIndex)\n                result += parseOverLongIsoComponent(whole).toDuration(unit)\n
            result += component.substring(dotIndex).toDouble().toDuration(unit)\n            } else {\n
result += parseOverLongIsoComponent(component).toDuration(unit)\n            }\n        }\n    }\n    strictIso
->\n        throw IllegalArgumentException()\n    value.regionMatches(index, infinityString, 0, length =
maxOf(length - index, infinityString.length), ignoreCase = true) -> {\n        result = Duration.INFINITE\n    }\n
    else -> {\n        // parse default string format\n        var prevUnit: DurationUnit? = null\n        var
afterFirst = false\n        var allowSpaces = !hasSign\n        if (hasSign && value[index] == '(' && value.last()
== ')') {\n            allowSpaces
 = true\n            if (++index == --length) throw IllegalArgumentException(\"No components\")\n        }\n
while (index < length) {\n            if (afterFirst && allowSpaces) {\n                index = value.skipWhile(index) {
it == ' ' }\n            }\n            afterFirst = true\n            val component = value.substringWhile(index) { it in
'0'..'9' || it == '.' }\n            if (component.isEmpty()) throw IllegalArgumentException()\n            index +=
component.length\n            val unitName = value.substringWhile(index) { it in 'a'..'z' }\n            index +=
unitName.length\n            val unit = durationUnitByShortName(unitName)\n            if (prevUnit != null &&
prevUnit <= unit) throw IllegalArgumentException(\"Unexpected order of duration components\")\n
prevUnit = unit\n            val dotIndex = component.indexOf('.')\n            if (dotIndex > 0) {\n
    val whole = component.substring(0, dotIndex)\n                result += whole.toLong().toDuration(unit)\n
    result += component.substring(dotIndex).toDouble().toDuration(unit)\n                if (index < length) throw
IllegalArgumentException(\"Fractional component must be last\")\n            } else {\n                result +=
component.toLong().toDuration(unit)\n            }\n        }\n    }\n    return if (isNegative) -result else
result\n}\n\n\nprivate fun parseOverLongIsoComponent(value: String): Long {\n    val length = value.length\n    var
startIndex = 0\n    if (length > 0 && value[0] in \"+-\") startIndex++\n    if ((length - startIndex) > 16 &&
(startIndex..value.lastIndex).all { value[it] in '0'..'9' }) {\n        // all chars are digits, but more than
ceiling(log10(MAX_MILLIS / 1000)) of them\n        return if (value[0] == '-') Long.MIN_VALUE else
Long.MAX_VALUE\n    }\n    // TODO: replace with just toLong after
 min JDK becomes 8\n    return if (value.startsWith(\"+\")) value.drop(1).toLong() else
value.toLong()\n}\n\n\n\nprivate inline fun String.substringWhile(startIndex: Int, predicate: (Char) -> Boolean):
String =\n    substring(startIndex, skipWhile(startIndex, predicate))\n\nprivate inline fun
String.skipWhile(startIndex: Int, predicate: (Char) -> Boolean): Int {\n    var i = startIndex\n    while (i < length &&
predicate(this[i])) i++\n    return i\n}\n\n\n\n\n\n// The ranges are chosen so that they are:\n// - symmetric relative to
zero: this greatly simplifies operations with sign, e.g. unaryMinus and minus.\n// - non-overlapping, but adjacent:
the first value that doesn't fit in nanos range, can be exactly represented in millis.\n\ninternal const val
NANOS_IN_MILLIS = 1_000_000\n// maximum number duration can store in nanosecond range\ninternal const
val MAX_NANOS = Long.MAX_VALUE / 2 / NANOS_IN_MILLIS * NANOS_IN_MILLIS - 1 // ends in
..._999_999\n// maximum number duration can store
 in millisecond range, also encodes an infinite value\ninternal const val MAX_MILLIS = Long.MAX_VALUE /
2\n// MAX_NANOS expressed in milliseconds\nprivate const val MAX_NANOS_IN_MILLIS = MAX_NANOS /
NANOS_IN_MILLIS\n\nprivate fun nanosToMillis(nanos: Long): Long = nanos / NANOS_IN_MILLIS\nprivate
fun millisToNanos(millis: Long): Long = millis * NANOS_IN_MILLIS\n\nprivate fun
durationOfNanos(normalNanos: Long) = Duration(normalNanos shl 1)\nprivate fun durationOfMillis(normalMillis:
Long) = Duration((normalMillis shl 1) + 1)\nprivate fun durationOf(normalValue: Long, unitDiscriminator: Int) =
Duration((normalValue shl 1) + unitDiscriminator)\nprivate fun durationOfNanosNormalized(nanos: Long) =\n    if
(nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n
durationOfMillis(nanosToMillis(nanos))\n    }\n\nprivate fun durationOfMillisNormalized(millis: Long) =\n    if
(millis in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
durationOfNanos(millisToNanos(millis))\n
```

} else {\n durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n }\n\ninternal expect val durationAssertionsEnabled: Boolean\n\ninternal expect fun formatToExactDecimals(value: Double, decimals: Int): String\ninternal expect fun formatUpToDecimals(value: Double, decimals: Int): String","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"UnsignedKt\")\npackage kotlin\n\n@PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long, v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n@PublishedApi\ninternal fun uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava Authors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) ULong(0) else ULong(1)\n }\n\n // Optimization - use signed division if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend / divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n val quotient = ((dividend ushr 1) / divisor) shl 1\n val rem = dividend - quotient * divisor\n return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n\n}\n\n@PublishedApi\ninternal fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n val dividend = v1.toLong()\n val divisor = v2.toLong()\n if (divisor < 0) { // i.e., divisor >= 2^63:\n return if (v1 < v2) {\n v1 // dividend < divisor\n } else {\n v1 - v2 // dividend >= divisor\n }\n }\n\n // Optimization - use signed modulus if both dividend and divisor < 2^63\n if (dividend >= 0) {\n return ULong(dividend % divisor)\n }\n\n // Otherwise, approximate the quotient, check, and correct if necessary.\n val quotient = ((dividend ushr 1) / divisor) shl 1\n val rem = dividend - quotient * divisor\n return ULong(rem - if (ULong(rem) >= ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n v.isNaN() -> 0u\n v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n v >= UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n v <= Int.MAX_VALUE -> v.toInt().toUInt()\n else -> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt() // Int.MAX_VALUE < v < UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n v.isNaN() -> 0u\n v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n v >= ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n v < Long.MAX_VALUE -> v.toLong().toULong()\n\n // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not representable in Double, so don't handle them.\n else -> (v - 9223372036854775808.0).toLong().toULong() + 9223372036854775808uL // Long.MAX_VALUE + 1 < v < ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun ulongToString(v: Long): String = ulongToString(v, 10)\n\ninternal fun ulongToString(v: Long, base: Int): String {\n if (v >= 0) return v.toString(base)\n\n var quotient = ((v ushr 1) / base) shl 1\n var rem = v - quotient * base\n if (rem >= base) {\n rem -= base\n quotient += 1\n }\n return quotient.toString(base) + rem.toString(base)\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T> = object : Iterable<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another

[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\ninternal class IndexingIterable<out
 T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n   override fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of this iterable if it is known, or `null` otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of this iterable if it is known, or the specified [default] value otherwise.\n */\n@PublishedApi\ninternal fun <T> Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n * @sample samples.collections.Iterables.Operations.flattenIterable\n */\npublic fun <T> Iterable<Iterable<T>>.flatten(): List<T> {\n   val result = ArrayList<T>()\n   for (element in this) {\n   result.addAll(element)\n   }\n   return
 result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample samples.collections.Iterables.Operations.unzipIterable\n */\npublic fun <T, R> Iterable<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n   val expectedSize = collectionSizeOrDefault(10)\n   val listT = ArrayList<T>(expectedSize)\n   val listR = ArrayList<R>(expectedSize)\n   for (pair in this) {\n   listT.add(pair.first)\n   listR.add(pair.second)\n   }\n   return listT to listR\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage kotlin.sequences\n\nimport kotlin.random.Random\n\n/**\n
 * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {\n   override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * Creates a sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n *\n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n */\npublic fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n/**\n * Creates a sequence that returns the specified values.\n *\n * @sample samples.collections.Sequences.Building.sequenceOfValues\n */\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty())
 emptySequence() else elements.asSequence()\n\n/**\n * Returns an empty sequence.\n */\npublic fun <T> emptySequence(): Sequence<T> = EmptySequence\n\nprivate object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {\n   override fun iterator(): Iterator<Nothing> = EmptyIterator\n   override fun drop(n: Int) = EmptySequence\n   override fun take(n: Int) = EmptySequence\n}\n\n/**\n * Returns this sequence if it's not `null` and the empty sequence otherwise.\n * @sample samples.collections.Sequences.Usage.sequenceOrEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()\n\n\n/**\n * Returns a sequence that iterates through the elements either of this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n *\n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */\n@SinceKotlin(\"1.3\")\npublic fun <T>
 Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n   val iterator = this@ifEmpty.iterator()\n   if (iterator.hasNext()) {\n   yieldAll(iterator)\n   } else {\n   yieldAll(defaultValue())\n   }\n}\n\n/**\n * Returns a sequence of all elements from all sequences in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Sequences.Transformations.flattenSequenceOfSequences\n */\npublic fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n/**\n * Returns a sequence of all

```
elements from all iterables in this sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Sequences.Transformations.flattenSequenceOfLists\n */\n@kotlin.jvm.JvmName(\"flattenSequenceOfIterable\")\npublic fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\nprivate fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {\n    if (this is TransformingSequence<*, *>) {\n        return (this as TransformingSequence<*, T>).flatten(iterator)\n    }\n    return FlatteningSequence(this, { it }, iterator)\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this sequence,\n * *second* list is built from the second values of each pair from this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample samples.collections.Sequences.Transformations.unzip\n */\npublic fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>()\n    val listR = ArrayList<R>()\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled.\n *\n * Note that every iteration of the sequence returns elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)\n\n/**\n * Returns a sequence that yields elements of this sequence randomly shuffled\n * using the specified [random] instance as the source of randomness.\n *\n * Note that every iteration of the sequence returns elements in a different order.\n *\n * The operation is _intermediate_ and _stateful_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n    val buffer = toMutableList()\n    while (buffer.isNotEmpty()) {\n        val j = random.nextInt(buffer.size)\n        val last = buffer.removeLast()\n        val value = if (j < buffer.size) buffer.set(j, last) else last\n        yield(value)\n    }\n}\n\n\n/**\n * A sequence that returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n *\n * @param sendWhen If `true`, values for which the predicate returns\n `true` are returned. Otherwise,\n * values for which the predicate returns `false` are returned\n */\ninternal class FilteringSequence<T>(\n    private val sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item) == sendWhen) {\n                    nextItem = item\n                    nextState = 1\n                    return\n                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem\n            nextItem = null\n            nextState = -1\n            @Suppress(\"UNCHECKED_CAST\")\n            return result as T\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence].\n */\n\ninternal class TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n\n    internal fun <E>\n    flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n        return FlatteningSequence<T, R, E>(sequence, transformer, iterator)\n    }\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer] function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value in the underlying\n * sequence along with the value itself.\n */\ninternal class TransformingIndexedSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A
```

```
sequence which combines values from the underlying [sequence] with
 their indices and returns them as\n * [IndexedValue] objects.\n */\ninternal class
IndexingSequence<T>\nconstructor(private val sequence: Sequence<T>) : Sequence<IndexedValue<T>> {\n
override fun iterator(): Iterator<IndexedValue<T>> = object : Iterator<IndexedValue<T>> {\n        val iterator =
sequence.iterator()\n        var index = 0\n        override fun next(): IndexedValue<T> {\n            return
IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n        override fun hasNext(): Boolean {\n
        return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which takes the values from two parallel
underlying sequences, passes them to the given\n * [transform] function and returns the values returned by that
function. The sequence stops returning\n * values as soon as one of the underlying sequences stops returning
values.\n */\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n    private val sequence1:
Sequence<T1>,\n    private val
 sequence2: Sequence<T2>,\n    private val transform: (T1, T2) -> V\n) : Sequence<V> {\n    override fun iterator():
Iterator<V> = object : Iterator<V> {\n        val iterator1 = sequence1.iterator()\n        val iterator2 =
sequence2.iterator()\n        override fun next(): V {\n            return transform(iterator1.next(), iterator2.next())\n
}\n\n        override fun hasNext(): Boolean {\n            return iterator1.hasNext() && iterator2.hasNext()\n        }\n
}\n}\n\ninternal class FlatteningSequence<T, R, E>\nconstructor(\n    private val sequence: Sequence<T>,\n
private val transformer: (T) -> R,\n    private val iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun
iterator(): Iterator<E> = object : Iterator<E> {\n        val iterator = sequence.iterator()\n        var itemIterator:
Iterator<E>? = null\n\n        override fun next(): E {\n            if (!ensureItemIterator())\n                throw
NoSuchElementException()\n            return itemIterator!!.next()\n
        }\n\n        override fun hasNext(): Boolean {\n            return ensureItemIterator()\n        }\n\n        private fun
ensureItemIterator(): Boolean {\n            if (itemIterator?.hasNext() == false)\n                itemIterator = null\n\n
 while (itemIterator == null) {\n                if (!iterator.hasNext()) {\n                    return false\n                } else {\n
                    val element = iterator.next()\n                    val nextItemIterator = iterator(transformer(element))\n
if (nextItemIterator.hasNext()) {\n                        itemIterator = nextItemIterator\n                        return true\n
    }\n                }\n            }\n            return true\n        }\n    }\n}\n\ninternal fun <T, C, R> flatMapIndexed(source:
Sequence<T>, transform: (Int, T) -> C, iterator: (C) -> Iterator<R>): Sequence<R> =\n    sequence {\n        var
index = 0\n        for (element in source) {\n
            val result = transform(checkIndexOverflow(index++), element)\n            yieldAll(iterator(result))\n        }\n
}\n\n/**\n * A sequence that supports drop(n) and take(n) operations\n */\ninternal interface
DropTakeSequence<T> : Sequence<T> {\n    fun drop(n: Int): Sequence<T>\n    fun take(n: Int):
Sequence<T>\n}\n\n/**\n * A sequence that skips [startIndex] values from the underlying [sequence]\n * and stops
returning values right before [endIndex], i.e. stops at `endIndex - 1`\n */\ninternal class SubSequence<T>(\n
private val sequence: Sequence<T>,\n    private val startIndex: Int,\n    private val endIndex: Int\n) : Sequence<T>,
DropTakeSequence<T> {\n\n    init {\n        require(startIndex >= 0) { \"startIndex should be non-negative, but is
$startIndex\" }\n        require(endIndex >= 0) { \"endIndex should be non-negative, but is $endIndex\" }\n
require(endIndex >= startIndex) { \"endIndex should be not less than startIndex, but was $endIndex < $startIndex\"
 }\n    }\n\n    private val count: Int get() = endIndex - startIndex\n\n    override fun drop(n: Int): Sequence<T> = if
(n >= count) emptySequence() else SubSequence(sequence, startIndex + n, endIndex)\n    override fun take(n: Int):
Sequence<T> = if (n >= count) this else SubSequence(sequence, startIndex, startIndex + n)\n\n    override fun
iterator() = object : Iterator<T> {\n\n        val iterator = sequence.iterator()\n        var position = 0\n\n        //
Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (position
< startIndex && iterator.hasNext()) {\n                iterator.next()\n                position++\n            }\n        }\n\n
override fun hasNext(): Boolean {\n            drop()\n            return (position < endIndex) && iterator.hasNext()\n
}\n\n        override fun next(): T {\n            drop()\n            if (position >= endIndex)\n                throw
NoSuchElementException()\n
            position++\n            return iterator.next()\n        }\n    }\n}\n\n/**\n * A sequence that returns at most [count]
values from the underlying [sequence], and stops returning values\n * as soon as that count is reached.\n */\ninternal
```

```
class TakeSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n    override fun take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var left = count\n        val iterator = sequence.iterator()\n\n        override fun next(): T {\n            if (left == 0)\n                throw NoSuchElementException()\n            left--\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            return left > 0 && iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n */\ninternal class TakeWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T? = null\n\n        private fun calcNext() {\n            if (iterator.hasNext()) {\n                val item = iterator.next()\n                if (predicate(item)) {\n                    nextState = 1\n                    nextItem = item\n                    return\n                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            if (nextState == 0)\n                throw NoSuchElementException()\n            @Suppress(\"UNCHECKED_CAST\")\n            val result = nextItem as T\n\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext() // will change nextState\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence that skips the specified number of values from the underlying [sequence] and returns\n * all values after that.\n */\ninternal class DropSequence<T>(\n    private val sequence: Sequence<T>,\n    private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n    init {\n        require(count >= 0) { \"count must be non-negative, but was $count.\" }\n    }\n\n    override fun drop(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n    override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else SubSequence(sequence, count, n1) }\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var left = count\n\n        // Shouldn't be called from constructor to avoid premature iteration\n        private fun drop() {\n            while (left > 0 && iterator.hasNext()) {\n                iterator.next()\n                left--\n            }\n        }\n\n        override fun next(): T {\n            drop()\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            drop()\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence
 that skips the values from the underlying [sequence] while the given [predicate] returns `true` and returns\n * all values after that.\n */\ninternal class DropWhileSequence<T>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val predicate: (T) -> Boolean\n) : Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator = sequence.iterator()\n        var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n        var nextItem: T? = null\n\n        private fun drop() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n                if (!predicate(item)) {\n                    nextItem = item\n                    dropState = 1\n                    return\n                }\n            }\n            dropState = 0\n        }\n\n        override fun next(): T {\n            if (dropState == -1)\n                drop()\n\n            if (dropState == 1) {\n                @Suppress(\"UNCHECKED_CAST\")\n                val result = nextItem as T\n                nextItem = null\n                dropState = 0\n                return result\n            }\n            return iterator.next()\n        }\n\n        override fun hasNext(): Boolean {\n            if (dropState == -1)\n                drop()\n            return dropState == 1 || iterator.hasNext()\n        }\n    }\n}\n\ninternal class DistinctSequence<T, K>(private val source: Sequence<T>, private val keySelector: (T) -> K) : Sequence<T> {\n    override fun iterator(): Iterator<T> = DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(private val source: Iterator<T>, private val keySelector: (T) -> K) : AbstractIterator<T>() {\n    private val observed =
```

```
HashSet<K>()\n\n    override fun computeNext() {\n        while (source.hasNext()) {\n            val next = source.next()\n            val key = keySelector(next)\n\n            if (observed.add(key)) {\n                setNext(next)\n                return\n            }\n        }\n\n        done()\n    }\n}\n\n\nprivate class GeneratorSequence<T : Any>(private val getInitialValue: () -> T?, private val getNextValue: (T) -> T?) : Sequence<T> {\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        var nextItem: T? = null\n        var nextState: Int = -2 // -2 for initial unknown, -1 for next unknown, 0 for done, 1 for continue\n\n        private fun calcNext() {\n            nextItem = if (nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n            nextState = if (nextItem == null) 0 else 1\n        }\n\n        override fun next(): T {\n            if (nextState < 0)\n                calcNext()\n\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as T\n            // Do not clean nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n            nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState < 0)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a wrapper sequence that provides values of this sequence, but ensures it can be iterated only one time.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * [IllegalStateException] is thrown on iterating the returned sequence for the second time and the following times.\n *\n */\npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n    // as? does not work in js\n    //return this as? ConstrainedOnceSequence<T> ?: ConstrainedOnceSequence(this)\n    return if (this is ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n\n/**\n * Returns a sequence which invokes the function to calculate the next value on each iteration until the function returns `null`.\n *\n * The returned sequence is constrained to be iterated only once.\n *\n * @see constrainOnce\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n    return GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by the starting value [seed] and the function [nextFunction],\n * which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times, each time starting with [seed].\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed\n */\n@kotlin.internal.LowPriorityInOverloadResolution\npublic fun <T : Any> generateSequence(seed: T?, nextFunction: (T) -> T?): Sequence<T> =\n    if (seed == null)\n        EmptySequence\n    else\n        GeneratorSequence({ seed }, nextFunction)\n\n/**\n * Returns a sequence defined by the function [seedFunction], which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next value based on the previous one on each iteration.\n *\n * The sequence produces values until it encounters first `null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n *\n * The sequence can be iterated multiple times.\n *\n * @see kotlin.sequences.sequence\n *\n * @sample samples.collections.Sequences.Building.generateSequenceWithLazySeed\n */\npublic fun <T : Any> generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n    GeneratorSequence(seedFunction, nextFunction)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"PreconditionsKt\")\n\npackage kotlin\n\nimport kotlin.contracts.contract\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean): Unit {\n    contract {\n        returns() implies value\n    }\n    require(value) { \"Failed requirement.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
```

*/\n@kotlin.internal.InlineOnly\npublic inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalArgumentException] if the [value] is null. Otherwise returns the not null value.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return requireNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalArgumentException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failRequireNotNullWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) { \"Check failed.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n/**\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return checkNotNull(value) { \"Required value was null.\" }\n}\n\n/**\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n *\n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n } else {\n return value\n }\n}\n\n/**\n * Throws an [IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n */\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun <T> Array<out T>.elementAt(index: Int): T {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ByteArray.elementAt(index: Int): Byte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun ShortArray.elementAt(index: Int): Short {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size\")

}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun IntArray.elementAt(index: Int): Int {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun LongArray.elementAt(index: Int): Long {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun FloatArray.elementAt(index: Int): Float {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun DoubleArray.elementAt(index:
Int): Double {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun BooleanArray.elementAt(index: Int): Boolean {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharArray.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun <T> Array<out T>.asList():
List<T> {\n return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n return this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n return this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n return this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic
actual inline fun FloatArray.asList(): List<Float> {\n return this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n return this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n return this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\npublic actual fun CharArray.asList(): List<Char> {\n return object : AbstractList<Char>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: Char): Boolean = this@asList.contains(element)\n override fun get(index: Int): Char {\n AbstractList.checkElementIndex(index,
size)\n return this@asList[index]\n }\n override fun indexOf(element: Char): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is Char) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: Char): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is Char) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply*

equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN`
is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n   return this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are also compared deeply.\n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepEquals\")\npublic actual infix fun <T> Array<out T>?.contentDeepEquals(other:
Array<out T>?): Boolean {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepHashCode(): Int {\n   return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepHashCode\")\npublic actual fun <T> Array<out T>?.contentDeepHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n
 * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out T>.contentDeepToString(): String {\n   return this.contentDeepToString()\n}\n\n/**\n * Returns a string representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains itself on any nesting level that reference\n * is rendered as `\"[...]\"` to prevent recursion.\n * \n * @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayDeepToString\")\npublic actual fun <T> Array<out T>?.contentDeepToString(): String {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n
 * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince
 = \"1.4\")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are

compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for
equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean
{\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and
`-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*
equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n   return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun
<T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean {\n   definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n

*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayEquals\")\npublic actual infix fun CharArray?.contentEquals(other: CharArray?): Boolean {\n definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ByteArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ShortArray.contentHashCode(): Int {\n return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun IntArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun LongArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun FloatArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun DoubleArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun BooleanArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun CharArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun <T> Array<out T>?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun ByteArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun ShortArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun IntArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun LongArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun FloatArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun DoubleArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun BooleanArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayHashCode\")\npublic actual fun CharArray?.contentHashCode(): Int {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun <T> Array<out T>.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ByteArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to

avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun ShortArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun IntArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the
 contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun LongArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun FloatArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use
 Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun DoubleArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun BooleanArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic actual fun CharArray.contentToString():
 String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun <T> Array<out T>?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun ByteArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun ShortArray?.contentToString():
 String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun IntArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun LongArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun FloatArray?.contentToString(): String {\n   definedExternally\n}\n\n/**\n

```
 * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun DoubleArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun BooleanArray?.contentToString():
String {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@library(\"arrayToString\")\npublic actual fun CharArray?.contentToString(): String
{\n    definedExternally\n}\n\n/**\n * Copies this array or
 its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the
[destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param
destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by
default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param
endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange
doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the
[destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic
 actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = size): Array<T> {\n    arrayCopy(this, destination, destinationOffset, startIndex, endIndex)\n
return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n
* \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with
the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in
the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
 or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(),
destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the
same array in the [destination] and even specify the subrange so that it overlaps with the destination
 range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS\")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int =
```

0, startIndex: Int =
0, endIndex: Int = size): ShortArray {\n arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't
fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n
* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex,
endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
* \n * @return the [destination] array.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to

copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy,
size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n *
\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or
[endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out
T>.copyOf(): Array<T> {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ByteArray.copyOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun ShortArray.copyOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new

array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun IntArray.copyOf(): IntArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun LongArray.copyOf(): LongArray {\n   return withType(\"LongArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun FloatArray.copyOf(): FloatArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun DoubleArray.copyOf(): DoubleArray {\n   return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun BooleanArray.copyOf(): BooleanArray {\n   return withType(\"BooleanArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n */\npublic actual fun CharArray.copyOf(): CharArray {\n   return withType(\"CharArray\", this.asDynamic().slice())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ByteArray.copyOf(newSize: Int): ByteArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun ShortArray.copyOf(newSize: Int): ShortArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun IntArray.copyOf(newSize: Int): IntArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun LongArray.copyOf(newSize: Int): LongArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n *

@sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun FloatArray.copyOf(newSize: Int): FloatArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic
actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with null char (`\\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\\u0000`) values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n */\npublic actual fun CharArray.copyOf(newSize: Int): CharArray {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {\n   require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n   return arrayCopyResize(this, newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n   return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n   AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n
    return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"LongArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"BooleanArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n return withType(\"CharArray\", this.asDynamic().slice(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size

of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.fill(element: Byte, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified
[element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater

than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to
fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic
actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n return plus(charArrayOf(element))\n}\n\n/**\n * Returns
an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual operator fun <T> Array<out T>.plus(elements:

Collection<T>): Array<T> {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and
then all elements of the given [elements] collection.\n */\npublic actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {\n   return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\npublic actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {\n   return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {\n   return this.asDynamic().concat(elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun IntArray.plus(elements: IntArray): IntArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing
all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun LongArray.plus(elements: LongArray): LongArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {\n   return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements]
array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {\n   return primitiveArrayConcat(this,

```
elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline operator fun CharArray.plus(elements: CharArray): CharArray {\n    return primitiveArrayConcat(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\", \"NOTHING_TO_INLINE\")\npublic actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {\n    return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun IntArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\npublic actual fun LongArray.sort(): Unit {\n    @Suppress(\"DEPRECATION\")\n    if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ByteArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun ShortArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun DoubleArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun FloatArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@library(\"primitiveArraySort\")\npublic actual fun CharArray.sort(): Unit {\n    definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\npublic actual fun <T : Comparable<T>> Array<out T>.sort(): Unit {\n    if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@Deprecated(\"Use sortWith instead\", ReplaceWith(\"this.sortWith(Comparator(comparison))\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n    if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArrayWith(this, fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()\n    subarray.sort()\n}\n\n/**\n * Sorts a range
```

in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive)
to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<IntArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size
of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this.unsafeCast<Array<Long>>(), fromIndex, toIndex, naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<FloatArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<DoubleArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample

samples.collections.Arrays.Sorting.sortRangeOfArray\n
*/\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray = this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<CharArray>()\n subarray.sort()\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline comparison: (a: Short, b: Short) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparison] function.\n */\n@Deprecated(\"Use other sorting functions from the Standard Library\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n if (size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this, fromIndex, toIndex, comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed*

object array containing all of the elements of this primitive array.\n */\npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun IntArray.toTypedArray(): Array<Int> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun LongArray.toTypedArray(): Array<Long> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun FloatArray.toTypedArray(): Array<Float> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n
 * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun DoubleArray.toTypedArray(): Array<Double> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n   return js(\"[]\").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\npublic actual fun CharArray.toTypedArray(): Array<Char> {\n   return Array(size) { index -> this[index] }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.comparisons\n\n/**\n * Compares
 two values using the specified functions [selectors] to calculate the result of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do not\n * compare as equal, the result of that comparison is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSelectors\n */\npublic fun <T> compareValuesBy(a: T, b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n   require(selectors.size > 0)\n   return compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors: Array<out (T) -> Comparable<*>?>): Int {\n   for (fn in selectors) {\n   val v1 = fn(a)\n   val v2 = fn(b)\n   val diff = compareValues(v1, v2)\n   if (diff != 0) return diff\n   }\n   return 0\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the
 result of the comparison.\n * The function is applied to the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable] instances is returned.\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) -> Comparable<*>?): Int {\n   return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the given values [a] and [b] and return objects of type K which are then being\n * compared with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.compareValuesByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in K>, selector: (T) -> K): Int {\n   return comparator.compare(selector(a), selector(b))\n}\n\n////
 Not so useful without type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 } thenByDescending { it.prop2 })\n///**\n// * Compares two values using the specified [comparator].\n// */\n//@Suppress(\"NOTHING_TO_INLINE\")\n//public inline fun <T> compareValuesWith(a: T, b: T, comparator: Comparator<T>): Int = comparator.compare(a, b)\n//\n\n\n/**\n * Compares two nullable [Comparable] values. Null is considered less than any value.\n *\n * @sample samples.comparisons.Comparisons.compareValues\n */\npublic fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n   if (a === b) return 0\n   if (a == null) return -1\n   if (b == null) return 1\n\n   @Suppress(\"UNCHECKED_CAST\")\n   return (a as Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return [Comparable]\n

```
 * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n *\n * @sample samples.comparisons.Comparisons.compareByWithSelectors\n */\npublic fun <T> compareBy(vararg selectors: (T) -> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b -> compareValuesByImpl(a, b, selectors) }\n}\n\n\n/**\n * Creates a comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * @sample samples.comparisons.Comparisons.compareByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator using the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then applying\n * the specified [comparator] to compare transformed values.\n *\n * Note that an order of [comparator] is reversed by this wrapper.\n *\n * @sample samples.comparisons.Comparisons.compareByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator, selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenBy\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, selector)\n    }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values
 and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b, comparator, selector)\n    }\n\n/**\n * Creates a descending comparator using the primary comparator and\n * the function to transform value to a [Comparable] instance for comparison.\n *\n * @sample samples.comparisons.Comparisons.thenByDescending\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b,
 a, selector)\n    }\n\n/**\n * Creates a descending comparator comparing values after the primary comparator defined them equal. It uses\n * the [selector] function to transform values and then compares them with the given [comparator].\n *\n * @sample samples.comparisons.Comparisons.thenByDescendingWithComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }\n\n\n/**\n * Creates a comparator using the primary comparator
```

and function to calculate a result of comparison.\n *\n * @sample samples.comparisons.Comparisons.thenComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@thenComparator.compare(a, b)\n if (previousCompare != 0) previousCompare else comparison(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.then\n */\npublic infix fun <T> Comparator<T>.then(comparator: Comparator<in T>): Comparator<T> =\n Comparator { a, b ->\n val previousCompare = this@then.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only\n * when the former considered values equal.\n *\n * @sample samples.comparisons.Comparisons.thenDescending\n */\npublic infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n Comparator<T> { a, b ->\n val previousCompare = this@thenDescending.compare(a, b)\n if (previousCompare != 0) previousCompare else comparator.compare(b, a)\n }\n\n// Not so useful without type inference for receiver of expression\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> -1\n b == null -> 1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value less than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> = nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of nullable values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Any> nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n Comparator { a, b ->\n when {\n a === b -> 0\n a == null -> 1\n b == null -> -1\n else -> comparator.compare(a, b)\n }\n }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> = nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n *\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n */\npublic fun <T : Comparable<T>> naturalOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n */\npublic fun <T : Comparable<T>> reverseOrder(): Comparator<T> = @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic fun <T> Comparator<T>.reversed(): Comparator<T> = when (this) {\n is ReversedComparator -> this.comparator\n NaturalOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (ReverseOrderComparator as Comparator<T>)\n ReverseOrderComparator -> @Suppress(\"UNCHECKED_CAST\") (NaturalOrderComparator as Comparator<T>)\n else -> ReversedComparator(this)\n}\n\n\nprivate class ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {\n override fun compare(a: T, b: T): Int = comparator.compare(b, a)\n @Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n fun reversed(): Comparator<T> = comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n override fun compare(a:

```
Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress(\"VIRTUAL_MEMBER_HIDDEN\")\n    fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed
 by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StandardKt\")\npackage kotlin\n\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*/\npublic class NotImplementedError(message: String = \"An operation is not implemented.\") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string
explaining why the implementation is missing.\n */\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError(\"An operation is not implemented: $reason\")\n\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n
 *\n * For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified
function [block] with `this` value as its receiver and returns its result.\n *\n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified
function [block] with the given [receiver] as its receiver and returns its result.\n *\n * For detailed usage information
see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n
 */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n    contract {\n
   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return receiver.block()\n}\n\n/**\n * Calls the
specified function [block] with `this` value as its receiver and returns `this` value.\n *\n * For detailed usage
information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-
functions.html#apply).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n
 contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    block()\n    return
this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n *\n
* For detailed usage information see the documentation for [scope
functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n
*/\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic
 inline fun <T> T.also(block: (T) -> Unit): T {\n    contract {\n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n    }\n    block(this)\n    return this\n}\n\n/**\n * Calls the specified function
[block] with `this` value as its argument and returns its result.\n *\n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block(this)\n}\n\n/**\n * Returns `this`
value if it satisfies the given [predicate] or `null`, if it doesn't.\n *\n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-
takeunless).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun
 <T> T.takeIf(predicate: (T) -> Boolean): T? {\n    contract {\n        callsInPlace(predicate,
InvocationKind.EXACTLY_ONCE)\n    }\n    return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this`
```

value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n *\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.1\")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n contract {\n callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n }\n return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n *\n * A zero-based index of current iteration is passed as a parameter to [action].\n *\n * @sample samples.misc.ControlFlow.repeat\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n contract { callsInPlace(action) }\n\n for (index in 0 until times) {\n action(index)\n }\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float): Float {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double): Double {\n return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short, c: Short): Short {\n return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int, c: Int): Int {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long, c: Long): Long {\n return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Float, b: Float, c: Float): Float {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c: Double): Double {\n return JsMath.max(a, b, c)\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {\n var max = a\n for (e in other) max = maxOf(max, e)\n return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a:

Byte, vararg other: Byte): Byte {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Short, vararg other: Short): Short {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Int, vararg other: Int): Int {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Long, vararg other: Long): Long {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Float, vararg other: Float): Float {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun maxOf(a: Double, vararg other: Double): Double {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T): T {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte): Byte {\n   return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short): Short {\n   return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun minOf(a: Long, b: Long): Long {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float): Float {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double): Double {\n   return JsMath.min(a, b)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n   return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b: Short, c: Short): Short {\n   return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int, c: Int): Int {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long, c: Long): Long {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Float, b: Float, c: Float): Float {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Double, b: Double, c: Double): Double {\n   return JsMath.min(a, b, c)\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Byte, vararg other: Byte): Byte {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Short, vararg

other: Short): Short {\n var min = a\n for (e in other) min = minOf(min, e)\n return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Int, vararg other: Int): Int {\n var min = a\n for (e in other) min = minOf(min, e)\n return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Long, vararg other: Long): Long {\n var min = a\n for (e in other) min = minOf(min, e)\n return min\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Float, vararg other: Float): Float {\n var min = a\n for (e in other) min = minOf(min, e)\n return min\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun minOf(a: Double, vararg other: Double): Double {\n var min = a\n for (e in other) min = minOf(min, e)\n return min\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class ULong @PublishedApi
internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n companion object {\n /**\n * A constant holding the minimum value an instance of ULong can have.\n */\n public const val MIN_VALUE: ULong = ULong(0)\n\n /**\n * A constant holding the maximum value an instance of ULong can have.\n */\n public const val MAX_VALUE: ULong = ULong(-1)\n\n /**\n * The number of bytes used to represent an instance of ULong in a binary form.\n */\n public const val SIZE_BYTES: Int = 8\n\n /**\n * The number of bits used to represent an instance of ULong in a binary form.\n */\n public const val SIZE_BITS: Int = 64\n }\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater
than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n /**\n * Compares this value with the specified value for order.\n
* Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n * or a positive number if it's greater than other.\n */\n @kotlin.internal.InlineOnly\n @Suppress(\"OVERRIDE_BY_INLINE\")\n public override inline operator fun compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): ULong = this.plus(other.toULong())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: ULong): ULong
= ULong(this.data.plus(other.data))\n\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): ULong = this.minus(other.toULong())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n /** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): ULong =

this.minus(other.toULong())\n   /** Subtracts the other value from this value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UByte): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n
    public inline operator fun times(other: UShort): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n   /** Multiplies this value by the other value. */\n   @kotlin.internal.InlineOnly\n public inline operator fun times(other: ULong): ULong = ULong(this.data.times(other.data))\n\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n
  public inline operator fun div(other: UByte): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UShort): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result
 to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: UInt): ULong = this.div(other.toULong())\n   /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n   @kotlin.internal.InlineOnly\n   public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)\n\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder
 of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n   /**\n   * Calculates the remainder of truncating division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   */\n   @kotlin.internal.InlineOnly\n   public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)\n\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UByte): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is
 closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UShort): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: UInt): ULong = this.floorDiv(other.toULong())\n   /**\n   * Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.\n   * \n   * For unsigned types, the results of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun floorDiv(other: ULong): ULong = div(other)\n\n   /**\n   * Calculates
 the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UByte): UByte = this.mod(other.toULong()).toUByte()\n   /**\n   * Calculates the remainder of flooring division of this value by the other value.\n   * \n   * The result is always less than the divisor.\n   * \n   * For unsigned types, the remainders of flooring division and truncating division are the same.\n   */\n   @kotlin.internal.InlineOnly\n   public inline fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n   /**\n   * Calculates the remainder of

```
flooring division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     * \n
* For unsigned types, the remainders of flooring division
 and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun mod(other: UInt):
UInt = this.mod(other.toULong()).toUInt()\n    /**\n     * Calculates the remainder of flooring division of this value
by the other value.\n     * \n     * The result is always less than the divisor.\n     * \n     * For unsigned types, the
remainders of flooring division and truncating division are the same.\n     */\n    @kotlin.internal.InlineOnly\n
public inline fun mod(other: ULong): ULong = rem(other)\n\n    /**\n     * Returns this value incremented by one.\n
 *\n     * @sample samples.misc.Builtins.inc\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
inc(): ULong = ULong(data.inc())\n\n    /**\n     * Returns this value decremented by one.\n     *\n     * @sample
samples.misc.Builtins.dec\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun dec(): ULong =
ULong(data.dec())\n\n    /** Creates a range from
 this value to the specified [other] value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun
rangeTo(other: ULong): ULongRange = ULongRange(this, other)\n\n    /**\n     * Shifts this value left by the
[bitCount] number of bits.\n     *\n     * Note that only the six lowest-order bits of the [bitCount] are used as the shift
distance.\n     * The shift distance actually used is therefore always in the range `0..63`.\n     */\n
@kotlin.internal.InlineOnly\n    public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n
/**\n     * Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros.\n     *\n     *
Note that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n     * The shift distance
actually used is therefore always in the range `0..63`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline infix
fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)\n\n    /**
 Performs a bitwise AND operation between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline
infix fun and(other: ULong): ULong = ULong(this.data and other.data)\n    /** Performs a bitwise OR operation
between the two values. */\n    @kotlin.internal.InlineOnly\n    public inline infix fun or(other: ULong): ULong =
ULong(this.data or other.data)\n    /** Performs a bitwise XOR operation between the two values. */\n
@kotlin.internal.InlineOnly\n    public inline infix fun xor(other: ULong): ULong = ULong(this.data xor
other.data)\n    /** Inverts the bits in this value. */\n    @kotlin.internal.InlineOnly\n    public inline fun inv():
ULong = ULong(data.inv())\n\n    /**\n     * Converts this [ULong] value to [Byte].\n     *\n     * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n     * the same numerical value as this
`ULong`.\n     *\n     * The resulting `Byte` value is represented by the least significant 8 bits
 of this `ULong` value.\n     * Note that the resulting `Byte` value may be negative.\n     */\n
@kotlin.internal.InlineOnly\n    public inline fun toByte(): Byte = data.toByte()\n    /**\n     * Converts this [ULong]
value to [Short].\n     *\n     * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Short` value is represented
by the least significant 16 bits of this `ULong` value.\n     * Note that the resulting `Short` value may be negative.\n
 */\n    @kotlin.internal.InlineOnly\n    public inline fun toShort(): Short = data.toShort()\n    /**\n     * Converts this
[ULong] value to [Int].\n     *\n     * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int`
value represents\n     * the same numerical value as this `ULong`.\n     *\n     * The resulting `Int` value is
represented by the least significant 32 bits of this `ULong`
 value.\n     * Note that the resulting `Int` value may be negative.\n     */\n    @kotlin.internal.InlineOnly\n    public
inline fun toInt(): Int = data.toInt()\n    /**\n     * Converts this [ULong] value to [Long].\n     *\n     * If this value is
less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n     * the same numerical value
as this `ULong`. Otherwise the result is negative.\n     *\n     * The resulting `Long` value has the same binary
representation as this `ULong` value.\n     */\n    @kotlin.internal.InlineOnly\n    public inline fun toLong(): Long =
data\n\n    /**\n     * Converts this [ULong] value to [UByte].\n     *\n     * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n     * the same numerical value as this `ULong`.\n
*\n     * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n     */\n
@kotlin.internal.InlineOnly\n    public inline
```

fun toUByte(): UByte = data.toUByte()\n /**\n * Converts this [ULong] value to [UShort].\n *\n * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = data.toUShort()\n /**\n * Converts this [ULong] value to [UInt].\n *\n * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n * the same numerical value as this `ULong`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toUInt(): UInt = data.toUInt()\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun toULong():
ULong = this\n\n /**\n * Converts this [ULong] value to [Float].\n *\n * The resulting value is the closest `Float` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Float`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toDouble().toFloat()\n /**\n * Converts this [ULong] value to [Double].\n *\n * The resulting value is the closest `Double` to this `ULong` value.\n * In case when this `ULong` value is exactly between two `Double`s,\n * the one with zero at least significant bit of mantissa is selected.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double = ulongToDouble(data)\n\n public override fun toString(): String = ulongToString(data)\n\n}\n\n/**\n * Converts this [Byte] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value
represents the same numerical value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\n * whereas the most significant 56 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Short] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\n * whereas the most significant 48 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Int]
value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n *\n * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n * whereas the most significant 32 bits are filled with the sign bit of this value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toULong(): ULong = ULong(this.toLong())\n/**\n * Converts this [Long] value to [ULong].\n *\n * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n *\n * The resulting `ULong` value has the same binary representation as this `Long` value.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toULong(): ULong = ULong(this)\n\n/**\n * Converts this [Float] value to [ULong].\n *\n * The fractional part,
if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())\n/**\n * Converts this [Double] value to [ULong].\n *\n * The fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.\n
/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toULong(): ULong = doubleToULong(this)\n","/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 2.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 3.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 5.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if (this is Collection)\n        return contains(element)\n    return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Iterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Collection doesn't contain element at index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n    return get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return this.getOrElse(index,\n    defaultValue)\n    if (index < 0)\n        return defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Iterable<T>.elementAtOrNull(index: Int): T? {\n    if (this is List)\n        return this.getOrNull(index)\n    if (index < 0)\n        return null\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n            return element\n    }\n    return null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n    return
```

firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate],
or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no
such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n return
lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the collection
is empty.\n */\npublic fun <T> Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else
-> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw
NoSuchElementException(\"Collection is empty.\")\n return iterator.next()\n }\n }\n}\n\n/**\n
* Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T>
List<T>.first(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return
this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Iterable<T>.first(predicate: (T)
-> Boolean): T {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException(\"Collection contains no element matching the predicate.\")\n}\n\n/**\n * Returns the
first non-null value produced by [transform] function being applied to elements of this collection in iteration order,\n
* or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOf(transform:
(T) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the
collection was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by
[transform] function being applied to elements of this collection in iteration order,\n * or `null` if no non-null value
was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any>
Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n for (element in this) {\n val result =
transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n *
Returns the first element, or `null` if the collection is empty.\n */\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n
when (this) {\n is List -> {\n if (isEmpty())\n
return null\n else\n return this[0]\n }\n else -> {\n val iterator = iterator()\n
if (!iterator.hasNext())\n return null\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns the
first element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.firstOrNull(): T? {\n return if (isEmpty())
null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this)
if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrElse(index: Int, defaultValue: (Int) -> T): T
{\n return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n return if (index >= 0 && index <= lastIndex) get(index)
else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection does not contain element.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {\n if (this is List) return
this.indexOf(element)\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element
== item)\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1
if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false
warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes

T> List<T>.indexOf(element: T): Int {\n return indexOf(element)\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n var index = 0\n for (item in this) {\n if (predicate(item))\n return index\n index++\n }\n return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (predicate(item))\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n if (predicate(iterator.previous())) {\n return iterator.nextIndex()\n }\n }\n return -1\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the collection is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.last(): T {\n when (this) {\n is List -> return this.last()\n else -> {\n val iterator
= iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n }\n }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the list is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.last(): T {\n if (isEmpty())\n throw NoSuchElementException(\"List is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n var last: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n last = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return last as T\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"List contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n if (this is List) return this.lastIndexOf(element)\n var lastIndex = -1\n var index = 0\n for (item in this) {\n checkIndexOverflow(index)\n if (element == item)\n lastIndex = index\n index++\n }\n return lastIndex\n}\n\n/**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning, extension takes precedence in some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n return lastIndexOf(element)\n}\n\n/**\n * Returns the last element, or `null` if the collection is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Iterable<T>.lastOrNull(): T? {\n when (this) {\n is List -> return if (isEmpty()) null else this[size - 1]\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n var last = iterator.next()\n while (iterator.hasNext())\n last = iterator.next()\n return last\n }\n }\n}\n\n/**\n * Returns the last element, or `null` if the list is empty.\n * \n * @sample

samples.collections.Collections.Elements.last\n */\npublic fun <T> List<T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n var last: T? = null\n for (element in this) {\n if (predicate(element)) {\n last = element\n }\n }\n return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n val iterator = this.listIterator(size)\n while (iterator.hasPrevious()) {\n val element = iterator.previous()\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> Collection<T>.random(random: Random): T {\n if (isEmpty())\n throw NoSuchElementException(\"Collection is empty.\")\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this collection, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Collection<T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Collection<T>.randomOrNull(random: Random): T? {\n if (isEmpty())\n return null\n return elementAt(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException(\"Collection is empty.\")\n val single = iterator.next()\n if (iterator.hasNext())\n throw IllegalArgumentException(\"Collection has more than one element.\")\n return single\n }\n }\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw NoSuchElementException(\"List is empty.\")\n 1 -> this[0]\n else -> throw IllegalArgumentException(\"List has more than one element.\")\n }\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException(\"Collection contains more than one matching element.\")\n single = element\n found
= true\n }\n }\n if (!found) throw NoSuchElementException(\"Collection contains no element matching the predicate.\")\n @Suppress(\"UNCHECKED_CAST\")\n return single as T\n}\n\n/**\n * Returns single element, or `null` if the collection is empty or has more than one element.\n */\npublic fun <T> Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single = iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n * Returns single element, or `null` if the list is empty or has more than one element.\n */\npublic fun <T> List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was
not found or more than one element was found.\n */\npublic inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found = false\n for (element in this) {\n if

```
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n
 if (!found) return null\n    return single\n}\n\n/**\n * Returns a list containing all elements except first [n]
elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return toList()\n    val list:
ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return
emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n
        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for
(index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n
                list.add(item)\n            }\n            return list\n        }\n    }\n    else {\n        list = ArrayList<T>()\n    }\n    var
count = 0\n    for (item in this) {\n        if (count >= n) list.add(item) else ++count\n    }\n    return
list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements
 except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T>
List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator =
listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous())) {\n                return
take(iterator.nextIndex() + 1)\n            }\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing
all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate:
(T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if
(yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n
    }\n
    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) ->
Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T>
Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return
filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate
 evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic
inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -
> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements that are
instances of specified type parameter R.\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R>
Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C :
MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination:
```

C): C {\n for (element in this) if (element is R) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {\n return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n for (element in this) if (element != null) destination.add(element)\n
return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n if (indices.isEmpty()) return
listOf()\n return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<T>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Iterable<T>.take(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n if (this is Collection<T>) {\n if (n >= size) return toList()\n if (n == 1) return listOf(first())\n }\n var count = 0\n val list = ArrayList<T>(n)\n for (item in this)
{\n list.add(item)\n if (++count == n)\n break\n }\n return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n if (n == 0) return emptyList()\n val size = size\n if (n >= size) return toList()\n if (n == 1) return listOf(last())\n val list = ArrayList<T>(n)\n if (this is RandomAccess) {\n for (index in size - n until size)\n list.add(this[index])\n } else {\n for (item in listIterator(size - n))\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n if (isEmpty())\n return emptyList()\n val iterator = listIterator(size)\n while (iterator.hasPrevious()) {\n if (!predicate(iterator.previous())) {\n iterator.next()\n val expectedSize = size - iterator.nextIndex()\n if (expectedSize == 0) return emptyList()\n return ArrayList<T>(expectedSize).apply {\n while (iterator.hasNext())\n add(iterator.next())\n }\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun <T> Iterable<T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n

```
 * Reverses elements in the list in-place.\n */\npublic expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Randomly shuffles elements in this list in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        this[j] = this.set(i, this[j])\n    }\n}\n\n/**\n * Sorts elements in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order
 relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1) sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n\n/**\n * Returns a list
 of all elements sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Comparable<T>>() as Array<T>).apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareBy(selector))\n}\n\n/**\n *
 Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T> {\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun
 <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    if (this is Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress(\"UNCHECKED_CAST\")\n        return (toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n    }\n    return toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result = BooleanArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun Collection<Byte>.toByteArray(): ByteArray {\n    val result = ByteArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the elements of this
```

collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n val result = CharArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun Collection<Double>.toDoubleArray(): DoubleArray {\n val result = DoubleArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Float containing all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n val result = FloatArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun Collection<Int>.toIntArray(): IntArray {\n val result = IntArray(size)\n var index = 0\n for
(element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Long containing all of the elements of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n val result = LongArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun Collection<Short>.toShortArray(): ShortArray {\n val result = ShortArray(size)\n var index = 0\n for (element in this)\n result[index++] = element\n return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map]
containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n val capacity = mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given collection\n * and value is the element itself.\n * \n * If any two elements would have the same
key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T)

-> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given collection and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>> Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n * Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else iterator().next())\n else -> this.toMutableList()\n }\n }\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this
collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on
each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <T, R> Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being

invoked on each element\n * and its index in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(),
 transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(checkIndexOverflow(index++), element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index: Int, T) -> Sequence<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(checkIndexOverflow(index++), element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original collection, to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on
 each element of original collection, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K,
 List<T>> {\n   return groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>

Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list
of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination:
M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original collection.\n
* \n * @sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform: (T) -> R): List<R> {\n return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result
of the transform applied to the element.\n */\npublic inline fun <T, R : Any> Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n *

Returns a list containing only the non-null results of applying the given [transform] function\n * to each element in the original collection.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R
: Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original collection\n * and appends the results to the given [destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * Among equal elements of the given collection,
only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Iterable<T>.distinct(): List<T> {\n return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the given collection\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given collection with equal keys, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source collection.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n val set = HashSet<K>()\n val list = ArrayList<T>()\n for (e in this) {\n val key = selector(e)\n
if (set.add(key))\n list.add(e)\n }\n return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a new [MutableSet] containing
all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n return when (this) {\n is Collection<T> -> LinkedHashSet(this)\n else -> toCollection(LinkedHashSet<T>())\n }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.addAll(other)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*/\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return true\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n if (this is

Collection) return !isEmpty()\n   return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n   if (this is Collection && isEmpty()) return false\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of elements in this collection.\n */\npublic fun <T> Iterable<T>.count(): Int {\n   if (this is Collection) return size\n   var count = 0\n   for (element in this) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Returns the number of elements in this collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n   if (this is Collection && isEmpty()) return 0\n   var count = 0\n   for (element in this) if (predicate(element)) checkCountOverflow(++count)\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {\n   var accumulator = initial\n   if (!isEmpty()) {\n   val iterator = listIterator(size)\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {\n   var accumulator = initial\n   if (!isEmpty()) {\n   val iterator = listIterator(size)\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.max(): Double? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",

hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Iterable<T>.max(): T? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) -> Double): Double {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOf(selector: (T) -> Float): Float {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Iterable<T>.maxOf(selector: (T) -> R): R {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T) -> Double): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]

function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue =
selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each
element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return
null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v =
selector(iterator.next())\n if (maxValue < v) {\n maxValue = v\n }\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n val iterator
= iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var maxValue =
selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator =
iterator()\n if (!iterator.hasNext()) return null\n var
maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if
(comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun Iterable<Double>.maxOrNull(): Double? {\n val iterator = iterator()\n if
(!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e =
iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun
Iterable<Float>.maxOrNull(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max
= iterator.next()\n while (iterator.hasNext())
{\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest
element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>>
Iterable<T>.maxOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max =
iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n
return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\",
ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n
return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T>
Iterable<T>.maxWithOrNull(comparator:

Comparator<in T>): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var max = iterator.next()\n   while (iterator.hasNext()) {\n   val e = iterator.next()\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Double>.min(): Double? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Iterable<Float>.min(): Float? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun
<T : Comparable<T>> Iterable<T>.min(): T? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n   return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return null\n   var minElem = iterator.next()\n   if (!iterator.hasNext()) return minElem\n   var minValue = selector(minElem)\n   do {\n   val e = iterator.next()\n   val v = selector(e)\n   if (minValue > v) {\n   minElem
= e\n   minValue = v\n   }\n   } while (iterator.hasNext())\n   return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) -> Double): Double {\n   val iterator = iterator()\n   if (!iterator.hasNext()) throw NoSuchElementException()\n   var minValue = selector(iterator.next())\n   while (iterator.hasNext()) {\n   val v = selector(iterator.next())\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) -> Float): Float {\n   val iterator = iterator()\n   if (!iterator.hasNext()) throw NoSuchElementException()\n   var minValue = selector(iterator.next())\n   while (iterator.hasNext()) {\n   val v = selector(iterator.next())\n   minValue = minOf(minValue, v)\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws NoSuchElementException if the collection is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.minOf(selector: (T) -> R): R {\n   val iterator = iterator()\n   if (!iterator.hasNext()) throw NoSuchElementException()\n   var minValue = selector(iterator.next())\n   while (iterator.hasNext()) {\n   val v = selector(iterator.next())\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double?
 {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n
while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n
return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue =
minOf(minValue,
 v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R> Iterable<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator
= iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if
(comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator:
 Comparator<in R>, selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic fun Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if
there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic fun
Iterable<Float>.minOrNull():
 Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T :
Comparable<T>> Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
 var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n
```

}\n   return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest
value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\npublic
fun <T> Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n   val iterator = iterator()\n   if
(!iterator.hasNext()) return null\n   var min = iterator.next()\n   while (iterator.hasNext()) {\n   val e =
iterator.next()\n   if (comparator.compare(min, e) > 0) min = e\n   }\n   return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun
<T> Iterable<T>.none(): Boolean {\n   if (this is Collection) return isEmpty()\n   return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n   if (this is Collection && isEmpty()) return true\n   for
(element
in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each element
and returns the collection itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, C : Iterable<T>>
C.onEach(action: (T) -> Unit): C {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element,\n * and returns the collection itself
afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, C : Iterable<T>>
C.onEachIndexed(action: (index: Int, T) -> Unit): C {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this collection is empty.
If the collection can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n   val iterator = this.iterator()\n
if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n   var
accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(accumulator,
iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original collection.\n * \n * Throws an exception if this collection is empty.
If the collection can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n   val iterator = this.iterator()\n   if
(!iterator.hasNext()) throw UnsupportedOperationException(\"Empty collection can't be reduced.\")\n   var index =
1\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element
with its index in the original collection.\n * \n * Returns `null` if the collection is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Iterable<T>.reduceIndexedOrNull(operation: (index: Int,
acc: S, T) -> S): S? {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) return null\n   var index = 1\n   var
accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator =

operation(checkIndexOverflow(index++), accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n   val iterator = this.iterator()\n   if (!iterator.hasNext()) return null\n   var accumulator: S = iterator.next()\n   while (iterator.hasNext()) {\n   accumulator = operation(accumulator, iterator.next())\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   throw UnsupportedOperationException(\"Empty list can't be reduced.\")\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that takes
the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   return null\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   val index = iterator.previousIndex()\n   accumulator = operation(index, iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n   val iterator = listIterator(size)\n   if (!iterator.hasPrevious())\n   return null\n   var accumulator: S = iterator.previous()\n   while (iterator.hasPrevious()) {\n   accumulator = operation(iterator.previous(), accumulator)\n   }\n   return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n

* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R> Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n val estimatedSize = collectionSizeOrDefault(9)\n if (estimatedSize == 0) return listOf(initial)\n val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }\n var index = 0\n var accumulator = initial\n for (element in this) {\n accumulator = operation(index++, accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n
* to each element, its index in the original collection and current accumulator value that starts with the first element of this collection.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return emptyList()\n var accumulator: S = iterator.next()\n val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }\n var index = 1\n while (iterator.hasNext()) {\n accumulator = operation(index++, accumulator,
iterator.next())\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>

```
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
 its index in the original collection and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the collection.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
 inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns an original collection
```

containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> Iterable<T?>.requireNoNulls(): Iterable<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as Iterable<T>\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any> List<T?>.requireNoNulls(): List<T> {\n for (element in this) {\n if (element == null) {\n throw IllegalArgumentException(\"null element found in $this.\")\n }\n }\n @Suppress(\"UNCHECKED_CAST\")\n return this as List<T>\n}\n\n/**\n * Splits this collection into a list of lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic operator fun <T> Iterable<T>.minus(element: T): List<T> {\n val result = ArrayList<T>(collectionSizeOrDefault(10))\n var removed = false\n return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {\n if (elements.isEmpty()) return this.toList()\n val other = elements.convertToSetForSetOperation()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {\n val other = elements.convertToSetForSetOperationWith(this)\n if (other.isEmpty())\n return this.toList()\n return this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this.toList()\n return this.filterNot {

it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence of the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minusElement(element: T): List<T> {\n   return minus(element)\n}\n\n/**\n * Splits the original collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample samples.collections.Iterables.Operations.partition\n */\npublic inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n   val first = ArrayList<T>()\n   val second = ArrayList<T>()\n   for (element in this) {\n   if (predicate(element)) {\n   first.add(element)\n   } else {\n   second.add(element)\n   }\n   }\n   return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Iterable<T>.plus(element: T): List<T> {\n   if (this is Collection) return this.plus(element)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\npublic operator fun <T> Collection<T>.plus(element: T): List<T> {\n   val result = ArrayList<T>(size + 1)\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n   if (this is Collection) return this.plus(elements)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] array.\n */\npublic operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {\n   val result = ArrayList<T>(this.size + elements.size)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {\n   if (this is Collection) return this.plus(elements)\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n   if (elements is Collection) {\n   val result = ArrayList<T>(this.size + elements.size)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n   } else {\n   val result = ArrayList<T>(this)\n   result.addAll(elements)\n   return result\n   }\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Iterable<T>.plus(elements: Sequence<T>): List<T> {\n   val result = ArrayList<T>()\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T> Collection<T>.plus(elements: Sequence<T>): List<T> {\n   val result = ArrayList<T>(this.size + 10)\n   result.addAll(this)\n   result.addAll(elements)\n   return result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.plusElement(element: T): List<T> {\n   return plus(element)\n}\n\n/**\n * Returns a list containing all elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.plusElement(element: T): List<T> {\n   return plus(element)\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean

= false): List<List<T>> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<List<T>>(resultCapacity)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (windowSize < size && !partialWindows) break\n result.add(List(windowSize) { this[it + index] })\n index += step\n }\n return result\n }\n val result = ArrayList<List<T>>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = false).forEach {\n result.add(it)\n }\n return result\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this collection.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): List<R> {\n checkWindowSizeStep(size, step)\n if (this is RandomAccess && this is List) {\n val thisSize = this.size\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<R>(resultCapacity)\n val window = MovingSubList(this)\n var index = 0\n while (index in 0 until thisSize) {\n val windowSize = size.coerceAtMost(thisSize - index)\n if (!partialWindows && windowSize < size) break\n window.move(index, index + windowSize)\n result.add(transform(window))\n index += step\n }\n return result\n }\n val result = ArrayList<R>()\n windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n result.add(transform(it))\n }\n return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val arraySize = other.size\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in this) {\n if (i >= arraySize) break\n list.add(transform(element, other[i++]))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n val first = iterator()\n val second = other.iterator()\n val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), other.collectionSizeOrDefault(10)))\n while (first.hasNext() && second.hasNext()) {\n list.add(transform(first.next(), second.next()))\n }\n return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two

elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this collection.\n * \n * The returned list is empty if this collection contains less than two elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n   val iterator = iterator()\n   if (!iterator.hasNext()) return emptyList()\n   val result = mutableListOf<R>()\n   var current = iterator.next()\n   while (iterator.hasNext()) {\n   val next = iterator.next()\n   result.add(transform(current, next))\n   current = next\n   }\n   return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Iterable<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A {\n   buffer.append(prefix)\n   var count = 0\n   for (element in this) {\n   if (++count > 1) buffer.append(separator)\n   if (limit < 0 || count <= limit) {\n   buffer.appendElement(element, transform)\n   } else break\n   }\n   if (limit >= 0 && count > limit) buffer.append(truncated)\n   buffer.append(postfix)\n   return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Iterable<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n   return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this collection as an [Iterable].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable(): Iterable<T> {\n   return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning its elements when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromCollection\n */\npublic fun <T> Iterable<T>.asSequence(): Sequence<T> {\n   return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Iterable<Byte>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Iterable<Short>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Iterable<Int>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Iterable<Long>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Iterable<Float>.average(): Double {\n   var sum:

Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the collection.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Iterable<Double>.average(): Double {\n   var sum: Double = 0.0\n   var count: Int = 0\n   for (element in this) {\n   sum += element\n   checkCountOverflow(++count)\n   }\n   return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Iterable<Byte>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Iterable<Short>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Iterable<Int>.sum(): Int {\n   var sum: Int = 0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Iterable<Long>.sum(): Long {\n   var sum: Long = 0L\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Iterable<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Iterable<Double>.sum(): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an empty array otherwise.\n * @sample samples.collections.Arrays.Usage.arrayOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()\n\n/**\n * Returns a *typed* array containing all of the elements of this collection.\n *\n * Allocates an array of runtime type `T` having its size equal to the size of this collection\n * and populates the array with the elements of this collection.\n * @sample samples.collections.Collections.Collections.collectionToTypedArray\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)\n\n@JsName(\"copyToArray\")\n@PublishedApi\ninternal fun <T> copyToArray(collection: Collection<T>): Array<T> {\n   return if (collection.asDynamic().toArray !== undefined)\n   collection.asDynamic().toArray().unsafeCast<Array<T>>()\n   else\n   copyToArrayImpl(collection).unsafeCast<Array<T>>()\n}\n\n@JsName(\"copyToArrayImpl\")\ninternal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n   val array = emptyArray<Any?>()\n   val iterator = collection.iterator()\n   while (iterator.hasNext())\n   array.asDynamic().push(iterator.next())\n   return array\n}\n\n@JsName(\"copyToExistingArrayImpl\")\ninternal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {\n   if (array.size < collection.size)\n   return copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n   val iterator = collection.iterator()\n   var index = 0\n   while (iterator.hasNext()) {\n   array[index++] = iterator.next().unsafeCast<T>()\n   }\n   if (index < array.size) {\n   array[index] = null.unsafeCast<T>()\n   }\n   return array\n}\n\n\n/**\n * Returns an immutable list containing only the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> = arrayListOf(element)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E> {\n   return ArrayList<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit): List<E> {\n   checkBuilderCapacity(capacity)\n   return

ArrayList<E>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E> {\n return LinkedHashSet<E>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal
actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E> {\n return LinkedHashSet<E>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Returns an immutable map, mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>): Map<K, V> = hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n return LinkedHashMap<K, V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\ninternal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>.() -> Unit): Map<K, V> {\n return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n\n/**\n * Fills the list with the provided [value].\n *\n *
Each element in the list gets replaced with the [value].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in 0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n * Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun <T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableList\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort():
Unit {\n collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * @sample samples.collections.Collections.Sorting.sortMutableListWith\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if (list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n return arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@JsName(\"arrayCopy\")\ninternal fun <T> arrayCopy(source:
Array<out T>, destination: Array<in T>, destinationOffset: Int, startIndex: Int, endIndex: Int) {\n AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n val rangeSize = endIndex - startIndex\n AbstractList.checkRangeIndexes(destinationOffset, destinationOffset + rangeSize, destination.size)\n\n if (js(\"ArrayBuffer\").isView(destination) && js(\"ArrayBuffer\").isView(source)) {\n val subrange = source.asDynamic().subarray(startIndex, endIndex)\n destination.asDynamic().set(subrange, destinationOffset)\n } else {\n if (source !== destination || destinationOffset <= startIndex) {\n for (index in 0 until rangeSize) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n } else {\n for (index in rangeSize - 1 downTo 0) {\n destination[destinationOffset + index] = source[startIndex + index]\n }\n }\n }\n}\n\n// no singleton
map implementation in js, return map as is\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<K, V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <K, V> Map<out K,

V>.toSingletonMap(): Map<K, V> = this.toMutableMap()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal actual inline fun <T> Array<out T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n   if (isVarargs)\n   // no need to copy vararg array in JS\n   this\n   else\n this.copyOf()\n\n\n\n@PublishedApi\ninternal actual fun checkIndexOverflow(index: Int): Int {\n   if (index < 0) {\n   throwIndexOverflow()\n   }\n   return index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n   if (count < 0) {\n   throwCountOverflow()\n   }\n   return count\n}\n\n\n/**\n * JS map and set implementations do not make use of capacities or load factors.\n */\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize:
 Int) = expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in Map/Set constructor yet.\n */\n@SinceKotlin(\"1.3\")\n@PublishedApi\ninternal fun checkBuilderCapacity(capacity: Int) {\n   require(capacity >= 0) { \"capacity must be non-negative.\" }\n}\n\ninternal actual fun brittleContainsOptimizationEnabled(): Boolean = false","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for` loop.\n * @sample samples.collections.Iterators.iterator\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Iterator<T>.iterator(): Iterator<T> =
 this\n\n/**\n * Returns an [Iterator] that wraps each element produced by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * @sample samples.collections.Iterators.withIndexIterator\n */\npublic fun <T> Iterator<T>.withIndex(): Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n */\npublic inline fun <T> Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n   for (element in this) operation(element)\n}\n\n/**\n * Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n */\ninternal class IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n   private var index = 0\n   final override fun hasNext(): Boolean = iterator.hasNext()\n   final override fun next(): IndexedValue<T> = IndexedValue(checkIndexOverflow(index++),
 iterator.next())\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double): Double\n\n/**\n * Returns the greater of three values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> maxOf(a: T,

b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the greater of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the greater of three values.\n * \n * If any value is `NaN`, returns
`NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun maxOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first of them.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values according to the order specified by the given [comparator].\n * \n * If values are equal, returns the first one.\n
*/\n@SinceKotlin(\"1.1\")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the greater of the given values.\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>>
maxOf(a: T, vararg other: T): T\n\n/**\n * Returns the greater of the given values.\n
*/\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the greater of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\npublic expect fun maxOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the
greater of the given values according to the order specified by the given [comparator].\n * \n * If there are multiple equal maximal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n   var max = a\n   for (e in other) if (comparator.compare(max, e) < 0) max = e\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float\n\n/**\n * Returns the smaller of two values.\n * \n * If either value is `NaN`, returns `NaN`.\n
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double\n\n/**\n * Returns the smaller of three values.\n * \n * If there are multiple equal minimal values, returns the

first of them.\n */\n@SinceKotlin(\"1.1\")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b:
Byte, c: Byte): Byte\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int\n\n/**\n * Returns the smaller of three values.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float\n\n/**\n * Returns the smaller of three values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c: Double): Double\n\n/**\n * Returns the
smaller of three values according to the order specified by the given [comparator].\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {\n   return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values according to the order specified by the given [comparator].\n * \n * If values are equal, returns the first one.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n   return if (comparator.compare(a, b) <= 0) a else b\n}\n\n/**\n * Returns the smaller of the given values.\n * \n * If there are multiple equal minimal values, returns the first of them.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun <T : Comparable<T>> minOf(a: T, vararg other: T): T\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Byte, vararg other:
Byte): Byte\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Short, vararg other: Short): Short\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Int, vararg other: Int): Int\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Long, vararg other: Long): Long\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Float, vararg other: Float): Float\n\n/**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun minOf(a: Double, vararg other: Double): Double\n\n/**\n * Returns the smaller of the given values according to the order specified by the given [comparator].\n * \n * If there are multiple equal minimal values, returns the first
of them.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> minOf(a: T, vararg other: T, comparator: Comparator<in T>): T {\n   var min = a\n   for (e in other) if (comparator.compare(min, e) > 0) min = e\n   return min\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n *
@sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K, V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n   return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the map was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n *

or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n for (element in this) {\n val result =
transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n *
Returns a [List]
containing all key-value pairs.\n */\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n if (size
== 0)\n return emptyList()\n val iterator = entries.iterator()\n if (!iterator.hasNext())\n return
emptyList()\n val first = iterator.next()\n if (!iterator.hasNext())\n return listOf(first.toPair())\n val result =
ArrayList<Pair<K, V>>(size)\n result.add(first.toPair())\n do {\n result.add(iterator.next().toPair())\n }
while (iterator.hasNext())\n return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of
[transform] function being invoked on each entry of original map.\n * \n * @sample
samples.collections.Maps.Transformations.flatMap\n */\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function
being invoked on each entry of original map.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequence\")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n */\npublic inline fun <K, V, R, C : MutableCollection<in R>>
Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {\n for (element in
this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n *
Appends all elements yielded from results of [transform] function being invoked on each entry of original
map, to the given [destination].\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapSequenceTo\")\npublic inline fun <K, V, R, C :
MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) ->
Sequence<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n */\npublic inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapNotNull\n */\npublic inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends
only the non-null results to the given [destination].\n */\npublic inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n forEach {
element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given
[transform] function to each entry of the original map\n * and appends the results to the given [destination].\n
*/\npublic inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform:
(Map.Entry<K, V>) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return
destination\n}\n\n/**\n
* Returns `true` if all entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n */\npublic inline fun <K, V> Map<out K, V>.all(predicate:

(Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in this) if (!predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <K, V> Map<out K, V>.any(): Boolean {\n   return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return false\n   for (element in this) if (predicate(element)) return true\n   return false\n}\n\n/**\n * Returns the number of entries in this map.\n */\n@kotlin.internal.InlineOnly\npublic
 inline fun <K, V> Map<out K, V>.count(): Int {\n   return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n */\npublic inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n   if (isEmpty()) return 0\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Performs the given [action] on each entry.\n */\n@kotlin.internal.HidesMembers\npublic inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return maxByOrNull(selector)\n}\n\n/**\n
 * Returns the first entry yielding the largest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n   return entries.maxByOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> Double): Double {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns
 the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> Float): Float {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxOf(selector: (Map.Entry<K, V>) -> R):
 R {\n   return entries.maxOf(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n   return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfOrNull(selector)\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V, R> Map<out K, V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n return entries.maxOfWith(comparator, selector)\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K, V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWith(comparator:
Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided [comparator] or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return entries.maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*/\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K, V>.minByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n return entries.minByOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector: (Map.Entry<K, V>) -> Double): Double {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * If any of values produced by [selector] function is `NaN`, the
returned result is `NaN`.\n * \n * @throws NoSuchElementException if the map is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minOf(selector: (Map.Entry<K, V>) -> Float): Float {\n return entries.minOf(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each entry in the map.\n * \n * @throws

NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOf(selector: (Map.Entry<K, V>) -> R): R {\n   return entries.minOf(selector)\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n   return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each entry in the map or `null` if there are no entries.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n   return
entries.minOfOrNull(selector)\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each entry in the map or `null` if
there are no entries.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,
V>.minOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n   return entries.minOfOrNull(selector)\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each entry in the map.\n * \n * @throws NoSuchElementException if the map is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n   return
entries.minOfWith(comparator,
selector)\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each entry in the map or `null` if there are no entries.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,
V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n   return
entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\",
ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince
= \"1.5\", hiddenSince = \"1.6\")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in
Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first
entry having the smallest value according to the provided [comparator]
or `null` if there are no entries.\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
Map<out K, V>.minWithOrNull(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n   return
entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n
return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K,
V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n   if (isEmpty()) return true\n   for (element in
this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each entry and
returns the map itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K, V, M : Map<out K, V>>
M.onEach(action:

(Map.Entry<K, V>) -> Unit): M {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each entry, providing sequential index with the entry,\n * and returns the map itself afterwards.\n * @param [action] function that takes the index of an entry and the entry itself\n * and performs the action on the entry.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <K, V, M : Map<out K, V>> M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {\n return apply { entries.forEachIndexed(action) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n return entries.asSequence()\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 10 mappings totally\ninternal fun Char.titlecaseImpl(): String {\n val uppercase = uppercase()\n if (uppercase.length > 1) {\n return if (this == '\\u0149') uppercase else uppercase[0] + uppercase.substring(1).lowercase()\n }\n return titlecaseChar().toString()\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use lowercaseChar() instead.\", ReplaceWith(\"lowercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char = lowercaseChar()\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.lowercaseChar(): Char = lowercase()[0]\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\u0130'.lowercase()` returns `\"\\u0069\\u0307\"`,\n * where `'\\u0130'` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\u0130`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>()\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use uppercaseChar() instead.\", ReplaceWith(\"uppercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char = uppercaseChar()\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.uppercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Char.uppercaseChar(): Char {\n val uppercase = uppercase()\n return if (uppercase.length > 1) this else uppercase[0]\n}\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be

greater than one.\n * For example, `\\uFB00'.uppercase()` returns `\"\\u0046\\u0046\"`,\n * where `\\uFB00'` is the LATIN SMALL LIGATURE FF character (`\ufb00`).\n * If this character has no upper case mapping, the result of `toString()` of this char is returned.\n *\n * @sample
samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n/**\n
* Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.titlecaseChar(): Char = titlecaseCharImpl()\n\n/**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n */\npublic actual fun Char.isHighSurrogate(): Boolean = this in Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this
character is a Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun Char.isLowSurrogate(): Boolean = this in Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n/**\n * Returns the Unicode general category of this character.\n */\n@SinceKotlin(\"1.5\")\npublic actual val Char.category: CharCategory\n get() = CharCategory.valueOf(getCategoryValue())\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isDefined(): Boolean {\n if (this < '\\u0080') {\n return true\n }\n return getCategoryValue() != CharCategory.UNASSIGNED.value\n}\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER],
[CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *\n * @sample samples.text.Chars.isLetter\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLetter(): Boolean {\n if (this in 'a'..'z' || this in 'A'..'Z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isLetterImpl()\n}\n\n/**\n * Returns `true` if this character is a letter or digit.\n *\n * @see isLetter\n * @see isDigit\n *\n * @sample samples.text.Chars.isLetterOrDigit\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLetterOrDigit(): Boolean {\n if (this in 'a'..'z' || this in 'A'..'Z' || this in '0'..'9') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n\n return isDigitImpl() || isLetterImpl()\n}\n\n/**\n * Returns `true` if this character is a digit.\n *\n * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n * @sample samples.text.Chars.isDigit\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isDigit(): Boolean {\n if (this in '0'..'9') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isDigitImpl()\n}\n\n/**\n * Returns `true` if this character is upper case.\n *\n * A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isUpperCase\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isUpperCase(): Boolean {\n if (this in 'A'..'Z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isUpperCaseImpl()\n}\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has contributory property `Other_Lowercase`
as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isLowerCase\n
*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isLowerCase(): Boolean {\n if (this in 'a'..'z') {\n return true\n }\n if (this < '\\u0080') {\n return false\n }\n return isLowerCaseImpl()\n}\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample samples.text.Chars.isTitleCase\n

*/\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isTitleCase(): Boolean {\n   if (this < '\\u0080') {\n   return false\n   }\n   return getCategoryValue() == CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n * meaning the Char is in the range `'\\u0000'..'\\u001F'` or in the range `'\\u007F'..'\\u009F'`.\n *\n * @sample samples.text.Chars.isISOControl\n */\n@SinceKotlin(\"1.5\")\npublic actual fun Char.isISOControl(): Boolean {\n   return this <= '\\u001F' || this in '\\u007F'..'\\u009F'\n}\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n */\npublic actual fun Char.isWhitespace(): Boolean = isWhitespaceImpl()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters in the specified array to a string.\n */\n@SinceKotlin(\"1.2\")\n@Deprecated(\"Use CharArray.concatToString() instead\", ReplaceWith(\"chars.concatToString()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\")\npublic actual fun String(chars: CharArray): String {\n   var result = \"\"\n   for (char in chars) {\n   result += char\n   }\n   return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars] array bounds.\n */\n@SinceKotlin(\"1.2\")\n@Deprecated(\"Use CharArray.concatToString(startIndex, endIndex) instead\", ReplaceWith(\"chars.concatToString(offset, offset + length)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\")\npublic actual fun String(chars: CharArray, offset: Int, length: Int): String {\n   if (offset < 0 || length < 0 || chars.size - offset < length)\n   throw IndexOutOfBoundsException(\"size: ${chars.size}; offset: $offset; length: $length\")\n   var result = \"\"\n   for (index in offset until offset + length) {\n   result += chars[index]\n   }\n   return result\n}\n\n/**\n * Concatenates characters in this [CharArray] into a String.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun CharArray.concatToString(): String {\n   var result = \"\"\n   for (char in this) {\n   result += char\n   }\n   return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n   var result = \"\"\n   for (index in startIndex until endIndex) {\n   result += this[index]\n   }\n   return result\n}\n\n/**\n * Returns a [CharArray] containing characters of this string.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun String.toCharArray(): CharArray {\n   return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray] containing characters of this string or its substring.\n *\n * @param startIndex the beginning (inclusive) of the substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n   return CharArray(endIndex - startIndex) { get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n *\n * Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun ByteArray.decodeToString(): String {\n   return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array or its subrange.\n *\n * @param startIndex the beginning (inclusive) of the subrange to decode, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to decode, size of this array by default.\n * @param throwOnInvalidSequence
 specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char `\\uFFFD`.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun ByteArray.decodeToString(\n   startIndex: Int = 0,\n   endIndex: Int = this.size,\n   throwOnInvalidSequence: Boolean = false\n): String {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n   return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n *\n *
 Any malformed char sequence is replaced by the replacement byte sequence.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun String.encodeToByteArray(): ByteArray {\n   return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this string or its substring to an array of bytes in UTF-8 encoding.\n *\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\n * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.\n * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic
 actual fun String.encodeToByteArray(\n   startIndex: Int = 0,\n   endIndex: Int = this.length,\n   throwOnInvalidSequence: Boolean = false\n): ByteArray {\n   AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n   return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n */\n@Deprecated(\"Use uppercase() instead.\", ReplaceWith(\"uppercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the
 returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun String.uppercase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the default locale.\n */\n@Deprecated(\"Use lowercase() instead.\", ReplaceWith(\"lowercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String = asDynamic().toLowerCase()\n\n/**\n * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.lowercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli

c
 actual inline fun String.lowercase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int): String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int, endIndex: Int):
 String = asDynamic().substring(startIndex, endIndex)\n\n@Deprecated(\"Use String.plus() instead\", ReplaceWith(\"this + str\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String = asDynamic().concat(str)\n\n@Deprecated(\"Use Regex.findAll() instead or invoke matches() on String dynamically: this.asDynamic().match(regex)\")\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern, replacement)\n\n/**\n * Compares two strings lexicographically, optionally ignoring case differences.\n *\n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()`
 on each character is compared.\n */\n@SinceKotlin(\"1.2\")\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n   if (ignoreCase) {\n   val n1 = this.length\n   val n2 = other.length\n   val min = minOf(n1, n2)\n   if (min == 0) return n1 - n2\n   for (index in 0 until min) {\n   var thisChar = this[index]\n   var otherChar = other[index]\n\n   if (thisChar != otherChar) {\n   thisChar = thisChar.uppercaseChar()\n   otherChar = otherChar.uppercaseChar()\n\n   if (thisChar != otherChar) {\n   thisChar = thisChar.lowercaseChar()\n   otherChar = otherChar.lowercaseChar()\n\n   if (thisChar != otherChar) {\n   return thisChar.compareTo(otherChar)\n   }\n   }\n   }\n   }\n   return n1 - n2\n   } else {\n   return compareTo(other)\n   }\n}\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic actual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean = contentEqualsImpl(other)\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic actual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n   return if (ignoreCase)\n   this.contentEqualsIgnoreCaseImpl(other)\n   else\n   this.contentEqualsImpl(other)\n}\n\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String> { a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin(\"1.2\")\npublic actual val String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n   get() = STRING_CASE_INSENSITIVE_ORDER\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CharsKt\")\n\npackage kotlin.text\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n

* In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample samples.text.Chars.digitToInt\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(): Int {\n return digitOf(this, 10).also {\n if (it < 0) throw IllegalArgumentException(\"Char $this is not a decimal digit\")\n }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36` or if this Char is not a valid digit in the specified [radix].\n *\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\\uFF21' through '\\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\\uFF41' through '\\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample samples.text.Chars.digitToInt\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(radix: Int): Int {\n return digitToIntOrNull(radix) ?: throw IllegalArgumentException(\"Char $this is not a digit in the given radix=$radix\")\n}\n\n/**\n *\n * Returns the numeric value of the decimal digit that this Char represents, or `null` if this Char is not a valid decimal digit.\n *\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n * In this case, the Unicode decimal digit value of the character is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(): Int? {\n return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36`.\n *\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\\uFF21' through '\\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\\uFF41' through '\\uFF5A' and its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n *\n * @sample samples.text.Chars.digitToIntOrNull\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n return digitOf(this, radix).takeIf { it >= 0 }\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n * Throws an exception if this value is not in the range `0..9`.\n *\n * If this value is in `0..9`, the decimal digit Char with code `'0'.code + this` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(): Char {\n if (this in 0..9) {\n return '0' + this\n }\n throw IllegalArgumentException(\"Int $this is not a decimal digit\")\n}\n\n/**\n * Returns the Char that represents this numeric digit value in the specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0 until radix`.\n *\n * If this value is less than `10`, the decimal digit Char with code `'0'.code + this` is returned.\n * Otherwise, the uppercase

Latin letter with code `'A'.code + this - 10` is returned.\n *\n * @sample samples.text.Chars.digitToChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix: Int): Char {\n   if (radix
 !in 2..36) {\n   throw IllegalArgumentException(\"Invalid radix: $radix. Valid radix values are in range 2..36\")\n   }\n   if (this < 0 || this >= radix) {\n   throw IllegalArgumentException(\"Digit $this does not represent a valid digit in radix $radix\")\n   }\n   return if (this < 10) {\n   '0' + this\n   } else {\n   'A' + this - 10\n   }\n}\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use lowercaseChar() instead.\",
ReplaceWith(\"lowercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun Char.toLowerCase(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.lowercase\n
 */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.lowercaseChar(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\u0130'.lowercase()` returns `\"\\u0069\\u0307\"`,\n * where `'\\u0130'` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\ufffd\ufffd`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.lowercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.lowercase(): String\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n */\n@Deprecated(\"Use uppercaseChar() instead.\",
ReplaceWith(\"uppercaseChar()\"))\n@DeprecatedSinceKotlin(warningSince
 = \"1.5\")\npublic expect fun Char.toUpperCase(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.uppercaseChar(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\uFB00'.uppercase()` returns `\"\\u0046\\u0046\"`,\n * where `'\\uFB00'` is the LATIN SMALL LIGATURE FF character (`\ufffd\ufffd\ufffd`).\n * If this character has no upper case mapping,
 the result of `toString()` of this char is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Char.uppercase(): String\n\n/**\n * Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *\n * @sample samples.text.Chars.titlecase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.titlecaseChar(): Char\n\n/**\n * Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be greater than one.\n * For example, `'\\uFB00'.titlecase()` returns `\"\\u0046\\u0066\"`,\n * where `'\\uFB00'`
 is the LATIN SMALL LIGATURE FF character (`\ufffd\ufffd\ufffd`).\n * If this character has no title case mapping, the result of [uppercase] is returned instead.\n *\n * @sample samples.text.Chars.titlecase\n
*/\n@SinceKotlin(\"1.5\")\npublic fun Char.titlecase(): String = titlecaseImpl()\n\n/**\n * Concatenates this Char and a String.\n *\n * @sample samples.text.Chars.plus\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun

Char.plus(other: String): String = this.toString() + other\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n *\n * Two characters are considered equal ignoring case if `Char.uppercaseChar().lowercaseChar()` on each character produces the same result.\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n * @sample samples.text.Chars.equals\n */\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {\n   if (this ==
 other) return true\n   if (!ignoreCase) return false\n\n   val thisUpper = this.uppercaseChar()\n   val otherUpper = other.uppercaseChar()\n\n   return thisUpper == otherUpper || thisUpper.lowercaseChar() == otherUpper.lowercaseChar()\n}\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n */\npublic fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n\n/**\n * Returns the Unicode general category of this character.\n */\n@SinceKotlin(\"1.5\")\npublic expect val Char.category: CharCategory\n\n/**\n * Returns `true` if this character (Unicode code point) is defined in Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isDefined(): Boolean\n\n/**\n * Returns `true` if this character is a letter.\n *\n * A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n * [CharCategory.LOWERCASE_LETTER],
 [CharCategory.TITLECASE_LETTER], [CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *\n * @sample samples.text.Chars.isLetter\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLetter(): Boolean\n\n/**\n * Returns `true` if this character is a letter or digit.\n *\n * @see isLetter\n * @see isDigit\n *\n * @sample samples.text.Chars.isLetterOrDigit\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLetterOrDigit(): Boolean\n\n/**\n * Returns `true` if this character is a digit.\n *\n * A character is considered to be a digit if its [category] is [CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n * @sample samples.text.Chars.isDigit\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isDigit(): Boolean\n\n/**\n * Returns `true` if this character is upper case.\n *\n * A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE_LETTER],\n * or it has contributory property `Other_Uppercase` as defined by the
 Unicode Standard.\n *\n * @sample samples.text.Chars.isUpperCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isUpperCase(): Boolean\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n * or it has contributory property `Other_Lowercase` as defined by the Unicode Standard.\n *\n * @sample samples.text.Chars.isLowerCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isLowerCase(): Boolean\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample samples.text.Chars.isTitleCase\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isTitleCase(): Boolean\n\n/**\n * Returns `true` if this character is an ISO control character.\n *\n * A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL],\n
 * meaning the Char is in the range `'\\u0000'..'\\u001F'` or in the range `'\\u007F'..'\\u009F'`.\n *\n * @sample samples.text.Chars.isISOControl\n */\n@SinceKotlin(\"1.5\")\npublic expect fun Char.isISOControl(): Boolean\n\n/**\n * Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n */\npublic expect fun Char.isWhitespace(): Boolean\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n/**\n * Creates a Char with the specified [code], or throws an exception if the [code] is out of `Char.MIN_VALUE.code..Char.MAX_VALUE.code`.\n *\n * If the program that calls this function is written in a way that only valid [code] is passed as the argument,\n * using the overload
 that takes a [UShort] argument is preferable (`Char(intValue.toUShort())`).\n * That overload doesn't check validity of the argument, and may improve program performance when the function is called routinely inside a loop.\n *\n * @sample samples.text.Chars.charFromCode\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Char(code: Int): Char {\n   if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n
    throw IllegalArgumentException(\"Invalid Char code: $code\")\n   }\n   return code.toChar()\n}\n\n/**\n *
Creates a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"NO_ACTUAL_FOR
_EXPECT\")\npublic expect fun Char(code: UShort): Char\n\n/**\n * Returns the code of this Char.\n *\n * Code of
a Char is the value it was constructed with, and the UTF-16 code unit corresponding to
this Char.\n *\n * @sample samples.text.Chars.code\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Su
ppress(\"DEPRECATION\")\npublic inline val Char.code: Int get() = this.toInt()\n","/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n\npackage
kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns
`true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n */\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n   return indexOf(element)
>= 0\n}\n\n/**\n * Returns
an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T
{\n   return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"Sequence doesn't contain element at
index $index.\") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n   if (index < 0)\n   return
defaultValue(index)\n   val iterator = iterator()\n   var count = 0\n   while (iterator.hasNext()) {\n   val element
= iterator.next()\n   if (index == count++)\n
    return element\n   }\n   return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null`
if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T>
Sequence<T>.elementAtOrNull(index: Int): T? {\n   if (index < 0)\n   return null\n   val iterator = iterator()\n
var count = 0\n   while (iterator.hasNext()) {\n   val element = iterator.next()\n   if (index == count++)\n
    return element\n   }\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the
given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\npublic fun <T> Sequence<T>.first(): T {\n   val iterator = iterator()\n   if (!iterator.hasNext())\n   throw
NoSuchElementException(\"Sequence is empty.\")\n   return iterator.next()\n}\n\n/**\n * Returns the first element
matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n *\n * The
operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n   for
(element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Sequence

```
 contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException(\"No element of the sequence was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order,\n * or `null` if no non-null value was produced.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun <T, R : Any> Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n    for (element in this) {\n        val result = transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain element.\n *\n * The operation
 is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n
    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element.\n *\n * The operation is _terminal_.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.last(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException(\"Sequence is empty.\")\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -> Boolean): T {\n    var last:
 T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n        index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is empty.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n
```

```
    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n        }\n    }\n    return last\n}\n\n/**\n * Returns the single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException(\"Sequence is empty.\")\n    val single = iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException(\"Sequence has more than one element.\")\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Sequence contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Sequence contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.drop(n: Int): Sequence<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return when {\n        n == 0 -> this\n        this is DropTakeSequence -> this.drop(n)\n        else -> DropSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Sequence<T>.dropWhile(predicate: (T) -> Boolean): Sequence<T> {\n    return DropWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, true, predicate)\n}\n\n/**\n * Returns a sequence containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {\n    // TODO: Rewrite with generalized MapFilterIndexingSequence\n    return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The operation is _terminal_.\n
```

```
 * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n return destination\n}\n\n/**\n * Returns a sequence containing all elements that are instances of specified type parameter R.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R> Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n @Suppress(\"UNCHECKED_CAST\")\n    return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a sequence containing all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic fun <T> Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {\n    return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {\n @Suppress(\"UNCHECKED_CAST\")\n    return filterNot { it == null } as Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null`
 to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n */\npublic fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n    for (element in this) if (element != null) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun
 <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return when {\n        n == 0 -> emptySequence()\n        this is DropTakeSequence -> this.take(n)\n        else -> TakeSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic fun <T> Sequence<T>.takeWhile(predicate:
 (T) -> Boolean): Sequence<T> {\n    return TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n return object : Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val sortedList = this@sorted.toMutableList()\n            sortedList.sort()\n            return sortedList.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their
```

order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic fun <T> Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n return object : Sequence<T> {\n override fun iterator(): Iterator<T> {\n val sortedList = this@sortedWith.toMutableList()\n sortedList.sortWith(comparator)\n return sortedList.iterator()\n }\n }\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic inline fun <T, K, V> Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n return associateTo(LinkedHashMap<K, V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K> Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n return associateByTo(LinkedHashMap<K, T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V> Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n return associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by

[keySelector] the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all elements to the given [destination] collection.\n *\n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n/**\n * Returns a [List] containing all elements.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIterable\")\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {\n return FlatteningSequence(this, transform, Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this, transform, Sequence<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample

samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform:
(index: Int, T) -> Iterable<R>): Sequence<R> {\n return flatMapIndexed(this, transform,
Iterable<R>::iterator)\n}\n\n/**\n * Returns a single sequence of all elements yielded from results of [transform]
function being invoked on each element\n * and its index in the original sequence.\n *\n * The operation is
intermediate and _stateless_.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequence\")\npublic fun <T, R>
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {\n return
flatMapIndexed(this, transform, Sequence<R>::iterator)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original sequence, to the given
[destination].\n *\n * The
operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedSequenceTo\")\n@kotlin.internal.InlineOnly\npu
blic
inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Sequence<R>): C {\n var index = 0\n for (element in this) {\n val list =
transform(checkIndexOverflow(index++), element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIterableTo\")\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for
(element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element of original sequence, to the given [destination].\n *\n
* The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n for (element in this) {\n val
list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of
the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is
terminal.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T,
K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The

returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K, M : MutableMap<in K, MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<T>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each element.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T, K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\npublic fun <T, R> Sequence<T>.map(transform: (T) -> R): Sequence<R> {\n return TransformingSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n return TransformingIndexedSequence(this, transform)\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element and its index in the original sequence.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the

results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n * \n * Among equal elements of the given sequence, only the first one will be present in the resulting sequence.\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given sequence.\n * \n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is _terminal_.\n */\npublic fun

<T> Sequence<T>.count(): Int {\n var count = 0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.count(predicate: (T) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Returns the specified [initial] value if the sequence is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.max(): Double? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.max(): Float? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) -> R): T? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxElem = iterator.next()\n if (!iterator.hasNext()) return maxElem\n var maxValue = selector(maxElem)\n do {\n val e = iterator.next()\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n } while (iterator.hasNext())\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) -> Double): Double {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n

```
    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
 maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue,
 v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is
empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n
 * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation
is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =
maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun <T> Sequence<T>.maxOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n
val v = selector(iterator.next())\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the
sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var maxValue = selector(iterator.next())\n
    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (maxValue < v) {\n            maxValue =
v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the sequence.\n * \n *
@throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) throw NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while
```

(iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var maxValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Double>.maxOrNull(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Float>.maxOrNull(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n max = maxOf(max, e)\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Sequence<T>.maxOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Double>.min(): Double? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.1\")\npublic fun Sequence<Float>.min(): Float? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) -> R): T? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minElem = iterator.next()\n if (!iterator.hasNext()) return minElem\n var minValue = selector(minElem)\n do {\n val e = iterator.next()\n

```
    val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) -> Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) -> Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws NoSuchElementException if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic\n    inline fun <T, R : Comparable<R>> Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Double): Double? {\n    val iterator =\n    iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOfOrNull(selector: (T) -> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        minValue\n    = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
```

selector(iterator.next())\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Sequence<T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n val iterator = iterator()\n if (!iterator.hasNext()) throw NoSuchElementException()\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the sequence or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Sequence<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var minValue = selector(iterator.next())\n while (iterator.hasNext()) {\n val v = selector(iterator.next())\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Double>.minOrNull(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun Sequence<Float>.minOrNull(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n min = minOf(min, e)\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T : Comparable<T>> Sequence<T>.minOrNull(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\npublic fun <T> Sequence<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the sequence has no elements.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Sequence<T>.none(): Boolean {\n return !iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the
given [predicate].\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.1\")\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return

map {\n action(it)\n it\n }\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of the original sequence as they pass through it.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@SinceKotlin(\"1.4\")\npublic
fun <T> Sequence<T>.onEachIndexed(action: (index: Int, T) -> Unit): Sequence<T> {\n return mapIndexed { index, element ->\n action(index, element)\n element\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext()) throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n
var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Throws an exception if this sequence is empty. If the sequence can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext())
throw UnsupportedOperationException(\"Empty sequence can't be reduced.\")\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * Returns `null` if the sequence is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S, T : S> Sequence<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n val iterator = this.iterator()\n
if (!iterator.hasNext()) return null\n var index = 1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n val iterator = this.iterator()\n if (!iterator.hasNext()) return null\n var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation]

function that takes current accumulator value and an element, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic fun <T, R> Sequence<T>.runningFold(initial:
R, operation: (acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var accumulator = initial\n for (element in this@runningFold) {\n accumulator = operation(accumulator, element)\n yield(accumulator)\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates
the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic fun <T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return sequence {\n yield(initial)\n var index = 0\n var accumulator = initial\n for (element in this@runningFoldIndexed) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n yield(accumulator)\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n
* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S> Sequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n return sequence {\n val iterator = iterator()\n if (iterator.hasNext()) {\n var accumulator: S = iterator.next()\n yield(accumulator)\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n yield(accumulator)\n }\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that
starts with the first element of this sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic fun <S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n return sequence {\n val iterator = iterator()\n if (iterator.hasNext()) {\n var accumulator: S = iterator.next()\n yield(accumulator)\n var index = 1\n while (iterator.hasNext()) {\n accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
yield(accumulator)\n }\n }\n }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value and an element,

and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R> Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the sequence.\n *\n * The operation is _terminal_.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T : Any> Sequence<T?>.requireNoNulls(): Sequence<T> {\n return map { it ?: throw IllegalArgumentException(\"null element found in $this.\") }\n}\n\n/**\n * Splits this sequence into a sequence of lists each not exceeding the given [size].\n * \n * The last list in the resulting sequence may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each list.\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n var removed = false\n return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.\n * \n * Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {\n if (elements.isEmpty()) return this\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.\n * \n * Note that the source sequence and the collection being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n *\n * The operation is _intermediate_ and _stateful_.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other =

elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n * \n * The operation is _intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {\n return object: Sequence<T> {\n override fun iterator(): Iterator<T> {\n val other = elements.convertToSetForSetOperation()\n if (other.isEmpty())\n return this@minus.iterator()\n else\n return this@minus.filterNot { it in other }.iterator()\n }\n }\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {\n return minus(element)\n}\n\n/**\n * Splits the original sequence into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Sequences.Transformations.partition\n */\npublic inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second = ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {\n return sequenceOf(this, sequenceOf(element)).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.\n * \n * Note that the source sequence and the array being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {\n return this.plus(elements.asList())\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.\n * \n * Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {\n return sequenceOf(this, elements.asSequence()).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.\n * \n * Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {\n return sequenceOf(this, elements).flatten()\n}\n\n/**\n * Returns a sequence containing all elements of the original sequence and then the given [element].\n *\n * The operation is _intermediate_ and _stateless_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the

number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default
1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and
stateless.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n
* The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n *\n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n return sequence result@ {\n val iterator = iterator()\n if (!iterator.hasNext()) return@result\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n
yield(transform(current, next))\n current = next\n }\n }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): A

{\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1) buffer.append(separator)\n if (limit < 0 || count <= limit)\n {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n *\n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T> Sequence<T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T> Sequence<T>.asIterable(): Iterable<T> {\n return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T> {\n return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfByte\")\npublic fun Sequence<Byte>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfShort\")\npublic fun Sequence<Short>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfInt\")\npublic fun Sequence<Int>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfLong\")\npublic fun Sequence<Long>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfFloat\")\npublic fun Sequence<Float>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"averageOfDouble\")\npublic fun Sequence<Double>.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n checkCountOverflow(++count)\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfByte\")\npublic fun Sequence<Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfShort\")\npublic fun Sequence<Short>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfInt\")\npublic fun Sequence<Int>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfLong\")\npublic fun Sequence<Long>.sum(): Long {\n var sum: Long = 0L\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in

the sequence.\n
 *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfFloat\")\npublic fun Sequence<Float>.sum(): Float {\n   var sum: Float = 0.0f\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfDouble\")\npublic fun Sequence<Double>.sum(): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SetsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.minus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size))\n   var removed = false\n   return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n
 * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Array<out T>): Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Iterable<T>):
 Set<T> {\n   val other = elements.convertToSetForSetOperationWith(this)\n   if (other.isEmpty())\n   return this.toSet()\n   if (other is Set)\n   return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(other)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T> Set<T>.minus(elements: Sequence<T>):
 Set<T> {\n   val result = LinkedHashSet<T>(this)\n   result.removeAll(elements)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n   return minus(element)\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(element: T): Set<T> {\n   val result = LinkedHashSet<T>(mapCapacity(size + 1))\n   result.addAll(this)\n   result.add(element)\n   return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] array,\n * which aren't already in this set.\n * \n * The returned set preserves

the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Array<out T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] collection,\n * which aren't already in this set.\n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and the given [elements] sequence,\n * which aren't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\npublic operator fun <T> Set<T>.plus(elements: Sequence<T>): Set<T> {\n val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n result.addAll(this)\n result.addAll(elements)\n return result\n}\n\n/**\n * Returns a set containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the element iteration order of the original set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n return plus(element)\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic expect fun CharSequence.elementAt(index: Int): Char\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.findLast(predicate: (Char) -> Boolean): Char? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first character.\n * @throws [NoSuchElementException] if the char sequence is empty.\n */\npublic fun CharSequence.first(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate].\n * @throws [NoSuchElementException] if no such character is found.\n */\npublic inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOf(transform: (Char) -> R?): R {\n return firstNotNullOfOrNull(transform) ?: throw

NoSuchElementException(\"No element of the char sequence was transformed to a non-null value.\")\n}\n\n/**\n * Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any> CharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/**\n * Returns the first character, or `null` if the char sequence is empty.\n */\npublic fun CharSequence.firstOrNull(): Char? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first character matching the given [predicate], or `null` if character was not found.\n */\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/**\n * Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n */\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n */\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last character.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return this[lastIndex]\n}\n\n/**\n * Returns the last character matching the given [predicate].\n * \n * @throws NoSuchElementException if no such character is found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n}\n\n/**\n * Returns the last character, or `null` if the char sequence is empty.\n * \n * @sample samples.text.Strings.last\n */\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/**\n * Returns the last character matching the given [predicate], or `null` if no such character was found.\n * \n * @sample samples.text.Strings.last\n */\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun CharSequence.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException(\"Char sequence is empty.\")\n return get(random.nextInt(length))\n}\n\n/**\n * Returns a random character from this char sequence, or `null` if this char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified source of

```
 randomness, or `null` if this char sequence is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharSequence.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(length))\n}\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException(\"Char sequence is empty.\")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException(\"Char sequence has more than one element.\")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element))
 {\n            if (found) throw IllegalArgumentException(\"Char sequence contains more than one matching
element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw
NoSuchElementException(\"Char sequence contains no character matching the predicate.\")\n
@Suppress(\"UNCHECKED_CAST\")\n    return single as Char\n}\n\n/**\n * Returns single character, or `null` if
the char sequence is empty or has more than one character.\n */\npublic fun CharSequence.singleOrNull(): Char?
{\n    return if (length == 1) this[0] else null\n}\n\n/**\n * Returns the single character matching the given
[predicate], or `null` if character was not found or more than one character was found.\n */\npublic inline fun
CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n    var single: Char? = null\n    var found =
false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
 = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns a
subsequence of this char sequence with the first [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than zero.\"
}\n    return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n    require(n >= 0) { \"Requested character
count $n is less than zero.\" }\n    return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n
 * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int): CharSequence {\n
require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n    require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return
 \"\"\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given
[predicate].\n * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate:
(Char) -> Boolean): String {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
substring(0, index + 1)\n    return \"\"\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return \"\"\n}\n\n/**\n
* Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate:
```

(Char) -> Boolean): String {\n for (index in this.indices)\n if (!predicate(this[index]))\n return substring(index)\n return \"\"\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n return filterTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun String.filter(predicate: (Char) -> Boolean): String {\n return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that match the given [predicate].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n return filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean): String {\n return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the
index of a character and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n return filterNotTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n return filterNotTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.append(element)\n return destination\n}\n\n/**\n * Appends all characters matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable> CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n for (index in 0 until length) {\n val element = get(index)\n if (predicate(element)) destination.append(element)\n }\n return destination\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at the specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n if (indices.isEmpty()) return \"\"\n return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n if (indices.isEmpty()) return \"\"\n return substring(indices)\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices: Iterable<Int>): CharSequence {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return \"\"\n val result = StringBuilder(size)\n for (i in indices) {\n result.append(get(i))\n }\n return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n */\n@kotlin.internal.InlineOnly\npublic
inline fun String.slice(indices: Iterable<Int>): String {\n return (this as CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the

first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.take(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   return substring(0, n.coerceAtMost(length))\n}\n\n/**\n
 * Returns a subsequence of this char sequence containing the last [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun CharSequence.takeLast(n: Int): CharSequence {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   val length = length\n   return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.takeLast(n: Int): String {\n   require(n >= 0) { \"Requested character count $n is less than zero.\" }\n   val length = length\n   return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence
 of this char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean): CharSequence {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return subSequence(index + 1, length)\n   }\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Returns a string containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n   for (index in lastIndex downTo 0) {\n   if (!predicate(this[index])) {\n   return substring(index + 1)\n   }\n   }\n   return this\n}\n\n/**\n * Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun CharSequence.takeWhile(predicate:
 (Char) -> Boolean): CharSequence {\n   for (index in 0 until length)\n   if (!predicate(get(index))) {\n   return subSequence(0, index)\n   }\n   return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\npublic inline fun String.takeWhile(predicate: (Char) -> Boolean): String {\n   for (index in 0 until length)\n   if (!predicate(get(index))) {\n   return substring(0, index)\n   }\n   return this\n}\n\n/**\n * Returns a char sequence with characters in reversed order.\n */\npublic fun CharSequence.reversed(): CharSequence {\n   return StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n   return (this as CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value
 pairs provided by [transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\npublic inline fun <K, V> CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n   val capacity = mapCapacity(length).coerceAtLeast(16)\n   return associateTo(LinkedHashMap<K, V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\npublic inline
 fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n   val capacity = mapCapacity(length).coerceAtLeast(16)\n   return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.\n * \n * If any two characters would have

the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateByWithValueTransform\n */\npublic inline fun <K, V> CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n val capacity = mapCapacity(length).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each character of the given char sequence\n * and value is the character itself.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByTo\n */\npublic inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to characters of the given char sequence.\n * \n * If any two characters would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateByToWithValueTransform\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each character of the given char sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample samples.text.Strings.associateTo\n */\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Returns a [Map] where keys are characters from the given char sequence and values are\n * produced by the [valueSelector] function applied to each character.\n * \n * If any two characters are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateWith\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V> CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n val result = LinkedHashMap<Char, V>(mapCapacity(length.coerceAtMost(128)).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,\n * where key is the character itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two characters are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.text.Strings.associateWithTo\n */\n@SinceKotlin(\"1.3\")\npublic inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Appends all characters to the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>> CharSequence.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n/**\n * Returns a new [HashSet] of all characters.\n */\npublic fun CharSequence.toHashSet(): HashSet<Char> {\n return toCollection(HashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n}\n\n/**\n * Returns a [List] containing all characters.\n */\npublic fun CharSequence.toList(): List<Char> {\n return when (length) {\n 0 -> emptyList()\n 1 -> listOf(this[0])\n else -> this.toMutableList()\n }\n}\n\n/**\n * Returns a new [MutableList] filled with all characters of this char sequence.\n */\npublic fun CharSequence.toMutableList(): MutableList<Char> {\n return toCollection(ArrayList<Char>(length))\n}\n\n/**\n * Returns a [Set] of all characters.\n * \n * The returned set preserves the element iteration order of the original char sequence.\n */\npublic fun CharSequence.toSet(): Set<Char> {\n return when (length) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->

toCollection(LinkedHashSet<Char>(mapCapacity(length.coerceAtMost(128))))\n   }\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n   return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each character\n
 * and its index in the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterable\")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character\n * and its index in the original char sequence, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"flatMapIndexedIterableTo\")\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform:
 (index: Int, Char) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each character of original char sequence, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n   for (element in this) {\n   val list = transform(element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Groups characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n
 * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n   return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V> CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n   return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups characters of the
 original char sequence by the key returned by the given [keySelector] function\n * applied to each character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<Char>() }\n   list.add(element)\n   }\n   return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
 map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M,

keySelector: (Char) -> K, valueTransform: (Char) -> V): M {\n   for (element in this) {\n   val key = keySelector(element)\n   val list = destination.getOrPut(key) { ArrayList<V>() }\n   list.add(valueTransform(element))\n   }\n   return destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <K> CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n   return object : Grouping<Char, K> {\n   override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n   override fun keyOf(element: Char): K = keySelector(element)\n   }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R): List<R> {\n   return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character and its index in the original char sequence.\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n   return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n   forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character and its index in the original char sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of a character and the character itself\n * and returns the result of the transform applied to the character.\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n * @sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n   return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each character in the original char sequence\n * and appends only the non-null results to the given [destination].\n */\npublic inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n   forEach { element -> transform(element)?.let { destination.add(it) } }\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each character of the original char sequence\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n   for (item in this)\n   destination.add(transform(item))\n   return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each character of the original char sequence\n * into an [IndexedValue] containing the index of that character and the character itself.\n */\npublic fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n   return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun

CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if char sequence has at least one character.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one character matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the length of this char sequence.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.count(): Int {\n return length\n}\n\n/**\n * Returns the number of characters matching the given [predicate].\n */\npublic inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation]\n from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator
value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Returns the specified [initial] value if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n
--index\n }\n return accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.max(): Char? {\n return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) -> R): Char? {\n return maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R :

```
Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue = selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v) {\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character
 in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic
 inline fun CharSequence.maxOf(selector: (Char) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.maxOf(selector: (Char) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector: (Char) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there
 are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.maxOfOrNull(selector: (Char) -> R): R? {\n    if
 (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
```

function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.maxOrNull(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val
e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.maxWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.min():
Char? {\n return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {\n return minByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the smallest value of the given function or `null` if there are no characters.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R : Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If any of values produced

by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOf(selector: (Char) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOfOrNull(selector: (Char) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> CharSequence.minOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator: Comparator<in R>, selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n *

Returns the smallest character or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.minOrNull(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the smallest value according to the provided [comparator] or `null` if there are no characters.\n */\n@SinceKotlin(\"1.4\")\npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself afterwards.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S {\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n * @param [action] function that takes the index of a character and the character itself\n * and performs the action on the character.\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index: Int, Char) -> Unit): S {\n return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character with its index in the original char sequence.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator value and the character itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun

CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes current accumulator value and a character,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty char sequence can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character with its index in the original char sequence and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left\n * to each character and current accumulator value.\n * \n * Returns `null` if the char sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should

not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes
current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply { add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\npublic inline fun CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply { add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character and current accumulator value that starts with
[initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each character, its index in the original char sequence and current accumulator value that

starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <R> CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character
in the char sequence.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic inline fun CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfDouble\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfInt\")\n@kotlin.internal.InlineOnly\npublic
inline fun CharSequence.sumOf(selector: (Char) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char sequence.\n */\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return
sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n * The last string in the resulting list may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun

CharSequence.chunked(size: Int): List<String> {\n return windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.chunkedSequence(size: Int): Sequence<String> {\n return chunkedSequence(size) { it.toString() }\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return sequence of results of the [transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {\n return windowedSequence(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n */\npublic inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n */\npublic inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {\n val first = StringBuilder()\n val second = StringBuilder()\n for (element in this) {\n if (predicate(element)) {\n first.append(element)\n } else {\n second.append(element)\n }\n }\n return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {\n return windowed(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a list of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char

sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and
can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {\n checkWindowSizeStep(size, step)\n val thisSize = this.length\n val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n val result = ArrayList<R>(resultCapacity)\n var index = 0\n while (index in 0 until thisSize) {\n val end = index + size\n val coercedEnd = if (end < 0 || end > thisSize) { if (partialWindows)
thisSize else break } else end\n result.add(transform(subSequence(index, coercedEnd)))\n index += step\n }\n return result\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where each\n * snapshot is a string.\n * \n * Several last strings may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.windowedSequence(size: Int,
step: Int = 1, partialWindows: Boolean = false): Sequence<String> {\n return windowedSequence(size, step, partialWindows) { it.toString() }\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each char sequence representing a view over the window of the given [size]\n * sliding along this char sequence with the given [step].\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last char sequences may have fewer characters than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether
or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin(\"1.2\")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {\n checkWindowSizeStep(size, step)\n val windows = (if (partialWindows) indices else 0 until length - size + 1) step step\n return windows.asSequence().map { index ->\n val end = index + size\n val coercedEnd = if (end < 0 || end > length) length else end\n transform(subSequence(index, coercedEnd))\n }\n}\n\n/**\n * Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zip\n */\npublic infix fun CharSequence.zip(other: CharSequence):
List<Pair<Char, Char>> {\n return zip(other) { c1, c2 -> c1 to c2 }\n}\n\n/**\n * Returns a list of values built from the characters of `this` and the [other] char sequences with the same index\n * using the provided [transform] function applied to each pair of characters.\n * The returned list has length of the shortest char sequence.\n * \n * @sample samples.text.Strings.zipWithTransform\n */\npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {\n val length = minOf(this.length, other.length)\n val list = ArrayList<V>(length)\n for (i in 0 until length) {\n list.add(transform(this[i], other[i]))\n }\n

return list\n}\n\n/**\n * Returns a list of pairs of each two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin(\"1.2\")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {\n   return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to an each pair of two adjacent characters in this char sequence.\n * \n * The returned list is empty if this char sequence contains less than two characters.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin(\"1.2\")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {\n   val size = length - 1\n   if (size < 1) return emptyList()\n   val result = ArrayList<R>(size)\n   for (index in 0 until size) {\n   result.add(transform(this[index], this[index + 1]))\n   }\n   return result\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asIterable(): Iterable<Char> {\n   if (this is String && isEmpty()) return emptyList()\n   return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.\n */\npublic fun CharSequence.asSequence(): Sequence<Char> {\n   if (this is String && isEmpty()) return emptySequence()\n   return Sequence { this.iterator() }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\nimport kotlin.contracts.contract\nimport kotlin.jvm.JvmName\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the default locale.\n */\n@Deprecated(\"Use uppercase() instead.\", ReplaceWith(\"uppercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.toUpperCase(): String\n\n/**\n * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.uppercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun String.uppercase(): String\n\n/**\n * Returns a copy of this string converted to lower case using the rules of the default locale.\n */\n@Deprecated(\"Use lowercase() instead.\", ReplaceWith(\"lowercase()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.toLowerCase(): String\n\n/**\n * Returns a copy of this string converted to lower case using Unicode mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n * @sample samples.text.Strings.lowercase\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun String.lowercase(): String\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n *\n * The title case of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with the special title case form depends on the underlying platform.\n *\n * @sample samples.text.Strings.capitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.capitalize(): String\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { it.lowercase() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic expect fun String.decapitalize(): String\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters matching the [predicate]

removed.\n */\npublic inline fun CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n var startIndex = 0\n var endIndex = length - 1\n var startFound = false\n\n while (startIndex <= endIndex) {\n val index = if (!startFound) startIndex else endIndex\n val match = predicate(this[index])\n\n if (!startFound) {\n if (!match)\n startFound = true\n else\n startIndex += 1\n } else {\n if (!match)\n break\n else\n endIndex -= 1\n }\n }\n\n return subSequence(startIndex, endIndex + 1)\n}\n\n/**\n * Returns a string having leading and trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trim(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trim(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices)\n if (!predicate(this[index]))\n return subSequence(index, length)\n\n return \"\"\n}\n\n/**\n * Returns a string having leading characters matching the [predicate] removed.\n */\npublic inline fun String.trimStart(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimStart(predicate).toString()\n\n/**\n
* Returns a sub sequence of this char sequence having trailing characters matching the [predicate] removed.\n */\npublic inline fun CharSequence.trimEnd(predicate: (Char) -> Boolean): CharSequence {\n for (index in this.indices.reversed())\n if (!predicate(this[index]))\n return subSequence(0, index + 1)\n\n return \"\"\n}\n\n/**\n * Returns a string having trailing characters matching the [predicate] removed.\n */\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n (this as CharSequence).trimEnd(predicate).toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trim(vararg chars: Char): CharSequence = trim { it in chars }\n\n/**\n * Returns a string having leading and trailing characters from the [chars] array removed.\n */\npublic fun String.trim(vararg chars: Char): String = trim { it in chars }\n\n/**\n * Returns a sub
sequence of this char sequence having leading characters from the [chars] array removed.\n */\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars }\n\n/**\n * Returns a string having leading characters from the [chars] array removed.\n */\npublic fun String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having trailing characters from the [chars] array removed.\n */\npublic fun CharSequence.trimEnd(vararg chars: Char): CharSequence = trimEnd { it in chars }\n\n/**\n * Returns a string having trailing characters from the [chars] array removed.\n */\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n/**\n * Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n */\npublic fun CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\n/**\n * Returns a string having leading and trailing whitespace
removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as CharSequence).trim().toString()\n\n/**\n * Returns a sub sequence of this char sequence having leading whitespace removed.\n */\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\n/**\n * Returns a string having leading whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\n/**\n * Returns a sub sequence of this char sequence having trailing whitespace removed.\n */\npublic fun CharSequence.trimEnd(): CharSequence = trimEnd(Char::isWhitespace)\n\n/**\n * Returns a string having trailing whitespace removed.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as CharSequence).trimEnd().toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the beginning\n * to the specified [length] with the specified
character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw

IllegalArgumentException(\"Desired length $length is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n   val sb = StringBuilder(length)\n   for (i in 1..(length - this.length))\n sb.append(padChar)\n   sb.append(this)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n   if (length < 0)\n   throw IllegalArgumentException(\"Desired length $length is less than zero.\")\n   if (length <= this.length)\n   return this.subSequence(0, this.length)\n\n   val sb = StringBuilder(length)\n   sb.append(this)\n   for (i in 1..(length - this.length))\n   sb.append(padChar)\n   return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n   (this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @sample samples.text.Strings.stringIsNullOrEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrEmpty != null)\n   }\n\n   return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @sample samples.text.Strings.stringIsEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @sample samples.text.Strings.stringIsNotEmpty\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNotBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsNullOrBlank\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n   contract {\n   returns(false) implies (this@isNullOrBlank != null)\n   }\n\n   return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n */\npublic operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n   private var index = 0\n\n   public override fun nextChar(): Char = get(index++)\n\n   public override fun hasNext(): Boolean = index < length\n}\n\n/** Returns the string if it is not `null`, or the empty string otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun String?.orEmpty(): String = this ?: \"\"\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n   if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling

[defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfBlank\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isBlank()) defaultValue()
else this\n\n/**\n * Returns the range of valid character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n get() = 0..length - 1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val CharSequence.lastIndex: Int\n get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n return index in 0..length - 2\n && this[index].isHighSurrogate()\n && this[index + 1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n */\npublic fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)\n\n/**\n * Returns a subsequence of this char sequence.\n *\n * This extension is chosen only for invocation with old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\") // false warning\n@Deprecated(\"Use parameters named startIndex and endIndex.\", ReplaceWith(\"subSequence(startIndex = start, endIndex = end)\"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].\n *\n * @param startIndex the start index (inclusive).\n * @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of

[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)\n}\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range\n * is replaced with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character
after the replacement to keep in the string.\n */\npublic fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n val sb = StringBuilder()\n sb.appendRange(this, 0, startIndex)\n sb.append(replacement)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/**\n * Replaces the part of the string at the given range with the [replacement] char sequence.\n * @param startIndex the index of the first character to be replaced.\n * @param endIndex the index of the first character after the replacement to keep in the string.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(startIndex, endIndex, replacement).toString()\n\n/**\n * Returns a char sequence
with content of this char sequence where its part at the given [range]\n * is replaced with the [replacement] char sequence.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\npublic fun CharSequence.replaceRange(range: IntRange, replacement: CharSequence): CharSequence =\n replaceRange(range.start, range.endInclusive + 1, replacement)\n\n/**\n * Replace the part of string at the given [range] with the [replacement] string.\n *\n * The end index of the [range] is included in the part to be replaced.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceRange(range: IntRange, replacement: CharSequence): String =\n (this as CharSequence).replaceRange(range, replacement).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given range is removed.\n *\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed
part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\npublic fun CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {\n if (endIndex < startIndex)\n throw IndexOutOfBoundsException(\"End index ($endIndex) is less than start index ($startIndex).\")\n\n if (endIndex == startIndex)\n return this.subSequence(0, length)\n\n val sb = StringBuilder(length - (endIndex - startIndex))\n sb.appendRange(this, 0, startIndex)\n sb.appendRange(this, endIndex, length)\n return sb\n}\n\n/**\n * Removes the part of a string at a given range.\n * @param startIndex the index of the first character to be removed.\n * @param endIndex the index of the first character after the removed part to keep in the string.\n *\n * [endIndex] is not included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(startIndex: Int, endIndex: Int): String =\n (this as CharSequence).removeRange(startIndex, endIndex).toString()\n\n/**\n * Returns a char sequence with content of this char sequence where its part at the given [range] is removed.\n *\n * The end index of the [range] is included in the removed part.\n */\npublic fun CharSequence.removeRange(range: IntRange): CharSequence = removeRange(range.start, range.endInclusive + 1)\n\n/**\n * Removes the part of a string at the given [range].\n *\n * The end index of the [range] is included in the removed part.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.removeRange(range: IntRange): String =\n (this as CharSequence).removeRange(range).toString()\n\n/**\n * If this char sequence starts with the given [prefix], returns a new char sequence\n * with the prefix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {\n if (startsWith(prefix)) {\n return subSequence(prefix.length, length)\n }\n return

subSequence(0, length)\n}\n\n/**\n * If this string starts with the given [prefix], returns a copy of this string\n * with the prefix removed. Otherwise, returns this string.\n */\npublic fun String.removePrefix(prefix: CharSequence): String {\n if (startsWith(prefix)) {\n return substring(prefix.length)\n }\n return this\n}\n\n/**\n * If this char sequence ends with the given [suffix], returns a new char sequence\n * with the suffix removed. Otherwise, returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n if (endsWith(suffix)) {\n return subSequence(0, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if (endsWith(suffix)) {\n return
substring(0, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n/**\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) &&
endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue]
which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults

to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the given [replacement].\n *\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression\n * with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String =\n regex.replace(this, transform)\n\n/**\n * Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n *\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns a copy of this string having its first character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n *\n * @param transform function that takes the first character and returns the result of the transform applied to the character.\n *\n * @sample samples.text.Strings.replaceFirstChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName(\"replaceFirstCharWithChar\")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> Char): String {\n return if (isNotEmpty()) transform(this[0]) + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first character replaced with the result of the specified [transform],\n * or the original string if it's empty.\n *\n * @param transform function that takes the first character and returns the result of the transform applied to the character.\n *\n * @sample samples.text.Strings.replaceFirstChar\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@JvmName(\"replaceFirstCharWithCharSequence\")\n@kotlin.internal.InlineOnly\npublic inline fun String.replaceFirstChar(transform: (Char) -> CharSequence): String {\n return if (isNotEmpty()) transform(this[0]).toString() + substring(1) else

this\n}\n\n\n/**\n
 * Returns `true` if this char sequence matches the given regular expression.\n
*/\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n * Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n */\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {\n   if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length)) {\n   return false\n   }\n\n   for (index in 0 until length) {\n   if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n   return false\n   }\n   return true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\npublic fun CharSequence.startsWith(char:
 Char, ignoreCase: Boolean = false): Boolean =\n   this.length > 0 && this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n */\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n   this.length > 0 && this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n   if (!ignoreCase && this is String && prefix is String)\n   return this.startsWith(prefix)\n   else\n   return regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\npublic fun CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n
 if (!ignoreCase && this is String && prefix is String)\n   return this.startsWith(prefix, startIndex)\n   else\n   return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char sequence ends with the specified suffix.\n */\npublic fun CharSequence.endsWith(suffix: CharSequence, ignoreCase: Boolean = false): Boolean {\n   if (!ignoreCase && this is String && suffix is String)\n   return this.endsWith(suffix)\n   else\n   return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common prefix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n
 */\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n   val shortestLength = minOf(this.length, other.length)\n\n   var i = 0\n   while (i < shortestLength && this[i].equals(other[i], ignoreCase = ignoreCase)) {\n   i++\n   }\n   if (this.hasSurrogatePairAt(i - 1) || other.hasSurrogatePairAt(i - 1)) {\n   i--\n   }\n   return subSequence(0, i).toString()\n}\n\n/**\n * Returns the longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n   val thisLength = this.length\n
    val otherLength = other.length\n   val shortestLength = minOf(thisLength, otherLength)\n\n   var i = 0\n   while (i < shortestLength && this[thisLength - i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n   i++\n   }\n   if (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n   i--\n   }\n   return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the index of the first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n   if

(!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return nativeIndexOf(char, startIndex)\n }\n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n return -1\n}\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n *\n */\npublic fun CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase:
Boolean = false): Int {\n if (!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return nativeLastIndexOf(char, startIndex)\n }\n\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n\n return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int, ignoreCase: Boolean, last: Boolean = false): Int {\n val indices = if (!last)\n startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n else\n startIndex.coerceAtMost(lastIndex) downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n for (index in indices) {\n if (other.regionMatches(0, this, index, other.length, ignoreCase))\n return index\n }\n } else {\n for (index in indices) {\n if (other.regionMatchesImpl(0, this, index, other.length, ignoreCase))\n return index\n }\n }\n return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int, ignoreCase:
Boolean, last: Boolean): Pair<Int, String>? {\n if (!ignoreCase && strings.size == 1) {\n val string = strings.single()\n val index = if (!last) indexOf(string, startIndex) else lastIndexOf(string, startIndex)\n return if (index < 0) null else index to string\n }\n\n val indices = if (!last) startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n if (this is String) {\n for (index in indices) {\n val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n } else {\n for (index in indices) {\n val matchingString
= strings.firstOrNull { it.regionMatchesImpl(0, this, index, it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n }\n\n return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex:
Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings:
Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n findAnyOf(strings, startIndex, ignoreCase, last = true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the

case.\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.\n *\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int =\n findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n// indexOf\n\n/**\n * Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the first occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the first occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of [string] or `-1` if none is found.\n * @sample samples.text.Strings.indexOf\n */\npublic fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, length, ignoreCase)\n else\n nativeIndexOf(string, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified character,\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of the last occurrence of [char] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)\n else\n nativeLastIndexOf(char, startIndex)\n}\n\n/**\n * Returns the index within this char sequence of the last occurrence of the specified [string],\n * starting from the specified [startIndex].\n *\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the last occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n return if (ignoreCase || this !is String)\n indexOf(string, startIndex, 0, ignoreCase, last = true)\n else\n nativeLastIndexOf(string, startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as a substring.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n if (other is String)\n indexOf(other, ignoreCase = ignoreCase) >= 0\n else\n indexOf(other, 0, length, ignoreCase) >= 0\n\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n *\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n

```
*/\n@Suppress(\"INAPPLICABLE_OPERATOR_MODIFIER\")\npublic operator fun CharSequence.contains(char: Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n/**\n * Returns `true` if this char sequence contains at least one match of the specified regular expression [regex].\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean = regex.containsMatchIn(this)\n\n\n//
 rangesDelimitedBy\n\n\nprivate class DelimitedRangesSequence(\n    private val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch: CharSequence.(currentIndex: Int) -> Pair<Int, Int>?\n) : Sequence<IntRange> {\n\n    override fun iterator(): Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int = currentStartIndex\n
 var nextItem: IntRange? = null\n        var counter: Int = 0\n\n        private fun calcNext() {\n            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem = currentStartIndex..input.lastIndex\n                    nextSearchIndex
 = -1\n                } else {\n                    val match = input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem = currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n
    } else {\n                        val (index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex = index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n                }\n                nextState = 1\n            }\n        }\n\n        override fun next(): IntRange {\n            if (nextState == -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val result = nextItem as IntRange\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n
        nextState = -1\n            return result\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0):
 Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n    })\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param startIndex The index to start searching delimiters from.\n *  No range having its start value less than [startIndex] is returned.\n *  [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method
 proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    requireNonNegativeLimit(limit)\n    val delimitersList = delimiters.asList()\n\n    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length } })\n\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n    require(limit >= 0) { \"Limit must be non-negative, but was $limit\" }\n\n\n// split\n\n/**\n * Splits this char sequence to a sequence of strings around
```

occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n   rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more strings to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this instance at that position.\n */\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n   if (delimiters.size == 1) {\n   val delimiter = delimiters[0]\n   if (!delimiter.isEmpty()) {\n   return split(delimiter, ignoreCase, limit)\n   }\n   }\n\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character
case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =\n   rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n   if (delimiters.size == 1) {\n   return split(delimiters[0].toString(), ignoreCase, limit)\n   }\n\n   return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map
{ substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n */\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n   requireNonNegativeLimit(limit)\n\n   var currentOffset = 0\n   var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n   if (nextIndex == -1 || limit == 1) {\n   return listOf(this.toString())\n   }\n\n   val isLimited = limit > 0\n   val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n   do {\n   result.add(substring(currentOffset, nextIndex))\n   currentOffset
= nextIndex + delimiter.length\n   // Do not search for next occurrence if we're reaching limit\n   if (isLimited && result.size == limit - 1) break\n   nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n   } while (nextIndex != -1)\n\n   result.add(substring(currentOffset, length))\n   return result\n}\n\n/**\n * Splits this char sequence to a list of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> = regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n * @sample samples.text.Strings.splitToSequence\n

```
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =
regex.splitToSequence(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the
following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line
separators.\n */\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence(\"\\r\\n\", \"\\n\",
\"\\r\")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n/**\n * Returns `true` if the contents of this char
sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain
 the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n
*/\n@SinceKotlin(\"1.5\")\npublic expect infix fun CharSequence?.contentEquals(other: CharSequence?):
Boolean\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified
[other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when
comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n */\n@SinceKotlin(\"1.5\")\npublic
expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n\ninternal fun
CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is
String) {\n        return this.equals(other, ignoreCase = true)\n    }\n\n    if (this === other) return true\n    if (this ==
null || other == null || this.length != other.length) return false\n\n    for (i in 0 until length) {\n
  if (!this[i].equals(other[i], ignoreCase = true)) {\n            return false\n        }\n    }\n\n    return true\n}\n\ninternal
fun CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String)
{\n        return this == other\n    }\n\n    if (this === other) return true\n    if (this == null || other == null || this.length
!= other.length) return false\n\n    for (i in 0 until length) {\n        if (this[i] != other[i]) {\n            return false\n
}\n    }\n\n    return true\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", `false`
if it is equal to \"false\",\n * and throws an exception otherwise.\n *\n * There is also a lenient version of the
function available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n *
@sample samples.text.Strings.toBooleanStrict\n */\n@SinceKotlin(\"1.5\")\npublic fun String.toBooleanStrict():
Boolean = when (this)
 {\n    \"true\" -> true\n    \"false\" -> false\n    else -> throw IllegalArgumentException(\"The string doesn't represent
a boolean value: $this\")\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", `false`
if it is equal to \"false\",\n * and `null` otherwise.\n *\n * There is also a lenient version of the function available on
nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n * @sample
samples.text.Strings.toBooleanStrictOrNull\n */\n@SinceKotlin(\"1.5\")\npublic fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    \"true\" -> true\n    \"false\" -> false\n    else ->
null\n}","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
 value class UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n
public constructor(size: Int) : this(ByteArray(size))\n\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public
operator fun get(index: Int): UByte = storage[index].toUByte()\n\n    /**\n     * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n
   */\n    public operator fun set(index: Int, value: UByte) {\n        storage[index] = value.toByte()\n    }\n\n    /**
Returns the number of elements in the array. */\n    public override val size: Int get() = storage.size\n\n    /** Creates
```

an iterator over the elements of the array. */\n   public override operator fun iterator(): kotlin.collections.Iterator<UByte> = Iterator(storage)\n\n   @Suppress(\"DEPRECATION_ERROR\")\n   private class Iterator(private val array: ByteArray) : UByteIterator() {\n   private var index = 0\n   override fun hasNext() = index < array.size\n   override fun nextUByte() = if (index < array.size) array[index++].toUByte() else throw NoSuchElementException(index.toString())\n   }\n\n   override fun contains(element: UByte): Boolean {\n   // TODO: Eliminate this check after KT-30016 gets fixed.\n   // Currently JS BE does not generate special bridge method for this method.\n   @Suppress(\"USELESS_CAST\")\n   if ((element as Any?) !is UByte) return false\n\n   return storage.contains(element.toByte())\n   }\n\n   override fun containsAll(elements: Collection<UByte>): Boolean {\n   return (elements as Collection<*>).all { it is UByte && storage.contains(it.toByte()) }\n   }\n\n   override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n   return UByteArray(ByteArray(size) { index -> init(index).toByte() })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class UIntArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) : Collection<UInt> {\n\n   /** Creates a new array of the specified [size], with all elements initialized to zero. */\n   public constructor(size: Int) : this(IntArray(size))\n\n   /**\n   * Returns the array element at the given [index]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun get(index: Int): UInt = storage[index].toUInt()\n\n   /**\n   * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n   *\n   * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n   * where the behavior is unspecified.\n   */\n   public operator fun set(index: Int, value: UInt) {\n   storage[index] = value.toInt()\n   }\n\n   /** Returns the number of elements in the array. */\n   public override val size: Int get() = storage.size\n\n   /** Creates an iterator over the elements of the array. */\n   public override operator fun iterator(): kotlin.collections.Iterator<UInt> = Iterator(storage)\n\n   @Suppress(\"DEPRECATION_ERROR\")\n   private class Iterator(private val array: IntArray) : UIntIterator() {\n   private var index = 0\n   override fun hasNext() = index < array.size\n   override fun nextUInt() = if (index < array.size) array[index++].toUInt() else throw NoSuchElementException(index.toString())\n   }\n\n   override fun contains(element: UInt): Boolean {\n   // TODO: Eliminate this check after KT-30016 gets fixed.\n   // Currently JS BE does not generate special bridge method for this method.\n   @Suppress(\"USELESS_CAST\")\n   if ((element as Any?) !is UInt) return false\n\n   return storage.contains(element.toInt())\n   }\n\n   override fun containsAll(elements: Collection<UInt>): Boolean {\n   return (elements as Collection<*>).all { it is UInt && storage.contains(it.toInt()) }\n   }\n\n   override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n   return UIntArray(IntArray(size) { index -> init(index).toInt()

})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun uintArrayOf(vararg elements: UInt): UIntArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class ULongArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size:
Int) : this(LongArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n
public override operator fun iterator(): kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n @Suppress(\"DEPRECATION_ERROR\")\n private class Iterator(private val array: LongArray) : ULongIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextULong() = if (index < array.size) array[index++].toULong() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: ULong): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return false\n\n return storage.contains(element.toLong())\n }\n\n override fun containsAll(elements: Collection<ULong>): Boolean {\n return (elements as Collection<*>).all { it is ULong && storage.contains(it.toLong()) }\n }\n\n override fun
isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n return ULongArray(LongArray(size) { index -> init(index).toLong()
})\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ulongArrayOf(vararg elements: ULong): ULongArray = elements\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file.
DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. */\n public constructor(size: Int) : this(ShortArray(size))\n\n /**\n * Returns the array element at the given [index]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun get(index: Int): UShort = storage[index].toUShort()\n\n /**\n * Sets the element at the given [index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of bounds of this array, throws an [IndexOutOfBoundsException]

except in Kotlin/JS\n * where the behavior is unspecified.\n */\n public operator fun set(index: Int, value: UShort) {\n storage[index] = value.toShort()\n }\n\n /** Returns the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an iterator over the elements of the array. */\n public override operator fun iterator(): kotlin.collections.Iterator<UShort> = Iterator(storage)\n\n @Suppress(\"DEPRECATION_ERROR\")\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n override fun nextUShort() = if (index < array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UShort): Boolean {\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge method for this method.\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return false\n\n return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements: Collection<UShort>): Boolean {\n return (elements as Collection<*>).all { it is UShort && storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n * It should return the value for an array element given its index.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n return UShortArray(ShortArray(size) { index -> init(index).toShort() })\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ushortArrayOf(vararg elements: UShort): UShortArray = elements\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UArraysKt\")\n@file:kotlin.jvm.JvmPackageName(\"kotlin.collections.unsigned\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component1(): UInt {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component1(): ULong {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component1(): UByte {\n return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component1(): UShort {\n return get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component2(): UInt {\n return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the

behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component2(): ULong {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element*
 from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component2(): UByte {\n   return get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component2(): UShort {\n   return get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
 operator fun UIntArray.component3(): UInt {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component3(): ULong {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component3(): UByte {\n   return get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline operator fun UShortArray.component3(): UShort {\n   return get(2)\n}\n\n/**\n * Returns 4th *element*
 from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component4(): UInt {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component4(): ULong {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws
 an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component4(): UByte {\n   return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component4(): UShort {\n   return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.component5(): UInt {\n   return get(4)\n}\n\n/**\n * Returns
 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n   return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UShortArray.component5(): UShort {\n   return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect
fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds
of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this
array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element

at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrNull(index: Int): ULong? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrNull(index: Int): UByte? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrNull(index: Int): UShort? {\n   return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching
the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n   return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.findLast(predicate:
(ULong) -> Boolean): ULong? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n   return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun UIntArray.first(): UInt {\n   return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(): ULong {\n   return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.first(): UByte {\n   return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(): UShort {\n   return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no
such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n   for (element in this) if (predicate(element)) return element\n   throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun ULongArray.firstOrNull(): ULong? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n   return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n   for (element in this) if (predicate(element)) return element\n   return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n   for (element in this) if (predicate(element)) return
 element\n   return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this
 array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n   return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n   return if (index
 >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int): ULong? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UShortArray.getOrNull(index: Int): UShort? {\n   return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOf(element: UInt): Int {\n   return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOf(element: ULong): Int {\n   return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOf(element: UByte): Int {\n   return storage.indexOf(element.toByte())\n}\n\n/**\n *

Returns first index of [element], or -1 if the array does not contain element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOf(element: UShort): Int {\n   return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toULong()) }\n}\n\n/**\n *
Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfFirst { predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n
    return storage.indexOfLast { predicate(it.toUInt()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n   return storage.indexOfLast { predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(): UInt {\n   return storage.last().toUInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(): ULong {\n   return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.last(): UByte {\n   return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n *
\n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n   return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching

the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.last(predicate: (ULong) -> Boolean): ULong {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastIndexOf(element: UInt): Int {\n return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastIndexOf(element: ULong): Int {\n return storage.lastIndexOf(element.toLong())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastIndexOf(element: UByte): Int {\n return storage.lastIndexOf(element.toByte())\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastIndexOf(element: UShort): Int {\n return storage.lastIndexOf(element.toShort())\n}\n\n/**\n * Returns
the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.lastOrNull(): UShort? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n for (index in this.indices.reversed())
{\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n for (index in this.indices.reversed())
{\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.random(): UInt {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.random(): ULong {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.random(): UByte {\n return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.random(): UShort {\n return random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random): ULong {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n
* Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random): UByte {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random): UShort {\n if (isEmpty())\n throw NoSuchElementException(\"Array is empty.\")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort?
{\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(): UInt {\n return storage.single().toUInt()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(): UShort {\n return storage.single().toUShort()\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n

```
    var single: UInt? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as ULong\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UByte\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n    var single: UShort? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException(\"Array contains more than one matching element.\")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException(\"Array contains no element matching the predicate.\")\n    @Suppress(\"UNCHECKED_CAST\")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n    return if (size == 1) this[0]\n    else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.singleOrNull(): UByte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n    var single: ULong? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
```

= element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n var single: UByte? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n var single: UShort? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single = element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n
* Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return takeLast((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException
if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int): List<ULong> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
fun UByteArray.dropLast(n: Int): List<UByte> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample

samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n require(n >= 0) { \"Requested element count $n is less than zero.\" }\n return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean):
List<UInt> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return take(index
+ 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements
that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n for (index in lastIndex downTo 0)
{\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate:
(UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return take(index + 1)\n }\n }\n return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo
0) {\n if (!predicate(this[index])) {\n return take(index + 1)\n }\n }\n return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n var yielding = false\n val list =
ArrayList<UInt>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n
list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n var yielding = false\n val list =
ArrayList<ULong>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except
first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n var yielding = false\n val list =
ArrayList<UByte>()\n for (item in this)\n if (yielding)\n list.add(item)\n else if (!predicate(item))
{\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n var yielding = false\n val list =
ArrayList<UShort>()\n for (item in this)\n

if (yielding)\n list.add(item)\n else if (!predicate(item)) {\n list.add(item)\n yielding = true\n }\n return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n return filterTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n return filterTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n return filterTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n return filterTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n return filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n return filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation\n on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n return filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n return filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n forEachIndexed { index, element ->\n if (predicate(index, element)) destination.add(element)\n }\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *

@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) -> Boolean): C {\n   forEachIndexed { index, element ->\n   if (predicate(index, element)) destination.add(element)\n   }\n   return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n   return filterNotTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n   return filterNotTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n   return filterNotTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n   return filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n   for (element in this) if (!predicate(element)) destination.add(element)\n   return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C : MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange): List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange): List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange): List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange): List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>): List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list = ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>): List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size ==

0) return emptyList()\n   val list = ArrayList<ULong>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>): List<UByte> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UByte>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>): List<UShort> {\n   val size = indices.collectionSizeOrDefault(10)\n   if (size == 0) return emptyList()\n   val list = ArrayList<UShort>(size)\n   for (index in indices) {\n   list.add(get(index))\n   }\n   return list\n}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n
    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange): UIntArray {\n   return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange): ULongArray {\n   return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange): UByteArray {\n   return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n   return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<UInt>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun ULongArray.take(n: Int): List<ULong> {\n   require(n >= 0) { \"Requested element count $n is less than zero.\" }\n   if (n == 0) return emptyList()\n   if (n >= size) return toList()\n   if (n == 1) return listOf(this[0])\n   var count = 0\n   val list = ArrayList<ULong>(n)\n   for (item in this) {\n   list.add(item)\n   if (++count == n)\n   break\n   }\n   return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws

```
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n
    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
 fun UIntArray.takeLast(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\"
}\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n
list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<ULong>(n)\n    for (index in size - n
 until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>
 {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return
```

toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n }\n }\n return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n val list = ArrayList<UInt>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n val list = ArrayList<ULong>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n val list = ArrayList<UByte>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n val list = ArrayList<UShort>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n }\n return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(): Unit {\n storage.reverse()\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is

less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.reversed(): List<UInt> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.reversed(): List<ULong> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.reversed(): List<UByte> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.reversed(): List<UShort> {\n if (isEmpty()) return emptyList()\n val list = toMutableList()\n list.reverse()\n return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reversedArray(): UIntArray {\n return UIntArray(storage.reversedArray())\n}\n\n/**\n * Returns an array
with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reversedArray(): ULongArray {\n return ULongArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reversedArray(): UByteArray {\n return UByteArray(storage.reversedArray())\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reversedArray(): UShortArray {\n return UShortArray(storage.reversedArray())\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles
elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(): Unit {\n shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(): Unit {\n

shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.\n * \n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random): Unit {\n for (i in lastIndex downTo 1) {\n val j = random.nextInt(i + 1)\n val copy = this[i]\n this[i] = this[j]\n this[j] = copy\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n if (size > 1) {\n sort()\n reverse()\n }\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted(): List<UInt> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted(): List<ULong> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n if (isEmpty()) return this\n return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic

fun ULongArray.sortedArray(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending(): UIntArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending(): ULongArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending(): UByteArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending(): UShortArray {\n   if (isEmpty()) return this\n   return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedDescending(): List<ULong> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending(): List<UByte> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedDescending(): List<UShort> {\n   return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.asByteArray(): ByteArray {\n   return storage\n}\n\n/**\n * Returns an array of type [IntArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.asIntArray(): IntArray {\n   return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList(): List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList(): List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList(): List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList(): List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is a signed reinterpretation\n
* of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.asLongArray(): LongArray {\n return storage\n}\n\n/**\n * Returns an array of type [ShortArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.asShortArray(): ShortArray {\n return storage\n}\n\n/**\n * Returns an array of type [UByteArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.asUByteArray(): UByteArray {\n return UByteArray(this)\n}\n\n/**\n * Returns an array of type [UIntArray], which is a view of this array where
each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.asUIntArray(): UIntArray {\n return UIntArray(this)\n}\n\n/**\n * Returns an array of type [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.asULongArray(): ULongArray {\n return ULongArray(this)\n}\n\n/**\n * Returns an array of type [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.asUShortArray(): UShortArray {\n return UShortArray(this)\n}\n\n/**\n * Returns `true`
if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.contentEquals(other: UIntArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.contentEquals(other: ULongArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain
the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other: UByteArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.contentEquals(other: UShortArray): Boolean {\n return this.contentEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic
infix fun UIntArray?.contentEquals(other: UIntArray?): Boolean {\n return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally*

equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray?.contentEquals(other: ULongArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray?.contentEquals(other: UByteArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray?.contentEquals(other: UShortArray?): Boolean {\n   return this?.storage.contentEquals(other?.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode(): Int {\n   return this.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentHashCode(): Int {\n   return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentHashCode(): Int {\n return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentHashCode(): Int {\n   return this?.storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n   return this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n   return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
 if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation
warning.\")\n@SinceKotlin(\"1.3\")\n@DeprecatedSinceKotlin(hiddenSince =
\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n   return
this.contentToString()\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray?.contentToString(): String {\n
return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray?.contentToString(): String
 {\n   return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the
contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray?.contentToString(): String {\n
 return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray?.contentToString(): String {\n
  return this?.joinToString(\", \", \"[\", \"]\") ?: \"null\"\n}\n\n/**\n * Copies this array or its subrange into the
[destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with
 the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position
in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to
copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n
* \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
 size): UIntArray {\n   storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n   return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified
 [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n   storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n   return

destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): UByteArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even
specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyInto(destination: UShortArray, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): UShortArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(): UIntArray {\n return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(): ULongArray {\n return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.copyOf(): UByteArray {\n return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOf\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(): UShortArray {\n return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOf(newSize:
Int): UIntArray {\n return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero

values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOf(newSize: Int): ULongArray {\n   return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOf(newSize: Int): UByteArray {\n   return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOf(newSize: Int): UShortArray {\n   return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n   return UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n   return ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n   return UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n   return UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws

IndexOutOfBoundsException if [fromIndex] is less than zero
or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n
* Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less
than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort, fromIndex: Int = 0, toIndex: Int = size): Unit {\n storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() = storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage + element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage + element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage +

element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage + element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n return ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic operator fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result = storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return UShortArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {\n return UIntArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {\n return ULongArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {\n return UByteArray(storage + elements.storage)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {\n return UShortArray(storage + elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArray(this, fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n sort(fromIndex, toIndex)\n reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements

of the array in the specified range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n   sort(fromIndex, toIndex)\n   reverse(fromIndex, toIndex)\n}\n\n/**\n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.toByteArray(): ByteArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.toIntArray(): IntArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.toLongArray(): LongArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.toShortArray(): ShortArray {\n   return storage.copyOf()\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.toTypedArray(): Array<UInt> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.toTypedArray(): Array<ULong> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.toTypedArray(): Array<UByte> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n   return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n   return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n   return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n   return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n   return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n   return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type

[ULongArray], which is a copy of this array where
each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.toULongArray(): ULongArray {\n return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray(): UShortArray {\n return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.toUShortArray(): UShortArray {\n return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values
are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n val result = LinkedHashMap<UInt, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n val result = LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n val result = LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {\n val result = LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any
two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n *

where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMapIndexed(transform: (index: Int, UInt)

-> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n   return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element\n * and its index in the original array, to the given [destination].\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) -> Iterable<R>): C {\n   var index = 0\n   for (element in this) {\n   val list = transform(index++, element)\n   destination.addAll(list)\n   }\n   return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n for (element in this) {\n val list = transform(element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n return groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n return groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n return groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the

original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):

M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M : MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K, valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K, valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K, valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K, valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

UIntArray.map(transform: (UInt) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.map(transform: (ULong) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.map(transform: (UByte) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.map(transform: (UShort) -> R): List<R> {\n   return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n   return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and\n the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n   var index = 0\n   for (item in this)\n   destination.add(transform(index++, item))\n   return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n *

@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun <R, C : MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends the results to the given [destination].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.mapTo(destination:
C, transform: (UShort) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex(): Iterable<IndexedValue<UInt>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex(): Iterable<IndexedValue<ULong>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex(): Iterable<IndexedValue<UByte>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex(): Iterable<IndexedValue<UShort>> {\n return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.all(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.all(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns
 `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.count(predicate: (UInt)
 -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.count(predicate: (ULong) -> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
```

inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.count(predicate: (UShort)
 -> Boolean): Int {\n   var count = 0\n   for (element in this) if (predicate(element)) ++count\n   return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n
 * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n   var accumulator = initial\n
    for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n   var accumulator = initial\n   for (element in this) accumulator = operation(accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial]
 value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n   var index = 0\n   var accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n
  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an

element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n var index = 0\n var accumulator = initial\n

for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator = operation(index++, accumulator, element)\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n

* to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun <R> ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n

}\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the

array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n var index = lastIndex\n

var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.foldRightIndexed(initial: R, operation:
(index: Int, UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEach(action: (UInt) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEach(action: (ULong) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEach(action: (UByte) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEach(action: (UShort) -> Unit): Unit {\n   for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit {\n   var index
= 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n   var index = 0\n   for (item in this) action(index++, item)\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max(): UByte? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxOrNull instead.\", ReplaceWith(\"this.maxOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? {\n   return maxOrNull()\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n   return maxByOrNull(selector)\n}\n\n@Deprecated(\"Use maxByOrNull instead.\", ReplaceWith(\"this.maxByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n   return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n   if (isEmpty()) return null\n   var maxElem = this[0]\n   val lastIndex = this.lastIndex\n   if (lastIndex == 0) return maxElem\n   var maxValue = selector(maxElem)\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   val v = selector(e)\n   if (maxValue < v) {\n   maxElem = e\n   maxValue = v\n   }\n   }\n   return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var maxElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.maxOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n
for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic

inline fun <R : Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOfOrNull(selector: (ULong) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOfOrNull(selector: (UByte) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOfOrNull(selector: (UShort) -> Double): Double? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue =

maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOfOrNull(selector: (UInt) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOfOrNull(selector: (ULong) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOfOrNull(selector: (UByte) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOfOrNull(selector: (UShort) -> Float): Float? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   maxValue = maxOf(maxValue, v)\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxOfOrNull(selector: (UInt) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxOfOrNull(selector: (ULong) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n   maxValue = v\n   }\n   }\n   return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxOfOrNull(selector: (UByte) -> R): R? {\n   if (isEmpty()) return null\n   var maxValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (maxValue < v) {\n

```
        maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxOfOrNull(selector: (UShort) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxOrNull(): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxOrNull(): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxOrNull(): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n return maxWithOrNull(comparator)\n}\n\n@Deprecated(\"Use maxWithOrNull instead.\", ReplaceWith(\"this.maxWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator: Comparator<in UInt>): UInt? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWithOrNull(comparator: Comparator<in ULong>): ULong? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator: Comparator<in UByte>): UByte? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator: Comparator<in UShort>): UShort? {\n   if (isEmpty()) return null\n   var max = this[0]\n   for (i in 1..lastIndex) {\n   val e = this[i]\n   if (comparator.compare(max, e) < 0) max = e\n   }\n   return max\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min(): ULong? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min(): UByte? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minOrNull instead.\", ReplaceWith(\"this.minOrNull()\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min(): UShort? {\n   return minOrNull()\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n   return minByOrNull(selector)\n}\n\n@Deprecated(\"Use minByOrNull instead.\", ReplaceWith(\"this.minByOrNull(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n   return

minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null`
if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minByOrNull(selector:
(ULong) -> R): ULong? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n
val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector]
function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOf(selector: (UByte) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOf(selector: (UShort) -> Double): Double {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :

Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException
if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOf(selector: (UByte)
-> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOfOrNull(selector: (UInt) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.minOfOrNull(selector: (ULong) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOfOrNull(selector: (UByte) -> Double): Double? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all

values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOfOrNull(selector: (UShort) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOfOrNull(selector: (UInt) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOfOrNull(selector: (ULong) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOfOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n if (isEmpty())

return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element
 in the array or `null` if there are no elements.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n   if (isEmpty()) return null\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (minValue > v) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the
 provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n   if (isEmpty()) throw NoSuchElementException()\n   var minValue = selector(this[0])\n   for (i in 1..lastIndex) {\n   val v = selector(this[i])\n   if (comparator.compare(minValue, v) > 0) {\n   minValue = v\n   }\n   }\n   return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values

produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minOrNull(): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun

```
ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n    return minWithOrNull(comparator)\n}\n\n@Deprecated(\"Use minWithOrNull instead.\", ReplaceWith(\"this.minWithOrNull(comparator)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWithOrNull(comparator: Comparator<in UInt>): UInt? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWithOrNull(comparator: Comparator<in ULong>): ULong? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWithOrNull(comparator: Comparator<in UByte>): UByte? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having
 the smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWithOrNull(comparator: Comparator<in UShort>): UShort? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns
 `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n
 * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
```

samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.none(predicate:
 (UShort) -> Boolean): Boolean {\n   for (element in this) if (predicate(element)) return false\n   return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.onEach(action: (ULong) -> Unit): ULongArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.onEach(action: (UByte) -> Unit): UByteArray
 {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.onEach(action: (UShort) -> Unit): UShortArray {\n   return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.onEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n
 * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.onEachIndexed(action: (index: Int, ULong) -> Unit): ULongArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.onEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
 element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.onEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {\n   return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n

*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element.\n * \n * Throws an exception if this array is empty. If the array can be empty
in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes current accumulator value and an element,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation:
(acc: UShort, UShort) -> UShort): UShort {\n if (isEmpty())\n throw
UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {\n if (isEmpty())\n
throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n

```
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element,
 current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n        throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and
 calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UByteArray.reduceIndexedOrNull(operation:
(index: Int, acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) -> UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected

way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n

}\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws
an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n   var index = lastIndex\n   if (index < 0) throw UnsupportedOperationException(\"Empty array can't be reduced.\")\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n
    --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt? {\n   var index = lastIndex\n   if (index < 0) return null\n   var accumulator = get(index--)\n   while (index >= 0) {\n   accumulator = operation(index, get(index), accumulator)\n   --index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting
with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes
an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte): UByte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value

starting with the last element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (element in this) {\n

accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and\n calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note
that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to
right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element,

and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<UInt>(size).apply { add(accumulator) }\n for
(index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n
}\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<ULong>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n
}\n return result\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n *
to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<UByte>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<UShort>(size).apply { add(accumulator) }\n
for (index in 1 until size)
{\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original array and current accumulator value that starts with the first
element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n if (isEmpty())
return

emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UInt>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<ULong>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UByte>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n   if (isEmpty()) return emptyList()\n   var accumulator = this[0]\n   val result = ArrayList<UShort>(size).apply { add(accumulator) }\n   for (index in 1 until size) {\n   accumulator = operation(index, accumulator, this[index])\n   result.add(accumulator)\n   }\n   return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n   return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator

value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R,
UShort) -> R): List<R> {\n return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated
by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:

R, UByte) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n   return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\n@Deprecated(\"Use sumOf instead.\", ReplaceWith(\"this.sumOf(selector)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n   var sum: Double = 0.0\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return
 sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfDouble\ ")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> Double): Double {\n   var sum: Double = 0.toDouble()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
 inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n @ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Int): Int {\n   var sum: Int = 0.toInt()\n   for (element in this) {\n   sum += selector(element)\n   }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfInt\")\n

@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element
in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.4\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfLong\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.sumOf(selector: (UByte) -> UInt): UInt {\n var sum: UInt = 0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.\n

*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfUInt\")\
n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inline
Only\npublic inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {\n var sum: UInt =
0.toUInt()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the
sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic
inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {\n var sum: ULong = 0.toULong()\n for
(element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns
the sum of all values
produced by [selector] function applied to each element in the array.\n
*/\n@SinceKotlin(\"1.5\")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@Suppress(\"INAPPLICABLE_JVM_NAME\")\n@kotlin.jvm.JvmName(\"sumOfULong\
")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.Inli
neOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n var sum: ULong =
0.toULong()\n for (element in this) {\n sum += selector(element)\n }\n return sum\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n return zip(other) { t1, t2 ->
t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n
* The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:

Array<out R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n
 * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Iterable<R>): List<Pair<UInt, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other: Iterable<R>): List<Pair<ULong, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Iterable<R>): List<Pair<UByte, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other: Iterable<R>): List<Pair<UShort, R>> {\n   return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and

the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UByteArray.zip(other: Iterable<R>,
transform: (a: UByte, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V> UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in
other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns
a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort, UShort>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]

function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n   val size = minOf(size, other.size)\n   val list = ArrayList<V>(size)\n   for (i in 0 until size) {\n   list.add(transform(this[i], other[i]))\n   }\n   return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UShort>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.sum(): UInt {\n   return storage.sum().toUInt()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.sum(): ULong {\n   return storage.sum().toULong()\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.sum(): UInt {\n   return sumOf { it.toUInt() }\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

UShortArray.sum(): UInt {\n   return sumOf { it.toUInt() }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
 by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UCollectionsKt\")\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an array of UByte containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UByte>.toUByteArray(): UByteArray {\n   val result = UByteArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this collection.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UInt>.toUIntArray(): UIntArray {\n   val result = UIntArray(size)\n
    var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<ULong>.toULongArray(): ULongArray {\n   val result = ULongArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this collection.\n
*/\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Collection<UShort>.toUShortArray(): UShortArray {\n   val result = UShortArray(size)\n   var index = 0\n   for (element in this)\n   result[index++] = element\n   return result\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UInt>.sum():
 UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<ULong>.sum(): ULong {\n   var sum: ULong = 0uL\n   for (element in this) {\n
    sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UByte>.sum(): UInt {\n   var sum: UInt = 0u\n   for (element in this) {\n
sum += element\n   }\n   return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*/\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Iterable<UShort>.sum(): UInt {\n
 var sum: UInt = 0u\n   for (element in this) {\n   sum += element\n   }\n   return sum\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"UComparisonsKt\")\n\npackage kotlin.comparisons\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b: UInt): UInt {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong, b: ULong): ULong {\n   return
 if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte, b: UByte): UByte {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort, b: UShort): UShort {\n   return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n   return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UInt, vararg other: UInt): UInt {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong): ULong {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the
given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, vararg other: UByte): UByte {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the greater of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, vararg other: UShort): UShort {\n   var max = a\n   for (e in other) max = maxOf(max, e)\n   return max\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UInt, b: UInt): UInt {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong, b: ULong): ULong {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun minOf(a: UByte, b: UByte): UByte {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UShort, b: UShort): UShort {\n   return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte,
c: UByte): UByte {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n   return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, vararg other: UInt): UInt {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong): ULong {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte,

vararg other: UByte): UByte {\n   var min = a\n   for (e
 in other) min = minOf(min, e)\n   return min\n}\n\n/**\n * Returns the smaller of the given values.\n
*/\n@SinceKotlin(\"1.4\")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, vararg other: UShort):
UShort {\n   var min = a\n   for (e in other) min = minOf(min, e)\n   return min\n}\n\n","/*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"URangesKt\")\n\npackage
kotlin.ranges\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic
 inline fun UIntRange.random(): UInt {\n   return random(Random)\n}\n\n/**\n * Returns a random element from
this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun ULongRange.random(): ULong {\n   return random(Random)\n}\n\n/**\n * Returns a random
element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if
this range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntRange.random(random: Random): UInt {\n   try {\n   return random.nextUInt(this)\n   } catch(e:
IllegalArgumentException) {\n   throw NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness.\n * \n * @throws
IllegalArgumentException if this range
 is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongRange.random(random: Random): ULong {\n   try {\n   return random.nextULong(this)\n   } catch(e:
IllegalArgumentException) {\n   throw NoSuchElementException(e.message)\n   }\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull():
UInt? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull():
ULong? {\n   return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the
specified
 source of randomness, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n   if
(isEmpty())\n   return null\n   return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness, or `null` if this range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n   if
(isEmpty())\n   return null\n   return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun UIntRange.contains(element: UInt?): Boolean
 {\n   return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n   return element != null &&

contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UByte): Boolean {\n   return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
operator fun ULongRange.contains(value: UInt): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: ULong): Boolean {\n   return (value shr UInt.SIZE_BITS) == 0uL &&
contains(value.toUInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
UIntRange.contains(value: UShort): Boolean {\n   return contains(value.toUInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n   return contains(value.toULong())\n}\n\n/**\n * Returns a
progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.downTo(to: UByte): UIntProgression {\n   return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value
the returned progression is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UInt.downTo(to: UInt): UIntProgression {\n   return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the
step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this`
value the returned progression is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.downTo(to: ULong): ULongProgression {\n   return ULongProgression.fromClosedRange(this, to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.downTo(to: UShort): UIntProgression {\n   return UIntProgression.fromClosedRange(this.toUInt(),
to.toUInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the
same step.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
fun UIntProgression.reversed(): UIntProgression {\n   return UIntProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongProgression.reversed(): ULongProgression {\n   return ULongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UIntProgression.step(step: Int): UIntProgression {\n   checkStepIsPositive(step > 0, step)\n   return
UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression

that goes over the same range with the given step.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
infix fun ULongProgression.step(step: Long): ULongProgression {\n checkStepIsPositive(step > 0, step)\n
return ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UByte.until(to: UByte): UIntRange {\n if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to: UInt): UIntRange {\n if (to <= UInt.MIN_VALUE)
return UIntRange.EMPTY\n return this .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun ULong.until(to: ULong): ULongRange {\n if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UShort.until(to: UShort): UIntRange {\n if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n return this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n
* \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceAtLeast(minimumValue: UInt): UInt {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceAtLeast(minimumValue: ULong): ULong {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or
equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceAtLeast(minimumValue: UByte): UByte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceAtLeast(minimumValue: UShort): UShort {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue]
otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceAtMost(maximumValue: UInt): UInt {\n return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this

value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceAtMost(maximumValue: ULong): ULong {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceAtMost(maximumValue: UByte): UByte {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMostUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceAtMost(maximumValue: UShort): UShort {\n   return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this
    > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {\n   if (minimumValue > maximumValue) throw IllegalArgumentException(\"Cannot coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.\")\n   if (this < minimumValue) return minimumValue\n   if (this > maximumValue) return maximumValue\n   return this\n}\n\n/**\n * Ensures that this value lies in the

specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UInt.coerceIn(range: ClosedRange<UInt>): UInt {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<UInt>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULong.coerceIn(range: ClosedRange<ULong>): ULong {\n if (range is ClosedFloatingPointRange) {\n return this.coerceIn<ULong>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException(\"Cannot coerce value to an empty range: $range.\")\n return when {\n this < range.start -> range.start\n this > range.endInclusive -> range.endInclusive\n else -> this\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"USequencesKt\")\n\npackage kotlin.sequences\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.random.*\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUInt\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UInt>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfULong\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<ULong>.sum(): ULong {\n var sum: ULong = 0uL\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUByte\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UByte>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n *\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName(\"sumOfUShort\")\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Sequence<UShort>.sum(): UInt {\n var sum: UInt = 0u\n for (element in this) {\n sum += element\n }\n return sum\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic expect open class Error : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class Exception : Throwable {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class RuntimeException : Exception {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalArgumentException : RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalStateException : RuntimeException {\n constructor()\n constructor(message: String?)\n constructor(message: String?, cause:

Throwable?)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n}\n\npublic expect open class ConcurrentModificationException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n @Deprecated(\"The constructor
 is not supported on all platforms and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\n   constructor(message: String?, cause: Throwable?)\n   @Deprecated(\"The constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class UnsupportedOperationException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n constructor(message: String?, cause: Throwable?)\n   constructor(cause: Throwable?)\n}\n\npublic expect open class NumberFormatException : IllegalArgumentException {\n   constructor()\n   constructor(message: String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n   constructor()\n constructor(message: String?)\n}\n\npublic expect open class ClassCastException : RuntimeException {\n constructor()\n   constructor(message: String?)\n}\n\npublic
 expect open class AssertionError : Error {\n   constructor()\n   constructor(message: Any?)\n}\n\npublic expect open class NoSuchElementException : RuntimeException {\n   constructor()\n   constructor(message: String?)\n}\n\n@SinceKotlin(\"1.3\")\npublic expect open class ArithmeticException : RuntimeException {\n constructor()\n   constructor(message: String?)\n}\n\n@Deprecated(\"This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\npublic expect open class NoWhenBranchMatchedException : RuntimeException {\n constructor()\n   constructor(message: String?)\n   constructor(message: String?, cause: Throwable?)\n constructor(cause: Throwable?)\n}\n\n@Deprecated(\"This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.\", level = DeprecationLevel.ERROR)\npublic expect class UninitializedPropertyAccessException
 : RuntimeException {\n   constructor()\n   constructor(message: String?)\n   constructor(message: String?, cause: Throwable?)\n   constructor(cause: Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`, but returned something instead.\n */\n@SinceKotlin(\"1.4\")\n@PublishedApi\ninternal class KotlinNothingValueException : RuntimeException {\n constructor() : super()\n   constructor(message: String?) : super(message)\n   constructor(message: String?, cause: Throwable?) : super(message, cause)\n   constructor(cause: Throwable?) : super(cause)\n}\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n *\n * The detailed description includes:\n * - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n
 * - the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin(\"1.4\")\npublic expect fun Throwable.stackTraceToString(): String\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard output or standard error output.\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic expect fun Throwable.printStackTrace(): Unit\n\n/**\n * When supported by the platform, adds the specified exception to the list of exceptions that were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\npublic expect fun Throwable.addSuppressed(exception: Throwable)\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n *\n * The list can be empty:\n * - if no exceptions were suppressed;\n * - if the platform doesn't support suppressed exceptions;\n * - if this [Throwable] instance has
 disabled the suppression.\n */\n@SinceKotlin(\"1.4\")\npublic expect val Throwable.suppressedExceptions: List<Throwable>\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n */\n@Target(CLASS, FUNCTION,

PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\n@OptionalExpectation\npublic expect annotation class JsName(val name: String)\n\n/**\n * Marks experimental JS export annotations.\n *\n * Note that behavior of these annotations will likely be changed in the future.\n *\n * Usages of such annotations will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n * or with the `-opt-in=kotlin.js.ExperimentalJsExport` compiler option is given.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.4\")\npublic annotation class ExperimentalJsExport\n\n/**\n * Exports top-level declaration on JS platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * * extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must only contain \"exportable\" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * * Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n * * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n */\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin(\"1.4\")\n@OptionalExpectation\npublic expect annotation class JsExport()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\n\n/** Prints the line separator to the standard output stream. */\npublic expect fun println()\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic expect fun println(message: Any?)\n\n/** Prints the given [message] to the standard output stream. */\npublic expect fun print(message: Any?)\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or throws a [RuntimeException] if EOF has already been reached when [readln] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n */\n@SinceKotlin(\"1.6\")\npublic expect fun readln(): String\n\n/**\n * Reads a line of input from the standard input stream and returns it,\n * or return `null` if EOF has already been reached when [readlnOrNull] is called.\n *\n * LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n *\n * Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n */\n@SinceKotlin(\"1.6\")\npublic expect fun readlnOrNull(): String?\n\ninternal class ReadAfterEOFException(message: String?) : RuntimeException(message)\n\n\ninternal expect interface Serializable\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over.\n * @param T the type of element being iterated over. The iterator is covariant in its element type.\n */\npublic interface Iterable<out T> {\n   /**\n   * Returns an iterator over the elements of this object.\n   */\n   public operator fun iterator(): Iterator<T>\n}\n\n/**\n * Classes that inherit from this interface can be represented as a sequence of elements that can\n * be iterated over and that supports removing elements during iteration.\n * @param T the type of element being iterated over. The mutable iterator is invariant in its element type.\n */\npublic interface MutableIterable<out T> : Iterable<T> {\n   /**\n   * Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n   */\n   override fun iterator(): MutableIterator<T>\n}\n\n/**\n * A generic collection of elements. Methods in this interface support only read-only

access to the collection;\n * read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements contained in the collection. The collection is covariant in its element type.\n */\npublic interface Collection<out E> : Iterable<E> {\n // Query Operations\n /**\n * Returns the size of the collection.\n */\n public val size: Int\n\n /**\n * Returns `true` if the collection is
empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Checks if the specified element is contained in this collection.\n */\n public operator fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n /**\n * Checks if all elements in the specified collection are contained in this collection.\n */\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic collection of elements that supports adding and removing elements.\n *\n * @param E the type of elements contained in the collection. The mutable collection is invariant in its element type.\n */\npublic interface MutableCollection<E> : Collection<E>, MutableIterable<E> {\n // Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n /**\n * Adds the specified element to the collection.\n *\n
* @return `true` if the element has been added, `false` if the collection does not support duplicates\n * and the element is already contained in the collection.\n */\n public fun add(element: E): Boolean\n\n /**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n public fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to this collection.\n *\n * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.\n */\n public fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified collection.\n *\n * @return `true` if any of
the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n * Retains only the elements in this collection that are contained in the specified collection.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n public fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n */\n public fun clear(): Unit\n}\n\n/**\n * A generic ordered collection of elements. Methods in this interface support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n */\npublic interface List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty():
Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n */\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n */\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list iterator over the elements in this list (in proper sequence).\n
*/\n public fun listIterator(): ListIterator<E>\n\n /**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n */\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n *\n * Structural changes in the base list make the behavior of the view undefined.\n */\n public fun subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n * A generic ordered collection of elements that supports adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant in its element type.\n */\npublic

interface MutableList<E> : List<E>, MutableCollection<E> {\n
// Modification Operations\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of the specified collection to the end of this list.\n *\n * The elements are appended in the order they appear in the [elements] collection.\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n override fun addAll(elements: Collection<E>): Boolean\n\n /**\n * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\n *\n * @return `true` if the list was changed as the result of the operation.\n */\n public fun addAll(index: Int, elements: Collection<E>): Boolean\n\n override fun removeAll(elements:
Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n\n // Positional Access Operations\n /**\n * Replaces the element at the specified position in this list with the specified element.\n *\n * @return the element previously at the specified position.\n */\n public operator fun set(index: Int, element: E): E\n\n /**\n * Inserts an element into the list at the specified [index].\n */\n public fun add(index: Int, element: E): Unit\n\n /**\n * Removes an element at the specified [index] from the list.\n *\n * @return the element that has been removed.\n */\n public fun removeAt(index: Int): E\n\n // List Iterators\n override fun listIterator(): MutableListIterator<E>\n\n override fun listIterator(index: Int): MutableListIterator<E>\n\n // View\n override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n}\n\n/**\n * A generic
unordered collection of elements that does not support duplicate elements.\n * Methods in this interface support only read-only access to the set;\n * read/write access is supported through the [MutableSet] interface.\n * @param E the type of elements contained in the set. The set is covariant in its element type.\n */\npublic interface Set<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n override fun isEmpty(): Boolean\n override fun contains(element: @UnsafeVariance E): Boolean\n override fun iterator(): Iterator<E>\n\n // Bulk Operations\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n * A generic unordered collection of elements that does not support duplicate elements, and supports\n * adding and removing elements.\n * @param E the type of elements contained in the set. The mutable set is invariant in its element type.\n */\npublic interface MutableSet<E> : Set<E>, MutableCollection<E> {\n
// Query Operations\n override fun iterator(): MutableIterator<E>\n\n // Modification Operations\n\n /**\n * Adds the specified element to the set.\n *\n * @return `true` if the element has been added, `false` if the element is already contained in the set.\n */\n override fun add(element: E): Boolean\n\n override fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n\n override fun addAll(elements: Collection<E>): Boolean\n override fun removeAll(elements: Collection<E>): Boolean\n override fun retainAll(elements: Collection<E>): Boolean\n override fun clear(): Unit\n}\n\n/**\n * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * Methods in this interface support only read-only access to the map; read-write access is supported through\n * the [MutableMap] interface.\n * @param
K the type of map keys. The map is invariant in its key type, as it\n * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n * @param V the type of map values. The map is covariant in its value type.\n */\npublic interface Map<K, out V> {\n // Query Operations\n /**\n * Returns the number of key/value pairs in the map.\n */\n public val size: Int\n\n /**\n * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n */\n public fun isEmpty(): Boolean\n\n /**\n * Returns `true` if the map contains the specified [key].\n */\n public fun containsKey(key: K): Boolean\n\n /**\n * Returns `true` if the map maps one or more keys to the specified [value].\n */\n public fun containsValue(value: @UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n */\n public operator
fun get(key: K): V?\n\n /**\n * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n *\n * @since JDK 1.8\n */\n @SinceKotlin(\"1.1\")\n

@PlatformDependent\n public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n // See default implementation in JDK sources\n throw NotImplementedError()\n }\n\n // Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs in this map.\n */\n public val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held by a [Map].\n */\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value pair.\n */\n public val key: K\n\n /**\n * Returns the value of this key/value pair.\n */\n public val value: V\n }\n}\n\n/**\n * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of map values. The mutable map is invariant in its value type.\n */\npublic interface MutableMap<K, V> : Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key] in the map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its corresponding value from this map.\n *\n * @return the previous value associated with the key, or `null` if the key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the specified key only if it is mapped to the specified value.\n *\n * @return true if entry was removed\n */\n @SinceKotlin(\"1.1\")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n * Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n // Views\n /**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys: MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n */\n override val values: MutableCollection<V>\n\n /**\n * Returns a [MutableSet] of all key/value pairs in this map.\n */\n override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair held by a [MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes the value associated with the key of this entry.\n *\n * @return the previous value corresponding to the key.\n */\n public fun setValue(newValue: V): V\n }\n}\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `Byte`. */\npublic abstract class ByteIterator : Iterator<Byte> {\n override final fun next() = nextByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextByte(): Byte\n}\n\n/** An iterator over a sequence of values of type `Char`. */\npublic abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextChar(): Char\n}\n\n/** An iterator over a sequence of values of type `Short`. */\npublic abstract class ShortIterator : Iterator<Short> {\n override final fun next() = nextShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextShort(): Short\n}\n\n/** An iterator over a sequence of values of type `Int`. */\npublic abstract class IntIterator : Iterator<Int> {\n override final fun next() = nextInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextInt(): Int\n}\n\n/** An iterator over a sequence of values of type `Long`. */\npublic abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextLong(): Long\n}\n\n/** An iterator over a sequence of values of type `Float`. */\npublic abstract class FloatIterator : Iterator<Float> {\n override final fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextFloat():

Float\n}\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextDouble(): Double\n}\n\n/** An iterator over a sequence of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean>
{\n override final fun next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextBoolean(): Boolean\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) : CharIterator() {\n private val finalElement: Int = last.code\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Int = if (hasNext) first.code else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement: Int = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Int = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n
}\n return value\n }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n * @property step the number by which the value is incremented on each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n private val finalElement: Long = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next: Long = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextLong(): Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found
in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\npublic open class CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n) : Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last: Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n /**\n * The step of the progression.\n */\n public val step: Int
= step\n\n override fun iterator(): CharIterator = CharProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is CharProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.code + last.code) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates CharProgression within

the specified bounds
of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\npublic fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\npublic open class IntProgression\n internal constructor\n (\n start: Int,\n endInclusive: Int,\n step: Int\n) : Iterable<Int> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Int = start\n\n /**\n * The last element in the progression.\n */\n public val last: Int = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Int = step\n\n override fun iterator(): IntIterator = IntProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n */\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is IntProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode():
Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) + step)\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates IntProgression within the specified bounds of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\npublic open class LongProgression\n internal constructor\n (\n start: Long,\n endInclusive: Long,\n
step: Long\n) : Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Long.MIN_VALUE to avoid overflow on negation.\")\n }\n\n /**\n * The first element in the progression.\n */\n public val first: Long = start\n\n /**\n * The last element in the progression.\n */\n public val last: Long = getProgressionLastElement(start, endInclusive, step)\n\n /**\n * The step of the progression.\n */\n public val step: Long = step\n\n override fun iterator(): LongIterator = LongProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty.\n *\n * Progression with a positive step is empty if its first element is greater than the last element.\n * Progression with a negative step is empty if its first element is less than the last element.\n
*/\n public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n other is LongProgression && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr 32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n /**\n * Creates LongProgression within the specified bounds of a closed range.\n *\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Long.MIN_VALUE`
and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long): LongProgression = LongProgression(rangeStart, rangeEnd, step)\n }\n}\n\n","/*\n * Copyright 2010-2019

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n * Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\npublic interface ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n */\n public val start: T\n\n /**\n * The maximum value in the range (inclusive).\n */\n public val endInclusive: T\n\n /**\n * Checks whether the specified [value] belongs to the range.\n */\n public operator fun contains(value: T): Boolean = value >= start && value <= endInclusive\n\n /**\n * Checks whether the range is empty.\n *\n * The range is empty if its start value is greater than the end value.\n */\n public fun isEmpty(): Boolean = start > endInclusive\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin\n\n/**\n * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n override fun toString() = \"kotlin.Unit\"\n}\n","/*\n * Copyright 2010-2015 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n /** Class, interface or object, annotation class is also included\n */\n CLASS,\n /** Annotation class only */\n ANNOTATION_CLASS,\n /** Generic type parameter */\n TYPE_PARAMETER,\n /** Property */\n PROPERTY,\n /** Field, including property's backing field */\n FIELD,\n /** Local variable */\n LOCAL_VARIABLE,\n /** Value parameter of a function or a constructor */\n VALUE_PARAMETER,\n /** Constructor only (primary or secondary) */\n CONSTRUCTOR,\n /** Function (constructors are not included) */\n FUNCTION,\n /** Property getter only */\n PROPERTY_GETTER,\n /** Property setter only */\n PROPERTY_SETTER,\n /** Type usage */\n TYPE,\n /** Any expression */\n EXPRESSION,\n /** File */\n FILE,\n /** Type alias */\n @SinceKotlin(\"1.1\")\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *\n * Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n /** Annotation isn't stored in binary output */\n SOURCE,\n /** Annotation is stored in binary output, but invisible for reflection */\n BINARY,\n /** Annotation is stored in binary output and visible for reflection (default retention) */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are possible targets of an annotation.\n *\n * If the target meta-annotation is not present on an annotation declaration, the annotation is applicable to the following elements:\n * [CLASS], [PROPERTY], [FIELD], [LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER], [PROPERTY_SETTER].\n *\n * @property allowedTargets list of allowed annotation targets\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an annotation is stored in binary output and visible for reflection. By default, both are true.\n *\n * @property value necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value:

AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an annotation is applicable twice or more on a single code element\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This meta-annotation determines that an annotation is a part of public API and therefore should be included in the generated\n * documentation for the element to which the annotation is applied.\n */\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n","/*\n * Copyright 2010-2016 JetBrains s.r.o.\n *\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n *\n * http://www.apache.org/licenses/LICENSE-2.0\n *\n *
Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language governing permissions and\n * limitations under the License.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks\n * That means it's completely safe to use generic types as argument for such parameter.\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method 'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z'
is defined in JDK (i.e. for major versions >= 8)\n */\n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class PlatformDependent\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a: Int, b: Int): Int {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b: Long): Long {\n   val mod = a % b\n   return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun differenceModulo(a: Int, b: Int, c: Int): Int {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun differenceModulo(a: Long, b: Long, c: Long): Long {\n   return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n
* Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)\n   else -> throw

kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@JsName(\"arrayIterator\")\ninternal fun arrayIterator(array: dynamic, type: String?) = when (type) {\n null -> {\n val arr: Array<dynamic> = array\n object : Iterator<dynamic> {\n var index = 0\n override fun hasNext() = index < arr.size\n override fun next() = if (index < arr.size) arr[index++] else throw NoSuchElementException(\"$index\")\n }\n }\n \"BooleanArray\" -> booleanArrayIterator(array)\n \"ByteArray\" -> byteArrayIterator(array)\n \"ShortArray\" -> shortArrayIterator(array)\n \"CharArray\" -> charArrayIterator(array)\n \"IntArray\" -> intArrayIterator(array)\n \"LongArray\" -> longArrayIterator(array)\n \"FloatArray\" -> floatArrayIterator(array)\n \"DoubleArray\" -> doubleArrayIterator(array)\n else -> throw IllegalStateException(\"Unsupported type argument for arrayIterator: $type\")\n}\n\n@JsName(\"booleanArrayIterator\")\ninternal fun booleanArrayIterator(array: BooleanArray) = object : BooleanIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextBoolean() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"byteArrayIterator\")\ninternal fun byteArrayIterator(array: ByteArray) = object : ByteIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextByte() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"shortArrayIterator\")\ninternal fun shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextShort()\n = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"charArrayIterator\")\ninternal fun charArrayIterator(array: CharArray) = object : CharIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextChar() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"intArrayIterator\")\ninternal fun intArrayIterator(array: IntArray) = object : IntIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextInt() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"floatArrayIterator\")\ninternal fun floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextFloat() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"doubleArrayIterator\")\ninternal fun doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextDouble() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"longArrayIterator\")\ninternal fun longArrayIterator(array: LongArray) = object : LongIterator() {\n var index = 0\n override fun hasNext() = index < array.size\n override fun nextLong() = if (index < array.size) array[index++] else throw NoSuchElementException(\"$index\")\n}\n\n@JsName(\"PropertyMetadata\")\ninternal class PropertyMetadata(@JsName(\"callableName\") val name: String)\n\n@JsName(\"noWhenBranchMatched\")\ninternal fun noWhenBranchMatched(): Nothing = throw NoWhenBranchMatchedException()\n\n@JsName(\"subSequence\")\ninternal fun subSequence(c: CharSequence, startIndex: Int, endIndex: Int): CharSequence {\n if (c is String) {\n return c.substring(startIndex, endIndex)\n } else {\n return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n }\n}\n\n@JsName(\"captureStack\")\ninternal fun captureStack(@Suppress(\"UNUSED_PARAMETER\") baseClass: JsClass<in Throwable>, instance: Throwable) {\n if (js(\"Error\").captureStackTrace) {\n // Using uncropped stack traces due to KT-37563.\n // Precise stack traces are implemented in JS IR compiler and stdlib\n js(\"Error\").captureStackTrace(instance);\n } else {\n instance.asDynamic().stack = js(\"new Error()\").stack;\n }\n}\n\n@JsName(\"newThrowable\")\ninternal fun newThrowable(message: String?, cause: Throwable?): Throwable {\n val throwable = js(\"new Error()\")\n throwable.message = if (jsTypeOf(message)

== \"undefined\") {\n if (cause != null) cause.toString() else null\n } else {\n message\n }\n throwable.cause = cause\n throwable.name = \"Throwable\"\n return throwable\n}\n\n@JsName(\"BoxedChar\")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n override fun equals(other: Any?): Boolean {\n return other is BoxedChar && c == other.c\n }\n\n override fun hashCode(): Int {\n return c\n }\n\n override fun toString(): String {\n return js(\"this.c\").unsafeCast<Char>().toString()\n }\n\n override fun compareTo(other: Int): Int {\n return js(\"this.c - other\").unsafeCast<Int>()\n }\n\n @JsName(\"valueOf\")\n public fun valueOf(): Int {\n return c\n }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n val typed = js(\"Array\")(args.size)\n for (i in args.indices) {\n val arr = args[i]\n if (arr !is Array<*>) {\n typed[i] = js(\"[]\").slice.call(arr)\n } else {\n typed[i] = arr\n }\n }\n return js(\"[]\").concat.apply(js(\"[]\"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n */\n@PublishedApi\n@JsName(\"arrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> arrayConcat(a: T, b: T): T {\n return concat(js(\"arguments\"))\n}\n\n/** Concat primitive arrays. Main use: prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and TypedArray's.\n *\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray) returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property default to arrayConcat.\n */\n@PublishedApi\n@JsName(\"primitiveArrayConcat\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\n val args: Array<T> = js(\"arguments\")\n if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n return concat(args)\n } else {\n var size = 0\n for (i in args.indices) {\n size += args[i].asDynamic().length as Int\n }\n val result = js(\"new a.constructor(size)\")\n kotlin.copyArrayType(a, result)\n size = 0\n for (i in args.indices) {\n val arr = args[i].asDynamic()\n for (j in 0 until arr.length) {\n result[size++] = arr[j]\n }\n }\n return result\n }\n}\n\n@JsName(\"booleanArrayOf\")\ninternal fun booleanArrayOf() = withType(\"BooleanArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"charArrayOf\") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType(\"CharArray\", js(\"new Uint16Array([].slice.call(arguments))\"))\n\n@JsName(\"longArrayOf\")\ninternal fun longArrayOf() = withType(\"LongArray\", js(\"[].slice.call(arguments)\"))\n\n@JsName(\"withType\")\n@kotlin.internal.InlineOnly\ninternal inline fun withType(type: String, array: dynamic): dynamic {\n array.`$type$` = type\n return array\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's `typeof` operator\n */\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun jsTypeOf(a: Any?): String = js(\"typeof a\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNUSED_PARAMETER\", \"NOTHING_TO_INLINE\")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\npublic inline fun <T> emptyArray(): Array<T> = js(\"[]\")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =

```
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n */\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses
 the specified initialization function [initializer].\n *\n * The [mode] parameter is ignored. */\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [lock] parameter is ignored.\n */\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index < srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n    copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n        result.length = newSize\n
  while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in collection) result[index++] = element\n    return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection) dst[index++] = element\n    return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if (from.`$type$` !== undefined) {\n        to.`$type$` = from.`$type$`\n    }\n}\n\ninternal inline fun jsIsType(obj: dynamic, jsClass: dynamic) = js(\"Kotlin\").isType(obj, jsClass)","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
 the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Creates a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic actual inline fun Char(code: UShort): Char {\n    return code.toInt().toChar()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin(\"1.3\")\n@JsName(\"CoroutineImpl\")\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?> {\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected var exception:
 Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context: CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n            ?: (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n                .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? = result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n\n        // This loop unrolls recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
  with(current) {\n                val completion = resultContinuation\n\n                // Set result and exception fields in the current continuation\n                if (currentException == null) {\n
      this.result = currentResult\n                } else {\n                    state = exceptionState\n                    exception = currentException\n                }\n\n                try {\n                    val outcome = doResume()\n                    if (outcome === COROUTINE_SUSPENDED) return\n                    currentResult = outcome\n                    currentException = null\n                } catch (exception: dynamic) { // Catch all exceptions\n                    currentResult = null\n
 currentException = exception.unsafeCast<Throwable>()\n                }\n\n                releaseIntercepted() // this state machine instance is terminating\n\n                if (completion is CoroutineImpl) {\n                    // unrolling recursion via loop\n                    current = completion\n                } else {\n                    // top-level completion reached --
```

```
invoke and return\n                currentException?.let {\n
        completion.resumeWithException(it)\n            } ?: completion.resume(currentResult)\n
return\n            }\n        }\n    }\n\n    private fun releaseIntercepted() {\n        val intercepted =
intercepted_\n        if (intercepted != null && intercepted !== this) {\n
context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_ =
CompletedContinuation // just in case\n    }\n\n    protected abstract fun doResume(): Any?\n}\n\ninternal object
CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() =
error(\"This continuation is already complete\")\n\n    override fun resumeWith(result: Result<Any?>) {\n
error(\"This continuation is already complete\")\n    }\n\n    override fun toString(): String = \"This continuation is
already complete\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
 Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress(\"UNCHECKED_CAST\",
\"RedundantVisibilityModifier\")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport
kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmInline\nimport
kotlin.jvm.JvmName\n\n/**\n * A discriminated union that encapsulates a successful outcome with a value of type
[T]\n * or a failure with an arbitrary [Throwable] exception.\n */\n@SinceKotlin(\"1.3\")\n@JvmInline\npublic
value class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?\n) :
Serializable {\n    // discovery\n\n    /**\n     * Returns `true` if this instance represents a successful outcome.\n     *
In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean get() = value !is Failure\n\n    /**\n
* Returns `true` if this instance represents
 a failed outcome.\n     * In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean get() =
value is Failure\n\n    // value & exception retrieval\n\n    /**\n     * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or `null`\n     * if it is [failure][Result.isFailure].\n     *\n     * This function is
a shorthand for `getOrElse { null }` (see [getOrElse]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see
[fold]).\n     */\n    @InlineOnly\n    public inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n
    else -> value as T\n        }\n\n    /**\n     * Returns the encapsulated [Throwable] exception if this instance
represents [failure][isFailure] or `null`\n     * if it is [success][isSuccess].\n     *\n     * This function is a shorthand
for `fold(onSuccess = { null }, onFailure = { it })` (see [fold]).\n     */\n    public fun exceptionOrNull(): Throwable?
=\n
    when (value) {\n            is Failure -> value.exception\n            else -> null\n        }\n\n    /**\n     * Returns a string
`Success(v)` if this instance represents [success][Result.isSuccess]\n     * where `v` is a string representation of the
value or a string `Failure(x)` if\n     * it is [failure][isFailure] where `x` is a string representation of the exception.\n
 */\n    public override fun toString(): String =\n        when (value) {\n            is Failure -> value.toString() //
\"Failure($exception)\"\n            else -> \"Success($value)\"\n        }\n\n    // companion with constructors\n\n    /**\n
  * Companion object for [Result] class that contains its constructor functions\n     * [success] and [failure].\n     */\n
  public companion object {\n        /**\n         * Returns an instance that encapsulates the given [value] as successful
value.\n         */\n        @Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n
@JvmName(\"success\")\n
        public inline fun <T> success(value: T): Result<T> =\n            Result(value)\n\n        /**\n         * Returns an
instance that encapsulates the given [Throwable] [exception] as failure.\n         */\n
@Suppress(\"INAPPLICABLE_JVM_NAME\")\n        @InlineOnly\n        @JvmName(\"failure\")\n        public
inline fun <T> failure(exception: Throwable): Result<T> =\n            Result(createFailure(exception))\n    }\n\n
internal class Failure(\n        @JvmField\n        val exception: Throwable\n    ) : Serializable {\n        override fun
equals(other: Any?): Boolean = other is Failure && exception == other.exception\n        override fun hashCode():
Int = exception.hashCode()\n        override fun toString(): String = \"Failure($exception)\"\n    }\n}\n\n/**\n *
Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n
*/\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun createFailure(exception: Throwable):
```

Any =\n Result.Failure(exception)\n\n/**\n * Throws exception if the result is failure. This internal function minimizes\n * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting logic here (if needed).\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun Result<*>.throwOnFailure() {\n if (value is Result.Failure) throw value.exception\n}\n\n/**\n * Calls the specified function [block] and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R> runCatching(block: () -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n}\n\n// -- extensions ---\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.getOrThrow(): T {\n throwOnFailure()\n return value as T\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [onFailure] function.\n *\n * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see [fold]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n contract {\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> value as T\n else -> onFailure(exception)\n }\n}\n\n/**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n *\n * This function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R): R {\n if (isFailure) return defaultValue\n return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.fold(\n onSuccess: (value: T) -> R,\n onFailure: (exception: Throwable) -> R\n): R {\n contract {\n callsInPlace(onSuccess, InvocationKind.AT_MOST_ONCE)\n callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null -> onSuccess(value as T)\n else -> onFailure(exception)\n }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.map(transform: (value: T) -> R): Result<R> {\n contract {\n callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n }\n return when {\n isSuccess -> Result.success(transform(value as T))\n else -> Result(value)\n }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates

```
it as a failure.\n * See [map] for an alternative that rethrows exceptions from `transform` function.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n    return when {\n        isSuccess -> runCatching { transform(value as T) }\n        else -> Result(value)\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See [recoverCatching] for an alternative that encapsulates exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception: Throwable) -> R): Result<R> {\n    contract {\n        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n    }\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> Result.success(transform(exception))\n    }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * This function catches any [Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an alternative that rethrows exceptions.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <R, T : R> Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n    return when (val exception = exceptionOrNull()) {\n        null -> this\n        else -> runCatching { transform(exception) }\n    }\n}\n\n// \"peek\" onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated [Throwable] exception if this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onFailure(action: (exception: Throwable) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    exceptionOrNull()?.let { action(it) }\n    return this\n}\n\n/**\n * Performs the given [action] on the encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result` unchanged.\n */\n@InlineOnly\n@SinceKotlin(\"1.3\")\npublic inline fun <T> Result<T>.onSuccess(action: (value: T) -> Unit): Result<T> {\n    contract {\n        callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n    }\n    if (isSuccess) action(value as T)\n    return this\n}\n\n// ----------\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Interface representing a continuation after a suspension point that returns a value of type `T`.\n */\n@SinceKotlin(\"1.3\")\npublic interface Continuation<in T> {\n    /**\n     * The context of the coroutine that corresponds to this continuation.\n     */\n    public val context: CoroutineContext\n\n    /**\n     * Resumes the execution of the corresponding coroutine passing a successful or failed [result] as the\n     * return value of the last suspension point.\n     */\n    public fun resumeWith(result: Result<T>)\n}\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin(\"1.3\")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n    resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n    resumeWith(Result.failure(exception))\n\n\n/**\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun <T>
```

```
Continuation(\n    context: CoroutineContext,\n    crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T> =\n    object : Continuation<T> {\n        override val context: CoroutineContext\n            get() = context\n\n        override fun resumeWith(result: Result<T>) =\n            resumeWith(result)\n    }\n\n/**\n * Creates a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).createCoroutine(\n    completion: Continuation<T>\n): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\n    receiver: R,\n    completion: Continuation<T>\n): Continuation<Unit> =\n    SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <T> (suspend () -> T).startCoroutine(\n    completion: Continuation<T>\n) {\n    createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n/**\n * Starts a coroutine with receiver type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNCHECKED_CAST\")\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\n    receiver: R,\n    completion: Continuation<T>\n) {\n    createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n/**\n * Obtains the current continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n *\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {\n    contract { callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n    return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> ->\n        val safe = SafeContinuation(c.intercepted())\n        block(safe)\n        safe.getOrThrow()\n    }\n}\n\n/**\n * Returns the context of the current coroutine.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"WRONG_MODIFIER_TARGET\")\n@InlineOnly\npublic suspend inline val coroutineContext: CoroutineContext\n    get() {\n        throw NotImplementedError(\"Implemented as intrinsic\")\n    }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The
```

coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in
the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <T> (suspend () -> T).startCoroutineUninterceptedOrReturn(\n completion: Continuation<T>\n): Any? = this.asDynamic()(completion, false)\n\n/**\n * Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception.\n *\n * The coroutine is started directly in the invoker's thread without
going through the [ContinuationInterceptor] that might\n * be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n *\n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic actual inline fun <R, T> (suspend R.() -> T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, completion, false)\n\n@InlineOnly\ninternal actual inline fun <R, P, T> (suspend R.(P) -> T).startCoroutineUninterceptedOrReturn(\n receiver: R,\n param: P,\n completion: Continuation<T>\n): Any? = this.asDynamic()(receiver, param, completion, false)\n\n/**\n * Creates unintercepted coroutine without receiver and with result type [T].\n * This function creates
a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the invocation context established
by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 2) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(completion)\n }\n }\n\n/**\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine, invoke `resume(Unit)`
on the returned [Continuation] instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the coroutine and [completion]

happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n * Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of
the coroutine and may result in arbitrary behaviour or exception.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <R, T> (suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if (this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n * Intercepts this continuation with [ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of [createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for [ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes [ContinuationInterceptor.interceptContinuation],
caches and returns the result.\n *\n * If this function is invoked on other [Continuation] instances it returns `this` continuation unchanged.\n */\n@SinceKotlin(\"1.3\")\npublic actual fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?: this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n crossinline block: () -> Any?\n): Continuation<Unit> {\n @Suppress(\"UNCHECKED_CAST\")\n return object : CoroutineImpl(completion as Continuation<Any?>) {\n override fun doResume(): Any? {\n exception?.let { throw it }\n return block()\n }\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR BE\n// Used for js.translator/testData/box/number/mulInt32.kt\n@library\n@JsName(\"imulEmulated\")\n@Suppress(\"UNUSED_PARAMETER\")\ninternal fun imul(x: Int, y: Int): Int = definedExternally\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal inline fun isArrayish(o: dynamic) = js(\"Kotlin\").isArrayish(o)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this template:\n/*\npublic open class MyException : Exception {\n constructor() : super()\n constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}\n*/\n\n\n// TODO: remove primary constructors, make all secondary KT-22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Error actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\npublic actual open class Exception actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class RuntimeException actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open
class IllegalArgumentException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n

actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual
 constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n\npublic actual open class NumberFormatException actual constructor(message: String?) : IllegalArgumentException(message) {\n   actual constructor() : this(null)\n}\n\n\npublic actual open class NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class AssertionError\n@SinceKotlin(\"1.4\")\nconstructor(message:
 String?, cause: Throwable?) : Error(message, cause) {\n   actual constructor() : this(null)\n   constructor(message: String?) : this(message, null)\n   actual constructor(message: Any?) : this(message.toString(), message as? Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\n@SinceKotlin(\"1.3\")\npublic actual open class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n   actual constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException
 actual constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n   actual constructor() : this(null, null)\n   actual constructor(message: String?) : this(message, null)\n   actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n */\n\n\n@file:Suppress(\"UNUSED_PARAMETER\")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsDeleteProperty(obj: Any, property: Any) {\n   js(\"delete
obj[property]\")\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n   js(\"lhs | rhs\").unsafeCast<Int>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage
 kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.withSign(sign: Double): Double {\n   val thisSignBit = js(\"Kotlin\").doubleSignBit(this).unsafeCast<Int>()\n   val newSignBit = js(\"Kotlin\").doubleSignBit(sign).unsafeCast<Int>()\n   return if (thisSignBit == newSignBit) this else -this\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long = definedExternally\n\n/**\n * Returns a bit representation
 of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n */\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long = definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits: Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation

of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic
actual fun Float.toBits(): Int = definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values may overflow, underflow or loose their accuracy after conversion to bits and back.\n */\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int = definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits: Int): Float =
js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal
inline val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() = this.asDynamic().getHighBits().unsafeCast<Int>()\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun <T : Annotation> KClass<*>.findAssociatedObject(@Suppress(\"UNUSED_PARAMETER\") annotationClass: KClass<T>): Any? {\n   // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n return null\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value
in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 1343 ranges totally\nprivate object Category {\n   val decodedRangeStart: IntArray\n   val decodedRangeCategory: IntArray\n\n   init {\n   val toBase64 =
\"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\"\n   val fromBase64 = IntArray(128)\n   for (i in toBase64.indices) {\n   fromBase64[toBase64[i].code]
= i\n   }\n   \n   // rangeStartDiff.length = 1482\n   val rangeStartDiff =
\"gBCFEDCKCDCaDDaDBhBCEEDDDDDEDXBHYBH5BRwBGDCHDCIDFHDCHFDCDEIRTEE7BGHDDJlCBbSEMOFGERwDEDDDDECEFCRBJhBFDCYFFCCzBvBjBBFC3BOhDBmBDGpBDDCtBBJIbEECLGDFCLDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFCFCPBZDEL1BVBSLPBgBB2BDBDICFBHKCCKCPDBHEDWBHEDDDDEDEDIBDGDCKCCGDDDCGECCWBFMDDCDEDDCHDDHKDDBKDBHFCWBFGFDBDDFEDBPDDKCHBGDCHEDWBFGFDCEDEDBHDDGDCKCGJEGDBFDDFDDDDDMEFDBFDCGBOKDFDFDCGFCXBQDDDDDBEGEDFDDKHBHDDGFCXBKBFCEFCFCHCHECCKDNCCHFCoBEDECFDDDDHDCCKJBGDCSDYBJEHBFDDEBIGKDCMuBFHEBGBIBKCkBFBFBXEIFJDFDGCKCEgBBDPEDGKKGECIBkBEOBDFFLBkBBIBEFFEClBrBCEBEGDBKGGDDDDDCHDENDCFEKDDlBDDFrBCDpKBECGEECpBBEChBBECGEECPB5BBECjCCDJUDQKG2CCGDsTCRBaCDrCDDIHNBEDLSDCJSCMLFCCM0BDHGFLBFDDKGKGEFDDBKGjBB1BHFChBDFmCKfDDDDDDCGDCFDKeCFLsBEaGKBDiBXDDD1BDGDEIGJEKGKGHBGCMF/BEBvBCEDDFHEKHKJJDDeDDGDKsBFEDCIEkBIICCDFKDDKeGCJHrBCDIIDBNBHEBEFDBFsB/BNBiBlB6BBF1EIiDJIGCGCIIIIGCGCIIIIOCIIIIIIDFEDDBFEDDDDEBDIFDDFEDBLFGCEEICFBJCDEDCLDKBFBKCCGDDKDDNDgBQNEBDMPFFDEDEBFFHECEBEEDFBEDDQjBCEDEFFCCJHBeEEfsIIEUCHCxCBeZoBGlCZLV8BuCW3FBJB2BIvDB4HOesBFCfKQgIjEW/BEgBCiIwBVCGnBCgBBp

DvBBuBEDBHEFGCCjDCGEDCFCFlBDDF4BHCOBXJHBHBHBHBHBHBHBHBgBCECGHGEDIFBKCEDM
EtBaB5CM2GaMEDDCKCGFCJEDFDDDC2CDDDB6CDCFrBB+CDEKgBkBMQfBKeIBPgBKnBPgKguGgC9
vUDVB3jBD3BJoBGCsIBDQKCUuBDDKCcCCmCKCGIXJCNC/BBHGKDECEVFBEMCEEBqBDDGDFDXD
CEBDGEG0BEICyBQCICKGSGDEBKcICXLCLBdDDBvBDECCDNCKECFCJKFBpBFEDCJDBICCKCEQBG
DDByBEDCEFBYDCLEDDCKGCGCGJHBHBrBBEJDEwCjBIDCKGk9KMXExBEggCgoGuLCqDmBHMFFC
KBNBFBIsDQRrLCQgCC2BoBMCCQGEGQDCQDDDDFDGDECEEFBnEEBFEDCKCDCaDDaDBFCKBtBCf
DGCGCFEDDDDCECKDC\"\n
val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 1342)\n val start = IntArray(diff.size + 1)\n
for (i in diff.indices) {\n start[i + 1] = start[i] + diff[i]\n }\n decodedRangeStart = start\n \n
// rangeCategory.length = 2033\n val rangeCategory =
\"PsY44a41W54UYJYZYB14W7XC15WZPsYa84bl9Zw8b85Lr7C44brlerrYBZBCZCiBiBiBhCiiBhChiBhiCBhh
ChiCihBhChCChiBhChiClBCFhjCiBiBihDhiBhCCihBiBBhCCFCEbEbEb7EbGhCk7BixRkiCi4BRbh4BhRhCBR
BCiiBBCiBChiZBCBCiBcGHhChCiBRBxxEYC40Rx8c6RGUm4GRFRFYRQZ44acG4wRYFEFGJYllGFlYGwc
GmkEmcGFJFl8cYxwFGFGRFGFRJFGkkcYkxRm6aFGEGmmEmEGRYRFGxxYFRFRFRGQGIFmIFIGIooGF
GFGYJ4EFmoIRFlxRlxRFRFxlRxlFllRxmFIGxxIoxRomFRIRxlFlmGRJFaL86F4mRxmGoRFRFRFRFllRxGIGR
xmGxmGmxRxGRFlRRJmmFllGYRmmIRFllRlRFRFllRFxxGFIGmmRoxImxRFRllGmxRJ4aRFGxmIoRFlxRlxR
FRFllRFxxGlImoGmmRxoIxoIGRmmIRxlFlmGRJ8FLRxmFFRFllRllRxxFlRlxRxlFRFRFRooGRIooRomRxFRIR
JLc8aRmoIoGFllRlRFRFRlmGmoIooRGRGRxmGFRllGmxRJRYL8lGooYFllRlRFRFRFRmlIIxGooRGRIRlxFG
RJxlFRGIFllRlRFlmGIGxIooRomF8xRxxFllILFGRJLcFxmIoRFRFRFxlRFRxxGxxIooGmmRRIRJxxIoYRFllGG
RaFEGYJYRxlFRFRFlRFllGGlxRFxEGRJRFRFcY84c8mGcJL8G1WIFRFRGIGmmYFGRGRcGc88RYcYRFIGI
GmmIomGFJYFooGmlFllGmmFIFIFGFmoIGIomFJIm8cBhRRxxBC4ECFRFRFlRFRFRFRFRFRFRFlRFRFRFRFR
FRGYLRFcRBRCxxUF8YFMF1WRFYKFRFRFGRFGYRFGRFllRlRGRFmmIGIooGGY44E46FmxRJRLRY44
U44GmmQRJRFEFRFGFlGRFRFxmGmoIooGmoIoxRxxIoGIGRxxcx4YJFRFRFRFRJLRcFmmIomRx4YFoGG
mRomIGIGmxRJRJRYEYRGmmHRGIFmIGmIIooGFRJYcGcRmmIFomGmmIomGmlFJFmoGooGGIRYFIGIG
RYJRFJFEYCRBRBYRGYGIGFGFllGomGFRCECECEGRGhCCiBCBCRBRCBCBCRBRCxBCBCRCDCDCD
CiiRBj7CbCiiRBj7b7iCiiRxiCBRbCBbxxCiiRBj7bRMQUY9+V9+VYtOQMY9eY43X44Z1WY54XYMQRQrER
LZ12ELZ12RERaRGHGHGR88B88BihBhiChhC8hcZBc8BB8CBCFi8cihBZBC8Z8CLKhCKr8cRZcZc88ZcZc85
Z8ZcZc1WcZc1WcZcZcZcRcRLcLcZcZcZcZc1WLcZ1WZ1WZcZ1WZ1WZ1WZcZcZcRcRcBRCixBBCiBBihC
CEBhCCchCGhCRY44LCiRRxxCFRkYRGFRFRFRFRFRFRFRFRFRGY9eY49eY44U49e49e1WYEYUY04VY
48cRcRcRcRcRs4Y48ElK1Wc1W12U2cKGooUE88KqqEl4c8RFxxGm7bkkFUF4kEkFRFRFx8cLcFcRFcRLcLc
LcLcLcFcFRFEFRcRFEYFEYFJFRhClmHnnYG4EhCEGFKGYRbEbhCCiBECiBhCk7bhClBihCiBBCBhCRhiBh
hCCRhiFkkCFlGllGllGFooGmIcGRL88aRFYRIFIGRYJRGFYl4FGJFGYFGIRYFRGIFmoIGIGIYxEJRYFmEFJ
FRFGmoImoIGRFGFmIRJRYFEFcloGIFmlGmlFGFlmGFRllEYFomGo4YlkEoGRFRFRFRFRFRCbECk7bRCFo
oG4oGRJRFRFRFRTSFRFRCRCRlGFZFRFRlxFFbRF2VRFRFRF6cRGY41WRG40UX1W44V24Y44X33Y44R
44U1WY50Z5R46YRFRFxxQY44a41W54UYJYZYB14W7XC15WZ12YYFEFEFRFRFRFlxRllRxxa65b86axcZc
RQcR\"\n
decodedRangeCategory = decodeVarLenBase64(rangeCategory,
fromBase64, 1343)\n }\n}\n\nprivate fun categoryValueFrom(code: Int, ch: Int): Int {\n return when {\n
code < 0x20 -> code\n code < 0x400 -> if ((ch and 1) == 1) code shr 5 else code and 0x1f\n else ->\n
when (ch % 3) {\n 2 -> code shr 10\n 1 -> (code shr 5) and 0x1f\n else -> code and
0x1f\n }\n }\n}\n\n/**\n * Returns the Unicode general category of this character as an Int.\n */\ninternal
fun Char.getCategoryValue(): Int {\n val ch = this.code\n\n val index =
binarySearchRange(Category.decodedRangeStart, ch)\n val start = Category.decodedRangeStart[index]\n val
code = Category.decodedRangeCategory[index]\n val value = categoryValueFrom(code, ch - start)\n\n return if
(value == 17) CharCategory.UNASSIGNED.value else value\n}\n\ninternal fun decodeVarLenBase64(base64:
String, fromBase64: IntArray, resultLength: Int): IntArray {\n val result = IntArray(resultLength)\n
var index = 0\n var int = 0\n var shift = 0\n for (char in base64) {\n val sixBit =
fromBase64[char.code]\n int = int or ((sixBit and 0x1f) shl shift)\n if (sixBit < 0x20) {\n

result[index++] = int\n int = 0\n shift = 0\n } else {\n shift += 5\n }\n }\n return result\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-place.\n */\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n val midPoint = (size / 2) - 1\n if (midPoint < 0) return\n var reverseIndex = lastIndex\n for (index in 0..midPoint) {\n val tmp = this[index]\n this[index] = this[reverseIndex]\n this[reverseIndex] = tmp\n reverseIndex--\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 37 ranges totally\nprivate object Digit {\n internal val rangeStart = intArrayOf(\n 0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66, 0x0ae6, 0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0, \n 0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620, 0xa8d0, 0xa900, 0xa9d0, 0xa9f0, 0xaa50, 0xabf0, 0xff10, \n)\n}\n\n/**\n * Returns the index of the largest element in [array] smaller or equal to the specified [needle],\n * or -1 if [needle] is smaller than the smallest element in [array].\n */\ninternal fun binarySearchRange(array: IntArray, needle: Int): Int {\n var bottom = 0\n var top = array.size - 1\n var middle = -1\n var value = 0\n while (bottom <= top) {\n middle = (bottom + top) / 2\n value = array[middle]\n if (needle > value)\n bottom = middle + 1\n else if (needle == value)\n return middle\n else\n top = middle - 1\n }\n return middle - (if (needle < value) 1 else 0)\n}\n\n/**\n * Returns an integer from 0..9 indicating the digit this character represents,\n * or -1 if this character is not a digit.\n */\ninternal fun Char.digitToIntImpl(): Int {\n val ch = this.code\n val index = binarySearchRange(Digit.rangeStart, ch)\n val diff = ch - Digit.rangeStart[index]\n return if (diff < 10) diff else -1\n}\n\n/**\n * Returns `true` if this character is a digit.\n */\ninternal fun Char.isDigitImpl(): Boolean {\n return digitToIntImpl() >= 0\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 222 ranges totally\nprivate object Letter {\n val decodedRangeStart: IntArray\n val decodedRangeLength: IntArray\n val decodedRangeCategory: IntArray\n \n init {\n val toBase64 = \"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/\"\n val fromBase64 = IntArray(128)\n for (i in toBase64.indices) {\n fromBase64[toBase64[i].code] = i\n }\n \n // rangeStartDiff.length = 356\n val rangeStartDiff = \"hCgBpCQGYHZH5BRpBPPPPPPRMP5BPPlCPP6BkEPPPPcPXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D6E1BlBTiBmBlBP5BhBiBrBvBjBqBnBPRtBiCmCtBlB0BmB5BiB7BmBgEmChBZgCoEoGVpBSfRhBPqKQ2BwBYoFgB4CJuTiEvBuCuDrF5DgEgFlJ1DgFmBQtBsBRGsB+BPiBlD1EIjDPRPPPPQPPPPPGQSQS/DxENVNU+B9zCwBwBPPCkDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPPrBP8B7F1B/ErBqC6B7BiBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBlBsD\"\n val diff = decodeVarLenBase64(rangeStartDiff, fromBase64, 222)\n val start = IntArray(diff.size)\n for (i in diff.indices) {\n if (i == 0) start[i] = diff[i]\n else start[i] = start[i - 1] + diff[i]\n }\n decodedRangeStart = start\n \n // rangeLength.length = 328\n val rangeLength = \"aaMBXHYH5BRpBPPPPPPRMP5BPPlCPPzBDOOPPcPXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkBQhBekBPmBgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0DlCgBXgBtD4FSdBfPhBPpKP0BvBXjEQ2CGsT8DhBtCqDpFvD1D3E0IrD2EkBJrBDOBsB+BPiBlB1EIjDPPPPPPPPPPPGPPMNLsBNPNPKCvBvBPPCkDPBmBPhDXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOwCk/KsCuLqDHPbPxPsFt

EaaqDL\"\n
decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n \n // rangeCategory.length = 959\n val rangeCategory = \"GFjgggUHGGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1q1qB1q1q1+Bgii4wDTm74g3KiggxqM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiooLowgmOowjkwCkgoiIk7ligGogiioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyI4yguI0whiwEowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgxgmIoxgqYkwgk4DkxgmIkgoioBsgssoBgzgyI8g9gL8g9kI0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0goQkwgoQk3goQHGFHkyg0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwgsIHFH3q1q16BFHWFZ1q10q1B2qlwq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1qB1g1q1+B//3q16B///q1qBH/qlqq9Bholqq9B1i00a1q10qD1op1HkwmigEigiy6Cptogq1Bixo1kDq7/j00B2qgoBWGFm1lz50B6s5q1+BGWhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wgugUog1qoB4qjmIwwi2KgkYHHH4lBgiFWkgIWoghssMmz5smrBZ3q1y50B5sm7gzBtz1smzB5smz50BqzqtmzB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZo2giY0ghiIsgh24B4ghsQ8QF/v1q1OFs0O8iCHHF1qggz/B8wg6Iznv+//B08QgohsjK0QGFk7hsQ4gB\"\n
decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n }\n}\n\n/**\n * Returns `true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n return getLetterType() != 0\n}\n\n/**\n * Returns `true` if this character is a lower case letter, or it has contributory property `Other_Lowercase`.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n return getLetterType() == 1 || code.isOtherLowercase()\n}\n\n/**\n * Returns `true` if this character is an upper case letter, or it has contributory property `Other_Uppercase`.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n return getLetterType() == 2 || code.isOtherUppercase()\n}\n\n/**\n
* Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the character is an upper case letter,\n * - `3` if the character is a letter but not a lower or upper case letter,\n * - `0` otherwise.\n */\nprivate fun Char.getLetterType(): Int {\n val ch = this.code\n val index = binarySearchRange(Letter.decodedRangeStart, ch)\n\n val rangeStart = Letter.decodedRangeStart[index]\n val rangeEnd = rangeStart + Letter.decodedRangeLength[index] - 1\n val code = Letter.decodedRangeCategory[index]\n\n if (ch > rangeEnd) {\n return 0\n }\n\n val lastTwoBits = code and 0x3\n\n if (lastTwoBits == 0) { // gap pattern\n var shift = 2\n var threshold = rangeStart\n for (i in 0..1) {\n threshold += (code shr shift) and 0x7f\n if (threshold > ch) {\n return 3\n }\n shift += 7\n threshold += (code shr shift) and 0x7f\n if (threshold > ch) {\n return 0\n }\n shift += 7\n }\n return 3\n }\n\n if (code <= 0x7) {\n return lastTwoBits\n }\n\n val distance = (ch - rangeStart)\n val shift = if (code <= 0x1F) distance % 2 else distance\n return (code shr (2 * shift)) and 0x3\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nprivate object OtherLowercase {\n internal val otherLowerStart = intArrayOf(\n 0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0, 0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770, 0xa7f8, 0xab5c, \n)\n internal val otherLowerLength = intArrayOf(\n 1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13, 16, 26, 2, 2, 1, 2, 4, \n)\n}\n\ninternal fun Int.isOtherLowercase(): Boolean {\n val index = binarySearchRange(OtherLowercase.otherLowerStart, this)\n return index >= 0 && this < OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\ninternal fun Int.isOtherUppercase(): Boolean {\n return this in 0x2160..0x216f\n || this in 0x24b6..0x24cf\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport kotlin.js.*\n\n/**\n * Returns a character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun CharSequence.elementAt(index: Int): Char {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n//
4 ranges totally\ninternal fun Char.titlecaseCharImpl(): Char {\n val code = this.code\n // Letters repeating <Lu, Lt, Ll> sequence and code of the Lt is a multiple of 3, e.g. <\u01c4, \u01c5, \u01c6>\n if (code in 0x01c4..0x01cc || code in 0x01f1..0x01f3) {\n return (3 * ((code + 1) / 3)).toChar()\n }\n // Lower case letters whose title case mapping equivalent is equal to the original letter\n if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n return this\n }\n return uppercaseChar()\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int): UInt {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int): ULong {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException]
if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int): UByte {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int): UShort {\n return elementAtOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, size: $size}\") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n return object : AbstractList<UInt>(),
RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UInt): Boolean = this@asList.contains(element)\n override fun get(index: Int): UInt {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UInt): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UInt) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UInt): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UInt) return -1\n return

this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong> {\n return
object : AbstractList<ULong>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: ULong): Boolean = this@asList.contains(element)\n override fun get(index: Int): ULong {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: ULong): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: ULong): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is ULong) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList(): List<UByte> {\n return object : AbstractList<UByte>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UByte): Boolean = this@asList.contains(element)\n override fun get(index: Int): UByte {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UByte): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UByte) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UByte): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UByte) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic
actual fun UShortArray.asList(): List<UShort> {\n return object : AbstractList<UShort>(), RandomAccess {\n override val size: Int get() = this@asList.size\n override fun isEmpty(): Boolean = this@asList.isEmpty()\n override fun contains(element: UShort): Boolean = this@asList.contains(element)\n override fun get(index: Int): UShort {\n AbstractList.checkElementIndex(index, size)\n return this@asList[index]\n }\n override fun indexOf(element: UShort): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return -1\n return this@asList.indexOf(element)\n }\n override fun lastIndexOf(element: UShort): Int {\n @Suppress(\"USELESS_CAST\")\n if ((element as Any?) !is UShort) return -1\n return this@asList.lastIndexOf(element)\n }\n }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n//\n\n// 9 ranges totally\n/**\n * Returns `true` if this character is a whitespace.\n */\ninternal fun Char.isWhitespaceImpl(): Boolean {\n val ch = this.code\n return ch in 0x0009..0x000d\n || ch in 0x001c..0x0020\n || ch == 0x00a0\n || ch > 0x1000 && (\n ch == 0x1680\n || ch in 0x2000..0x200a\n || ch == 0x2028\n || ch == 0x2029\n || ch == 0x202f\n || ch == 0x205f\n || ch == 0x3000\n)\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache
2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual fun interface Comparator<T> {\n @JsName(\"compare\")\n public actual fun compare(a: T, b: T): Int\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class
nativeSetter\n\n@Target(FUNCTION)\n@Deprecated(\"Use inline extension function with body using dynamic\")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION, PROPERTY)\ninternal

annotation class library(public val name: String = \"\")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or a class) specific name in JavaScript.\n *\n * This may be useful in the following cases:\n *\n * * There are two functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n * You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration, which in uncommon in Kotlin.\n *\n * Example:\n *\n * ``` kotlin\n * class Person(val name: String) {\n * fun hello() {\n * println(\"Hello $name!\")\n * }\n *\n * @JsName(\"helloWithGreeting\")\n * fun hello(greeting: String) {\n * println(\"$greeting $name!\")\n * }\n * }\n * ```\n *\n * @property name the name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required to denote a valid JavaScript identifier.\n *\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported from native JavaScript library.\n *\n * The compiler produces the code relevant for the target module system, for example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n *\n * The annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file (which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the declarations from the file.\n *\n * Example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @property import name of a module to import declaration from.\n * It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.\n *\n * @see JsNonModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsModule(val import: String)\n\n/**\n * Denotes an `external` declaration that can be used without module system.\n *\n * By default, an `external` declaration is available regardless your target module system.\n * However, by applying [JsModule] annotation you can make a declaration unavailable to *plain* module system.\n * Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available\n * as an npm package.\n * To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.\n *\n * For example:\n *\n * ``` kotlin\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external abstract class JQuery() {\n * // some declarations here\n * }\n *\n * @JsModule(\"jquery\")\n * @JsNonModule\n * @JsName(\"$\")\n * external fun JQuery(element: Element): JQuery\n * ```\n *\n * @see JsModule\n */\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\npublic annotation class JsNonModule\n\n/**\n * Adds prefix to `external` declarations in a source file.\n *\n * JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.\n * The compiler turns references to `external` declarations either to plain unprefixed names (in case of *plain* modules)\n * or to plain imports.\n * However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.\n * You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)`\n * annotation.\n *\n * Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.\n *\n * Example:\n *\n * ```\n * @file:JsQualifier(\"my.jsPackageName\")\n * package some.kotlinPackage\n *\n * external fun foo(x: Int)\n *\n * external fun bar(): String\n * ```\n *\n * @property value the qualifier to add to the declarations in the generated code.\n * It must be a sequence of valid JavaScript identifiers separated by the `.` character.\n * Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$0.f`.\n *\n * @see JsModule\n

*/\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FILE)\npublic annotation class JsQualifier(val value: String)\n\n/**\n * Exports top-level declaration on JS platform.\n *\n * Compiled module exposes declarations that are marked with this annotation without name mangling.\n *\n * This annotation can be applied to either files or top-level declarations.\n *\n * It is currently prohibited to export the following kinds of declarations:\n *\n * * `expect` declarations\n * * inline functions with reified type parameters\n * * suspend functions\n * * secondary constructors without `@JsName`\n * * extension properties\n * * enum classes\n * * annotation classes\n *\n * Signatures of exported declarations must only contain \"exportable\" types:\n *\n * * `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n * * `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n * * `Array<exportable-type>`\n * * Function types with exportable parameters and return types\n * * `external` or `@JsExport` classes and interfaces\n * * Nullable counterparts of types above\n * * Unit return type. Must not be nullable\n *\n * This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n */\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin(\"1.3\")\npublic actual annotation class JsExport\n\n/**\n * Forces a top-level property to be initialized eagerly, opposed to lazily on the first access to file and/or property.\n */\n@ExperimentalStdlibApi\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.PROPERTY)\n@SinceKotlin(\"1.6\")\n@Deprecated(\"This annotation is a temporal migration assistance and may be removed in the future releases, please consider filing an issue about the case where it is needed\")\npublic annotation class EagerInitialization\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Synchronized\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is invariant in its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n   actual abstract override fun add(element: E): Boolean\n\n   actual override fun remove(element: E): Boolean {\n   checkIsMutable()\n   val iterator = iterator()\n   while (iterator.hasNext()) {\n   if (iterator.next() == element) {\n   iterator.remove()\n   return true\n   }\n   }\n   return false\n   }\n\n   actual override fun addAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   var modified = false\n   for (element in elements) {\n   if (add(element)) modified = true\n   }\n   return modified\n   }\n\n   actual override fun removeAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   return (this as MutableIterable<E>).removeAll { it in elements }\n   }\n\n   actual override fun retainAll(elements: Collection<E>): Boolean {\n   checkIsMutable()\n   return (this as MutableIterable<E>).removeAll { it !in elements }\n   }\n\n   actual override fun clear(): Unit {\n   checkIsMutable()\n   val iterator = this.iterator()\n   while (iterator.hasNext()) {\n   iterator.next()\n   iterator.remove()\n   }\n   }\n\n   @Deprecated(\"Provided so that subclasses inherit this function\", level = DeprecationLevel.HIDDEN)\n   @JsName(\"toJSON\")\n   protected fun toJSON(): Any = this.toArray()\n\n\n   /**\n   * This method is called every time when a mutating method is called on this mutable collection.\n   * Mutable collections that are built (frozen) must throw `UnsupportedOperationException`.\n   */\n   internal open fun checkIsMutable(): Unit { }\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of

this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableList] interface.\n *\n * @param E the type of elements contained in the list. The list is invariant in its element type.\n */\npublic actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n protected var modCount: Int = 0\n\n abstract override fun add(index: Int, element: E): Unit\n abstract override fun removeAt(index: Int): E\n abstract override fun set(index: Int, element: E): E\n\n /**\n * Adds the specified element to the end of this list.\n *\n * @return `true` because the list is always modified as the result of this operation.\n */\n actual override fun add(element: E): Boolean {\n checkIsMutable()\n add(size, element)\n return true\n }\n\n actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n AbstractList.checkPositionIndex(index, size)\n\n checkIsMutable()\n var _index = index\n var changed = false\n for (e in elements) {\n add(_index++, e)\n changed = true\n }\n return changed\n }\n\n actual override fun clear() {\n checkIsMutable()\n removeRange(0, size)\n }\n\n actual override fun removeAll(elements: Collection<E>): Boolean {\n checkIsMutable()\n return removeAll { it in elements }\n }\n\n actual override fun retainAll(elements: Collection<E>): Boolean {\n checkIsMutable()\n return removeAll { it !in elements }\n }\n\n\n actual override fun iterator(): MutableIterator<E> = IteratorImpl()\n\n actual override fun contains(element: E): Boolean = indexOf(element) >= 0\n\n actual override fun indexOf(element: E): Int {\n for (index in 0..lastIndex) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun lastIndexOf(element: E): Int {\n for (index in lastIndex downTo 0) {\n if (get(index) == element) {\n return index\n }\n }\n return -1\n }\n\n actual override fun listIterator(): MutableListIterator<E> = listIterator(0)\n actual override fun listIterator(index: Int): MutableListIterator<E> = ListIteratorImpl(index)\n\n\n actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> = SubList(this, fromIndex, toIndex)\n\n /**\n * Removes the range of elements from this list starting from [fromIndex] and ending with but not including [toIndex].\n */\n protected open fun removeRange(fromIndex: Int, toIndex: Int) {\n val iterator = listIterator(fromIndex)\n repeat(toIndex - fromIndex) {\n iterator.next()\n iterator.remove()\n }\n }\n\n /**\n * Compares this list with another list instance with the ordered structural equality.\n *\n * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is List<*>) return false\n\n return AbstractList.orderedEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this list.\n */\n override fun hashCode(): Int = AbstractList.orderedHashCode(this)\n\n\n private open inner class IteratorImpl : MutableIterator<E> {\n /** the index of the item that will be returned on the next call to [next]`()` */\n protected var index = 0\n /** the index of the item that was returned on the previous call to [next]`()`\n * or [ListIterator.previous]`()` (for `ListIterator`),\n * -1 if no such item exists\n */\n protected var last = -1\n\n override fun hasNext(): Boolean = index < size\n\n override fun next(): E {\n if (!hasNext()) throw NoSuchElementException()\n last = index++\n return get(last)\n }\n\n override fun remove() {\n check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n removeAt(last)\n index = last\n last = -1\n }\n }\n\n /**\n * Implementation of `MutableListIterator` for abstract lists.\n */\n private inner class ListIteratorImpl(index: Int) : IteratorImpl(), MutableListIterator<E> {\n\n init {\n AbstractList.checkPositionIndex(index, this@AbstractMutableList.size)\n this.index = index\n }\n\n override fun hasPrevious(): Boolean = index > 0\n\n override fun nextIndex(): Int = index\n\n override fun previous(): E {\n if (!hasPrevious()) throw NoSuchElementException()\n\n last = --index\n return get(last)\n }\n\n override fun previousIndex(): Int = index - 1\n\n override fun add(element: E) {\n add(index,

```
element)\n            index++\n            last = -1\n        }\n\n        override fun set(element: E) {\n            check(last != -1) { \"Call next() or previous() before updating element value with the iterator.\" }\n            set(last, element)\n        }\n    }\n\n    private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n        private var _size: Int = 0\n\n        init {\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex - fromIndex\n        }\n\n        override fun add(index: Int, element: E) {\n            AbstractList.checkPositionIndex(index, _size)\n\n            list.add(fromIndex
            + index, element)\n            _size++\n        }\n\n        override fun get(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return list[fromIndex + index]\n        }\n\n        override fun removeAt(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            val result = list.removeAt(fromIndex + index)\n            _size--\n            return result\n        }\n\n        override fun set(index: Int, element: E): E {\n            AbstractList.checkElementIndex(index, _size)\n\n            return list.set(fromIndex + index, element)\n        }\n\n        override val size: Int get() = _size\n\n        internal override fun checkIsMutable(): Unit = list.checkIsMutable()\n    }\n\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based
 on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableMap] interface.\n *\n * The implementor is required to implement [entries] property, which should return mutable set of map entries, and [put] function.\n *\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type of map values. The map is invariant in its value type.\n */\npublic actual abstract class AbstractMutableMap<K, V> protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n    /**\n     * A mutable [Map.Entry] shared by several [Map] implementations.\n     */\n    internal open class SimpleEntry<K, V>(override val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n        constructor(entry: Map.Entry<K, V>) : this(entry.key, entry.value)\n\n        private var _value = value\n\n        override val value: V get() = _value\n\n        override fun setValue(newValue: V): V {\n            // Should check if the map containing this entry is mutable.\n            // However, to not increase entry memory footprint it might be worthwhile not to check it here and\n            // force subclasses that implement `build()` (freezing) operation to implement their own `MutableEntry`.\n//            this@AbstractMutableMap.checkIsMutable()\n            val oldValue = this._value\n            this._value = newValue\n            return oldValue\n        }\n\n        override fun hashCode(): Int = entryHashCode(this)\n        override fun toString(): String = entryToString(this)\n        override fun equals(other: Any?): Boolean = entryEquals(this, other)\n\n    }\n\n    // intermediate abstract class to workaround KT-43321\n    internal abstract class AbstractEntrySet<E : Map.Entry<K, V>, K, V> : AbstractMutableSet<E>() {\n        final override fun contains(element: E): Boolean = containsEntry(element)\n        abstract fun containsEntry(element: Map.Entry<K, V>): Boolean\n
        final override fun remove(element: E): Boolean = removeEntry(element)\n        abstract fun removeEntry(element: Map.Entry<K, V>): Boolean\n    }\n\n    actual override fun clear() {\n        entries.clear()\n    }\n\n    private var _keys: MutableSet<K>? = null\n    actual override val keys: MutableSet<K>\n        get() {\n            if (_keys == null) {\n                _keys = object : AbstractMutableSet<K>() {\n                    override fun add(element: K): Boolean = throw UnsupportedOperationException(\"Add is not supported on keys\")\n                    override fun clear() {\n                        this@AbstractMutableMap.clear()\n                    }\n\n                    override operator fun contains(element: K): Boolean = containsKey(element)\n\n                    override operator fun iterator(): MutableIterator<K> {\n                        val entryIterator = entries.iterator()\n                        return object : MutableIterator<K> {\n
                            override fun hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): K = entryIterator.next().key\n                            override fun remove() = entryIterator.remove()\n                        }\n                    }\n\n                    override fun remove(element: K): Boolean {\n                        checkIsMutable()\n                        if (containsKey(element)) {\n                            this@AbstractMutableMap.remove(element)\n
```

```
return true\n                }\n                return false\n            }\n\n            override val size: Int get() = this@AbstractMutableMap.size\n\n            override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n            }\n        }\n        return _keys!!\n    }\n\n    actual abstract override fun put(key: K, value: V): V?\n\n    actual override fun putAll(from: Map<out K, V>) {\n        checkIsMutable()\n        for ((key, value) in from) {\n            put(key, value)\n        }\n    }\n\n    private var _values: MutableCollection<V>? = null\n    actual override val values: MutableCollection<V>\n        get() {\n            if (_values == null) {\n                _values = object : AbstractMutableCollection<V>() {\n                    override fun add(element: V): Boolean = throw UnsupportedOperationException(\"Add is not supported on values\")\n                    override fun clear() = this@AbstractMutableMap.clear()\n\n                    override operator fun contains(element: V): Boolean = containsValue(element)\n\n                    override operator fun iterator(): MutableIterator<V> {\n                        val entryIterator = entries.iterator()\n                        return object : MutableIterator<V> {\n                            override fun hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): V = entryIterator.next().value\n                            override fun remove() = entryIterator.remove()\n                        }\n                    }\n\n                    override val size: Int get() = this@AbstractMutableMap.size\n\n                    override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n                }\n            }\n            return _values!!\n        }\n\n    actual override fun remove(key: K): V? {\n        checkIsMutable()\n        val iter = entries.iterator()\n        while (iter.hasNext()) {\n            val entry = iter.next()\n            val k = entry.key\n            if (key == k) {\n                val value = entry.value\n                iter.remove()\n                return value\n            }\n        }\n        return null\n    }\n\n\n    /**\n     * This method is called every time when a mutating method is called on this mutable map.\n     * Mutable maps that are built (frozen) must throw `UnsupportedOperationException`.\n     */\n    internal open fun checkIsMutable(): Unit {}\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableSet] interface.\n *\n * @param E the type of elements contained in the set. The set is invariant in its element type.\n */\npublic actual abstract class AbstractMutableSet<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableSet<E> {\n\n    /**\n     * Compares this set with another set instance with the unordered structural equality.\n     *\n     * @return `true`, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n     */\n    override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is Set<*>) return false\n        return AbstractSet.setEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this set.\n     */\n    override fun hashCode(): Int = AbstractSet.unorderedHashCode(this)\n\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a [MutableList] implementation, which uses a resizable array as its backing storage.\n *\n * This implementation doesn't provide a way to manage capacity, as backing JS array is resizeable itself.\n * There is no speed advantage to pre-allocating array sizes in JavaScript, so this implementation does not include any of the\n * capacity and \"growth increment\" concepts.\n */\npublic actual open class ArrayList<E> internal constructor(private var array: Array<Any?>) : AbstractMutableList<E>(), MutableList<E>, RandomAccess {\n    private var isReadOnly: Boolean = false\n\n    /**\n     * Creates an empty [ArrayList].\n     */\n    public actual constructor() : this(emptyArray()) {}\n\n    /**\n     * Creates an empty [ArrayList].\n     * @param initialCapacity initial capacity (ignored)\n     */\n    public actual constructor(initialCapacity: Int) : this(emptyArray()) {}\n\n    /**\n     * Creates an [ArrayList] filled from the [elements] collection.\n     */\n    public actual constructor(elements: Collection<E>) : this(elements.toTypedArray<Any?>()) {}\n\n    @PublishedApi\n    internal fun build(): List<E> {\n        checkIsMutable()\n        isReadOnly = true\n        return this\n    }\n\n    /** Does nothing in this ArrayList implementation. */\n    public actual fun trimToSize() {}\n\n    /** Does nothing in this ArrayList implementation. */\n    public actual fun ensureCapacity(minCapacity: Int) {}\n\n    actual override val size: Int get() = array.size\n\n    @Suppress(\"UNCHECKED_CAST\")\n
```

```
    actual override fun get(index: Int): E = array[rangeCheck(index)] as E\n    actual override fun set(index: Int, element: E): E {\n        checkIsMutable()\n        rangeCheck(index)\n        @Suppress(\"UNCHECKED_CAST\")\n        return array[index].apply { array[index] = element } as E\n    }\n\n    actual override fun add(element: E): Boolean {\n        checkIsMutable()\n        array.asDynamic().push(element)\n        modCount++\n        return true\n    }\n\n    actual override fun add(index: Int, element: E): Unit {\n        checkIsMutable()\n        array.asDynamic().splice(insertionRangeCheck(index), 0, element)\n        modCount++\n    }\n\n    actual override fun addAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        if (elements.isEmpty()) return false\n\n        array += elements.toTypedArray<Any?>()\n        modCount++\n        return true\n    }\n\n    actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n        checkIsMutable()\n        insertionRangeCheck(index)\n\n        if (index == size) return addAll(elements)\n        if (elements.isEmpty()) return false\n        when (index) {\n            size -> return addAll(elements)\n            0 -> array = elements.toTypedArray<Any?>() + array\n            else -> array = array.copyOfRange(0, index).asDynamic().concat(elements.toTypedArray<Any?>(), array.copyOfRange(index, size))\n        }\n\n        modCount++\n        return true\n    }\n\n    actual override fun removeAt(index: Int): E {\n        checkIsMutable()\n        rangeCheck(index)\n        modCount++\n        return if (index == lastIndex)\n            array.asDynamic().pop()\n        else\n            array.asDynamic().splice(index, 1)[0]\n    }\n\n    actual override fun remove(element: E): Boolean {\n        checkIsMutable()\n        for (index in array.indices) {\n            if (array[index] == element) {\n                array.asDynamic().splice(index, 1)\n                modCount++\n                return true\n            }\n        }\n        return false\n    }\n\n    override fun removeRange(fromIndex: Int, toIndex: Int) {\n        checkIsMutable()\n        modCount++\n        array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n    }\n\n    actual override fun clear() {\n        checkIsMutable()\n        array = emptyArray()\n        modCount++\n    }\n\n\n    actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n    actual override fun lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n    override fun toString() = arrayToString(array)\n\n    @Suppress(\"UNCHECKED_CAST\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        if (array.size < size) {\n            return toArray() as Array<T>\n        }\n\n        (this.array as Array<T>).copyInto(array)\n\n        if (array.size > size) {\n            array[size] = null as T // null-terminate\n        }\n\n        return array\n    }\n\n    override fun toArray(): Array<Any?> {\n        return js(\"[]\").slice.call(array)\n    }\n\n\n    internal override fun checkIsMutable() {\n        if (isReadOnly) throw UnsupportedOperationException()\n    }\n\n    private fun rangeCheck(index: Int) = index.apply {\n        AbstractList.checkElementIndex(index, size)\n    }\n\n    private fun insertionRangeCheck(index: Int) = index.apply {\n        AbstractList.checkPositionIndex(index, size)\n    }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if (getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun <T> sortArrayWith(array:
    Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun <T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>) {\n    if (fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n    }\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>) {\n    if (getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n        array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean
```

{\n _stableSortingIsSupported?.let { return it }\n _stableSortingIsSupported = false\n\n val array = js(\"[]\").unsafeCast<Array<Int>>()\n // known implementations may use stable sort for arrays of up to 512 elements\n // so we create slightly more elements to test stability\n for (index in 0 until 600) array.asDynamic().push(index)\n val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n array.asDynamic().sort(comparison)\n for (index in 1 until array.size) {\n val a = array[index - 1]\n val b = array[index]\n if ((a and 3) == (b and 3) && a >= b) return false\n }\n _stableSortingIsSupported = true\n return true\n}\n\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator: Comparator<in T>) {\n val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n val result = mergeSort(array, buffer, start, endInclusive, comparator)\n if (result !== array) {\n for (i in start..endInclusive) array[i] = result[i]\n }\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n if (start == end) {\n return array\n }\n\n val median = (start + end) / 2\n val left = mergeSort(array, buffer, start, median, comparator)\n val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n val target = if (left === buffer) array else buffer\n\n // Merge.\n var leftIndex = start\n var rightIndex = median + 1\n for (i in start..end) {\n when {\n leftIndex <= median && rightIndex <= end -> {\n val leftValue = left[leftIndex]\n val rightValue = right[rightIndex]\n\n if (comparator.compare(leftValue, rightValue) <= 0) {\n target[i] = leftValue\n leftIndex++\n } else {\n target[i] = rightValue\n rightIndex++\n }\n }\n leftIndex <= median -> {\n target[i] = left[leftIndex]\n leftIndex++\n }\n else /* rightIndex <= end */ -> {\n target[i] = right[rightIndex]\n rightIndex++\n Unit // TODO: Fix KT-31506\n }\n }\n }\n\n return target\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@kotlin.js.JsName(\"contentDeepHashCodeImpl\")\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n if (this == null) return 0\n var result = 1\n for (element in this) {\n val elementHash = when {\n element == null -> 0\n isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n\n element is UByteArray -> element.contentHashCode()\n element is UShortArray -> element.contentHashCode()\n element is UIntArray -> element.contentHashCode()\n element is ULongArray -> element.contentHashCode()\n\n else -> element.hashCode()\n }\n\n result = 31 * result + elementHash\n }\n return result\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n * Subclasses must override to return a value indicating\n * whether or not two keys or values are equal.\n */\n abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n * Subclasses must override to return the hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n\n object HashCode : EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap] interface.\n *\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values] and [entries] collections.\n */\n// Classes that extend HashMap and implement `build()` (freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>, MutableMap<K, V> {\n\n private inner class EntrySet :

```
AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n        override fun clear() {\n            this@HashMap.clear()\n        }\n\n        override fun containsEntry(element: Map.Entry<K, V>): Boolean = this@HashMap.containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun removeEntry(element: Map.Entry<K, V>): Boolean {\n            if (contains(element)) {\n                this@HashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override val size: Int get() = this@HashMap.size\n    }\n\n\n    /**\n     * Internal implementation of the map: either string-based or hashcode-based.\n     */\n    private val internalMap: InternalMap<K, V>\n\n    private val equality: EqualityComparator\n\n    internal constructor(internalMap: InternalMap<K, V>) : super() {\n        this.internalMap = internalMap\n        this.equality = internalMap.equality\n    }\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     */\n    actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n    /**\n     * Constructs an empty [HashMap] instance.\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) : this() {\n        // This implementation of HashMap has no need of load factors or capacities.\n        require(initialCapacity >= 0) { \"Negative initial capacity: $initialCapacity\" }\n        require(loadFactor >= 0) { \"Non-positive load factor: $loadFactor\" }\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n    /**\n     * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original: Map<out K, V>) : this() {\n        this.putAll(original)\n    }\n\n    actual override fun clear() {\n        internalMap.clear()\n//        structureChanged(this)\n    }\n\n    actual override fun containsKey(key: K): Boolean = internalMap.contains(key)\n\n    actual override fun containsValue(value: V): Boolean = internalMap.any { equality.equals(it.value, value) }\n\n    private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? = null\n    actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n        get() {\n            if (_entries == null) {\n                _entries = createEntrySet()\n            }\n            return _entries!!\n        }\n\n    internal open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = internalMap.get(key)\n\n    actual override fun put(key: K, value: V): V? = internalMap.put(key, value)\n\n    actual override fun remove(key: K): V? = internalMap.remove(key)\n\n    actual override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of [HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n    return HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [HashMap] instance.\n */\n// Classes that extend HashSet and implement `build()` (freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\npublic actual open class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n    internal val map: HashMap<E, Any>\n\n    /**\n     * Constructs a new empty [HashSet].\n     */\n    actual constructor() {\n        map = HashMap<E, Any>()\n    }\n\n    /**\n     * Constructs a new [HashSet] filled with the elements of the specified collection.\n     */\n    actual constructor(elements: Collection<E>) {\n        map = HashMap<E, Any>(elements.size)\n        addAll(elements)\n    }\n\n    /**\n     * Constructs a new empty [HashSet].\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) {\n        map =
```

HashMap<E, Any>(initialCapacity, loadFactor)\n   }\n\n   actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n   /**\n   * Protected constructor to specify the underlying map. This is used by\n   * LinkedHashSet.\n\n   * @param map underlying map to use.\n   */\n   internal constructor(map: HashMap<E, Any>) {\n   this.map = map\n   }\n\n   actual override fun add(element: E): Boolean {\n   val old = map.put(element, this)\n   return old == null\n   }\n\n   actual override fun clear() {\n   map.clear()\n   }\n\n// public override fun clone(): Any {\n//   return HashSet<E>(this)\n//   }\n\n   actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n   actual override fun isEmpty(): Boolean = map.isEmpty()\n\n   actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n   actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n   actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n   return HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n */\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n   private var backingMap: dynamic = createJsMap()\n   override var size: Int = 0\n   private set\n\n   override fun put(key: K, value: V): V? {\n   val hashCode = equality.getHashCode(key)\n   val chainOrEntry = getChainOrEntryOrNull(hashCode)\n   if (chainOrEntry == null) {\n   // This is a new chain, put it to the map.\n   backingMap[hashCode] = SimpleEntry(key, value)\n   } else {\n   if (chainOrEntry !is Array<*>) {\n   // It is an entry\n   val entry: SimpleEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   return entry.setValue(value)\n   } else {\n   backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n   size++\n   return null\n   }\n   } else {\n   // Chain already exists, perhaps key also exists.\n   val chain: Array<MutableEntry<K, V>> = chainOrEntry\n   val entry = chain.findEntryInChain(key)\n   if (entry != null) {\n   return entry.setValue(value)\n   }\n   chain.asDynamic().push(SimpleEntry(key, value))\n   }\n   }\n   size++\n//   structureChanged(host)\n   return null\n   }\n\n   override fun remove(key: K): V? {\n   val hashCode = equality.getHashCode(key)\n   val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n   if (chainOrEntry !is Array<*>) {\n   val entry: MutableEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   jsDeleteProperty(backingMap, hashCode)\n   size--\n   return entry.value\n   } else {\n   return null\n   }\n   } else {\n   val chain: Array<MutableEntry<K, V>> = chainOrEntry\n   for (index in chain.indices) {\n   val entry = chain[index]\n   if (equality.equals(key, entry.key)) {\n   if (chain.size == 1) {\n   chain.asDynamic().length = 0\n   // remove the whole array\n   jsDeleteProperty(backingMap, hashCode)\n   } else {\n   // splice out the entry we're removing\n   chain.asDynamic().splice(index, 1)\n   }\n   size--\n//   structureChanged(host)\n   return entry.value\n   }\n   }\n   }\n   return null\n   }\n\n   override fun clear() {\n   backingMap = createJsMap()\n   size = 0\n   }\n\n   override fun contains(key: K): Boolean = getEntry(key) != null\n\n   override fun get(key: K): V? = getEntry(key)?.value\n\n   private fun getEntry(key: K): MutableEntry<K, V>? {\n   val chainOrEntry = getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n   if (chainOrEntry !is Array<*>) {\n   val entry: MutableEntry<K, V> = chainOrEntry\n   if (equality.equals(entry.key, key)) {\n   return

entry\n } else {\n return null\n }\n } else {\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n return chain.findEntryInChain(key)\n }\n }\n\n private fun Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n firstOrNull { entry -> equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n return object : MutableIterator<MutableEntry<K, V>> {\n var state = -1 // -1 not ready, 0 - ready, 1 - done\n\n val keys: Array<String> = js(\"Object\").keys(backingMap)\n var keyIndex = -1\n\n var chainOrEntry: dynamic = null\n var isChain = false\n var itemIndex = -1\n var lastEntry: MutableEntry<K, V>? = null\n\n private fun computeNext(): Int {\n if (chainOrEntry != null && isChain) {\n val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n if (++itemIndex < chainSize)\n return 0\n }\n\n if (++keyIndex < keys.size) {\n chainOrEntry = backingMap[keys[keyIndex]]\n isChain = chainOrEntry is Array<*>\n itemIndex = 0\n return 0\n } else {\n chainOrEntry = null\n return 1\n }\n }\n\n override fun hasNext(): Boolean {\n if (state == -1)\n state = computeNext()\n return state == 0\n }\n\n override fun next(): MutableEntry<K, V> {\n if (!hasNext()) throw NoSuchElementException()\n val lastEntry = if (isChain) {\n chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n } else {\n chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n }\n this.lastEntry = lastEntry\n state = -1\n return lastEntry\n }\n\n override fun remove() {\n checkNotNull(lastEntry)\n this@InternalHashCodeMap.remove(lastEntry!!.key)\n lastEntry = null\n // the chain being iterated just got modified by InternalHashCodeMap.remove\n itemIndex--\n }\n }\n }\n\n private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n val chainOrEntry = backingMap[hashCode]\n return if (chainOrEntry === undefined) null else chainOrEntry\n }\n\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and [InternalHashCodeMap].\n */\ninternal interface InternalMap<K, V> : MutableIterable<MutableMap.MutableEntry<K, V>> {\n val equality: EqualityComparator\n val size: Int\n operator fun contains(key: K): Boolean\n\n operator fun get(key: K): V?\n\n fun put(key: K, value: V): V?\n fun remove(key: K): V?\n fun clear(): Unit\n\n fun createJsMap(): dynamic {\n val result = js(\"Object.create(null)\")\n // force to switch object representation to dictionary mode\n result[\"foo\"] = 1\n jsDeleteProperty(result, \"foo\")\n return result\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT InternalStringMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n *\n * Though this map is instantiated only with K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n// /**\n// * A mod count to track 'value' replacements in map to ensure that the 'value' that we have in the\n// * iterator entry is guaranteed to be still correct.\n// * This is to optimize for the common scenario where the values are not modified during\n// * iterations where the entries are never stale.\n// */\n// private var valueMod: Int = 0\n\n override operator fun contains(key: K): Boolean {\n if (key !is String) return false\n return backingMap[key] !== undefined\n }\n\n override operator fun get(key: K): V? {\n if (key !is String) return null\n val value = backingMap[key]\n return if (value

```
 !== undefined) value.unsafeCast<V>() else null\n    }\n\n\n    override fun put(key: K, value: V): V? {\n
require(key is String)\n        val oldValue = backingMap[key]\n        backingMap[key] = value\n\n        if (oldValue
=== undefined) {\n            size++\n//            structureChanged(host)\n            return null\n        } else {\n//
valueMod++\n            return oldValue.unsafeCast<V>()\n        }\n    }\n\n    override fun remove(key: K): V? {\n
if (key !is String) return null\n        val value = backingMap[key]\n        if (value !== undefined) {\n
jsDeleteProperty(backingMap, key)\n            size--\n//            structureChanged(host)\n            return
value.unsafeCast<V>()\n        } else {\n//            valueMod++\n            return null\n        }\n    }\n\n\n    override fun
clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n\n    override fun iterator():
MutableIterator<MutableEntry<K, V>> {\n
        return object : MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =
js(\"Object\").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n\n            override fun next():
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n
@Suppress(\"UNCHECKED_CAST\")\n                return newMapEntry(key as K)\n            }\n\n            override
fun remove() {\n                @Suppress(\"UNCHECKED_CAST\")\n
this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n    }\n\n    private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n        override val key: K get() =
key\n        override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n        override fun
setValue(newValue:
 V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n        override fun hashCode(): Int =
AbstractMap.entryHashCode(this)\n        override fun toString(): String = AbstractMap.entryToString(this)\n
override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this, other)\n    }\n}\n","/*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT
LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based implementation of the [MutableMap]
interface, which additionally preserves the insertion order\n * of entries during the iteration.\n *\n * The insertion
order is preserved by maintaining a doubly-linked list of all of its entries.\n */\npublic actual open class
LinkedHashMap<K, V> : HashMap<K,
 V>, MutableMap<K, V> {\n\n    /**\n     * The entry we use includes next/prev pointers for a doubly-linked
circular\n     * list with a head node. This reduces the special cases we have to deal with\n     * in the list
operations.\n\n     * Note that we duplicate the key from the underlying hash map so we can find\n     * the eldest
entry. The alternative would have been to modify HashMap so more\n     * of the code was directly usable here, but
this would have added some\n     * overhead to HashMap, or to reimplement most of the HashMap code here with\n
 * small modifications. Paying a small storage cost only if you use\n     * LinkedHashMap and minimizing code size
seemed like a better tradeoff\n     */\n    private inner class ChainEntry<K, V>(key: K, value: V) :
AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n        internal var next: ChainEntry<K, V>? = null\n
internal var prev: ChainEntry<K, V>? = null\n\n        override fun setValue(newValue: V): V {\n
            this@LinkedHashMap.checkIsMutable()\n            return super.setValue(newValue)\n        }\n    }\n\n
private inner class EntrySet : AbstractEntrySet<MutableEntry<K, V>, K, V>() {\n\n        private inner class
EntryIterator : MutableIterator<MutableEntry<K, V>> {\n            // The last entry that was returned from this
iterator.\n            private var last: ChainEntry<K, V>? = null\n\n            // The next entry to return from this
iterator.\n            private var next: ChainEntry<K, V>? = null\n\n            init {\n                next = head\n//
recordLastKnownStructure(map, this)\n            }\n\n            override fun hasNext(): Boolean {\n                return
next !== null\n            }\n\n            override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n                if (!hasNext()) throw NoSuchElementException()\n\n                val
current = next!!\n                last = current\n
```

```
        next = current.next.takeIf { it !== head }\n                return current\n            }\n\n            override fun remove() {\n                check(last != null)\n                this@EntrySet.checkIsMutable()\n// checkStructuralChange(map, this)\n\n                last!!.remove()\n                map.remove(last!!.key)\n// recordLastKnownStructure(map, this)\n                last = null\n            }\n        }\n\n        override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException(\"Add is not supported on entries\")\n        override fun clear() {\n            this@LinkedHashMap.clear()\n        }\n\n        override fun containsEntry(element: Map.Entry<K, V>): Boolean = this@LinkedHashMap.containsEntry(element)\n\n        override operator fun iterator(): MutableIterator<MutableEntry<K, V>> = EntryIterator()\n\n        override fun removeEntry(element: Map.Entry<K, V>): Boolean {\n            checkIsMutable()\n            if (contains(element)) {\n                this@LinkedHashMap.remove(element.key)\n                return true\n            }\n            return false\n        }\n\n        override val size: Int get() = this@LinkedHashMap.size\n\n        override fun checkIsMutable(): Unit = this@LinkedHashMap.checkIsMutable()\n    }\n\n\n    /*\n     * The head of the insert order chain, which is a doubly-linked circular\n     * list.\n     *\n     * The most recently inserted node is at the end of the chain, ie.\n     * chain.prev.\n     */\n    private var head: ChainEntry<K, V>? = null\n\n    /**\n     * Add this node to the end of the chain.\n     */\n    private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev == null)\n\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev = this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n    }\n\n    /**\n     * Remove this node from the chain it is a part of.\n     */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single element, remove head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first element, move head to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next = next\n        }\n        next = null\n        prev = null\n    }\n\n    /*\n     * The hashmap that keeps track of our entries and the chain. Note that we\n     * duplicate the key here to eliminate changes to HashMap and minimize the\n     * code here, at the expense of additional space.\n     */\n    private val map: HashMap<K, ChainEntry<K, V>>\n\n    private var isReadOnly: Boolean = false\n\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     */\n    actual constructor() : super() {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n        @Suppress(\"UNCHECKED_CAST\") // expected to work due to erasure\n        map = backingMap as HashMap<K, ChainEntry<K, V>>\n    }\n\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     *\n     * @param  initialCapacity the initial capacity (ignored)\n     * @param  loadFactor      the load factor (ignored)\n     *\n     * @throws IllegalArgumentException if the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) : super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n\n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n    /**\n     * Constructs an instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n        this.putAll(original)\n    }\n\n    @PublishedApi\n    internal fun build(): Map<K, V> {\n        checkIsMutable()\n        isReadOnly = true\n        return this\n    }\n\n    actual override fun clear() {\n        checkIsMutable()\n        map.clear()\n        head = null\n    }\n\n\n//    override fun clone(): Any {\n//        return LinkedHashMap(this)\n//    }\n\n\n    actual override fun containsKey(key: K): Boolean = map.containsKey(key)\n\n    actual override fun containsValue(value: V): Boolean {\n        var node: ChainEntry<K, V> = head ?: return false\n        do {\n            if (node.value == value) {\n                return true\n            }\n            node = node.next!!\n        } while (node !== head)\n        return false\n    }\n\n\n    internal override fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n    actual override operator fun get(key: K): V? = map.get(key)?.value\n\n    actual override fun put(key: K, value: V): V? {\n        checkIsMutable()\n\n        val old = map.get(key)\n        if (old == null) {\n            val newEntry = ChainEntry(key, value)\n            map.put(key, newEntry)\n            newEntry.addToEnd()\n            return null\n
```

} else {\n return old.setValue(value)\n }\n }\n\n actual override fun remove(key: K): V? {\n checkIsMutable()\n\n val entry = map.remove(key)\n if (entry != null) {\n entry.remove()\n return entry.value\n }\n return null\n }\n\n actual override val size: Int get() = map.size\n\n internal override fun checkIsMutable() {\n if (isReadOnly) throw UnsupportedOperationException()\n }\n}\n\n/**\n * Constructs the specialized implementation
of [LinkedHashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n */\npublic fun <V> linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {\n return LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n/*\n * Based on GWT LinkedHashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the [MutableSet] interface, backed by a [LinkedHashMap] instance.\n *\n * This implementation preserves the insertion order of elements during the iteration.\n */\npublic actual open class LinkedHashSet<E> : HashSet<E>, MutableSet<E> {\n\n internal constructor(map: LinkedHashMap<E, Any>) : super(map)\n\n /**\n * Constructs a new empty [LinkedHashSet].\n */\n actual constructor() : super(LinkedHashMap<E, Any>())\n\n /**\n * Constructs a new [LinkedHashSet] filled with the elements of the specified collection.\n */\n actual constructor(elements: Collection<E>) : super(LinkedHashMap<E, Any>()) {\n addAll(elements)\n }\n\n /**\n * Constructs a new empty [LinkedHashSet].\n *\n * @param initialCapacity the initial capacity (ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if the initial capacity or load factor are negative\n */\n actual constructor(initialCapacity: Int, loadFactor: Float) : super(LinkedHashMap<E, Any>(initialCapacity, loadFactor))\n\n actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n @PublishedApi\n internal fun build(): Set<E> {\n (map as LinkedHashMap<E, Any>).build()\n return this\n }\n\n internal override fun checkIsMutable(): Unit = map.checkIsMutable()\n\n// public override fun clone(): Any {\n// return LinkedHashSet(this)\n// }\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [LinkedHashSet] with the specified [String] elements,\n * which elements the keys as properties of JS object without hashing them.\n */\npublic fun linkedStringSetOf(vararg elements: String): LinkedHashSet<String> {\n return LinkedHashSet(linkedStringMapOf<Any>()).apply { addAll(elements) }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.contracts.*\n\n\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\n@Deprecated(\"Synchronization on any object is not supported in Kotlin/JS\", ReplaceWith(\"run(block)\"))\n@kotlin.internal.InlineOnly\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun <R>
synchronized(lock: Any, block: () -> R): R {\n contract {\n callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n }\n return block()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.io\n\ninternal abstract class BaseOutput {\n open fun println() {\n print(\"\\n\")\n }\n\n open fun println(message: Any?) {\n print(message)\n println()\n }\n\n abstract fun print(message: Any?)\n\n open fun flush() {}\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"NodeJsOutput\")\ninternal class NodeJsOutput(val outputStream: dynamic) : BaseOutput() {\n override fun print(message: Any?) {\n // TODO: Using local variable because of bug in block decomposition lowering in IR backend\n val messageString = String(message)\n outputStream.write(messageString)\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"OutputToConsoleLog\")\ninternal class OutputToConsoleLog : BaseOutput() {\n override fun print(message: Any?) {\n console.log(message)\n }\n\n override fun println(message: Any?) {\n console.log(message)\n }\n\n override fun println() {\n console.log(\"\")\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in

*/\n@JsName(\"BufferedOutput\")\ninternal open class BufferedOutput : BaseOutput() {\n var buffer = \"\"\n\n override fun print(message: Any?) {\n buffer += String(message)\n }\n\n override fun flush() {\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it */\n@JsName(\"BufferedOutputToConsoleLog\")\ninternal class BufferedOutputToConsoleLog : BufferedOutput() {\n override fun print(message: Any?) {\n var s = String(message)\n val i = s.nativeLastIndexOf(\"\\n\", 0)\n if (i >= 0) {\n buffer += s.substring(0, i)\n flush()\n s = s.substring(i + 1)\n }\n buffer += s\n }\n\n override fun flush() {\n console.log(buffer)\n buffer = \"\"\n }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in */\n@JsName(\"output\")\ninternal var output = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n if (isNode) NodeJsOutput(js(\"process.stdout\")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js(\"String\")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic actual fun println(message: Any?) {\n output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. */\npublic actual fun print(message: Any?) {\n output.print(message)\n}\n\n@SinceKotlin(\"1.6\")\npublic actual fun readln(): String = throw UnsupportedOperationException(\"readln is not supported in Kotlin/JS\")\n\n@SinceKotlin(\"1.6\")\npublic actual fun readlnOrNull(): String? = throw UnsupportedOperationException(\"readlnOrNull is not supported in Kotlin/JS\")","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n private val delegate: Continuation<T>,\n initialResult: Any?\n) : Continuation<T> {\n @PublishedApi\n internal actual constructor(delegate: Continuation<T>) : this(delegate, UNDECIDED)\n\n public actual override val context: CoroutineContext\n get() = delegate.context\n\n private var result: Any? = initialResult\n\n public actual override fun resumeWith(result: Result<T>) {\n val cur = this.result\n when {\n cur === UNDECIDED -> {\n this.result = result.value\n }\n cur === COROUTINE_SUSPENDED -> {\n this.result = RESUMED\n delegate.resumeWith(result)\n }\n else -> throw IllegalStateException(\"Already resumed\")\n }\n }\n\n @PublishedApi\n internal actual fun getOrThrow(): Any? {\n if (result === UNDECIDED) {\n result = COROUTINE_SUSPENDED\n return COROUTINE_SUSPENDED\n }\n val result = this.result\n return when {\n result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n result is Result.Failure -> throw result.exception\n else -> result // either COROUTINE_SUSPENDED or data\n }\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.cancellation\n\n@SinceKotlin(\"1.4\")\npublic actual open class CancellationException : IllegalStateException {\n actual constructor() : super()\n actual constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) : super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n result.getOrThrow()\n}","/*\n

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class Date() {\n public constructor(milliseconds: Number)\n\n public constructor(dateString: String)\n\n public constructor(year: Int, month: Int)\n\n public constructor(year: Int, month: Int, day: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n public fun getDate(): Int\n\n public fun getDay(): Int\n\n public fun getFullYear(): Int\n\n public fun getHours(): Int\n\n public fun getMilliseconds(): Int\n\n public fun getMinutes(): Int\n\n public fun getMonth(): Int\n\n public fun getSeconds(): Int\n\n public fun getTime(): Double\n\n public fun getTimezoneOffset(): Int\n\n public fun getUTCDate(): Int\n\n public fun getUTCDay(): Int\n\n public fun getUTCFullYear(): Int\n\n public fun getUTCHours(): Int\n\n public fun getUTCMilliseconds(): Int\n\n public fun getUTCMinutes(): Int\n\n public fun getUTCMonth(): Int\n\n public fun getUTCSeconds(): Int\n\n public fun toDateString(): String\n\n public fun toISOString(): String\n\n public fun toJSON(): Json\n\n public fun toLocaleDateString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleDateString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n public fun toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n public fun toTimeString(): String\n\n public fun toUTCString(): String\n\n public companion object {\n public fun now(): Double\n\n public fun parse(dateString: String): Double\n\n public fun UTC(year: Int, month: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n }\n\n public interface LocaleOptions {\n public var localeMatcher: String?\n\n public var timeZone: String?\n\n public var hour12: Boolean?\n\n public var formatMatcher: String?\n\n public var weekday: String?\n\n public var era: String?\n\n public var year: String?\n\n public var month: String?\n\n public var day: String?\n\n public var hour: String?\n\n public var minute: String?\n\n public var second: String?\n\n public var timeZoneName: String?\n }\n}\n\npublic inline fun dateLocaleOptions(init: Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n val result = js(\"new Object()\").unsafeCast<Date.LocaleOptions>()\n init(result)\n return result\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Document\nimport org.w3c.dom.Element\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendElement as newAppendElement\nimport kotlinx.dom.createElement as newCreateElement\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the specified [init] function.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.createElement' instead.\",\n replaceWith = ReplaceWith(\"this.createElement(name, init)\", \"kotlinx.dom.createElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =

this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n *\n * The element is initialized with the specified [init] function.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.appendElement' instead.\",\n replaceWith = ReplaceWith(\"this.appendElement(name, init)\", \"kotlinx.dom.appendElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Element.appendElement(name:
String, noinline init: Element.() -> Unit): Element = this.newAppendElement(name, init)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.addClass as newAddClass\nimport kotlinx.dom.hasClass as newHasClass\nimport kotlinx.dom.removeClass as newRemoveClass\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.hasClass' instead.\",\n replaceWith = ReplaceWith(\"this.hasClass(cssClass)\", \"kotlinx.dom.hasClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.hasClass(cssClass:
String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.addClass' instead.\",\n replaceWith = ReplaceWith(\"this.addClass(cssClasses)\", \"kotlinx.dom.addClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.addClass(vararg cssClasses: String): Boolean = this.newAddClass(*cssClasses)\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.removeClass' instead.\",\n replaceWith
= ReplaceWith(\"this.removeClass(cssClasses)\", \"kotlinx.dom.removeClass\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.isElement as newIsElement\nimport kotlinx.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.isText' instead.\",\n replaceWith = ReplaceWith(\"this.isText\", \"kotlinx.dom.isText\")\n)\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\npublic val Node.isText: Boolean\n inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = \"This API is moved to another package, use 'kotlinx.dom.isElement' instead.\",\n replaceWith = ReplaceWith(\"this.isElement\", \"kotlinx.dom.isElement\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val Node.isElement: Boolean\n inline get() = this.newIsElement\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler: (Event) ->
Unit) : EventListener {\n public override fun handleEvent(event: Event) {\n handler(event)\n }\n\n public override fun toString(): String = \"EventListenerHandler($handler)\"\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0

license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n   val length: Int\n   fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as `List<T>`\n */\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n   override val size: Int get() = this@asList.length\n\n   override fun get(index: Int): T = when (index) {\n   in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n   else -> throw IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n   }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendText as newAppendText\nimport kotlinx.dom.clear as newClear\n\n/** Removes all the children from this node.\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n   message = \"This API is moved to another package, use 'kotlinx.dom.clear' instead.\",\n   replaceWith = ReplaceWith(\"this.clear()\", \"kotlinx.dom.clear\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic inline fun Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\n@LowPriorityInOverloadResolution\n@Deprecated(\n   message = \"This API is moved to another package,\n   use 'kotlinx.dom.appendText' instead.\",\n   replaceWith = ReplaceWith(\"this.appendText(text)\", \"kotlinx.dom.appendText\")\n)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun Element.appendText(text: String): Element = this.newAppendText(text)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n@kotlin.internal.InlineOnly\npublic inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T] without any actual type checking.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Any?.unsafeCast(): @kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of\n   the specified type [T] without any actual type checking.\n */\n@kotlin.internal.DynamicExtension\n@JsName(\"unsafeCastDynamic\")\n@kotlin.internal.InlineOnly\npublic inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic` object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an instance of [kotlin.collections.Iterable]\n */\n@kotlin.internal.DynamicExtension\npublic operator fun dynamic.iterator(): Iterator<dynamic> {\n   val r: Any? = this\n\n   return when {\n   this[\"iterator\"] != null -> \n   this[\"iterator\"]()\n   isArrayish(r) -> \n   r.unsafeCast<Array<*>>().iterator()\n\n   else -> \n   (r as Iterable<*>).iterator()\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt\n   file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n@JsName(\"throwNPE\")\ninternal fun throwNPE(message: String) {\n   throw NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\ninternal fun throwCCE() {\n   throw ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\ninternal fun throwISE(message: String) {\n   throw IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\ninternal fun throwUPAE(propertyName: String) {\n   throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been initialized\")\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group.\n *\n * @return a [Map] associating the key of\n   each group with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic actual fun <T, K>

Grouping<T, K>.eachCount(): Map<K, Int> =\n   fold(0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group.\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n   fold(0) { acc, e -> acc + valueSelector(e) }\n*/","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"GroupingKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.collections\n\n/**\n
 * Represents a source of elements with a [keyOf] function, which can be applied to each element to get its key.\n *\n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n * they group elements by their keys and then fold each group with some aggregating operation.\n *\n * It is created by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * - [Array.groupingBy]\n * - [CharSequence.groupingBy]\n *\n * For the list of group-and-fold operations available, see the [extension functions](#extension-functions) for `Grouping`.\n */\n@SinceKotlin(\"1.1\")\npublic interface Grouping<T, out K> {\n   /** Returns an [Iterator] over the elements of the source of this grouping. */\n   fun sourceIterator(): Iterator<T>\n   /** Extracts the key of an [element]. */\n   fun keyOf(element: T): K\n}\n\n/**\n
 * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * @return a [Map] associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadix\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T,
 K>.aggregate(\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K, R> {\n   return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n *\n * The key for each element is provided by the [Grouping.keyOf] function.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * - `first`: indicates whether it's the first `element` encountered in the group.\n *\n * If the [destination] map
 already has a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as `first`.\n *\n * @return the [destination] map associating the key of each group with the result of aggregation of the group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.aggregateTo(\n   destination: M,\n   operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M {\n   for (e in this.sourceIterator()) {\n   val key = keyOf(e)\n   val accumulator = destination[key]\n   destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n   }\n   return destination\n}\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,

and stores the results in a new map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is provided by [initialValueSelector] function.\n *\n * @param initialValueSelector a function that provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the first element being encountered in that group.\n *\n * If the [destination] map already has a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the [initialValueSelector]
function is not called for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n destination: M,\n initialValueSelector: (key: K, element: T) -> R,\n operation: (key: K, accumulator: R, element: T) -> R\n): M =\n @Suppress(\"UNCHECKED_CAST\")\n aggregateTo(destination) { key, acc, e, first -> operation(key, if (first) initialValueSelector(key, e) else acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, R> Grouping<T, K>.fold(\n initialValue: R,\n operation: (accumulator: R, element: T) -> R\n): Map<K, R> =\n @Suppress(\"UNCHECKED_CAST\")\n aggregate { _, acc, e, first -> operation(if (first) initialValue else
acc as R, e) }\n\n/**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the same [initialValue] for each group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group.\n *\n * @param operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n */\n@SinceKotlin(\"1.1\")\npublic

inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n   destination: M,\n   initialValue: R,\n   operation: (accumulator: R, element: T) -> R\n): M =\n   @Suppress(\"UNCHECKED_CAST\")\n   aggregateTo(destination) { _, acc, e, first -> operation(if (first) initialValue else acc as R, e) }\n\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new map.\n * An initial value of accumulator is the first element of the group.\n *\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element
from the source being accumulated.\n *\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n   operation: (key: K, accumulator: S, element: T) -> S\n): Map<K, S> =\n   aggregate { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n
* that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being folded;\n *\n * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n   destination: M,\n   operation: (key: K, accumulator: S, element: T) -> S\n): M =\n   aggregateTo(destination) { key, acc, e, first ->\n   @Suppress(\"UNCHECKED_CAST\")\n   if (first) e else operation(key, acc as S, e)\n   }\n\n\n/**\n * Groups elements from the [Grouping] source
by key and counts elements in each group to the given [destination] map.\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n *\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n *\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin(\"1.1\")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n   foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/*\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n *\n *\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n *\n * @return the [destination] map associating the
key of each group with the sum of elements in the group.\n */\n@SinceKotlin(\"1.1\")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n   foldTo(destination, 0) { acc, e -> acc + valueSelector(e)}\n*/\n\n\n/*\n// TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n   foldTo(destination, 0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n   fold(0L) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n   foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e)}\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double):

Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e)}\n*/\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\ninternal annotation class JsNativeImplementation(val implementation: String)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n */\npublic external interface Json {\n /**\n * Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\n *\n * E.g. for next code:\n * ```kotlin\n * fun test(j: Json, p: String) = j[\"prop\"] + j.get(p)\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p) {\n * return j[\"prop\"] + j[p];\n * }\n * ```\n */\n operator fun get(propertyName: String): Any?\n\n /**\n * Calls of the function will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n *\n * E.g. for the following code:\n * ```kotlin\n * fun test(j: Json, p: String, newValue: Any) {\n * j[\"prop\"] = 1\n * j.set(p, newValue)\n * }\n * ```\n *\n * will be generated:\n * ```js\n * function test(j, p, newValue) {\n * j[\"prop\"] = 1;\n * j[p] = newValue;\n * }\n * }\n * ```\n */\n operator fun set(propertyName: String, value: Any?): Unit\n}\n\n/**\n * Returns a simple JavaScript object (as [Json]) using provided key-value pairs as names and values of its properties.\n */\npublic fun json(vararg pairs: Pair<String, Any?>): Json {\n val res: dynamic = js(\"({})\")\n for ((name, value) in pairs) {\n res[name] = value\n }\n return res\n}\n\n/**\n * Adds key-value pairs from [other] to [this].\n * Returns the original receiver.\n */\npublic fun Json.add(other: Json): Json {\n val keys: Array<String> = js(\"Object\").keys(other)\n for (key in keys) {\n if (other.asDynamic().hasOwnProperty(key)) {\n this[key] = other[key];\n }\n }\n return this\n}\n\n/**\n * Exposes the JavaScript [JSON object](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/JSON) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external object JSON {\n public fun stringify(o: Any?): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: Int): String\n public fun stringify(o: Any?, replacer: ((key: String, value: Any?) -> Any?)? = definedExternally, space: String): String\n public fun stringify(o: Any?, replacer: Array<String>): String\n public fun stringify(o: Any?, replacer: Array<String>, space: Int): String\n public fun stringify(o: Any?, replacer: Array<String>, space: String): String\n\n public fun <T> parse(text: String): T\n public fun <T> parse(text: String, reviver: ((key: String, value: Any?) -> Any?)): T\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.math\n\n\nimport kotlin.internal.InlineOnly\nimport kotlin.js.JsMath as nativeMath\n\n\n// region ================ Double Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Double): Double = nativeMath.sin(x)\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Double): Double = nativeMath.cos(x)\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tan(x: Double): Double = nativeMath.tan(x)\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic

actual inline fun asin(x: Double): Double = nativeMath.asin(x)\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Double): Double = nativeMath.acos(x)\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Double): Double = nativeMath.atan(x)\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *
 - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan2(y: Double, x: Double): Double = nativeMath.atan2(y, x)\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Double): Double = nativeMath.sinh(x)\n\n/**\n * Computes the hyperbolic
 cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Double): Double = nativeMath.cosh(x)\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Double): Double = nativeMath.tanh(x)\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Double): Double = nativeMath.asinh(x)\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) ==
 x`.\n *\n * Special cases:\n *  - `acosh(NaN)` is `NaN`\n *  - `acosh(x)` is `NaN` when `x < 1`\n *  - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Double): Double = nativeMath.acosh(x)\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *  - `tanh(NaN)` is `NaN`\n *  - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n *  - `tanh(1.0)` is `+Inf`\n *  - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Double): Double = nativeMath.atanh(x)\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *  - returns `+Inf` if any of arguments is infinite\n *  - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Double, y: Double): Double =
 nativeMath.hypot(x, y)\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Double): Double = nativeMath.sqrt(x)\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Double): Double = nativeMath.exp(x)\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Double): Double = nativeMath.expm1(x)\n\n/**\n * Computes the logarithm of the

value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic actual fun log(x: Double, base: Double): Double {\n   if (base <= 0.0 || base == 1.0) return Double.NaN\n   return nativeMath.log(x) / nativeMath.log(base)\n}\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Double): Double = nativeMath.log(x)\n\n/**\n * Computes the common logarithm
(base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Double): Double = nativeMath.log10(x)\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log2(x: Double): Double = nativeMath.log2(x)\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Double): Double = nativeMath.log1p(x)\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater
than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Double): Double = nativeMath.ceil(x)\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Double): Double = nativeMath.floor(x)\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun round(x: Double): Double {\n   if (x % 0.5 != 0.0) {\n   return nativeMath.round(x)\n   }\n   val floor = floor(x)\n   return if (floor % 2 == 0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Double): Double = nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if
the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Double): Double = nativeMath.sign(x)\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double = nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not

an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
actual inline fun Double.pow(x: Double): Double = nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double = nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as
of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic actual val Double.ulp: Double get() = when {\n this < 0 -> (-this).ulp\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this == Double.MAX_VALUE -> this - this.nextDown()\n else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextUp(): Double = when {\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this == 0.0 -> Double.MIN_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextDown(): Double = when {\n this.isNaN() || this == Double.NEGATIVE_INFINITY -> this\n this == 0.0 -> -Double.MIN_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.nextTowards(to: Double): Double = when {\n this.isNaN() || to.isNaN() -> Double.NaN\n to == this -> to\n to > this -> this.nextUp()\n else /* to < this */ -> this.nextDown()\n}\n\n\n/**\n * Rounds this [Double] value to the nearest integer and
converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Double.roundToInt(): Int = when {\n isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n this > Int.MAX_VALUE -> Int.MAX_VALUE\n this < Int.MIN_VALUE -> Int.MIN_VALUE\n else -> nativeMath.round(this).toInt()\n}\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
actual fun Double.roundToLong(): Long = when {\n isNaN() -> throw IllegalArgumentException(\"Cannot round NaN value.\")\n this > Long.MAX_VALUE -> Long.MAX_VALUE\n this < Long.MIN_VALUE -> Long.MIN_VALUE\n else -> nativeMath.round(this).toLong()\n}\n\n// endregion\n\n\n\n// region ================ Float Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/** Computes the tangent of the angle [x] given in

radians.\n *\n * Special cases:\n *   - `tan(NaN|+Inf|-Inf)` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n *   - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n *   - `atan(NaN)` is `NaN`\n
 */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n *   - `atan2(0.0, 0.0)` is `0.0`\n *   - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n *   - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *   - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n *   - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n *   - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n *   - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n *   - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n *   - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic
 actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n *   - `sinh(NaN)` is `NaN`\n *   - `sinh(+Inf)` is `+Inf`\n *   - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n *   - `cosh(NaN)` is `NaN`\n *   - `cosh(+Inf|-Inf)` is `+Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(+Inf)` is `1.0`\n *   - `tanh(-Inf)` is `-1.0`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()\n\n/**\n
 * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n *   - `asinh(NaN)` is `NaN`\n *   - `asinh(+Inf)` is `+Inf`\n *   - `asinh(-Inf)` is `-Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n *   - `acosh(NaN)` is `NaN`\n *   - `acosh(x)` is `NaN` when `x < 1`\n *   - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n *   - `tanh(NaN)` is `NaN`\n *   - `tanh(x)` is `NaN`
 when `x > 1` or `x < -1`\n *   - `tanh(1.0)` is `+Inf`\n *   - `tanh(-1.0)` is `-Inf`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n *   - returns `+Inf` if any of arguments is infinite\n *   - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n *   - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()\n\n/**\n * Computes Euler's number `e` raised to the power of the value

[x].\n *\n * Special cases:\n * - `exp(NaN)`
 is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b >
 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n *  - `ln(NaN)` is `NaN`\n *  - `ln(x)` is `NaN` when `x < 0.0`\n *  - `ln(+Inf)` is `+Inf`\n *  - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual
 inline fun log2(x: Float): Float = nativeMath.log2(x.toDouble()).toFloat()\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float = nativeMath.log1p(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float = nativeMath.ceil(x.toDouble()).toFloat()\n\n/**\n
 * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun floor(x: Float): Float = nativeMath.floor(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where
 `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun round(x: Float): Float = round(x.toDouble()).toFloat()\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun abs(x: Float): Float = nativeMath.abs(x.toDouble()).toFloat()\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun sign(x: Float): Float = nativeMath.sign(x.toDouble()).toFloat()\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic

actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.absoluteValue: Float get() = nativeMath.abs(this.toDouble()).toFloat()\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Float.sign: Float get() = nativeMath.sign(this.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float = this.toDouble().withSign(sign.toDouble()).toFloat()\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int = toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long = toDouble().roundToLong()\n\n\n// endregion\n\n// region ================ Integer Math ==\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n// TODO: remove manual 'or' when KT-19290 is fixed\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int = nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a, b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Int.sign: Int get() = when {\n   this < 0 -> -1\n   this > 0 -> 1\n   else -> 0\n}\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else n\n\n/**\n * Returns the smaller of two values.\n

*/\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun min(a: Long, b: Long):
Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.2\")\n@Suppress(\"NOTHING_TO_INLINE\")\npublic actual inline fun max(a: Long, b: Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() = abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic actual val Long.sign: Int get() = when {\n this < 0 -> -1\n this > 0 -> 1\n else -> 0\n}\n\n\n// endregion\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Double.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n */\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this == Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n */\npublic actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this == Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Double.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n/**\n *
Returns `true` if the argument is a finite floating-point value; returns `false` otherwise (for `NaN` and infinity arguments).\n */\npublic actual fun Float.isFinite(): Boolean = !isInfinite() && !isNaN()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countOneBits(): Int {\n // Hacker's Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\n v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\n v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and 0x0000FFFF) + (v.ushr(16))\n return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n *
or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit

```
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n    shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Int.rotateRight(bitCount: Int): Int =\n    shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countOneBits(): Int =\n    high.countOneBits() + low.countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countLeadingZeroBits(): Int =\n    when (val high = this.high) {\n        0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\n        else -> high.countLeadingZeroBits()\n    }\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.countTrailingZeroBits(): Int =\n    when (val low = this.low) {\n        0 -> Int.SIZE_BITS + high.countTrailingZeroBits()\n        else -> low.countTrailingZeroBits()\n    }\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.takeHighestOneBit(): Long =\n    when (val high = this.high) {\n        0 -> Long(low.takeHighestOneBit(), 0)\n        else -> Long(0, high.takeHighestOneBit())\n    }\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.takeLowestOneBit(): Long =\n    when (val low = this.low) {\n        0 -> Long(0, high.takeLowestOneBit())\n        else -> Long(low.takeLowestOneBit(), 0)\n    }\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as\n rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun Long.rotateLeft(bitCount: Int): Long {\n    if ((bitCount and 31) != 0) {\n        val low = this.low\n        val high = this.high\n        val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n        val newHigh = high.shl(bitCount) or low.ushr(-bitCount)\n        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)\n    } else {\n        return if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n}\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the\n most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
```

c actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic open external class Promise<out T>(executor: (resolve: (T) -> Unit, reject: (Throwable) -> Unit) -> Unit) {\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?): Promise<S>\n\n @LowPriorityInOverloadResolution\n public open fun <S> then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n public open fun <S> catch(onRejected: (Throwable) -> S): Promise<S>\n\n public open fun finally(onFinally: () -> Unit): Promise<T>\n\n companion object {\n public fun <S> all(promise: Array<out Promise<S>>): Promise<Array<out S>>\n\n public fun <S> race(promise: Array<out Promise<S>>): Promise<S>\n\n public fun reject(e: Throwable): Promise<Nothing>\n\n public fun <S> resolve(e: S): Promise<S>\n public fun <S> resolve(e: Promise<S>): Promise<S>\n }\n}\n\n// It's workaround for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n noinline onFulfilled: ((T) -> S)?,\n noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n return this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n Random(js(\"(Math.random() * Math.pow(2, 32)) | 0\").unsafeCast<Int>())\n\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val INV_2_53: Double = 2.0.pow(-53)\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n hi26 * INV_2_26 + low27 * INV_2_53","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The experimental marker for associated objects API.\n *\n * Any usage of a declaration annotated with `@ExperimentalAssociatedObjects` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by using the compiler argument `-opt-in=kotlin.reflect.ExperimentalAssociatedObjects`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(value = AnnotationRetention.BINARY)\npublic annotation class ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n *\n * An associated object key annotation should have single [KClass] parameter.\n * When applied to a class with reference to an object declaration as an argument, it binds\n * the object to the class, making this binding discoverable at runtime using [findAssociatedObject].\n */\n@ExperimentalAssociatedObjects\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an @[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns object `S`.\n *\n * Otherwise returns `null`.\n */\n@ExperimentalAssociatedObjects\npublic inline fun <reified T : Annotation> KClass<*>.findAssociatedObject(): Any? =\n this.findAssociatedObject(T::class)","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n */\nexternal interface JsClass<T : Any> {\n /**\n * Returns the unqualified name of the class represented by this instance.\n */\n val name: String\n}\n\n/**\n * Obtains a constructor reference for the

given `KClass`.\n */\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as KClassImpl<T>).jClass\n\n/**\n * Obtains a `KClass` instance for the given constructor reference.\n */\nval <T : Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n internal open val jClass: JsClass<T>\n) : KClass<T>
{\n\n override val qualifiedName: String?\n get() = TODO()\n\n override fun equals(other: Any?): Boolean {\n return other is KClassImpl<*> && jClass == other.jClass\n }\n\n // TODO: use FQN\n override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n\n override fun toString(): String {\n // TODO: use FQN\n return \"class $simpleName\"\n }\n}\n\ninternal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n override val simpleName: String? = jClass.asDynamic().`$metadata$`?.simpleName.unsafeCast<String?>()\n\n override fun isInstance(value: Any?): Boolean {\n return jsIsType(value, jClass)\n }\n}\n\ninternal class PrimitiveKClassImpl<T : Any>(\n jClass: JsClass<T>,\n private val givenSimpleName: String,\n private val isInstanceFunction: (Any?) -> Boolean\n) : KClassImpl<T>(jClass) {\n override fun equals(other: Any?): Boolean {\n if (other !is PrimitiveKClassImpl<*>) return
false\n return super.equals(other) && givenSimpleName == other.givenSimpleName\n }\n\n override val simpleName: String? get() = givenSimpleName\n\n override fun isInstance(value: Any?): Boolean {\n return isInstanceFunction(value)\n }\n}\n\ninternal object NothingKClassImpl : KClassImpl<Nothing>(js(\"Object\")) {\n override val simpleName: String = \"Nothing\"\n\n override fun isInstance(value: Any?): Boolean = false\n\n override val jClass: JsClass<Nothing>\n get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing type\")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun hashCode(): Int = 0\n}\n\ninternal class ErrorKClass : KClass<Nothing> {\n override val simpleName: String? get() = error(\"Unknown simpleName for ErrorKClass\")\n override val qualifiedName: String? get() = error(\"Unknown qualifiedName for ErrorKClass\")\n\n override fun isInstance(value: Any?): Boolean
= error(\"Can's check isInstance on ErrorKClass\")\n\n override fun equals(other: Any?): Boolean = other === this\n\n override fun hashCode(): Int = 0\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\ninternal actual inline val KClass<*>.qualifiedOrSimpleName: String?\n get() = simpleName","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\n// TODO: Remove once JsReflectionAPICallChecker supports more reflection types\n@file:Suppress(\"Unsupported\")\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"createKType\")\ninternal
fun createKType(\n classifier: KClassifier,\n arguments: Array<KTypeProjection>,\n isMarkedNullable: Boolean\n) =\n KTypeImpl(classifier, arguments.asList(), isMarkedNullable)\n\n@JsName(\"createDynamicKType\")\ninternal fun createDynamicKType(): KType = DynamicKType\n\n@JsName(\"markKTypeNullable\")\ninternal fun markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments, true)\n\n@JsName(\"createKTypeParameter\")\ninternal fun createKTypeParameter(\n name: String,\n upperBounds: Array<KType>,\n variance: String\n): KTypeParameter {\n val kVariance = when (variance) {\n \"in\" -> KVariance.IN\n \"out\" -> KVariance.OUT\n else -> KVariance.INVARIANT\n }\n\n return KTypeParameterImpl(name, upperBounds.asList(), kVariance, false)\n}\n\n@JsName(\"getStarKTypeProjection\")\ninternal fun getStarKTypeProjection(): KTypeProjection =\n KTypeProjection.STAR\n\n@JsName(\"createCovariantKTypeProjection\")\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.covariant(type)\n\n@JsName(\"createInvariantKTypeProjection\")\ninternal fun

createInvariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.invariant(type)\n\n@JsName(\"createContravariantKTypeProjection\")\ninternal fun createContravariantKTypeProjection(type: KType): KTypeProjection =\n KTypeProjection.contravariant(type)\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class KTypeImpl(\n   override val classifier: KClassifier,\n   override val arguments: List<KTypeProjection>,\n override val isMarkedNullable: Boolean\n) : KType {\n   override fun equals(other: Any?): Boolean =\n   other is KTypeImpl &&\n   classifier == other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n\n override fun hashCode(): Int =\n   (classifier.hashCode() * 31 + arguments.hashCode()) * 31 + isMarkedNullable.hashCode()\n\n   override fun toString(): String {\n   val kClass = (classifier as? KClass<*>)\n   val classifierName = when {\n   kClass == null -> classifier.toString()\n   kClass.simpleName != null -> kClass.simpleName\n   else -> \"(non-denotable type)\"\n   }\n\n   val args =\n   if (arguments.isEmpty()) \"\"\n   else arguments.joinToString(\", \", \"<\", \">\")\n   val nullable = if (isMarkedNullable) \"?\" else \"\"\n\n   return classifierName + args + nullable\n   }\n}\n\ninternal object DynamicKType : KType {\n   override val classifier: KClassifier? = null\n   override val arguments: List<KTypeProjection> = emptyList()\n   override val isMarkedNullable: Boolean = false\n   override fun toString(): String = \"dynamic\"\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal data class KTypeParameterImpl(\n   override val name: String,\n   override val upperBounds: List<KType>,\n override val variance: KVariance,\n   override val isReified: Boolean\n) : KTypeParameter {\n   override fun toString(): String = name\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName(\"PrimitiveClasses\")\ninternal object PrimitiveClasses {\n   @JsName(\"anyClass\")\n   val anyClass = PrimitiveKClassImpl(js(\"Object\").unsafeCast<JsClass<Any>>(), \"Any\", { it is Any })\n\n   @JsName(\"numberClass\")\n   val numberClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Number>>(), \"Number\", { it is Number })\n\n   @JsName(\"nothingClass\")\n   val nothingClass = NothingKClassImpl\n\n   @JsName(\"booleanClass\")\n   val booleanClass = PrimitiveKClassImpl(js(\"Boolean\").unsafeCast<JsClass<Boolean>>(), \"Boolean\", { it is Boolean })\n\n   @JsName(\"byteClass\")\n   val byteClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Byte>>(), \"Byte\", { it is Byte })\n\n   @JsName(\"shortClass\")\n   val shortClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Short>>(), \"Short\", { it is Short })\n\n   @JsName(\"intClass\")\n   val intClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Int>>(), \"Int\", { it is Int })\n\n   @JsName(\"floatClass\")\n   val floatClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Float>>(), \"Float\", { it is Float })\n\n   @JsName(\"doubleClass\")\n   val doubleClass = PrimitiveKClassImpl(js(\"Number\").unsafeCast<JsClass<Double>>(), \"Double\", { it is Double })\n\n   @JsName(\"arrayClass\")\n   val arrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<Array<*>>>(), \"Array\", { it is Array<*> })\n\n   @JsName(\"stringClass\")\n   val stringClass = PrimitiveKClassImpl(js(\"String\").unsafeCast<JsClass<String>>(), \"String\", { it is String })\n\n   @JsName(\"throwableClass\")\n   val throwableClass = PrimitiveKClassImpl(js(\"Error\").unsafeCast<JsClass<Throwable>>(), \"Throwable\", { it is Throwable })\n\n   @JsName(\"booleanArrayClass\")\n   val booleanArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<BooleanArray>>(), \"BooleanArray\", { it is BooleanArray })\n\n   @JsName(\"charArrayClass\")\n   val charArrayClass =

PrimitiveKClassImpl(js(\"Uint16Array\").unsafeCast<JsClass<CharArray>>(), \"CharArray\", { it is CharArray })\n\n
@JsName(\"byteArrayClass\")\n val byteArrayClass = PrimitiveKClassImpl(js(\"Int8Array\").unsafeCast<JsClass<ByteArray>>(), \"ByteArray\", { it is ByteArray })\n\n
@JsName(\"shortArrayClass\")\n val shortArrayClass = PrimitiveKClassImpl(js(\"Int16Array\").unsafeCast<JsClass<ShortArray>>(), \"ShortArray\", { it is ShortArray })\n\n
@JsName(\"intArrayClass\")\n val intArrayClass = PrimitiveKClassImpl(js(\"Int32Array\").unsafeCast<JsClass<IntArray>>(), \"IntArray\", { it is IntArray })\n\n
@JsName(\"longArrayClass\")\n val longArrayClass = PrimitiveKClassImpl(js(\"Array\").unsafeCast<JsClass<LongArray>>(), \"LongArray\", { it is LongArray })\n\n
@JsName(\"floatArrayClass\")\n val floatArrayClass = PrimitiveKClassImpl(js(\"Float32Array\").unsafeCast<JsClass<FloatArray>>(), \"FloatArray\", { it is FloatArray })\n\n
@JsName(\"doubleArrayClass\")\n val doubleArrayClass = PrimitiveKClassImpl(js(\"Float64Array\").unsafeCast<JsClass<DoubleArray>>(), \"DoubleArray\",
{ it is DoubleArray })\n\n
@JsName(\"functionClass\")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result = PrimitiveKClassImpl(js(\"Function\").unsafeCast<JsClass<Any>>(), \"Function$arity\",\n
{ jsTypeOf(it) === \"function\" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity] = result\n result\n }\n }\n}\n\nprivate val functionClasses = arrayOfNulls<KClassImpl<Any>>(0)","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the module\n\nimport kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName(\"getKClass\")\ninternal fun <T : Any> getKClass(jClass: Any /* JsClass<T>
| Array<JsClass<T>> */): KClass<T> {\n return if (js(\"Array\").isArray(jClass)) {\n getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n } else {\n getKClass1(jClass.unsafeCast<JsClass<T>>())\n }\n}\n\n@JsName(\"getKClassM\")\ninternal fun <T : Any> getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n 1 -> getKClass1(jClasses[0])\n 0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n else -> ErrorKClass().unsafeCast<KClass<T>>()\n}\n\n@JsName(\"getKClassFromExpression\")\ninternal fun <T : Any> getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n \"string\" -> PrimitiveClasses.stringClass\n \"number\" -> if (jsBitwiseOr(e, 0).asDynamic() === e) PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n \"boolean\" -> PrimitiveClasses.booleanClass\n \"function\" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e is BooleanArray
-> PrimitiveClasses.booleanArrayClass\n e is CharArray -> PrimitiveClasses.charArrayClass\n e is ByteArray -> PrimitiveClasses.byteArrayClass\n e is ShortArray -> PrimitiveClasses.shortArrayClass\n e is IntArray -> PrimitiveClasses.intArrayClass\n e is LongArray -> PrimitiveClasses.longArrayClass\n e is FloatArray -> PrimitiveClasses.floatArrayClass\n e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n e is KClass<*> -> KClass::class\n e is Array<*> -> PrimitiveClasses.arrayClass\n else -> {\n val constructor = js(\"Object\").getPrototypeOf(e).constructor\n when {\n constructor === js(\"Object\") -> PrimitiveClasses.anyClass\n constructor === js(\"Error\") -> PrimitiveClasses.throwableClass\n else -> {\n
val jsClass: JsClass<T> = constructor\n getKClass1(jsClass)\n }\n }\n }\n }\n }\n}.unsafeCast<KClass<T>>()\n\n@JsName(\"getKClass1\")\ninternal fun <T : Any> getKClass1(jClass: JsClass<T>): KClass<T> {\n if (jClass === js(\"String\")) return PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n\n val metadata = jClass.asDynamic().`$metadata$`\n\n

return if (metadata != null) {\n if (metadata.`$kClass$` == null) {\n val kClass = SimpleKClassImpl(jClass)\n metadata.`$kClass$` = kClass\n kClass\n } else {\n metadata.`$kClass$`\n }\n } else {\n SimpleKClassImpl(jClass)\n }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [RegExp object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external class RegExp(pattern: String, flags: String? = definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular expressions that specifies the index at which to start the next match.\n */\n public var lastIndex: Int\n\n public val global: Boolean\n public val ignoreCase: Boolean\n public val multiline: Boolean\n}\n\n/**\n * Resets the regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning of the input string.\n */\npublic fun RegExp.reset() {\n lastIndex = 0\n}\n\n// TODO: Inherit from array or introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n */\n@Suppress(\"NOT_DOCUMENTED\")\npublic external interface RegExpMatch {\n public val index: Int\n public val input: String\n public val length: Int\n}\n\n/**\n * Returns the entire text matched by [RegExp.exec] if the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of [RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out String?> = unsafeCast<Array<out String?>>()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n private var sequenceRef: Sequence<T>? = sequence\n\n actual override fun iterator(): Iterator<T> {\n val sequence = sequenceRef ?: throw IllegalStateException(\"This sequence can be consumed only once.\")\n sequenceRef = null\n return sequence.iterator()\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n@SinceKotlin(\"1.5\")\npublic actual enum class CharCategory(internal val value: Int, public actual val code: String) {\n /**\n * General category \"Cn\" in the Unicode specification.\n */\n UNASSIGNED(0, \"Cn\"),\n\n /**\n * General category \"Lu\" in the Unicode specification.\n */\n UPPERCASE_LETTER(1, \"Lu\"),\n\n /**\n * General category \"Ll\" in the Unicode specification.\n */\n LOWERCASE_LETTER(2, \"Ll\"),\n\n /**\n * General category \"Lt\" in the Unicode specification.\n */\n TITLECASE_LETTER(3, \"Lt\"),\n\n /**\n * General category \"Lm\" in the Unicode specification.\n */\n MODIFIER_LETTER(4, \"Lm\"),\n\n /**\n * General category \"Lo\" in the Unicode specification.\n */\n OTHER_LETTER(5, \"Lo\"),\n\n /**\n * General category \"Mn\" in the Unicode specification.\n */\n NON_SPACING_MARK(6, \"Mn\"),\n\n /**\n * General category \"Me\" in the Unicode specification.\n */\n ENCLOSING_MARK(7, \"Me\"),\n\n /**\n * General category \"Mc\" in the Unicode specification.\n */\n COMBINING_SPACING_MARK(8, \"Mc\"),\n\n /**\n * General category \"Nd\" in the Unicode specification.\n */\n DECIMAL_DIGIT_NUMBER(9, \"Nd\"),\n\n /**\n * General category \"Nl\" in the Unicode specification.\n */\n LETTER_NUMBER(10, \"Nl\"),\n\n /**\n * General category \"No\" in the Unicode specification.\n */\n OTHER_NUMBER(11, \"No\"),\n\n /**\n * General category \"Zs\" in the Unicode specification.\n */\n SPACE_SEPARATOR(12, \"Zs\"),\n\n /**\n * General category \"Zl\" in the Unicode specification.\n */\n LINE_SEPARATOR(13, \"Zl\"),\n\n /**\n * General category \"Zp\" in the Unicode specification.\n

```
*/\n    PARAGRAPH_SEPARATOR(14, \"Zp\"),\n\n    /**\n     * General category \"Cc\" in the Unicode specification.\n     */\n    CONTROL(15, \"Cc\"),\n\n    /**\n     * General category \"Cf\" in the Unicode specification.\n     */\n    FORMAT(16, \"Cf\"),\n\n    /**\n     * General category \"Co\" in the Unicode specification.\n     */\n    PRIVATE_USE(18, \"Co\"),\n\n    /**\n     * General category \"Cs\" in the Unicode specification.\n     */\n    SURROGATE(19, \"Cs\"),\n\n    /**\n     * General category \"Pd\" in the Unicode specification.\n     */\n    DASH_PUNCTUATION(20, \"Pd\"),\n\n    /**\n     * General category \"Ps\" in the Unicode specification.\n     */\n    START_PUNCTUATION(21, \"Ps\"),\n\n    /**\n     * General category \"Pe\" in the Unicode specification.\n     */\n    END_PUNCTUATION(22, \"Pe\"),\n\n    /**\n     * General category \"Pc\" in the Unicode specification.\n     */\n    CONNECTOR_PUNCTUATION(23, \"Pc\"),\n\n    /**\n     * General category \"Po\" in the Unicode specification.\n     */\n    OTHER_PUNCTUATION(24, \"Po\"),\n\n    /**\n     * General category \"Sm\" in the Unicode specification.\n     */\n    MATH_SYMBOL(25, \"Sm\"),\n\n    /**\n     * General category \"Sc\" in the Unicode specification.\n     */\n    CURRENCY_SYMBOL(26, \"Sc\"),\n\n    /**\n     * General category \"Sk\" in the Unicode specification.\n     */\n    MODIFIER_SYMBOL(27, \"Sk\"),\n\n    /**\n     * General category \"So\" in the Unicode specification.\n     */\n    OTHER_SYMBOL(28, \"So\"),\n\n    /**\n     * General category \"Pi\" in the Unicode specification.\n     */\n    INITIAL_QUOTE_PUNCTUATION(29, \"Pi\"),\n\n    /**\n     * General category \"Pf\" in the Unicode specification.\n     */\n    FINAL_QUOTE_PUNCTUATION(30, \"Pf\");\n\n    /**\n     * Returns `true` if [char] character belongs to this category.\n     */\n    public actual operator fun contains(char: Char): Boolean = char.getCategoryValue() == this.value\n\n    companion object {\n        internal fun valueOf(category: Int): CharCategory =\n            when (category) {\n                in 0..16 -> values()[category]\n                in 18..30 -> values()[category - 1]\n                else -> throw IllegalArgumentException(\"Category #$category is not defined.\")\n            }\n    }\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n *  The exception thrown when a character encoding or decoding error occurs.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual open class CharacterCodingException(message: String?) : Exception(message) {\n    actual constructor() : this(null)\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\npublic actual class StringBuilder actual constructor(content: String) : Appendable, CharSequence {\n    /**\n     * Constructs an empty string builder with the specified initial [capacity].\n     *\n     * In Kotlin/JS implementation of StringBuilder the initial capacity has no effect on the further performance of operations.\n     */\n    actual constructor(capacity: Int) : this() {\n    }\n\n    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n    actual constructor(content: CharSequence) : this(content.toString()) {}\n\n    /** Constructs an empty string builder. */\n    actual constructor() : this(\"\")\n\n    private var string: String = if (content !== undefined) content else \"\"\n\n    actual override val length: Int\n        get() = string.asDynamic().length\n\n    actual override fun get(index: Int): Char =\n        string.getOrElse(index) { throw IndexOutOfBoundsException(\"index: $index, length: $length}\") }\n\n    actual override fun subSequence(startIndex: Int, endIndex: Int): CharSequence = string.substring(startIndex, endIndex)\n\n    actual override fun append(value: Char): StringBuilder {\n        string += value\n        return this\n    }\n\n    actual override fun append(value: CharSequence?): StringBuilder {\n        string += value.toString()\n        return this\n    }\n\n    actual override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n        this.appendRange(value ?: \"null\", startIndex, endIndex)\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing
```

```
`\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n     */\n     actual fun
reverse(): StringBuilder {\n         var reversed = \"\"\n         var index = string.length - 1\n         while (index >= 0) {\n
        val low = string[index--]\n             if (low.isLowSurrogate()
 && index >= 0) {\n                 val high = string[index--]\n                 if (high.isHighSurrogate()) {\n
reversed = reversed + high + low\n                 } else {\n                     reversed = reversed + low + high\n                 }\n
        } else {\n                 reversed += low\n             }\n         }\n         string = reversed\n         return this\n     }\n\n
/**\n     * Appends the string representation of the specified object [value] to this string builder and returns this
instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n     actual fun
append(value: Any?): StringBuilder {\n         string += value.toString()\n         return this\n     }\n\n     /**\n     *
Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n
     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()`
method,\n     * and then that string was appended to this string builder.\n     */\n     @SinceKotlin(\"1.3\")\n     actual
fun append(value: Boolean): StringBuilder {\n         string += value\n         return this\n     }\n\n     /**\n     * Appends
characters in the specified character array [value] to this string builder and returns this instance.\n     *\n     *
Characters are appended in order, starting at the index 0.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun append(value: CharArray): StringBuilder {\n
string += value.concatToString()\n         return this\n     }\n\n     @Deprecated(\"Provided for binary compatibility.\",
level = DeprecationLevel.HIDDEN)\n     fun append(value: String): StringBuilder = append(value)\n\n     /**\n     *
Appends the specified string [value] to this string builder and returns
 this instance.\n     *\n     * If [value] is `null`, then the four characters `\"null\"` are appended.\n     */\n
@SinceKotlin(\"1.3\")\n     actual fun append(value: String?): StringBuilder {\n         this.string += value ?: \"null\"\n
    return this\n     }\n\n     /**\n     * Returns the current capacity of this string builder.\n     *\n     * The capacity is the
maximum length this string builder can have before an allocation occurs.\n     *\n     * In Kotlin/JS implementation
of StringBuilder the value returned from this method may not indicate the actual size of the backing storage.\n
*/\n     @SinceKotlin(\"1.3\")\n//     @ExperimentalStdlibApi\n     @Deprecated(\"Obtaining StringBuilder capacity is
not supported in JS and common code.\", level = DeprecationLevel.ERROR)\n     actual fun capacity(): Int =
length\n\n     /**\n     * Ensures that the capacity of this string builder is at least equal to the specified
[minimumCapacity].\n     *\n     * If the current capacity
 is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     * Otherwise, this
method takes no action and simply returns.\n     *\n     * In Kotlin/JS implementation of StringBuilder the size of the
backing storage is not extended to comply the given [minimumCapacity],\n     * thus calling this method has no
effect on the further performance of operations.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun ensureCapacity(minimumCapacity: Int) {\n
}\n\n     /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n
     * Returns `-1` if the specified [string] does not occur in this string builder.\n     */\n     @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n     actual fun indexOf(string: String): Int =
this.string.asDynamic().indexOf(string)\n\n     /**\n     * Returns the index within this string builder of
 the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns `-1` if
the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n
@SinceKotlin(\"1.4\")\n     @WasExperimental(ExperimentalStdlibApi::class)\n     actual fun indexOf(string: String,
startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n     /**\n     * Returns the index within
this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `\"\"` is
considered to be at the index equal to `this.length`.\n     *\n     * Returns `-1` if the specified [string] does not occur
in this string builder.\n     */\n     @SinceKotlin(\"1.4\")\n     @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)\n\n     /**\n     * Returns the
index within this string builder of the
```

```
last occurrence of the specified [string],\n     * starting from the specified [startIndex] toward the beginning.\n     *\n
   * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*/\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun
lastIndexOf(string: String, startIndex: Int): Int {\n        if (string.isEmpty() && startIndex < 0) return -1\n        return
this.string.asDynamic().lastIndexOf(string, startIndex)\n    }\n\n    /**\n     * Inserts the string representation of the
specified boolean [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then
that string was inserted into this string builder at the specified [index].\n     *\n     * @throws
IndexOutOfBoundsException if [index] is less than zero
 or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Boolean): StringBuilder
{\n        AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value +
string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts the specified character [value] into this string
builder at the specified [index] and returns this instance.\n     *\n     * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Char): StringBuilder {\n
   AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value +
string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts characters in
 the specified character array [value] into this string builder at the specified [index] and returns this instance.\n     *\n
   * The inserted characters go in same order as in the [value] character array, starting at [index].\n     *\n     *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
 */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int,
value: CharArray): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n        return this\n    }\n\n    /**\n     *
Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n     *\n     * @param
 index the position in this string builder to insert at.\n     * @param value the character sequence from which
characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value:
CharSequence?): StringBuilder {\n        AbstractList.checkPositionIndex(index, length)\n\n        string =
string.substring(0, index) + value.toString() + string.substring(index)\n        return this\n    }\n\n    /**\n     * Inserts
the string representation of the specified object [value] into this string builder at the specified [index] and returns
this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n     * and then that string was inserted
 into this string builder at the specified [index].\n     *\n     * @throws IndexOutOfBoundsException if [index] is less
than zero or greater than the length of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n    actual fun insert(index: Int, value: Any?): StringBuilder {\n
   AbstractList.checkPositionIndex(index, length)\n\n        string = string.substring(0, index) + value.toString() +
string.substring(index)\n        return this\n    }\n\n    @Deprecated(\"Provided for binary compatibility.\", level =
DeprecationLevel.HIDDEN)\n    fun insert(index: Int, value: String): StringBuilder = insert(index, value)\n\n    /**\n
   * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n     *\n     * If
[value] is `null`, then the four characters `\"null\"` are inserted.\n     *\n     * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length
 of this string builder.\n     */\n    @SinceKotlin(\"1.4\")\n    @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun insert(index: Int, value: String?): StringBuilder {\n        AbstractList.checkPositionIndex(index,
length)\n\n        val toInsert = value ?: \"null\"\n        this.string = this.string.substring(0, index) + toInsert +
```

this.string.substring(index)\n return this\n }\n\n /**\n * Sets the length of this string builder to the specified [newLength].\n *\n * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n * Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n *\n * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun setLength(newLength: Int) {\n if (newLength < 0) {\n throw IllegalArgumentException(\"Negative new length: $newLength.\")\n }\n\n if (newLength <= length) {\n string = string.substring(0, newLength)\n } else {\n for (i in length until newLength) {\n string += '\\u0000'\n }\n }\n }\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int): String {\n AbstractList.checkPositionIndex(startIndex, length)\n\n return string.substring(startIndex)\n }\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int, endIndex: Int): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n\n return string.substring(startIndex, endIndex)\n }\n\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the [capacity] property.\n *\n * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal to the length of the string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n }\n\n override fun toString(): String = string\n\n /**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n @SinceKotlin(\"1.3\")\n public fun clear(): StringBuilder {\n string = \"\"\n return this\n }\n\n /**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public operator fun set(index: Int, value: Char) {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + value + string.substring(index + 1)\n }\n\n /**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n return this\n }\n\n private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n if (startIndex < 0 || startIndex > length) {\n throw IndexOutOfBoundsException(\"startIndex: $startIndex, length: $length\")\n }\n if (startIndex > endIndex) {\n throw IllegalArgumentException(\"startIndex($startIndex) > endIndex($endIndex)\")\n }\n }\n\n /**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code

point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteAt(index: Int): StringBuilder {\n AbstractList.checkElementIndex(index, length)\n\n string = string.substring(0, index) + string.substring(index + 1)\n return this\n }\n\n /**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteRange(startIndex: Int, endIndex: Int): StringBuilder {\n checkReplaceRange(startIndex, endIndex, length)\n\n string = string.substring(0, startIndex) + string.substring(endIndex)\n
return this\n }\n\n /**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
fun toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
var dstIndex = destinationOffset\n for (index in startIndex until endIndex) {\n destination[dstIndex++] = string[index]\n }\n }\n\n /**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException]
when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n string += value.concatToString(startIndex, endIndex)\n return this\n }\n\n /**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string += stringCsq.substring(startIndex, endIndex)\n return this\n }\n\n /**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException

or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, this.length)\n\n string = string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)\n return this\n }\n\n /**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n val stringCsq = value.toString()\n AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) + string.substring(index)\n return this\n }\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline operator fun StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n this.setRange(startIndex, endIndex, value)\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteAt(index: Int): StringBuilder = this.deleteAt(index)\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n

*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex, endIndex)\n\n/**\n * Copies characters from this string builder into the [destination] character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\", \"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual inline fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) =\n   this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n   this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n   this.insertRange(index, value, startIndex, endIndex)\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character

sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex >
endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\", \"NOTHING_TO_INLINE\")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n this.insertRange(index, value, startIndex, endIndex)\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n\n/**\n * Returns `true` if the content of this string is equal to the word \"true\", ignoring case, and `false` otherwise.\n */\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation warning.\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\n@kotlin.internal.InlineOnly\npublic actual
inline fun String.toBoolean(): Boolean = this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content is equal to the word \"true\", ignoring case, and `false` otherwise.\n *\n * There are also strict versions of the function available on non-nullable String, [toBooleanStrict] and [toBooleanStrictOrNull].\n
*/\n@SinceKotlin(\"1.4\")\npublic actual fun String?.toBoolean(): Boolean = this != null && this.lowercase() == \"true\"\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic
actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the
string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string
as a [Double] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun String.toDouble(): Double =

(+(this.asDynamic())).unsafeCast<Double>().also {\n   if (it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n   numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float = toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? = (+(this.asDynamic())).unsafeCast<Double>().takeIf {\n   !(it.isNaN() && !this.isNaN() || it == 0.0 && this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number
 and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of this [Int] value in the specified
 [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n */\n@SinceKotlin(\"1.2\")\npublic actual fun Int.toString(radix: Int): String = asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n   \"nan\", \"+nan\", \"-nan\" -> true\n   else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for string to number and number to string conversion.\n */\n@PublishedApi\ninternal actual fun checkRadix(radix: Int): Int {\n   if (radix !in 2..36) {\n   throw IllegalArgumentException(\"radix $radix was not in valid range 2..36\")\n   }\n   return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n   char >= '0' && char <= '9' -> char - '0'\n   char >= 'A' && char <= 'Z' -> char - 'A' + 10\n   char >= 'a' && char <= 'z' -> char - 'a' + 10\n   char < '\\u0080' -> -1\n   char >= '\\uFF21' && char <= '\\uFF3A' -> char - '\\uFF21'
 + 10 // full-width latin capital letter\n   char >= '\\uFF41' && char <= '\\uFF5A' -> char - '\\uFF41' + 10 // full-width latin small letter\n   else -> char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides enumeration values to use to set regular expression options.\n */\npublic actual enum class RegexOption(val value: String) {\n   /** Enables case-insensitive matching. */\n   IGNORE_CASE(\"i\"),\n   /** Enables multiline mode.\n   *\n   * In multiline mode the expressions `^` and `$` match just after or just before,\n   * respectively, a line terminator or the end of the input sequence. */\n   MULTILINE(\"m\")\n}\n\nprivate fun Iterable<RegexOption>.toFlags(prepend: String): String
 = joinToString(\"\", prefix = prepend) { it.value }\n\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *\n * @param value The value of captured group.\n */\npublic actual data class MatchGroup(actual val value: String)\n\n\n/**\n * Represents a compiled regular expression.\n * Provides functions to match strings in text with a pattern, replace the found occurrences and split text around matches.\n *\n * For pattern syntax reference see [MDN RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n * and [http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n *\n * Note that `RegExp` objects under the hood are constructed with [the \"u\" flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)\n * that enables Unicode-related features in regular
 expressions. This also makes the pattern syntax more strict,\n * for example, prohibiting unnecessary escape sequences.\n *\n * @constructor Creates a regular expression from the specified [pattern] string and the specified set

```
of [options].\n */\npublic actual class Regex actual constructor(pattern: String, options: Set<RegexOption>) {\n\n /** Creates a regular expression from the specified [pattern] string and the specified single [option]. */\n    public actual constructor(pattern: String, option: RegexOption) : this(pattern, setOf(option))\n\n    /** Creates a regular expression from the specified [pattern] string and the default options. */\n    public actual constructor(pattern: String) : this(pattern, emptySet())\n\n\n    /** The pattern string of this regular expression. */\n    public actual val pattern: String = pattern\n    /** The set of options that were used to create this regular expression. */\n    public actual val options: Set<RegexOption> = options.toSet()\n
    private val nativePattern: RegExp = RegExp(pattern, options.toFlags(\"gu\"))\n    private var nativeStickyPattern: RegExp? = null\n    private fun initStickyPattern(): RegExp =\n        nativeStickyPattern ?: RegExp(pattern, options.toFlags(\"yu\")).also { nativeStickyPattern = it }\n\n    private var nativeMatchesEntirePattern: RegExp? = null\n    private fun initMatchesEntirePattern(): RegExp =\n        nativeMatchesEntirePattern ?: run {\n            if (pattern.startsWith('^') && pattern.endsWith('$'))\n                nativePattern\n            else\n                return RegExp(\"^${pattern.trimStart('^').trimEnd('$')}$\", options.toFlags(\"gu\"))\n        }.also { nativeMatchesEntirePattern = it }\n\n\n    /** Indicates whether the regular expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n        nativePattern.reset()\n        val match = nativePattern.exec(input.toString())\n        return match != null && match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input: CharSequence): Boolean {\n        nativePattern.reset()\n        return nativePattern.test(input.toString())\n    }\n\n    @SinceKotlin(\"1.5\")\n    @ExperimentalStdlibApi\n    public actual fun matchesAt(input: CharSequence, index: Int): Boolean {\n        if (index < 0 || index > input.length) {\n            throw IndexOutOfBoundsException(\"index out of bounds: $index, input length: ${input.length}\")\n        }\n        val pattern = initStickyPattern()\n        pattern.lastIndex = index\n        return pattern.test(input.toString())\n    }\n\n    /**\n     * Returns the first match of a regular expression in the [input], beginning at the specified [startIndex].\n     *\n     * @param startIndex An index to start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n     * @return An instance of [MatchResult] if match was found or `null` otherwise.\n     * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of the [input] char sequence.\n     * @sample samples.text.Regexps.find\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun find(input: CharSequence, startIndex: Int = 0): MatchResult? {\n        if (startIndex < 0 || startIndex > input.length) {\n            throw IndexOutOfBoundsException(\"Start index out of bounds: $startIndex, input length: ${input.length}\")\n        }\n        return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n    }\n\n    /**\n     * Returns a sequence of all occurrences of a regular expression within the [input] string, beginning at the specified [startIndex].\n     *\n     * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of the [input] char sequence.\n     *\n     * @sample samples.text.Regexps.findAll\n     */\n    @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n    public actual fun findAll(input: CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n        if (startIndex < 0 || startIndex > input.length) {\n            throw IndexOutOfBoundsException(\"Start index out of bounds: $startIndex, input length: ${input.length}\")\n        }\n        return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n    }\n\n    /**\n     * Attempts to match the entire [input] CharSequence against the pattern.\n     *\n     * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n     */\n    public actual fun matchEntire(input: CharSequence): MatchResult? =\n        initMatchesEntirePattern().findNext(input.toString(), 0, nativePattern)\n\n    @SinceKotlin(\"1.5\")\n    @ExperimentalStdlibApi\n    public actual fun matchAt(input: CharSequence, index: Int): MatchResult? {\n        if (index < 0 || index > input.length) {\n            throw IndexOutOfBoundsException(\"index out of bounds: $index, input length: ${input.length}\")\n        }\n        return initStickyPattern().findNext(input.toString(), index, nativePattern)\n    }\n\n\n    /**\n     * Replaces all occurrences
```

```
of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * The replacement string may contain references to the captured groups during a match. Occurrences of `$index`\n     * in the replacement string will be substituted with the subsequences corresponding to the captured groups with the specified index.\n     * The first digit after '$' is always treated as part of group reference. Subsequent digits are incorporated\n     * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered as potential components\n     * of the group reference. Note that indexes of captured
 groups start from 1, and the group with index 0 is the whole match.\n     *\n     * Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g, `\\$` or `\\\\`.\n     * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n     *\n     * Note that referring named capturing groups by name is currently not supported in Kotlin/JS.\n     * However, you can still refer them by index.\n     *\n     * @param input the char sequence to find matches of this regular expression in\n     * @param replacement the expression to replace found matches with\n     * @return the result of replacing each occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n     * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or `index` does not exist\n     */\n    public actual fun replace(input: CharSequence,
 replacement: String): String {\n        if (!replacement.contains('\\\\') && !replacement.contains('$')) {\n            return input.toString().nativeReplace(nativePattern, replacement)\n        }\n        return replace(input) { substituteGroupRefs(it, replacement) }\n    }\n\n    /**\n     * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n     * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n     * replacement for that match.\n     */\n    public actual fun replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n        var match = find(input)\n        if (match == null) return input.toString()\n\n        var lastStart = 0\n        val length = input.length\n        val sb = StringBuilder(length)\n        do {\n            val foundMatch = match!!\n            sb.append(input, lastStart, foundMatch.range.start)\n            sb.append(transform(foundMatch))\n
            lastStart = foundMatch.range.endInclusive + 1\n            match = foundMatch.next()\n        } while (lastStart < length && match != null)\n\n        if (lastStart < length) {\n            sb.append(input, lastStart, length)\n        }\n\n
        return sb.toString()\n    }\n\n    /**\n     * Replaces the first occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n     *\n     * The replacement string may contain references to the captured groups during a match. Occurrences of `$index`\n     * in the replacement string will be substituted with the subsequences corresponding to the captured groups with the specified index.\n     * The first digit after '$' is always treated as part of group reference. Subsequent digits are incorporated\n     * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered as potential components\n     * of the group reference. Note that indexes
 of captured groups start from 1, and the group with index 0 is the whole match.\n     *\n     * Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g, `\\$` or `\\\\`.\n     * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n     *\n     * Note that referring named capturing groups by name is not supported currently in Kotlin/JS.\n     * However, you can still refer them by index.\n     *\n     * @param input the char sequence to find a match of this regular expression in\n     * @param replacement the expression to replace the found match with\n     * @return the result of replacing the first occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n     * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name` or `index` does not exist\n     */\n    public actual fun
 replaceFirst(input: CharSequence, replacement: String): String {\n        if (!replacement.contains('\\\\') && !replacement.contains('$')) {\n            val nonGlobalOptions = options.toFlags(\"u\")\n            return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions), replacement)\n        }\n\n        val match = find(input) ?: return input.toString()\n\n        return buildString {\n            append(input.substring(0, match.range.first))\n            append(substituteGroupRefs(match, replacement))\n            append(input.substring(match.range.last + 1, input.length))\n        }\n    }\n\n    /**\n     * Splits the [input]
```

```
CharSequence to a list of strings around matches of this regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n     * Zero by default means no limit is set.\n     */\n     @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n     public actual fun split(input:
 CharSequence, limit: Int = 0): List<String> {\n         requireNonNegativeLimit(limit)\n         val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n         val result = mutableListOf<String>()\n         var lastStart = 0\n\n         for (match in matches) {\n             result.add(input.subSequence(lastStart, match.range.start).toString())\n             lastStart = match.range.endInclusive + 1\n         }\n         result.add(input.subSequence(lastStart, input.length).toString())\n         return result\n     }\n\n     /**\n     * Splits the [input] CharSequence to a sequence of strings around matches of this regular expression.\n     *\n     * @param limit Non-negative value specifying the maximum number of substrings the string can be split to.\n     * Zero by default means no limit is set.\n     * @sample samples.text.Regexps.splitToSequence\n     */\n     @SinceKotlin(\"1.6\")\n     @WasExperimental(ExperimentalStdlibApi::class)\n     @Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\n     public actual fun splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {\n         requireNonNegativeLimit(limit)\n\n         return sequence {\n             var match = find(input)\n             if (match == null || limit == 1) {\n                 yield(input.toString())\n                 return@sequence\n             }\n\n             var nextStart = 0\n             var splitCount = 0\n\n             do {\n                 val foundMatch = match!!\n                 yield(input.substring(nextStart, foundMatch.range.first))\n                 nextStart = foundMatch.range.endInclusive + 1\n                 match = foundMatch.next()\n             } while (++splitCount != limit - 1 && match != null)\n\n             yield(input.substring(nextStart, input.length))\n         }\n     }\n\n\n     /**\n     * Returns the string representation of this regular expression, namely the [pattern] of this regular expression.\n     *\n     * Note that another regular expression
 constructed from the same pattern string may have different [options]\n     * and may match strings differently.\n     */\n     public override fun toString(): String = nativePattern.toString()\n\n     actual companion object {\n         /**\n         * Returns a regular expression that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n         */\n         public actual fun fromLiteral(literal: String): Regex = Regex(escape(literal))\n\n         /**\n         * Returns a regular expression pattern string that matches the specified [literal] string literally.\n         * No characters of that string will have special meaning when searching for an occurrence of the regular expression.\n         */\n         public actual fun escape(literal: String): String = literal.nativeReplace(patternEscape, \"\\\\$&\")\n\n         /**\n         * Returns a literal replacement
 expression for the specified [literal] string.\n         * No characters of that string will have special meaning when it is used as a replacement string in [Regex.replace] function.\n         */\n         public actual fun escapeReplacement(literal: String): String = literal.nativeReplace(replacementEscape, \"\\\\$&\")\n\n         private val patternEscape = RegExp(\"\"\"[\\\\^$*+?.()|[\\]{}]\"\"\", \"g\")\n         private val replacementEscape = RegExp(\"\"\"[\\\\$]\"\"\", \"g\")\n\n         internal fun nativeEscapeReplacement(literal: String): String = literal.nativeReplace(nativeReplacementEscape, \"$$$$\")\n         private val nativeReplacementEscape = RegExp(\"\"\"\\$\"\"\", \"g\")\n     }\n}\n\n\n\nprivate fun RegExp.findNext(input: String, from: Int, nextPattern: RegExp): MatchResult? {\n     this.lastIndex = from\n     val match = exec(input)\n     if (match == null) return null\n     val range = match.index..lastIndex - 1\n\n     return object : MatchResult {\n         override val range:
 IntRange = range\n         override val value: String\n             get() = match[0]!!\n\n         override val groups: MatchGroupCollection = object : MatchGroupCollection, AbstractCollection<MatchGroup?>() {\n             override val size: Int get() = match.length\n             override fun iterator(): Iterator<MatchGroup?> = indices.asSequence().map { this[it] }.iterator()\n             override fun get(index: Int): MatchGroup? = match[index]?.let { MatchGroup(it) }\n         }\n\n\n         private var groupValues_: List<String>? = null\n\n         override val groupValues: List<String>\n             get() {\n                 if (groupValues_ == null) {\n                     groupValues_ = object : AbstractList<String>() {\n                         override val size: Int get() = match.length\n
```

```
override fun get(index: Int): String = match[index] ?: \"\"\n                }\n            }\n            return groupValues_!!\n        }\n\n        override fun next(): MatchResult? =\n            nextPattern.findNext(input, if (range.isEmpty()) advanceToNextCharacter(range.start) else range.endInclusive + 1, nextPattern)\n\n        private fun advanceToNextCharacter(index: Int): Int {\n            if (index < input.lastIndex) {\n                val code1 = input.asDynamic().charCodeAt(index).unsafeCast<Int>()\n                if (code1 in 0xD800..0xDBFF) {\n                    val code2 = input.asDynamic().charCodeAt(index + 1).unsafeCast<Int>()\n                    if (code2 in 0xDC00..0xDFFF) {\n                        return index + 2\n                    }\n                }\n            }\n            return index + 1\n        }\n    }\n}\n\n// The same code from K/N Regex.kt\nprivate fun substituteGroupRefs(match: MatchResult, replacement: String): String {\n    var index = 0\n    val result = StringBuilder(replacement.length)\n\n    while (index < replacement.length) {\n        val char = replacement[index++]\n        if (char == '\\\\') {\n            if (index == replacement.length)\n                throw IllegalArgumentException(\"The Char to be escaped is missing\")\n\n            result.append(replacement[index++])\n        } else if (char == '$') {\n            if (index == replacement.length)\n                throw IllegalArgumentException(\"Capturing group index is missing\")\n\n            if (replacement[index] == '{')\n                throw IllegalArgumentException(\"Named capturing group reference currently is not supported\")\n\n            if (replacement[index] !in '0'..'9')\n                throw IllegalArgumentException(\"Invalid capturing group reference\")\n\n            val endIndex = replacement.readGroupIndex(index, match.groupValues.size)\n            val groupIndex = replacement.substring(index, endIndex).toInt()\n\n            if (groupIndex >= match.groupValues.size)\n                throw IndexOutOfBoundsException(\"Group with index $groupIndex does not exist\")\n\n            result.append(match.groupValues[groupIndex])\n\n            index = endIndex\n        } else {\n            result.append(char)\n        }\n    }\n    return result.toString()\n}\n\nprivate fun String.readGroupIndex(startIndex: Int, groupCount: Int): Int {\n    // at least one digit after '$' is always captured\n    var index = startIndex + 1\n    var groupIndex = this[startIndex] - '0'\n\n    // capture the largest valid group index\n    while (index < length && this[index] in '0'..'9') {\n        val newGroupIndex = (groupIndex * 10) + (this[index] - '0')\n        if (newGroupIndex in 0 until groupCount) {\n            groupIndex = newGroupIndex\n            index++\n        } else {\n            break\n        }\n    }\n    return index\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n@file:Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\n\npackage kotlin.text\n\nimport kotlin.contracts.*\n\n/**\n * A mutable sequence of characters.\n *\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\nexpect class StringBuilder : Appendable, CharSequence {\n    /** Constructs an empty string builder. */\n    constructor()\n\n    /** Constructs an empty string builder with the specified initial [capacity]. */\n    constructor(capacity: Int)\n\n    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n    constructor(content: CharSequence)\n\n    /** Constructs a string builder that contains the same characters as the specified [content] string. */\n    @SinceKotlin(\"1.3\")\n//    @ExperimentalStdlibApi\n    constructor(content: String)\n\n    override val length: Int\n\n    override operator fun get(index: Int): Char\n\n    override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n    override fun append(value: Char): StringBuilder\n    override fun append(value: CharSequence?): StringBuilder\n    override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing `\"\\uDC00\\uD800\"` produces `\"\\uD800\\uDC00\"` which is a valid surrogate pair.\n     */\n    fun reverse(): StringBuilder\n\n    /**\n     * Appends the string representation of the specified object [value] to this string builder and returns this instance.\n     *\n     * The overall
```

effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n fun append(value: Any?): StringBuilder\n\n /**\n * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n @SinceKotlin(\"1.3\")\n fun append(value: Boolean): StringBuilder\n\n /**\n * Appends characters in the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at the index 0.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun append(value: CharArray): StringBuilder\n\n /**\n * Appends the
specified string [value] to this string builder and returns this instance.\n *\n * If [value] is `null`, then the four characters `\"null\"` are appended.\n */\n @SinceKotlin(\"1.3\")\n fun append(value: String?): StringBuilder\n\n /**\n * Returns the current capacity of this string builder.\n *\n * The capacity is the maximum length this string builder can have before an allocation occurs.\n */\n @SinceKotlin(\"1.3\")\n// @ExperimentalStdlibApi\n @Deprecated(\"Obtaining StringBuilder capacity is not supported in JS and common code.\", level = DeprecationLevel.ERROR)\n fun capacity(): Int\n\n /**\n * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n *\n * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method takes no action and simply returns.\n */\n @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n fun ensureCapacity(minimumCapacity: Int)\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string].\n *\n * Returns `-1` if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String): Int\n\n /**\n * Returns the index within this string builder of the first occurrence of the specified [string],\n * starting at the specified [startIndex].\n *\n * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun indexOf(string: String, startIndex: Int): Int\n\n /**\n * Returns the index within this string builder of the last occurrence of the specified [string].\n *
The last occurrence of empty string `\"\"` is considered to be at the index equal to `this.length`.\n *\n * Returns `-1` if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n *\n * Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as
if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this string builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): StringBuilder\n\n /**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Char): StringBuilder\n\n /**\n * Inserts characters in the specified character array [value] into this string builder at the specified [index] and returns this
instance.\n *\n * The inserted characters go in same order as in the [value] character array, starting at [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin(\"1.4\")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun

insert(index: Int, value: CharArray): StringBuilder\n\n   /**\n   * Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n   *\n   * @param index the position in this string builder to insert at.\n   * @param value the character sequence from which characters are inserted. If [value] is `null`, then the four characters `\"null\"` are inserted.\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater
than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: CharSequence?): StringBuilder\n\n   /**\n   * Inserts the string representation of the specified object [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n   * and then that string was inserted into this string builder at the specified [index].\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: Any?): StringBuilder\n\n   /**\n
* Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n   *\n   * If [value]
is `null`, then the four characters `\"null\"` are inserted.\n   *\n   * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun insert(index: Int, value: String?): StringBuilder\n\n
/**\n   * Sets the length of this string builder to the specified [newLength].\n   *\n   * If the [newLength] is less than the current length, it is changed to the specified [newLength].\n   * Otherwise, null characters '\\u0000' are appended to this string builder until its length is less than the [newLength].\n   *\n   * Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n   * Therefore, increasing length of this string builder and then updating each character by index may slow down your program.\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength]
is less than zero.\n   */\n   @SinceKotlin(\"1.4\")\n   @WasExperimental(ExperimentalStdlibApi::class)\n   fun setLength(newLength: Int)\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the length of this string builder.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun substring(startIndex: Int): String\n\n   /**\n   * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).\n   *\n   * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n   */\n
@SinceKotlin(\"1.4\")\n   @WasExperimental(ExperimentalStdlibApi::class)\n
    fun substring(startIndex: Int, endIndex: Int): String\n\n   /**\n   * Attempts to reduce storage used for this string builder.\n   *\n   * If the backing storage of this string builder is larger than necessary to hold its current contents,\n   * then it may be resized to become more space efficient.\n   * Calling this method may, but is not required to, affect the value of the [capacity] property.\n   */\n   @SinceKotlin(\"1.4\")\n
@WasExperimental(ExperimentalStdlibApi::class)\n   fun trimToSize()\n}\n\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n
*/\n@SinceKotlin(\"1.3\")\npublic expect fun StringBuilder.clear(): StringBuilder\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect operator fun StringBuilder.set(index: Int, value: Char)\n\n/**\n * Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or

[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the `Char` at the specified [index] is part of a supplementary code point, this method
does not remove the entire supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteAt(index: Int): StringBuilder\n\n/**\n * Removes characters in the specified range from this string builder and returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n * @param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Copies characters from this string builder into the [destination]
character array.\n *\n * @param destination the array to copy to.\n * @param destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)\n\n/**\n * Appends characters in
a subarray of the specified character array [value] to this string builder and returns this instance.\n *\n * Characters are appended in order, starting at specified [startIndex].\n *\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this string builder and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in same order as in the [value] array, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive)
of the subarray to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws

IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n *\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n *\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n@Suppress(\"EXTENSION_SHADOWED_BY_MEMBER\")\n@Deprecated(\"Use append(value: Any?) instead\", ReplaceWith(\"append(value = obj)\"), DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?): StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n * and then converting it to [String].\n */\n@kotlin.internal.InlineOnly\npublic inline fun buildString(builderAction: StringBuilder.() -> Unit): String {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to [String].\n */\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction: StringBuilder.() -> Unit): String {\n   contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n   return StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: String?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n */\npublic fun StringBuilder.append(vararg value: Any?): StringBuilder {\n   for (item in value)\n   append(item)\n   return this\n}\n\n/** Appends a line feed character (`\\n`) to this StringBuilder. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(): StringBuilder = append('\\n')\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: CharSequence?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: String?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Any?): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: CharArray): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Char): StringBuilder = append(value).appendLine()\n\n/** Appends [value] to this [StringBuilder], followed by a line feed character (`\\n`). */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine(value: Boolean): StringBuilder = append(value).appendLine()\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source

code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(ch: Char, fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(), fromIndex)\n\n/**\n * Returns `true` if this string starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, 0)\n else\n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeStartsWith(prefix, startIndex)\n else\n return regionMatches(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this string ends with the specified suffix.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\n if (!ignoreCase)\n return nativeEndsWith(suffix)\n else\n return regionMatches(length - suffix.length, suffix, 0, suffix.length, ignoreCase)\n}\n\n@Deprecated(\"Use Regex.matches() instead\", ReplaceWith(\"regex.toRegex().matches(this)\"))\n@DeprecatedSinceKotlin(warningSince = \"1.6\")\npublic fun String.matches(regex: String): Boolean {\n @Suppress(\"DEPRECATION\")\n val result = this.match(regex)\n return result != null
&& result.size != 0\n}\n\n/**\n * Returns `true` if this string is empty or consists solely of whitespace characters.\n *\n * @sample samples.text.Strings.stringIsBlank\n */\npublic actual fun CharSequence.isBlank(): Boolean = length == 0 || indices.all { this[it].isWhitespace() }\n\n/**\n * Returns `true` if this string is equal to [other], optionally ignoring character case.\n *\n * Two strings are considered to be equal if they have the same length and the same character at the same index.\n * If [ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()` on each character is compared.\n *\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\n if (this == null) return other == null\n if (other == null) return false\n if (!ignoreCase) return this == other\n\n if (this.length != other.length) return false\n\n for (index in 0 until this.length) {\n val thisChar = this[index]\n val otherChar = other[index]\n if (!thisChar.equals(otherChar, ignoreCase)) {\n return false\n }\n }\n\n return true\n}\n\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean = false): Boolean =\n regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\n\n\n/**\n * Returns a copy of this string having its first letter titlecased using the rules of the default locale,\n * or the original string if it's empty or already starts with a title case letter.\n *\n * The title case of a character is usually the same as its upper case with several exceptions.\n * The particular list of characters with the special title case form depends on the underlying platform.\n *\n * @sample samples.text.Strings.capitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic actual fun String.capitalize(): String {\n return if (isNotEmpty()) substring(0, 1).uppercase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapitalize\n */\n@Deprecated(\"Use replaceFirstChar instead.\", ReplaceWith(\"replaceFirstChar { it.lowercase() }\"))\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic actual fun String.decapitalize(): String {\n return if (isNotEmpty()) substring(0, 1).lowercase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws [IllegalArgumentException]

when n < 0.\n * @sample samples.text.Strings.repeat\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n require(n >= 0) { \"Count 'n' must be non-negative, but was $n.\" }\n return when (n) {\n 0 -> \"\"\n 1 -> this.toString()\n else -> {\n var result = \"\"\n if (!isEmpty()) {\n var s = this.toString()\n var count = n\n while (true) {\n if ((count and 1) == 1) {\n result += s\n }\n count = count ushr 1\n if (count == 0) {\n break\n }\n s += s\n }\n }\n return result\n }\n }\n}\n\n/**\n * Returns a new string obtained by replacing all occurrences of the [oldValue] substring in this string\n * with the specified [newValue] string.\n *\n * @sample samples.text.Strings.replace\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"gui\" else \"gu\"), Regex.nativeEscapeReplacement(newValue))\n\n/**\n * Returns a new string with all occurrences of [oldChar] replaced with [newChar].\n *\n * @sample samples.text.Strings.replace\n */\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"gui\" else \"gu\"), newChar.toString())\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) \"ui\" else \"u\"), Regex.nativeEscapeReplacement(newValue))\n\n@Suppress(\"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS\")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) \"ui\" else \"u\"), newChar.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/** Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException] otherwise. */\nprivate fun malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\n if (throwOnMalformed) throw CharacterCodingException(\"Malformed sequence starting at ${index - 1}\")\n return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16 surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (high !in 0xD800..0xDBFF || index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n val low = string[index].code\n if (low !in 0xDC00..0xDFFF) {\n return malformed(0, index, throwOnMalformed)\n }\n return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (byte1 and 0x1E == 0 || index >= endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n val byte2 = bytes[index].toInt()\n if (byte2 and 0xC0 != 0x80) {\n return malformed(0, index, throwOnMalformed)\n }\n return (byte1 shl 6) xor byte2 xor 0xF80\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of three bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray,

```
byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0) {\n        if (byte2 and 0xE0 != 0xA0) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            // Surrogate code point\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n\n    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -0x1E080\n}\n\n/**\n * Returns code point
 corresponding to UTF-8 sequence of four bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of four bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0, index, throwOnMalformed)\n    }\n\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0x0) {\n        if (byte2 and 0xF0 <= 0x80) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0x4) {\n        if (byte2 and 0xF0 != 0x80) {\n            // Out of Unicode code points
 domain (larger than U+10FFFF)\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index, throwOnMalformed)\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n\n    if (index + 1 == endIndex) {\n        return malformed(1, index, throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return malformed(1, index, throwOnMalformed)\n    }\n\n    if (index + 2 == endIndex) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n        return malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor byte4 xor 0x381F80\n}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n *\n * Code points in `0..0x7F` are encoded in a single byte.\n * Code
 points in `0x80..0x7FF` are encoded in two bytes.\n * Code points in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in `0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in `0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n */\nprivate const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(), 0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n *\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param throwOnMalformed whether to throw on malformed char sequence or replace by the [REPLACEMENT_BYTE_SEQUENCE].\n *\n
 * @throws CharacterCodingException if the char sequence is malformed and [throwOnMalformed] is true.\n */\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length && startIndex <= endIndex)\n\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var byteIndex = 0\n    var charIndex = startIndex\n\n    while (charIndex < endIndex) {\n        val code = string[charIndex++].code\n        when {\n            code < 0x80 ->\n                bytes[byteIndex++] = code.toByte()\n            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 -> {\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6) and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex, endIndex,
```

```
throwOnMalformed)\n            if (codePoint <= 0) {\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n                bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n            } else {\n                bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n                bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n
    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] =
((codePoint and 0x3F) or 0x80).toByte()\n                charIndex++\n            }\n        }\n    }\n\n
return if (bytes.size == byteIndex) bytes
 else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n
*/\nprivate const val REPLACEMENT_CHAR = '\\uFFFD'\n\n/**\n * Decodes the UTF-8 [bytes] array and returns
the resulting [String].\n *\n * @param bytes the byte array to decode.\n * @param startIndex the start offset
(inclusive) of the array to be decoded.\n * @param endIndex the end offset (exclusive) of the array to be encoded.\n
* @param throwOnMalformed whether to throw on malformed byte sequence or replace by the
[REPLACEMENT_CHAR].\n *\n * @throws CharacterCodingException if the array is malformed UTF-8 byte
sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int,
endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <= bytes.size &&
startIndex <= endIndex)\n\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n\n    while
(byteIndex < endIndex) {\n        val byte
 = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->\n                stringBuilder.append(byte.toChar())\n
        byte shr 5 == -2 -> {\n                val code = codePointFrom2(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n
            byteIndex += -code\n                } else {\n                    stringBuilder.append(code.toChar())\n
byteIndex += 1\n                }\n            }\n            byte shr 4 == -2 -> {\n                val code = codePointFrom3(bytes,
byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0) {\n
stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else {\n
stringBuilder.append(code.toChar())\n                    byteIndex += 2\n                }\n            }\n            byte shr 3 == -2 -
> {\n
            val code = codePointFrom4(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                if (code <= 0)
{\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else
{\n                    val high = (code - 0x10000) shr 10 or 0xD800\n                    val low = (code and 0x3FF) or
0xDC00\n                    stringBuilder.append(high.toChar())\n                    stringBuilder.append(low.toChar())\n
        byteIndex += 3\n                }\n            }\n            else -> {\n                malformed(0, byteIndex,
throwOnMalformed)\n                stringBuilder.append(REPLACEMENT_CHAR)\n            }\n        }\n    }\n\n
return stringBuilder.toString()\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n
 * Returns the detailed description of this throwable with its stack trace.\n *\n * The detailed description includes:\n
* - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed
descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * -
the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin(\"1.4\")\npublic
actual fun Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the
[detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n
*/\n@SinceKotlin(\"1.4\")\npublic actual fun Throwable.printStackTrace() {\n
console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that
were\n * suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\npublic actual fun
Throwable.addSuppressed(exception:
 Throwable) {\n    if (this !== exception) {\n        val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>?>()\n        if (suppressed == null) {\n
```

this.asDynamic()._suppressed = mutableListOf(exception)\n } else {\n suppressed.add(exception)\n }\n }\n}\n\n/**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n */\n@SinceKotlin(\"1.4\")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n get() {\n return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n }\n\n\nprivate class ExceptionTraceBuilder {\n private val target = StringBuilder()\n private val visited = arrayOf<Throwable>()\n private var topStack: String = \"\"\n private var topStackStart: Int = 0\n\n fun buildFor(exception: Throwable): String {\n exception.dumpFullTrace(\"\", \"\")\n return target.toString()\n }\n\n private fun hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n\n private fun Throwable.dumpFullTrace(indent: String, qualifier: String) {\n this.dumpSelfTrace(indent, qualifier) || return\n\n var cause = this.cause\n while (cause != null) {\n cause.dumpSelfTrace(indent, \"Caused by: \") || return\n cause = cause.cause\n }\n }\n\n private fun Throwable.dumpSelfTrace(indent: String, qualifier: String): Boolean {\n target.append(indent).append(qualifier)\n val shortInfo = this.toString()\n if (hasSeen(this)) {\n target.append(\"[CIRCULAR REFERENCE, SEE ABOVE: \").append(shortInfo).append(\"]\\n\")\n return false\n }\n visited.asDynamic().push(this)\n\n var stack = this.asDynamic().stack as String?\n if (stack != null) {\n val stackStart = stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n if (stackStart == 0) target.append(shortInfo).append(\"\\n\")\n if (topStack.isEmpty()) {\n topStack = stack\n topStackStart = stackStart\n } else {\n stack = dropCommonFrames(stack, stackStart)\n }\n if (indent.isNotEmpty()) {\n // indent stack, but avoid indenting exception message lines\n val messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\\n' }\n stack.lineSequence().forEachIndexed { index: Int, line: String ->\n if (index >= messageLines) target.append(indent)\n target.append(line).append(\"\\n\")\n }\n } else {\n target.append(stack).append(\"\\n\")\n }\n } else {\n target.append(shortInfo).append(\"\\n\")\n }\n\n val suppressed = suppressedExceptions\n if (suppressed.isNotEmpty()) {\n val suppressedIndent = indent + \" \"\n for (s in suppressed) {\n s.dumpFullTrace(suppressedIndent, \"Suppressed: \")\n }\n }\n return true\n }\n\n private fun dropCommonFrames(stack: String, stackStart: Int): String {\n var commonFrames: Int = 0\n var lastBreak: Int = 0\n var preLastBreak: Int = 0\n for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) {\n val c = stack[stack.lastIndex - pos]\n if (c != topStack[topStack.lastIndex - pos]) break\n if (c == '\\n') {\n commonFrames += 1\n preLastBreak = lastBreak\n lastBreak = pos\n }\n }\n if (commonFrames <= 1) return stack\n while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)] == ' ')\n preLastBreak -= 1\n\n // leave 1 common frame to ease matching with the top exception\n stack\n return stack.dropLast(preLastBreak) + \"... and ${commonFrames - 1} more common stack frames skipped\"\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual inline val durationAssertionsEnabled: Boolean get() = true\n\ninternal actual fun formatToExactDecimals(value: Double, decimals: Int): String {\n val rounded = if (decimals == 0) {\n value\n } else {\n val pow = 10.0.pow(decimals)\n JsMath.round(abs(value) * pow) / pow * sign(value)\n }\n return if (abs(rounded) < 1e21) {\n // toFixed switches to scientific format after 1e21\n rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n } else {\n // toPrecision outputs the specified number of digits,\n but only for positive numbers\n val positive = abs(rounded)\n val positiveString = positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>()\n if (rounded < 0) \"-$positiveString\" else positiveString\n }\n}\n\ninternal actual fun formatUpToDecimals(value: Double, decimals: Int): String {\n return value.asDynamic().toLocaleString(\"en-us\", json(\"maximumFractionDigits\" to

decimals)).unsafeCast<String>()\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic actual enum class DurationUnit(internal val scale: Double) {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n */\n NANOSECONDS(1e0),\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n */\n MICROSECONDS(1e3),\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n */\n MILLISECONDS(1e6),\n /**\n * Time unit representing one second.\n */\n SECONDS(1e9),\n /**\n * Time unit representing one minute.\n */\n MINUTES(60e9),\n /**\n * Time unit representing one hour.\n */\n HOURS(3600e9),\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n */\n DAYS(86400e9);\n}\n\n@SinceKotlin(\"1.3\")\ninternal actual fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale)\n else -> value\n }\n}\n\n@SinceKotlin(\"1.5\")\ninternal actual fun convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale).toLong()\n sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n else -> value\n }\n}\n\n@SinceKotlin(\"1.5\")\ninternal actual fun convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n sourceCompareTarget > 0 -> {\n val scale = (sourceUnit.scale / targetUnit.scale).toLong()\n val result = value * scale\n when {\n result / scale == value -> result\n value > 0 -> Long.MAX_VALUE\n else -> Long.MIN_VALUE\n }\n }\n sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n else -> value\n }\n}\n\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\nimport org.w3c.performance.Performance\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal actual object MonotonicTimeSource : TimeSource {\n\n private val actualSource: TimeSource = run {\n val isNode: Boolean = js(\"typeof process !== 'undefined' && process.versions && !!process.versions.node\")\n\n if (isNode)\n HrTimeSource(js(\"process\").unsafeCast<Process>())\n else\n js(\"self\").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n ?: DateNowTimeSource\n\n }\n\n override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal external interface Process {\n fun hrtime(time: Array<Double> = definedExternally): Array<Double>\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal class HrTimeSource(val process: Process) : TimeSource {\n\n override fun markNow(): TimeMark = object : TimeMark() {\n val startedAt = process.hrtime()\n override fun elapsedNow(): Duration =\n process.hrtime(startedAt).let { (seconds, nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n }\n\n override fun toString(): String = \"TimeSource(process.hrtime())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal class PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n override fun read(): Double = performance.now()\n override fun toString(): String = \"TimeSource(self.performance.now())\"\n}\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal

object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n override fun read(): Double = kotlin.js.Date.now()\n override fun toString(): String = \"TimeSource(Date.now())\"\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\nimport kotlin.contracts.*\n\n/**\n * Creates a new element with the specified [name].\n *\n * The element is initialized with the specified [init] function.\n */\n@SinceKotlin(\"1.4\")\npublic fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n return createElement(name).apply(init)\n}\n\n/**\n * Appends a newly created element with the specified [name] to this element.\n *\n * The element is initialized with the specified [init] function.\n */\n@SinceKotlin(\"1.4\")\npublic fun Element.appendElement(name: String, init: Element.() -> Unit): Element {\n contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n return ownerDocument!!.createElement(name, init).also { appendChild(it) }\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/** Returns true if the element has the given CSS class style in its 'class' attribute */\n@SinceKotlin(\"1.4\")\nfun Element.hasClass(cssClass: String): Boolean = className.matches(\"\"\"(^|.*\\s+)$cssClass($|\\s+.*)\"\"\".toRegex())\n\n/**\n * Adds CSS class to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at least one class has been added\n */\n@SinceKotlin(\"1.4\")\nfun Element.addClass(vararg cssClasses: String): Boolean {\n val missingClasses = cssClasses.filterNot { hasClass(it) }\n if (missingClasses.isNotEmpty()) {\n val presentClasses = className.trim()\n className = buildString {\n append(presentClasses)\n if (!presentClasses.isEmpty()) {\n append(\" \")\n }\n missingClasses.joinTo(this, \" \")\n }\n return true\n }\n\n return false\n}\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been removed\n */\n@SinceKotlin(\"1.4\")\nfun Element.removeClass(vararg cssClasses: String): Boolean {\n if (cssClasses.any { hasClass(it) }) {\n val toBeRemoved = cssClasses.toSet()\n className = className.trim().split(\"\\\\s+\".toRegex()).filter { it !in toBeRemoved }.joinToString(\" \")\n return true\n }\n\n return false\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified single [option].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a regular expression [Regex] with the specified set of [options].\n */\n@kotlin.internal.InlineOnly\npublic inline fun String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n */\n@SinceKotlin(\"1.4\")\npublic val Node.isText: Boolean\n get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating whether this node is an [Element].\n */\n@SinceKotlin(\"1.4\")\npublic val Node.isElement: Boolean\n get() = nodeType == Node.ELEMENT_NODE\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlinx.dom\n\nimport org.w3c.dom.*\n\n/** Removes all

the children from this node. */\n@SinceKotlin(\"1.4\")\npublic
fun Node.clear() {\n while (hasChildNodes()) {\n removeChild(firstChild!!)\n }\n}\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this element\n */\n@SinceKotlin(\"1.4\")\nfun Element.appendText(text: String): Element {\n appendChild(ownerDocument!!.createTextNode(text))\n return this\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\n@Deprecated(\"Use UnionMessagePortOrWindowProxy instead.\", ReplaceWith(\"UnionMessagePortOrWindowProxy\"))\ntypealias UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated(\"Use `as` instead.\", ReplaceWith(\"`as`\"))\nvar HTMLLinkElement.as_\n get() = `as`\n set(value) {\n `as` = value\n }\n\n@Deprecated(\"Use `is` instead.\", ReplaceWith(\"`is`\"))\nvar
ElementCreationOptions.is_\n get() = `is`\n set(value) {\n `is` = value\n }","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface WebGLContextAttributes {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var depth: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var stencil: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var antialias: Boolean? /* = true */\n get() = definedExternally\n set(value)
= definedExternally\n var premultipliedAlpha: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var preserveDrawingBuffer: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var preferLowPowerToHighPerformance: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var failIfMajorPerformanceCaveat: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false, failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n
val o = js(\"({})\")\n o[\"alpha\"] = alpha\n o[\"depth\"] = depth\n o[\"stencil\"] = stencil\n o[\"antialias\"] = antialias\n o[\"premultipliedAlpha\"] = premultipliedAlpha\n o[\"preserveDrawingBuffer\"] = preserveDrawingBuffer\n o[\"preferLowPowerToHighPerformance\"] = preferLowPowerToHighPerformance\n o[\"failIfMajorPerformanceCaveat\"] = failIfMajorPerformanceCaveat\n return o\n}\n\npublic external abstract class WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external abstract class WebGLProgram
: WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript [WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript

[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript [WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic external abstract class WebGLActiveInfo {\n   open val size: Int\n   open val type: Int\n   open val name: String\n}\n\n/**\n * Exposes the JavaScript [WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n   open val rangeMin: Int\n   open val rangeMax: Int\n   open val precision: Int\n}\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WebGLRenderingContextBase {\n   val canvas: HTMLCanvasElement\n   val drawingBufferWidth: Int\n   val drawingBufferHeight: Int\n   fun getContextAttributes(): WebGLContextAttributes?\n   fun isContextLost(): Boolean\n   fun getSupportedExtensions(): Array<String>?\n   fun getExtension(name: String): dynamic\n   fun activeTexture(texture: Int)\n   fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n   fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n   fun bindBuffer(target: Int, buffer: WebGLBuffer?)\n   fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n   fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n   fun bindTexture(target: Int, texture: WebGLTexture?)\n   fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n   fun blendEquation(mode: Int)\n   fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n   fun blendFunc(sfactor: Int, dfactor: Int)\n   fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)\n   fun bufferData(target: Int, size: Int, usage: Int)\n   fun bufferData(target: Int, data: BufferDataSource?, usage: Int)\n   fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n   fun checkFramebufferStatus(target: Int): Int\n   fun clear(mask: Int)\n   fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n   fun clearDepth(depth: Float)\n   fun clearStencil(s: Int)\n   fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n   fun compileShader(shader: WebGLShader?)\n   fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n   fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n   fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)\n   fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n   fun createBuffer(): WebGLBuffer?\n   fun createFramebuffer(): WebGLFramebuffer?\n   fun createProgram(): WebGLProgram?\n   fun createRenderbuffer(): WebGLRenderbuffer?\n   fun createShader(type: Int): WebGLShader?\n   fun createTexture(): WebGLTexture?\n   fun cullFace(mode: Int)\n   fun deleteBuffer(buffer: WebGLBuffer?)\n   fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n   fun deleteProgram(program: WebGLProgram?)\n   fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n   fun deleteShader(shader: WebGLShader?)\n   fun deleteTexture(texture: WebGLTexture?)\n   fun depthFunc(func: Int)\n   fun depthMask(flag: Boolean)\n   fun depthRange(zNear: Float, zFar: Float)\n   fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n   fun disable(cap: Int)\n   fun disableVertexAttribArray(index: Int)\n   fun drawArrays(mode: Int, first: Int, count: Int)\n   fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n   fun enable(cap: Int)\n   fun enableVertexAttribArray(index: Int)\n   fun finish()\n   fun flush()\n   fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n   fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n   fun frontFace(mode: Int)\n   fun generateMipmap(target: Int)\n   fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n   fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n   fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?\n   fun getAttribLocation(program: WebGLProgram?, name: String): Int\n   fun getBufferParameter(target: Int, pname: Int): Any?\n   fun getParameter(pname: Int): Any?\n   fun getError(): Int\n   fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n   fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n   fun getProgramInfoLog(program:

WebGLProgram?): String?\n fun getRenderbufferParameter(target: Int, pname: Int): Any?\n fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n fun getShaderInfoLog(shader: WebGLShader?): String?\n fun getShaderSource(shader: WebGLShader?): String?\n fun getTexParameter(target: Int, pname: Int): Any?\n fun getUniform(program: WebGLProgram?,
location: WebGLUniformLocation?): Any?\n fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n fun getVertexAttrib(index: Int, pname: Int): Any?\n fun getVertexAttribOffset(index: Int, pname: Int): Int\n fun hint(target: Int, mode: Int)\n fun isBuffer(buffer: WebGLBuffer?): Boolean\n fun isEnabled(cap: Int): Boolean\n fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n fun isProgram(program: WebGLProgram?): Boolean\n fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program: WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun renderbufferStorage(target: Int, internalformat: Int,
width: Int, height: Int)\n fun sampleCoverage(value: Float, invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?, source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int, pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int,
width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x: Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y: Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location: WebGLUniformLocation?,
v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float, z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location: WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun

uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n

fun vertexAttrib4fv(index: Int, values: dynamic)\n fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n

val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n

val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val

SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n

val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE:

Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:

Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n */\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n companion object {\n val DEPTH_BUFFER_BIT: Int\n val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES: Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val

STENCIL_FAIL:
Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val POLYGON_OFFSET_UNITS: Int\n
val POLYGON_OFFSET_FACTOR: Int\n val TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n
val BYTE: Int\n val UNSIGNED_BYTE: Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n
val MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS: Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR: Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val TEXTURE6: Int\n val TEXTURE7:
Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val TEXTURE22: Int\n val TEXTURE23:

Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED: Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING: Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER: Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16: Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0: Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val MAX_RENDERBUFFER_SIZE: Int\n val INVALID_FRAMEBUFFER_OPERATION: Int\n val UNPACK_FLIP_Y_WEBGL: Int\n val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n val CONTEXT_LOST_WEBGL: Int\n val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n val BROWSER_DEFAULT_WEBGL: Int\n }\n}\n\n/**\n * Exposes the JavaScript [WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n */\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit = definedExternally) : Event {\n open val statusMessage: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n var statusMessage: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WebGLContextEventInit {\n val o = js(\"({})\")\n o[\"statusMessage\"] = statusMessage\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript

[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n */\npublic external open class ArrayBuffer(length: Int) : BufferDataSource {\n   open val byteLength: Int\n   fun slice(begin: Int, end: Int = definedExternally): ArrayBuffer\n\n   companion object {\n   fun isView(value: Any?): Boolean\n   }\n}\n\n/**\n
 * Exposes the JavaScript [ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n */\npublic external interface ArrayBufferView : BufferDataSource {\n   val buffer: ArrayBuffer\n   val byteOffset: Int\n   val byteLength: Int\n}\n\n/**\n * Exposes the JavaScript [Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n */\npublic external open class Int8Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int8Array)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int8Array, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int8Array\n\n   companion object {\n
        val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n */\npublic external open class Uint8Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint8Array)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint8Array, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint8Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n */\npublic external open class Uint8ClampedArray : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint8ClampedArray)\n   constructor(array: Array<Byte>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint8ClampedArray, offset: Int = definedExternally)\n   fun set(array: Array<Byte>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint8ClampedArray\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class Int16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int16Array)\n   constructor(array:
 Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n

override val byteLength: Int\n   fun set(array: Int16Array, offset: Int = definedExternally)\n   fun set(array: Array<Short>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n */\npublic external open class Uint16Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint16Array)\n   constructor(array: Array<Short>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint16Array, offset: Int = definedExternally)\n   fun set(array: Array<Short>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint16Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class Int32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Int32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Int32Array, offset: Int = definedExternally)\n   fun set(array: Array<Int>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Int32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n */\npublic external open class Uint32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Uint32Array)\n   constructor(array: Array<Int>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Uint32Array, offset: Int = definedExternally)\n   fun set(array: Array<Int>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Uint32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n */\npublic external open class Float32Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float32Array)\n   constructor(array: Array<Float>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float32Array, offset: Int = definedExternally)\n   fun

set(array: Array<Float>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float32Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int, value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n */\npublic external open class Float64Array : ArrayBufferView {\n   constructor(length: Int)\n   constructor(array: Float64Array)\n   constructor(array: Array<Double>)\n   constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int = definedExternally)\n   open val length: Int\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun set(array: Float64Array, offset: Int = definedExternally)\n   fun set(array: Array<Double>, offset: Int = definedExternally)\n   fun subarray(start: Int, end: Int): Float64Array\n\n   companion object {\n   val BYTES_PER_ELEMENT: Int\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript [DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) : ArrayBufferView {\n   override val buffer: ArrayBuffer\n   override val byteOffset: Int\n   override val byteLength: Int\n   fun getInt8(byteOffset: Int): Byte\n   fun getUint8(byteOffset: Int): Byte\n   fun getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getUint16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n   fun getInt32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n   fun getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n   fun getFloat64(byteOffset: Int, littleEndian: Boolean = definedExternally): Double\n   fun setInt8(byteOffset: Int, value: Byte)\n   fun setUint8(byteOffset: Int, value: Byte)\n   fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n   fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setUint32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n   fun setFloat32(byteOffset: Int, value: Float, littleEndian: Boolean = definedExternally)\n   fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean = definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface TexImageSource","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface ClipboardEventInit : EventInit {\n   var clipboardData: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ClipboardEventInit {\n   val o = js(\"({})\")\n   o[\"clipboardData\"] = clipboardData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external

open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n   open val clipboardData: DataTransfer?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n   fun read(): Promise<DataTransfer>\n   fun readText(): Promise<String>\n   fun write(data: DataTransfer): Promise<Unit>\n   fun writeText(data: String): Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n   var allowWithoutGesture: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n   val o = js(\"({})\")\n   o[\"allowWithoutGesture\"] = allowWithoutGesture\n   return o\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external abstract class MediaList : ItemArrayLike<String> {\n   open var mediaText: String\n   fun appendMedium(medium: String)\n   fun deleteMedium(medium: String)\n   override fun item(index: Int): String?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\npublic external abstract class StyleSheet {\n   open val type: String\n   open val href: String?\n   open val ownerNode: UnionElementOrProcessingInstruction?\n   open val parentStyleSheet: StyleSheet?\n   open val title: String?\n   open val media: MediaList\n   open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\npublic external abstract class CSSStyleSheet : StyleSheet {\n   open val ownerRule: CSSRule?\n   open val cssRules: CSSRuleList\n   fun insertRule(rule: String, index: Int): Int\n   fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\npublic external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n   override fun item(index: Int): StyleSheet?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int): StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\npublic external interface LinkStyle {\n   val sheet: StyleSheet?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\npublic external abstract class CSSRuleList : ItemArrayLike<CSSRule> {\n   override fun item(index: Int): CSSRule?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\npublic external abstract class CSSRule {\n   open val type: Short\n   open var cssText: String\n   open val parentRule: CSSRule?\n   open val parentStyleSheet: CSSStyleSheet?\n\n   companion object {\n   val STYLE_RULE: Short\n   val CHARSET_RULE: Short\n   val IMPORT_RULE: Short\n   val MEDIA_RULE: Short\n   val FONT_FACE_RULE: Short\n   val PAGE_RULE: Short\n   val MARGIN_RULE: Short\n   val NAMESPACE_RULE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript

[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule)
to Kotlin\n */\npublic external abstract class CSSStyleRule : CSSRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n open val href: String\n open val media: MediaList\n open val styleSheet: CSSStyleSheet\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule)
to Kotlin\n */\npublic external abstract class CSSGroupingRule : CSSRule {\n open val cssRules: CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int)\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external abstract class CSSMediaRule : CSSGroupingRule {\n open val media: MediaList\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic external abstract class CSSPageRule : CSSGroupingRule {\n open var selectorText: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n open val name: String\n open val style: CSSStyleDeclaration\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE:
Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n\n companion object {\n val STYLE_RULE: Short\n val CHARSET_RULE: Short\n val IMPORT_RULE: Short\n val MEDIA_RULE: Short\n val FONT_FACE_RULE: Short\n val PAGE_RULE: Short\n val MARGIN_RULE: Short\n val NAMESPACE_RULE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n open var cssText: String\n open val parentRule: CSSRule?\n open var cssFloat: String\n open var alignContent: String\n open var alignItems: String\n open
var alignSelf: String\n open var animation: String\n open var animationDelay: String\n open var animationDirection: String\n open var animationDuration: String\n open var animationFillMode: String\n open var animationIterationCount: String\n open var animationName: String\n open var animationPlayState: String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open

var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n

open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom: String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight: String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding: String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var phonemes: String\n open var position:

String\n   open var quotes: String\n   open var resize: String\n   open var rest: String\n   open var restAfter: String\n   open var restBefore: String\n   open var right: String\n   open var tabSize: String\n   open var tableLayout: String\n   open var textAlign: String\n   open var textAlignLast: String\n   open var textCombineUpright: String\n   open var textDecoration: String\n   open var textDecorationColor: String\n   open var textDecorationLine: String\n   open var textDecorationStyle: String\n   open var textIndent: String\n   open var textJustify: String\n   open var textOrientation: String\n   open var textOverflow: String\n   open var textShadow: String\n   open var textTransform: String\n   open var textUnderlinePosition: String\n   open var top: String\n   open var transform: String\n   open var transformOrigin: String\n   open var transformStyle: String\n   open var transition: String\n   open var transitionDelay: String\n   open var transitionDuration: String\n   open var transitionProperty: String\n   open var transitionTimingFunction: String\n   open var unicodeBidi: String\n   open var verticalAlign: String\n   open var visibility: String\n   open var voiceBalance: String\n   open var voiceDuration: String\n   open var voicePitch: String\n   open var voicePitchRange: String\n   open var voiceRate: String\n   open var voiceStress: String\n   open var voiceVolume: String\n   open var whiteSpace: String\n   open var widows: String\n   open var width: String\n   open var wordBreak: String\n   open var wordSpacing: String\n   open var wordWrap: String\n   open var writingMode: String\n   open var zIndex: String\n   open var _dashed_attribute: String\n   open var _camel_cased_attribute: String\n   open var _webkit_cased_attribute: String\n   fun getPropertyValue(property: String): String\n   fun getPropertyPriority(property: String): String\n   fun setProperty(property: String, value: String, priority: String = definedExternally)\n   fun setPropertyValue(property: String, value: String)\n   fun setPropertyPriority(property: String, priority: String)\n   fun removeProperty(property: String): String\n   override fun item(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface ElementCSSInlineStyle {\n   val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript [CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n   companion object {\n   fun escape(ident: String): String\n   }\n}\n\npublic external interface UnionElementOrProcessingInstruction","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration) to Kotlin\n */\npublic external interface MediaKeySystemConfiguration {\n   var label: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var initDataTypes: Array<String>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var audioCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n   get() = definedExternally\n   set(value) = definedExternally\n   var distinctiveIdentifier: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n   get() = definedExternally\n   set(value) = definedExternally\n   var persistentState: MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n   get() = definedExternally\n   set(value) = definedExternally\n   var sessionTypes: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label: String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities: Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities: Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? = MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =

MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>?
= undefined): MediaKeySystemConfiguration {\n val o = js(\"({})\")\n o[\"label\"] = label\n
o[\"initDataTypes\"] = initDataTypes\n o[\"audioCapabilities\"] = audioCapabilities\n o[\"videoCapabilities\"] =
videoCapabilities\n o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n o[\"persistentState\"] = persistentState\n
o[\"sessionTypes\"] = sessionTypes\n return o\n}\n\npublic external interface MediaKeySystemMediaCapability
{\n var contentType: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n
var robustness: String? /* = \"\" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n val o = js(\"({})\")\n o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\npublic external abstract class MediaKeySystemAccess {\n open val keySystem: String\n fun
getConfiguration(): MediaKeySystemConfiguration\n fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
* Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n
*/\npublic external abstract class MediaKeys {\n fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n */\npublic
external abstract class MediaKeySession : EventTarget {\n open val sessionId: String\n open val expiration:
Double\n open val closed:
Promise<Unit>\n open val keyStatuses: MediaKeyStatusMap\n open var onkeystatuseschange: ((Event) ->
dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun generateRequest(initDataType: String,
initData: dynamic): Promise<Unit>\n fun load(sessionId: String): Promise<Boolean>\n fun update(response:
dynamic): Promise<Unit>\n fun close(): Promise<Unit>\n fun remove(): Promise<Unit>\n}\n\n/**\n * Exposes
the JavaScript [MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to
Kotlin\n */\npublic external abstract class MediaKeyStatusMap {\n open val size: Int\n fun has(keyId: dynamic):
Boolean\n fun get(keyId: dynamic): Any?\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*/\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n open val messageType: MediaKeyMessageType\n
open val message: ArrayBuffer\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaKeyMessageEventInit : EventInit {\n var messageType:
MediaKeyMessageType?\n var message: ArrayBuffer?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n val o =
js(\"({})\")\n o[\"messageType\"] = messageType\n o[\"message\"] = message\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String\n open val initData: ArrayBuffer?\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface MediaEncryptedEventInit : EventInit {\n var initDataType: String? /* =
\"\" */\n get() = definedExternally\n set(value) = definedExternally\n var initData: ArrayBuffer? /* = null
*/\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",

\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaEncryptedEventInit(initDataType: String? = \"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n   val o = js(\"({})\")\n   o[\"initDataType\"] = initDataType\n   o[\"initData\"] = initData\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeysRequirement {\n   companion object\n}\n\npublic inline val MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() = \"required\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() = \"optional\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\npublic inline val MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \"not-allowed\".asDynamic().unsafeCast<MediaKeysRequirement>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeySessionType {\n   companion object\n}\n\npublic inline val MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() = \"temporary\".asDynamic().unsafeCast<MediaKeySessionType>()\n\npublic inline val MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() = \"persistent-license\".asDynamic().unsafeCast<MediaKeySessionType>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeyStatus {\n   companion object\n}\n\npublic inline val MediaKeyStatus.Companion.USABLE: MediaKeyStatus get() = \"usable\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() = \"expired\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() = \"released\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \"output-restricted\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus get() = \"output-downscaled\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \"status-pending\".asDynamic().unsafeCast<MediaKeyStatus>()\n\npublic inline val MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \"internal-error\".asDynamic().unsafeCast<MediaKeyStatus>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaKeyMessageType {\n   companion object\n}\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = \"license-request\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = \"license-renewal\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = \"license-release\".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() = \"individualization-request\".asDynamic().unsafeCast<MediaKeyMessageType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-

GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\npublic external open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view: Window?\n open val detail: Int\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UIEventInit : EventInit {\n var view: Window? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var detail: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n val o = js(\"({})\")\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class FocusEvent(type:
String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FocusEventInit : UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FocusEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] = relatedTarget\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n
* Exposes the JavaScript [MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent, UnionElementOrMouseEvent {\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget: EventTarget?\n open val region: String?\n open val pageX: Double\n open val pageY: Double\n open val x: Double\n open val y: Double\n open val offsetX: Double\n open val offsetY: Double\n fun getModifierState(keyArg: String): Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic
external interface MouseEventInit : EventModifierInit {\n var screenX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var screenY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientX: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var clientY: Int? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var button: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var buttons: Short? /* = 0 */\n get() = definedExternally\n set(value) = definedExternally\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var region: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,

```
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o =
js(\"({})\")\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"]
= clientY\n
    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"region\"] =
region\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] =
metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n
o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] =
modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] =
modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n
o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n
o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean? /* = false */\n
get() = definedExternally\n
        set(value) = definedExternally\n    var shiftKey: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var altKey: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n        get() = definedExternally\n
  set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false */\n        get() = definedExternally\n
     set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n
    var modifierNumLock: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var modifierScrollLock: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false */\n        get() = definedExternally\n
set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean?
 = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? =
false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false,
view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): EventModifierInit {\n    val o = js(\"({})\")\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] =
shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] =
modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n
o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] =
modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n
 o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] =
view\n    o[\"detail\"]
 = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript [WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent)
to Kotlin\n */\npublic external open class WheelEvent(type: String, eventInitDict: WheelEventInit =
definedExternally) : MouseEvent {\n    open val deltaX: Double\n    open val deltaY: Double\n    open val deltaZ:
```

```
Double\n    open val deltaMode: Int\n\n    companion object {\n        val DOM_DELTA_PIXEL: Int\n        val DOM_DELTA_LINE: Int\n        val DOM_DELTA_PAGE: Int\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface WheelEventInit : MouseEventInit {\n    var deltaX: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var deltaY: Double? /* = 0.0 */\n        get() = definedExternally\n
        set(value) = definedExternally\n    var deltaZ: Double? /* = 0.0 */\n        get() = definedExternally\n
set(value) = definedExternally\n    var deltaMode: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0, deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
 modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n    val o = js(\"({})\")\n    o[\"deltaX\"] = deltaX\n    o[\"deltaY\"] = deltaY\n    o[\"deltaZ\"] = deltaZ\n    o[\"deltaMode\"] = deltaMode\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"region\"] = region\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) : UIEvent {\n    open val data: String\n    open val isComposing: Boolean\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface InputEventInit : UIEventInit {\n    var data: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n
    var isComposing: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = \"\", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"isComposing\"] = isComposing\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {\n    open val key: String\n    open val
 code: String\n    open val location: Int\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n    open val altKey: Boolean\n    open val metaKey: Boolean\n    open val repeat: Boolean\n    open val isComposing: Boolean\n
  open val charCode: Int\n    open val keyCode: Int\n    open val which: Int\n    fun getModifierState(keyArg:
```

```
String): Boolean\n\n    companion object {\n        val DOM_KEY_LOCATION_STANDARD: Int\n        val DOM_KEY_LOCATION_LEFT: Int\n        val DOM_KEY_LOCATION_RIGHT: Int\n        val DOM_KEY_LOCATION_NUMPAD: Int\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface KeyboardEventInit : EventModifierInit {\n    var key: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var code: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var location:
 Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var repeat: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var isComposing: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun KeyboardEventInit(key: String? = \"\", code: String? = \"\", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock:
 Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {\n    val o = js(\"({})\")\n    o[\"key\"] = key\n    o[\"code\"] = code\n    o[\"location\"] = location\n    o[\"repeat\"] = repeat\n    o[\"isComposing\"] = isComposing\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin\n */\npublic external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {\n    open val data: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CompositionEventInit : UIEventInit {\n    var data: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CompositionEventInit(data: String? = \"\", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit
 {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin\n */\npublic external open class Event(type: String, eventInitDict: EventInit = definedExternally) {\n    open val type: String\n    open val target: EventTarget?\n    open val currentTarget: EventTarget?\n    open val eventPhase: Short\n    open val bubbles: Boolean\n    open val cancelable: Boolean\n    open val defaultPrevented: Boolean\n    open val composed: Boolean\n    open val isTrusted: Boolean\n    open val timeStamp: Number\n    fun composedPath(): Array<EventTarget>\n    fun stopPropagation()\n    fun stopImmediatePropagation()\n    fun preventDefault()\n    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)\n\n    companion object
 {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n */\npublic external abstract class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic = definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic = definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript [EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n */\npublic external interface EventListener {\n fun handleEvent(event: Event)\n}","/*\n
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n open val length: Int\n fun item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n fun namedItem(name: String): UnionElementOrHTMLCollection?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection) to Kotlin\n */\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n */\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value: String\n}\n\n/**\n * Exposes the JavaScript [HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n */\npublic
 external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n */\npublic external abstract class HTMLElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable: Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n fun blur()\n fun forceSpellCheck()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val

COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n */\npublic external abstract class HTMLUnknownElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n */\npublic external abstract class DOMStringMap\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value }\n\n/**\n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n */\npublic external abstract class HTMLHtmlElement : HTMLElement {\n open var version: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n */\npublic external abstract class HTMLHeadElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n */\npublic external abstract class HTMLTitleElement : HTMLElement {\n open var text: String\n\n companion object

{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin\n */\npublic external abstract class HTMLBaseElement : HTMLElement {\n open var href: String\n open var target: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin\n */\npublic external abstract class HTMLLinkElement : HTMLElement, LinkStyle {\n open var href: String\n open var crossOrigin: String?\n open var rel: String\n open var `as`: RequestDestination\n open val relList: DOMTokenList\n open var media: String\n open var nonce: String\n open var hreflang: String\n open var type: String\n open val sizes: DOMTokenList\n open var referrerPolicy: String\n open var charset: String\n open var rev: String\n open var target: String\n open var scope: String\n open var workerType: WorkerType\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin\n */\npublic external abstract class HTMLMetaElement : HTMLElement {\n open var name: String\n open var httpEquiv: String\n open var content: String\n open var scheme: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n */\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n */\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n */\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n */\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

```
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n */\npublic
external abstract class HTMLHRElement : HTMLElement {\n    open var align: String\n    open var color: String\n
open var noShade: Boolean\n    open var size: String\n    open var width: String\n\n
   companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\npublic
external abstract class HTMLPreElement : HTMLElement {\n    open var width: Int\n\n
   companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\npublic
external abstract class HTMLQuoteElement : HTMLElement {\n    open var cite:
 String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOListElement) to Kotlin\n */\npublic
external abstract class HTMLOListElement : HTMLElement {\n    open
 var reversed: Boolean\n    open var start: Int\n    open var type: String\n    open var compact: Boolean\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[HTMLUListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUListElement) to Kotlin\n */\npublic external abstract class HTMLUListElement : HTMLElement {\n open var compact: Boolean\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n */\npublic external abstract class HTMLLIElement : HTMLElement {\n open var value: Int\n open var type: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n */\npublic external abstract class HTMLDListElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n */\npublic external abstract class HTMLDivElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n */\npublic external abstract class HTMLAnchorElement : HTMLElement, HTMLHyperlinkElementUtils {\n open

```
var target: String\n    open var download: String\n    open var ping: String\n    open var rel: String\n    open val relList: DOMTokenList\n    open var hreflang: String\n    open var type: String\n    open var text: String\n    open var referrerPolicy: String\n    open var coords: String\n    open var charset: String\n    open var name: String\n    open var rev: String\n    open var shape: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic external abstract class HTMLTimeElement : HTMLElement {\n    open var dateTime: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic external abstract class HTMLSpanElement : HTMLElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic external abstract class HTMLBRElement : HTMLElement {\n    open var clear: String\n\n    companion object {\n
```

val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n */\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n}\n\n/**\n * Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n */\npublic
external abstract class HTMLModElement : HTMLElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement)
to Kotlin\n */\npublic external abstract class HTMLPictureElement : HTMLElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement)
to Kotlin\n */\npublic external abstract class HTMLSourceElement : HTMLElement {\n open var src: String\n open var type: String\n open var srcset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n

```
}\n}\n\n/**\n * Exposes the JavaScript
[HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n
*/\npublic external abstract class HTMLImageElement : HTMLElement, HTMLOrSVGImageElement,
TexImageSource {\n    open var alt: String\n    open var src: String\n    open var srcset: String\n    open var sizes:
String\n    open var crossOrigin: String?\n    open var useMap: String\n    open var isMap: Boolean\n    open var
width: Int\n    open var height: Int\n    open val naturalWidth: Int\n    open val naturalHeight: Int\n    open val
complete: Boolean\n    open val currentSrc: String\n    open var referrerPolicy: String\n    open var name: String\n
open var lowsrc: String\n    open var align: String\n    open var hspace: Int\n    open var vspace: Int\n    open var
longDesc: String\n    open var border: String\n    open val x: Int\n    open val y: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
    val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n
*/\npublic external abstract class HTMLIFrameElement : HTMLElement {\n    open var src: String\n    open var
srcdoc: String\n    open var name: String\n    open val sandbox: DOMTokenList\n
    open var allowFullscreen: Boolean\n    open var allowUserMedia: Boolean\n    open var width: String\n    open
var height: String\n    open var referrerPolicy: String\n    open val contentDocument: Document?\n    open val
contentWindow: Window?\n    open var align: String\n    open var scrolling: String\n    open var frameBorder:
String\n    open var longDesc: String\n    open var marginHeight: String\n    open var marginWidth: String\n    fun
getSVGDocument(): Document?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n
        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING:
Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val
DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n
*/\npublic external abstract class HTMLEmbedElement : HTMLElement {\n    open var src: String\n    open var
type: String\n    open var width: String\n    open var height: String\n    open var align: String\n    open var name:
String\n    fun getSVGDocument(): Document?\n\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE:
 Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n
val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
```

val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n */\npublic external abstract class HTMLObjectElement : HTMLElement {\n open var data: String\n open var type: String\n open var typeMustMatch: Boolean\n open var name: String\n open var useMap: String\n open val form: HTMLFormElement?\n open var width: String\n open var height: String\n open val contentDocument: Document?\n open val contentWindow: Window?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open var align: String\n open var archive: String\n open var code: String\n open var declare: Boolean\n open var hspace: Int\n open var standby: String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border: String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n */\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n */\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n */\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\npublic external abstract class HTMLTrackElement : HTMLElement {\n open var kind: String\n open var src: String\n open var srclang: String\n open var label: String\n open var default: Boolean\n open val readyState: Short\n open val track: TextTrack\n\n companion object {\n val NONE: Short\n val LOADING: Short\n val LOADED: Short\n val ERROR: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\npublic external abstract class HTMLMediaElement : HTMLElement {\n open val error: MediaError?\n open var src: String\n open var srcObject: MediaProvider?\n open val currentSrc: String\n open var crossOrigin: String?\n open val networkState: Short\n open var preload: String\n open val buffered: TimeRanges\n open val readyState: Short\n open val seeking: Boolean\n open var currentTime: Double\n open val duration: Double\n open val paused: Boolean\n open var defaultPlaybackRate: Double\n open var playbackRate: Double\n open val played: TimeRanges\n open val seekable: TimeRanges\n open val ended: Boolean\n open var autoplay: Boolean\n open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var muted: Boolean\n open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n open val mediaKeys: MediaKeys?\n open var onencrypted: ((Event) -> dynamic)?\n open var onwaitingforkey: ((Event) -> dynamic)?\n fun load()\n fun canPlayType(type: String): CanPlayTypeResult\n fun fastSeek(time: Double)\n fun getStartDate(): dynamic\n fun play(): Promise<Unit>\n fun pause()\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n fun setMediaKeys(mediaKeys: MediaKeys?): Promise<Unit>\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n

```
    val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val HAVE_CURRENT_DATA:
Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA: Short\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING:
 Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val
DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n
  val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the
JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\npublic external
abstract class MediaError {\n    open val code: Short\n\n    companion object {\n        val
MEDIA_ERR_ABORTED: Short\n        val MEDIA_ERR_NETWORK: Short\n        val MEDIA_ERR_DECODE:
Short\n        val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\npublic external
abstract class AudioTrackList : EventTarget {\n    open val length: Int\n    open var onchange: ((Event) ->
dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var onremovetrack: ((TrackEvent) ->
dynamic)?\n
    fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index:
Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var enabled: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript
[VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\npublic external
abstract class VideoTrackList : EventTarget {\n    open val length: Int\n    open val selectedIndex: Int\n    open var
onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open var
onremovetrack:
 ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
VideoTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index:
Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val id: String\n    open val kind:
String\n    open val label: String\n    open val language: String\n    open var selected: Boolean\n    open val
sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n    open val length:
Int\n    open var onchange: ((Event) -> dynamic)?\n    open var onaddtrack: ((TrackEvent) -> dynamic)?\n    open
var onremovetrack: ((TrackEvent) -> dynamic)?\n    fun getTrackById(id: String):
TextTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the
JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\npublic external
abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n    open val kind:
TextTrackKind\n    open val label: String\n    open val language: String\n    open val id: String\n    open val
inBandMetadataTrackDispatchType: String\n    open var mode: TextTrackMode\n    open val cues:
TextTrackCueList?\n    open val activeCues: TextTrackCueList?\n    open var oncuechange: ((Event) ->
```

dynamic)?\n   open val sourceBuffer: SourceBuffer?\n   fun addCue(cue: TextTrackCue)\n   fun removeCue(cue: TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n   open val length: Int\n   fun getCueById(id: String): TextTrackCue?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\npublic external abstract class TextTrackCue : EventTarget {\n   open val track: TextTrack?\n   open var id: String\n   open var startTime: Double\n   open var endTime: Double\n   open var pauseOnExit: Boolean\n   open var onenter: ((Event) -> dynamic)?\n   open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\npublic external abstract class TimeRanges {\n   open val length: Int\n   fun start(index: Int): Double\n   fun end(index: Int): Double\n}\n\n/**\n * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit
 = definedExternally) : Event {\n   open val track: UnionAudioTrackOrTextTrackOrVideoTrack?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface TrackEventInit : EventInit {\n   var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {\n   val o = js(\"({})\")\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement)
 to Kotlin\n */\npublic external abstract class HTMLMapElement : HTMLElement {\n   open var name: String\n   open val areas: HTMLCollection\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement)
 to Kotlin\n */\npublic external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {\n   open var alt: String\n   open var coords: String\n   open var shape: String\n   open var target: String\n   open var download: String\n   open var ping: String\n   open var rel: String\n   open val relList: DOMTokenList\n   open var referrerPolicy: String\n   open var noHref: Boolean\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val

DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic external abstract class HTMLTableElement : HTMLElement {\n open var caption: HTMLTableCaptionElement?\n open var tHead: HTMLTableSectionElement?\n open var tFoot: HTMLTableSectionElement?\n open val tBodies: HTMLCollection\n open val rows: HTMLCollection\n open var align: String\n open var border: String\n open var frame: String\n open var rules: String\n open var summary: String\n open var width: String\n open var bgColor: String\n open var cellPadding: String\n open var cellSpacing: String\n fun createCaption(): HTMLTableCaptionElement\n fun deleteCaption()\n fun createTHead(): HTMLTableSectionElement\n fun deleteTHead()\n fun createTFoot(): HTMLTableSectionElement\n fun deleteTFoot()\n fun createTBody(): HTMLTableSectionElement\n fun insertRow(index: Int = definedExternally): HTMLTableRowElement\n fun deleteRow(index: Int)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n */\npublic external abstract class HTMLTableColElement : HTMLElement {\n open var span: Int\n open var align: String\n open var ch: String\n open var chOff: String\n open var vAlign: String\n open var width: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to Kotlin\n */\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n open val rows:

HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   fun insertRow(index: Int = definedExternally): HTMLElement\n   fun deleteRow(index: Int)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n */\npublic external abstract class HTMLTableRowElement : HTMLElement {\n   open val rowIndex: Int\n   open val sectionRowIndex: Int\n   open val cells: HTMLCollection\n   open var align: String\n   open var ch: String\n   open var chOff: String\n   open var vAlign: String\n   open var bgColor: String\n   fun insertCell(index: Int = definedExternally): HTMLElement\n   fun deleteCell(index: Int)\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n */\npublic external abstract class HTMLTableCellElement : HTMLElement {\n   open var colSpan: Int\n   open var rowSpan: Int\n   open var headers: String\n   open val cellIndex: Int\n   open var scope: String\n   open var abbr: String\n   open var align: String\n   open var axis: String\n   open var height: String\n   open var width: String\n   open var ch: String\n   open var chOff: String\n   open var noWrap: Boolean\n   open var vAlign: String\n   open var bgColor: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin\n */\npublic external abstract class HTMLFormElement : HTMLElement {\n   open var acceptCharset: String\n   open var action: String\n   open var autocomplete: String\n   open var enctype: String\n   open var encoding: String\n   open var method: String\n   open var name: String\n   open var noValidate: Boolean\n   open var target: String\n   open val elements: HTMLFormControlsCollection\n   open val length: Int\n   fun submit()\n   fun reset()\n   fun

checkValidity(): Boolean\n   fun reportValidity(): Boolean\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE:
 Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin\n */\npublic external abstract class HTMLLabelElement : HTMLElement {\n   open val form: HTMLFormElement?\n   open var htmlFor: String\n   open val control: HTMLElement?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n */\npublic external abstract class HTMLInputElement : HTMLElement {\n   open var accept: String\n   open var alt: String\n   open var autocomplete: String\n   open var autofocus: Boolean\n   open var defaultChecked: Boolean\n   open var checked: Boolean\n   open var dirName: String\n   open var disabled: Boolean\n   open val form: HTMLFormElement?\n   open val files: FileList?\n   open var formAction: String\n   open var formEnctype: String\n   open var formMethod: String\n   open var formNoValidate: Boolean\n   open var formTarget: String\n   open var height: Int\n   open var indeterminate: Boolean\n   open var inputMode: String\n   open val list: HTMLElement?\n   open var
 max: String\n   open var maxLength: Int\n   open var min: String\n   open var minLength: Int\n   open var multiple: Boolean\n   open var name: String\n   open var pattern: String\n   open var placeholder: String\n   open var readOnly: Boolean\n   open var required: Boolean\n   open var size: Int\n   open var src: String\n   open var step: String\n   open var type: String\n   open var defaultValue: String\n   open var value: String\n   open var valueAsDate: dynamic\n   open var valueAsNumber: Double\n   open var width: Int\n   open val willValidate: Boolean\n   open val validity: ValidityState\n   open val validationMessage: String\n   open val labels: NodeList\n   open var selectionStart: Int?\n   open var selectionEnd: Int?\n   open var selectionDirection: String?\n   open var align: String\n   open var useMap: String\n   fun stepUp(n: Int = definedExternally)\n   fun stepDown(n: Int = definedExternally)\n   fun checkValidity(): Boolean\n   fun reportValidity():

Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n */\npublic external abstract class HTMLButtonElement : HTMLElement {\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n */\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n open var autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length: Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n override fun item(index: Int): Element?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.set(index:
 Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n
    val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
```

[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n */\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n open var autocomplete: String\n open var autofocus: Boolean\n open var cols: Int\n open var dirName: String\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var inputMode: String\n open var maxLength: Int\n open var minLength: Int\n open var name:
String\n open var placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var rows: Int\n open var wrap: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val textLength: Int\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var selectionDirection: String?\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n */\npublic external abstract class HTMLKeygenElement : HTMLElement {\n open var autofocus: Boolean\n open var challenge: String\n open var disabled: Boolean\n open val
form: HTMLFormElement?\n open var keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS:
Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n */\npublic external abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n

val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n */\npublic external abstract class HTMLProgressElement : HTMLElement {\n open var value: Double\n open var max: Double\n open val position: Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n */\npublic external abstract class HTMLMeterElement : HTMLElement {\n open var value: Double\n open var min: Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum: Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n */\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n open var disabled: Boolean\n open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open val elements: HTMLCollection\n open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the

JavaScript [HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n */\npublic external abstract class HTMLLegendElement : HTMLElement {\n open val form: HTMLFormElement?\n open var align: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n */\npublic external abstract class ValidityState {\n open val valueMissing: Boolean\n open val typeMismatch: Boolean\n open val patternMismatch: Boolean\n open val tooLong: Boolean\n open val tooShort: Boolean\n open val rangeUnderflow: Boolean\n open val rangeOverflow: Boolean\n open val stepMismatch: Boolean\n open val badInput: Boolean\n open val customError: Boolean\n open val valid: Boolean\n}\n\n/**\n * Exposes the JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to Kotlin\n */\npublic external abstract class HTMLDetailsElement : HTMLElement {\n open var open: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuElement : HTMLElement {\n open var type: String\n open var label: String\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLMenuItemElement : HTMLElement {\n open var type: String\n open var label: String\n open var icon: String\n open var disabled: Boolean\n open var checked: Boolean\n open var radiogroup: String\n open var default: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {\n open val relatedTarget: EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface RelatedEventInit : EventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {\n val o = js(\"({})\")\n o[\"relatedTarget\"] = relatedTarget\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin\n */\npublic external abstract class HTMLDialogElement : HTMLElement {\n open var open: Boolean\n open var returnValue: String\n fun show(anchor: UnionElementOrMouseEvent = definedExternally)\n fun showModal(anchor: UnionElementOrMouseEvent = definedExternally)\n fun close(returnValue: String = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin\n */\npublic external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {\n open var src: String\n open var type: String\n open var charset: String\n open var async: Boolean\n open var defer: Boolean\n open var crossOrigin: String?\n open var text: String\n open var nonce: String\n open var event: String\n open var htmlFor: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin\n */\npublic external abstract class HTMLTemplateElement : HTMLElement {\n open val content: DocumentFragment\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic
external abstract class HTMLSlotElement : HTMLElement {\n open var name: String\n fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n
val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE:
Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
AssignedNodesOptions {\n var flatten: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten:
Boolean? = false): AssignedNodesOptions {\n val o = js(\"({})\")\n o[\"flatten\"] = flatten\n return
o\n}\n\n/**\n * Exposes the JavaScript
[HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement)
to Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n open var width: Int\n open var height: Int\n fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext?\n fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED:
Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val
DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n var alpha: Boolean? /* = true */\n get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n val o =
js(\"({})\")\n o[\"alpha\"] = alpha\n return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing,

CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters, CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion, CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n fun save()\n fun restore()\n}\n\npublic external interface CanvasTransform {\n fun scale(x: Double, y: Double)\n fun rotate(angle: Double)\n fun translate(x: Double, y: Double)\n fun transform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun getTransform(): DOMMatrix\n fun setTransform(a: Double, b: Double, c: Double, d: Double, e: Double, f: Double)\n fun setTransform(transform: dynamic = definedExternally)\n fun resetTransform()\n}\n\npublic external interface CanvasCompositing {\n var globalAlpha: Double\n var globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n var imageSmoothingEnabled: Boolean\n var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external interface CanvasFillStrokeStyles {\n var strokeStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var fillStyle: dynamic\n get() = definedExternally\n set(value) = definedExternally\n fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n fun createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface CanvasShadowStyles {\n var shadowOffsetX: Double\n var shadowOffsetY: Double\n var shadowBlur: Double\n var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n var filter: String\n}\n\npublic external interface CanvasRect {\n fun clearRect(x: Double, y: Double,
w: Double, h: Double)\n fun fillRect(x: Double, y: Double, w: Double, h: Double)\n fun strokeRect(x: Double, y: Double, w: Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n fun beginPath()\n fun fill(fillRule: CanvasFillRule = definedExternally)\n fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun stroke()\n fun stroke(path: Path2D)\n fun clip(fillRule: CanvasFillRule = definedExternally)\n fun clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n fun resetClip()\n fun isPointInPath(x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInPath(path: Path2D, x: Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n fun isPointInStroke(x: Double, y: Double): Boolean\n fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external interface CanvasUserInterface {\n fun drawFocusIfNeeded(element: Element)\n fun drawFocusIfNeeded(path: Path2D, element: Element)\n fun scrollPathIntoView()\n fun scrollPathIntoView(path: Path2D)\n}\n\npublic external interface CanvasText {\n fun fillText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n fun drawImage(image: CanvasImageSource, dx: Double, dy: Double, dw: Double, dh: Double)\n fun drawImage(image: CanvasImageSource, sx: Double, sy: Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData): ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx: Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments: Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles {\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:

Double, y: Double)\n   fun
lineTo(x: Double, y: Double)\n   fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n   fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n   fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n   fun rect(x: Double, y: Double, w: Double, h: Double)\n   fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n   fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\npublic external abstract class CanvasGradient {\n   fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\npublic external abstract class CanvasPattern {\n   fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\npublic external abstract class TextMetrics {\n   open val width: Double\n   open val actualBoundingBoxLeft: Double\n   open val actualBoundingBoxRight: Double\n   open val fontBoundingBoxAscent: Double\n   open val fontBoundingBoxDescent: Double\n   open val actualBoundingBoxAscent: Double\n   open val actualBoundingBoxDescent: Double\n   open val emHeightAscent: Double\n   open val emHeightDescent: Double\n   open val hangingBaseline: Double\n   open val alphabeticBaseline: Double\n   open val ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n   var path: Path2D? /* = null */\n   get()
= definedExternally\n   set(value) = definedExternally\n   var fillRule: CanvasFillRule? /* = CanvasFillRule.NONZERO */\n   get() = definedExternally\n   set(value) = definedExternally\n   var id: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var parentID: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var cursor: String? /* = \"inherit\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var control: Element? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var label: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n   var role: String? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n   val o = js(\"({})\")\n   o[\"path\"] = path\n   o[\"fillRule\"] = fillRule\n   o[\"id\"] = id\n   o[\"parentID\"] = parentID\n   o[\"cursor\"] = cursor\n   o[\"control\"] = control\n   o[\"label\"] = label\n   o[\"role\"] = role\n   return o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n   constructor(sw: Int, sh: Int)\n   constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n   open val width: Int\n   open val height: Int\n   open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript [Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D)
to Kotlin\n */\npublic external open class Path2D() : CanvasPath {\n   constructor(path: Path2D)\n   constructor(paths: Array<Path2D>, fillRule: CanvasFillRule = definedExternally)\n   constructor(d: String)\n   fun addPath(path: Path2D, transform: dynamic = definedExternally)\n   override fun closePath()\n   override fun moveTo(x: Double, y: Double)\n   override fun lineTo(x: Double, y: Double)\n   override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n   override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n   override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n   override fun rect(x: Double, y: Double, w: Double, h:

Double)\n   override fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle: Double, anticlockwise:
Boolean /* = definedExternally */)\n   override fun ellipse(x: Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */)\n}\n\n/**\n * Exposes the JavaScript [ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext) to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n   open val canvas: HTMLCanvasElement\n   fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface ImageBitmapRenderingContextSettings {\n   var alpha: Boolean? /* = true */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n   val o = js(\"({})\")\n   o[\"alpha\"] = alpha\n   return o\n}\n\n/**\n
* Exposes the JavaScript [CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n */\npublic external abstract class CustomElementRegistry {\n   fun define(name: String, constructor: () -> dynamic, options: ElementDefinitionOptions = definedExternally)\n   fun get(name: String): Any?\n   fun whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n   var extends: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String? = undefined): ElementDefinitionOptions {\n   val o = js(\"({})\")\n   o[\"extends\"] = extends\n   return o\n}\n\npublic external interface ElementContentEditable {\n   var contentEditable: String\n   val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer)
to Kotlin\n */\npublic external abstract class DataTransfer {\n   open var dropEffect: String\n   open var effectAllowed: String\n   open val items: DataTransferItemList\n   open val types: Array<out String>\n   open val files: FileList\n   fun setDragImage(image: Element, x: Int, y: Int)\n   fun getData(format: String): String\n   fun setData(format: String, data: String)\n   fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\npublic external abstract class DataTransferItemList {\n   open val length: Int\n   fun add(data: String, type: String): DataTransferItem?\n   fun add(data: File): DataTransferItem?\n   fun remove(index: Int)\n   fun clear()\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DataTransferItemList.get(index:
Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\npublic external abstract class DataTransferItem {\n   open val kind: String\n   open val type: String\n   fun getAsString(_callback: ((String) -> Unit)?)\n   fun getAsFile(): File?\n}\n\n/**\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/DragEvent) to Kotlin\n */\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n   open val dataTransfer: DataTransfer?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface DragEventInit : MouseEventInit {\n   var dataTransfer: DataTransfer? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:

Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n val o = js(\"({})\")\n o[\"dataTransfer\"]
= dataTransfer\n o[\"screenX\"] = screenX\n o[\"screenY\"] = screenY\n o[\"clientX\"] = clientX\n o[\"clientY\"] = clientY\n o[\"button\"] = button\n o[\"buttons\"] = buttons\n o[\"relatedTarget\"] = relatedTarget\n o[\"region\"] = region\n o[\"ctrlKey\"] = ctrlKey\n o[\"shiftKey\"] = shiftKey\n o[\"altKey\"] = altKey\n o[\"metaKey\"] = metaKey\n o[\"modifierAltGraph\"] = modifierAltGraph\n o[\"modifierCapsLock\"] = modifierCapsLock\n o[\"modifierFn\"] = modifierFn\n o[\"modifierFnLock\"] = modifierFnLock\n o[\"modifierHyper\"] = modifierHyper\n o[\"modifierNumLock\"] = modifierNumLock\n o[\"modifierScrollLock\"] = modifierScrollLock\n o[\"modifierSuper\"] = modifierSuper\n o[\"modifierSymbol\"] = modifierSymbol\n o[\"modifierSymbolLock\"] = modifierSymbolLock\n o[\"view\"] = view\n o[\"detail\"] = detail\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindowProxy {\n open val window: Window\n open val self: Window\n open val document: Document\n open var name: String\n open val location: Location\n open val history: History\n open val customElements: CustomElementRegistry\n open val locationbar: BarProp\n open val menubar: BarProp\n open val personalbar: BarProp\n open val scrollbars: BarProp\n open val statusbar: BarProp\n open val toolbar: BarProp\n open var status: String\n open val closed: Boolean\n open val frames: Window\n open val length: Int\n open val top: Window\n open var opener: Any?\n open val parent: Window\n open val frameElement: Element?\n
open val navigator: Navigator\n open val applicationCache: ApplicationCache\n open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val outerHeight: Int\n open val devicePixelRatio: Double\n fun close()\n fun stop()\n fun focus()\n fun blur()\n fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally): Window?\n fun alert()\n fun alert(message: String)\n fun confirm(message: String = definedExternally): Boolean\n fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n fun print()\n fun requestAnimationFrame(callback: (Double) -> Unit): Int\n fun cancelAnimationFrame(handle:
Int)\n fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n fun captureEvents()\n fun releaseEvents()\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x: Int, y: Int)\n fun moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y: Int)\n fun resizeBy(x: Int, y: Int)\n fun scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double, y: Double)\n fun scrollTo(options: ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n fun scrollBy(options: ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun getComputedStyle(elt: Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n open val visible:
Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic external abstract class History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state: Any?\n fun go(delta: Int = definedExternally)\n fun back()\n fun

forward()\n   fun pushState(data: Any?, title: String, url: String? = definedExternally)\n   fun replaceState(data: Any?, title: String, url: String? = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\npublic external abstract class Location {\n   open var href: String\n   open val origin: String\n   open var protocol: String\n   open var host: String\n   open var hostname: String\n   open var port: String\n   open var pathname: String\n   open var search: String\n   open var hash: String\n   open val ancestorOrigins: Array<out String>\n   fun assign(url: String)\n   fun replace(url: String)\n   fun reload()\n}\n\n/**\n * Exposes the JavaScript [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\npublic external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n   open val state: Any?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface PopStateEventInit : EventInit {\n   var state: Any? /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n   val o = js(\"({})\")\n   o[\"state\"] = state\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\npublic external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {\n   open val oldURL: String\n   open val newURL: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n   var oldURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var newURL: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun HashChangeEventInit(oldURL: String?
 = \"\", newURL: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n   val o = js(\"({})\")\n   o[\"oldURL\"] = oldURL\n   o[\"newURL\"] = newURL\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\npublic external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {\n   open val persisted: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface PageTransitionEventInit : EventInit {\n   var persisted: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {\n   val o = js(\"({})\")\n   o[\"persisted\"] = persisted\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin\n */\npublic external open class BeforeUnloadEvent : Event {\n   var returnValue: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external abstract class ApplicationCache : EventTarget {\n   open val status: Short\n   open var onchecking: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onnoupdate: ((Event) -> dynamic)?\n   open var ondownloading: ((Event) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var onupdateready: ((Event) -> dynamic)?\n   open var oncached: ((Event) -> dynamic)?\n   open var onobsolete: ((Event) -> dynamic)?\n   fun update()\n   fun abort()\n

```
fun swapCache()\n\n    companion object {\n        val UNCACHED: Short\n        val IDLE: Short\n        val CHECKING: Short\n        val DOWNLOADING: Short\n        val UPDATEREADY: Short\n        val OBSOLETE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n */\npublic external interface NavigatorOnLine {\n    val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n */\npublic external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally)
 : Event {\n    open val message: String\n    open val filename: String\n    open val lineno: Int\n    open val colno: Int\n    open val error: Any?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ErrorEventInit : EventInit {\n    var message: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var filename: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var lineno: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var colno: Int? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var error: Any? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline fun ErrorEventInit(message: String? = \"\", filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n    val o = js(\"({})\")\n    o[\"message\"] = message\n    o[\"filename\"] = filename\n    o[\"lineno\"] = lineno\n    o[\"colno\"] = colno\n    o[\"error\"] = error\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n */\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) : Event {\n    open val promise: Promise<Any?>\n    open val reason: Any?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
 Short\n    }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n    var promise: Promise<Any?>?\n    var reason: Any?\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise: Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PromiseRejectionEventInit {\n    val o = js(\"({})\")\n    o[\"promise\"] = promise\n    o[\"reason\"] = reason\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript [GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n */\npublic external interface GlobalEventHandlers {\n    var onabort: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value)
 = definedExternally\n    var onblur: ((FocusEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oncancel: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oncanplay: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oncanplaythrough: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onchange: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onclick: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onclose: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oncontextmenu: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oncuechange:
```

((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondblclick: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrag: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragend: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragenter: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragexit: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragleave: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragover: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondragstart: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondrop: ((DragEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ondurationchange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onemptied: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onended: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onfocus: ((FocusEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninput: ((InputEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oninvalid: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeydown: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeypress: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onkeyup: ((KeyboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadeddata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadedmetadata: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onloadstart: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousedown: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseenter: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseleave: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmousemove: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseout: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseover: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmouseup: ((MouseEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwheel: ((WheelEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpause: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplay: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onplaying: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onprogress: ((ProgressEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onratechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onreset: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onresize: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onscroll: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeked: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onseeking: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onselect: ((Event) -> dynamic)?\n get() =

definedExternally\n set(value) = definedExternally\n var onshow: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstalled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsubmit: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onsuspend: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontimeupdate: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ontoggle: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onvolumechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onwaiting: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ongotpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onlostpointercapture: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerdown: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointermove: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerup: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointercancel: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n
var onpointerover: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerout: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerenter: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpointerleave: ((PointerEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n */\npublic external interface WindowEventHandlers {\n var onafterprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeprint: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onbeforeunload: ((BeforeUnloadEvent) -> String?)?\n get() = definedExternally\n set(value) = definedExternally\n var onhashchange: ((HashChangeEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onlanguagechange: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onmessage: ((MessageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onoffline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var ononline: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpagehide: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpageshow: ((PageTransitionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpopstate: ((PopStateEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onrejectionhandled: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onstorage: ((StorageEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onunload: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n var oncopy: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var oncut: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n var onpaste: ((ClipboardEvent) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope) to Kotlin\n */\npublic external interface WindowOrWorkerGlobalScope {\n val origin: String\n val caches: CacheStorage\n fun btoa(data: String): String\n fun atob(data: String): String\n fun setTimeout(handler:

dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearTimeout(handle: Int = definedExternally)\n fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n fun clearInterval(handle: Int = definedExternally)\n fun createImageBitmap(image: ImageBitmapSource, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun createImageBitmap(image: ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n fun fetch(input: dynamic,
init: RequestInit = definedExternally): Promise<Response>\n}\n\n/**\n * Exposes the JavaScript [Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\npublic external abstract class Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {\n open val clipboard: Clipboard\n open val mediaDevices: MediaDevices\n open val maxTouchPoints: Int\n open val serviceWorker: ServiceWorkerContainer\n fun requestMediaKeySystemAccess(keySystem: String, supportedConfigurations: Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>\n fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)\n fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\npublic external interface NavigatorID {\n val appCodeName: String\n val appName: String\n val appVersion: String\n val platform: String\n val product: String\n val productSub: String\n val userAgent: String\n val vendor: String\n val vendorSub: String\n val oscpu: String\n fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\npublic external interface NavigatorLanguage {\n val language: String\n val languages: Array<out String>\n}\n\npublic external interface NavigatorContentUtils {\n fun registerProtocolHandler(scheme: String, url: String, title: String)\n fun registerContentHandler(mimeType: String, url: String, title: String)\n fun isProtocolHandlerRegistered(scheme: String, url: String): String\n fun isContentHandlerRegistered(mimeType: String, url: String): String\n fun unregisterProtocolHandler(scheme: String, url: String)\n fun unregisterContentHandler(mimeType:
String, url: String)\n}\n\npublic external interface NavigatorCookies {\n val cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\npublic external interface NavigatorPlugins {\n val plugins: PluginArray\n val mimeTypes: MimeTypeArray\n fun javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\npublic external abstract class PluginArray : ItemArrayLike<Plugin> {\n fun refresh(reload: Boolean = definedExternally)\n override fun item(index: Int): Plugin?\n fun namedItem(name: String): Plugin?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\npublic external abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n override fun item(index: Int): MimeType?\n fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\npublic external abstract class Plugin : ItemArrayLike<MimeType> {\n open val name: String\n open val description: String\n open

```
 val filename: String\n    override fun item(index: Int): MimeType?\n    fun namedItem(name: String): MimeType?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n */\npublic external abstract class MimeType {\n    open val type: String\n    open val description: String\n    open val suffixes: String\n    open val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript [ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n    open val width: Int\n    open val height: Int\n    fun close()\n}\n\npublic external interface ImageBitmapOptions {\n    var imageOrientation: ImageOrientation? /* = ImageOrientation.NONE */\n        get() = definedExternally\n        set(value) = definedExternally\n    var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var colorSpaceConversion: ColorSpaceConversion? /* = ColorSpaceConversion.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeWidth: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeHeight: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeQuality: ResizeQuality? /* = ResizeQuality.LOW */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? = ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality: ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js(\"({})\")\n    o[\"imageOrientation\"] = imageOrientation\n    o[\"premultiplyAlpha\"] = premultiplyAlpha\n    o[\"colorSpaceConversion\"] = colorSpaceConversion\n    o[\"resizeWidth\"] = resizeWidth\n    o[\"resizeHeight\"] = resizeHeight\n    o[\"resizeQuality\"] = resizeQuality\n    return o\n}\n\n/**\n * Exposes the JavaScript [MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source: UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type: String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source: UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var lastEventId: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>? /* = arrayOf() */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports: Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MessageEventInit {\n    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n
```

o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open class EventSource(url: String, eventSourceInitDict: EventSourceInit
 = definedExternally) : EventTarget {\n   open val url: String\n   open val withCredentials: Boolean\n   open val readyState: Short\n   var onopen: ((Event) -> dynamic)?\n   var onmessage: ((MessageEvent) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   fun close()\n\n   companion object {\n   val CONNECTING: Short\n   val OPEN: Short\n   val CLOSED: Short\n   }\n}\n\npublic external interface EventSourceInit {\n   var withCredentials: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n   val o = js(\"({})\")\n   o[\"withCredentials\"] = withCredentials\n   return o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class WebSocket(url:
 String, protocols: dynamic = definedExternally) : EventTarget {\n   open val url: String\n   open val readyState: Short\n   open val bufferedAmount: Number\n   var onopen: ((Event) -> dynamic)?\n   var onerror: ((Event) -> dynamic)?\n   var onclose: ((Event) -> dynamic)?\n   open val extensions: String\n   open val protocol: String\n   var onmessage: ((MessageEvent) -> dynamic)?\n   var binaryType: BinaryType\n   fun close(code: Short = definedExternally, reason: String = definedExternally)\n   fun send(data: String)\n   fun send(data: Blob)\n   fun send(data: ArrayBuffer)\n   fun send(data: ArrayBufferView)\n\n   companion object {\n   val CONNECTING: Short\n   val OPEN: Short\n   val CLOSING: Short\n   val CLOSED: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n */\npublic external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally)
 : Event {\n   open val wasClean: Boolean\n   open val code: Short\n   open val reason: String\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface CloseEventInit : EventInit {\n   var wasClean: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var code: Short? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var reason: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n   val o = js(\"({})\")\n   o[\"wasClean\"]
 = wasClean\n   o[\"code\"] = code\n   o[\"reason\"] = reason\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n */\npublic external open class MessageChannel {\n   open val port1: MessagePort\n   open val port2: MessagePort\n}\n\n/**\n * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n */\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n   fun start()\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel)
 to Kotlin\n */\npublic external open class BroadcastChannel(name: String) : EventTarget {\n   open val name: String\n   var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?)\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n */\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n   open val self: WorkerGlobalScope\n   open val location: WorkerLocation\n   open val navigator: WorkerNavigator\n   open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   open var

onlanguagechange: ((Event) -> dynamic)?\n   open var onoffline: ((Event) -> dynamic)?\n   open var ononline: ((Event) -> dynamic)?\n   open var onrejectionhandled: ((Event) -> dynamic)?\n   open var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n   fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes the JavaScript [DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to Kotlin\n */\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n   open val name: String\n   open val applicationCache: ApplicationCache\n   open var onconnect: ((Event) -> dynamic)?\n   fun close()\n}\n\n/**\n * Exposes the JavaScript [AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n */\npublic external interface AbstractWorker {\n   var onerror: ((Event) -> dynamic)?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript [Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n */\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   var onmessage: ((MessageEvent) -> dynamic)?\n   override var onerror: ((Event) -> dynamic)?\n   fun terminate()\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface WorkerOptions {\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n   var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n   val o = js(\"({})\")\n   o[\"type\"] = type\n   o[\"credentials\"] = credentials\n   return o\n}\n\n/**\n * Exposes the JavaScript [SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n */\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n   open val port: MessagePort\n   override var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n */\npublic external interface NavigatorConcurrentHardware {\n   val hardwareConcurrency: Number\n}\n\n/**\n * Exposes the JavaScript [WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n */\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n   open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript [WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n */\npublic external abstract class WorkerLocation {\n   open val href: String\n   open val origin: String\n   open val protocol: String\n   open val host: String\n   open val hostname: String\n   open val port: String\n   open val pathname: String\n   open val search: String\n   open val hash: String\n}\n\n/**\n * Exposes the JavaScript [Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n */\npublic external abstract class Storage {\n   open val length: Int\n   fun key(index: Int): String?\n   fun removeItem(key: String)\n   fun clear()\n   fun getItem(key: String): String?\n   fun setItem(key: String, value: String)\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript

```
[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n */\npublic external interface WindowSessionStorage {\n    val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n */\npublic external interface WindowLocalStorage {\n    val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript [StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n */\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n    open val key: String?\n    open val oldValue: String?\n    open val newValue: String?\n    open val url: String\n    open val storageArea: Storage?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface StorageEventInit : EventInit {\n    var key: String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var oldValue: String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var newValue: String? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var url: String? /* = \"\" */\n        get() = definedExternally\n        set(value) = definedExternally\n    var storageArea: Storage? /* = null */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null, oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n    val o = js(\"({})\")\n    o[\"key\"] = key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"] = newValue\n    o[\"url\"] = url\n    o[\"storageArea\"] = storageArea\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external abstract class HTMLAppletElement : HTMLElement {\n    open var align: String\n    open var alt: String\n    open var archive: String\n    open var code: String\n    open var codeBase: String\n    open var height: String\n    open var hspace: Int\n    open var name: String\n    open var _object: String\n    open var vspace: Int\n    open var width: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n */\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event) -> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start()\n    fun stop()\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS:
```

Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n */\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n open var cols: String\n open var rows: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLFrameElement : HTMLElement {\n open var name: String\n open var scrolling: String\n open var src: String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n open var size: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n

```
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external
interface External {\n    fun AddSearchProvider()\n    fun IsSearchProviderInstalled()\n}\n\npublic external interface
EventInit {\n    var bubbles: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var cancelable: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var composed: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
 cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n    val o = js(\"({})\")\n    o[\"bubbles\"] =
bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n    fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface CustomEventInit :
EventInit {\n    var detail: Any? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline fun CustomEventInit(detail: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CustomEventInit {\n    val o = js(\"({})\")\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n
 o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external interface
EventListenerOptions {\n    var capture: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n    val o = js(\"({})\")\n    o[\"capture\"] = capture\n    return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var once: Boolean? /* = false */\n
  get() = definedExternally\n
        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n    val o =
js(\"({})\")\n    o[\"passive\"] = passive\n    o[\"once\"] = once\n    o[\"capture\"] = capture\n    return o\n}\n\npublic
external interface NonElementParentNode {\n    fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n
*/\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n        get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n */\npublic external interface
ParentNode {\n    val children: HTMLCollection\n    val firstElementChild:
 Element?\n        get() = definedExternally\n    val lastElementChild: Element?\n        get() = definedExternally\n
val childElementCount: Int\n    fun prepend(vararg nodes: dynamic)\n    fun append(vararg nodes: dynamic)\n    fun
querySelector(selectors: String): Element?\n    fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n *
Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n */\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n
   get() = definedExternally\n    val nextElementSibling: Element?\n        get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*/\npublic external interface ChildNode {\n    fun before(vararg nodes: dynamic)\n    fun after(vararg nodes:
```

dynamic)\n   fun replaceWith(vararg nodes: dynamic)\n   fun remove()\n}\n\n/**\n
 * Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n */\npublic external interface Slotable {\n   val assignedSlot: HTMLSlotElement?\n   get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n */\npublic external abstract class NodeList : ItemArrayLike<Node> {\n   override fun item(index: Int): Node?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n */\npublic external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n   override fun item(index: Int): Element?\n   fun namedItem(name: String): Element?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n */\npublic external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n   fun observe(target: Node, options: MutationObserverInit = definedExternally)\n   fun disconnect()\n   fun takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n */\npublic external interface MutationObserverInit {\n   var childList: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var attributes: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterData: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var subtree: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var characterDataOldValue: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var attributeFilter: Array<String>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue:
 Boolean? = undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n   val o = js(\"({})\")\n   o[\"childList\"] = childList\n   o[\"attributes\"] = attributes\n   o[\"characterData\"] = characterData\n   o[\"subtree\"] = subtree\n   o[\"attributeOldValue\"] = attributeOldValue\n   o[\"characterDataOldValue\"] = characterDataOldValue\n   o[\"attributeFilter\"] = attributeFilter\n   return o\n}\n\n/**\n * Exposes the JavaScript [MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external abstract class MutationRecord {\n   open val type: String\n   open val target: Node\n   open val addedNodes: NodeList\n   open val removedNodes: NodeList\n   open val previousSibling: Node?\n   open val nextSibling: Node?\n   open val attributeName: String?\n   open val attributeNamespace: String?\n   open val oldValue: String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node)
 to Kotlin\n */\npublic external abstract class Node : EventTarget {\n   open val nodeType: Short\n   open val nodeName: String\n   open val baseURI: String\n   open val isConnected: Boolean\n   open val ownerDocument: Document?\n   open val parentNode: Node?\n   open val parentElement: Element?\n   open val childNodes: NodeList\n   open val firstChild: Node?\n   open val lastChild: Node?\n   open val previousSibling: Node?\n

open val nextSibling: Node?\n   open var nodeValue: String?\n   open var textContent: String?\n   fun getRootNode(options: GetRootNodeOptions = definedExternally): Node\n   fun hasChildNodes(): Boolean\n   fun normalize()\n   fun cloneNode(deep: Boolean = definedExternally): Node\n   fun isEqualNode(otherNode: Node?): Boolean\n   fun isSameNode(otherNode: Node?): Boolean\n   fun compareDocumentPosition(other: Node): Short\n   fun contains(other: Node?): Boolean\n   fun lookupPrefix(namespace: String?): String?\n   fun lookupNamespaceURI(prefix: String?): String?\n   fun isDefaultNamespace(namespace: String?): Boolean\n   fun insertBefore(node: Node, child: Node?): Node\n   fun appendChild(node: Node): Node\n   fun replaceChild(node: Node, child: Node): Node\n   fun removeChild(child: Node): Node\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface GetRootNodeOptions {\n   var composed: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean? = false): GetRootNodeOptions {\n   val o = js(\"({})\")\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n   open val implementation: DOMImplementation\n   open val URL: String\n   open val documentURI: String\n   open val origin: String\n   open val compatMode: String\n   open val characterSet: String\n   open val charset: String\n   open val inputEncoding: String\n   open val contentType: String\n   open val doctype: DocumentType?\n   open val documentElement: Element?\n   open val location: Location?\n   var domain: String\n   open val referrer: String\n   var cookie: String\n   open val lastModified: String\n   open val readyState: DocumentReadyState\n   var title: String\n   var dir: String\n   var body: HTMLElement?\n   open val head: HTMLHeadElement?\n   open val images: HTMLCollection\n   open val embeds: HTMLCollection\n   open val plugins: HTMLCollection\n   open val links: HTMLCollection\n   open val forms: HTMLCollection\n   open val scripts: HTMLCollection\n   open val currentScript: HTMLOrSVGScriptElement?\n   open val defaultView: Window?\n   open val activeElement: Element?\n   var designMode: String\n   var onreadystatechange: ((Event) -> dynamic)?\n   var fgColor: String\n   var linkColor: String\n   var vlinkColor: String\n   var alinkColor: String\n   var bgColor: String\n   open val anchors: HTMLCollection\n   open val applets: HTMLCollection\n   open val all: HTMLAllCollection\n   open val scrollingElement: Element?\n   open val styleSheets: StyleSheetList\n   open val rootElement: SVGSVGElement?\n   open val fullscreenEnabled: Boolean\n   open val fullscreen: Boolean\n   var onfullscreenchange: ((Event) -> dynamic)?\n   var onfullscreenerror: ((Event) -> dynamic)?\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit: ((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n   override var ondragover: ((DragEvent) ->

dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override val fullscreenElement: Element?\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun getElementsByClassName(classNames: String): HTMLCollection\n fun createElement(localName: String, options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?, qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node, deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String): Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? = definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)?

= definedExternally): TreeWalker\n   fun getElementsByName(elementName: String): NodeList\n   fun open(type: String = definedExternally, replace: String = definedExternally): Document\n   fun open(url: String, name: String, features: String): Window\n   fun close()\n   fun write(vararg text: String)\n   fun writeln(vararg text: String)\n   fun hasFocus(): Boolean\n   fun execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally): Boolean\n   fun queryCommandEnabled(commandId: String): Boolean\n   fun queryCommandIndeterm(commandId: String): Boolean\n   fun queryCommandState(commandId: String): Boolean\n   fun queryCommandSupported(commandId:
String): Boolean\n   fun queryCommandValue(commandId: String): String\n   fun clear()\n   fun captureEvents()\n   fun releaseEvents()\n   fun elementFromPoint(x: Double, y: Double): Element?\n   fun elementsFromPoint(x: Double, y: Double): Array<Element>\n   fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n   fun createTouch(view: Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n   fun createTouchList(vararg touches: Touch): TouchList\n   fun exitFullscreen(): Promise<Unit>\n   override fun getElementById(elementId: String): Element?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING:
Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external open class XMLDocument : Document {\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface ElementCreationOptions {\n   var `is`: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?

= undefined): ElementCreationOptions {\n   val o = js(\"({})\")\n   o[\"is\"] = `is`\n   return o\n}\n\n/**\n * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n */\npublic external abstract class DOMImplementation {\n   fun createDocumentType(qualifiedName: String, publicId: String, systemId: String): DocumentType\n   fun createDocument(namespace: String?, qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument\n   fun createHTMLDocument(title: String = definedExternally): Document\n   fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n */\npublic external abstract class DocumentType : Node, ChildNode {\n   open val name: String\n   open val publicId: String\n   open val systemId: String\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n */\npublic external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   override fun getElementById(elementId: String): Element?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin\n */\npublic external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {\n   open val mode: ShadowRootMode\n   open val host: Element\n   override val fullscreenElement: Element?\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript

[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n */\npublic external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent, UnionElementOrProcessingInstruction {\n   open val namespaceURI: String?\n   open val prefix: String?\n   open val localName: String\n   open val tagName: String\n   open var id: String\n   open var className: String\n   open val classList: DOMTokenList\n   open var slot: String\n   open val attributes: NamedNodeMap\n   open val shadowRoot: ShadowRoot?\n   open var scrollTop: Double\n   open var scrollLeft: Double\n   open val scrollWidth: Int\n   open val scrollHeight: Int\n   open val clientTop: Int\n   open val clientLeft: Int\n   open val clientWidth: Int\n   open val clientHeight: Int\n   open var innerHTML: String\n   open var outerHTML: String\n   fun hasAttributes(): Boolean\n   fun getAttributeNames(): Array<String>\n   fun getAttribute(qualifiedName: String): String?\n
    fun getAttributeNS(namespace: String?, localName: String): String?\n   fun setAttribute(qualifiedName: String, value: String)\n   fun setAttributeNS(namespace: String?, qualifiedName: String, value: String)\n   fun removeAttribute(qualifiedName: String)\n   fun removeAttributeNS(namespace: String?, localName: String)\n   fun hasAttribute(qualifiedName: String): Boolean\n   fun hasAttributeNS(namespace: String?, localName: String): Boolean\n   fun getAttributeNode(qualifiedName: String): Attr?\n   fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n   fun setAttributeNode(attr: Attr): Attr?\n   fun setAttributeNodeNS(attr: Attr): Attr?\n   fun removeAttributeNode(attr: Attr): Attr\n   fun attachShadow(init: ShadowRootInit): ShadowRoot\n   fun closest(selectors: String): Element?\n   fun matches(selectors: String): Boolean\n   fun webkitMatchesSelector(selectors: String): Boolean\n   fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
    fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n   fun getElementsByClassName(classNames: String): HTMLCollection\n   fun insertAdjacentElement(where: String, element: Element): Element?\n   fun insertAdjacentText(where: String, data: String)\n   fun getClientRects(): Array<DOMRect>\n   fun getBoundingClientRect(): DOMRect\n   fun scrollIntoView()\n   fun scrollIntoView(arg: dynamic)\n   fun scroll(options: ScrollToOptions = definedExternally)\n   fun scroll(x: Double, y: Double)\n   fun scrollTo(options: ScrollToOptions = definedExternally)\n   fun scrollTo(x: Double, y: Double)\n
    fun scrollBy(options: ScrollToOptions = definedExternally)\n   fun scrollBy(x: Double, y: Double)\n   fun insertAdjacentHTML(position: String, text: String)\n   fun setPointerCapture(pointerId: Int)\n   fun releasePointerCapture(pointerId: Int)\n   fun hasPointerCapture(pointerId: Int): Boolean\n   fun requestFullscreen(): Promise<Unit>\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface ShadowRootInit {\n   var mode: ShadowRootMode?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode: ShadowRootMode?): ShadowRootInit
 {\n   val o = js(\"({})\")\n   o[\"mode\"] = mode\n   return o\n}\n\n/**\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n   fun getNamedItemNS(namespace: String?, localName: String): Attr?\n   fun setNamedItem(attr: Attr): Attr?\n   fun setNamedItemNS(attr: Attr): Attr?\n   fun removeNamedItem(qualifiedName: String): Attr\n   fun removeNamedItemNS(namespace: String?, localName:

String): Attr\n override fun item(index: Int): Attr?\n fun getNamedItem(qualifiedName: String): Attr?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class Attr : Node {\n open val namespaceURI: String?\n open val prefix: String?\n open val localName: String\n open val name: String\n open var value: String\n open val ownerElement: Element?\n open val specified: Boolean\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n open var data: String\n open val length: Int\n fun substringData(offset: Int, count: Int): String\n fun appendData(data: String)\n fun insertData(offset: Int, data: String)\n fun deleteData(offset: Int, count: Int)\n fun replaceData(offset: Int, count: Int, data: String)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data: String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n open val wholeText: String\n override val assignedSlot: HTMLSlotElement?\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n fun splitText(offset: Int): Text\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:

```
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE:
 Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
     val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external
open class CDATASection : Text {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE:
 Short\n        val NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n
val DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
  val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to
Kotlin\n */\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n    open val target: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n
        val DOCUMENT_TYPE_NODE: Short\n        val DOCUMENT_FRAGMENT_NODE: Short\n        val
NOTATION_NODE: Short\n        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val
DOCUMENT_POSITION_PRECEDING: Short\n        val DOCUMENT_POSITION_FOLLOWING: Short\n
val DOCUMENT_POSITION_CONTAINS: Short\n        val DOCUMENT_POSITION_CONTAINED_BY:
Short\n        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external
open class Comment(data: String = definedExternally) : CharacterData {\n    override val previousElementSibling:
Element?\n    override val nextElementSibling: Element?\n    override fun before(vararg nodes: dynamic)\n
override fun after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n    override fun
remove()\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
     val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin\n */\npublic external open class Range {\n
  open val startContainer: Node\n    open val startOffset: Int\n    open val endContainer: Node\n    open val
endOffset: Int\n    open val collapsed: Boolean\n
    open val commonAncestorContainer: Node\n    fun setStart(node: Node, offset: Int)\n    fun setEnd(node: Node,
offset: Int)\n    fun setStartBefore(node: Node)\n    fun setStartAfter(node: Node)\n    fun setEndBefore(node:
```

```
Node)\n    fun setEndAfter(node: Node)\n    fun collapse(toStart: Boolean = definedExternally)\n    fun selectNode(node: Node)\n    fun selectNodeContents(node: Node)\n    fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n    fun deleteContents()\n    fun extractContents(): DocumentFragment\n    fun cloneContents(): DocumentFragment\n    fun insertNode(node: Node)\n    fun surroundContents(newParent: Node)\n    fun cloneRange(): Range\n    fun detach()\n    fun isPointInRange(node: Node, offset: Int): Boolean\n    fun comparePoint(node: Node, offset: Int): Short\n    fun intersectsNode(node: Node): Boolean\n    fun getClientRects(): Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun createContextualFragment(fragment: String): DocumentFragment\n\n
    companion object {\n        val START_TO_START: Short\n        val START_TO_END: Short\n        val END_TO_END: Short\n        val END_TO_START: Short\n    }\n}\n\n/**\n * Exposes the JavaScript [NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n */\npublic external abstract class NodeIterator {\n    open val root: Node\n    open val referenceNode: Node\n    open val pointerBeforeReferenceNode: Boolean\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    fun nextNode(): Node?\n    fun previousNode(): Node?\n    fun detach()\n}\n\n/**\n * Exposes the JavaScript [TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n */\npublic external abstract class TreeWalker {\n    open val root: Node\n    open val whatToShow: Int\n    open val filter: NodeFilter?\n    open var currentNode: Node\n    fun parentNode(): Node?\n    fun firstChild(): Node?\n    fun lastChild(): Node?\n    fun previousSibling():
 Node?\n    fun nextSibling(): Node?\n    fun previousNode(): Node?\n    fun nextNode(): Node?\n}\n\n/**\n * Exposes the JavaScript [NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NodeFilter {\n    fun acceptNode(node: Node): Short\n\n    companion object {\n        val FILTER_ACCEPT: Short\n        val FILTER_REJECT: Short\n        val FILTER_SKIP: Short\n        val SHOW_ALL: Int\n        val SHOW_ELEMENT: Int\n        val SHOW_ATTRIBUTE: Int\n        val SHOW_TEXT: Int\n        val SHOW_CDATA_SECTION: Int\n        val SHOW_ENTITY_REFERENCE: Int\n        val SHOW_ENTITY: Int\n        val SHOW_PROCESSING_INSTRUCTION: Int\n        val SHOW_COMMENT: Int\n        val SHOW_DOCUMENT: Int\n        val SHOW_DOCUMENT_TYPE: Int\n        val SHOW_DOCUMENT_FRAGMENT: Int\n        val SHOW_NOTATION: Int\n    }\n}\n\n/**\n * Exposes the JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList)
 to Kotlin\n */\npublic external abstract class DOMTokenList : ItemArrayLike<String> {\n    open var value: String\n    fun contains(token: String): Boolean\n    fun add(vararg tokens: String)\n    fun remove(vararg tokens: String)\n    fun toggle(token: String, force: Boolean = definedExternally): Boolean\n    fun replace(token: String, newToken: String)\n    fun supports(token: String): Boolean\n    override fun item(index: Int): String?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n    open val x: Double\n    open val y: Double\n    open val z: Double\n    open val w: Double\n    fun matrixTransform(matrix:
 DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class DOMPoint : DOMPointReadOnly {\n    constructor(point: DOMPointInit)\n    constructor(x: Double = definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
 override var x: Double\n    override var y: Double\n    override var z: Double\n    override var w: Double\n}\n\n/**\n * Exposes the JavaScript [DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\npublic external interface DOMPointInit {\n    var x: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var y: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
```

definedExternally\n   var z: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n
    var w: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n   val o = js(\"({})\")\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"z\"] = z\n   o[\"w\"] = w\n   return o\n}\n\n/**\n * Exposes the JavaScript [DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally, height: Double = definedExternally) : DOMRectReadOnly {\n   override var x: Double\n   override var y: Double\n   override var width: Double\n   override var height: Double\n}\n\n/**\n * Exposes the JavaScript [DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic external
 open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n   open val x: Double\n   open val y: Double\n   open val width: Double\n   open val height: Double\n   open val top: Double\n   open val right: Double\n   open val bottom: Double\n   open val left: Double\n}\n\npublic external interface DOMRectInit {\n   var x: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var y: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var width: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var height: Double? /* = 0.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit
 {\n   val o = js(\"({})\")\n   o[\"x\"] = x\n   o[\"y\"] = y\n   o[\"width\"] = width\n   o[\"height\"] = height\n   return o\n}\n\npublic external interface DOMRectList : ItemArrayLike<DOMRect> {\n   override fun item(index: Int): DOMRect?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class DOMQuad {\n   constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3: DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n   constructor(rect: DOMRectInit)\n   open val p1: DOMPoint\n   open val p2: DOMPoint\n   open val p3: DOMPoint\n   open val p4: DOMPoint\n   open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly)
 to Kotlin\n */\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n   open val a: Double\n   open val b: Double\n   open val c: Double\n   open val d: Double\n   open val e: Double\n   open val f: Double\n   open val m11: Double\n   open val m12: Double\n   open val m13: Double\n   open val m14: Double\n   open val m21: Double\n   open val m22: Double\n   open val m23: Double\n   open val m24: Double\n
 open val m31: Double\n   open val m32: Double\n   open val m33: Double\n   open val m34: Double\n   open val m41: Double\n   open val m42: Double\n   open val m43: Double\n   open val m44: Double\n   open val is2D: Boolean\n   open val isIdentity: Boolean\n   fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3d(scale: Double,
 originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniform(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotate(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVector(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double): DOMMatrix\n   fun skewX(sx: Double):

DOMMatrix\n   fun skewY(sy: Double): DOMMatrix\n   fun multiply(other: DOMMatrix): DOMMatrix\n   fun flipX(): DOMMatrix\n   fun flipY(): DOMMatrix\n   fun inverse(): DOMMatrix\n   fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n   fun toFloat32Array(): Float32Array\n   fun toFloat64Array(): Float64Array\n}\n\n/**\n *
 Exposes the JavaScript [DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open class DOMMatrix() : DOMMatrixReadOnly {\n   constructor(transformList: String)\n   constructor(other: DOMMatrixReadOnly)\n   constructor(array32: Float32Array)\n   constructor(array64: Float64Array)\n   constructor(numberSequence: Array<Double>)\n   override var a: Double\n   override var b: Double\n   override var c: Double\n   override var d: Double\n   override var e: Double\n   override var f: Double\n   override var m11: Double\n   override var m12: Double\n   override var m13: Double\n   override var m14: Double\n   override var m21: Double\n   override var m22: Double\n   override var m23: Double\n   override var m24: Double\n   override var m31: Double\n   override var m32: Double\n   override var m33: Double\n   override var m34: Double\n   override var m41: Double\n   override var m42: Double\n   override var m43: Double\n
    override var m44: Double\n   fun multiplySelf(other: DOMMatrix): DOMMatrix\n   fun preMultiplySelf(other: DOMMatrix): DOMMatrix\n   fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n   fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix\n   fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n   fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix\n   fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
 DOMMatrix\n   fun skewXSelf(sx: Double): DOMMatrix\n   fun skewYSelf(sy: Double): DOMMatrix\n   fun invertSelf(): DOMMatrix\n   fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external interface ScrollOptions {\n   var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n   val o = js(\"({})\")\n   o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external interface ScrollToOptions : ScrollOptions {\n   var left: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var top: Double?\n   get() = definedExternally\n   set(value)
 = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n   val o = js(\"({})\")\n   o[\"left\"] = left\n   o[\"top\"] = top\n   o[\"behavior\"] = behavior\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n */\npublic external abstract class MediaQueryList : EventTarget {\n   open val media: String\n   open val matches: Boolean\n   open var onchange: ((Event) -> dynamic)?\n   fun addListener(listener: EventListener?)\n   fun addListener(listener: ((Event) -> Unit)?)\n   fun removeListener(listener: EventListener?)\n   fun removeListener(listener: ((Event) -> Unit)?)\n}\n\n/**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent)
 to Kotlin\n */\npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n   open val media: String\n   open val matches: Boolean\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface

MediaQueryListEventInit : EventInit {\n var media: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = \"\", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n val o = js(\"({})\")\n o[\"media\"] = media\n o[\"matches\"] = matches\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n */\npublic external abstract class Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val width: Int\n open val height: Int\n open val colorDepth: Int\n open val pixelDepth: Int\n}\n\n/**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n */\npublic external abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n val o = js(\"({})\")\n o[\"block\"] = block\n o[\"inline\"] = inline\n o[\"behavior\"] = behavior\n return o\n}\n\npublic external interface BoxQuadOptions {\n var box: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var relativeTo: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n val o = js(\"({})\")\n o[\"box\"] = box\n o[\"relativeTo\"] = relativeTo\n return o\n}\n\npublic external interface ConvertCoordinateOptions {\n var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n val o = js(\"({})\")\n o[\"fromBox\"] = fromBox\n o[\"toBox\"] = toBox\n return o\n}\n\n/**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n */\npublic external interface GeometryUtils {\n fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad\n fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint\n}\n\n/**\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin\n */\npublic external abstract class Touch {\n open val identifier: Int\n open val target: EventTarget\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n open val clientY: Int\n open val pageX: Int\n open val pageY: Int\n open val region: String?\n}\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {\n override fun item(index:

```
Int): Touch?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int):
Touch? = asDynamic()[index]\n\npublic external open class TouchEvent : UIEvent {\n    open val touches:
TouchList\n    open val targetTouches: TouchList\n    open val changedTouches: TouchList\n    open val altKey:
Boolean\n    open val metaKey: Boolean\n    open val ctrlKey: Boolean\n    open val shiftKey: Boolean\n\n
companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin\n */\npublic external open class
Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {\n    override var
onabort: ((Event) -> dynamic)?\n    override var onblur: ((FocusEvent) -> dynamic)?\n    override var oncancel:
((Event)
 -> dynamic)?\n    override var oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough: ((Event) ->
dynamic)?\n    override var onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) ->
dynamic)?\n    override var onclose: ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n    override var oncuechange: ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) ->
dynamic)?\n    override var ondrag: ((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) ->
dynamic)?\n    override var ondragenter: ((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) ->
dynamic)?\n    override var ondragleave: ((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) ->
dynamic)?\n    override var ondragstart: ((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) ->
dynamic)?\n    override var ondurationchange: ((Event) -> dynamic)?\n    override var onemptied: ((Event) ->
dynamic)?\n
    override var onended: ((Event) -> dynamic)?\n    override var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n    override var onfocus: ((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) ->
dynamic)?\n    override var oninvalid: ((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n    override var onkeypress: ((KeyboardEvent) -> dynamic)?\n    override var onkeyup:
((KeyboardEvent) -> dynamic)?\n    override var onload: ((Event) -> dynamic)?\n    override var onloadeddata:
((Event) -> dynamic)?\n    override var onloadedmetadata: ((Event) -> dynamic)?\n    override var onloadend:
((Event) -> dynamic)?\n    override var onloadstart: ((ProgressEvent) -> dynamic)?\n    override var onmousedown:
((MouseEvent) -> dynamic)?\n    override var onmouseenter: ((MouseEvent) -> dynamic)?\n    override var
onmouseleave: ((MouseEvent) -> dynamic)?\n    override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent)
 -> dynamic)?\n    override var onmouseover: ((MouseEvent) -> dynamic)?\n    override var onmouseup:
((MouseEvent) -> dynamic)?\n    override var onwheel: ((WheelEvent) -> dynamic)?\n    override var onpause:
((Event) -> dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var onplaying: ((Event) ->
dynamic)?\n    override var onprogress: ((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) ->
dynamic)?\n    override var onreset: ((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n
override var onscroll: ((Event) -> dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var
onseeking: ((Event) -> dynamic)?\n    override var onselect: ((Event) -> dynamic)?\n    override var onshow:
((Event) -> dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) ->
dynamic)?\n    override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) ->
 dynamic)?\n    override var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) ->
dynamic)?\n    override var onwaiting: ((Event) -> dynamic)?\n    override var ongotpointercapture: ((PointerEvent)
-> dynamic)?\n    override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var onpointerdown:
((PointerEvent) -> dynamic)?\n    override var onpointermove: ((PointerEvent) -> dynamic)?\n    override var
onpointerup: ((PointerEvent) -> dynamic)?\n    override var onpointercancel: ((PointerEvent) -> dynamic)?\n
override var onpointerover: ((PointerEvent) -> dynamic)?\n    override var onpointerout: ((PointerEvent) ->
dynamic)?\n    override var onpointerenter: ((PointerEvent) -> dynamic)?\n    override var onpointerleave:
((PointerEvent) -> dynamic)?\n    override var oncopy: ((ClipboardEvent) -> dynamic)?\n    override var oncut:
```

((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable:
String\n   override val isContentEditable: Boolean\n   override val style: CSSStyleDeclaration\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n   override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n   override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions
/* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external open class Audio(src: String = definedExternally) : HTMLAudioElement {\n   override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n   override var oncancel: ((Event) -> dynamic)?\n   override var oncanplay: ((Event) -> dynamic)?\n   override var oncanplaythrough: ((Event) -> dynamic)?\n   override var onchange: ((Event) -> dynamic)?\n   override var onclick: ((MouseEvent) -> dynamic)?\n   override var onclose: ((Event) -> dynamic)?\n   override var oncontextmenu: ((MouseEvent) -> dynamic)?\n   override var oncuechange: ((Event) -> dynamic)?\n   override var ondblclick: ((MouseEvent) -> dynamic)?\n   override var ondrag: ((DragEvent) -> dynamic)?\n   override var ondragend: ((DragEvent) -> dynamic)?\n   override var ondragenter: ((DragEvent) -> dynamic)?\n   override var ondragexit:
((DragEvent) -> dynamic)?\n   override var ondragleave: ((DragEvent) -> dynamic)?\n   override var ondragover: ((DragEvent) -> dynamic)?\n   override var ondragstart: ((DragEvent) -> dynamic)?\n   override var ondrop: ((DragEvent) -> dynamic)?\n   override var ondurationchange: ((Event) -> dynamic)?\n   override var onemptied: ((Event) -> dynamic)?\n   override var onended: ((Event) -> dynamic)?\n   override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n   override var onfocus: ((FocusEvent) -> dynamic)?\n   override var oninput: ((InputEvent) -> dynamic)?\n   override var oninvalid: ((Event) -> dynamic)?\n   override var onkeydown: ((KeyboardEvent) -> dynamic)?\n   override var onkeypress: ((KeyboardEvent) -> dynamic)?\n   override var onkeyup: ((KeyboardEvent) -> dynamic)?\n   override var onload: ((Event) -> dynamic)?\n   override var onloadeddata: ((Event) -> dynamic)?\n   override var onloadedmetadata: ((Event) -> dynamic)?\n   override var onloadend:
((Event) -> dynamic)?\n   override var onloadstart: ((ProgressEvent) -> dynamic)?\n   override var onmousedown: ((MouseEvent) -> dynamic)?\n   override var onmouseenter: ((MouseEvent) -> dynamic)?\n   override var onmouseleave: ((MouseEvent) -> dynamic)?\n   override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n   override var onmouseover: ((MouseEvent) -> dynamic)?\n   override var onmouseup: ((MouseEvent) -> dynamic)?\n   override var onwheel: ((WheelEvent) ->

dynamic)?\n   override var onpause: ((Event) -> dynamic)?\n   override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n   override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n   override var onreset: ((Event) -> dynamic)?\n   override var onresize: ((Event) -> dynamic)?\n   override var onscroll: ((Event) -> dynamic)?\n   override var onseeked: ((Event) ->
 dynamic)?\n   override var onseeking: ((Event) -> dynamic)?\n   override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n   override var onstalled: ((Event) -> dynamic)?\n   override var onsubmit: ((Event) -> dynamic)?\n   override var onsuspend: ((Event) -> dynamic)?\n   override var ontimeupdate: ((Event) -> dynamic)?\n   override var ontoggle: ((Event) -> dynamic)?\n   override var onvolumechange: ((Event) -> dynamic)?\n   override var onwaiting: ((Event) -> dynamic)?\n   override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n   override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n   override var onpointerdown: ((PointerEvent) -> dynamic)?\n   override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n   override var onpointercancel: ((PointerEvent) -> dynamic)?\n   override var onpointerover: ((PointerEvent) -> dynamic)?\n   override var onpointerout: ((PointerEvent) -> dynamic)?\n   override var onpointerenter: ((PointerEvent) -> dynamic)?\n   override var onpointerleave: ((PointerEvent) -> dynamic)?\n   override var oncopy: ((ClipboardEvent) -> dynamic)?\n   override var oncut: ((ClipboardEvent) -> dynamic)?\n   override var onpaste: ((ClipboardEvent) -> dynamic)?\n   override var contentEditable: String\n   override val isContentEditable: Boolean\n   override val style: CSSStyleDeclaration\n   override val children: HTMLCollection\n   override val firstElementChild: Element?\n override val lastElementChild: Element?\n   override val childElementCount: Int\n   override val previousElementSibling: Element?\n   override val nextElementSibling: Element?\n   override val assignedSlot: HTMLSlotElement?\n   override fun prepend(vararg nodes: dynamic)\n   override fun append(vararg nodes: dynamic)\n   override fun querySelector(selectors: String): Element?\n   override fun querySelectorAll(selectors: String): NodeList\n
    override fun before(vararg nodes: dynamic)\n   override fun after(vararg nodes: dynamic)\n   override fun replaceWith(vararg nodes: dynamic)\n   override fun remove()\n   override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n   override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val NETWORK_EMPTY: Short\n   val NETWORK_IDLE: Short\n   val NETWORK_LOADING: Short\n   val NETWORK_NO_SOURCE: Short\n   val HAVE_NOTHING: Short\n   val HAVE_METADATA: Short\n   val HAVE_CURRENT_DATA: Short\n   val HAVE_FUTURE_DATA: Short\n   val HAVE_ENOUGH_DATA: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class Option(text: String = definedExternally, value: String
 = definedExternally, defaultSelected: Boolean = definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n   override var onabort: ((Event) -> dynamic)?\n   override var onblur: ((FocusEvent) ->

dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) -> dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove: ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) -> dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy: ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste: ((ClipboardEvent) -> dynamic)?\n override var contentEditable: String\n override val isContentEditable: Boolean\n override val style: CSSStyleDeclaration\n override val children: HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n override val childElementCount: Int\n override val previousElementSibling: Element?\n override val nextElementSibling: Element?\n override val assignedSlot: HTMLSlotElement?\n override fun prepend(vararg nodes: dynamic)\n override fun append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun querySelectorAll(selectors: String): NodeList\n override fun before(vararg nodes: dynamic)\n override fun after(vararg nodes: dynamic)\n override fun replaceWith(vararg nodes: dynamic)\n override fun remove()\n override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally

/): DOMQuad\n   override fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions / = definedExternally */): DOMQuad\n   override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external interface UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement : CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic external interface ImageBitmapSource\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't implement this interface!\n*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface DocumentReadyState {\n   companion object\n}\n\npublic inline val DocumentReadyState.Companion.LOADING: DocumentReadyState get() = \"loading\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() = \"interactive\".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() = \"complete\".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!\n*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanPlayTypeResult {\n   companion object\n}\n\npublic inline val CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() = \"\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() = \"maybe\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() = \"probably\".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!\n*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface TextTrackMode {\n   companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() = \"disabled\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.HIDDEN: TextTrackMode get() = \"hidden\".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val TextTrackMode.Companion.SHOWING: TextTrackMode get() = \"showing\".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!\n*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface TextTrackKind {\n   companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() = \"subtitles\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =

\"captions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.DESCRIPTIONS: TextTrackKind get() = \"descriptions\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.CHAPTERS: TextTrackKind get() = \"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val TextTrackKind.Companion.METADATA: TextTrackKind get() = \"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SelectionMode {\n   companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get()
 = \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START: SelectionMode get() = \"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.END: SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE: SelectionMode get() = \"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasFillRule {\n   companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO: CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val CanvasFillRule.Companion.EVENODD: CanvasFillRule get() = \"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
 external interface ImageSmoothingQuality {\n   companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() = \"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() = \"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() = \"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasLineCap {\n   companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.ROUND: CanvasLineCap get() = \"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
 CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasLineJoin {\n   companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() = \"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL: CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.MITER: CanvasLineJoin get() = \"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasTextAlign {\n   companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END:
 CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =

\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() = \"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasTextBaseline {\n companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP: CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() = \"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() = \"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() = \"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() = \"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() = \"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CanvasDirection {\n companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() = \"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL: CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT: CanvasDirection get() = \"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollRestoration {\n companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() = \"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val ScrollRestoration.Companion.MANUAL: ScrollRestoration get() = \"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ImageOrientation {\n companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() = \"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY: ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface PremultiplyAlpha {\n companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE: PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() = \"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() = \"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ColorSpaceConversion {\n companion object\n}\n\npublic inline val ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val ColorSpaceConversion.Companion.DEFAULT:

ColorSpaceConversion get() = \"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ResizeQuality {\n companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() = \"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW: ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM: ResizeQuality get() = \"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH: ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface BinaryType {\n companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() = \"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER: BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface WorkerType {\n companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get() = \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE: WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/ please, don't implement this interface!
/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ShadowRootMode {\n companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN: ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val ShadowRootMode.Companion.CLOSED: ShadowRootMode get() = \"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/ please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollBehavior {\n companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() = \"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT: ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() = \"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ScrollLogicalPosition {\n companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() = \"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() = \"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() = \"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface CSSBoxType {\n companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() = \"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER: CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING: CSSBoxType get() = \"padding\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline

val CSSBoxType.Companion.CONTENT: CSSBoxType get() = \"content\".asDynamic().unsafeCast<CSSBoxType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\npublic external open class Headers(init: dynamic = definedExternally) {\n fun append(name: String, value: String)\n fun delete(name: String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value: String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to Kotlin\n */\npublic external interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer(): Promise<ArrayBuffer>\n fun blob(): Promise<Blob>\n fun formData(): Promise<FormData>\n fun json(): Promise<Any?>\n fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript [Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n open val method: String\n open val url: String\n open val headers: Headers\n open val type: RequestType\n open val destination: RequestDestination\n open val referrer: String\n open val referrerPolicy: dynamic\n open val mode: RequestMode\n open val credentials: RequestCredentials\n open val cache: RequestCache\n open val redirect: RequestRedirect\n open val integrity: String\n open val keepalive: Boolean\n override val bodyUsed: Boolean\n fun clone(): Request\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n var method: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var body: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var referrer: String?\n get() = definedExternally\n set(value) = definedExternally\n var referrerPolicy: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var mode: RequestMode?\n get() = definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials?\n get() = definedExternally\n set(value) = definedExternally\n var cache: RequestCache?\n get() = definedExternally\n set(value) = definedExternally\n var redirect: RequestRedirect?\n get() = definedExternally\n set(value) = definedExternally\n var integrity: String?\n get() = definedExternally\n set(value) = definedExternally\n var keepalive: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var window: Any?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? = undefined,
window: Any? = undefined): RequestInit {\n val o = js(\"({})\")\n o[\"method\"] = method\n o[\"headers\"] = headers\n o[\"body\"] = body\n o[\"referrer\"] = referrer\n o[\"referrerPolicy\"] = referrerPolicy\n o[\"mode\"] = mode\n o[\"credentials\"] = credentials\n o[\"cache\"] = cache\n o[\"redirect\"] = redirect\n o[\"integrity\"] = integrity\n o[\"keepalive\"] = keepalive\n o[\"window\"] = window\n return o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit = definedExternally) : Body {\n open val type: ResponseType\n open val url: String\n open val redirected: Boolean\n open val status: Short\n open val ok: Boolean\n open val statusText: String\n open val headers: Headers\n open val body: dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed:

Boolean\n fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob(): Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url: String, status: Short = definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var status: Short? /* = 200 */\n get() = definedExternally\n set(value) = definedExternally\n var statusText: String? /* = \"OK\" */\n get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200, statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n val o = js(\"({})\")\n o[\"status\"] = status\n o[\"statusText\"] = statusText\n o[\"headers\"] = headers\n return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestType {\n companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get() = \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO: RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.IMAGE: RequestType get() = \"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT: RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.STYLE: RequestType get() = \"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK: RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface RequestDestination {\n companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY: RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.DOCUMENT: RequestDestination get() = \"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.EMBED: RequestDestination get() = \"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.FONT: RequestDestination get() = \"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.IMAGE: RequestDestination get() = \"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MANIFEST: RequestDestination get() = \"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.MEDIA: RequestDestination get() = \"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.OBJECT: RequestDestination get() = \"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.REPORT: RequestDestination get() = \"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val RequestDestination.Companion.SCRIPT: RequestDestination get() = \"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val

RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =
\"serviceworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic
inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
\"sharedworker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
\"style\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
\"worker\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
\"xslt\".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestMode {\n   companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = \"navigate\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = \"same-
origin\".asDynamic().unsafeCast<RequestMode>()\n\npublic
inline val RequestMode.Companion.NO_CORS: RequestMode get() = \"no-
cors\".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.CORS:
RequestMode get() = \"cors\".asDynamic().unsafeCast<RequestMode>()\n\n/* please, don't implement this
interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestCredentials {\n   companion object\n}\n\npublic inline val
RequestCredentials.Companion.OMIT: RequestCredentials get() =
\"omit\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = \"same-
origin\".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
\"include\".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
external interface RequestCache {\n   companion object\n}\n\npublic inline val
RequestCache.Companion.DEFAULT: RequestCache get() =
\"default\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = \"no-store\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
\"reload\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = \"no-cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = \"force-
cache\".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = \"only-if-
cached\".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface RequestRedirect
{\n   companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
\"follow\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = \"error\".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
\"manual\".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ResponseType {\n   companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = \"basic\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val

ResponseType.Companion.CORS: ResponseType get() = \"cors\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT: ResponseType get() = \"default\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.ERROR: ResponseType get() = \"error\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE: ResponseType get() = \"opaque\".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() = \"opaqueredirect\".asDynamic().unsafeCast<ResponseType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\npublic external open class MediaStream() : EventTarget, MediaProvider {\n constructor(stream: MediaStream)\n constructor(tracks: Array<MediaStreamTrack>)\n open val id: String\n open val active: Boolean\n var onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n fun getAudioTracks(): Array<MediaStreamTrack>\n fun getVideoTracks(): Array<MediaStreamTrack>\n fun getTracks(): Array<MediaStreamTrack>\n fun getTrackById(trackId: String): MediaStreamTrack?\n fun addTrack(track: MediaStreamTrack)\n fun removeTrack(track: MediaStreamTrack)\n fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n */\npublic external abstract class MediaStreamTrack : EventTarget {\n open val kind: String\n open val id: String\n open val label: String\n open var enabled: Boolean\n open val muted: Boolean\n open var onmute: ((Event) -> dynamic)?\n open var onunmute: ((Event) -> dynamic)?\n open val readyState: MediaStreamTrackState\n open var onended: ((Event) -> dynamic)?\n open var onoverconstrained: ((Event) -> dynamic)?\n fun clone(): MediaStreamTrack\n fun stop()\n fun getCapabilities(): MediaTrackCapabilities\n fun getConstraints(): MediaTrackConstraints\n fun getSettings(): MediaTrackSettings\n fun applyConstraints(constraints: MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints) to Kotlin\n */\npublic external interface MediaTrackSupportedConstraints {\n var width: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var height: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var frameRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var volume: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var latency: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var deviceId: Boolean? /* = true */\n get() = definedExternally\n set(value) = definedExternally\n var groupId: Boolean? /* = true */\n get() = definedExternally\n set(value) =

definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true,
autoGainControl: Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount:
Boolean? = true, deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n val o
= js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\npublic external interface
MediaTrackCapabilities {\n var width: ULongRange?\n get() = definedExternally\n set(value) =
definedExternally\n var height:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var frameRate:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var facingMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode:
Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n var volume:
DoubleRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize:
ULongRange?\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation:
Array<Boolean>?\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl:
Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: Array<Boolean>?\n
get() = definedExternally\n set(value) = definedExternally\n var latency: DoubleRange?\n get() =
definedExternally\n set(value) = definedExternally\n var channelCount: ULongRange?\n get() =
definedExternally\n set(value) = definedExternally\n var deviceId: String?\n get() = definedExternally\n
set(value) = definedExternally\n var groupId: String?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange?
= undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation:
Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression:
Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities {\n val o = js(\"({})\")\n
o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] =
frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] =
echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] =
groupId\n return o\n}\n\n/**\n
* Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*/\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n var advanced:

Array<MediaTrackConstraintSet>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced: Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\n val o = js(\"({})\")\n o[\"advanced\"] = advanced\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\npublic external interface MediaTrackConstraintSet {\n var width: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var height: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var aspectRatio: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var frameRate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var facingMode: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var resizeMode: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var volume: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var sampleRate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var sampleSize: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var echoCancellation: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var autoGainControl: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var noiseSuppression: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var latency: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var channelCount: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var deviceId: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var groupId: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraintSet {\n val o = js(\"({})\")\n o[\"width\"] = width\n o[\"height\"] = height\n o[\"aspectRatio\"] = aspectRatio\n o[\"frameRate\"] = frameRate\n o[\"facingMode\"] = facingMode\n o[\"resizeMode\"] = resizeMode\n o[\"volume\"] = volume\n o[\"sampleRate\"] = sampleRate\n o[\"sampleSize\"] = sampleSize\n o[\"echoCancellation\"] = echoCancellation\n o[\"autoGainControl\"] = autoGainControl\n o[\"noiseSuppression\"] = noiseSuppression\n o[\"latency\"] = latency\n o[\"channelCount\"] = channelCount\n o[\"deviceId\"] = deviceId\n o[\"groupId\"] = groupId\n return o\n}\n\n/**\n * Exposes the JavaScript [MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n */\npublic external interface MediaTrackSettings {\n var width: Int?\n get() = definedExternally\n

set(value) = definedExternally\n   var height: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var aspectRatio: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var frameRate: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var facingMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var resizeMode: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var volume: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleRate: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var sampleSize: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var echoCancellation: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var autoGainControl: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var noiseSuppression: Boolean?\n   get() = definedExternally\n   set(value) = definedExternally\n   var latency: Double?\n   get() = definedExternally\n   set(value) = definedExternally\n   var channelCount: Int?\n   get() = definedExternally\n   set(value) = definedExternally\n   var deviceId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var groupId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width: Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined, facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int? = undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? = undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n   val o = js(\"({})\")\n   o[\"width\"] = width\n   o[\"height\"] = height\n   o[\"aspectRatio\"] = aspectRatio\n   o[\"frameRate\"] = frameRate\n   o[\"facingMode\"] = facingMode\n   o[\"resizeMode\"] = resizeMode\n   o[\"volume\"] = volume\n   o[\"sampleRate\"] = sampleRate\n   o[\"sampleSize\"] = sampleSize\n   o[\"echoCancellation\"] = echoCancellation\n   o[\"autoGainControl\"] = autoGainControl\n   o[\"noiseSuppression\"] = noiseSuppression\n   o[\"latency\"] = latency\n   o[\"channelCount\"] = channelCount\n   o[\"deviceId\"] = deviceId\n   o[\"groupId\"] = groupId\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n */\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) : Event {\n   open val track: MediaStreamTrack\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n   var track: MediaStreamTrack?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaStreamTrackEventInit {\n   val o = js(\"({})\")\n   o[\"track\"] = track\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n   open val error: dynamic\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n   var error: dynamic /* = null */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error: dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): OverconstrainedErrorEventInit {\n   val o = js(\"({})\")\n   o[\"error\"] = error\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n */\npublic external

```
abstract class MediaDevices : EventTarget
 {\n    open var ondevicechange: ((Event) -> dynamic)?\n    fun enumerateDevices():
Promise<Array<MediaDeviceInfo>>\n    fun getSupportedConstraints(): MediaTrackSupportedConstraints\n    fun
getUserMedia(constraints: MediaStreamConstraints = definedExternally): Promise<MediaStream>\n}\n\n/**\n *
Exposes the JavaScript [MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to
Kotlin\n */\npublic external abstract class MediaDeviceInfo {\n    open val deviceId: String\n    open val kind:
MediaDeviceKind\n    open val label: String\n    open val groupId: String\n    fun toJSON(): dynamic\n}\n\npublic
external abstract class InputDeviceInfo : MediaDeviceInfo {\n    fun getCapabilities():
MediaTrackCapabilities\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to Kotlin\n
*/\npublic external interface MediaStreamConstraints {\n    var video: dynamic /* = false */\n        get()
 = definedExternally\n        set(value) = definedExternally\n    var audio: dynamic /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n    val o = js(\"({})\")\n    o[\"video\"] =
video\n    o[\"audio\"] = audio\n    return o\n}\n\npublic external interface ConstrainablePattern {\n    var
onoverconstrained: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n    fun getConstraints(): Constraints\n    fun getSettings(): Settings\n    fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n */\npublic
external interface
 DoubleRange {\n    var max: Double?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
min: Double?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {\n    val o = js(\"({})\")\n    o[\"max\"] = max\n    o[\"min\"] =
min\n    return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n    var exact: Double?\n
  get() = definedExternally\n        set(value) = definedExternally\n    var ideal: Double?\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double?
= undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange
 {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    o[\"max\"] = max\n    o[\"min\"] =
min\n    return o\n}\n\npublic external interface ULongRange {\n    var max: Int?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var min: Int?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined,
min: Int? = undefined): ULongRange {\n    val o = js(\"({})\")\n    o[\"max\"] = max\n    o[\"min\"] = min\n    return
o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n    var exact: Int?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: Int?\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic
 inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int?
= undefined): ConstrainULongRange {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n
o[\"max\"] = max\n    o[\"min\"] = min\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin\n */\npublic external interface ConstrainBooleanParameters {\n    var exact: Boolean?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: Boolean?\n        get() = definedExternally\n
```

```
 set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact:
Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n    val o = js(\"({})\")\n
o[\"exact\"] = exact\n    o[\"ideal\"]
 = ideal\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin\n */\npublic external interface ConstrainDOMStringParameters {\n    var exact: dynamic\n        get() =
definedExternally\n        set(value) = definedExternally\n    var ideal: dynamic\n        get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    return
o\n}\n\npublic external interface Capabilities\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n    val o
= js(\"({})\")\n    return o\n}\n\npublic
 external interface Settings\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n    val o =
js(\"({})\")\n    return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n
val o = js(\"({})\")\n    return o\n}\n\npublic external interface Constraints : ConstraintSet {\n    var advanced:
Array<ConstraintSet>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {\n    val o = js(\"({})\")\n    o[\"advanced\"] = advanced\n
return o\n}\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface
 MediaStreamTrackState {\n    companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState get() = \"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
\"ended\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface VideoFacingModeEnum {\n    companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
\"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
\"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
\"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
 VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
\"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface VideoResizeModeEnum {\n    companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
\"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
```

interface MediaDeviceKind {\n   companion object\n}\n\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() = \"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() = \"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n */\npublic external open class MediaSource : EventTarget, MediaProvider {\n   open val sourceBuffers: SourceBufferList\n   open val activeSourceBuffers: SourceBufferList\n   open val readyState: ReadyState\n   var duration: Double\n   var onsourceopen: ((Event) -> dynamic)?\n   var onsourceended: ((Event) -> dynamic)?\n   var onsourceclose: ((Event) -> dynamic)?\n   fun addSourceBuffer(type: String): SourceBuffer\n   fun removeSourceBuffer(sourceBuffer: SourceBuffer)\n   fun endOfStream(error: EndOfStreamError = definedExternally)\n   fun setLiveSeekableRange(start: Double, end: Double)\n   fun clearLiveSeekableRange()\n\n   companion object {\n   fun isTypeSupported(type: String): Boolean\n   }\n}\n\n/**\n * Exposes the JavaScript [SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n */\npublic external abstract class SourceBuffer : EventTarget {\n   open var mode: AppendMode\n   open val updating: Boolean\n   open val buffered: TimeRanges\n   open var timestampOffset: Double\n   open val audioTracks: AudioTrackList\n   open val videoTracks: VideoTrackList\n   open val textTracks: TextTrackList\n   open var appendWindowStart: Double\n   open var appendWindowEnd: Double\n   open var onupdatestart: ((Event) -> dynamic)?\n   open var onupdate: ((Event) -> dynamic)?\n   open var onupdateend: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onabort: ((Event) -> dynamic)?\n   fun appendBuffer(data: dynamic)\n   fun abort()\n   fun remove(start: Double, end: Double)\n}\n\n/**\n * Exposes the JavaScript [SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n */\npublic external abstract class SourceBufferList : EventTarget {\n   open val length: Int\n   open var onaddsourcebuffer: ((Event) -> dynamic)?\n   open var onremovesourcebuffer: ((Event) -> dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SourceBufferList.get(index: Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ReadyState {\n   companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.OPEN: ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.ENDED: ReadyState get() = \"ended\".asDynamic().unsafeCast<ReadyState>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface EndOfStreamError {\n   companion object\n}\n\npublic inline val EndOfStreamError.Companion.NETWORK: EndOfStreamError get() = \"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val EndOfStreamError.Companion.DECODE: EndOfStreamError get() = \"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic

external interface AppendMode {\n   companion object\n}\n\npublic inline val AppendMode.Companion.SEGMENTS: AppendMode get() = \"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val AppendMode.Companion.SEQUENCE: AppendMode get() = \"sequence\".asDynamic().unsafeCast<AppendMode>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface PointerEventInit : MouseEventInit {\n   var pointerId: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var width: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var height: Double? /* = 1.0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var pressure: Float? /* = 0f */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tangentialPressure: Float? /* = 0f */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tiltX: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var tiltY: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var twist: Int? /* = 0 */\n   get() = definedExternally\n   set(value) = definedExternally\n   var pointerType: String? /* = \"\" */\n   get() = definedExternally\n   set(value) = definedExternally\n   var isPrimary: Boolean? /* = false */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n   val o = js(\"({})\")\n   o[\"pointerId\"] = pointerId\n   o[\"width\"] = width\n   o[\"height\"] = height\n   o[\"pressure\"] = pressure\n   o[\"tangentialPressure\"] = tangentialPressure\n   o[\"tiltX\"] = tiltX\n   o[\"tiltY\"] = tiltY\n   o[\"twist\"] = twist\n   o[\"pointerType\"] = pointerType\n   o[\"isPrimary\"] = isPrimary\n   o[\"screenX\"] = screenX\n   o[\"screenY\"] = screenY\n   o[\"clientX\"] = clientX\n   o[\"clientY\"] = clientY\n   o[\"button\"] = button\n   o[\"buttons\"] = buttons\n   o[\"relatedTarget\"] = relatedTarget\n   o[\"region\"] = region\n   o[\"ctrlKey\"] = ctrlKey\n   o[\"shiftKey\"] = shiftKey\n   o[\"altKey\"] = altKey\n   o[\"metaKey\"] = metaKey\n   o[\"modifierAltGraph\"] = modifierAltGraph\n   o[\"modifierCapsLock\"] = modifierCapsLock\n   o[\"modifierFn\"] = modifierFn\n   o[\"modifierFnLock\"] = modifierFnLock\n   o[\"modifierHyper\"] = modifierHyper\n   o[\"modifierNumLock\"] = modifierNumLock\n   o[\"modifierScrollLock\"] = modifierScrollLock\n   o[\"modifierSuper\"] = modifierSuper\n   o[\"modifierSymbol\"] = modifierSymbol\n   o[\"modifierSymbolLock\"] = modifierSymbolLock\n   o[\"view\"] = view\n   o[\"detail\"] = detail\n   o[\"bubbles\"] = bubbles\n   o[\"cancelable\"] = cancelable\n   o[\"composed\"] = composed\n   return o\n}\n\n/**\n * Exposes the JavaScript [PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n   open val pointerId: Int\n   open val width: Double\n   open val height: Double\n   open val pressure: Float\n   open val tangentialPressure: Float\n   open val tiltX: Int\n   open val tiltY: Int\n   open val twist: Int\n   open val pointerType: String\n   open val isPrimary: Boolean\n\n   companion object {\n

```
        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.svg\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript
[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n    open val ownerSVGElement: SVGSVGElement?\n    open val
viewportElement: SVGElement?\n    open var tabIndex: Int\n    fun focus()\n    fun blur()\n\n
   companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
     val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGBoundingBoxOptions {\n    var fill: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var stroke: Boolean? /* = false */\n        get()
 = definedExternally\n        set(value) = definedExternally\n    var markers: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clipped: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill:
Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false):
SVGBoundingBoxOptions {\n    val o = js(\"({})\")\n    o[\"fill\"] = fill\n    o[\"stroke\"] = stroke\n    o[\"markers\"]
= markers\n    o[\"clipped\"] = clipped\n    return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*/\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n    open val transform:
SVGAnimatedTransformList\n    fun getBBox(options:
 SVGBoundingBoxOptions = definedExternally): DOMRect\n    fun getCTM(): DOMMatrix?\n    fun
getScreenCTM(): DOMMatrix?\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
   val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement)
 to Kotlin\n */\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n    open val
pathLength: SVGAnimatedNumber\n    fun isPointInFill(point: DOMPoint): Boolean\n    fun isPointInStroke(point:
DOMPoint): Boolean\n    fun getTotalLength(): Float\n    fun getPointAtLength(distance: Float): DOMPoint\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
```

```
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
  val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
      val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n */\npublic external
abstract class SVGNumber {\n    open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n */\npublic external abstract
class SVGLength {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX:
 Short\n        val SVG_LENGTHTYPE_CM: Short\n        val SVG_LENGTHTYPE_MM: Short\n        val
SVG_LENGTHTYPE_IN: Short\n        val SVG_LENGTHTYPE_PT: Short\n        val SVG_LENGTHTYPE_PC:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n */\npublic external abstract
class SVGAngle {\n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n\n    companion object {\n        val
SVG_ANGLETYPE_UNKNOWN: Short\n        val SVG_ANGLETYPE_UNSPECIFIED: Short\n        val
SVG_ANGLETYPE_DEG: Short\n        val SVG_ANGLETYPE_RAD: Short\n        val
SVG_ANGLETYPE_GRAD: Short\n    }\n}\n\npublic external abstract class SVGNameList {\n    open val length:
Int\n    open val numberOfItems: Int\n    fun clear()\n
    fun initialize(newItem: dynamic): dynamic\n    fun insertItemBefore(newItem: dynamic, index: Int): dynamic\n
fun replaceItem(newItem: dynamic, index: Int): dynamic\n    fun removeItem(index: Int): dynamic\n    fun
appendItem(newItem: dynamic): dynamic\n    fun getItem(index: Int):
dynamic\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n */\npublic external
abstract class SVGNumberList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGNumber): SVGNumber\n    fun insertItemBefore(newItem:
 SVGNumber, index: Int): SVGNumber\n    fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n
fun removeItem(index: Int): SVGNumber\n    fun appendItem(newItem: SVGNumber): SVGNumber\n    fun
getItem(index: Int): SVGNumber\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index:
Int): SVGNumber? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index:
Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n */\npublic external
abstract class SVGLengthList {\n    open val length: Int\n    open val numberOfItems: Int\n    fun clear()\n    fun
initialize(newItem: SVGLength): SVGLength\n    fun insertItemBefore(newItem: SVGLength, index: Int):
```

SVGLength\n
fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n */\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n */\npublic external abstract
class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n */\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n */\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal: Float\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n */\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic external abstract
class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n */\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to
Kotlin\n */\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\npublic external abstract class SVGStringList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: String): String\n fun insertItemBefore(newItem: String, index: Int): String\n fun replaceItem(newItem: String, index: Int): String\n fun removeItem(index: Int): String\n fun appendItem(newItem: String): String\n fun getItem(index: Int): String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index:

Int, newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes {\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n */\npublic external interface SVGTests {\n val requiredExtensions: SVGStringList\n val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n val viewBox: SVGAnimatedRect\n val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGZoomAndPan {\n var zoomAndPan: Short\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\npublic external interface SVGURIReference {\n val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open var currentScale: Float\n open val currentTranslate: DOMPointReadOnly\n fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n fun deselectAll()\n fun createSVGNumber(): SVGNumber\n fun createSVGLength(): SVGLength\n fun createSVGAngle(): SVGAngle\n fun createSVGPoint(): DOMPoint\n fun createSVGMatrix(): DOMMatrix\n fun createSVGRect(): DOMRect\n fun createSVGTransform(): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun getElementById(elementId: String): Element\n fun suspendRedraw(maxWaitMilliseconds: Int): Int\n fun unsuspendRedraw(suspendHandleID: Int)\n fun unsuspendRedrawAll()\n fun forceRedraw()\n\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external abstract class SVGGElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val

DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGUnknownElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic external abstract class SVGDefsElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic external abstract class SVGDescElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n */\npublic external abstract class SVGMetadataElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n */\npublic external abstract class SVGTitleElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n */\npublic external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE:
Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n */\npublic external abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val instanceRoot: SVGElement?\n open val animatedInstanceRoot: SVGElement?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external open class SVGUseElementShadowRoot : ShadowRoot {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface SVGElementInstance {\n val correspondingElement: SVGElement?\n get() = definedExternally\n val

correspondingUseElement: SVGUseElement?\n get() = definedExternally\n}\n\npublic external open class ShadowAnimation(source: dynamic, newTarget: dynamic) {\n open val sourceAnimation: dynamic\n}\n\n/**\n * Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement) to Kotlin\n */\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface GetSVGDocument {\n fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript [SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\npublic external abstract class SVGStyleElement : SVGElement, LinkStyle {\n open var type: String\n open var media: String\n open var title: String\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\npublic external abstract class SVGTransform {\n open val type: Short\n open val matrix: DOMMatrix\n open val angle: Float\n fun setMatrix(matrix: DOMMatrixReadOnly)\n fun setTranslate(tx: Float, ty: Float)\n fun setScale(sx: Float, sy: Float)\n fun setRotate(angle: Float, cx: Float, cy: Float)\n fun setSkewX(angle: Float)\n fun setSkewY(angle: Float)\n\n companion object {\n val SVG_TRANSFORM_UNKNOWN: Short\n val SVG_TRANSFORM_MATRIX: Short\n val SVG_TRANSFORM_TRANSLATE: Short\n val SVG_TRANSFORM_SCALE: Short\n val SVG_TRANSFORM_ROTATE: Short\n val SVG_TRANSFORM_SKEWX: Short\n val SVG_TRANSFORM_SKEWY: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n */\npublic external abstract class SVGTransformList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGTransform): SVGTransform\n fun insertItemBefore(newItem: SVGTransform, index: Int): SVGTransform\n fun replaceItem(newItem: SVGTransform, index: Int): SVGTransform\n fun removeItem(index: Int): SVGTransform\n fun appendItem(newItem: SVGTransform): SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun consolidate(): SVGTransform?\n fun getItem(index: Int): SVGTransform\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index: Int): SVGTransform? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.set(index: Int, newItem: SVGTransform)

{ asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal: SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript [SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice: Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspectRatio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal: SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCircleElement](https://developer.mozilla.org/en/docs/Web/API/SVGCircleElement) to Kotlin\n */\npublic

external abstract class SVGCircleElement
: SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val r: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGEllipseElement](https://developer.mozilla.org/en/docs/Web/API/SVGEllipseElement)
to Kotlin\n */\npublic external abstract class SVGEllipseElement : SVGGeometryElement {\n open val cx: SVGAnimatedLength\n open val cy: SVGAnimatedLength\n open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n
val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGLineElement](https://developer.mozilla.org/en/docs/Web/API/SVGLineElement) to Kotlin\n */\npublic external abstract class SVGLineElement : SVGGeometryElement {\n open val x1: SVGAnimatedLength\n open val y1: SVGAnimatedLength\n open val x2: SVGAnimatedLength\n open val y2: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:
Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGMeshElement](https://developer.mozilla.org/en/docs/Web/API/SVGMeshElement) to Kotlin\n */\npublic external abstract class SVGMeshElement : SVGGeometryElement, SVGURIReference {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING:

Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\npublic external interface SVGAnimatedPoints {\n val points: SVGPointList\n val animatedPoints: SVGPointList\n}\n\npublic external abstract class SVGPointList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: DOMPoint): DOMPoint\n fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n fun removeItem(index: Int): DOMPoint\n fun appendItem(newItem: DOMPoint): DOMPoint\n fun getItem(index: Int): DOMPoint\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n */\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n */\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n */\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n open val textLength: SVGAnimatedLength\n open val lengthAdjust: SVGAnimatedEnumeration\n fun getNumberOfChars(): Int\n fun getComputedTextLength(): Float\n fun getSubStringLength(charnum: Int, nchars: Int): Float\n fun getStartPositionOfChar(charnum: Int): DOMPoint\n fun getEndPositionOfChar(charnum: Int): DOMPoint\n fun getExtentOfChar(charnum: Int): DOMRect\n fun getRotationOfChar(charnum: Int): Float\n fun getCharNumAtPosition(point: DOMPoint): Int\n fun selectSubString(charnum: Int, nchars: Int)\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n */\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n open val x: SVGAnimatedLengthList\n open val y: SVGAnimatedLengthList\n open val dx: SVGAnimatedLengthList\n open val dy: SVGAnimatedLengthList\n open val rotate: SVGAnimatedNumberList\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n */\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n */\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n */\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open val startOffset: SVGAnimatedLength\n open val method: SVGAnimatedEnumeration\n open val spacing: SVGAnimatedEnumeration\n\n companion object {\n val TEXTPATH_METHODTYPE_UNKNOWN: Short\n val TEXTPATH_METHODTYPE_ALIGN: Short\n val TEXTPATH_METHODTYPE_STRETCH: Short\n val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n val TEXTPATH_SPACINGTYPE_AUTO: Short\n val TEXTPATH_SPACINGTYPE_EXACT: Short\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n

val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin\n */\npublic external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference, HTMLOrSVGImageElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n open val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to Kotlin\n */\npublic external abstract class SVGForeignObjectElement : SVGGraphicsElement {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMarkerElement : SVGElement, SVGFitToViewBox {\n open val refX: SVGAnimatedLength\n open val

refY: SVGAnimatedLength\n   open val markerUnits: SVGAnimatedEnumeration\n   open val markerWidth: SVGAnimatedLength\n   open val markerHeight: SVGAnimatedLength\n   open val orientType: SVGAnimatedEnumeration\n   open val orientAngle: SVGAnimatedAngle\n   open var orient: String\n   fun setOrientToAuto()\n
    fun setOrientToAngle(angle: SVGAngle)\n\n   companion object {\n   val SVG_MARKERUNITS_UNKNOWN: Short\n   val SVG_MARKERUNITS_USERSPACEONUSE: Short\n   val SVG_MARKERUNITS_STROKEWIDTH: Short\n   val SVG_MARKER_ORIENT_UNKNOWN: Short\n   val SVG_MARKER_ORIENT_AUTO: Short\n   val SVG_MARKER_ORIENT_ANGLE: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY:
 Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin\n */\npublic external abstract class SVGSolidcolorElement : SVGElement {\n   companion object {\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY:
 Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin\n */\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes {\n   open val gradientUnits: SVGAnimatedEnumeration\n   open val gradientTransform: SVGAnimatedTransformList\n   open val spreadMethod: SVGAnimatedEnumeration\n\n   companion object {\n   val SVG_SPREADMETHOD_UNKNOWN: Short\n   val SVG_SPREADMETHOD_PAD: Short\n   val SVG_SPREADMETHOD_REFLECT: Short\n   val SVG_SPREADMETHOD_REPEAT: Short\n   val SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n   val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE:
 Short\n   val ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n   val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n   val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the JavaScript [SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to Kotlin\n */\npublic external abstract class SVGLinearGradientElement : SVGGradientElement {\n   open val x1: SVGAnimatedLength\n   open val y1: SVGAnimatedLength\n   open val x2: SVGAnimatedLength\n   open val

y2: SVGAnimatedLength\n\n   companion object {\n   val
SVG_SPREADMETHOD_UNKNOWN: Short\n   val SVG_SPREADMETHOD_PAD: Short\n   val
SVG_SPREADMETHOD_REFLECT: Short\n   val SVG_SPREADMETHOD_REPEAT: Short\n   val
SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n   val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n   val ELEMENT_NODE: Short\n   val
ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n   val
ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val
PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val
DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val
DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\n/**\n * Exposes the
JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n */\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n   open val cx:
SVGAnimatedLength\n   open val cy: SVGAnimatedLength\n   open val r: SVGAnimatedLength\n   open val fx:
SVGAnimatedLength\n   open val fy: SVGAnimatedLength\n   open val fr: SVGAnimatedLength\n\n   companion
object {\n   val SVG_SPREADMETHOD_UNKNOWN: Short\n   val SVG_SPREADMETHOD_PAD:
Short\n   val SVG_SPREADMETHOD_REFLECT: Short\n   val SVG_SPREADMETHOD_REPEAT:
Short\n   val SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n   val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n   val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE: Short\n
    val ENTITY_REFERENCE_NODE: Short\n   val ENTITY_NODE: Short\n   val
PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE: Short\n   val
DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val
DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n   companion object {\n   val
SVG_SPREADMETHOD_UNKNOWN: Short\n   val SVG_SPREADMETHOD_PAD: Short\n   val
SVG_SPREADMETHOD_REFLECT: Short\n   val SVG_SPREADMETHOD_REPEAT: Short\n   val
SVG_UNIT_TYPE_UNKNOWN: Short\n   val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n   val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
    Short\n   val ELEMENT_NODE: Short\n   val ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n   val ENTITY_REFERENCE_NODE: Short\n   val
ENTITY_NODE: Short\n   val PROCESSING_INSTRUCTION_NODE: Short\n   val COMMENT_NODE:
Short\n   val DOCUMENT_NODE: Short\n   val DOCUMENT_TYPE_NODE: Short\n   val
DOCUMENT_FRAGMENT_NODE: Short\n   val NOTATION_NODE: Short\n   val
DOCUMENT_POSITION_DISCONNECTED: Short\n   val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n   val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n   val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n   }\n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n   companion object {\n   val ELEMENT_NODE: Short\n   val
ATTRIBUTE_NODE: Short\n   val TEXT_NODE: Short\n   val CDATA_SECTION_NODE:

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGMeshpatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference, SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits: SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE:

Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class SVGHatchpathElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n */\npublic external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n open val x: SVGAnimatedLength\n open val y: SVGAnimatedLength\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n */\npublic external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement
{\n open var type: String\n open var crossOrigin: String?\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGAElement](https://developer.mozilla.org/en/docs/Web/API/SVGAElement) to Kotlin\n */\npublic external abstract
class SVGAElement : SVGGraphicsElement, SVGURIReference {\n open val target: SVGAnimatedString\n open val download: SVGAnimatedString\n open val rel: SVGAnimatedString\n open val relList: SVGAnimatedString\n open val hreflang: SVGAnimatedString\n open val type: SVGAnimatedString\n\n

companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n */\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion object {\n val SVG_ZOOMANDPAN_UNKNOWN: Short\n val SVG_ZOOMANDPAN_DISABLE: Short\n val SVG_ZOOMANDPAN_MAGNIFY: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) : MediaProvider, ImageBitmapSource {\n open val size: Number\n open val type: String\n open val isClosed: Boolean\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n fun close()\n}\n\npublic external interface BlobPropertyBag {\n var type: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n val o = js(\"({})\")\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n */\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n open val name: String\n open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n var lastModified: Int?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = \"\"): FilePropertyBag {\n val o = js(\"({})\")\n o[\"lastModified\"] = lastModified\n o[\"type\"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\npublic external abstract class FileList : ItemArrayLike<File> {\n override fun item(index: Int): File?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File?

= asDynamic()[index]\n\n/**\n * Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\npublic external open class FileReader : EventTarget {\n open val readyState: Short\n open val result: dynamic\n open val error: dynamic\n var onloadstart: ((ProgressEvent) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onload: ((Event) -> dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onloadend: ((Event) -> dynamic)?\n fun readAsArrayBuffer(blob: Blob)\n fun readAsBinaryString(blob: Blob)\n fun readAsText(blob: Blob, label: String = definedExternally)\n fun readAsDataURL(blob: Blob)\n fun abort()\n\n companion object {\n val EMPTY: Short\n val LOADING: Short\n val DONE: Short\n }\n}\n\n/**\n * Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\npublic external open class FileReaderSync {\n fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n fun readAsBinaryString(blob: Blob): String\n fun readAsText(blob: Blob, label: String = definedExternally): String\n fun readAsDataURL(blob: Blob): String\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.events.*\nimport org.w3c.workers.*\n\n/**\n * Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\npublic external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n var onclick: ((MouseEvent) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n open val title: String\n open val dir: NotificationDirection\n open val lang: String\n open val body: String\n open val tag: String\n open val image: String\n open val icon: String\n open val badge: String\n open val sound: String\n open val vibrate: Array<out Int>\n open val timestamp: Number\n open val renotify: Boolean\n open val silent: Boolean\n open val noscreen: Boolean\n open val requireInteraction: Boolean\n open val sticky: Boolean\n open val data: Any?\n open val actions: Array<out NotificationAction>\n fun close()\n\n companion object {\n val permission: NotificationPermission\n val maxActions: Int\n fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n }\n}\n\npublic external interface NotificationOptions {\n var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n get() = definedExternally\n set(value) = definedExternally\n var lang: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var body: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n var image: String?\n get() = definedExternally\n set(value) = definedExternally\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n var badge: String?\n get() = definedExternally\n set(value) = definedExternally\n var sound: String?\n get() = definedExternally\n set(value) = definedExternally\n var vibrate: dynamic\n get() = definedExternally\n set(value) = definedExternally\n var timestamp: Number?\n get() = definedExternally\n set(value) = definedExternally\n var renotify: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var silent: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var noscreen: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var requireInteraction: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var sticky: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var data: Any? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var actions: Array<NotificationAction>? /* = arrayOf() */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationOptions(dir:

NotificationDirection? = NotificationDirection.AUTO, lang: String? = \"\", body: String? = \"\", tag: String? = \"\", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n val o = js(\"({})\")\n o[\"dir\"] = dir\n o[\"lang\"] = lang\n o[\"body\"] = body\n o[\"tag\"] = tag\n o[\"image\"] = image\n o[\"icon\"] = icon\n o[\"badge\"] = badge\n o[\"sound\"] = sound\n o[\"vibrate\"] = vibrate\n o[\"timestamp\"] = timestamp\n o[\"renotify\"] = renotify\n o[\"silent\"] = silent\n o[\"noscreen\"] = noscreen\n o[\"requireInteraction\"] = requireInteraction\n o[\"sticky\"] = sticky\n o[\"data\"] = data\n o[\"actions\"] = actions\n return o\n}\n\npublic external interface NotificationAction {\n var action: String?\n var title: String?\n var icon: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?, title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\"({})\")\n o[\"action\"] = action\n o[\"title\"] = title\n o[\"icon\"] = icon\n return o\n}\n\npublic external interface GetNotificationOptions {\n var tag: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"): GetNotificationOptions {\n val o = js(\"({})\")\n o[\"tag\"] = tag\n return o\n}\n\n/**\n * Exposes the JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n */\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) : ExtendableEvent {\n open val notification: Notification\n open val action: String\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n var notification: Notification?\n var action: String? /* = \"\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification: Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): NotificationEventInit {\n val o = js(\"({})\")\n o[\"notification\"] = notification\n o[\"action\"] = action\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationPermission {\n companion object\n}\n\npublic inline val NotificationPermission.Companion.DEFAULT: NotificationPermission get() = \"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.DENIED: NotificationPermission get() = \"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val NotificationPermission.Companion.GRANTED: NotificationPermission get() = \"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface NotificationDirection {\n companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO: NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.LTR: NotificationDirection get() = \"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val NotificationDirection.Companion.RTL: NotificationDirection get() = \"rtl\".asDynamic().unsafeCast<NotificationDirection>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be

found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\n\n/**\n * Exposes the JavaScript [ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n */\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n   open val scriptURL: String\n   open val state: ServiceWorkerState\n   open var onstatechange: ((Event) -> dynamic)?\n   fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to Kotlin\n */\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n   open val installing: ServiceWorker?\n   open val waiting: ServiceWorker?\n   open val active: ServiceWorker?\n   open val scope: String\n   open var onupdatefound: ((Event) -> dynamic)?\n   open val APISpace: dynamic\n   fun update(): Promise<Unit>\n   fun unregister(): Promise<Boolean>\n   fun showNotification(title: String, options: NotificationOptions = definedExternally): Promise<Unit>\n   fun getNotifications(filter: GetNotificationOptions = definedExternally): Promise<Array<Notification>>\n   fun methodName(): Promise<dynamic>\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n */\npublic external abstract class ServiceWorkerContainer : EventTarget {\n   open val controller: ServiceWorker?\n   open val ready: Promise<ServiceWorkerRegistration>\n   open var oncontrollerchange: ((Event) -> dynamic)?\n   open var onmessage: ((MessageEvent) -> dynamic)?\n   fun register(scriptURL: String, options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n   fun getRegistration(clientURL: String = definedExternally): Promise<Any?>\n   fun getRegistrations(): Promise<Array<ServiceWorkerRegistration>>\n   fun startMessages()\n}\n\npublic external interface RegistrationOptions {\n   var scope: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var type: WorkerType? /* = WorkerType.CLASSIC */\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? = undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n   val o = js(\"({})\")\n   o[\"scope\"] = scope\n   o[\"type\"] = type\n   return o\n}\n\n/**\n * Exposes the JavaScript [ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict: ServiceWorkerMessageEventInit = definedExternally) : Event {\n   open val data: Any?\n   open val origin: String\n   open val lastEventId: String\n   open val source: UnionMessagePortOrServiceWorker?\n   open val ports: Array<out MessagePort>?\n\n   companion object {\n   val NONE: Short\n   val CAPTURING_PHASE: Short\n   val AT_TARGET: Short\n   val BUBBLING_PHASE: Short\n   }\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n   var data: Any?\n   get() = definedExternally\n   set(value) = definedExternally\n   var origin: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var lastEventId: String?\n   get() = definedExternally\n   set(value) = definedExternally\n   var source: UnionMessagePortOrServiceWorker?\n   get() = definedExternally\n   set(value) = definedExternally\n   var ports: Array<MessagePort>?\n   get() = definedExternally\n   set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n   val o = js(\"({})\")\n

```
    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n    o[\"source\"] = source\n
o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] =
composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n    open val clients:
Clients\n    open val registration: ServiceWorkerRegistration\n    open var oninstall: ((Event) -> dynamic)?\n    open
var onactivate: ((Event) -> dynamic)?\n    open var onfetch: ((FetchEvent) -> dynamic)?\n    open var
onforeignfetch: ((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n    open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n    open var onfunctionalevent: ((Event)
 -> dynamic)?\n    fun skipWaiting(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n    open val url: String\n    open val frameType: FrameType\n
open val id: String\n    fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n */\npublic external abstract class WindowClient : Client {\n    open val visibilityState: dynamic\n    open
val focused: Boolean\n    fun focus(): Promise<WindowClient>\n    fun navigate(url: String):
Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n    fun get(id: String): Promise<Any?>\n    fun matchAll(options: ClientQueryOptions
 = definedExternally): Promise<Array<Client>>\n    fun openWindow(url: String): Promise<WindowClient?>\n
fun claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n    var includeUncontrolled:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var type:
ClientType? /* = ClientType.WINDOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW):
ClientQueryOptions {\n    val o = js(\"({})\")\n    o[\"includeUncontrolled\"] = includeUncontrolled\n    o[\"type\"] =
type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n */\npublic external
open class ExtendableEvent(type: String, eventInitDict:
 ExtendableEventInit = definedExternally) : Event {\n    fun waitUntil(f: Promise<Any?>)\n\n    companion object
{\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ExtendableEventInit :
EventInit\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableEventInit(bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {\n    val o =
js(\"({})\")\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n    fun
registerForeignFetch(options: ForeignFetchOptions)\n\n
    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET:
Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ForeignFetchOptions {\n    var
scopes: Array<String>?\n    var origins: Array<String>?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchOptions(scopes:
Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n    val o = js(\"({})\")\n    o[\"scopes\"] =
scopes\n    o[\"origins\"] = origins\n    return o\n}\n\n/**\n * Exposes the JavaScript
```

[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n open val request: Request\n open val clientId: String?\n open val isReload: Boolean\n fun respondWith(r: Promise<Response>)\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n var request: Request?\n var clientId: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var isReload: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"clientId\"] = clientId\n o[\"isReload\"] = isReload\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external
open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n open val request: Request\n open val origin: String\n fun respondWith(r: Promise<ForeignFetchResponse>)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n var request: Request?\n var origin: String? /* = \"null\" */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request: Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ForeignFetchEventInit {\n val o = js(\"({})\")\n o[\"request\"] = request\n o[\"origin\"] = origin\n o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\npublic external interface ForeignFetchResponse {\n var response: Response?\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var headers: Array<String>?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response: Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n val o = js(\"({})\")\n o[\"response\"] = response\n o[\"origin\"] = origin\n o[\"headers\"] = headers\n return o\n}\n\n/**\n * Exposes the JavaScript [ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n */\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit = definedExternally) : ExtendableEvent {\n open val data: Any?\n open val origin: String\n open val lastEventId: String\n open val source: UnionClientOrMessagePortOrServiceWorker?\n open val ports: Array<out MessagePort>?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ExtendableMessageEventInit : ExtendableEventInit {\n var data: Any?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) = definedExternally\n var source: UnionClientOrMessagePortOrServiceWorker?\n get() = definedExternally\n set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:

```
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n val o = js(\"({})\")\n o[\"data\"] = data\n o[\"origin\"] = origin\n o[\"lastEventId\"] = lastEventId\n o[\"source\"] = source\n o[\"ports\"] = ports\n o[\"bubbles\"] = bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript [Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n */\npublic external abstract class Cache {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Response>>\n fun add(request: dynamic): Promise<Unit>\n fun addAll(requests: Array<dynamic>): Promise<Unit>\n fun put(request: dynamic, response: Response): Promise<Unit>\n fun delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n fun keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally): Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n var ignoreSearch: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreMethod: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var ignoreVary: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var cacheName: String?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined): CacheQueryOptions {\n val o = js(\"({})\")\n o[\"ignoreSearch\"] = ignoreSearch\n o[\"ignoreMethod\"] = ignoreMethod\n o[\"ignoreVary\"] = ignoreVary\n o[\"cacheName\"] = cacheName\n return o\n}\n\npublic external interface CacheBatchOperation {\n var type: String?\n get() = definedExternally\n set(value) = definedExternally\n var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var response: Response?\n get() = definedExternally\n set(value) = definedExternally\n var options: CacheQueryOptions?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? = undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? = undefined): CacheBatchOperation {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"request\"] = request\n o[\"response\"] = response\n o[\"options\"] = options\n return o\n}\n\n/**\n * Exposes the JavaScript [CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external abstract class CacheStorage {\n fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n fun has(cacheName: String): Promise<Boolean>\n fun open(cacheName: String): Promise<Cache>\n fun delete(cacheName: String): Promise<Boolean>\n fun keys(): Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface ServiceWorkerState {\n companion object\n}\n\npublic inline val ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() = \"installing\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() = \"installed\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() = \"activating\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
```

\"activated\".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic
 inline val ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
\"redundant\".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface FrameType {\n   companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = \"auxiliary\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = \"top-
level\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = \"nested\".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = \"none\".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*/\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ClientType {\n   companion object\n}\n\npublic
 inline val ClientType.Companion.WINDOW: ClientType get() =
\"window\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = \"worker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
\"sharedworker\".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = \"all\".asDynamic().unsafeCast<ClientType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/**\n *
Exposes the JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget)
 to Kotlin\n */\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n   open var
onloadstart: ((ProgressEvent) -> dynamic)?\n   open var onprogress: ((ProgressEvent) -> dynamic)?\n   open var
onabort: ((Event) -> dynamic)?\n   open var onerror: ((Event) -> dynamic)?\n   open var onload: ((Event) ->
dynamic)?\n   open var ontimeout: ((Event) -> dynamic)?\n   open var onloadend: ((Event) ->
dynamic)?\n}\n\npublic external abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n *
Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to
Kotlin\n */\npublic external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n   var
onreadystatechange: ((Event) -> dynamic)?\n   open val readyState: Short\n   var timeout: Int\n   var
withCredentials: Boolean\n   open val upload: XMLHttpRequestUpload\n   open val responseURL: String\n
    open val status: Short\n   open val statusText: String\n   var responseType: XMLHttpRequestResponseType\n
open val response: Any?\n   open val responseText: String\n   open val responseXML: Document?\n   fun
open(method: String, url: String)\n   fun open(method: String, url: String, async: Boolean, username: String? =
definedExternally, password: String? = definedExternally)\n   fun setRequestHeader(name: String, value: String)\n
fun send(body: dynamic = definedExternally)\n   fun abort()\n   fun getResponseHeader(name: String): String?\n
fun getAllResponseHeaders(): String\n   fun overrideMimeType(mime: String)\n\n   companion object {\n   val
UNSENT: Short\n   val OPENED: Short\n   val HEADERS_RECEIVED: Short\n   val LOADING:
Short\n   val DONE: Short\n   }\n}\n\n/**\n * Exposes the JavaScript
[FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n */\npublic external open class
FormData(form: HTMLFormElement
 = definedExternally) {\n   fun append(name: String, value: String)\n   fun append(name: String, value: Blob,
filename: String = definedExternally)\n   fun delete(name: String)\n   fun get(name: String): dynamic\n   fun
getAll(name: String): Array<dynamic>\n   fun has(name: String): Boolean\n   fun set(name: String, value: String)\n
  fun set(name: String, value: Blob, filename: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n */\npublic external open

```
class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n    open val lengthComputable: Boolean\n    open val loaded: Number\n    open val total: Number\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface ProgressEventInit : EventInit {\n    var lengthComputable:
        Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var loaded: Number? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n    var total: Number? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {\n    val o = js(\"({})\")\n    o[\"lengthComputable\"] = lengthComputable\n    o[\"loaded\"] = loaded\n    o[\"total\"] = total\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/* please, don't implement this interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface XMLHttpRequestResponseType {\n    companion object\n}\n\npublic inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = \"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType
    get() = \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further propagation of that experimental aspect.\n *\n * This class
    is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Deprecated(\"Please use RequiresOptIn instead.\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental aspect\n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be reported on incorrect usages of this experimental API. */\n        WARNING,\n        /** Specifies that an error should be reported on incorrect usages of this experimental API. */\n        ERROR,\n
```

}\n}\n\n/**\n * Allows to use experimental API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n@Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\n@Deprecated(\"Please use OptIn instead.\", ReplaceWith(\"OptIn(*markerClass)\", \"kotlin.OptIn\"))\npublic annotation class UseExperimental(\n vararg val markerClass: KClass<out Annotation>\n)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION, TYPEALIAS)\n@Retention(BINARY)\ninternal
annotation class WasExperimental(\n vararg val markerClass: KClass<out Annotation>\n)\n","package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the standard library API that is considered experimental and is not subject to the\n * [general compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the standard library:\n * the behavior of such API may be changed or the API may be removed completely in any further release.\n *\n * > Beware using the annotated API especially if you're developing a library, since your library might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-opt-in=kotlin.ExperimentalStdlibApi`.\n
/\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@MustBeDocumented\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalStdlibApi\n","/\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a generic function parameter of a function,\n * it enables to infer the type arguments of
that generic function from the lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type of an annotated function parameter or\n * extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n *\n * Example: we declare\n * ```\n * fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T>\n * ```\n * and use it like\n * ```\n * val result = sequence { yield(\"result\") }\n * ```\n * Here the type argument of the resulting sequence is inferred to `String` from\n * the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n *\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(VALUE_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n\n\n/**\n
* Enables overload selection based on the type of the value returned from lambda argument.\n *\n * When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n * of a functional parameter, this annotation enables overload selection by the type of the value returned from\n * the lambda function passed to this functional parameter.\n *\n * Example:\n * ```\n * @OverloadResolutionByLambdaReturnType\n * fun create(intProducer: () -> Int): Int\n *\n * fun

create(doubleProducer: () -> Double): Double\n *\n * val newValue = create { 3.14 }\n * ```\n *\n * The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n * from the lambda function.\n *\n * This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot\n * choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.\n
*\n * Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n */\n@Target(FUNCTION)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.4\")\n@ExperimentalTypeInference\npublic annotation class OverloadResolutionByLambdaReturnType","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n * or by using the compiler argument `-opt-in=kotlin.ExperimentalMultiplatform`.\n
*/\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as \"optional\".\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased
when compiling code on that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptionalExpectation\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated annotation class is a marker of an API that requires an explicit opt-in.\n *\n *
Call sites of any declaration annotated with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker themselves, effectively causing further propagation of the opt-in requirement.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-opt-in=kotlin.RequiresOptIn`.\n *\n * @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n * The default message is: \"This declaration is experimental and its usage should be marked with 'Marker'\n * or '@OptIn(Marker::class)'\", where `Marker` is the opt-in requirement marker.\n * @property level specifies how usages of API without an explicit opt-in are reported in code.\n */\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n val message: String = \"\",\n val level: Level = Level.ERROR\n) {\n /**\n * Severity of the diagnostic that should be reported on usages which did not explicitly opted into\n * the API either by using [OptIn] or by being

annotated with the corresponding marker annotation.\n */\n public enum class Level {\n /** Specifies that a warning should be reported on incorrect usages of this API. */\n WARNING,\n\n /** Specifies that an error should be reported on incorrect usages of this API. */\n ERROR,\n }\n}\n\n/**\n * Allows to use the API denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with [OptIn], its usages are **not** required to opt in to that API.\n *\n * This class requires opt-in itself and can only be used with the compiler argument `-opt-in=kotlin.RequiresOptIn`.\n */\n@Target(\n CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS\n)\n@Retention(SOURCE)\n@SinceKotlin(\"1.3\")\n@RequireKotlin(\"1.3.70\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class OptIn(\n vararg val markerClass: KClass<out Annotation>\n)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal implementation of the read-only [Collection] interface.\n *\n * @param E the type of elements contained in the collection. The collection is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract override fun iterator(): Iterator<E>\n\n override fun contains(element:
@UnsafeVariance E): Boolean = any { it == element }\n\n override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean =\n elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n override fun isEmpty(): Boolean = size == 0\n\n override fun toString(): String = joinToString(\", \", \"[\", \"]\") {\n if (it === this) \"(this Collection)\" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with the elements of this collection.\n */\n @JsName(\"toArray\")\n protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and fills it with the elements of this collection.\n */\n protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\nprivate enum class State {\n Ready,\n NotReady,\n Done,\n Failed\n}\n\n/**\n * A base class to simplify implementing iterators so that implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the iteration is complete.\n */\npublic abstract class AbstractIterator<T> : Iterator<T> {\n private var state = State.NotReady\n private var nextValue: T? = null\n\n override fun hasNext(): Boolean {\n require(state != State.Failed)\n return when (state) {\n State.Done -> false\n State.Ready -> true\n else -> tryToComputeNext()\n }\n }\n\n override fun next(): T {\n if (!hasNext()) throw NoSuchElementException()\n state = State.NotReady\n @Suppress(\"UNCHECKED_CAST\")\n return nextValue as T\n
}\n\n private fun tryToComputeNext(): Boolean {\n state = State.Failed\n computeNext()\n return state == State.Ready\n }\n\n /**\n * Computes the next item in the iterator.\n *\n * This callback method should call one of these two methods:\n *\n * * [setNext] with the next value of the iteration\n * * [done] to indicate there are no more elements\n *\n * Failure to call either method will result in the iteration terminating with a failed state\n */\n abstract protected fun computeNext(): Unit\n\n /**\n * Sets the next value in the iteration, called from the [computeNext] function\n */\n protected fun setNext(value: T): Unit {\n nextValue = value\n state = State.Ready\n }\n\n /**\n * Sets the state to done so that the iteration terminates.\n */\n protected fun done() {\n state = State.Done\n }\n}\n\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractList\n * Copyright 2007 Google Inc.\n*/\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists so it doesn't support concurrent

```
modification tracking.\n *\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractList<out E> protected constructor() : AbstractCollection<E>(), List<E> {\n    abstract override val size: Int\n    abstract override fun get(index: Int): E\n\n  override fun iterator(): Iterator<E> = IteratorImpl()\n\n    override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }\n\n    override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }\n\n    override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)\n\n override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n    override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n    private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(), RandomAccess {\n        private var _size: Int = 0\n\n        init {\n            checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex - fromIndex\n        }\n\n        override fun get(index: Int): E {\n            checkElementIndex(index, _size)\n\n return list[fromIndex + index]\n        }\n\n        override val size: Int get() = _size\n    }\n\n    /**\n     * Compares this list with other list instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [List] of the same size,
 which contains the same elements in the same order.\n     */\n    override fun equals(other: Any?): Boolean {\n if (other === this) return true\n        if (other !is List<*>) return false\n\n        return orderedEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for this list.\n     */\n    override fun hashCode(): Int = orderedHashCode(this)\n\n    private open inner class IteratorImpl : Iterator<E> {\n        /** the index of the item that will be returned on the next call to [next]`()` */\n        protected var index = 0\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if (!hasNext()) throw NoSuchElementException()\n            return get(index++)\n        }\n    }\n\n    /**\n     * Implementation of [ListIterator] for abstract lists.\n     */\n    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {\n\n        init {\n            checkPositionIndex(index,
 this@AbstractList.size)\n            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun nextIndex(): Int = index\n\n        override fun previous(): E {\n            if (!hasPrevious()) throw NoSuchElementException()\n            return get(--index)\n        }\n\n        override fun previousIndex(): Int = index - 1\n    }\n\n    internal companion object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n  if (index < 0 || index >= size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n    }\n        }\n\n        internal fun checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw IndexOutOfBoundsException(\"index: $index, size: $size\")\n            }\n        }\n\n        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size)
 {\n                throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex, size: $size\")\n  }\n            if (fromIndex > toIndex) {\n                throw IllegalArgumentException(\"fromIndex: $fromIndex > toIndex: $toIndex\")\n            }\n        }\n\n        internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n            if (startIndex < 0 || endIndex > size) {\n                throw IndexOutOfBoundsException(\"startIndex: $startIndex, endIndex: $endIndex, size: $size\")\n            }\n            if (startIndex > endIndex) {\n                throw IllegalArgumentException(\"startIndex: $startIndex > endIndex: $endIndex\")\n            }\n        }\n\n        internal fun orderedHashCode(c: Collection<*>): Int {\n            var hashCode = 1\n            for (e in c) {\n                hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n            }\n            return hashCode\n        }\n\n        internal fun orderedEquals(c:
 Collection<*>, other: Collection<*>): Boolean {\n            if (c.size != other.size) return false\n\n            val otherIterator = other.iterator()\n            for (elem in c) {\n                val elemOther = otherIterator.next()\n                if (elem != elemOther) {\n                    return false\n                }\n            }\n            return true\n        }\n    }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement [entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The map is
```

```
invariant in its key type.\n * @param
 V the type of map values. The map is covariant in its value type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class
AbstractMap<K, out V> protected constructor() : Map<K, V> {\n\n    override fun containsKey(key: K): Boolean
{\n        return implFindEntry(key) != null\n    }\n\n    override fun containsValue(value: @UnsafeVariance V):
Boolean = entries.any { it.value == value }\n\n    internal fun containsEntry(entry: Map.Entry<*, *>?): Boolean {\n
    // since entry comes from @UnsafeVariance parameters it can be virtually anything\n        if (entry !is
Map.Entry<*, *>) return false\n        val key = entry.key\n        val value = entry.value\n        val ourValue =
get(key)\n\n        if (value != ourValue) {\n            return false\n        }\n\n        // Perhaps it was null and we don't
contain the key?\n        if (ourValue == null && !containsKey(key)) {\n            return false\n        }\n\n        return
true\n    }\n\n\n    /**\n     * Compares this map with other
 instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [Map] of the same
size, all entries of which are contained in the [entries] set of this map.\n     */\n    override fun equals(other: Any?):
Boolean {\n        if (other === this) return true\n        if (other !is Map<*, *>) return false\n        if (size != other.size)
return false\n\n        return other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? =
implFindEntry(key)?.value\n\n\n    /**\n     * Returns the hash code value for this map.\n     *\n     * It is the same as
the hashCode of [entries] set.\n     */\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun
isEmpty(): Boolean = size == 0\n    override val size: Int get() = entries.size\n\n    /**\n     * Returns a read-only
[Set] of all keys in this map.\n     *\n     * Accessing this property first time creates a keys view from [entries].\n     *
All subsequent accesses
 just return the created instance.\n     */\n    override val keys: Set<K>\n        get() {\n            if (_keys == null) {\n
            _keys = object : AbstractSet<K>() {\n                    override operator fun contains(element: K): Boolean =
containsKey(element)\n\n                    override operator fun iterator(): Iterator<K> {\n                        val
entryIterator = entries.iterator()\n                        return object : Iterator<K> {\n                            override fun
hasNext(): Boolean = entryIterator.hasNext()\n                            override fun next(): K = entryIterator.next().key\n
                    }\n                }\n\n                    override val size: Int get() = this@AbstractMap.size\n                }\n
    }\n            return _keys!!\n        }\n\n    @kotlin.jvm.Volatile\n    private var _keys: Set<K>? = null\n\n\n
override fun toString(): String = entries.joinToString(\", \", \"{\", \"}\") { toString(it)
 }\n\n    private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + \"=\" +
toString(entry.value)\n\n    private fun toString(o: Any?): String = if (o === this) \"(this Map)\" else o.toString()\n\n
 /**\n     * Returns a read-only [Collection] of all values in this map.\n     *\n     * Accessing this property first time
creates a values view from [entries].\n     * All subsequent accesses just return the created instance.\n     */\n
override val values: Collection<V>\n        get() {\n            if (_values == null) {\n                _values = object :
AbstractCollection<V>() {\n                    override operator fun contains(element: @UnsafeVariance V): Boolean =
containsValue(element)\n\n                    override operator fun iterator(): Iterator<V> {\n                        val
entryIterator = entries.iterator()\n                        return object : Iterator<V> {\n                            override fun
hasNext(): Boolean = entryIterator.hasNext()\n
                            override fun next(): V = entryIterator.next().value\n                        }\n                    }\n\n
override val size: Int get() = this@AbstractMap.size\n                }\n            }\n            return _values!!\n        }\n\n
@kotlin.jvm.Volatile\n    private var _values: Collection<V>? = null\n\n    private fun implFindEntry(key: K):
Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n\n    internal companion object {\n\n        internal fun
entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?: 0) xor (value?.hashCode() ?: 0) }\n
internal fun entryToString(e: Map.Entry<*, *>): String = with(e) { \"$key=$value\" }\n        internal fun
entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n            if (other !is Map.Entry<*, *>) return false\n
 return e.key == other.key && e.value == other.value\n        }\n    }\n}\n","/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin
 Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal
implementation of the read-only [Set] interface.\n *\n * This class is intended to help implementing read-only sets so
```

it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the set. The set is covariant in its element type.\n */\n@SinceKotlin(\"1.1\")\npublic abstract class AbstractSet<out E> protected constructor() : AbstractCollection<E>(), Set<E> {\n\n /**\n * Compares this set with other set instance with the unordered structural equality.\n *\n * @return true, if [other] instance is a [Set] of the same size, all elements of which are contained in this set.\n */\n override fun equals(other: Any?): Boolean {\n if (other === this) return true\n if (other !is Set<*>) return false\n return setEquals(this, other)\n }\n\n /**\n * Returns the hash code value for this set.\n */\n override fun hashCode(): Int = unorderedHashCode(this)\n\n internal companion object {\n internal fun unorderedHashCode(c: Collection<*>): Int {\n var hashCode = 0\n for (element in c) {\n hashCode += (element?.hashCode() ?: 0)\n }\n return hashCode\n }\n\n internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n if (c.size != other.size) return false\n return c.containsAll(other)\n }\n }\n\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Resizable-array implementation of the deque data structure.\n *\n * The name deque is short for \"double ended queue\" and is usually pronounced \"deck\".\n *\n * The collection provide methods for convenient access to the both ends.\n * It also implements [MutableList] interface and supports efficient get/set operations by index.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic class ArrayDeque<E> : AbstractMutableList<E> {\n private var head: Int = 0\n private var elementData: Array<Any?>\n\n override var size: Int = 0\n private set\n\n /**\n * Constructs an empty deque with specified [initialCapacity], or throws [IllegalArgumentException] if [initialCapacity] is negative.\n */\n public constructor(initialCapacity: Int) {\n elementData = when {\n initialCapacity == 0 -> emptyElementData\n initialCapacity > 0 -> arrayOfNulls(initialCapacity)\n else -> throw IllegalArgumentException(\"Illegal Capacity: $initialCapacity\")\n }\n }\n\n /**\n * Constructs an empty deque.\n */\n public constructor() {\n elementData = emptyElementData\n }\n\n /**\n * Constructs a deque that contains the same elements as the specified [elements] collection in the same order.\n */\n public constructor(elements: Collection<E>) {\n elementData = elements.toTypedArray()\n size = elementData.size\n if (elementData.isEmpty()) elementData = emptyElementData\n }\n\n /**\n * Ensures that the capacity of this deque is at least equal to the specified [minCapacity].\n *\n * If the current capacity is less than the [minCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method takes no action and simply returns.\n */\n private fun ensureCapacity(minCapacity: Int) {\n if (minCapacity < 0) throw IllegalStateException(\"Deque is too big.\") // overflow\n if (minCapacity <= elementData.size) return\n if (elementData === emptyElementData) {\n elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n return\n }\n\n val newCapacity = newCapacity(elementData.size, minCapacity)\n copyElements(newCapacity)\n }\n\n /**\n * Creates a new array with the specified [newCapacity] size and copies elements in the [elementData] array to it.\n */\n private fun copyElements(newCapacity: Int) {\n val newElements = arrayOfNulls<Any?>(newCapacity)\n elementData.copyInto(newElements, 0, head, elementData.size)\n elementData.copyInto(newElements, elementData.size - head, 0, head)\n head = 0\n elementData = newElements\n }\n\n @kotlin.internal.InlineOnly\n private inline fun internalGet(internalIndex: Int): E {\n @Suppress(\"UNCHECKED_CAST\")\n return elementData[internalIndex] as E\n }\n\n private fun positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n private fun negativeMod(index: Int): Int = if (index < 0) index + elementData.size else index\n\n @kotlin.internal.InlineOnly\n private inline fun internalIndex(index: Int): Int = positiveMod(head + index)\n\n private fun incremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index + 1\n\n private fun decremented(index: Int): Int = if (index == 0) elementData.lastIndex else index - 1\n\n override fun isEmpty(): Boolean = size == 0\n\n /**\n * Returns the first element, or throws [NoSuchElementException] if this deque is empty.\n */\n public fun first(): E = if

```
(isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\") else internalGet(head)\n\n    /**\n     * Returns the first element, or `null` if this deque is empty.\n     */\n    public fun firstOrNull(): E? = if (isEmpty()) null else internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun last(): E = if
 (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\") else
internalGet(internalIndex(lastIndex))\n\n    /**\n     * Returns the last element, or `null` if this deque is empty.\n     */\n    public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Prepends the specified [element] to this deque.\n     */\n    public fun addFirst(element: E) {\n        ensureCapacity(size + 1)\n\n        head = decremented(head)\n        elementData[head] = element\n        size += 1\n    }\n\n    /**\n     * Appends the specified [element] to this deque.\n     */\n    public fun addLast(element: E) {\n        ensureCapacity(size + 1)\n\n        elementData[internalIndex(size)] = element\n        size += 1\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun removeFirst(): E {\n        if (isEmpty()) throw NoSuchElementException(\"ArrayDeque
 is empty.\")\n\n        val element = internalGet(head)\n        elementData[head] = null\n        head = incremented(head)\n        size -= 1\n        return element\n    }\n\n    /**\n     * Removes the first element from this deque and returns that removed element, or returns `null` if this deque is empty.\n     */\n    public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n    /**\n     * Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun removeLast(): E {\n        if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")\n\n        val internalLastIndex = internalIndex(lastIndex)\n        val element = internalGet(internalLastIndex)\n        elementData[internalLastIndex] = null\n        size -= 1\n        return element\n    }\n\n    /**\n     * Removes the last element from this deque and returns that removed
 element, or returns `null` if this deque is empty.\n     */\n    public fun removeLastOrNull(): E? = if (isEmpty()) null else removeLast()\n\n    // MutableList, MutableCollection\n    public override fun add(element: E): Boolean {\n        addLast(element)\n        return true\n    }\n\n    public override fun add(index: Int, element: E) {\n        AbstractList.checkPositionIndex(index, size)\n\n        if (index == size) {\n            addLast(element)\n            return\n        } else if (index == 0) {\n            addFirst(element)\n            return\n        }\n\n        ensureCapacity(size + 1)\n\n        // Elements in circular array lay in 2 ways:\n        //   1. `head` is less than `tail`:  [#, #, e1, e2, e3, #]\n        //   2. `head` is greater than `tail`:  [e3, #, #, #, e1, e2]\n        // where head is the index of the first element in the circular array,\n        // and tail is the index following the last element.\n        //\n        // At this point
 the insertion index is not equal to head or tail.\n        // Also the circular array can store at least one more element.\n        //\n        // Depending on where the given element must be inserted the preceding or the succeeding\n        // elements will be shifted to make room for the element to be inserted.\n        //\n        // In case the preceding elements are shifted:\n        //   * if the insertion index is greater than the head (regardless of circular array form)\n        //     -> shift the preceding elements\n        //   * otherwise, the circular array has (2) form and the insertion index is less than tail\n        //     -> shift all elements in the back of the array\n        //     -> shift preceding elements in the front of the array\n        // In case the succeeding elements are shifted:\n        //   * if the insertion index is less than the tail (regardless of circular array form)\n        //     -> shift the succeeding elements\n        //   * otherwise, the
 circular array has (2) form and the insertion index is greater than head\n        //     -> shift all elements in the front of the array\n        //     -> shift succeeding elements in the back of the array\n\n        val internalIndex = internalIndex(index)\n\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding elements\n            val decrementedInternalIndex = decremented(internalIndex)\n            val decrementedHead = decremented(head)\n\n            if (decrementedInternalIndex >= head) {\n                elementData[decrementedHead] = elementData[head]  // head can be zero\n                elementData.copyInto(elementData, head, head + 1, decrementedInternalIndex + 1)\n            } else { // head > tail\n                elementData.copyInto(elementData, head - 1, head, elementData.size) // head can't be zero\n                elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData,
```

```
0, 1, decrementedInternalIndex + 1)\n            }\n\n            elementData[decrementedInternalIndex] = element\n
 head = decrementedHead\n        } else {\n            // closer to the last element -> shift succeeding elements\n
val tail = internalIndex(size)\n\n            if (internalIndex < tail) {\n                elementData.copyInto(elementData,
internalIndex + 1, internalIndex, tail)\n            } else { // head > tail\n                elementData.copyInto(elementData,
1, 0, tail)\n                elementData[0] = elementData[elementData.size - 1]\n
elementData.copyInto(elementData, internalIndex + 1, internalIndex, elementData.size - 1)\n            }\n\n
elementData[internalIndex] = element\n        }\n        size += 1\n    }\n\n    private fun
copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n        val iterator = elements.iterator()\n\n
  for (index in internalIndex until elementData.size) {\n
            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n        for (index in 0 until
head) {\n            if (!iterator.hasNext()) break\n            elementData[index] = iterator.next()\n        }\n\n        size +=
elements.size\n    }\n\n    public override fun addAll(elements: Collection<E>): Boolean {\n        if
(elements.isEmpty()) return false\n        ensureCapacity(this.size + elements.size)\n
copyCollectionElements(internalIndex(size), elements)\n        return true\n    }\n\n    public override fun
addAll(index: Int, elements: Collection<E>): Boolean {\n        AbstractList.checkPositionIndex(index, size)\n\n
if (elements.isEmpty()) {\n            return false\n        } else if (index == size) {\n            return addAll(elements)\n
 }\n\n        ensureCapacity(this.size + elements.size)\n\n        val tail = internalIndex(size)\n        val internalIndex =
internalIndex(index)\n        val elementsSize
 = elements.size\n\n        if (index < (size + 1) shr 1) {\n            // closer to the first element -> shift preceding
elements\n\n            var shiftedHead = head - elementsSize\n\n            if (internalIndex >= head) {\n                if
(shiftedHead >= 0) {\n                    elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
} else { // head < tail, insertion leads to head >= tail\n                    shiftedHead += elementData.size\n                    val
elementsToShift = internalIndex - head\n                    val shiftToBack = elementData.size - shiftedHead\n\n
   if (shiftToBack >= elementsToShift) {\n                        elementData.copyInto(elementData, shiftedHead, head,
internalIndex)\n                    } else {\n                        elementData.copyInto(elementData, shiftedHead, head, head +
shiftToBack)\n                        elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n
                }\n                }\n            } else { // head > tail, internalIndex < tail\n
elementData.copyInto(elementData, shiftedHead, head, elementData.size)\n                if (elementsSize >=
internalIndex) {\n                    elementData.copyInto(elementData, elementData.size - elementsSize, 0,
internalIndex)\n                } else {\n                    elementData.copyInto(elementData, elementData.size -
elementsSize, 0, elementsSize)\n                    elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n
            }\n            }\n            head = shiftedHead\n            copyCollectionElements(negativeMod(internalIndex -
elementsSize), elements)\n        } else {\n            // closer to the last element -> shift succeeding elements\n\n
val shiftedInternalIndex = internalIndex + elementsSize\n\n            if (internalIndex < tail) {\n                if (tail +
elementsSize <= elementData.size) {\n
            elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n                } else { // head <
tail, insertion leads to head >= tail\n                    if (shiftedInternalIndex >= elementData.size) {\n
elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                    } else
{\n                        val shiftToFront = tail + elementsSize - elementData.size\n
elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                        elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                    }\n                }\n            } else { // head > tail,
internalIndex > head\n                elementData.copyInto(elementData, elementsSize, 0, tail)\n                if
(shiftedInternalIndex >= elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex
- elementData.size,
 internalIndex, elementData.size)\n                } else {\n                    elementData.copyInto(elementData, 0,
elementData.size - elementsSize, elementData.size)\n                    elementData.copyInto(elementData,
shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n                }\n            }\n
copyCollectionElements(internalIndex, elements)\n        }\n\n        return true\n    }\n\n    public override fun
```

```
get(index: Int): E {\n        AbstractList.checkElementIndex(index, size)\n\n        return
internalGet(internalIndex(index))\n    }\n\n    public override fun set(index: Int, element: E): E {\n
AbstractList.checkElementIndex(index, size)\n\n        val internalIndex = internalIndex(index)\n        val oldElement
= internalGet(internalIndex)\n        elementData[internalIndex] = element\n\n        return oldElement\n    }\n\n
public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n    public override
 fun indexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in
head until tail) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head
>= tail) {\n            for (index in head until elementData.size) {\n                if (element == elementData[index]) return
index - head\n            }\n            for (index in 0 until tail) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n        }\n\n        return -1\n    }\n\n    public override fun
lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if
(head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index])
 return index + elementData.size - head\n            }\n            for (index in elementData.lastIndex downTo head) {\n
        if (element == elementData[index]) return index - head\n            }\n        }\n\n        return -1\n    }\n\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n        removeAt(index)\n        return true\n    }\n\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
 + 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n\n
elementData[head] = null\n            head = incremented(head)\n        } else {\n            // closer to the last element ->
shift succeeding elements\n            val internalLastIndex = internalIndex(lastIndex)\n\n            if (internalIndex <=
internalLastIndex) {\n                elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n            } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n
elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData,
 0, 1, internalLastIndex + 1)\n            }\n\n            elementData[internalLastIndex] = null\n        }\n        size -= 1\n\n
    return element\n    }\n\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) }\n\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) }\n\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if
(this.isEmpty() || elementData.isEmpty())\n            return false\n\n        val tail = internalIndex(size)\n        var
newTail = head\n        var modified = false\n\n        if (head < tail) {\n            for (index in head until tail) {\n
 val element = elementData[index]\n\n                @Suppress(\"UNCHECKED_CAST\")\n                if
(predicate(element as E))\n                    elementData[newTail++] = element\n                else\n                    modified =
true\n            }\n\n
            elementData.fill(null, newTail, tail)\n\n        } else {\n            for (index in head until elementData.size) {\n
        val element = elementData[index]\n                elementData[index] = null\n\n
@Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as E))\n
elementData[newTail++] = element\n                else\n                    modified = true\n            }\n\n            newTail =
positiveMod(newTail)\n\n            for (index in 0 until tail) {\n                val element = elementData[index]\n
elementData[index] = null\n\n                @Suppress(\"UNCHECKED_CAST\")\n                if (predicate(element as
E)) {\n                    elementData[newTail] = element\n                    newTail = incremented(newTail)\n                }
else {\n                    modified = true\n                }\n            }\n        }\n        if (modified)\n            size =
negativeMod(newTail
```

```
 - head)\n\n        return modified\n    }\n\n    public override fun clear() {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            elementData.fill(null, head, tail)\n        } else if (isNotEmpty()) {\n            elementData.fill(null, head, elementData.size)\n            elementData.fill(null, 0, tail)\n        }\n        head = 0\n        size = 0\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun <T> toArray(array: Array<T>): Array<T> {\n        @Suppress(\"UNCHECKED_CAST\")\n        val dest = (if (array.size >= size) array else arrayOfNulls(array, size)) as Array<Any?>\n\n        val tail = internalIndex(size)\n        if (head < tail) {\n            elementData.copyInto(dest, startIndex = head, endIndex = tail)\n        } else if (isNotEmpty()) {\n            elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n            elementData.copyInto(dest, destinationOffset = elementData.size
 - head, startIndex = 0, endIndex = tail)\n        }\n        if (dest.size > size) {\n            dest[size] = null // null-terminate\n        }\n\n        @Suppress(\"UNCHECKED_CAST\")\n        return dest as Array<T>\n    }\n\n    @Suppress(\"NOTHING_TO_OVERRIDE\")\n    override fun toArray(): Array<Any?> {\n        return toArray(arrayOfNulls<Any?>(size))\n    }\n\n    // for testing\n    internal fun <T> testToArray(array: Array<T>): Array<T> = toArray(array)\n    internal fun testToArray(): Array<Any?> = toArray()\n\n    internal companion object {\n        private val emptyElementData = emptyArray<Any?>()\n        private const val maxArraySize = Int.MAX_VALUE - 8\n        private const val defaultMinCapacity = 10\n\n        internal fun newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n            // overflow-conscious\n            var newCapacity = oldCapacity + (oldCapacity shr 1)\n            if (newCapacity - minCapacity < 0)\n                newCapacity = minCapacity\n
            if (newCapacity - maxArraySize > 0)\n                newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n            return newCapacity\n        }\n    }\n\n    // For testing only\n    internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n        val tail = internalIndex(size)\n        val head = if (isEmpty() || head < tail) head else head - elementData.size\n        structure(head, toArray())\n    }\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ArraysKt\")\n\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\n\n/**\n * Returns a single list of all elements from all arrays in the given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic
 fun <T> Array<out Array<out T>>.flatten(): List<T> {\n    val result = ArrayList<T>(sumOf { it.size })\n    for (element in this) {\n        result.addAll(element)\n    }\n    return result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n
*/\npublic fun <T, R> Array<out Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n    val listT = ArrayList<T>(size)\n    val listR = ArrayList<R>(size)\n    for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n    }\n    return listT to listR\n}\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean {\n    contract
 {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n\n    return this == null || this.isEmpty()\n}\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if the array is empty.\n *\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*/\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Suppress(\"UPPER_BOUND_CANNOT_BE_ARRAY\")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n    if (isEmpty()) defaultValue() else
this\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepEquals\")\n@kotlin.js.JsName(\"contentDeepEqualsImpl\")\ninternal fun <T> Array<out T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {\n    if (this === other) return true\n    if (this == null
```

```
|| other == null || this.size != other.size) return false\n\n    for (i in indices) {\n        val v1 = this[i]\n        val v2 = other[i]\n\n
        if (v1 === v2) {\n            continue\n        } else if (v1 == null || v2 == null) {\n            return false\n        }\n\n
  when {\n            v1 is Array<*>     && v2 is Array<*>     -> if (!v1.contentDeepEquals(v2)) return false\n
v1 is ByteArray    && v2 is ByteArray    -> if (!v1.contentEquals(v2)) return false\n            v1 is ShortArray   &&
v2 is ShortArray   -> if (!v1.contentEquals(v2)) return false\n            v1 is IntArray     && v2 is IntArray     -> if
(!v1.contentEquals(v2)) return false\n            v1 is LongArray    && v2 is LongArray    -> if (!v1.contentEquals(v2))
return false\n            v1 is FloatArray   && v2 is FloatArray   -> if (!v1.contentEquals(v2)) return false\n            v1 is
DoubleArray  && v2 is DoubleArray  -> if (!v1.contentEquals(v2)) return false\n            v1 is CharArray    && v2
is CharArray    -> if (!v1.contentEquals(v2)) return false\n            v1 is BooleanArray && v2 is BooleanArray -> if
(!v1.contentEquals(v2))
 return false\n\n            v1 is UByteArray   && v2 is UByteArray   -> if (!v1.contentEquals(v2)) return false\n
v1 is UShortArray  && v2 is UShortArray  -> if (!v1.contentEquals(v2)) return false\n            v1 is UIntArray    &&
v2 is UIntArray    -> if (!v1.contentEquals(v2)) return false\n            v1 is ULongArray   && v2 is ULongArray   ->
if (!v1.contentEquals(v2)) return false\n\n            else -> if (v1 != v2) return false\n        }\n\n    }\n    return
true\n}\n\n@SinceKotlin(\"1.3\")\n@PublishedApi\n@kotlin.jvm.JvmName(\"contentDeepToString\")\n@kotlin.js.
JsName(\"contentDeepToStringImpl\")\ninternal fun <T> Array<out T>?.contentDeepToStringImpl(): String {\n
if (this == null) return \"null\"\n    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not
to overflow Int.MAX_VALUE\n    return buildString(length) {\n        contentDeepToStringInternal(this,
mutableListOf())\n    }\n}\n\n@OptIn(ExperimentalUnsignedTypes::class)\nprivate
 fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {\n
  if (this in processed) {\n        result.append(\"[...]\")\n        return\n    }\n    processed.add(this)\n
result.append('[')\n\n    for (i in indices) {\n        if (i != 0) {\n            result.append(\", \")\n        }\n        val element
= this[i]\n        when (element) {\n            null            -> result.append(\"null\")\n            is Array<*>     ->
element.contentDeepToStringInternal(result, processed)\n            is ByteArray    ->
result.append(element.contentToString())\n            is ShortArray   -> result.append(element.contentToString())\n
    is IntArray     -> result.append(element.contentToString())\n            is LongArray    ->
result.append(element.contentToString())\n            is FloatArray   -> result.append(element.contentToString())\n
  is DoubleArray  -> result.append(element.contentToString())\n
          is CharArray    -> result.append(element.contentToString())\n            is BooleanArray ->
result.append(element.contentToString())\n\n            is UByteArray   -> result.append(element.contentToString())\n
        is UShortArray  -> result.append(element.contentToString())\n            is UIntArray    ->
result.append(element.contentToString())\n            is ULongArray   -> result.append(element.contentToString())\n\n
        else            -> result.append(element.toString())\n        }\n    }\n\n    result.append(']')\n
processed.removeAt(processed.lastIndex)\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n\n/** Returns true if the brittle contains optimization
is enabled. See KT-45438. */\ninternal expect fun brittleContainsOptimizationEnabled(): Boolean\n\n/**\n
 * Returns true if [brittleContainsOptimizationEnabled] is true\n * and it's safe to convert this collection to a set
without changing contains method behavior.\n */\nprivate fun <T> Collection<T>.safeToConvertToSet() =
brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList\n\n/**\n * When
[brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n    when (this) {\n        is
Set -> this\n        is Collection ->\n            when {\n                source is Collection && source.size < 2 -> this\n
```

```
    else -> if (this.safeToConvertToSet()) toHashSet() else this\n            }\n        else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * When [brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * - Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n    when (this) {\n        is Set -> this\n        is Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n        else -> if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n    }\n\n/**\n * Converts this sequence to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T> Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n    if (brittleContainsOptimizationEnabled()) toHashSet() else toList()\n\n/**\n * Converts this array to a set if [brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T> Array<T>.convertToSetForSetOperation(): Collection<T> =\n    if (brittleContainsOptimizationEnabled()) toHashSet() else asList()","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n */\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"MapAccessorsKt\")\n\npackage kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit default (see [withDefault]).\n */\n@kotlin.jvm.JvmName(\"getVar\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n    @Suppress(\"UNCHECKED_CAST\") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of the property for the given object in this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the metadata for the property, used to get the name of property and store the value associated with that name in the map.\n * @param value the value to set.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n    this.put(property.name, value)\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MapsKt\")\n\npackage kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
```

default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with implicit default value use [withDefault]
method.\n *\n * @throws NoSuchElementException when the map doesn't contain a value for the specified key and no implicit default was provided for that map.\n
*/\n@kotlin.jvm.JvmName(\"getOrImplicitDefaultNullable\")\n@PublishedApi\ninternal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {\n if (this is MapWithDefault)\n return this.getOrImplicitDefault(key)\n\n return getOrElseNullable(key, { throw NoSuchElementException(\"Key $key is missing in the map.\") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n
*/\npublic fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n when (this) {\n is MapWithDefault -> this.map.withDefault(defaultValue)\n else -> MapWithDefaultImpl(this, defaultValue)\n }\n\n/**\n * Returns a wrapper of this mutable map, having the implicit default value provided with the specified function [defaultValue].\n *\n * This implicit default value is used when the original map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the map.\n *\n * When this map already has an implicit default value provided with a former call to [withDefault], it is being replaced by this call.\n */\n@kotlin.jvm.JvmName(\"withDefaultMutable\")\npublic fun <K, V> MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n when (this) {\n is MutableMapWithDefault -> this.map.withDefault(defaultValue)\n else -> MutableMapWithDefaultImpl(this,
defaultValue)\n }\n\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n public val map: Map<K, V>\n public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> : MutableMap<K, V>, MapWithDefault<K, V> {\n public override val map: MutableMap<K, V>\n}\n\n\nprivate class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) : MapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: Set<K> get() = map.keys\n
override val values: Collection<V> get() = map.values\n override val entries: Set<Map.Entry<K, V>> get() = map.entries\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n override fun equals(other: Any?): Boolean = map.equals(other)\n override fun hashCode(): Int = map.hashCode()\n override fun toString(): String = map.toString()\n override val size: Int get() = map.size\n override fun isEmpty(): Boolean = map.isEmpty()\n override fun containsKey(key: K): Boolean = map.containsKey(key)\n override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsValue(value)\n override fun get(key: K): V? = map.get(key)\n override val keys: MutableSet<K> get() = map.keys\n override val values: MutableCollection<V> get() = map.values\n
override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n\n override fun put(key: K, value: V): V? = map.put(key, value)\n override fun remove(key: K): V? = map.remove(key)\n override fun putAll(from: Map<out K, V>) = map.putAll(from)\n override fun clear() = map.clear()\n\n override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })\n}\n\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element from this\n * collection, if it is present.\n *\n * Allows to overcome type-safety restriction of `remove` that requires to pass an element of type `E`.\n *\n
 * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.remove(element: T): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also contained in the specified collection.\n\n * Allows to overcome type-safety restriction of `removeAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).removeAll(elements)\n\n/**\n * Retains only the elements in this collection
 that are contained in the specified collection.\n *\n * Allows to overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\n *\n * @return `true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.retainAll(elements: Collection<T>): Boolean =\n    @Suppress(\"UNCHECKED_CAST\") (this as MutableCollection<T>).retainAll(elements)\n\n/**\n * Adds the specified [element] to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T) {\n    this.add(element)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Iterable<T>) {\n    this.addAll(elements)\n}\n\n/**\n
 * Adds all elements of the given [elements] array to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Array<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] sequence to this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\n    this.addAll(elements)\n}\n\n/**\n * Removes a single instance of the specified [element] from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(element: T) {\n    this.remove(element)\n}\n\n/**\n * Removes all elements contained in the given [elements] collection from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes
 all elements contained in the given [elements] array from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Array<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Removes all elements contained in the given [elements] sequence from this mutable collection.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\n    this.removeAll(elements)\n}\n\n/**\n * Adds all elements of the given [elements] collection to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\n    when (elements) {\n        is Collection -> return addAll(elements)\n        else -> {\n            var result: Boolean = false\n            for (item in elements)\n                if (add(item)) result = true\n            return result\n        }\n    }\n}\n\n/**\n * Adds all elements of the given [elements]
 sequence to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Sequence<T>): Boolean {\n    var result: Boolean = false\n    for (item in elements) {\n        if (add(item)) result = true\n    }\n    return result\n}\n\n/**\n * Adds all elements of the given [elements] array to this [MutableCollection].\n */\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\n    return addAll(elements.asList())\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also
```

contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Iterable<T>): Boolean {\n   return removeAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\n   val set = elements.convertToSetForSetOperation()\n   return set.isNotEmpty() && removeAll(set)\n}\n\n/**\n * Removes all elements from this [MutableCollection] that are also contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\n   return elements.isNotEmpty() && removeAll(elements.convertToSetForSetOperation())\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] collection.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>): Boolean {\n   return retainAll(elements.convertToSetForSetOperationWith(this))\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\n   if (elements.isNotEmpty())\n   return retainAll(elements.convertToSetForSetOperation())\n   else\n   return retainNothing()\n}\n\n/**\n * Retains only elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T> MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n   val set = elements.convertToSetForSetOperation()\n   if (set.isNotEmpty())\n   return retainAll(set)\n   else\n   return retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n   val result = isNotEmpty()\n   clear()\n   return result\n}\n\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection,
 or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n   var result = false\n   with(iterator()) {\n   while (hasNext())\n   if (predicate(next()) == predicateResultToRemove) {\n   remove()\n   result = true\n   }\n   }\n   return result\n}\n\n\n/**\n * Removes the element at the specified [index] from this list.\n * In Kotlin one should use the [MutableList.removeAt] function instead.\n */\n@Deprecated(\"Use removeAt(index) instead.\", ReplaceWith(\"removeAt(index)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this mutable list
 and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException(\"List is empty.\") else removeAt(lastIndex)\n\n/**\n * Removes the last element
 from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all

elements from this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n *\n * @return `true` if any element was removed from this collection, or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n if (this !is RandomAccess)\n return (this as MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n\n var writeIndex: Int = 0\n for (readIndex in 0..lastIndex) {\n val element = this[readIndex]\n if (predicate(element) == predicateResultToRemove)\n continue\n\n if (writeIndex != readIndex)\n this[writeIndex] = element\n\n writeIndex++\n }\n if (writeIndex < size) {\n for (removeIndex in lastIndex downTo writeIndex)\n removeAt(removeIndex)\n\n return true\n } else {\n return false\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) : AbstractList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) : AbstractMutableList<T>() {\n override val size: Int get() = delegate.size\n override fun get(index: Int): T = delegate[reverseElementIndex(index)]\n\n override fun clear() = delegate.clear()\n override fun removeAt(index: Int): T = delegate.removeAt(reverseElementIndex(index))\n\n override fun set(index: Int, element: T): T = delegate.set(reverseElementIndex(index), element)\n override fun add(index: Int, element: T) {\n delegate.add(reversePositionIndex(index), element)\n }\n}\n\nprivate fun List<*>.reverseElementIndex(index: Int) =\n if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException(\"Element index $index must be in range [${0..lastIndex}].\")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n if (index in 0..size) size - index else throw IndexOutOfBoundsException(\"Position index $index must be in range [${0..size}].\")\n\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n */\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n */\n@kotlin.jvm.JvmName(\"asReversedMutable\")\npublic fun <T> MutableList<T>.asReversed(): MutableList<T> = ReversedList(this)\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"SequencesKt\")\n@file:OptIn(ExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a [Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(block) }\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'sequence { }' function instead.\", ReplaceWith(\"sequence(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic

```
 inline fun <T> buildSequence(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Sequence<T> = Sequence { iterator(builderAction) }\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n */\n@SinceKotlin(\"1.3\")\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>.() -> Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep = block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return iterator\n}\n\n@SinceKotlin(\"1.3\")\n@Deprecated(\"Use 'iterator { }' function instead.\", ReplaceWith(\"iterator(builderAction)\"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>.() -> Unit): Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator], provides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n * @see iterator\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.3\")\npublic abstract class SequenceScope<in T> internal constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n
     * The sequence of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values  to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n}\n\n@Deprecated(\"Use SequenceScope class instead.\", ReplaceWith(\"SequenceScope<T>\"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> = SequenceScope<T>\n\nprivate typealias State = Int\n\nprivate const val State_NotReady: State = 0\nprivate const val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready: State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\n\nprivate class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n    private var state = State_NotReady\n    private var nextValue: T? = null\n    private var nextIterator: Iterator<T>? = null\n    var nextStep: Continuation<Unit>? = null\n\n    override fun hasNext(): Boolean {\n        while (true) {\n            when (state) {\n                State_NotReady -> {}\n
                State_ManyNotReady ->\n                    if (nextIterator!!.hasNext()) {\n                        state = State_ManyReady\n                        return true\n                    } else {\n                        nextIterator = null\n                    }\n                State_Done -> return false\n                State_Ready, State_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n    }\n\n    override fun next(): T {\n        when (state) {\n            State_NotReady, State_ManyNotReady -> return nextNotReady()\n            State_ManyReady -> {\n                state = State_ManyNotReady\n                return nextIterator!!.next()\n            }\n            State_Ready -> {\n                state = State_NotReady\n                @Suppress(\"UNCHECKED_CAST\")\n                val
```

```
result = nextValue as T\n                nextValue = null\n                return result\n            }\n            else -> throw exceptionalState()\n        }\n    }\n\n    private fun nextNotReady(): T {\n        if (!hasNext()) throw NoSuchElementException() else return next()\n    }\n\n    private fun exceptionalState(): Throwable = when (state) {\n        State_Done -> NoSuchElementException()\n        State_Failed -> IllegalStateException(\"Iterator has failed.\")\n        else -> IllegalStateException(\"Unexpected state of the iterator: $state\")\n    }\n\n\n    override suspend fun yield(value: T) {\n        nextValue = value\n        state = State_Ready\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    override suspend fun yieldAll(iterator: Iterator<T>) {\n        if (!iterator.hasNext()) return\n        nextIterator = iterator\n        state = State_ManyReady\n        return suspendCoroutineUninterceptedOrReturn { c ->\n            nextStep = c\n            COROUTINE_SUSPENDED\n        }\n    }\n\n    // Completion continuation implementation\n    override fun resumeWith(result: Result<Unit>) {\n        result.getOrThrow() // just rethrow exception if it is there\n        state = State_Done\n    }\n\n    override val context: CoroutineContext\n        get() = EmptyCoroutineContext\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun checkWindowSizeStep(size: Int, step: Int) {\n    require(size > 0 && step > 0) {\n        if (size != step)\n            \"Both size $size and step $step must be greater than zero.\"\n        else\n            \"size $size must be greater than zero.\"\n    }\n}\n\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step:
 Int, partialWindows: Boolean, reuseBuffer: Boolean): Sequence<List<T>> {\n    checkWindowSizeStep(size, step)\n    return Sequence { windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T> windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean): Iterator<List<T>> {\n    if (!iterator.hasNext()) return EmptyIterator\n    return iterator<List<T>> {\n        val bufferInitialCapacity = size.coerceAtMost(1024)\n        val gap = step - size\n        if (gap >= 0) {\n            var buffer = ArrayList<T>(bufferInitialCapacity)\n            var skip = 0\n            for (e in iterator) {\n                if (skip > 0) { skip -= 1; continue }\n                buffer.add(e)\n                if (buffer.size == size) {\n                    yield(buffer)\n                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n                    skip = gap\n                }\n            }\n
            if (buffer.isNotEmpty()) {\n                if (partialWindows || buffer.size == size) yield(buffer)\n            }\n        } else {\n            var buffer = RingBuffer<T>(bufferInitialCapacity)\n            for (e in iterator) {\n                buffer.add(e)\n                if (buffer.isFull()) {\n                    if (buffer.size < size) { buffer = buffer.expanded(maxCapacity = size); continue }\n\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n            }\n            if (partialWindows) {\n                while (buffer.size > step) {\n                    yield(if (reuseBuffer) buffer else ArrayList(buffer))\n                    buffer.removeFirst(step)\n                }\n                if (buffer.isNotEmpty()) yield(buffer)\n            }\n        }\n    }\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n    private
 var fromIndex: Int = 0\n    private var _size: Int = 0\n\n    fun move(fromIndex: Int, toIndex: Int) {\n        checkRangeIndexes(fromIndex, toIndex, list.size)\n        this.fromIndex = fromIndex\n        this._size = toIndex - fromIndex\n    }\n\n    override fun get(index: Int): E {\n        checkElementIndex(index, _size)\n\n        return list[fromIndex + index]\n    }\n\n    override val size: Int get() = _size\n}\n\n\n/**\n * Provides ring buffer implementation.\n *\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n */\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(), RandomAccess {\n    init {\n        require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is $filledSize\" }\n        require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than the buffer size: ${buffer.size}\" }\n    }\n\n    constructor(capacity: Int)
 : this(arrayOfNulls<Any?>(capacity), 0)\n\n    private val capacity = buffer.size\n    private var startIndex: Int = 0\n\n    override var size: Int = filledSize\n        private set\n\n    override fun get(index: Int): T {\n        checkElementIndex(index, size)\n        @Suppress(\"UNCHECKED_CAST\")\n        return
```

buffer[startIndex.forward(index)] as T\n }\n\n fun isFull() = size == capacity\n\n override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n private var count = size\n private var index = startIndex\n\n override fun computeNext() {\n if (count == 0) {\n done()\n } else {\n @Suppress(\"UNCHECKED_CAST\")\n setNext(buffer[index] as T)\n index = index.forward(1)\n count--\n }\n }\n }\n\n @Suppress(\"UNCHECKED_CAST\")\n override fun <T> toArray(array: Array<T>): Array<T> {\n val result: Array<T?> =\n if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n val size = this.size\n\n var widx = 0\n var idx = startIndex\n\n while (widx < size && idx < capacity) {\n result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n\n idx = 0\n while (widx < size) {\n result[widx] = buffer[idx] as T\n widx++\n idx++\n }\n if (result.size > this.size) result[this.size] = null\n\n return result as Array<T>\n }\n\n override fun toArray(): Array<Any?> {\n return toArray(arrayOfNulls(size))\n }\n\n /**\n * Creates a new ring buffer with the capacity equal to the minimum of [maxCapacity] and 1.5 * [capacity].\n * The returned ring buffer contains the same elements as this ring buffer.\n */\n fun expanded(maxCapacity: Int): RingBuffer<T> {\n val newCapacity = (capacity + (capacity shr 1) + 1).coerceAtMost(maxCapacity)\n val newBuffer = if (startIndex == 0) buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n return RingBuffer(newBuffer, size)\n }\n\n /**\n * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the buffer\n */\n fun add(element: T) {\n if (isFull()) {\n throw IllegalStateException(\"ring buffer is full\")\n }\n\n buffer[startIndex.forward(size)] = element\n size++\n }\n\n /**\n * Removes [n] first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to remove\n */\n fun removeFirst(n: Int) {\n require(n >= 0) { \"n shouldn't be negative but it is $n\" }\n require(n <= size) { \"n shouldn't be greater than the buffer size: n = $n, size = $size\" }\n\n if (n > 0) {\n val start = startIndex\n val end = start.forward(n)\n\n if (start > end) {\n buffer.fill(null, start, capacity)\n buffer.fill(null, 0, end)\n } else {\n buffer.fill(null, start, end)\n }\n\n startIndex = end\n size -= n\n }\n }\n\n\n@Suppress(\"NOTHING_TO_INLINE\")\n private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// UByteArray ==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UByteArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UByteArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UShortArray ==\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: UShortArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UShortArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// UIntArray ==\n@Exp

erimentalUnsignedTypes\nprivate fun partition(\n array: UIntArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: UIntArray, left: Int, right: Int) {\n val index = partition(array, left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n// ULongArray
==========\n@ExperimentalUnsignedTypes\nprivate fun partition(\n array: ULongArray, left: Int, right: Int): Int {\n var i = left\n var j = right\n val pivot = array[(left + right) / 2]\n while (i <= j) {\n while (array[i] < pivot)\n i++\n while (array[j] > pivot)\n j--\n if (i <= j) {\n val tmp = array[i]\n array[i] = array[j]\n array[j] = tmp\n i++\n j--\n }\n }\n return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n array: ULongArray, left: Int, right: Int) {\n val index = partition(array,
left, right)\n if (left < index - 1)\n quickSort(array, left, index - 1)\n if (index < right)\n quickSort(array, index, right)\n}\n\n\n// Interfaces
==========\n/**\n * Sorts the given array using qsort algorithm.\n */\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray, fromIndex: Int, toIndex: Int) = quickSort(array, fromIndex, toIndex - 1)","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n * if it's greater than [other].\n *\n * This function delegates to [Comparable.compareTo] and allows to call it in infix form.\n */\n@InlineOnly\n@SinceKotlin(\"1.6\")\npublic inline infix fun <T> Comparable<T>.compareTo(other: T): Int =\n this.compareTo(other)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.ContractsDsl\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the
experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n *\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-opt-in=kotlin.contracts.ExperimentalContracts`.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.3\")\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n *\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n *\n * @see contract\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic interface ContractBuilder {\n /**\n * Describes a situation
when a function returns normally, without any exceptions thrown.\n *\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n *\n */\n // @sample samples.contracts.returnsContract\n @ContractsDsl public fun returns(): Returns\n\n /**\n * Describes a situation when a function returns normally with the specified return [value].\n *\n * The possible values of

[value] are limited to `true`, `false` or `null`.\n   *\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n   *\n   */\n   // @sample samples.contracts.returnsTrueContract\n   // @sample samples.contracts.returnsFalseContract\n   // @sample samples.contracts.returnsNullContract\n   @ContractsDsl public fun returns(value: Any?): Returns\n\n   /**\n   * Describes a situation when a function returns normally with any value that is not `null`.\n   *\n   * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n   *\n   */\n   // @sample samples.contracts.returnsNotNullContract\n   @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n\n   /**\n   * Specifies that the function parameter [lambda] is invoked in place.\n   *\n   * This contract specifies that:\n   * 1. the function [lambda] can only be invoked during the call of the owner function,\n   * and it won't be invoked after that owner function call is completed;\n   * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter,\n   * see the [InvocationKind] enum for possible values.\n   *\n   * A function declaring the `callsInPlace` effect must be _inline_.\n   *\n   */\n   /* @sample samples.contracts.callsInPlaceAtMostOnceContract\n   * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n   * @sample samples.contracts.callsInPlaceExactlyOnceContract\n   * @sample samples.contracts.callsInPlaceUnknownContract\n
    */\n   @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how many times a function invokes its function parameter in place.\n *\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n */\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin(\"1.3\")\npublic enum class InvocationKind {\n   /**\n   * A function parameter will be invoked one time or not invoked at all.\n   */\n   // @sample samples.contracts.callsInPlaceAtMostOnceContract\n   @ContractsDsl AT_MOST_ONCE,\n\n   /**\n   * A function parameter will be invoked one or more times.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n   @ContractsDsl AT_LEAST_ONCE,\n\n   /**\n   * A function parameter will be invoked exactly one time.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceExactlyOnceContract\n
    @ContractsDsl EXACTLY_ONCE,\n\n   /**\n   * A function parameter is called in place, but it's unknown how many times it can be called.\n   *\n   */\n   // @sample samples.contracts.callsInPlaceUnknownContract\n   @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n/* @sample samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n* @sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample samples.contracts.callsInPlaceExactlyOnceContract\n* @sample samples.contracts.callsInPlaceUnknownContract\n*/\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@SinceKotlin(\"1.3\")\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline fun contract(builder: ContractBuilder.() -> Unit) { }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n * [ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n * its implementation delegates [get][CoroutineContext.Element.get] and [minusKey][CoroutineContext.Element.minusKey]\n

```
 * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either [ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n */\n@SinceKotlin(\"1.3\")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n    /**\n     * The key that defines *the* context interceptor.\n     */\n    companion object Key : CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n     * Returns continuation that wraps the original [continuation], thus intercepting all resumptions.\n     * This function is invoked by coroutines framework when needed and the resulting continuations are\n     * cached internally per each instance of the original [continuation].\n     *\n     * This function may simply return original [continuation] if it does not want to intercept this particular continuation.\n     *\n     * When the original [continuation] completes, coroutine framework invokes [releaseInterceptedContinuation]\n     * with the resulting continuation if it was intercepted, that is if `interceptContinuation` had previously\n     * returned a different continuation instance.\n     */\n    public fun <T> interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n    /**\n     * Invoked for the continuation instance returned by [interceptContinuation] when the original\n     * continuation completes and will not be used anymore. This function is invoked only if [interceptContinuation]\n     * had returned a different continuation instance from the one it was invoked with.\n     *\n     * Default implementation does nothing.\n     *\n     * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n     */\n    public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n        /* do nothing by default */\n    }\n\n    public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? {\n        // getPolymorphicKey specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is AbstractCoroutineContextKey<*, *>) {\n            @Suppress(\"UNCHECKED_CAST\")\n            return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n        }\n        @Suppress(\"UNCHECKED_CAST\")\n        return if (ContinuationInterceptor === key) this as E else null\n    }\n\n\n    public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n        // minusPolymorphicKey specialized for ContinuationInterceptor key\n        @OptIn(ExperimentalStdlibApi::class)\n        if (key is AbstractCoroutineContextKey<*, *>) {\n            return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n        }\n        return if (ContinuationInterceptor === key) EmptyCoroutineContext else this\n    }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between a set and a map.\n * Every element in this set has a unique [Key].\n */\n@SinceKotlin(\"1.3\")\npublic interface CoroutineContext {\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context starting with [initial] value and applying [operation]\n     * from left to right to current accumulator value and each element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this context and elements from  other [context].\n     * The elements from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) { acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed === EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if (interceptor == null) CombinedContext(removed, element) else {\n                        val left = removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                            CombinedContext(CombinedContext(left, element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key:
```

Key<*>): CoroutineContext\n\n /**\n * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n */\n public interface Key<E : Element>\n\n /**\n * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n */\n public interface Element : CoroutineContext {\n /**\n * A key of this coroutine context element.\n */\n public val key: Key<*>\n\n public override operator fun <E : Element> get(key: Key<E>): E? =\n @Suppress(\"UNCHECKED_CAST\")\n if (this.key == key) this as E else null\n\n public override fun <R> fold(initial: R, operation: (R, Element) ->
R): R =\n operation(initial, this)\n\n public override fun minusKey(key: Key<*>): CoroutineContext =\n if (this.key == key) EmptyCoroutineContext else this\n }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.CoroutineContext.Element\nimport kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n@SinceKotlin(\"1.3\")\npublic abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n/**\n * Base class for [CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n * Polymorphic element implementation implies delegating its [get][Element.get] and [minusKey][Element.minusKey]\n * to [getPolymorphicElement]
and [minusPolymorphicKey] respectively.\n *\n * Polymorphic elements can be extracted from the coroutine context using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class BaseElement : CoroutineContext.Element {\n * companion object Key : CoroutineContext.Key<BaseElement>\n * override val key: CoroutineContext.Key<*> get() = Key\n * // It is important to use getPolymorphicKey and minusPolymorphicKey\n * override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? = getPolymorphicElement(key)\n * override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext = minusPolymorphicKey(key)\n * }\n *\n * class DerivedElement : BaseElement() {\n * companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as? DerivedElement })\n * }\n * // Now it is possible to query both `BaseElement` and `DerivedElement`\n * someContext[BaseElement] // Returns BaseElement?,
non-null both for BaseElement and DerivedElement instances\n * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement instance\n * ```\n * @param B base class of a polymorphic element\n * @param baseKey an instance of base key\n * @param E element type associated with the current key\n * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n * and return the element if it is a subtype of [E] or `null` otherwise.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic abstract class AbstractCoroutineContextKey<B : Element, E : B>(\n baseKey: Key<B>,\n private val safeCast: (element: Element) -> E?\n) : Key<E> {\n private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n\n internal fun tryCast(element: Element): E? = safeCast(element)\n internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
=== key\n}\n\n/**\n * Returns the current element if it is associated with the given [key] in a polymorphic manner or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun <E : Element> Element.getPolymorphicElement(key: Key<E>): E? {\n if (key is AbstractCoroutineContextKey<*, *>) {\n @Suppress(\"UNCHECKED_CAST\")\n return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n }\n @Suppress(\"UNCHECKED_CAST\")\n return if (this.key === key) this as E else null\n}\n\n/**\n * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or `null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the

```
 given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See [AbstractCoroutineContextKey] for the example of usage.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>): CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key) EmptyCoroutineContext else this\n}\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin(\"1.3\")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long = 0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key: Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public override fun plus(context: CoroutineContext): CoroutineContext
 = context\n    public override fun minusKey(key: Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString(): String = \"EmptyCoroutineContext\"\n}\n\n//---------- internal impl ----------\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally\n@SinceKotlin(\"1.3\")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n\n    override fun <E : Element> get(key: Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return next[key]\n            }\n        }\n    }\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R):
 R =\n        operation(left.fold(initial, operation), element)\n\n    public override fun minusKey(key: Key<*>): CoroutineContext {\n        element[key]?.let { return left }\n        val newLeft = left.minusKey(key)\n        return when {\n            newLeft === left -> this\n            newLeft === EmptyCoroutineContext -> element\n            else -> CombinedContext(newLeft, element)\n        }\n    }\n\n    private fun size(): Int {\n        var cur = this\n        var size = 2\n        while (true) {\n            cur = cur.left as? CombinedContext ?: return size\n            size++\n        }\n    }\n\n
 private fun contains(element: Element): Boolean =\n        get(element.key) == element\n\n    private fun containsAll(context: CombinedContext): Boolean {\n        var cur = context\n        while (true) {\n            if (!contains(cur.element)) return false\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            }
 else {\n                return contains(next as Element)\n            }\n        }\n    }\n\n    override fun equals(other: Any?): Boolean =\n        this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\n    override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n    override fun toString(): String =\n        \"[\" + fold(\"\") { acc, element ->\n            if (acc.isEmpty()) element.toString() else \"$acc, $element\"\n        } + \"]\"\n\n    private fun writeReplace(): Any {\n        val n = size()\n        val elements = arrayOfNulls<CoroutineContext>(n)\n        var index = 0\n        fold(Unit) { _, element -> elements[index++] = element }\n        check(index == n)\n        @Suppress(\"UNCHECKED_CAST\")\n        return Serialized(elements as Array<CoroutineContext>)\n    }\n\n    private class Serialized(val elements: Array<CoroutineContext>) : Serializable {\n        companion object {\n            private const val serialVersionUID:
 Long = 0L\n        }\n\n        private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n    }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"IntrinsicsKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin.coroutines.intrinsics\n\nimport kotlin.contracts.*\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n *\n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall
```

be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n *\n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend function's author.\n *\n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n *\n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\n@Suppress(\"UNUSED_PARAMETER\", \"RedundantSuspendModifier\")\npublic suspend inline fun <T> suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {\n   contract { callsInPlace(block, InvocationKind.EXACTLY_ONCE) }\n   throw NotImplementedError(\"Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic\")\n}\n\n/**\n * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n *\n * **Note: this value should not be used in general code.** Using it outside of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified behavior of the code.\n */\n// It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\n@SinceKotlin(\"1.3\")\npublic val COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n@SinceKotlin(\"1.3\")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte = (this.toInt().inv()).toByte()\n\n\n/** Performs a bitwise AND operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short = (this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short = (this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values.
*/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short = (this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value.

/\n@SinceKotlin(\"1.1\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short = (this.toInt().inv()).toShort()\n\n\n","/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.experimental\n\n/**\n * The experimental marker for type inference augmenting annotations.\n *\n * Any usage of a declaration annotated with `@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-opt-in=kotlin.experimental.ExperimentalTypeInference`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTypeInference\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be ignored during type inference.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n */\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types, receiver type or expected type).\n */\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`), referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding argument is passed.\n */\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via [errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported, HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind] specifies which version should be compared with the [version] value, when compiling the usage of the annotated declaration.\n *

Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported, so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version. Since 1.2, the

Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION], [RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n * If the actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n * Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored in a more compact form in the Kotlin metadata.\n */\n@Target(AnnotationTarget.CLASS, AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR, AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin(\"1.2\")\ninternal
annotation class RequireKotlin(\n   val version: String,\n   val message: String = \"\",\n   val level: DeprecationLevel = DeprecationLevel.ERROR,\n   val versionKind: RequireKotlinVersionKind = RequireKotlinVersionKind.LANGUAGE_VERSION,\n   val errorCode: Int = -1)\n\n/**\n * The kind of the version that is required by [RequireKotlin].\n */\n@SinceKotlin(\"1.2\")\ninternal enum class RequireKotlinVersionKind {\n   LANGUAGE_VERSION,\n   COMPILER_VERSION,\n   API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing function's contract.\n */\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin(\"1.2\")\ninternal annotation class ContractsDsl\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n
 * Standard property delegates.\n */\npublic object Delegates {\n   /**\n   * Returns a property delegate for a read/write property with a non-`null` value that is initialized not during\n   * object construction time but at a later time. Trying to read the property before the initial value has been\n   * assigned results in an exception.\n   *\n   * @sample samples.properties.Delegates.notNullDelegate\n   */\n   public fun <T : Any> notNull(): ReadWriteProperty<Any?, T> = NotNullVar()\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed.\n   * @param initialValue the initial value of the property.\n
 * @param onChange the callback which is called after the change of the property is made. The value of the property\n   * has already been changed when this callback is invoked.\n   *\n   * @sample samples.properties.Delegates.observableDelegate\n   */\n   public
 inline fun <T> observable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n   ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n override fun afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n   }\n\n   /**\n   * Returns a property delegate for a read/write property that calls a specified callback function when changed,\n   * allowing the callback to veto the modification.\n   * @param initialValue the initial value of the property.\n   * @param onChange the callback which is called before a change to the property value is attempted.\n   * The value of the property hasn't been changed yet, when this callback is invoked.\n   * If the callback returns `true` the value of the property is being set to the new value,\n   * and if the callback returns `false` the new value is discarded and the property remains
 its old value.\n   *\n   * @sample samples.properties.Delegates.vetoableDelegate\n   * @sample samples.properties.Delegates.throwVetoableDelegate\n   */\n   public inline fun <T> vetoable(initialValue: T, crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n ReadWriteProperty<Any?, T> =\n   object : ObservableProperty<T>(initialValue) {\n   override fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = onChange(property, oldValue, newValue)\n   }\n\n}\n\n\nprivate class NotNullVar<T : Any>() : ReadWriteProperty<Any?, T> {\n   private var value: T? = null\n\n   public override fun getValue(thisRef: Any?, property: KProperty<*>): T {\n   return value ?: throw IllegalStateException(\"Property ${property.name} should be initialized before get.\")\n   }\n\n   public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n   this.value = value\n   }\n}\n\n","/*\n

* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Base interface that can be used for implementing property delegates of read-only properties.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n *\n * @param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n */\npublic fun interface ReadOnlyProperty<in T, out V> {\n /**\n * Returns the value of the property for the given object.\n * @param thisRef the object for which the value is requested.\n * @param property the metadata for the property.\n * @return the property value.\n */\n public operator fun getValue(thisRef: T, property: KProperty<*>): V\n}\n\n/**\n * Base interface that can be used for implementing property delegates of read-write properties.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your property delegate has methods with the same signatures.\n *\n * @param T the type of object which owns the delegated property.\n * @param V the type of the property value.\n */\npublic interface ReadWriteProperty<in T, V> : ReadOnlyProperty<T, V> {\n /**\n * Returns the value of the property for the given object.\n * @param thisRef the object for which the value is requested.\n * @param property the metadata for the property.\n * @return the property value.\n */\n public override operator fun getValue(thisRef: T, property: KProperty<*>): V\n\n /**\n * Sets the value of the property for the given object.\n * @param thisRef the object for which the value is requested.\n * @param property the metadata for the property.\n * @param value the value to set.\n */\n public operator fun setValue(thisRef: T, property: KProperty<*>, value: V)\n}\n\n/**\n * Base interface that can be used for implementing property delegate providers.\n *\n * This is provided only for convenience; you don't have to extend this interface\n * as long as your delegate provider has a method with the same signature.\n *\n * @param T the type of object which owns the delegated property.\n * @param D the type of property delegates this provider provides.\n */\n@SinceKotlin(\"1.4\")\npublic fun interface PropertyDelegateProvider<in T, out D> {\n /**\n * Returns the delegate of the property for the given object.\n *\n * This function can be used to extend the logic of creating the object (e.g. perform validation checks)\n * to which the property implementation is delegated.\n *\n * @param thisRef the object for which property delegate is requested.\n * @param property the metadata for the property.\n * @return the property delegate.\n */\n public operator fun provideDelegate(thisRef: T, property: KProperty<*>): D\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the initial value of the property.\n */\npublic abstract class ObservableProperty<V>(initialValue: V) : ReadWriteProperty<Any?, V> {\n private var value = initialValue\n\n /**\n * The callback which is called before a change to the property value is attempted.\n * The value of the property hasn't been changed yet, when this callback is invoked.\n * If the callback returns `true` the value of the property is being set to the new value,\n * and if the callback returns `false` the new value is discarded and the property remains its old value.\n */\n protected open fun beforeChange(property: KProperty<*>, oldValue: V, newValue: V): Boolean = true\n\n /**\n * The callback which is called after the change of the property is made. The value of the property\n * has already been changed when this callback is invoked.\n */\n protected open fun afterChange(property: KProperty<*>, oldValue: V, newValue: V): Unit {}\n\n public override fun getValue(thisRef: Any?, property: KProperty<*>): V {\n return value\n }\n\n public override fun setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n val oldValue = this.value\n if (!beforeChange(property, oldValue, value)) {\n return\n }\n this.value = value\n afterChange(property, oldValue, value)\n }\n}","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"PackageDirectoryMismatch\")\npackage kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type

[V]\n * to a property reference to a property of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String)\n * val defaultLogin = Login(\"Admin\")\n * val defaultUsername by defaultLogin::username\n * // equivalent to\n * val defaultUserName get() = defaultLogin.username\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> KProperty0<V>.getValue(thisRef:
Any?, property: KProperty<*>): V {\n return get()\n}\n\n/**\n * An extension operator that allows delegating a mutable property of type [V]\n * to a property reference to a mutable property of the same type [V].\n *\n * @receiver A property reference to a mutable property of type [V].\n * The reference is without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin = Login(\"Admin\")\n * var defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n * var defaultLoginAttempts: Int\n * get() = defaultLogin.incorrectAttemptCounter\n * set(value) { defaultLogin.incorrectAttemptCounter = value }\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n set(value)\n}\n\n\n/**\n * An extension operator that allows delegating a read-only member or extension property of type [V]\n * to a property reference to a member or extension property of type [V] or its subtype.\n *\n * @receiver A property reference to a read-only or mutable property of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String)\n * val Login.user by Login::username\n * // equivalent to\n * val Login.user get() = this.username\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KProperty1<T, V>.getValue(thisRef: T, property: KProperty<*>): V {\n return get(thisRef)\n}\n\n/**\n * An extension operator that allows delegating a mutable member or extension property of type [V]\n * to a property reference to a member or extension mutable property of the same type [V].\n *\n * @receiver A property reference to a read-only or mutable property
of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n *\n * Example:\n *\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int)\n * var Login.attempts by Login::incorrectAttemptCounter\n * // equivalent to\n * var Login.attempts: Int\n * get() = this.incorrectAttemptCounter\n * set(value) { this.incorrectAttemptCounter = value }\n * ```\n */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KMutableProperty1<T, V>.setValue(thisRef: T, property: KProperty<*>, value: V) {\n set(thisRef, value)\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n *\n * The companion object [Random.Default]
is the default instance of [Random].\n *\n * To get a seeded instance of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n */\n@SinceKotlin(\"1.3\")\npublic abstract class Random {\n\n /**\n * Gets the next random [bitCount] number of bits.\n *\n * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining upper bits are zero.\n *\n * @param bitCount number of bits to generate, must be in range 0..32, otherwise the behavior is unspecified.\n *\n * @sample samples.random.Randoms.nextBits\n */\n public abstract fun nextBits(bitCount: Int): Int\n\n /**\n * Gets the next random `Int` from the random number generator.\n *\n * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n *\n * @sample samples.random.Randoms.nextInt\n */\n public open fun nextInt(): Int = nextBits(32)\n\n
 /**\n * Gets the next random non-negative `Int` from the random number generator less than the specified [until] bound.\n *\n * Generates an `Int` random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @param until must be positive.\n *\n * @throws

```
IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample
samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n
 /**\n     * Gets the next random `Int` from the random number generator in the specified range.\n     *\n     *
Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n     * @sample samples.random.Randoms.nextIntFromUntil\n     */\n    public open fun nextInt(from: Int, until:
 Int): Int {\n        checkRangeBounds(from, until)\n        val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE)
{\n            val rnd = if (n and -n == n) {\n                val bitCount = fastLog2(n)\n                nextBits(bitCount)\n
 } else {\n                var v: Int\n                do {\n                    val bits = nextInt().ushr(1)\n                    v = bits % n\n
            } while (bits - v + (n - 1) < 0)\n                v\n            }\n            return from + rnd\n        } else {\n            while
(true) {\n                val rnd = nextInt()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n
/**\n     * Gets the next random `Long` from the random number generator.\n     *\n     * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     *\n     *
@sample samples.random.Randoms.nextLong\n     */\n    public open fun nextLong():
 Long = nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the
random number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value
uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until
must be positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     *
@sample samples.random.Randoms.nextLongFromUntil\n     */\n    public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random number generator in the specified
range.\n     *\n     * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n     *\n     * @sample samples.random.Randoms.nextLongFromUntil\n
     */\n    public open fun nextLong(from: Long, until: Long): Long {\n        checkRangeBounds(from, until)\n
val n = until - from\n        if (n > 0) {\n            val rnd: Long\n            if (n and -n == n) {\n                val nLow =
n.toInt()\n                val nHigh = (n ushr 32).toInt()\n                rnd = when {\n                    nLow != 0 -> {\n
        val bitCount = fastLog2(nLow)\n                        // toUInt().toLong()\n
nextBits(bitCount).toLong() and 0xFFFF_FFFF\n                    }\n                    nHigh == 1 ->\n                        //
toUInt().toLong()\n                        nextInt().toLong() and 0xFFFF_FFFF\n                    else -> {\n                        val
bitCount = fastLog2(nHigh)\n                        nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and
0xFFFF_FFFF)\n                    }\n                }\n            } else {\n                var v: Long\n
        do {\n                    val bits = nextLong().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1)
< 0)\n                rnd = v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val
rnd = nextLong()\n                if (rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the
next random [Boolean] value.\n     *\n     * @sample samples.random.Randoms.nextBoolean\n     */\n    public open
fun nextBoolean(): Boolean = nextBits(1) != 0\n\n    /**\n     * Gets the next random [Double] value uniformly
distributed between 0 (inclusive) and 1 (exclusive).\n     *\n     * @sample samples.random.Randoms.nextDouble\n
 */\n    public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))\n\n    /**\n     * Gets
the next random non-negative `Double` from the random number generator less than the specified [until] bound.\n
*\n
 * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).\n     *\n
* @throws IllegalArgumentException if [until] is negative or zero.\n     *\n     * @sample
samples.random.Randoms.nextDoubleFromUntil\n     */\n    public open fun nextDouble(until: Double): Double =
nextDouble(0.0, until)\n\n    /**\n     * Gets the next random `Double` from the random number generator in the
specified range.\n     *\n     * Generates a `Double` random value uniformly distributed between the specified [from]
(inclusive) and [until] (exclusive) bounds.\n     *\n     * [from] and [until] must be finite otherwise the behavior is
unspecified.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n     *\n
* @sample samples.random.Randoms.nextDoubleFromUntil\n     */\n    public open fun nextDouble(from: Double,
```

```
until: Double): Double {\n        checkRangeBounds(from, until)\n        val size = until - from\n
      val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {\n            val r1 = nextDouble() * (until / 2 -
from / 2)\n            from + r1 + r1\n        } else {\n            from + nextDouble() * size\n        }\n        return if (r >=
until) until.nextDown() else r\n    }\n\n    /**\n     * Gets the next random [Float] value uniformly distributed
between 0 (inclusive) and 1 (exclusive).\n     *\n     * @sample samples.random.Randoms.nextFloat\n     */\n
public open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()\n\n    /**\n     * Fills a subrange of the
specified byte [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive\n     * with random
bytes.\n     *\n     * @return [array] with the subrange filled with random bytes.\n     *\n     * @sample
samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(array: ByteArray, fromIndex: Int = 0,
toIndex: Int = array.size): ByteArray {\n        require(fromIndex in
 0..array.size && toIndex in 0..array.size) { \"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}.\" }\n        require(fromIndex <= toIndex) { \"fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\" }\n\n        val steps = (toIndex - fromIndex) / 4\n\n        var position = fromIndex\n
repeat(steps) {\n            val v = nextInt()\n            array[position] = v.toByte()\n            array[position + 1] =
v.ushr(8).toByte()\n            array[position + 2] = v.ushr(16).toByte()\n            array[position + 3] =
v.ushr(24).toByte()\n            position += 4\n        }\n\n        val remainder = toIndex - position\n        val vr =
nextBits(remainder * 8)\n        for (i in 0 until remainder) {\n            array[position + i] = vr.ushr(i * 8).toByte()\n
 }\n\n        return array\n    }\n\n    /**\n     * Fills the specified byte [array] with random bytes and returns it.\n     *\n
   * @return [array] filled with random bytes.\n
     *\n     * @sample samples.random.Randoms.nextBytes\n     */\n    public open fun nextBytes(array: ByteArray):
ByteArray = nextBytes(array, 0, array.size)\n\n    /**\n     * Creates a byte array of the specified [size], filled with
random bytes.\n     *\n     * @sample samples.random.Randoms.nextBytes\n     */\n    public open fun
nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))\n\n\n    /**\n     * The default random number
generator.\n     *\n     * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.\n
*\n     * @sample samples.random.Randoms.defaultRandom\n     */\n    companion object Default : Random(),
Serializable {\n        private val defaultRandom: Random = defaultPlatformRandom()\n\n        private object
Serialized : Serializable {\n            private const val serialVersionUID = 0L\n\n            private fun readResolve():
Any = Random\n        }\n\n        private fun writeReplace(): Any = Serialized\n\n
   override fun nextBits(bitCount: Int): Int = defaultRandom.nextBits(bitCount)\n        override fun nextInt(): Int =
defaultRandom.nextInt()\n        override fun nextInt(until: Int): Int = defaultRandom.nextInt(until)\n        override
fun nextInt(from: Int, until: Int): Int = defaultRandom.nextInt(from, until)\n\n        override fun nextLong(): Long =
defaultRandom.nextLong()\n        override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)\n
override fun nextLong(from: Long, until: Long): Long = defaultRandom.nextLong(from, until)\n\n        override fun
nextBoolean(): Boolean = defaultRandom.nextBoolean()\n\n        override fun nextDouble(): Double =
defaultRandom.nextDouble()\n        override fun nextDouble(until: Double): Double =
defaultRandom.nextDouble(until)\n        override fun nextDouble(from: Double, until: Double): Double =
defaultRandom.nextDouble(from, until)\n\n        override fun nextFloat(): Float = defaultRandom.nextFloat()\n\n
override
 fun nextBytes(array: ByteArray): ByteArray = defaultRandom.nextBytes(array)\n        override fun nextBytes(size:
Int): ByteArray = defaultRandom.nextBytes(size)\n        override fun nextBytes(array: ByteArray, fromIndex: Int,
toIndex: Int): ByteArray =\n            defaultRandom.nextBytes(array, fromIndex, toIndex)\n    }\n}\n\n/**\n *
Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n *\n * Two generators with
the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:*
Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a
sequence of values different from the current one for a given seed.\n *\n * On JVM the returned generator is NOT
thread-safe. Do not invoke it from multiple threads without proper synchronization.\n *\n * @sample
samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Int): Random =
```

XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will return\n * a sequence of values different from the current one for a given seed.\n *\n * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without proper synchronization.\n *\n * @sample samples.random.Randoms.seededRandom\n */\n@SinceKotlin(\"1.3\")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n/**\n * Gets the next random `Int` from the random number generator in the specified [range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextInt(range: IntRange): Int = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n   range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n   else -> nextInt()\n}\n\n/**\n * Gets the next random `Long` from the random number generator in the specified [range].\n *\n * Generates a `Long` random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.3\")\npublic fun Random.nextLong(range: LongRange): Long = when {\n   range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n   range.last < Long.MAX_VALUE -> nextLong(range.first, range.last
+ 1)\n   range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) + 1\n   else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\ninternal fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n/** Takes upper [bitCount] bits (0..32) from this number. */\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n   this.ushr(32 - bitCount) and (-bitCount).shr(31)\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkRangeBounds(from: Double, until: Double) = require(until > from) { boundsErrorMessage(from, until) }\n\ninternal fun boundsErrorMessage(from: Any, until: Any) = \"Random range is empty: [$from, $until).\"\n\","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(): UInt = nextInt().toUInt()\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n/**\n * Gets the next random
[UInt] from the random number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(from: UInt, until: UInt): UInt {\n   checkUIntRangeBounds(from, until)\n\n   val signedFrom = from.toInt() xor Int.MIN_VALUE\n   val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n   val signedResult = nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n   return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value

uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is
empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextUInt(range: UIntRange): UInt = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < UInt.MAX_VALUE -> nextUInt(range.first, range.last + 1u)\n range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) + 1u\n else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n * Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and [ULong.MAX_VALUE] (inclusive).\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly distributed between `0` (inclusive) and the specified [until] bound
(exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(from: ULong, until: ULong): ULong {\n checkULongRangeBounds(from, until)\n\n val signedFrom = from.toLong() xor Long.MIN_VALUE\n val signedUntil = until.toLong() xor Long.MIN_VALUE\n\n val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n return signedResult.toULong()\n}\n\n/**\n * Gets the next random
[ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Random.nextULong(range: ULongRange): ULong = when {\n range.isEmpty() -> throw IllegalArgumentException(\"Cannot get random in empty range: $range\")\n range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray): UByteArray {\n nextBytes(array.asByteArray())\n
return array\n}\n\n/**\n * Creates an unsigned byte array of the specified [size], filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n nextBytes(array.asByteArray(), fromIndex, toIndex)\n return array\n}\n\n\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until > from) { boundsErrorMessage(from, until) }\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until) }\n","/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's \"xorwow\" algorithm\n *\n * Cycles after 2^192 - 2^32 repetitions.\n

*\n * For more details, see Marsaglia, George (July 2003). \"Xorshift RNGs\". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n *\n * Available at https://www.jstatsoft.org/v08/i14/paper\n *\n */\ninternal class XorWowRandom internal constructor(\n   private var x: Int,\n   private var y: Int,\n   private var z: Int,\n   private var w: Int,\n   private var v: Int,\n   private var addend: Int\n) : Random(), Serializable {\n\n   internal constructor(seed1: Int, seed2: Int) :\n   this(seed1, seed2, 0, 0, seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n   init {\n   require((x or y or z or w or v) != 0) { \"Initial state must have at least one non-zero element.\" }\n\n   // some trivial seeds can produce several values with zeroes in upper bits, so we discard first 64\n   repeat(64) { nextInt() }\n   }\n\n   override fun nextInt(): Int {\n   // Equivalent to the xorxow algorithm\n   // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n   var t = x\n   t = t xor (t ushr 2)\n   x = y\n   y = z\n   z = w\n   val v0 = v\n   w = v0\n   t = (t xor (t shl 1)) xor v0 xor (v0 shl 4)\n   v = t\n   addend += 362437\n   return t + addend\n   }\n\n   override fun nextBits(bitCount: Int): Int =\n   nextInt().takeUpperBits(bitCount)\n\n   private companion object {\n   private const val serialVersionUID: Long = 0L\n   }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"RangesKt\")\n\npackage kotlin.ranges\n\n/**\n * Represents a range of [Comparable] values.\n */\nprivate open class ComparableRange<T : Comparable<T>>(\n   override val start: T,\n   override val endInclusive: T\n) : ClosedRange<T> {\n\n   override fun equals(other: Any?): Boolean {\n   return other is ComparableRange<*> && (isEmpty() && other.isEmpty() ||\n   start == other.start && endInclusive == other.endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$start..$endInclusive\"\n}\n\n/**\n * Creates a range from this [Comparable] value to the specified [that] value.\n *\n * This value needs to be smaller than or equal to [that] value, otherwise the returned range will be empty.\n * @sample samples.ranges.Ranges.rangeFromComparable\n */\npublic operator fun <T : Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n\n\n/**\n * Represents a range of floating point numbers.\n * Extends [ClosedRange] interface providing custom operation [lessThanOrEquals] for comparing values of range domain type.\n *\n * This interface is implemented by floating point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order instead of total order of floating point numbers.\n */\n@SinceKotlin(\"1.1\")\npublic interface ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n   override fun contains(value: T): Boolean = lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n   override fun isEmpty(): Boolean = !lessThanOrEquals(start, endInclusive)\n\n   /**\n   * Compares two values of range domain type and returns true if first is less than or equal to second.\n   */\n   fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n\n/**\n * A closed range of values of type `Double`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedDoubleRange(\n   start: Double,\n   endInclusive: Double\n) : ClosedFloatingPointRange<Double> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Double get() = _start\n   override val endInclusive: Double get() = _endInclusive\n\n   override fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n   override fun contains(value: Double): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedDoubleRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode()\n   + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Double] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Double.rangeTo(that: Double): ClosedFloatingPointRange<Double>

= ClosedDoubleRange(this, that)\n\n\n/**\n * A closed range of values of type `Float`.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n */\nprivate class ClosedFloatRange(\n   start: Float,\n   endInclusive: Float\n) : ClosedFloatingPointRange<Float> {\n   private val _start = start\n   private val _endInclusive = endInclusive\n   override val start: Float get() = _start\n   override val endInclusive: Float get() = _endInclusive\n\n   override fun lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n   override fun contains(value: Float): Boolean = value >= _start && value <= _endInclusive\n   override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n   override fun equals(other: Any?): Boolean {\n   return other is ClosedFloatRange && (isEmpty() && other.isEmpty() ||\n   _start == other._start && _endInclusive == other._endInclusive)\n   }\n\n   override fun hashCode(): Int {\n   return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n   }\n\n   override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float] value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-754.\n * @sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin(\"1.1\")\npublic operator fun Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n\n\n/**\n * Returns `true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?): Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n   element != null && contains(element)\n\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n   if (!isPositive) throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"KClasses\")\n@file:Suppress(\"UNCHECKED_CAST\")\n\npackage kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of this\n class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResolution\nfun <T : Any> KClass<T>.cast(value: Any?): T {\n   if (!isInstance(value)) throw ClassCastException(\"Value cannot be cast to $qualifiedOrSimpleName\")\n   return value as T\n}\n\n// TODO: replace with qualifiedName when it is fully supported in K/JS\ninternal expect val KClass<*>.qualifiedOrSimpleName: String?\n\n/**\n * Casts the given [value] to the class represented by this [KClass] object.\n * Returns `null` if the value is `null` or if it is not an instance of this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.cast]\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@LowPriorityInOverloadResolution\nfun\n <T : Any> KClass<T>.safeCast(value: Any?): T? {\n   return if (isInstance(value)) value as T else null\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmStatic\n\n\n\n/**\n * Represents a type projection. Type projection is usually the argument to another type in a type usage.\n * For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.\n *\n * Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections)\n * for more information.\n */\n@SinceKotlin(\"1.1\")\npublic\n data class KTypeProjection constructor(\n   /**\n   * The use-site variance specified in the projection, or `null` if this is a star projection.\n   */\n   public val variance: KVariance?,\n   /**\n   * The type specified in the

projection, or `null` if this is a star projection.\n */\n public val type: KType?\n) {\n\n init {\n require((variance == null) == (type == null)) {\n if (variance == null)\n \"Star projection must have no type specified.\"\n else\n \"The projection variance $variance requires type to be specified.\"\n }\n }\n\n override fun toString(): String = when (variance) {\n null -> \"*\"\n KVariance.INVARIANT -> type.toString()\n KVariance.IN -> \"in $type\"\n KVariance.OUT -> \"out $type\"\n }\n\n public companion object {\n // provided for compiler access\n @JvmField\n @PublishedApi\n internal val
star: KTypeProjection = KTypeProjection(null, null)\n\n /**\n * Star projection, denoted by the `*` character.\n * For example, in the type `KClass<*>`, `*` is the star projection.\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections)\n * for more information.\n */\n public val STAR: KTypeProjection get() = star\n\n /**\n * Creates an invariant projection of a given type. Invariant projection is just the type itself,\n * without any use-site variance modifiers applied to it.\n * For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.\n */\n @JvmStatic\n public fun invariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.INVARIANT, type)\n\n /**\n * Creates a contravariant projection of a given type, denoted by the `in`
modifier applied to a type.\n * For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.\n */\n @JvmStatic\n public fun contravariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.IN, type)\n\n /**\n * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.\n * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.\n */\n @JvmStatic\n public fun covariant(type: KType): KTypeProjection =\n KTypeProjection(KVariance.OUT, type)\n }\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n * Represents variance applied to a type parameter on the declaration site (*declaration-site variance*),\n * or to a type in a projection (*use-site variance*).\n *\n * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)\n * for more information.\n *\n * @see [KTypeParameter.variance]\n * @see [KTypeProjection]\n */\n@SinceKotlin(\"1.1\")\nenum class KVariance {\n /**\n * The affected type parameter or type is *invariant*, which means it has no variance applied to it.\n */\n INVARIANT,\n\n /**\n * The affected type parameter or type is *contravariant*. Denoted by the `in` modifier in the source code.\n */\n IN,\n\n /**\n * The affected type parameter or type is *covariant*. Denoted by the `out` modifier in the source code.\n */\n OUT,\n}","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt
file.\n */\n\npackage kotlin.reflect\n\n/**\n * Returns a runtime representation of the given reified type [T] as an instance of [KType].\n *\n * Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list)\n * even if the type in the source code is annotated. Support for type annotations might be added in a future version.\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <reified T> typeOf(): KType =\n throw UnsupportedOperationException(\"This function is implemented as an intrinsic on all supported platforms.\")\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * An object to which char sequences and values can be
appended.\n */\nexpect interface Appendable {\n /**\n * Appends the specified character [value] to this Appendable and returns this instance.\n *\n * @param value the character to append.\n */\n fun append(value: Char): Appendable\n\n /**\n * Appends the specified character sequence [value] to this

Appendable and returns this instance.\n *\n * @param value the character sequence to append. If [value] is `null`, then the four characters `\"null\"` are appended to this Appendable.\n */\n fun append(value: CharSequence?): Appendable\n\n /**\n * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value] contained the four characters `\"null\"`.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable\n}\n\n/**\n * Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T : Appendable> T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n @Suppress(\"UNCHECKED_CAST\")\n return append(value, startIndex, endIndex) as T\n}\n\n/**\n * Appends all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n for (item in value)\n append(item)\n return this\n}\n\n/** Appends a line feed character (`\\n`) to this Appendable. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(): Appendable = append('\\n')\n\n/** Appends value to the given Appendable and a line feed character (`\\n`) after it. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n\n/** Appends value to the given Appendable and a line feed character (`\\n`) after it. */\n@SinceKotlin(\"1.4\")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: Char): Appendable = append(value).appendLine()\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) -> CharSequence)?) {\n when {\n transform != null -> append(transform(element))\n element is CharSequence? -> append(element)\n element is Char -> append(element)\n else -> append(element.toString())\n }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = \"|\"): String =\n replaceIndentByMargin(\"\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = \"\", marginPrefix: String = \"|\"): String {\n require(marginPrefix.isNotBlank()) { \"marginPrefix must be non-blank string.\" }\n val lines = lines()\n\n return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line ->\n val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace() }\n\n when {\n firstNonWhitespaceIndex == -1 -> null\n line.startsWith(marginPrefix, firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex +

```
marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun String.trimIndent(): String = replaceIndent(\"\")\n\n/**\n * Detects a common minimal indent like it does [trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String = \"\"): String {\n    val lines = lines()\n\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n        .map(String::indentWidth)\n        .minOrNull() ?: 0\n\n    return lines.reindent(length + newIndent.length * lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every line of the original string.\n *\n * Doesn't preserve the original line endings.\n */\npublic fun String.prependIndent(indent: String = \"    \"): String =\n    lineSequence()\n        .map {\n            when {\n                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n                        else -> it\n                    }\n                }\n                else -> indent + it\n            }\n        }\n        .joinToString(\"\\n\")\n\nprivate fun String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction: (String) -> String,\n    indentCutFunction: (String) -> String?\n): String {\n    val lastIndex = lastIndex\n    return mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n            null\n        else\n            indentCutFunction(value)?.let(indentAddFunction) ?: value\n    }\n    .joinTo(StringBuilder(resultSizeEstimate), \"\\n\")\n    .toString()\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Defines names for Unicode symbols used in proper Typography.\n */\npublic object Typography {\n    /** The character &#x22; \u2013 quotation mark */\n    public const val quote: Char = '\\u0022'\n    /** The character &#x24; \u2013 dollar sign */\n    public const val dollar: Char = '\\u0024'\n    /** The character &#x26; \u2013 ampersand */\n    public const val amp: Char = '\\u0026'\n    /** The character &#x3C; \u2013 less-than sign */\n    public const val less: Char = '\\u003C'\n    /** The character &#x3E; \u2013 greater-than sign */\n    public const val greater: Char = '\\u003E'\n    /** The non-breaking space character */\n    public const val nbsp: Char = '\\u00A0'\n    /** The character &#xD7; */\n    public const val times: Char = '\\u00D7'\n    /** The character &#xA2; */\n    public const val cent: Char = '\\u00A2'\n    /** The character &#xA3; */\n    public const val pound: Char = '\\u00A3'\n    /** The character &#xA7; */\n    public const val section: Char = '\\u00A7'\n    /** The character &#xA9; */\n    public const val copyright: Char = '\\u00A9'\n    /** The character &#xAB; */\n    @SinceKotlin(\"1.6\")\n    public const val leftGuillemet: Char = '\\u00AB'\n    /** The character &#xBB; */\n    @SinceKotlin(\"1.6\")\n    public const val rightGuillemet: Char = '\\u00BB'\n    /** The character &#xAE; */\n    public const val registered: Char = '\\u00AE'\n    /** The character &#xB0; */\n    public const val degree: Char = '\\u00B0'\n    /** The character &#xB1; */\n    public const val plusMinus: Char = '\\u00B1'\n    /** The character &#xB6; */\n    public const val paragraph: Char = '\\u00B6'\n    /** The character &#xB7; */\n    public const val middleDot: Char = '\\u00B7'\n    /** The character &#xBD; */\n    public const val half: Char = '\\u00BD'\n    /** The character &#x2013; */\n    public const val ndash: Char = '\\u2013'\n    /** The character &#x2014; */\n    public const val mdash: Char = '\\u2014'\n    /** The character &#x2018; */\n    public const val leftSingleQuote: Char = '\\u2018'\n    /** The character &#x2019; */\n    public const val rightSingleQuote: Char = '\\u2019'\n    /** The character &#x201A; */\n    public const val lowSingleQuote: Char = '\\u201A'\n    /** The character &#x201C; */\n    public const val leftDoubleQuote: Char = '\\u201C'\n    /** The character &#x201D; */\n    public const val rightDoubleQuote: Char = '\\u201D'\n    /** The character &#x201E; */\n    public const val lowDoubleQuote: Char = '\\u201E'\n    /** The
```

character † */\n   public const val dagger: Char = '\\u2020'\n   /** The character ‡ */\n   public const val doubleDagger: Char = '\\u2021'\n   /** The character • */\n   public const val bullet: Char = '\\u2022'\n   /** The character … */\n   public const val ellipsis: Char = '\\u2026'\n   /** The character ′ */\n   public const val prime: Char = '\\u2032'\n   /** The character ″ */\n   public const val doublePrime: Char = '\\u2033'\n   /** The character € */\n   public const val euro: Char = '\\u20AC'\n   /** The character ™ */\n   public const val tm: Char = '\\u2122'\n   /** The character ≈ */\n   public const val almostEqual: Char = '\\u2248'\n   /** The character ≠ */\n   public const val notEqual: Char = '\\u2260'\n   /** The character ≤ */\n   public const val lessOrEqual: Char = '\\u2264'\n   /** The character ≥ */\n   public const val greaterOrEqual: Char = '\\u2265'\n\n   /** The character « */\n   @Deprecated(\"This constant has a typo in the name. Use leftGuillemet instead.\", ReplaceWith(\"Typography.leftGuillemet\"))\n   @DeprecatedSinceKotlin(\"1.6\")\n   public const val leftGuillemete: Char = '\\u00AB'\n\n   /** The character » */\n   @Deprecated(\"This constant has a typo in the name. Use rightGuillemet instead.\", ReplaceWith(\"Typography.rightGuillemet\"))\n   @DeprecatedSinceKotlin(\"1.6\")\n   public const val rightGuillemete: Char = '\\u00BB'\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Represents a collection of captured groups in a single match of a regular expression.\n *\n * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n *\n * An element of the collection at the particular index can be `null`,\n * if the corresponding group in the regular expression is optional and\n * there was no match captured by that group.\n */\npublic interface MatchGroupCollection : Collection<MatchGroup?> {\n\n   /** Returns a group with the specified [index].\n   *\n   * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.\n   *\n   * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0\n   * corresponds to the entire match.\n   */\n   public operator fun get(index: Int): MatchGroup?\n}\n\n/**\n * Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.\n */\n@SinceKotlin(\"1.1\")\npublic interface MatchNamedGroupCollection : MatchGroupCollection {\n   /**\n   * Returns a named group with the specified [name].\n   * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.\n   * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.\n   * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.\n   */\n   public operator fun get(name: String): MatchGroup?\n}\n\n/**\n * Represents the results from a single regular expression match.\n */\npublic interface MatchResult {\n   /** The range of indices in the original string where match was captured. */\n   public val range: IntRange\n   /** The substring from the input string captured by this match. */\n   public val value: String\n   /**\n   * A collection of groups matched by the regular expression.\n   *\n   * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n   * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n   */\n   public val groups: MatchGroupCollection\n   /**\n   * A list of matched indexed group values.\n   *\n   * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.\n   * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.\n   *\n   * If the group in the regular expression is optional and there were no match captured by that group,\n   * corresponding item in [groupValues] is an empty string.\n   *\n   * @sample samples.text.Regexps.matchDestructuringToGroupValues\n   */\n   public val groupValues: List<String>\n\n   /**\n   * An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.\n   *\n   * component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.\n   *\n   * @sample samples.text.Regexps.matchDestructuringToGroupValues\n   */\n   public val destructured: Destructured get() = Destructured(this)\n\n   /** Returns a new [MatchResult] with the results for the next match, starting at the position\n   * at which the last match ended (at the character after the last

matched character).\n */\n public fun next(): MatchResult?\n\n /**\n * Provides components for destructuring assignment of group values.\n *\n * [component1] corresponds to the value of the first group, [component2] \u2014 of the second, and so on.\n *\n * If the group in the regular expression is optional and there were no match captured by that group,\n * corresponding component value is an empty string.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public class Destructured internal constructor(public val match: MatchResult) {\n @kotlin.internal.InlineOnly\n public operator inline fun component1(): String = match.groupValues[1]\n @kotlin.internal.InlineOnly\n public operator inline fun component2(): String = match.groupValues[2]\n @kotlin.internal.InlineOnly\n public operator inline fun component3(): String = match.groupValues[3]\n @kotlin.internal.InlineOnly\n public operator inline fun component4(): String = match.groupValues[4]\n @kotlin.internal.InlineOnly\n public operator inline fun component5(): String = match.groupValues[5]\n @kotlin.internal.InlineOnly\n public operator inline fun component6(): String = match.groupValues[6]\n @kotlin.internal.InlineOnly\n public operator inline fun component7(): String = match.groupValues[7]\n @kotlin.internal.InlineOnly\n public operator inline fun component8(): String = match.groupValues[8]\n @kotlin.internal.InlineOnly\n public operator inline fun component9(): String = match.groupValues[9]\n @kotlin.internal.InlineOnly\n public operator inline fun component10(): String = match.groupValues[10]\n\n /**\n * Returns destructured group values as a list of strings.\n * First value in the returned list corresponds to the value of the first group, and so on.\n *\n * @sample samples.text.Regexps.matchDestructuringToGroupValues\n */\n public fun toList(): List<String> = match.groupValues.subList(1, match.groupValues.size)\n }\n}","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName(\"DurationUnitKt\")\n\npackage kotlin.time\n\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24 [HOURS].\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\npublic expect enum class DurationUnit {\n /**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n */\n NANOSECONDS,\n /**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n */\n MICROSECONDS,\n /**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n */\n MILLISECONDS,\n /**\n * Time unit representing one second.\n */\n SECONDS,\n /**\n * Time unit representing one minute.\n */\n MINUTES,\n /**\n * Time unit representing one hour.\n */\n HOURS,\n /**\n * Time unit representing one day, which is always equal to 24 hours.\n */\n DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified [targetUnit]. */\n@SinceKotlin(\"1.3\")\ninternal expect fun convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown result is unspecified\n@SinceKotlin(\"1.5\")\ninternal expect fun convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range boundaries\n@SinceKotlin(\"1.5\")\ninternal expect fun convertDurationUnit(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long\n\n\n@SinceKotlin(\"1.3\")\n@Suppress(\"REDUNDANT_ELSE_IN_WHEN\")\ninternal fun DurationUnit.shortName(): String = when (this) {\n DurationUnit.NANOSECONDS -> \"ns\"\n DurationUnit.MICROSECONDS -> \"us\"\n DurationUnit.MILLISECONDS -> \"ms\"\n DurationUnit.SECONDS -> \"s\"\n DurationUnit.MINUTES -> \"m\"\n DurationUnit.HOURS -> \"h\"\n DurationUnit.DAYS -> \"d\"\n else -> error(\"Unknown unit: $this\")\n}\n\n@SinceKotlin(\"1.5\")\ninternal fun durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n \"ns\" -> DurationUnit.NANOSECONDS\n \"us\" -> DurationUnit.MICROSECONDS\n \"ms\" -> DurationUnit.MILLISECONDS\n \"s\" -> DurationUnit.SECONDS\n \"m\" -> DurationUnit.MINUTES\n \"h\" -> DurationUnit.HOURS\n \"d\" -> DurationUnit.DAYS\n else -> throw

IllegalArgumentException(\"Unknown duration unit short name: $shortName\")\n}\n\n@SinceKotlin(\"1.5\")\ninternal fun durationUnitByIsoChar(isoChar: Char, isTimeComponent: Boolean): DurationUnit =\n when {\n !isTimeComponent -> {\n when (isoChar) {\n 'D' -> DurationUnit.DAYS\n else -> throw IllegalArgumentException(\"Invalid or unsupported duration ISO non-time unit: $isoChar\")\n }\n }\n else -> {\n when (isoChar) {\n 'H' -> DurationUnit.HOURS\n 'M' -> DurationUnit.MINUTES\n 'S' -> DurationUnit.SECONDS\n else -> throw IllegalArgumentException(\"Invalid duration ISO time unit: $isoChar\")\n }\n }\n }","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of the standard library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview state and has a very high chance of being changed in the future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-opt-in=kotlin.time.ExperimentalTime`.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n PROPERTY_SETTER,\n TYPEALIAS\n)\n@SinceKotlin(\"1.3\")\npublic annotation class ExperimentalTime\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n *\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic interface TimeSource {\n /**\n * Marks a point in time on this time source.\n *\n * The returned [TimeMark] instance encapsulates the captured time point and allows querying\n * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n */\n public fun markNow(): TimeMark\n\n /**\n * The most precise time source available in the platform.\n *\n * This time source returns its readings from a source of monotonic time when it is available in a target platform,\n * and resorts to a non-monotonic time source otherwise.\n */\n public object Monotonic : TimeSource by MonotonicTimeSource {\n override fun toString(): String = MonotonicTimeSource.toString()\n }\n\n\n public companion object {\n\n }\n}\n\n/**\n * Represents a time point notched on a particular [TimeSource]. Remains bound to the time source it was taken from\n * and allows querying for the duration of time elapsed from that point (see the function [elapsedNow]).\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class TimeMark {\n /**\n * Returns the amount of time passed from this mark measured with the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n */\n public abstract fun elapsedNow(): Duration\n\n /**\n * Returns a time mark on the same time source that is ahead of this time mark by the specified [duration].\n *\n * The returned time mark is more _late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n */\n public open operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n /**\n * Returns a time mark on the same time source that is behind this time mark by the specified [duration].\n *\n * The returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is negative.\n */\n public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n\n /**\n * Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change

only from `false` to `true`, namely, when the time mark becomes behind
the current point of the time source.\n */\n public fun hasPassedNow(): Boolean =
!elapsedNow().isNegative()\n\n /**\n * Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n * Note that the value returned by this function can change on subsequent invocations.\n * If the time source is monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point of the time source.\n */\n public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Subtracting one TimeMark from another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline operator fun TimeMark.minus(other: TimeMark): Duration = throw Error(\"Operation
is disallowed.\")\n\n@ExperimentalTime\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\n@Deprecated(\n \"Comparing one TimeMark to another is not a well defined operation because these time marks could have been obtained from the different time sources.\",\n level =
DeprecationLevel.ERROR\n)\n@Suppress(\"UNUSED_PARAMETER\")\npublic inline operator fun TimeMark.compareTo(other: TimeMark): Int = throw Error(\"Operation is
disallowed.\")\n\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\ninternal
expect object MonotonicTimeSource : TimeSource\n\n/**\n * An abstract class used to implement time sources that return their readings as [Long] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current reading of the time source expressed as a [Long] number\n * in the unit specified by the [unit] property.\n */\n protected abstract fun read(): Long\n\n private class LongTimeMark(private val startedAt: Long, private val timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n override fun plus(duration:
Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n }\n\n override fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * An abstract class used to implement time sources that return their readings as [Double] values in the specified [unit].\n *\n * @property unit The unit in which this time source's readings are expressed.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val unit: DurationUnit) : TimeSource {\n /**\n * This protected method should be overridden to return the current reading of the time source expressed as a [Double] number\n * in the unit specified by the [unit] property.\n */\n protected abstract fun read(): Double\n\n private class DoubleTimeMark(private val startedAt: Double, private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n override fun elapsedNow(): Duration = (timeSource.read()
- startedAt).toDuration(timeSource.unit) - offset\n override fun plus(duration: Duration): TimeMark =
DoubleTimeMark(startedAt, timeSource, offset + duration)\n }\n\n override fun markNow(): TimeMark =
DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * A time source that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n *\n * The current reading value can be advanced by the specified duration amount with the operator [plusAssign]:\n *\n * ```\n * val timeSource = TestTimeSource()\n * timeSource += 10.seconds\n * ```\n *\n * Implementation note: the current reading value is stored as a [Long]

number of nanoseconds,\n * thus it's capable to represent a time range of approximately \u00b1292 years.\n * Should the reading value overflow as the result of [plusAssign] operation, an [IllegalStateException] is thrown.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic class TestTimeSource : AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n   private var reading: Long = 0L\n\n   override fun read(): Long = reading\n\n   /**\n   * Advances the current reading value of this time source by the specified [duration].\n   *\n   * [duration] value is rounded down towards zero when converting it to a [Long] number of nanoseconds.\n   * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't advance because\n   * the duration value is rounded to zero nanoseconds.\n   *\n   * @throws IllegalStateException when the reading value overflows as the result of this operation.\n   */\n   public operator fun plusAssign(duration: Duration) {\n   val longDelta = duration.toLong(unit)\n   reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n   // when delta fits in long, add it as long\n   val newReading = reading + longDelta\n   if (reading xor longDelta >= 0 && reading xor newReading < 0) overflow(duration)\n   newReading\n   } else {\n   val delta = duration.toDouble(unit)\n   // when delta is greater than long, add it as double\n   val newReading = reading + delta\n   if (newReading > Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n   newReading.toLong()\n   }\n   }\n\n   private fun overflow(duration: Duration) {\n   throw IllegalStateException(\"TestTimeSource will overflow if its reading ${reading}ns is advanced by $duration.\")\n   }\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n *\n * The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n   return TimeSource.Monotonic.measureTime(block)\n}\n\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: () -> Unit): Duration {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   val mark = markNow()\n   block()\n   return mark.elapsedNow()\n}\n\n\n/**\n * Data class representing a result of executing an action, along with the duration of elapsed time interval.\n *\n * @property value the result of the action.\n * @property duration the time elapsed to execute the action.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration: Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing both\n * the result of the function execution and the duration of elapsed time interval.\n *\n * The elapsed time is measured with [TimeSource.Monotonic].\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> measureTimedValue(block: () -> T): TimedValue<T> {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   return TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time interval.\n *\n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: () -> T): TimedValue<T> {\n   contract {\n   callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n   }\n\n   val mark = markNow()\n   val result = block()\n   return TimedValue(result, mark.elapsedNow())\n}\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.coroutines.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.native.concurrent.SharedImmutable\n\n/**\n * Defines deep recursive function that keeps its stack on the heap,\n * which allows very deep recursive computations that do not use the actual call stack.\n * To initiate a call to this deep recursive function use its [invoke] function.\n * As a rule of

thumb, it should be used if recursion goes deeper than a thousand calls.\n *\n * The [DeepRecursiveFunction] takes one parameter of type [T] and returns a result of type [R].\n * The [block] of code defines the body of a recursive function.
In this block\n * [callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive call\n * to the declared function. Other instances of [DeepRecursiveFunction] can be called\n * in this scope with `callRecursive` extension, too.\n *\n * For example, take a look at the following recursive tree class and a deeply\n * recursive instance of this tree with 100K nodes:\n *\n * ```\n * class Tree(val left: Tree? = null, val right: Tree? = null)\n * val deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()\n * ```\n *\n * A regular recursive function can be defined to compute a depth of a tree:\n *\n * ```\n * fun depth(t: Tree?): Int =\n * if (t == null) 0 else max(depth(t.left), depth(t.right)) + 1\n * println(depth(deepTree)) // StackOverflowError\n * ```\n *\n * If this `depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.\n * However, the `depth` function can be rewritten using `DeepRecursiveFunction`
in the following way, and then\n * it successfully computes [`depth(deepTree)`][DeepRecursiveFunction.invoke] expression:\n *\n * ```\n * val depth = DeepRecursiveFunction<Tree?, Int> { t ->\n * if (t == null) 0 else max(callRecursive(t.left), callRecursive(t.right)) + 1\n * }\n * println(depth(deepTree)) // Ok\n * ```\n *\n * Deep recursive functions can also mutually call each other using a heap for the stack via\n * [callRecursive][DeepRecursiveScope.callRecursive] extension. For example, the\n * following pair of mutually recursive functions computes the number of tree nodes at even depth in the tree.\n *\n * ```\n * val mutualRecursion = object {\n * val even: DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n * if (t == null) 0 else odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1\n * }\n * val odd: DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->\n * if (t == null) 0 else even.callRecursive(t.left)
+ even.callRecursive(t.right)\n * }\n * }\n * ```\n *\n * @param [T] the function parameter type.\n * @param [R] the function result type.\n * @param block the function body.\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic class DeepRecursiveFunction<T, R>(\n internal val block: suspend DeepRecursiveScope<T, R>.(T) -> R\n)\n\n/**\n * Initiates a call to this deep recursive function, forming a root of the call tree.\n *\n * This operator should not be used from inside of [DeepRecursiveScope] as it uses the call stack slot for\n * initial recursive invocation. From inside of [DeepRecursiveScope] use\n * [callRecursive][DeepRecursiveScope.callRecursive].\n */\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic operator fun <T, R> DeepRecursiveFunction<T, R>.invoke(value: T): R =\n DeepRecursiveScopeImpl<T, R>(block, value).runCallLoop()\n\n/**\n * A scope class for [DeepRecursiveFunction] function declaration that defines [callRecursive] methods to\n * recursively call this function or another [DeepRecursiveFunction] putting the call activation frame on the heap.\n *\n * @param [T] function parameter type.\n * @param [R] function result type.\n */\n@RestrictsSuspension\n@SinceKotlin(\"1.4\")\n@ExperimentalStdlibApi\npublic sealed class DeepRecursiveScope<T, R> {\n /**\n * Makes recursive call to this [DeepRecursiveFunction] function putting the call activation frame on the heap,\n * as opposed to the actual call stack that is used by a regular recursive call.\n */\n public abstract suspend fun callRecursive(value: T): R\n\n /**\n * Makes call to the specified [DeepRecursiveFunction] function putting the call activation frame on the heap,\n * as opposed to the actual call stack that is used by a regular call.\n */\n public abstract suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S\n\n @Deprecated(\n level = DeprecationLevel.ERROR,\n message =\n \"'invoke' should not be called from DeepRecursiveScope. \" +\n \"Use 'callRecursive' to do recursion in the heap instead of the call stack.\",\n replaceWith = ReplaceWith(\"this.callRecursive(value)\")\n)\n @Suppress(\"UNUSED_PARAMETER\")\n public operator fun DeepRecursiveFunction<*, *>.invoke(value: Any?): Nothing =\n throw UnsupportedOperationException(\"Should not be called from DeepRecursiveScope\")\n}\n\n// ================== Implementation ==================\n\n@ExperimentalStdlibApi\nprivate typealias DeepRecursiveFunctionBlock = suspend

DeepRecursiveScope<*, *>.(Any?) -> Any?\n\n@SharedImmutable\nprivate val UNDEFINED_RESULT = Result.success(COROUTINE_SUSPENDED)\n\n@Suppress(\"UNCHECKED_CAST\")\n@ExperimentalStdlibApi\nprivate class DeepRecursiveScopeImpl<T, R>(\n   block: suspend DeepRecursiveScope<T, R>.(T) -> R,\n   value: T\n) : DeepRecursiveScope<T, R>(), Continuation<R> {\n   // Active function block\n   private var function: DeepRecursiveFunctionBlock\n   = block as DeepRecursiveFunctionBlock\n\n   // Value to call function with\n   private var value: Any? = value\n\n   // Continuation of the current call\n   private var cont: Continuation<Any?>? = this as Continuation<Any?>\n\n   // Completion result (completion of the whole call stack)\n   private var result: Result<Any?> = UNDEFINED_RESULT\n\n   override val context: CoroutineContext\n   get() = EmptyCoroutineContext\n\n   override fun resumeWith(result: Result<R>) {\n   this.cont = null\n   this.result = result\n   }\n\n   override suspend fun callRecursive(value: T): R = suspendCoroutineUninterceptedOrReturn { cont ->\n   // calling the same function that is currently active\n   this.cont = cont as Continuation<Any?>\n   this.value = value\n   COROUTINE_SUSPENDED\n   }\n\n   override suspend fun <U, S> DeepRecursiveFunction<U, S>.callRecursive(value: U): S = suspendCoroutineUninterceptedOrReturn { cont ->\n   // calling another recursive function\n   val function = block as DeepRecursiveFunctionBlock\n   with(this@DeepRecursiveScopeImpl) {\n   val currentFunction = this.function\n   if (function !== currentFunction) {\n   // calling a different function -- create a trampoline to restore function ref\n   this.function = function\n   this.cont = crossFunctionCompletion(currentFunction, cont as Continuation<Any?>)\n   } else {\n   // calling the same function -- direct\n   this.cont = cont as Continuation<Any?>\n   }\n   this.value = value\n   }\n   COROUTINE_SUSPENDED\n   }\n\n   private fun crossFunctionCompletion(\n   currentFunction: DeepRecursiveFunctionBlock,\n   cont: Continuation<Any?>\n   ): Continuation<Any?> = Continuation(EmptyCoroutineContext) {\n   this.function = currentFunction\n   // When going back from a trampoline we cannot just call cont.resume (stack usage!)\n   // We delegate the cont.resumeWith(it) call to runCallLoop\n   this.cont = cont\n   this.result = it\n   }\n\n   @Suppress(\"UNCHECKED_CAST\")\n   fun runCallLoop(): R {\n   while (true) {\n   // Note: cont is set to null in DeepRecursiveScopeImpl.resumeWith when the whole computation completes\n   val result = this.result\n   val cont = this.cont\n   ?: return (result as Result<R>).getOrThrow() // done -- final result\n   // The order of comparison is important here for that case of rogue class with broken equals\n   if (UNDEFINED_RESULT == result) {\n   // call \"function\" with \"value\" using \"cont\" as completion\n   val r = try {\n   // This is block.startCoroutine(this, value, cont)\n   function.startCoroutineUninterceptedOrReturn(this, value, cont)\n   } catch (e: Throwable) {\n   cont.resumeWithException(e)\n   continue\n   }\n   // If the function returns without suspension -- calls its continuation immediately\n   if (r !== COROUTINE_SUSPENDED)\n   cont.resume(r as R)\n   } else {\n   // we returned from a crossFunctionCompletion trampoline -- call resume here\n   this.result = UNDEFINED_RESULT // reset result back\n   cont.resumeWith(result)\n   }\n   }\n   }\n}\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\n@file:kotlin.jvm.JvmMultifileClass\npackage kotlin\n\nimport kotlin.math.sign\n\n/** Divides this value by the other value, flooring the result to an integer that is closer
to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Byte): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Byte): Byte = \n   this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Short): Int = \n this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_
 and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.floorDiv(other: Int): Int = \n   this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun Byte.floorDiv(other: Long): Long = \n   this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Byte): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
 */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Byte): Byte = \n this.toInt().mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Short): Int = \n   this.toInt().floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline
 fun Short.floorDiv(other: Int): Int = \n   this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n   this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic
 inline fun Short.mod(other: Long): Long = \n   this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Byte): Byte = \n   this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates
the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Int): Int {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n return q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other:
Int): Int {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 31))\n}\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.
*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n this.floorDiv(other.toLong())\n\n/**\n
* Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Short): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Short): Short
= \n this.mod(other.toLong()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Int): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Int): Int = \n this.mod(other.toLong()).toInt()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity. */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Long): Long {\n var q = this / other\n if (this xor other < 0 && q * other != this) q-- \n return
q\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 63))\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n

*/\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Float): Float {\n val r = this % other\n return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r\n}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Double): Double = \n this.toDouble().mod(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Float): Double = \n this.mod(other.toDouble())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.\n * \n * If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or _equal to_ the absolute value of the divisor.\n */\n@SinceKotlin(\"1.5\")\n@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Double): Double {\n val r = this % other\n return if (r != 0.0 && r.sign != other.sign) r + other else r\n}\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n\n/**\n * Returns a hash code value for the object or zero if the object is `null`.\n *\n * @see Any.hashCode\n */\n@SinceKotlin(\"1.3\")\n@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n","/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Represents a version of the Kotlin standard library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three components.\n */\n@SinceKotlin(\"1.1\")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) : Comparable<KotlinVersion> {\n /**\n * Creates a version from [major] and [minor] components, leaving [patch] component zero.\n */\n public constructor(major: Int, minor: Int) : this(major, minor, 0)\n\n private val version = versionOf(major, minor, patch)\n\n private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in 0..MAX_COMPONENT_VALUE) {\n \"Version components are out of range: $major.$minor.$patch\"\n }\n return major.shl(16) + minor.shl(8) + patch\n }\n\n /**\n * Returns the string representation of this version\n */\n override fun toString(): String = \"$major.$minor.$patch\"\n\n override fun equals(other: Any?): Boolean {\n if (this === other) return true\n val otherVersion = (other as? KotlinVersion) ?: return false\n return this.version == otherVersion.version\n }\n\n override fun hashCode(): Int = version\n\n\n override fun compareTo(other: KotlinVersion): Int = version - other.version\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major] and [minor] components.\n */\n public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n this.major > major || (this.major == major &&\n this.minor >= minor)\n\n /**\n * Returns `true` if this version is not less than the version specified\n * with the provided [major], [minor] and [patch] components.\n */\n public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor, patch)\n this.major > major || (this.major == major &&\n (this.minor > minor || this.minor == minor &&\n

```
    this.patch >= patch))\n\n
    companion object {\n        /**\n         * Maximum value a version component can have, a constant value 255.\n
     */\n        // NOTE: Must be placed before CURRENT because its initialization requires this field being initialized
in JS\n        public const val MAX_COMPONENT_VALUE = 255\n\n        /**\n         * Returns the current version
of the Kotlin standard library.\n         */\n        @kotlin.jvm.JvmField\n        public val CURRENT: KotlinVersion =
KotlinVersionCurrentValue.get()\n    }\n}\n\n// this class is ignored during classpath normalization when
considering whether to recompile dependencies in Kotlin build\nprivate object KotlinVersionCurrentValue {\n
@kotlin.jvm.JvmStatic\n    fun get(): KotlinVersion = KotlinVersion(1, 6, 21) // value is written here automatically
during build\n}","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found
 in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"LateinitKt\")\n@file:Suppress(\"unused\")\n\npackage kotlin\n\nimport
kotlin.internal.InlineOnly\nimport kotlin.internal.AccessibleLateinitPropertyLiteral\nimport
kotlin.reflect.KProperty0\n\n/**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n *\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n
*/\n@SinceKotlin(\"1.2\")\n@InlineOnly\ninline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n    get() = throw NotImplementedError(\"Implementation is
intrinsic\")\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName(\"LazyKt\")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage kotlin\n\nimport
kotlin.reflect.KProperty\n\n/**\n
 * Represents a value with lazy initialization.\n *\n * To create an instance of [Lazy] use the [lazy] function.\n
*/\npublic interface Lazy<out T> {\n    /**\n     * Gets the lazily initialized value of the current Lazy instance.\n     *
Once the value was initialized it must not change during the rest of lifetime of this Lazy instance.\n     */\n    public
val value: T\n\n    /**\n     * Returns `true` if a value for this Lazy instance has been already initialized, and `false`
otherwise.\n     * Once this function has returned `true` it stays `true` for the rest of lifetime of this Lazy instance.\n
 */\n    public fun isInitialized(): Boolean\n}\n\n/**\n * Creates a new instance of the [Lazy] that is already
initialized with the specified [value].\n */\npublic fun <T> lazyOf(value: T): Lazy<T> =
InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n *\n * This extension allows to use instances of Lazy for property
 delegation:\n * `val property: String by lazy { initializer }`\n */\n@kotlin.internal.InlineOnly\npublic inline operator
fun <T> Lazy<T>.getValue(thisRef: Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy]
instance synchronizes initialization among multiple threads.\n */\npublic enum class LazyThreadSafetyMode {\n\n
/**\n     * Locks are used to ensure that only a single thread can initialize the [Lazy] instance.\n     */\n
SYNCHRONIZED,\n\n    /**\n     * Initializer function can be called several times on concurrent access to
uninitialized [Lazy] instance value,\n     * but only the first returned value will be used as the value of [Lazy]
instance.\n     */\n    PUBLICATION,\n\n    /**\n     * No locks are used to synchronize an access to the [Lazy]
instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n     *\n     * This mode
should not be used unless the [Lazy] instance is guaranteed never to be initialized
 from more than one thread.\n     */\n    NONE,\n}\n\n\ninternal object UNINITIALIZED_VALUE\n\n// internal to
be called from lazy in JS\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n
private var initializer: (() -> T)? = initializer\n    private var _value: Any? = UNINITIALIZED_VALUE\n\n
override val value: T\n        get() {\n            if (_value === UNINITIALIZED_VALUE) {\n                _value =
initializer!!()\n                initializer = null\n            }\n            @Suppress(\"UNCHECKED_CAST\")\n            return
_value as T\n        }\n\n    override fun isInitialized(): Boolean = _value !== UNINITIALIZED_VALUE\n\n
override fun toString(): String = if (isInitialized()) value.toString() else \"Lazy value not initialized yet.\"\n\n
private fun writeReplace(): Any = InitializedLazyImpl(value)\n}\n\ninternal class InitializedLazyImpl<out
T>(override val value: T) : Lazy<T>, Serializable {\n\n    override fun isInitialized():
```

Boolean = true\n\n   override fun toString(): String = value.toString()\n\n}\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"NumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeHighestOneBit(): Int\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeLowestOneBit(): Int\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateLeft(bitCount: Int): Int\n\n\n/**\n * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateRight(bitCount: Int): Int\n\n\n/**\n * Counts the number of set bits in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as

the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic
expect fun Long.rotateLeft(bitCount: Int): Long\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n/**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c
inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateLeft(bitCount: Int): Byte =\n   (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n   (toInt().shl(8

- (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countLeadingZeroBits(): Int =\n   (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS - Short.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Short] number.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.countTrailingZeroBits():
Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.4\")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n\n/**\n * Rotates the binary representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number
as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Short.rotateLeft(bitCount: Int): Short =\n   (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n/**\n * Rotates the binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Short.rotateRight(bitCount: Int): Short =\n   (toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin(\"1.2\")\n@Suppress(\"INVISIBLE_MEMBER\", \"INVISIBLE_REFERENCE\")\n@RequireKotlin(\"1.2.30\", level = DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun <R> suspend(noinline
block: suspend () -> R): suspend () -> R = block\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"TuplesKt\")\n\npackage kotlin\n\n\n/**\n * Represents a generic pair of two values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.pairDestructuring\n

*\n * @param A type of the first value.\n * @param B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor Creates a new instance of Pair.\n */\npublic data class Pair<out A, out B>(\n   public val first: A,\n   public val second: B\n) : Serializable {\n\n   /**\n   * Returns string representation of the [Pair] including its [first] and [second] values.\n   */\n   public override fun toString(): String = \"($first, $second)\"\n}\n\n/**\n * Creates a tuple of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n */\npublic infix fun <A, B> A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample samples.misc.Tuples.pairToList\n */\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property first First value.\n * @property second Second value.\n * @property third Third value.\n */\npublic data class Triple<out A, out B, out C>(\n   public val first: A,\n   public val second: B,\n   public val third: C\n) : Serializable {\n\n   /**\n   * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n   */\n   public override fun toString(): String = \"($first, $second, $third)\"\n}\n\n/**\n * Converts this triple into a list.\n * @sample samples.misc.Tuples.tripleToList\n */\npublic fun <T> Triple<T, T, T>.toList(): List<T> = listOf(first, second, third)\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class UIntRange(start: UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n   override val start: UInt get() = first\n   override val endInclusive: UInt get() = last\n\n   override fun contains(value: UInt): Boolean = first <= value && value <= last\n\n   /** \n   * Checks if the range is empty.\n   \n   * The range is empty if its start value is greater than the end value.\n   */\n   override fun isEmpty(): Boolean = first > last\n\n   override fun equals(other: Any?): Boolean =\n   other is UIntRange && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n\n   override fun toString(): String = \"$first..$last\"\n\n   companion object {\n   /** An empty range of values of type UInt. */\n   public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n   }\n}\n\n/**\n * A progression of values of type `UInt`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class UIntProgression\ninternal constructor(\n   start: UInt,\n   endInclusive: UInt,\n   step: Int\n) : Iterable<UInt> {\n   init {\n   if (step == 0.toInt()) throw kotlin.IllegalArgumentException(\"Step must be non-zero.\")\n   if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater than Int.MIN_VALUE to avoid overflow on negation.\")\n   }\n\n   /**\n   * The first element in the progression.\n   */\n   public val first: UInt = start\n\n   /**\n   * The last element in the progression.\n   */\n   public val last: UInt = getProgressionLastElement(start, endInclusive, step)\n\n   /**\n   * The step of the progression.\n   */\n   public val step: Int = step\n\n   final override fun iterator(): Iterator<UInt> = UIntProgressionIterator(first, last, step)\n\n   /** \n   * Checks if the progression is empty.\n   \n   * Progression with a positive step is empty if its first element is greater than the last element.\n   * Progression with a negative step is empty if its first element is less than the last element.\n   */\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n   override fun equals(other: Any?): Boolean =\n   other is UIntProgression && (isEmpty() && other.isEmpty() ||\n   first == other.first && last == other.last && step == other.step)\n\n   override fun hashCode(): Int =\n   if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n\n   override fun toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n   companion object {\n   /**\n   *

Creates UIntProgression
within the specified bounds of a closed range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be negative.\n *\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n public fun fromClosedRange(rangeStart: UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n }\n}\n\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property step the number by which the value is incremented on each step.\n */\n@SinceKotlin(\"1.3\")\n@Suppress(\"DEPRECATION_ERROR\")\nprivate class UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private val step = step.toUInt() // use
2-complement math for negative steps\n private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextUInt(): UInt {\n val value = next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n } else {\n next += step\n }\n return value\n }\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UByteIterator : Iterator<UByte> {\n final override
fun next() = nextUByte()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UShortIterator : Iterator<UShort> {\n final override fun next() = nextUShort()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class UIntIterator : Iterator<UInt> {\n final override fun next() = nextUInt()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextUInt(): UInt\n}\n\n/** An
iterator over a sequence of values of type `ULong`. */\n@Deprecated(\"This class is not going to be stabilized and is to be removed soon.\", level = DeprecationLevel.ERROR)\n@SinceKotlin(\"1.3\")\npublic abstract class ULongIterator : Iterator<ULong> {\n final override fun next() = nextULong()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun nextULong(): ULong\n}\n\n","/*\n * Copyright 2010-2022 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\n\nimport kotlin.internal.*\n\n/**\n * A range of values of type `ULong`.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic class ULongRange(start: ULong, endInclusive: ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n override val start:
ULong get() = first\n override val endInclusive: ULong get() = last\n\n override fun contains(value: ULong): Boolean = first <= value && value <= last\n\n /** \n * Checks if the range is empty.\n \n * The range is empty if its start value is greater than the end value.\n */\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other: Any?): Boolean =\n other is ULongRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n /** An empty range of values of type ULong. */\n public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n }\n}\n\n/**\n * A

```
progression of values of type `ULong`.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
 open class ULongProgression\ninternal constructor(\n    start: ULong,\n    endInclusive: ULong,\n    step: Long\n) :
Iterable<ULong> {\n    init {\n        if (step == 0.toLong()) throw kotlin.IllegalArgumentException(\"Step must be
non-zero.\")\n        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException(\"Step must be greater
than Long.MIN_VALUE to avoid overflow on negation.\")\n    }\n\n    /**\n     * The first element in the
progression.\n     */\n    public val first: ULong = start\n\n    /**\n     * The last element in the progression.\n     */\n
public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the
progression.\n     */\n    public val step: Long = step\n\n    final override fun iterator(): Iterator<ULong> =
ULongProgressionIterator(first, last, step)\n\n    /** \n     * Checks if the progression is empty.\n     \n     *
Progression with a positive
 step is empty if its first element is greater than the last element.\n     * Progression with a negative step is empty if
its first element is less than the last element.\n     */\n    public open fun isEmpty(): Boolean = if (step > 0) first > last
else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is ULongProgression && (isEmpty()
&& other.isEmpty() ||\n                first == other.first && last == other.last && step == other.step)\n\n    override fun
hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * (first xor (first shr 32)).toInt() + (last xor (last shr
32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n    override fun toString(): String = if (step > 0) \"$first..$last step
$step\" else \"$first downTo $last step ${-step}\"\n\n    companion object {\n        /**\n         * Creates
ULongProgression within the specified bounds of a closed range.\n\n         * The progression starts with the
[rangeStart] value and goes toward the
 [rangeEnd] value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be
negative.\n         *\n         * [step] must be greater than `Long.MIN_VALUE` and not equal to zero.\n         */\n
public fun fromClosedRange(rangeStart: ULong, rangeEnd: ULong, step: Long): ULongProgression =
ULongProgression(rangeStart, rangeEnd, step)\n    }\n}\n\n\n/**\n * An iterator over a progression of values of type
`ULong`.\n * @property step the number by which the value is incremented on each step.\n
*/\n@SinceKotlin(\"1.3\")\n@Suppress(\"DEPRECATION_ERROR\")\nprivate class
ULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n    private val finalElement =
last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private val step =
step.toULong() // use 2-complement math for negative steps\n    private var next = if (hasNext) first else
finalElement\n\n    override fun hasNext(): Boolean
 = hasNext\n\n    override fun nextULong(): ULong {\n        val value = next\n        if (value == finalElement) {\n
    if (!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        } else {\n            next +=
step\n        }\n        return value\n    }\n}\n\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.math\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun min(a: UInt, b: UInt): UInt {\n    return minOf(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun min(a: ULong, b: ULong): ULong {\n    return minOf(a,
 b)\n}\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun max(a: UInt, b: UInt): UInt {\n    return maxOf(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\
npublic inline fun max(a: ULong, b: ULong): ULong {\n    return maxOf(a, b)\n}","/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
```

*/\n\n@file:kotlin.jvm.JvmName(\"UNumbersKt\")\npackage kotlin\n\n/**\n * Counts the number of set bits in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int = toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int = toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UInt] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int = toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt = toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt = toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toUInt()\n\n\n/**\n * Rotates the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toUInt()\n\n\n/**\n * Counts the number of set bits in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class,

ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong = toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount: Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the

number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class, ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n\n/**\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*/\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateRight(n) ==

number.rotateRight(n % 16)`\n */\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalStdlibApi::class, ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n   val ac = a % c\n   val bc = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n   val ac = a % c\n   val bc
 = b % c\n   return if (ac >= bc) ac - bc else ac - bc + c\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step: Int): UInt = when {\n   step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n   step <
 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n *\n * No validation on passed parameters is performed. The given parameters should satisfy the condition:\n *\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n *\n * @param start first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or difference of successive elements in the progression\n * @return the final element of the progression\n * @suppress\n */\n@PublishedApi\n@SinceKotlin(\"1.3\")\ninternal fun getProgressionLastElement(start: ULong, end: ULong, step: Long): ULong = when {\n
 step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toULong())\n   step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n   else -> throw kotlin.IllegalArgumentException(\"Step is zero.\")\n}\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName(\"UStringsKt\") // string representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns
 a string representation of this [Short] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n\n/**\n * Returns a string representation of this [Int] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n

*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic
 fun ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n\n/**\n * Parses the string as a [UShort] number and
 returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort(): UShort = toUShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt(): UInt
 = toUIntOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(): ULong = toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws IllegalArgumentException
 when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatError(this)\n\n\n\n\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByteOrNull(radix: Int): UByte? {\n   val int = this.toUIntOrNull(radix) ?: return null\n
    if (int > UByte.MAX_VALUE) return null\n   return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws

IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShortOrNull(radix: Int): UShort? {\n val int = this.toUIntOrNull(radix) ?: return null\n if (int > UShort.MAX_VALUE) return null\n return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not
a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUIntOrNull(radix: Int): UInt? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val limit: UInt = UInt.MAX_VALUE\n val start: Int\n\n val firstChar = this[0]\n if (firstChar < '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n val limitForMaxRadix = 119304647u // limit / 36\n\n var limitBeforeMul = limitForMaxRadix\n val uradix = radix.toUInt()\n var result = 0u\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result > limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / uradix\n\n if (result > limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= uradix\n\n val beforeAdding = result\n result += digit.toUInt()\n if (result < beforeAdding) return null // overflow has happened\n }\n\n return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\n@SinceKotlin(\"1.5\")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULongOrNull(radix: Int): ULong? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val limit: ULong = ULong.MAX_VALUE\n val start: Int\n\n val firstChar = this[0]\n if (firstChar < '0') {\n if (length == 1 || firstChar != '+') return null\n start = 1\n } else {\n start = 0\n }\n\n\n val limitForMaxRadix = 512409557603043100uL // limit / 36\n\n var limitBeforeMul = limitForMaxRadix\n val uradix = radix.toULong()\n var result = 0uL\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result > limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / uradix\n\n if (result > limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= uradix\n\n val beforeAdding = result\n result += digit.toUInt()\n if (result < beforeAdding) return null // overflow has happened\n }\n\n return result\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the
experimental unsigned types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-opt-in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n *\n * It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.\n */\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,

PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin(\"1.2.50\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"MathKt\")\n\n\npackage kotlin.math\n\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the circumference of a circle to its diameter, approximately 3.14159. */\n@SinceKotlin(\"1.2\")\npublic const val PI: Double = 3.141592653589793\n/** Base of the natural logarithms, approximately 2.71828. */\n@SinceKotlin(\"1.2\")\npublic const val E: Double = 2.718281828459045\n\n// region ================ Double Math ======================================\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Double): Double\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect
fun cos(x: Double): Double\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Double): Double\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Double): Double\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Double): Double\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun atan(x: Double): Double\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Double, x: Double): Double\n\n/**\n * Computes
the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Double): Double\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Double): Double\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Double): Double\n\n/**\n
* Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Double): Double\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * -

`tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Double): Double\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x:
Double, y: Double): Double\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Double): Double\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Double): Double\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Double): Double\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log(x: Double, base: Double): Double\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Double): Double\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Double): Double\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun log2(x: Double): Double\n\n/**\n * Computes `ln(x + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest double value that is smaller than
or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Double): Double\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Double): Double\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Double): Double\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)`
is `NaN`\n *\n * @see absoluteValue extension property for [Double]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Double): Double\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sign(x: Double): Double\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Double, b: Double): Double\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Double, b: Double): Double\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * -

`b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(x: Double): Double\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.pow(n: Int): Double\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.absoluteValue: Double\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.sign: Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Double): Double\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.withSign(sign: Int): Double\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n *\n * An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n *\n * Special Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is `Double.MIN_VALUE`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Double.ulp: Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextUp(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextDown(): Double\n\n/**\n * Returns the [Double] value nearest to this value in direction from this value towards the value [to].\n *\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n *\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.nextTowards(to: Double): Double\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToInt(): Int\n\n/**\n * Rounds this [Double] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Double.roundToLong(): Long\n\n// endregion\n\n\n\n// region ================ Float Math ==\n\n/** Computes the sine of the angle [x] given in radians.\n *\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sin(x: Float): Float\n\n/** Computes the cosine of the angle [x] given in radians.\n *\n * Special cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cos(x: Float): Float\n\n/** Computes the tangent of the angle [x] given in radians.\n *\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tan(x: Float): Float\n\n/**\n * Computes the arc sine of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asin(x: Float): Float\n\n/**\n * Computes the arc cosine of the value [x];\n * the returned value is an angle in the range from `0.0` to `PI` radians.\n *\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acos(x: Float): Float\n\n/**\n * Computes the arc tangent of the value [x];\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n *\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan(x: Float): Float\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n * the

returned value is an angle in the range from `-PI` to `PI` radians.\n *\n * Special cases:\n
 * - `atan2(0.0, 0.0)` is `0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for 'x > 0` and `-PI` for `x < 0`\n *  - `atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for '-Inf < y < 0`\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n * - `atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`y\n * - `atan2(-Inf, x)` is `-PI/2` for finite `x`\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atan2(y: Float, x: Float): Float\n\n/**\n * Computes the hyperbolic sine of the value [x].\n *\n * Special cases:\n * - `sinh(NaN)` is `NaN`\n * - `sinh(+Inf)` is `+Inf`\n * - `sinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sinh(x: Float): Float\n\n/**\n * Computes the hyperbolic cosine of the value [x].\n *\n * Special cases:\n * - `cosh(NaN)` is `NaN`\n
 * - `cosh(+Inf|-Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun cosh(x: Float): Float\n\n/**\n * Computes the hyperbolic tangent of the value [x].\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(+Inf)` is `1.0`\n * - `tanh(-Inf)` is `-1.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun tanh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic sine of the value [x].\n *\n * The returned value is `y` such that `sinh(y) == x`.\n *\n * Special cases:\n * - `asinh(NaN)` is `NaN`\n * - `asinh(+Inf)` is `+Inf`\n * - `asinh(-Inf)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun asinh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic cosine of the value [x].\n *\n * The returned value is positive `y` such that `cosh(y) == x`.\n *\n * Special cases:\n * - `acosh(NaN)` is `NaN`\n * - `acosh(x)` is `NaN` when `x < 1`\n * - `acosh(+Inf)` is `+Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun acosh(x: Float): Float\n\n/**\n
 * Computes the inverse hyperbolic tangent of the value [x].\n *\n * The returned value is `y` such that `tanh(y) == x`.\n *\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n *\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n@SinceKotlin(\"1.2\")\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n *\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n *\n * Special cases:\n * - `exp(NaN)`
 is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n *\n * @see [exp] function.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n *\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n *\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n@SinceKotlin(\"1.2\")\npublic
 expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n *\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log10(x: Float): Float\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n *\n * @see [ln] function for special cases.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n *\n * This function can be implemented to produce more precise result for [x] near zero.\n *\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n *\n * @see [ln] function\n
 * @see [expm1] function\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n\n * @return the smallest Float value that is greater than

or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun ceil(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n *\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n *\n * @return the value [x] having its fractional
part truncated.\n *\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun truncate(x: Float): Float\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n *\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun round(x: Float): Float\n\n\n/**\n * Returns the absolute value of the given value [x].\n *\n * Special cases:\n * - `abs(NaN)` is `NaN`\n *\n * @see absoluteValue extension property for [Float]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic
expect fun sign(x: Float): Float\n\n\n\n/**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n\n/**\n * Raises this value to the power [x].\n *\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.pow(n:
Int): Float\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n *\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded
towards positive infinity.\n *\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n */\n@SinceKotlin(\"1.2\")\npublic expect fun Float.roundToLong(): Long\n\n\n// endregion\n\n// region ================ Integer Math ==\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE`
due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect

fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Int.sign: Int\n\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n */\n@SinceKotlin(\"1.2\")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin(\"1.2\")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n@SinceKotlin(\"1.2\")\npublic expect val Long.sign: Int\n\n\n//
endregion\n"],"names":[],"mappings":"AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EAAW,CAAC,SAAD,CAAX,EAAwB,OAAxB,C;SAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;;CAEd,CAAC,IAAD,EAAO,EAAP,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,OAAD,CAAP,EAAkB,CAAC,KAAD,EAAQ,KAAR,EAAe,KAAf,EAAsB,KAAtB,EAA6B,IAA7B,EAAmC,KAAnC,EAA0C,KAA1C,EAAiD,KAAjD,EAAwD,KAAxD,EAA+D,KAA/D,EAAsE,KAAtE,EAA6E,KAA7E,EAAoF,KAApF,EAA2F,KAA3F,EAAkG,KAAlG,EAAyG,KAAzG,EAAgH,KAAhH,EAAuH,KAAvH,EAA8H,KAA9H,EAAqI,KAArI,EAA4I,KAA5I,EAAmJ,KAAnJ,EAA0J,KAA1J,EAAiK,KAAjK,EAAwK,KAAxK,EAA+K,KAA/K,EAAsL,KAAtL,EAA6L,KAA7L,EAAoM,KAApM,EAA2M,KAA3M,EAAkN,KAAlN,EAAyN,KAAzN,EAAgO,KAAhO,EAAuO,KAAvO,EAA8O,KAA9O,EAAqP,KAArP,EAA4P,KAA5P,EAAmQ,KAAnQ,EAA0Q,KAA1Q,EAAiR,KAAjR,EAAwR,KAAxR,EAA+R,KAA/R,EAAsS,KAAtS,EAA6S,KAA7S,EAAoT,KAApT,EAA2T,KAA3T,EAAkU,KAAlU,EAAyU,KAAzU,EAAgV,KAAhV,EAAuV,KAAvV,EAA8V,KAA9V,EAAqW,KAArW,EAA4W,KAA5W,EAAmX,KAAnX,EAA0X,KAA1X,EAAiY,KAAjY,EAAwY,KAAxY,EAA+Y,KAA/Y,EAAsZ,KAAtZ,EAA6Z,KAA7Z,EAAoa,KAApa,EAA2a,KAA3a,EAAkb,KAAlb,EAAyb,KAAzb,EAAgc,KAAhc,EAAuc,KAAvc,EAA8c,KAA9c,EAAqd,KAArd,EAA4d,KAA5d,EAAme,KAAne,EAA0e,KAA1e,EAAif,KAAjf,EAAwf,KAAxf,EAA+f,KAA/f,EAAsgB,KAAtgB,EAA6gB,KAA7gB,EAAohB,KAAphB,EAA2hB,KAA3hB,EAAkiB,KAAliB,EAAyiB,KAAziB,EAAgjB,KAAhjB,EAAujB,KAAvjB,EAA8jB,KAA9jB,EAAqkB,KAArkB,EAA4kB,KAA5kB,EAAmlB,KAAnlB,EAA0lB,KAA1lB,EAAimB,KAAjmB,EAAwmB,KAAxmB,EAA+mB,KAA/mB,EAAsnB,KAAtnB,EAA6nB,KAA7nB,EAAooB,KAApoB,EAA2oB,KAA3oB,EAAkpB,KAAlpB,EAAypB,KAAzpB,EAAgqB,KAAhqB,EAAuqB,KAAvqB,EAA8qB,KAA9qB,EAAqrB,KAArrB,EAA4rB,KAA5rB,EAAmsB,KAAnsB,EAA0sB,KAA1sB,EAAitB,KAAjtB,EAAwtB,KAAxtB,EAA+tB,KAA/tB,EAAsuB,KAAtuB,EAA6uB,KAA7uB,EAAovB,KAApvB,EAA2vB,KAA3vB,EAAkwB,KAAlwB,EAAywB,KAAzwB,EAAgxB,KAAhxB,EAAuxB,KAAvxB,EAA8xB,KAA9xB,EAAqyB,KAAryB,EAA4yB,KAA5yB,EAAmzB,KAAnzB,EAA0zB,KAA1zB,EAAi0B,KAAj0B,EAAw0B,KAAx0B,EAA+0B,KAA/0B,EAAs1B,KAAt1B,EAA61B,KAA71B,EAAo2B,KAAp2B,EAA22B,KAA32B,EAAk3B,KAAl3B,EAAy3B,KAAz3B,EAAg4B,KAAh4B,EAAu4B,KAAv4B,EAA84B,KAA94B,EAAq5B,KAAr5B,EAA45B,KAA55B,EAAm6B,KAAn6B,EAA06B,KAA16B,EAAi7B,KAAj7B,EAAw7B,KAAx7B,EAA+7B,KAA/7B,EAAs8B,KAAt8B,EAA68B,KAA78B,EAAo9B,KAAp9B,EAA29B,KAA39B,EAAk+B,KAAl+B,EAAy+B,KAAz+B,EAAg/B,KAAh/B,EAAu/B,KAAv/B,EAA8/B,KAA9/B,EAAqgC,KAArgC,EAA4gC,KAA5gC,EAAmhC,KAAnhC,EAA0hC,KAA1hC,EAAiiC,KAAjiC,EAAwiC,KAAxiC,EAA+iC,KAA/iC,EAAsjC,KAAtjC,EAA6jC,KAA7jC,EAAokC,KAApkC,EAA2kC,KAA3kC,EAAklC,KAAllC,EAAylC,KAAzlC,EAAgmC,KAAhmC,EAAumC,KAAvmC,EAA8mC,KAA9mC,EAAqnC,KAArnC,EAA4nC,KAA5nC,EAAmoC,KAAnoC,EAA0oC,KAA1oC,EAAipC,KAAjpC,EAAwpC,KAAxpC,EAA+pC,KAA/pC,EAAsqC,KAAtqC,EAA6qC,KAA7qC,EAAorC,KAAprC,EAA2rC,KAA3rC,EAAksC,KAAlsC,EAAysC,KAAzsC,EAAgtC,KAAhtC,EAAutC,KAAvtC,EAA8tC,KAA9tC,EAAquC,KAAruC,EAA4uC,KAA5uC,EAAmvC,KAAnvC,EAA0vC,KAA1vC,EAAiwC,KAAjwC,EAAwwC,KAAxwC,EAA+wC,KAA/wC,EAAsxC,KAAtxC,EAA6xC,KAA7xC,EAAoyC,KAApyC,EAA2yC,KAA3yC,EAAkzC,KAAlzC,EAAyzC,KAAzzC,EAAg0C,KAAh0C,EAAu0C,KAAv0C,EAA80C,KAA90C,EAAq1C,KAAr1C,EAA41C,KAA51C,EAAm2C,KAAn2C,EAA02C,KAA12C,EAAi3C,KAAj3C,EAAw3C,KAAx3C,EAA+3C,KAA/3C,EAAs4C,KAAt4C,EAA64C,KAA74C,EAAo5C,KAAp5C,EAA25C,KAA35C,EAAk6C,KAAl6C,EAAy6C,KAAz6C,EAAg7C,KAAh7C,EAAu7C,KAAv7C,EAA87C,KAA97C,EAAq8C,KAAr8C,EAA48C,KAA58C,EAAm9C,KAAn9C,EAA09C,KAA19C,EAAi+C,KAAj+C,EAAw+C,KAAx+C,EAA++C,KAA/+C,EAAs/C,KAAt/C,EAA6/C,KAA7/C,EAAogD,KAApgD,EAA2gD,KAA3gD,EAAkhD,KAAlhD,EAAyhD,KAAzhD,EAAgiD,KAAhiD,EAAuiD,KAAviD,EAA8iD,KAA9iD,EAAqjD,KAArjD,EAA4jD,KAA5jD,EAAmkD,KAAnkD,EAA0kD,KAA1kD,EAAilD,KAAjlD,EAAwlD,KAAxlD,EAA+lD,KAA/lD,EAAsmD,KAAtmD,EAA6mD,KAA7mD,EAAonD,KAApnD,EAA2nD,KAA3nD,EAAkoD,KAAloD,EAAyoD,KAAzoD,EAAgpD,KAAhpD,EAAupD,KAAvpD,EAA8pD,KAA9pD,EAAqqD,KAArqD,EAA4qD,KAA5qD,EAAmrD,KAAnrD,EAA0rD,KAA1rD,EAAisD,KAAjsD,EAAwsD,KAAxsD,EAA+sD,KAA/sD,EAAstD,KAAttD,EAA6tD,KAA7tD,EAAouD,KAApuD,EAA2uD,KAA3uD,EAAkvD,KAAlvD,EAAyvD,KAAzvD,EAAgwD,KAAhwD,EAAuwD,KAAvwD,EAA8wD,KAA9wD,EAAqxD,KAArxD,EAA4xD,KAA5xD,EAAmyD,KAAnyD,EAA0yD,KAA1yD,EAAizD,KAAjzD,EAAwzD,KAAxzD,EAA+zD,KAA/zD,EAAs0D,KAAt0D,EAA60D,KAA70D,EAAo1D,KAAp1D,EAA21D,KAA31D,EAAk2D,KAAl2D,EAAy2D,KAAz2D,EAAg3D,KAAh3D,EAAu3D,KAAv3D,EAA83D,KAA93D,EAAq4D,KAAr4D,EAA44D,KAA54D,EAAm5D,KAAn5D,EAA05D,KAA15D,EAAi6D,KAAj6D,EAAw6D,KAAx6D,EAA+6D,KAA/6D,EAAs7D,KAAt7D,EAA67D,KAA77D,EAAo8D,KAAp8D,EAA28D,KAA38D,EAAk9D,KAAl9D,EAAy9D,KAAz9D,EAAg+D,KAAh+D,EAAu+D,KAAv+D,EAA8+D,KAA9+D,EAAq/D,KAAr/D,EAA4/D,KAA5/D,EAAmgE,KAAngE,EAA0gE,KAA1gE,EAAihE,KAAjhE,EAAwhE,KAAxhE,EAA+hE,KAA/hE,EAAsiE,KAAtiE,EAA6iE,KAA7iE,EAAojE,KAApjE,EAA2jE,KAA3jE,EAAkkE,KAAlkE,EAAykE,KAAzkE,EAAglE,KAAhlE,EAAulE,KAAvlE,EAA8lE,KAA9lE,EAAqmE,KAArmE,EAA4mE,KAA5mE,EAAmnE,KAAnnE,EAA0nE,KAA1nE,EAAioE,KAAjoE,EAAwoE,KAAxoE,EAA+oE,KAA/oE,EAAspE,KAAtpE,EAA6pE,KAA7pE,EAAoqE,KAApqE,EAA2qE,KAA3qE,EAAkrE,KAAlrE,EAAyrE,KAAzrE,EAAgsE,KAAhsE,EAAusE,KAAvsE,EAA8sE,KAA9sE,EAAqtE,KAArtE,EAA4tE,KAA5tE,EAAmuE,KAAnuE,EAA0uE,KAA1uE,EAAivE,KAAjvE,EAAwvE,KAAxvE,EAA+vE,KAA/vE,EAAswE,KAAtwE,EAA6wE,KAA7wE,EAAoxE,KAApxE,EAA2xE,KAA3xE,EAAkyE,KAAlyE,EAAyyE,KAAzyE,EAAgzE,KAAhzE,EAAuzE,KAAvzE,EAA8zE,KAA9zE,EAAq0E,KAAr0E,EAA40E,KAA50E,EAAm1E,KAAn1E,EAA01E,KAA11E,EAAi2E,KAAj2E,EAAw2E,KAAx2E,EAA+2E,KAA/2E,EAAs3E,KAAt3E,EAA63E,KAA73E,EAAo4E,KAAp4E,EAA24E,KAA34E,EAAk5E,KAAl5E,EAAy5E,KAAz5E,EAAg6E,KAAh6E,EAAu6E,KAAv6E,EAA86E,KAA96E,EAAq7E,KAAr7E,EAA47E,KAA57E,EAAm8E,KAAn8E,EAA08E,KAA18E,EAAi9E,KAAj9E,EAAw9E,KAAx9E,EAA+9E,KAA/9E,EAAs+E,KAAt+E,EAA6+E,KAA7+E,EAAo/E,KAAp/E,EAA2/E,KAA3/E,EAAkgF,KAAlgF,EAAygF,KAAzgF,EAAghF,KAAhhF,EAAuhF,KAAvhF,EAA8hF,KAA9hF,EAAqiF,KAAriF,EAA4iF,KAA5iF,EAAmjF,KAAnjF,EAA0jF,KAA1jF,EAAikF,KAAjkF,EAAwkF,KAAxkF,EAA+kF,KAA/kF,EAAslF,KAAtlF,EAA6lF,KAA7lF,EAAomF,KAApmF,EAA2mF,KAA3mF,EAAknF,KAAlnF,EAAynF,KAAznF,EAAgoF,KAAhoF,EAAuoF,KAAvoF,EAA8oF,KAA9oF,EAAqpF,KAArpF,EAA4pF,KAA5pF,EAAmqF,KAAnqF,EAA0qF,KAA1qF,EAAirF,KAAjrF,EAAwrF,KAAxrF,EAA+rF,KAA/rF,EAAssF,KAAtsF,EAA6sF,KAA7sF,EAAotF,KAAptF,EAA2tF,KAA3tF,EAAkuF,KAAluF,EAAyuF,KAAzuF,EAAgvF,KAAhvF,EAAuvF,KAAvvF,EAA8vF,KAA9vF,EAAqwF,KAArwF,EAA4wF,KAA5wF,EAAmxF,KAAnxF,EAA0xF,KAA1xF,EAAiyF,KAAjyF,EAAwyF,KAAxyF,EAA+yF,KAA/yF,EAAszF,KAAtzF,EAA6zF,KAA7zF,EAAo0F,KAAp0F,EAA20F,KAA30F,EAAk1F,KAAl1F,EAAy1F,KAAz1F,EAAg2F,KAAh2F,EAAu2F,KAAv2F,EAA82F,KAA92F,EAAq3F,KAAr3F,EAA43F,KAA53F,EAAm4F,KAAn4F,EAA04F,KAA14F,EAAi5F,KAAj5F,EAAw5F,KAAx5F,EAA+5F,KAA/5F,EAAs6F,KAAt6F,EAA66F,KAA76F,EAAo7F,KAAp7F,EAA27F,KAA37F,EAAk8F,KAAl8F,EAAy8F,KAAz8F,EAAg9F,KAAh9F,EAAu9F,KAAv9F,EAA89F,KAA99F,EAAq+F,KAAr+F,EAA4+F,KAA5+F,EAAm/F,KAAn/F,EAA0/F,KAA1/F,EAAigG,KAAjgG,EAAwgG,KAAxgG,EAA+gG,KAA/gG,EAAshG,KAAthG,EAA6hG,KAA7hG,EAAoiG,KAApiG,EAA2iG,KAA3iG,EAAkjG,KAAljG,EAAyjG,KAAzjG,EAAgkG,KAAhkG,EAAukG,KAAvkG,EAA8kG,KAA9kG,EAAqlG,KAArlG,EAA4lG,KAA5lG,EAAmmG,KAAnmG,EAA0mG,KAA1mG,EAAinG,KAAjnG,EAAwnG,KAAxnG,EAA+nG,KAA/nG,EAAsoG,KAAtoG,EAA6oG,KAA7oG,EAAopG,KAAppG,EAA2pG,KAA3pG,EAAkqG,KAAlqG,EAAyqG,KAAzqG,EAAgrG,KAAhrG,EAAurG,KAAvrG,EAA8rG,KAA9rG,EAAqsG,KAArsG,EAA4sG,KAA5sG,EAAmtG,KAAntG,EAA0tG,KAA1tG,EAAiuG,KAAjuG,EAAwuG,KAAxuG,EAA+uG,KAA/uG,EAAsvG,KAAtvG,EAA6vG,KAA7vG,EAAowG,KAApwG,EAA2wG,KAA3wG,EAAkxG,KAAlxG,EAAyxG,KAAzxG,EAAgyG,KAAhyG,EAAuyG,KAAvyG,EAA8yG,KAA9yG,EAAqzG,KAArzG,EAA4zG,KAA5zG,EAAm0G,KAAn0G,EAA00G,KAA10G,EAAi1G,KAAj1G,EAAw1G,KAAx1G,EAA+1G,KAA/1G,EAAs2G,KAAt2G,EAA62G,KAA72G,EAAo3G,KAAp3G,EAA23G,KAA33G,EAAk4G,KAAl4G,EAAy4G,KAAz4G,EAAg5G,KAAh5G,EAAu5G,KAAv5G,EAA85G,KAA95G,EAAq6G,KAAr6G,EAA46G,KAA56G,EAAm7G,KAAn7G,EAA07G,KAA17G,EAAi8G,KAAj8G,EAAw8G,KAAx8G,EAA+8G,KAA/8G,EAAs9G,KAAt9G,EAA69G,KAA79G,EAAo+G,KAAp+G,EAA2+G,KAA3+G,EAAk/G,KAAl/G,EAAy/G,KAAz/G,EAAggH,KAAhgH,EAAugH,KAAvgH,EAA8gH,KAA9gH,EAAqhH,KAArhH,EAA4hH,KAA5hH,EAAmiH,KAAniH,EAA0iH,KAA1iH,EAAijH,KAAjjH,EAAwjH,KAAxjH,EAA+jH,KAA/jH,EAAskH,KAAtkH,EAA6kH,KAA7kH,EAAolH,KAAplH,EAA2lH,KAA3lH,EAAkmH,KAAlmH,EAAymH,KAAzmH,EAAgnH,KAAhnH,EAAunH,KAAvnH,EAA8nH,KAA9nH,EAAqoH,KAAroH,EAA4oH,KAA5oH,EAAmpH,KAAnpH,EAA0pH,KAA1pH,EAAiqH,KAAjqH,EAAwqH,KAAxqH,EAA+qH,KAA/qH,EAAsrH,KAAtrH,EAA6rH,KAA7rH,EAAosH,KAApsH,EAA2sH,KAA3sH,EAAktH,KAAltH,EAAytH,KAAztH,EAAguH,KAAhuH,EAAuuH,KAAvuH,EAA8uH,KAA9uH,EAAqvH,KAArvH,EAA4vH,KAA5vH,EAAmwH,KAAnwH,EAA0wH,KAA1wH,EAAixH,KAAjxH,EAAwxH,KAAxxH,EAA+xH,KAA/xH,EAAsyH,KAAtyH,EAA6yH,KAA7yH,EAAozH,KAApzH,EAA2zH,KAA3zH,EAAk0H,KAAl0H,EAAy0H,KAAz0H,EAAg1H,KAAh1H,EAAu1H,KAAv1H,EAA81H,KAA91H,EAAq2H,KAAr2H,EAA42H,KAA52H,EAAm3H,KAAn3H,EAA03H,KAA13H,EAAi4H,KAAj4H,EAAw4H,KAAx4H,EAA+4H,KAA/4H,EAAs5H,KAAt5H,EAA65H,KAA75H,EAAo6H,KAAp6H,EAA26H,KAA36H,EAAk7H,KAAl7H,EAAy7H,KAAz7H,EAAg8H,KAAh8H,EAAu8H,KAAv8H,EAA88H,KAA98H,EAAq9H,KAAr9H,EAA49H,KAA59H,EAAm+H,KAAn+H,EAA0+H,KAA1+H,EAAi/H,KAAj/H,EAAw/H,KAAx/H,EAA+/H,KAA//H,EAAsgI,KAAtgI,EAA6gI,KAA7gI,EAAohI,KAAphI,EAA2hI,KAA3hI,EAAkiI,KAAliI,EAAyiI,KAAziI,EAAgjI,KAAhjI,EAAujI,KAAvjI,EAA8jI,KAA9jI,EAAqkI,KAArkI,EAA4kI,KAA5kI,EAAmlI,KAAnlI,EAA0lI,KAA1lI,EAAimI,KAAjmI,EAAwmI,KAAxmI,EAA+mI,KAA/mI,EAAsnI,KAAtnI,EAA6nI,KAA7nI,EAAooI,KAApoI,EAA2oI,KAA3oI,EAAkpI,KAAlpI,EAAypI,KAAzpI,EAAgqI,KAAhqI,EAAuqI,KAAvqI,EAA8qI,KAA9qI,EAAqrI,KAArrI,EAA4rI,KAA5rI,EAAmsI,KAAnsI,EAA0sI,KAA1sI,EAAitI,KAAjtI,EAAwtI,KAAxtI,EAA+tI,KAA/tI,EAAsuI,KAAtuI,EAA6uI,KAA7uI,EAAovI,KAApvI,EAA2vI,KAA3vI,EAAkwI,KAAlwI,EAAywI,KAAzwI,EAAgxI,KAAhxI,EAAuxI,KAAvxI,EAA8xI,KAA9xI,EAAqyI,KAAryI,EAA4yI,KAA5yI,EAAmzI,KAAnzI,EAA0zI,KAA1zI,EAAi0I,KAAj0I,EAAw0I,KAAx0I,EAA+0I,KAA/0I,EAAs1I,KAAt1I,EAA61I,KAA71I,EAAo2I,KAAp2I,EAA22I,KAA32I,EAAk3I,KAAl3I,EAAy3I,KAAz3I,EAAg4I,KAAh4I,EAAu4I,KAAv4I,EAA84I,KAA94I,EAAq5I,KAAr5I,EAA45I,KAA55I,EAAm6I,KAAn6I,EAA06I,KAA16I,EAAi7I,KAAj7I,EAAw7I,KAAx7I,EAA+7I,KAA/7I,EAAs8I,KAAt8I,EAA68I,KAA78I,EAAo9I,KAAp9I,EAA29I,KAA39I,EAAk+I,KAAl+I,EAAy+I,KAAz+I,EAAg/I,KAAh/I,EAAu/I,KAAv/I,EAA8/I,KAA9/I,EAAqgJ,KAArgJ,EAA4gJ,KAA5gJ,EAAmhJ,KAAnhJ,EAA0hJ,KAA1hJ,EAAiiJ,KAAjiJ,EAAwiJ,KAAxiJ,EAA+iJ,KAA/iJ,EAAsjJ,KAAtjJ,EAA6jJ,KAA7jJ,EAAokJ,KAApkJ,EAA2kJ,KAA3kJ,EAAklJ,KAAllJ,EAAylJ,KAAzlJ,EAAgmJ,KAAhmJ,EAAumJ,KAAvmJ,EAA8mJ,KAA9mJ,EAAqnJ,KAArnJ,EAA4nJ,KAA5nJ,EAAmoJ,KAAnoJ,EAA0oJ,KAA1oJ,EAAipJ,KAAjpJ,EAAwpJ,KAAxpJ,EAA+pJ,KAA/pJ,EAAsqJ,KAAtqJ,EAA6qJ,KAA7qJ,EAAorJ,KAAprJ,EAA2rJ,KAA3rJ,EAAksJ,KAAlsJ,EAAysJ,KAAzsJ,EAAgtJ,KAAhtJ,EAAutJ,KAAvtJ,EAA8tJ,KAA9tJ,EAAquJ,KAAruJ,EAA4uJ,KAA5uJ,EAAmvJ,KAAnvJ,EAA0vJ,KAA1vJ,EAAiwJ,KAAjwJ,EAAwwJ,KAAxwJ,EAA+wJ,KAA/wJ,EAAsxJ,KAAtxJ,EAA6xJ,KAA7xJ,EAAoyJ,KAApyJ,EAA2yJ,KAA3yJ,EAAkzJ,KAAlzJ,EAAyzJ,KAAzzJ,EAAg0J,KAAh0J,EAAu0J,KAAv0J,EAA80J,KAA90J,EAAq1J,KAAr1J,EAA41J,KAA51J,EAAm2J,KAAn2J,EAA02J,KAA12J,EAAi3J,KAAj3J,EAAw3J,KAAx3J,EAA+3J,KAA/3J,EAAs4J,KAAt4J,EAA64J,KAA74J,EAAo5J,KAAp5J,EAA25J,KAA35J,EAAk6J,KAAl6J,EAAy6J,KAAz6J,EAAg7J,KAAh7J,EAAu7J,KAAv7J,EAA87J,KAA97J,EAAq8J,KAAr8J,EAA48J,KAA58J,EAAm9J,KAAn9J,EAA09J,KAA19J,EAAi+J,KAAj+J,EAAw+J,KAAx+J,EAA++J,KAA/+J,EAAs/J,KAAt/J,EAA6/J,KAA7/J,EAAogK,KAApgK,EAA2gK,KAA3gK,EAAkhK,KAAlhK,EAAyhK,KAAzhK,EAAgiK,KAAhiK,EAAuiK,KAAviK,EAA8iK,KAA9iK,EAAqjK,KAArjK,EAA4jK,KAA5jK,EAAmkK,KAAnkK,EAA0kK,KAA1kK,EAAilK,KAAjlK,EAAwlK,KAAxlK,EAA+lK,KAA/lK,EAAsmK,KAAtmK,EAA6mK,KAA7mK,EAAonK,KAApnK,EAA2nK,KAA3nK,EAAkoK,KAAloK,EAAyoK,KAAzoK,EAAgpK,KAAhpK,EAAupK,KAAvpK,EAA8pK,KAA9pK,EAAqqK,KAArqK,EAA4qK,KAA5qK,EAAmrK,KAAnrK,EAA0rK,KAA1rK,EAAisK,KAAjsK,EAAwsK,KAAxsK,EAA+sK,KAA/sK,EAAstK,KAAttK,EAA6tK,KAA7tK,EAAouK,KAApuK,EAA2uK,KAA3uK,EAAkvK,KAAlvK,EAAyvK,KAAzvK,EAAgwK,KAAhwK,EAAuwK,KAAvwK,EAA8wK,KAA9wK,EAAqxK,KAArxK,EAA4xK,KAA5xK,EAAmyK,KAAnyK,EAA0yK,KAA1yK,EAAizK,KAAjzK,EAAwzK,KAAxzK,EAA+zK,KAA/zK,EAAs0K,KAAt0K,EAA60K,KAA70K,EAAo1K,KAAp1K,EAA21K,KAA31K,EAAk2K,KAAl2K,EAAy2K,KAAz2K,EAAg3K,KAAh3K,EAAu3K,KAAv3K,EAA83K,KAA93K,EAAq4K,KAAr4K,EAA44K,KAA54K,EAAm5K,KAAn5K,EAA05K,KAA15K,EAAi6K,KAAj6K,EAAw6K,KAAx6K,EAA+6K,KAA/6K,EAAs7K,KAAt7K,EAA67K,KAA77K,EAAo8K,KAAp8K,EAA28K,KAA38K,EAAk9K,KAAl9K,EAAy9K,KAAz9K,EAAg+K,KAAh+K,EAAu+K,KAAv+K,EAA8+K,KAA9+K,EAAq/K,KAAr/K,EAA4/K,KAA5/K,EAAmgL,KAAngL,EAA0gL,KAA1gL,EAAihL,KAAjhL,EAAwhL,KAAxhL,EAA+hL,KAA/hL,EAAsiL,KAAtiL,EAA6iL,KAA7iL,EAAojL,KAApjL,EAA2jL,KAA3jL,EAAkkL,KAAlkL,EAAykL,KAAzkL,EAAglL,KAAhlL,EAAulL,KAAvlL,EAA8lL,KAA9lL,EAAqmL,KAArmL,EAA4mL,KAA5mL,EAAmnL,KAAnnL,EAA0nL,KAA1nL,EAAioL,KAAjoL,EAAwoL,KAAxoL,EAA+oL,KAA/oL,EAAspL,KAAtpL,EAA6pL,KAA7pL,EAAoqL,KAApqL,EAA2qL,KAA3qL,EAAkrL,KAAlrL,EAAyrL,KAAzrL,EAAgsL,KAAhsL,EAAusL,KAAvsL,EAA8sL,KAA9sL,EAAqtL,KAArtL,EAA4tL,KAA5tL,EAAmuL,KAAnuL,EAA0uL,KAA1uL,EAAivL,KAAjvL,EAAwvL,KAAxvL,EAA+vL,KAA/vL,EAAswL,KAAtwL,EAA6wL,KAA7wL,EAAoxL,KAApxL,EAA2xL,KAA3xL,EAAkyL,KAAlyL,EAAyyL,KAAzyL,EAAgzL,KAAhzL,EAAuzL,KAAvzL,EAA8zL,KAA9zL,EAAq0L,KAAr0L,EAA40L,KAA50L,EAAm1L,KAAn1L,EAA01L,KAA11L,EAAi2L,KAAj2L,EAAw2L,KAAx2L,EAA+2L,KAA/2L,EAAs3L,KAAt3L,EAA63L,KAA73L,EAAo4L,KAAp4L,EAA24L,KAA34L,EAAk5L,KAAl5L,EAAy5L,KAAz5L,EAAg6L,KAAh6L,EAAu6L,KAAv6L,EAA86L,KAA96L,EAAq7L,KAAr7L,EAA47L,KAA57L,EAAm8L,KAAn8L,EAA08L,KAA18L,EAAi9L,KAAj9L,EAAw9L,KAAx9L,EAA+9L,KAA/9L,EAAs+L,KAAt+L,EAA6+L,KAA7+L,EAAo/L,KAAp/L,EAA2/L,KAA3/L,EAAkgM,KAAlgM,EAAygM,KAAzgM,EAAghM,KAAhhM,EAAuhM,KAAvhM,EAA8hM,KAA9hM,EAAqiM,KAAriM,EAA4iM,KAA5iM,EAAmjM,KAAnjM,EAA0jM,KAA1jM,EAAikM,KAAjkM,EAAwkM,KAAxkM,EAA+kM,KAA/kM,EAAslM,KAAtlM,EAA6lM,KAA7lM,EAAomM,KAApmM,EAA2mM,KAA3mM,EAAknM,KAAlnM,EAAynM,KAAznM,EAAgoM,KAAhoM,EAAuoM,KAAvoM,EAA8oM,KAA9oM,EAAqpM,KAArpM,EAA4pM,KAA5pM,EAAmqM,KAAnqM,EAA0qM,KAA1qM,EAAirM,KAAjrM,EAAwrM,KAAxrM,EAA+rM,KAA/rM,EAAssM,KAAtsM,EAA6sM,KAA7sM,EAAotM,KAAptM,EAA2tM,KAA3tM,EAAkuM,KAAluM,EAAyuM,KAAzuM,EAAgvM,KAAhvM,EAAuvM,KAAvvM,EAA8vM,KAA9vM,EAAqwM,KAArwM,EAA4wM,KAA5wM,EAAmxM,KAAnxM,EAA0xM,KAA1xM,EAAiyM,KAAjyM,EAAwyM,KAAxyM,EAA+yM,KAA/yM,EAAszM,KAAtzM,EAA6zM,KAA7zM,EAAo0M,KAAp0M,EAA20M,KAA30M,EAAk1M,KAAl1M,EAAy1M,KAAz1M,EAAg2M,KAAh2M,EAAu2M,KAAv2M,EAA82M,KAA92M,EAAq3M,KAAr3M,EAA43M,KAA53M,EAAm4M,KAAn4M,EAA04M,KAA14M,EAAi5M,KAAj5M,EAAw5M,KAAx5M,EAA+5M,KAA/5M,EAAs6M,KAAt6M,EAA66M,KAA76M,EAAo7M,KAAp7M,EAA27M,KAA37M,EAAk8M,KAAl8M,EAAy8M,KAAz8M,EAAg9M,KAAh9M,EAAu9M,KAAv9M,EAA89M,KAA99M,EAAq+M,KAAr+M,EAA4+M,KAA5+M,EAAm/M,KAAn/M,EAA0/M,KAA1/M,EAAigN,KAAjgN,EAAwgN,KAAxgN,EAA+gN,KAA/gN,EAAshN,KAAthN,EAA6hN,KAA7hN,EAAoiN,KAApiN,EAA2iN,KAA3iN,EAAkjN,KAAljN,EAAyjN,KAAzjN,EAAgkN,KAAhkN,EAAukN,KAAvkN,EAA8kN,KAA9kN,EAAqlN,KAArlN,EAA4lN,KAA5lN,EAAmmN,KAAnmN,EAA0mN,KAA1mN,EAAinN,KAAjnN,EAAwnN,KAAxnN,EAA+nN,KAA/nN,EAAsoN,KAAtoN,EAA6oN,KAA7oN,EAAopN,KAAppN,EAA2pN,KAA3pN,EAAkqN,KAAlqN,EAAyqN,KAAzqN,EAAgrN,KAAhrN,EAAurN,KAAvrN,EAA8rN,KAA9rN,EAAqsN,KAArsN,EAA4sN,KAA5sN,EAAmtN,KAAntN,EAA0tN,KAA1tN,EAAiuN,KAAjuN,EAAwuN,KAAxuN,EAA+uN,KAA/uN,EAAsvN,KAAtvN,EAA6vN,KAA7vN,EAAowN,KAApwN,EAA2wN,KAA3wN,EAAkxN,KAAlxN,EAAyxN,KAAzxN,EAAgyN,KAAhyN,EAAuyN,KAAvyN,EAA8yN,KAA9yN,EAAqzN,KAArzN,EAA4zN,KAA5zN,EAAm0N,KAAn0N,EAA00N,KAA10N,EAAi1N,KAAj1N,EAAw1N,KAAx1N,EAA+1N,KAA/1N,EAAs2N,KAAt2N,EAA62N,KAA72N,EAAo3N,KAAp3N,EAA23N,KAA33N,EAAk4N,KAAl4N,EAAy4N,KAAz4N,EAAg5N,KAAh5N,EAAu5N,KAAv5N,EAA85N,KAA95N,EAAq6N,KAAr6N,EAA46N,KAA56N,EAAm7N,KAAn7N,EAA07N,KAA17N,EAAi8N,KAAj8N,EAAw8N,KAAx8N,EAA+8N,KAA/8N,EAAs9N,KAAt9N,EAA69N,KAA79N,EAAo+N,KAAp+N,EAA2+N,KAA3+N,EAAk/N,KAAl/N,EAAy/N,KAAz/N,EAAggO,KAAhgO,EAAugO,KAAvgO,EAA8gO,KAA9gO,EAAqhO,KAArhO,EAA4hO,KAA5hO,EAAmiO,KAAniO,EAA0iO,KAA1iO,EAAijO,KAAjjO,EAAwjO,KAAxjO,EAA+jO,KAA/jO,EAAskO,KAAtkO,EAA6kO,KAA7kO,EAAolO,KAAplO,EAA2lO,KAA3lO,EAAkmO,KAAlmO,EAAymO,KAAzmO,EAAgnO,KAAhnO,EAAunO,KAAvnO,EAA8nO,KAA9nO,EAAqoO,KAAroO,EAA4oO,KAA5oO,EAAmpO,KAAnpO,EAA0pO,KAA1pO,EAAiqO,KAAjqO,EAAwqO,KAAxqO,EAA+qO,KAA/qO,EAAsrO,KAAtrO,EAA6rO,KAA7rO,EAAosO,KAApsO,EAA2sO,KAA3sO,EAAktO,KAAltO,EAAytO,KAAztO,EAAguO,KAAhuO,EAAuuO,KAAvuO,EAA8uO,KAA9uO,EAAqvO,KAArvO,EAA4vO,KAA5vO,EAAmwO,KAAnwO,EAA0wO,KAA1wO,EAAixO,KAAjxO,EAAwxO,KAAxxO,EAA+xO,KAA/xO,EAAsyO,KAAtyO,EAA6yO,KAA7yO,EAAozO,KAApzO,EAA2zO,KAA3zO,EAAk0O,KAAl0O,EAAy0O,KAAz0O,EAAg1O,KAAh1O,EAAu1O,KAAv1O,EAA81O,KAA91O,EAAq2O,KAAr2O,EAA42O,KAA52O,EAAm3O,KAAn3O,EAA03O,KAA13O,EAAi4O,KAAj4O,EAAw4O,KAAx4O,EAA+4O,KAA/4O,EAAs5O,KAAt5O,EAA65O,KAA75O,EAAo6O,KAAp6O,EAA26O,KAA36O,EAAk7O,KAAl7O,EAAy7O,KAAz7O,EAAg8O,KAAh8O,EAAu8O,KAAv8O,EAA88O,KAA98O,EAAq9O,KAAr9O,EAA49O,KAA59O,EAAm+O,KAAn+O,EAA0+O,KAA1+O,E

B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KAAK,MAAO,KAAO,MAAO,KAAI,qBAAqB,EAA3B,CADF,aACE,CAAC,KAAK

C;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAyB,QA
AzB,C;G;EAWT,MAAM,KAAK,WAAY,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAlB,C;MACE,MAAM
,KAAK,CAAC,mCAAD,C;;IAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,
GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KA1B,C;;IAGb,IAAI,GAAG,OAAO,CAAC,C
AAD,CAAI,IAAG,GArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd
,EAAmB,KAAnB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;;IAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA
AI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA
b,EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAgC,CAAE,IAAG,CAAC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC
,CAAD,EAAI,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAAD
,EAAI,CAAE,GAAE,IAAR,,CAAd,EAA6B,KA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,IAAR,CAAT,C;QAClC,MAAO,GAAE,MAA
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAQ,CAAR,C;;QAEnC,MAAO,
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA
AC,KAAD,CAAQ,CAAR,C;;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MA
AM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GAAxB,MAAM,KAAK,gBAAiB,
GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GAAxB,MAAM,KAAK,gBAAiB,GAAE,C;EAOlC,
MAAM,KAAK,gBAAiB,GAAxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gB
AAiB,GAAxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GAAxB,MA
AM,KAAK,gBAAiB,GAAE,C;EAIlC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EA
ItC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,
MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GAAlB,MAAM,KAAK,SAAS,CAAC,aA
AW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAS,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EAOjC,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,C
AAC,CAAE,IAAG,EAAN,,C;EAI7C,MAAM,KAAK,UAAW,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,MAAO,GAAE,K;G;EAKb,MAAM,KAAK,UAAW,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GAAE,C;EAIzC,MAAM,KAAK,UAAW,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;E
AQ1B,MAAM,KAAK,UAAW,SAAU,GAAE,qB;IAC/B,OAAO,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;;IAGb,IAAI,I
AAI,OAAO,EAAf,C;MACE,OAAO,G;;IAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,OAAO,CAAE,GAAE,CAAC,KAAK,WAAW,CAAC,KAAD,CAAQ,CAAR,C;;IAGrC,MAAM,KAAK,UAAW,CAAX,MAAM,KAAK,SAAS,CAAC,CAAD,C;IAC1B,IAAI,MAAO,GAAE,CAAb,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;;IAGvB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB

E,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAY,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAY,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IAClC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ/B,MAAM,KAAK,UAAU,eAAgB,GAAE,iB;IACrC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ9B,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ7B,MAAM,KAAK,UAAU,MAAO,GAAE,iB;IAC5B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,KAAM,GAAE,iB;IAC3B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ3B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQ1B,MAAM,KAAK,UAAU,GAAI,GAAE,iB;IACzB,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQzB,MAAM,KAAK,UAAU,EAAG,GAAE,iB;IACxB,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQxB,MAAM,KAAK,UAAU,CAAE,GAAE,iB;IACvB,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,CAAR,IAAG,C;G;EAQv

K,IAAZ,CAAkB,IAClC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEE,OAAO,MAAM,KAAK,U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGlB,IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAAkB,CAAC,CAAD,C;QAC5C,IAAI,MAAM,KAAK,WAAW,CAAC,MAAM,KAAK,IAAb,CAAmB,GAAG,MAAM,KAAK,Q;;UAEzD,IAAI,MAAM,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,CAAC,KAAK,SAAS,CAAC,MAAD,CAAQ,CAAf,C;UAC5D,IAAI,SAAS,MAAM,IAAI,CAAC,KAAK,MAAM,IAAI,CAAC,KAAK,MAAM,IAAI,CAAC,KAAK

AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;
G;EAGX,MAAM,aAAc,GAAE,e;IAClB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MA
AM,CAAC,IAAD,EAAO,SAAP,C;K;IAElB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP
,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MA
AM,aAAc,GAAE,iB;IAClB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5
B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;
K;G;EAInC,MAAM,aAAc,GAAE,gB;IAClB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAA
C,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,
K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBA
AgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACx
B,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IAClC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ
,CACF,iDAAkD,GAAlD,qDAAsD,GAAtD,uDAAyD,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;M
ACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,Q
AAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QAAjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAI,CAAJ,
C;;MAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,K
AAM,KAAI,SAApC,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAI,CAAJ,C;;IAEpC,OAAO,CAAC,g
BAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,GAAE,CAAE,GAAE,E
AAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,C
AAE,GAAE,CAAR,C;MAAW,OAAO,E;IAClB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAElB,IAAI,CA
AE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAK,CAAE,GAAE,C;
MACb,OAAO,EAAG,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,GAAO,EAAG,GAAE,CAAE,GAAE,EAAF,GA
AO,C;;IAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,GAAO,CAAjB,GAAsB,E;
G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAE,GAAE,CAAP,C;G;EAG
xB,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAE,GAAE,CAAP,C;G;EAGxB,MAAM,KAAM,KAAI,GAAE,G
AAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,CAAE,GAAE,YAA
Y,KAAG,CAAE,GAAE,CAAE,GAAE,KAAP,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,CAAE,GAAE,CAAE,GAAE,CAAP,GAAW

O;;MAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAAO,SAAU,KAAAI,EAAG,IAAG,SAAU,KAAAI,Q;KARG,CAA/B,C;;EAazB,IAAI,OAAO,IAAI,KAAM,KAAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,CApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;;MAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,CAAE,GAAE,CAAF,EAAK,GAAM,E;K;;EAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI,KAAK,CAAC,CAAD,CAAT,C;QACI,OAAO,G;;MAEX,OAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAF,EAAK,C;QACpB,OAAO,IAAI,MAAM,CAAC,CAAD,C;;MAErB,OAAO,C;;EAEX

AExC,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,C;O;;GAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,MAApB,EAA4B,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,KAAI,CAAC,QAAAnD,C;UACI,OAAO,Q;;QAEX,CAAE,IAAG,SAAS,SAAS,CAAC,CAAD,CAAI,GAAE,SAAS,CAAC,CAAD,CAAI,C;;MAEjC,C,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,C;K;;EAGxB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;K;;EAGjC,IAAI,OAAO,IAAI,KAAK,KAAI,WAAzB,B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,KAAK,GAAE,IAAI,M;K;;EAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,oB;MACT,OAAO,a;QACH,IAAI,SAAS,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CAAC,CAAD,CAAI,KAAI,KAAI,CAAC,QAAAnB,C;UACI,OAAO,E;;QAEX,OAAO,E;;QAEP,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,CAAC,CAAD,CAAI,GAAE,GAAG,CAAC,CAAD,CAAI,GAAE,GAAG,CAAC,CAAD,CAAI,GAAE,GAAG,CAAC,CAAD,CAAI,GAAE,GAAG,CAAC,CAAD,CAAI,GAAE,C;QAAvB,C;UAAA,C;;QAAA,C;;MAAA,C;;IAAA,C;;EAAA,C;;AAAA,C;;AAAA,C;;A

B,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;
MACI,OAAO,kBAAkB,IAAI,KAAK,CAAC,UAAD,C;;IAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD
,EAAa,YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CA
AC,YAAD,C;;IAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2
C,YAA3C,C;G;EAG5B,MAAM,WAAY,GAAE,kD;IAChB,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAA
Q,YAAR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,K
AAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;;IAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,
YAAb,C;IACpD,IAAI,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CA
Ae,GAAE,K;MAC3B,M;;IAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAlC,EAA2
2C,YAA3C,EAAyD,KAAzD,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAI,W
AAW,IAAI,W;IACnB,IAAI,QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CA
Ab,EAAgB,CAAE,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC
,CAAD,CAAX,EAAgB,KAAhB,C;UACI,OAAO,I;;;;IAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,G
AAE,MAAM,eAAe,CAAC,IAAI,UAAL,CAAvB,C;MACI,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cA
Ac,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAmB,KAAnB,C;
G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAI,KAAM,KAAI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;
aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;;UAEP,OAAO,MAAO,YAAW,M;;;IAIrC,MAAO,IAAG,IAAK,IAAG,KAAM,KAAI,MAAO,IAAG,KAAM,KAAI,QAAS,IAAG,IAAK,IAAG,OAAQ,IAAG,MAAO,IAAG,KAAM,KAAI,UApD,CAApC,C;
MACI,OAAO,K;;IAGX,IAAI,OAAO,KAAM,KAAI,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACI,QAAQ,OAAO,I;;IAGf
GX,IAAI,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAM,IAAG,GAAE,KAAM,KAAI,YAAP,C;MAC9C,IAAI,WAAW,IAAI,WAAW,IAAI,W;MAClC,QAAQ,MAAM,C1B,IAAI,QAAQ,KAAM,IAAG,MAAM,KAAM,IAAG,OAAQ,KAAI,K;;;IAI1D,I1B,IAAI,gBAAgB,KAAK,gBAAgB,K;IACzC,IAAI,W;IAEJ,IAAI,aAAa,KAAK,IAAI,IAAI,KAAK,IAAI,IAAI,KAAK,IAAI,IAAI

AL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAK,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;MAIiB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,E;QAAc,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DlB,K;WAAA,C;QAAA,oBAAN,GAAM,E;QAAA,C;MAAA,C;IAAA,C;EAAA,C;AAAA,C;

AQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MAII,OAAO,mBAAQ,OAAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAOI,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;oGAkE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAU,CAAtC,GAAsC,SAAtD,aAAsD,KAAtD,aAAsD,C;O;KAPjE,jE,C;sGAUA,UAAyB,M

MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl2Cc,SAk2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;wFAUA,yB;MAo2CA,0D;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAy2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA72CP,wB;O;KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0D;MAAA,+C;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;wFAUA,yB;MAm3CA,0D;MAAA,+C;MAn3CA,uC;QAOW,qB;;UAk3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp3Cc,SAo3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt3CP,wB;O;KAPJ,C;wFAUA,yB;MAs3CA,0D;MAAA,+C;MAt3CA,uC;QAOW,qB;;UAq3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv3Cc,SAu3CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz3CP,wB;O;KAPJ,C;wFAUA,yB;MAy3CA,0D;MAAA,+C;MAz3CA,uC;QAOW,qB;;UAw3CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA13Cc,SA03CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA53CP,wB;O;KAPJ,C;wFAUA,yB;MA43CA,0D;MAAA,+C;MA53CA,uC;QAOW,qB;;UA23CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA73Cc,SA63CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/3CP,wB;O;KAPJ,C;wFAUA,yB;MA+3CA,0D;MAAA,+C;MA/3CA,uC;QAOW,qB;;UA83CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh4Cc,SAg4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl4CP,wB;O;KAPJ,C;wFAUA,yB;MAk4CA,0D;MAAA,+C;MAl4CA,uC;QAOW,qB;;UAi4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn4Cc,SAm4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr4CP,wB;O;KAPJ,C;wFAUA,yB;MAq4CA,0D;MAAA,+C;MAr4CA,uC;QAOW,qB;;UAo4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt4Cc,SAs4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx4CP,wB;O;KAPJ,C;wFAUA,yB;MAw4CA,0D;MAAA,+C;MAx4CA,uC;QAOW,qB;;UAu4CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz4Cc,SAy4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA34CP,wB;O;KAPJ,C;wFAUA,yB;MA24CA,0D;MAAA,+C;MA34CA,uC;QAOW,qB;;UA04CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA54Cc,SA44CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA94CP,wB;O;KAPJ,C;wFAUA,yB;MA84CA,0D;MAAA,+C;MA94CA,uC;QAOW,qB;;UA64CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/4Cc,SA+4CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj5CP,wB;O;KAPJ,C;wFAUA,yB;MAi5CA,0D;MAAA,+C;MAj5CA,uC;QAOW,qB;;UAg5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl5Cc,SAk5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp5CP,wB;O;KAPJ,C;wFAUA,yB;MAo5CA,0D;MAAA,+C;MAp5CA,uC;QAOW,qB;;UAm5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr5Cc,SAq5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv5CP,wB;O;KAPJ,C;wFAUA,yB;MAu5CA,0D;MAAA,+C;MAv5CA,uC;QAOW,qB;;UAs5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx5Cc,SAw5CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA15CP,wB;O;KAPJ,C;wFAUA,yB;MA05CA,0D;MAAA,+C;MA15CA,uC;QAOW,qB;;UAy5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA35Cc,SA25CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA75CP,wB;O;KAPJ,C;wFAUA,yB;MA65CA,0D;MAAA,+C;MA75CA,uC;QAOW,qB;;UA45CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA95Cc,SA85CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh6CP,wB;O;KAPJ,C;wFAUA,yB;MAg6CA,0D;MAAA,+C;MAh6CA,uC;QAOW,qB;;UA+5CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj6Cc,SAi6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn6CP,wB;O;KAPJ,C;wFAUA,yB;MAm6CA,0D;MAAA,+C;MAn6CA,uC;QAOW,qB;;UAk6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp6Cc,SAo6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt6CP,wB;O;KAPJ,C;wFAUA,yB;MAs6CA,0D;MAAA,+C;MAt6CA,uC;QAOW,qB;;UAq6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv6Cc,SAu6CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz6CP,wB;O;KAPJ,C;wFAUA,yB;MAy6CA,0D;MAAA,+C;MAz6CA,uC;QAOW,qB;;UAw6CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA16Cc,SA06CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA56CP,wB;O;KAPJ,C;wFAUA,yB;MA46CA,0D;MAAA,+C;MA56CA,uC;QAOW,qB;;UA26CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA76Cc,SA66CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/6CP,wB;O;KAPJ,C;wFAUA,yB;MA+6CA,0D;MAAA,+C;MA/6CA,uC;QAOW,qB;;UA86CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh7Cc,SAg7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl7CP,wB;O;KAPJ,C;wFAUA,yB;MAk7CA,0D;MAAA,+C;MAl7CA,uC;QAOW,qB;;UAi7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn7Cc,SAm7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr7CP,wB;O;KAPJ,C;wFAUA,yB;MAq7CA,0D;MAAA,+C;MAr7CA,uC;QAOW,qB;;UAo7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt7Cc,SAs7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx7CP,wB;O;KAPJ,C;wFAUA,yB;MAw7CA,0D;MAAA,+C;MAx7CA,uC;QAOW,qB;;UAu7CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz7Cc,SAy7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA37CP,wB;O;KAPJ,C;wFAUA,yB;MA27CA,0D;MAAA,+C;MA37CA,uC;QAOW,qB;;UA07CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA57Cc,SA47CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA97CP,wB;O;KAPJ,C;wFAUA,yB;MA87CA,0D;MAAA,+C;MA97CA,uC;QAOW,qB;;UA67CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/7Cc,SA+7CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj8CP,wB;O;KAPJ,C;wFAUA,yB;MAi8CA,0D;MAAA,+C;MAj8CA,uC;QAOW,qB;;UAg8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl8Cc,SAk8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp8CP,wB;O;KAPJ,C;wFAUA,yB;MAo8CA,0D;MAAA,+C;MAp8CA,uC;QAOW,qB;;UAm8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr8Cc,SAq8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv8CP,wB;O;KAPJ,C;wFAUA,yB;MAu8CA,0D;MAAA,+C;MAv8CA,uC;QAOW,qB;;UAs8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx8Cc,SAw8CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA18CP,wB;O;KAPJ,C;wFAUA,yB;MA08CA,0D;MAAA,+C;MA18CA,uC;QAOW,qB;;UAy8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA38Cc,SA28CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA78CP,wB;O;KAPJ,C;wFAUA,yB;MA68CA,0D;MAAA,+C;MA78CA,uC;QAOW,qB;;UA48CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA98Cc,SA88CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh9CP,wB;O;KAPJ,C;wFAUA,yB;MAg9CA,0D;MAAA,+C;MAh9CA,uC;QAOW,qB;;UA+8CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj9Cc,SAi9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAn9CP,wB;O;KAPJ,C;wFAUA,yB;MAm9CA,0D;MAAA,+C;MAn9CA,uC;QAOW,qB;;UAk9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAp9Cc,SAo9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAt9CP,wB;O;KAPJ,C;wFAUA,yB;MAs9CA,0D;MAAA,+C;MAt9CA,uC;QAOW,qB;;UAq9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAv9Cc,SAu9CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAz9CP,wB;O;KAPJ,C;wFAUA,yB;MAy9CA,0D;MAAA,+C;MAz9CA,uC;QAOW,qB;;UAw9CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA19Cc,SA09CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA59CP,wB;O;KAPJ,C;wFAUA,yB;MA49CA,0D;MAAA,+C;MA59CA,uC;QAOW,qB;;UA29CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA79Cc,SA69CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/9CP,wB;O;KAPJ,C;wFAUA,yB;MA+9CA,0D;MAAA,+C;MA/9CA,uC;QAOW,qB;;UA89CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAh+Cc,SAg+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAl+CP,wB;O;KAPJ,C;wFAUA,yB;MAk+CA,0D;MAAA,+C;MAl+CA,uC;QAOW,qB;;UAi+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAn+Cc,SAm+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAr+CP,wB;O;KAPJ,C;wFAUA,yB;MAq+CA,0D;MAAA,+C;MAr+CA,uC;QAOW,qB;;UAo+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAt+Cc,SAs+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx+CP,wB;O;KAPJ,C;wFAUA,yB;MAw+CA,0D;MAAA,+C;MAx+CA,uC;QAOW,qB;;UAu+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz+Cc,SAy+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3+CP,wB;O;KAPJ,C;wFAUA,yB;MA2+CA,0D;MAAA,+C;MA3+CA,uC;QAOW,qB;;UA0+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5+Cc,SA4+CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9+CP,wB;O;KAPJ,C;wFAUA,yB;MA8+CA,0D;MAAA,+C;MA9+CA,uC;QAOW,qB;;UA6+CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/+Cc,SA++CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAj/CP,wB;O;KAPJ,C;wFAUA,yB;MAi/CA,0D;MAAA,+C;MAj/CA,uC;QAOW,qB;;UAg/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAl/Cc,SAk/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp/CP,wB;O;KAPJ,C;wFAUA,yB;MAo/CA,0D;MAAA,+C;MAp/CA,uC;QAOW,qB;;UAm/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr/Cc,SAq/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAv/CP,wB;O;KAPJ,C;wFAUA,yB;MAu/CA,0D;MAAA,+C;MAv/CA,uC;QAOW,qB;;UAs/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAx/Cc,SAw/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1/CP,wB;O;KAPJ,C;wFAUA,yB;MA0/CA,0D;MAAA,+C;MA1/CA,uC;QAOW,qB;;UAy/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA3/Cc,SA2/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7/CP,wB;O;KAPJ,C;wFAUA,yB;MA6/CA,0D;MAAA,+C;MA7/CA,uC;QAOW,qB;;UA4/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA9/Cc,SA8/CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhgDP,wB;O;KAPJ,C;wFAUA,yB;MAggDA,0D;MAAA,+C;MAhgDA,uC;QAOW,qB;;UA+/CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAjgDc,SAigDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAngDP,wB;O;KAPJ,C;wFAUA,yB;MAmgDA,0D;MAAA,+C;MAngDA,uC;QAOW,qB;;UAkgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IApgDc,SAogDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAtgDP,wB;O;KAPJ,C;wFAUA,yB;MAsgDA,0D;MAAA,+C;MAtgDA,uC;QAOW,qB;;UAqgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAvgDc,SAugDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAzgDP,wB;O;KAPJ,C;wFAUA,yB;MAygDA,0D;MAAA,+C;MAzgDA,uC;QAOW,qB;;UAwgDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA1gDc,SA0gDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5gDP,wB;O;KAPJ,C;wFAUA,yB;MA4gDA,0D;MAAA,+C;MA5gDA,uC;QAOW,qB;;UA2gDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA7gDc,SA6gDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA/gDP,wB;O;KAPJ,C;wFAUA,yB;MA+gDA,0D;MAAA,+C;MA/gDA,uC;QAOW,qB;;UA8gDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAhhDc,SAghDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAlhDP,wB;O;KAPJ,C;wFAUA,yB;MAkhDA,0D;MAAA,+C;MAlhDA,uC;QAOW,qB;;UAihDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAnhDc,SAmhDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QArhDP,wB;O;KAPJ,C;wFAUA,yB;MAqhDA,0D;MAAA,+C;MArhDA,uC;QAOW,qB;;UAohDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAthDc,SAshDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxhDP,wB;O;KAPJ,C;wFAUA,yB;MAwhDA,0D;MAAA,+C;MAxhDA,uC;QAOW,qB;;UAuhDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAzhDc,SAyhDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA3hDP,wB;O;KAPJ,C;wFAUA,yB;MA2hDA,0D;MAAA,+C;MA3hDA,uC;QAOW,qB;;UA0hDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA5hDc,SA4hDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA9hDP,wB;O;KAPJ,C;wFAUA,yB;MA8hDA,0D;MAAA,+C;MA9hDA,uC;QAOW,qB;;UA6hDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA/hDc,SA+hDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAEjC,oBAAO,I;;;QAjiDP,wB;O;KAPJ,C;wFAUA,yB;MAiiDA,0D;MAAA,+C;MAjiDA,uC;QAOW,qB;;UAgiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAliDc,SAkiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApiDP,wB;O;KAPJ,C;wFAUA,yB;MAoiDA,0D;MAAA,+C;MApiDA,uC;QAOW,qB;;UAmiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAriDc,SAqiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAviDP,wB;O;KAPJ,C;wFAUA,yB;MAuiDA,0D;MAAA,+C;MAviDA,uC;QAOW,qB;;UAsiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAxiDc,SAwiDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA1iDP,wB;O;KAPJ,C;wFAUA,yB;MA0iDA,0D;MAAA,+C;MA1iDA,uC;QAOW,qB;;UAyiDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA3iDc,SA2iDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA7iDP,wB;O;KAPJ,C;wFAUA,yB;MA6iDA,0D;MAAA,+C;MA7iDA,uC;QAOW,qB;;UA4iDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA9iDc,SA8iDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhjDP,wB;O;KAPJ,C;wFAUA,yB;MAgjDA,0D;MAAA,+C;MAhjDA,uC;QAOW,qB;;UA+iDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAjjDc,SAijDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAnjDP,wB;O;KAPJ,C;wFAUA,yB;MAmjDA,0D;MAAA,+C;MAnjDA,uC;QAOW,qB;;UAkjDO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IApjDc,SAojDV,CAAU,OAAV,CAAJ,C;cAAwB,oBAA

Af,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAsiNO,qBAAQ,CAtiNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C
;K;IAGpC,kC;MAII,OAuiNO,qBAAQ,CAviNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAwi
NO,qBAAQ,CAxiNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OAyiNO,qBAAQ,CAziNR,GAAe
,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,OA0iNO,qBAAQ,CA1iNR,GAAe,IAAf,GAAyB,UAAK,CA
AL,C;K;IAGpC,kC;MAII,OA2iNO,qBAAQ,CA3iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;IAGpC,kC;MAII,O
A4iNO,qBAAQ,CA5iNR,GAAe,IAAf,GAAyB,UAAK,CAAL,C;K;8FAGpC,gC;MAIoB,Q;MAAhB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K
;8FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB
,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OA
AO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAs
sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAA
O,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OA
AV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
gB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,yB;
MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;U
AAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;wFAQA,yB;MAAA,8D;M
AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,
C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UA
AI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,C
AAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAA
A,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa
,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GA
AsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,
SAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,y
B;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAs
D,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBA
A3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KALjE,C;0FAQA,yB;MAAA,8D;MAAA,gC;MAA
A,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;
O;KALjE,C;IAQA,qC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS
,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IA
GjE,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;
MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;MAMI,
OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;MAMI,OAAW,
SAS,CAAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;MAMI,OAAW,SAAS,
CAT,IAAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAT,I
AAc,SAAS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,uC;MAMI,OAAW,SAAS,CAT,IAAc,SA
AS,0BAA3B,GAAsC,UAAI,KAAJ,CAAtC,GAAsD,aAAS,I;K;IAGjE,qC;MAII,IAAI,eAAJ,C;QAAI,wD;UACI,IAAI,UA
AK,KAAL,SAAJ,C;YAAI,OAAO,K;;;;QAIf,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YAAI,OAAO,O;;;;MAInB,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;M
AGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;MAGf,OAA
O,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;MAGf,OAAO,E;K;IAG
X,uC;MAII,wD;QACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YAAI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,
uC;MAMI,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAM
I,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI
,IAAI,YAAW,UAAK,KAAL,CAAf,C;UAAI,OAAO,K;;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAA

W,UAAK,KAAL,CAAf,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK
,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,K
AAL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KA
AL,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAA
L,CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,
CAAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,C
AAV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CA
AV,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAA
V,CAAJ,C;UACI,OAAO,K;;;MAGf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAII,wD;UACI,IAAI,UAAU
,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,0D;MAAA,+
C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,U
AAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAA
A,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IA
AI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;
MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC
V,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,
0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;U
ACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MA
AA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,u
B;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;
MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UA
Ac,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FAYA
,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;
UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8FA
YA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd
,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAAO,E;O;KATX,C;8
FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QA
Ad,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;;QAGf,OAA
O,E;O;KATX,C;IAYA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO
,UAAK,wBAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,
OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAs6LO,qBAAQ,CAt6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MA
CV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,qBAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;
MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBAA
vB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,i
BAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAk5LO,qBAAQ,CAl5Lf,C;QACI,MAAM,2BA
AuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA64LO,qBAAQ,CA74Lf,C;QACI,MAAM
,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAw4LO,qBAAQ,CAx4Lf,C;QACI,M
AAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;M
AAA,uC;QAQkB,Q;QAAA,OAAa,SAAb,YAAa,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UAC
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mD
AAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAb,YAAa,
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;iFAeA,yB;MAAA,0D;
MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAb,YAAa,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEn
C,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;
QAAA,OAAa,SAAb,YAAa,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAA
L,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;i

FAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iF

,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK

gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;;UACQ,M
AAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,
MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;
MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;
aACX,C;UAAK,iBAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB
,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAA
L,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBA
AN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAAL,C;UAAL,K;;UACQ,MAAM
,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAA
M,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHl
B,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,
C;UAAK,iBAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;IAOJ,6B;MAIiB,IAAN
,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAK,CAAL,C;UA
AL,K;;UACQ,MAAM,gCAAyB,kCAAzB,C;;MAHlB,W;K;oFAOJ,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8
B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,
6E;O;KAfX,C;oFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QA
CpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YAC
I,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,K
AAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;
MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,
SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aA
AmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CA
AJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI
,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MA
AA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB
,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,
C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,iE;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA
qB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;
YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAG
hB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAElB,OAAO,2D;O;KAfX,C;qFAkBA,yB;MA
AA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;
UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAz
B,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,2D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;
QACvB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,4D;O;KAfX,C;qFAkBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,mDAAvB,C;QAEl
B,OAAO,4D;O;KAfX,C;qFAkBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;
QACv

GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;i

AQ,WAAjC,C;;MdsyGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;QcjzGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdkzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;McvzGI,IAAI,Ed+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md8zGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,KAAK,Cc30GT,CAAJ,C;QACI,cd00Gc,sD;Qcz0Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md00GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CAAJ,C;QACI,cds1Gc,sD;Qcr1Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mds1GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2Gc,sD;Qcj2Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdk2GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md82GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;IAGX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;Qcz3Gd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md03GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAc,CAAd,CAAhB,C;K;gGAGX,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAK,CAAV,CAAU,CAAV,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAK,CAAV,CAAU,CAAV,C;;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4

AC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkB
A,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA
A,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,I
AAK,WAAI,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,
Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YA
CI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,
I;;;QAEnB,OAAO,I;O;KAfX,C;0FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAA
e,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAA
K,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;;
QAEnB,OAAO,I;O;KAfX,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QAAhB,iD;U
AAgB,cAAhB,e;UAAsB,IAngBU,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAngB1D
,OAogBO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApgBpB1D,OAq
gBO,W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArgBrB1D,OAsgBO,W;O;KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtgBe,SAsgBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtgBtB1D,OAugBO,W;O;KA7gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAugBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvgBgB,SAugBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvgBvB1D,OAwgBO,W;O;KA9gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxgBiB,SAwgBb,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxgBxB1D,OAygBO,W;O;KA/gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAygBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzgBkB,SAygBd,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzgBzB1D,OA0gBO,W;O;KAhhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBmB,SA0gBf,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1gB1B1D,OA2gBO,W;O;KAjhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3gBoB,SA2gBhB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3gB3B1D,OA4gBO,W;O;KAlhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5gBqB,SA4gBjB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5gB5B1D,OA6gBO,W;O;KAnhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7gBsB,SA6gBlB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7gB7B1D,OA8gBO,W;O;KAphBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9gBuB,SA8gBnB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9gB9B1D,OA+gBO,W;O;KArhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/gBwB,SA+gBpB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/gB/B1D,OAghBO,W;O;KAthBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAghBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhhByB,SAghBrB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhhBhC1D,OAihBO,W;O;KAvhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAihBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjhB0B,SAihBtB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjhBjC1D,OAkhBO,W;O;KAxhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlhB2B,SAkhBvB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlhBlC1D,OAmhBO,W;O;KAzhBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnhB4B,SAmhBxB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnhBnC1D,OAohBO,W;O;KA1hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAohBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAphB6B,SAohBzB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAphBpC1D,OAqhBO,W;O;KA3hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArhB8B,SAqhB1B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArhBrC1D,OAshBO,W;O;KA5hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAshBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAthB+B,SAshB3B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAthBtC1D,OAuhBO,W;O;KA7hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAuhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvhBgC,SAuhB5B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvhBvC1D,OAwhBO,W;O;KA9hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxhBiC,SAwhB7B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxhBxC1D,OAyhBO,W;O;KA/hBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyhBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzhBkC,SAyhB9B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzhBzC1D,OA0hBO,W;O;KAhiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1hBmC,SA0hB/B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1hB1C1D,OA2hBO,W;O;KAjiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3hBoC,SA2hBhC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3hB3C1D,OA4hBO,W;O;KAliBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5hBqC,SA4hBjC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5hB5C1D,OA6hBO,W;O;KAniBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7hBsC,SA6hBlC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7hB7C1D,OA8hBO,W;O;KApiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9hBuC,SA8hBnC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9hB9C1D,OA+hBO,W;O;KAriBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+hBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/hBwC,SA+hBpC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/hB/C1D,OAgiBO,W;O;KAtiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhiByC,SAgiBrC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhiBhD1D,OAiiBO,W;O;KAviBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAiiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjiB0C,SAiiBtC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjiBjD1D,OAkiBO,W;O;KAxiBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAliB2C,SAkiBvC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAliBlD1D,OAmiBO,W;O;KAziBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAniB4C,SAmiBxC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAniBnD1D,OAoiBO,W;O;KA1iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAoiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApiB6C,SAoiBzC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApiBpD1D,OAqiBO,W;O;KA3iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAriB8C,SAqiB1C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAriBrD1D,OAsiBO,W;O;KA5iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtiB+C,SAsiB3C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtiBtD1D,OAuiBO,W;O;KA7iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAuiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAviBgD,SAuiB5C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAviBvD1D,OAwiBO,W;O;KA9iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxiBiD,SAwiB7C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxiBxD1D,OAyiBO,W;O;KA/iBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyiBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAziBkD,SAyiB9C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAziBzD1D,OA0iBO,W;O;KAhjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1iBmD,SA0iB/C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1iB1D1D,OA2iBO,W;O;KAjjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3iBoD,SA2iBhD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3iB3D1D,OA4iBO,W;O;KAljBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5iBqD,SA4iBjD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5iB5D1D,OA6iBO,W;O;KAnjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7iBsD,SA6iBlD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7iB7D1D,OA8iBO,W;O;KApjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9iBuD,SA8iBnD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9iB9D1D,OA+iBO,W;O;KArjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+iBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/iBwD,SA+iBpD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/iB/D1D,OAgjBO,W;O;KAtjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhjByD,SAgjBrD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhjBhE1D,OAijBO,W;O;KAvjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAijBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjjB0D,SAijBtD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjjBjE1D,OAkjBO,W;O;KAxjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAljB2D,SAkjBvD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAljBlE1D,OAmjBO,W;O;KAzjBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnjB4D,SAmjBxD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnjBnE1D,OAojBO,W;O;KA1jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAojBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApjB6D,SAojBzD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApjBpE1D,OAqjBO,W;O;KA3jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArjB8D,SAqjB1D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArjBrE1D,OAsjBO,W;O;KA5jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtjB+D,SAsjB3D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtjBtE1D,OAujBO,W;O;KA7jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAujBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvjBgE,SAujB5D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvjBvE1D,OAwjBO,W;O;KA9jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxjBiE,SAwjB7D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxjBxE1D,OAyjBO,W;O;KA/jBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAyjBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzjBkE,SAyjB9D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzjBzE1D,OA0jBO,W;O;KAhkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1jBmE,SA0jB/D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1jB1E1D,OA2jBO,W;O;KAjkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3jBoE,SA2jBhE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3jB3E1D,OA4jBO,W;O;KAlkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5jBqE,SA4jBjE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5jB5E1D,OA6jBO,W;O;KAnkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7jBsE,SA6jBlE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7jB7E1D,OA8jBO,W;O;KApkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9jBuE,SA8jBnE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9jB9E1D,OA+jBO,W;O;KArkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+jBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/jBwE,SA+jBpE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/jB/E1D,OAgkBO,W;O;KAtkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAgkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhkByE,SAgkBrE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhkBhF1D,OAikBO,W;O;KAvkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAikBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjkB0E,SAikBtE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjkBjF1D,OAkkBO,W;O;KAxkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAkkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAlkB2E,SAkkBvE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlkBlF1D,OAmkBO,W;O;KAzkBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnkB4E,SAmkBxE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnkBnF1D,OAokBO,W;O;KA1kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAokBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IApkB6E,SAokBzE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApkBpF1D,OAqkBO,W;O;KA3kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArkB8E,SAqkB1E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArkBrF1D,OAskBO,W;O;KA5kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAskBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtkB+E,SAskB3E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtkBtF1D,OAukBO,W;O;KA7kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAukBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvkBgF,SAukB5E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvkBvF1D,OAwkBO,W;O;KA9kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwkBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxkBiF,SAwkB7E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxkBxF1D,OAykBO,W;O;KA/kBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAykBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzkBkF,SAykB9E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzkBzF1D,OA0kBO,W;O;KAhlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1kBmF,SA0kB/E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1kB1F1D,OA2kBO,W;O;KAjlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3kBoF,SA2kBhF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3kB3F1D,OA4kBO,W;O;KAllBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5kBqF,SA4kBjF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5kB5F1D,OA6kBO,W;O;KAnlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7kBsF,SA6kBlF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7kB7F1D,OA8kBO,W;O;KAplBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9kBuF,SA8kBnF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9kB9F1D,OA+kBO,W;O;KArlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+kBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA/kBwF,SA+kBpF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/kB/F1D,OAglBO,W;O;KAtlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAglBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAhlByF,SAglBrF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhlBhG1D,OAilBO,W;O;KAvlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAilBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjlB0F,SAilBtF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjlBjG1D,OAklBO,W;O;KAxlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAklBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAllB2F,SAklBvF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAllBlG1D,OAmlBO,W;O;KAzlBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAnlB4F,SAmlBxF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnlBnG1D,OAolBO,W;O;KA1lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAolBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAplB6F,SAolBzF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAplBpG1D,OAqlBO,W;O;KA3lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArlB8F,SAqlB1F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArlBrG1D,OAslBO,W;O;KA5lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAslBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAtlB+F,SAslB3F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtlBtG1D,OAulBO,W;O;KA7lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAulBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvlBgG,SAulB5F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvlBvG1D,OAwlBO,W;O;KA9lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwlBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAxlBiG,SAwlB7F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxlBxG1D,OAylBO,W;O;KA/lBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAylBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzlBkG,SAylB9F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzlBzG1D,OA0lBO,W;O;KAhmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1lBmG,SA0lB/F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1lB1G1D,OA2lBO,W;O;KAjmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA2lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA3lBoG,SA2lBhG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3lB3G1D,OA4lBO,W;O;KAlmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA4lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA5lBqG,SA4lBjG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5lB5G1D,OA6lBO,W;O;KAnmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA6lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7lBsG,SA6lBlG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7lB7G1D,OA8lBO,W;O;KApmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA8lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA9lBuG,SA8lBnG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9lB9G1D,OA+lBO,W;O;KArmBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA+lBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,

b,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAl4S/B,IA5HsC,SA4HlC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl6SI,IAAI,WAk6SkB,cAl6SlB,EAk6SkB,sBAl6SlB,WAk6S2B,IAl6S3B,CAAJ,C;UAA2C,sBAk6SZ,IAl6SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA95SI,IAAI,WA85SkB,cA95SlB,EA85SkB,sBA95SlB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,IA95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,WA05SkB,cA15SlB,EA05SkB,sBA15SlB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt5SI,IAAI,WAs5SkB,cAt5SlB,EAs5SkB,sBAt5SlB,WAs5S2B,IAt5S3B,CAAJ,C;UAA2C,sBAs5SZ,IAt5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA25SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl5SI,IAAI,WAk5SkB,cAl5SlB,EAk5SkB,sBAl5SlB,WAk5S2B,IAl5S3B,CAAJ,C;UAA2C,sBAk5SZ,IAl5SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SlB,EA84SkB,sBA94SlB,WA84S2B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SlB,EA04SkB,sBA14SlB,WA04S2B,IA14S3B,CAAJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt4SI,IAAI,WAs4SkB,cAt4SlB,EAs4SkB,sBAt4SlB,WAs4S2B,IAt4S3B,CAAJ,C;UAA2C,sBAs4SZ,IAt4SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA24SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl4SI,IAAI,WAk4SkB,cAl4SlB,EAk4SkB,sBAl4SlB,WAk4S2B,IAl4S3B,CAAJ,C;UAA2C,sBAk4SZ,IAl4SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA93SI,IAAI,WA83SkB,cA93SlB,EA83SkB,sBA93SlB,WA83S2B,IA93S3B,CAAJ,C;UAA2C,sBA83SZ,IA93SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm4SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA13SI,IAAI,WA03SkB,cA13SlB,EA03SkB,sBA13SlB,WA03S2B,IA13S3B,CAAJ,C;UAA2C,sBA03SZ,IA13SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt3SI,IAAI,WAs3SkB,cAt3SlB,EAs3SkB,sBAt3SlB,WAs3S2B,IAt3S3B,CAAJ,C;UAA2C,sBAs3SZ,IAt3SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA23SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl3SI,IAAI,WAk3SkB,cAl3SlB,EAk3SkB,sBAl3SlB,WAk3S2B,IAl3S3B,CAAJ,C;UAA2C,sBAk3SZ,IAl3SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA92SI,IAAI,WA82SkB,cA92SlB,EA82SkB,sBA92SlB,WA82S2B,IA92S3B,CAAJ,C;UAA2C,sBA82SZ,IA92SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm3SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA12SI,IAAI,WA02SkB,cA12SlB,EA02SkB,sBA12SlB,WA02S2B,IA12S3B,CAAJ,C;UAA2C,sBA02SZ,IA12SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt2SI,IAAI,WAs2SkB,cAt2SlB,EAs2SkB,sBAt2SlB,WAs2S2B,IAt2S3B,CAAJ,C;UAA2C,sBAs2SZ,IAt2SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA22SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl2SI,IAAI,WAk2SkB,cAl2SlB,EAk2SkB,sBAl2SlB,WAk2S2B,IAl2S3B,CAAJ,C;UAA2C,sBAk2SZ,IAl2SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA91SI,IAAI,WA81SkB,cA91SlB,EA81SkB,sBA91SlB,WA81S2B,IA91S3B,CAAJ,C;UAA2C,sBA81SZ,IA91SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm2SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA10SI,IAAI,WA00SkB,cA10SlB,EA00SkB,sBA10SlB,WA00S2B,IA10S3B,CAAJ,C;UAA2C,sBA00SZ,IA10SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt1SI,IAAI,WAs1SkB,cAt1SlB,EAs1SkB,sBAt1SlB,WAs1S2B,IAt1S3B,CAAJ,C;UAA2C,sBAs1SZ,IAt1SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA21SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl1SI,IAAI,WAk1SkB,cAl1SlB,EAk1SkB,sBAl1SlB,WAk1S2B,IAl1S3B,CAAJ,C;UAA2C,sBAk1SZ,IAl1SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA90SI,IAAI,WA80SkB,cA90SlB,EA80SkB,sBA90SlB,WA80S2B,IA90S3B,CAAJ,C;UAA2C,sBA80SZ,IA90SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm1SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA10SI,IAAI,WA00SkB,cA10SlB,EA00SkB,sBA10SlB,WA00S2B,IA10S3B,CAAJ,C;UAA2C,sBA00SZ,IA10SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAt0SI,IAAI,WAs0SkB,cAt0SlB,EAs0SkB,sBAt0SlB,WAs0S2B,IAt0S3B,CAAJ,C;UAA2C,sBAs0SZ,IAt0SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA20SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAl0SI,IAAI,WAk0SkB,cAl0SlB,EAk0SkB,sBAl0SlB,WAk0S2B,IAl0S3B,CAAJ,C;UAA2C,sBAk0SZ,IAl0SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9zSI,IAAI,WA8zSkB,cA9zSlB,EA8zSkB,sBA9zSlB,WA8zS2B,IA9zS3B,CAAJ,C;UAA2C,sBA8zSZ,IA9zSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm0SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1zSI,IAAI,WA0zSkB,cA1zSlB,EA0zSkB,sBA1zSlB,WA0zS2B,IA1zS3B,CAAJ,C;UAA2C,sBA0zSZ,IA1zSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+zSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtzSI,IAAI,WAszSkB,cAtzSlB,EAszSkB,sBAtzSlB,WAszS2B,IAtzS3B,CAAJ,C;UAA2C,sBAszSZ,IAtzSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2zSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlzSI,IAAI,WAkzSkB,cAlzSlB,EAkzSkB,sBAlzSlB,WAkzS2B,IAlzS3B,CAAJ,C;UAA2C,sBAkzSZ,IAlzSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuzSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9ySI,IAAI,WA8ySkB,cA9ySlB,EA8ySkB,sBA9ySlB,WA8yS2B,IA9yS3B,CAAJ,C;UAA2C,sBA8ySZ,IA9ySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmzSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1ySI,IAAI,WA0ySkB,cA1ySlB,EA0ySkB,sBA1ySlB,WA0yS2B,IA1yS3B,CAAJ,C;UAA2C,sBA0ySZ,IA1ySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+ySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtySI,IAAI,WAsySkB,cAtySlB,EAsySkB,sBAtySlB,WAsyS2B,IAtyS3B,CAAJ,C;UAA2C,sBAsySZ,IAtySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2ySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlySI,IAAI,WAkySkB,cAlySlB,EAkySkB,sBAlySlB,WAkyS2B,IAlyS3B,CAAJ,C;UAA2C,sBAkySZ,IAlySY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9xSI,IAAI,WA8xSkB,cA9xSlB,EA8xSkB,sBA9xSlB,WA8xS2B,IA9xS3B,CAAJ,C;UAA2C,sBA8xSZ,IA9xSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmySiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1xSI,IAAI,WA0xSkB,cA1xSlB,EA0xSkB,sBA1xSlB,WA0xS2B,IA1xS3B,CAAJ,C;UAA2C,sBA0xSZ,IA1xSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+xSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtxSI,IAAI,WAsxSkB,cAtxSlB,EAsxSkB,sBAtxSlB,WAsxS2B,IAtxS3B,CAAJ,C;UAA2C,sBAsxSZ,IAtxSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2xSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlxSI,IAAI,WAkxSkB,cAlxSlB,EAkxSkB,sBAlxSlB,WAkxS2B,IAlxS3B,CAAJ,C;UAA2C,sBAkxSZ,IAlxSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuxSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9wSI,IAAI,WA8wSkB,cA9wSlB,EA8wSkB,sBA9wSlB,WA8wS2B,IA9wS3B,CAAJ,C;UAA2C,sBA8wSZ,IA9wSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmxSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1wSI,IAAI,WA0wSkB,cA1wSlB,EA0wSkB,sBA1wSlB,WA0wS2B,IA1wS3B,CAAJ,C;UAA2C,sBA0wSZ,IA1wSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+wSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtwSI,IAAI,WAswSkB,cAtwSlB,EAswSkB,sBAtwSlB,WAswS2B,IAtwS3B,CAAJ,C;UAA2C,sBAswSZ,IAtwSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2wSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlwSI,IAAI,WAkwSkB,cAlwSlB,EAkwSkB,sBAlwSlB,WAkwS2B,IAlwS3B,CAAJ,C;UAA2C,sBAkwSZ,IAlwSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuwSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9vSI,IAAI,WA8vSkB,cA9vSlB,EA8vSkB,sBA9vSlB,WA8vS2B,IA9vS3B,CAAJ,C;UAA2C,sBA8vSZ,IA9vSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmwSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1vSI,IAAI,WA0vSkB,cA1vSlB,EA0vSkB,sBA1vSlB,WA0vS2B,IA1vS3B,CAAJ,C;UAA2C,sBA0vSZ,IA1vSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+vSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtvSI,IAAI,WAsvSkB,cAtvSlB,EAsvSkB,sBAtvSlB,WAsvS2B,IAtvS3B,CAAJ,C;UAA2C,sBAsvSZ,IAtvSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2vSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlvSI,IAAI,WAkvSkB,cAlvSlB,EAkvSkB,sBAlvSlB,WAkvS2B,IAlvS3B,CAAJ,C;UAA2C,sBAkvSZ,IAlvSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuvSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9uSI,IAAI,WA8uSkB,cA9uSlB,EA8uSkB,sBA9uSlB,WA8uS2B,IA9uS3B,CAAJ,C;UAA2C,sBA8uSZ,IA9uSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmvSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1uSI,IAAI,WA0uSkB,cA1uSlB,EA0uSkB,sBA1uSlB,WA0uS2B,IA1uS3B,CAAJ,C;UAA2C,sBA0uSZ,IA1uSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+uSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtuSI,IAAI,WAsuSkB,cAtuSlB,EAsuSkB,sBAtuSlB,WAsuS2B,IAtuS3B,CAAJ,C;UAA2C,sBAsuSZ,IAtuSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2uSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAluSI,IAAI,WAkuSkB,cAluSlB,EAkuSkB,sBAluSlB,WAkuS2B,IAluS3B,CAAJ,C;UAA2C,sBAkuSZ,IAluSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuuSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9tSI,IAAI,WA8tSkB,cA9tSlB,EA8tSkB,sBA9tSlB,WA8tS2B,IA9tS3B,CAAJ,C;UAA2C,sBA8tSZ,IA9tSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmuSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1tSI,IAAI,WA0tSkB,cA1tSlB,EA0tSkB,sBA1tSlB,WA0tS2B,IA1tS3B,CAAJ,C;UAA2C,sBA0tSZ,IA1tSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+tSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtsSI,IAAI,WAssSkB,cAtsSlB,EAssSkB,sBAtsSlB,WAssS2B,IAtsS3B,CAAJ,C;UAA2C,sBAssSZ,IAtsSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2sSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlsSI,IAAI,WAksSkB,cAlsSlB,EAksSkB,sBAlsSlB,WAksS2B,IAlsS3B,CAAJ,C;UAA2C,sBAksSZ,IAlsSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAusSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9rSI,IAAI,WA8rSkB,cA9rSlB,EA8rSkB,sBA9rSlB,WA8rS2B,IA9rS3B,CAAJ,C;UAA2C,sBA8rSZ,IA9rSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmsSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1rSI,IAAI,WA0rSkB,cA1rSlB,EA0rSkB,sBA1rSlB,WA0rS2B,IA1rS3B,CAAJ,C;UAA2C,sBA0rSZ,IA1rSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+rSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtrSI,IAAI,WAsrSkB,cAtrSlB,EAsrSkB,sBAtrSlB,WAsrS2B,IAtrS3B,CAAJ,C;UAA2C,sBAsrSZ,IAtrSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2rSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlrSI,IAAI,WAkrSkB,cAlrSlB,EAkrSkB,sBAlrSlB,WAkrS2B,IAlrS3B,CAAJ,C;UAA2C,sBAkrSZ,IAlrSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAurSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9qSI,IAAI,WA8qSkB,cA9qSlB,EA8qSkB,sBA9qSlB,WA8qS2B,IA9qS3B,CAAJ,C;UAA2C,sBA8qSZ,IA9qSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmrSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1qSI,IAAI,WA0qSkB,cA1qSlB,EA0qSkB,sBA1qSlB,WA0qS2B,IA1qS3B,CAAJ,C;UAA2C,sBA0qSZ,IA1qSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+qSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtpSI,IAAI,WAspSkB,cAtpSlB,EAspSkB,sBAtpSlB,WAspS2B,IAtpS3B,CAAJ,C;UAA2C,sBAspSZ,IAtpSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2pSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlpSI,IAAI,WAkpSkB,cAlpSlB,EAkpSkB,sBAlpSlB,WAkpS2B,IAlpS3B,CAAJ,C;UAA2C,sBAkpSZ,IAlpSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAupSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9oSI,IAAI,WA8oSkB,cA9oSlB,EA8oSkB,sBA9oSlB,WA8oS2B,IA9oS3B,CAAJ,C;UAA2C,sBA8oSZ,IA9oSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmpSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1oSI,IAAI,WA0oSkB,cA1oSlB,EA0oSkB,sBA1oSlB,WA0oS2B,IA1oS3B,CAAJ,C;UAA2C,sBA0oSZ,IA1oSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+oSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtnSI,IAAI,WAsnSkB,cAtnSlB,EAsnSkB,sBAtnSlB,WAsnS2B,IAtnS3B,CAAJ,C;UAA2C,sBAsnSZ,IAtnSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2nSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlnSI,IAAI,WAknSkB,cAlnSlB,EAknSkB,sBAlnSlB,WAknS2B,IAlnS3B,CAAJ,C;UAA2C,sBAknSZ,IAlnSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAunSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9mSI,IAAI,WA8mSkB,cA9mSlB,EA8mSkB,sBA9mSlB,WA8mS2B,IA9mS3B,CAAJ,C;UAA2C,sBA8mSZ,IA9mSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmnSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1mSI,IAAI,WA0mSkB,cA1mSlB,EA0mSkB,sBA1mSlB,WA0mS2B,IA1mS3B,CAAJ,C;UAA2C,sBA0mSZ,IA1mSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+mSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtlSI,IAAI,WAslSkB,cAtlSlB,EAslSkB,sBAtlSlB,WAslS2B,IAtlS3B,CAAJ,C;UAA2C,sBAslSZ,IAtlSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2lSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAllSI,IAAI,WAklSkB,cAllSlB,EAklSkB,sBAllSlB,WAklS2B,IAllS3B,CAAJ,C;UAA2C,sBAklSZ,IAllSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAulSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9kSI,IAAI,WA8kSkB,cA9kSlB,EA8kSkB,sBA9kSlB,WA8kS2B,IA9kS3B,CAAJ,C;UAA2C,sBA8kSZ,IA9kSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmlSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1kSI,IAAI,WA0kSkB,cA1kSlB,EA0kSkB,sBA1kSlB,WA0kS2B,IA1kS3B,CAAJ,C;UAA2C,sBA0kSZ,IA1kSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+kSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtjSI,IAAI,WAsjSkB,cAtjSlB,EAsjSkB,sBAtjSlB,WAsjS2B,IAtjS3B,CAAJ,C;UAA2C,sBAsjSZ,IAtjSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2jSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAljSI,IAAI,WAkjSkB,cAljSlB,EAkjSkB,sBAljSlB,WAkjS2B,IAljS3B,CAAJ,C;UAA2C,sBAkjSZ,IAljSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAujSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9iSI,IAAI,WA8iSkB,cA9iSlB,EA8iSkB,sBA9iSlB,WA8iS2B,IA9iS3B,CAAJ,C;UAA2C,sBA8iSZ,IA9iSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmjSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1iSI,IAAI,WA0iSkB,cA1iSlB,EA0iSkB,sBA1iSlB,WA0iS2B,IA1iS3B,CAAJ,C;UAA2C,sBA0iSZ,IA1iSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+iSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAthSI,IAAI,WAshSkB,cAthSlB,EAshSkB,sBAthSlB,WAshS2B,IAthS3B,CAAJ,C;UAA2C,sBAshSZ,IAthSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2hSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlhSI,IAAI,WAkhSkB,cAlhSlB,EAkhSkB,sBAlhSlB,WAkhS2B,IAlhS3B,CAAJ,C;UAA2C,sBAkhSZ,IAlhSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuhSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9gSI,IAAI,WA8gSkB,cA9gSlB,EA8gSkB,sBA9gSlB,WA8gS2B,IA9gS3B,CAAJ,C;UAA2C,sBA8gSZ,IA9gSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmhSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1gSI,IAAI,WA0gSkB,cA1gSlB,EA0gSkB,sBA1gSlB,WA0gS2B,IA1gS3B,CAAJ,C;UAA2C,sBA0gSZ,IA1gSY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+gSiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtfSI,IAAI,WAsfkB,cAtflB,EAsfkB,sBAtflB,WAsf2B,IAtf3B,CAAJ,C;UAA2C,sBAsfZ,IAtfY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2fiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlfSI,IAAI,WAkfkB,cAlflB,EAkfkB,sBAlflB,WAkf2B,IAlf3B,CAAJ,C;UAA2C,sBAkfZ,IAlfY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAufiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9eSI,IAAI,WA8ekB,cA9elB,EA8ekB,sBA9elB,WA8e2B,IA9e3B,CAAJ,C;UAA2C,sBA8eZ,IA9eY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmfiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1eSI,IAAI,WA0ekB,cA1elB,EA0ekB,sBA1elB,WA0e2B,IA1e3B,CAAJ,C;UAA2C,sBA0eZ,IA1eY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+eiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtdSI,IAAI,WAsdkB,cAtdlB,EAsdkB,sBAtdlB,WAsd2B,IAtd3B,CAAJ,C;UAA2C,sBAsdZ,IAtdY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2diB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAldSI,IAAI,WAkdkB,cAldlB,EAkdkB,sBAldlB,WAkd2B,IAld3B,CAAJ,C;UAA2C,sBAkdZ,IAldY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAudiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9cSI,IAAI,WA8ckB,cA9clB,EA8ckB,sBA9clB,WA8c2B,IA9c3B,CAAJ,C;UAA2C,sBA8cZ,IA9cY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmdiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1cSI,IAAI,WA0ckB,cA1clB,EA0ckB,sBA1clB,WA0c2B,IA1c3B,CAAJ,C;UAA2C,sBA0cZ,IA1cY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+ciB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtbSI,IAAI,WAsbkB,cAtblB,EAsbkB,sBAtblB,WAsb2B,IAtb3B,CAAJ,C;UAA2C,sBAsbZ,IAtbY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2biB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlbSI,IAAI,WAkbkB,cAlblB,EAkbkB,sBAlblB,WAkb2B,IAlb3B,CAAJ,C;UAA2C,sBAkbZ,IAlbY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAubiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9aSI,IAAI,WA8akB,cA9alB,EA8akB,sBA9alB,WA8a2B,IA9a3B,CAAJ,C;UAA2C,sBA8aZ,IA9aY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmbiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1aSI,IAAI,WA0akB,cA1alB,EA0akB,sBA1alB,WA0a2B,IA1a3B,CAAJ,C;UAA2C,sBA0aZ,IA1aY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+aiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtZSI,IAAI,WAsZkB,cAtZlB,EAsZkB,sBAtZlB,WAsZ2B,IAtZ3B,CAAJ,C;UAA2C,sBAsZZ,IAtZY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2ZiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlZSI,IAAI,WAkZkB,cAlZlB,EAkZkB,sBAlZlB,WAkZ2B,IAlZ3B,CAAJ,C;UAA2C,sBAkZZ,IAlZY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuZiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9YSI,IAAI,WA8YkB,cA9YlB,EA8YkB,sBA9YlB,WA8Y2B,IA9Y3B,CAAJ,C;UAA2C,sBA8YZ,IA9YY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmaiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1YSI,IAAI,WA0YkB,cA1YlB,EA0YkB,sBA1YlB,WA0Y2B,IA1Y3B,CAAJ,C;UAA2C,sBA0YZ,IA1YY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+YiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtXSI,IAAI,WAsXkB,cAtXlB,EAsXkB,sBAtXlB,WAsX2B,IAtX3B,CAAJ,C;UAA2C,sBAsXZ,IAtXY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2XiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlXSI,IAAI,WAkXkB,cAlXlB,EAkXkB,sBAlXlB,WAkX2B,IAlX3B,CAAJ,C;UAA2C,sBAkXZ,IAlXY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuXiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9WSI,IAAI,WA8WkB,cA9WlB,EA8WkB,sBA9WlB,WA8W2B,IA9W3B,CAAJ,C;UAA2C,sBA8WZ,IA9WY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAmXiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1WSI,IAAI,WA0WkB,cA1WlB,EA0WkB,sBA1WlB,WA0W2B,IA1W3B,CAAJ,C;UAA2C,sBA0WZ,IA1WY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+WiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtVSI,IAAI,WAsVkB,cAtVlB,EAsVkB,sBAtVlB,WAsV2B,IAtV3B,CAAJ,C;UAA2C,sBAsVZ,IAtVY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2ViB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAlVSI,IAAI,WAkVkB,cAlVlB,EAkVkB,sBAlVlB,WAkV2B,IAlV3B,CAAJ,C;UAA2C,sBAkVZ,IAlVY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAuViB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9USI,IAAI,WA8UkB,cA9UlB,EA8UkB,sBA9UlB,WA8U2B,

AI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB
,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX
,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,C
AAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAh
B,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;
MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,I
AAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,
oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB
,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAI,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;sFAUA
,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;
UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OA
AO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,I
AAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q
;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAA
Y,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAG
X,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C
;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,
Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YA
AwB,WAAY,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,O
MhtIe,W;;MNitItC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CA
AqD,C;K;IAGhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxtIe,W;;MNytItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ
,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;
QAAuB,OMhuIe,W;;MNiuItC,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB
,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxuIe,W;;MNyuItC,Oe7rIqC,Of6rI9B,y
BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OA
AQ,UAAZ,C;QAAuB,OMhvIe,W;;MNivItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA
AuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxvIe,W;;MNyvItC,Oe7rI
uC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;M
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhwIe,W;;MNiwItC,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,O
AAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIiC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxwIe,W;;
MNywItC,Oe7rIyC,Of6rIlC,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;
K;IfgsI7C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhxIe,W;;MNixItC,OAA4D,SAArD,0BAAY,OAAQ,MA
pB,EA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR
,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAa,IAAb,C;M
ACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,
qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MA
CtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,UAA
I,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;
MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,cA
Ad,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WA
AmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBA
Ae,IAAf,C;MACG,yB;MAAd,OAAc,cAAd,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OA
AO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,

C;QAAe,OAAO,W;MACtB,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAkB,IAAlB,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAc,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAiB,IAAj

AJ,C;QACI,cd0oJc,sD;QczoJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MACiB,Q;McvqJb,IAAI,EdiqJI,KAAK,CcjqJT,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdgqJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MACiB,Q;Mc7rJb,IAAI,EdurJI,KAAK,CcvrJT,CAAJ,C;QACI,cdsrJc,sD;QcrrJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McntJb,IAAI,Ed6sJI,KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md4sJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MczuJb,IAAI,EdmuJI,KAAK,CcnuJT,CAAJ,C;QACI,cdkuJc,sD;QcjuJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdkuJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McvvJb,IAAI,EdyvJI,KAAK,CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdwvJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McxxJb,IAAI,Ed0xJI,KAAK,Cc1xJT,CAAJ,C;QACI,cdyxJc,sD;QcxxJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdyxJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;McvzJb,IAAI,EdyzJI,KAAK,CczzJT,CAAJ,C;QACI,cdwzJc,sD;QcvzJd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdwz

AJ,C;MACT,OAAO,I;K;IAGX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,C;QACI,cds4Jc,sD;Qcr4Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mds4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl5JI,IAAI,Ed05JI,KAAK,Cc15JT,CAAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdy5JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr6JI,IAAI,Ed66JI,KAAK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md46JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Ccj8JT,CAAJ,C;QACI,cdi8Jc,sD;Qch8Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdi8JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,IAAI,Edm9JI,KAAK,Ccp9JT,CAAJ,C;QACI,cdo9Jc,sD;Qcn9Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdo9JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc99JI,IAAI,Edt+JI,KAAK,Ccv+JT,CAAJ,C;QACI,cdu+Jc,sD;Qct+Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdu+JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj/JI,IAAI,Edy/JI,KAAK,Cc1/JT,CAAJ,C;QACI,cd0/Jc,sD;Qcz/Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md0/JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp2JI,IAAI,Ed42JI,KAAK,Cc72JT,CAAJ,C;QACI,cd62Jc,sD;Qc52Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md62JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc33JI,IAAI,Edm4JI,KAAK,Ccp4JT,CAAJ,C;QACI,cdo4Jc,sD;Qcn4Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdo4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc55JI,IAAI,Edp5JI,KAAK,Ccr5JT,CAAJ,C;QACI,cdq5Jc,sD;Qcp5Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdq5JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc76JI,IAAI,Edq7JI,KAAK,Cct7JT,CAAJ,C;QACI,cds7Jc,sD;Qcr7Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mds7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc98JI,IAAI,Edt8JI,KAAK,Ccv8JT,CAAJ,C;QACI,cdu8Jc,sD;Qct8Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdu8JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl/JI,IAAI,Ed0/JI,KAAK,Cc3/JT,CAAJ,C;QACI,cd2/Jc,sD;Qc1/Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Md2/JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcv2JI,IAAI,Ed+2JI,KAAK,Cch3JT,CAAJ,C;QACI,cdg3Jc,sD;Qc/2Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;;Mdg3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc94JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl6JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp8JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr9JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct+JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/+JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx3JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp5JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mch7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz8JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl+JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcv/JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn3JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr5JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct9JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/gKI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx4JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp6JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mch7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz8JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl+JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcv/JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcn3JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcr5JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcj7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct9JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/gKI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcx4JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcp6JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mch7JI,IAAI,EdA,KAAK,CcD,CAAJ,C;QACI,cdC,sD;QcA,MAAM,gCAAyB,OAAQ,WAAjC,C;;MdC,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAe,CAAf,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAG

AAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,
C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,S

B,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAa,2BAAkB,SAAlB,EAA6B,EAA6B,OAA7B,EAAsC,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,EAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,B;QAA2C,M;MAC3C,mBAAmB

b,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqgEO,qBAAQ,CArgEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MAChB,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,sC;MAOI,aAAU,wBAAV,OAAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAf,OAAA2B,CAAA

B;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAII,IAqlDO,qBAAQ,CArlDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nMX,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SepnKiB,Q;MfonKK,6B;MAA7B,OiB1oMO,W;K;IjB6oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B;MAA7B,OiB1pMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiB1qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mKK,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmhDO,qBAAQ,CAnhDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAL,SAAK,C;MAAiB,6B;MAA7B,OiB1rMO,W;K;IjB6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,OAAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B,OiBpsMO,W;K;sFjBusMX,yB;MAAA,wD;MgB5rMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBvsMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBgsMf,sC;QAQI,OAAO,sBgBxsMP,eAAW,iBhBwsMiB,QgBxsMjB,CAAX,ChBwsMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBltMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB2sMf,sC;QAQI,OAAO,sBgBntMP,eAAW,iBhBmtMiB,QgBntMjB,CAAX,ChBmtMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB7tMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBstMf,sC;QAQI,OAAO,sBgB9tMP,eAAW,iBhB8tMiB,QgB9tMjB,CAAX,ChB8tMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBxuMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBiuMf,sC;QAQI,OAAO,sBgBzuMP,eAAW,iBhByuMiB,QgBzuMjB,CAAX,ChByuMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBnvMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB4uMf,sC;QAQI,OAAO,sBgBpvMP,eAAW,iBhBovMiB,QgBpvMjB,CAAX,ChBovMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB9vMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBuvMf,sC;QAQI,OAAO,sBgB/vMP,eAAW,iBhB+vMiB,QgB/vMjB,CAAX,ChB+vMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBzwMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBkwMf,sC;QAQI,OAAO,sBgB1wMP,eAAW,iBhB0wMiB,QgB1wMjB,CAAX,ChB0wMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBpxMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6wMf,sC;QAQI,OAAO,sBgBrxMP,eAAW,iBhBqxMiB,QgBrxMjB,CAAX,ChBqxMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/xMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBgxMf,sC;QAQI,OAAO,sBgBxxMP,eAAW,iBhBwxMiB,QgBxxMjB,CAAX,ChBwxMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBlyMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBmyMf,sC;QAQI,OAAO,sBgB3yMP,eAAW,iBhB2yMiB,QgB3yMjB,CAAX,ChB2yMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBrzMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBszMf,sC;QAQI,OAAO,sBgB9zMP,eAAW,iBhB8zMiB,QgB9zMjB,CAAX,ChB8zMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBx0MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBi0Mf,sC;QAQI,OAAO,sBgBz0MP,eAAW,iBhBy0MiB,QgBz0MjB,CAAX,ChBy0MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBn1MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB40Mf,sC;QAQI,OAAO,sBgBp1MP,eAAW,iBhBo1MiB,QgBp1MjB,CAAX,ChBo1MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB91MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBu1Mf,sC;QAQI,OAAO,sBgB/1MP,eAAW,iBhB+1MiB,QgB/1MjB,CAAX,ChB+1MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBz2MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBk2Mf,sC;QAQI,OAAO,sBgB12MP,eAAW,iBhB02MiB,QgB12MjB,CAAX,ChB02MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBp3MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB63Mf,sC;QAQI,OAAO,sBgBr3MP,eAAW,iBhBq3MiB,QgBr3MjB,CAAX,ChBq3MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/3MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBw4Mf,sC;QAQI,OAAO,sBgBh4MP,eAAW,iBhBg4MiB,QgBh4MjB,CAAX,ChBg4MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB15MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBm5Mf,sC;QAQI,OAAO,sBgB35MP,eAAW,iBhB25MiB,QgB35MjB,CAAX,ChB25MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBr6MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB86Mf,sC;QAQI,OAAO,sBgBt6MP,eAAW,iBhBs6MiB,QgBt6MjB,CAAX,ChBs6MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBh7MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBy7Mf,sC;QAQI,OAAO,sBgBj7MP,eAAW,iBhBi7MiB,QgBj7MjB,CAAX,ChBi7MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB38MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBo8Mf,sC;QAQI,OAAO,sBgB58MP,eAAW,iBhB48MiB,QgB58MjB,CAAX,ChB48MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBt9MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB+8Mf,sC;QAQI,OAAO,sBgBv9MP,eAAW,iBhBu9MiB,QgBv9MjB,CAAX,ChBu9MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBj+MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB0+Mf,sC;QAQI,OAAO,sBgBl+MP,eAAW,iBhBk+MiB,QgBl+MjB,CAAX,ChBk+MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB5+MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6+Mf,sC;QAQI,OAAO,sBgBr+MP,eAAW,iBhBq+MiB,QgBr+MjB,CAAX,ChBq+MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/+MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBw/Mf,sC;QAQI,OAAO,sBgBh/MP,eAAW,iBhBg/MiB,QgBh/MjB,CAAX,ChBg/MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB1/MA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBmgNf,sC;QAQI,OAAO,sBgB3/MP,eAAW,iBhB2/MiB,QgB3/MjB,CAAX,ChB2/MO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBrgNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBshNf,sC;QAQI,OAAO,sBgB9gNP,eAAW,iBhB8gNiB,QgB9gNjB,CAAX,ChB8gNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBxhNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBiiNf,sC;QAQI,OAAO,sBgBzhNP,eAAW,iBhByhNiB,QgBzhNjB,CAAX,ChByhNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBniNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB4iNf,sC;QAQI,OAAO,sBgBpiNP,eAAW,iBhBoiNiB,QgBpiNjB,CAAX,ChBoiNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB9iNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBujNf,sC;QAQI,OAAO,sBgB/iNP,eAAW,iBhB+iNiB,QgB/iNjB,CAAX,ChB+iNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBzjNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBkkNf,sC;QAQI,OAAO,sBgB1jNP,eAAW,iBhB0jNiB,QgB1jNjB,CAAX,ChB0jNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBpkNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6kNf,sC;QAQI,OAAO,sBgBrkNP,eAAW,iBhBqkNiB,QgBrkNjB,CAAX,ChBqkNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/kNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBwlNf,sC;QAQI,OAAO,sBgBhlNP,eAAW,iBhBglNiB,QgBhlNjB,CAAX,ChBglNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB1lNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBmmNf,sC;QAQI,OAAO,sBgB3lNP,eAAW,iBhB2lNiB,QgB3lNjB,CAAX,ChB2lNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBrmNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBsnNf,sC;QAQI,OAAO,sBgB9mNP,eAAW,iBhB8mNiB,QgB9mNjB,CAAX,ChB8mNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBxnNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBioNf,sC;QAQI,OAAO,sBgBznNP,eAAW,iBhBynNiB,QgBznNjB,CAAX,ChBynNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBnoNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB4oNf,sC;QAQI,OAAO,sBgBpoNP,eAAW,iBhBooNiB,QgBpoNjB,CAAX,ChBooNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB9oNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBupNf,sC;QAQI,OAAO,sBgB/oNP,eAAW,iBhB+oNiB,QgB/oNjB,CAAX,ChB+oNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBzpNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBkqNf,sC;QAQI,OAAO,sBgB1pNP,eAAW,iBhB0pNiB,QgB1pNjB,CAAX,ChB0pNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBpqNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6qNf,sC;QAQI,OAAO,sBgBrqNP,eAAW,iBhBqqNiB,QgBrqNjB,CAAX,ChBqqNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/qNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBwrNf,sC;QAQI,OAAO,sBgBhrNP,eAAW,iBhBgrNiB,QgBhrNjB,CAAX,ChBgrNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB1rNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBmsNf,sC;QAQI,OAAO,sBgB3rNP,eAAW,iBhB2rNiB,QgB3rNjB,CAAX,ChB2rNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBrsNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBstNf,sC;QAQI,OAAO,sBgB9sNP,eAAW,iBhB8sNiB,QgB9sNjB,CAAX,ChB8sNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBxtNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBiuNf,sC;QAQI,OAAO,sBgBztNP,eAAW,iBhBytNiB,QgBztNjB,CAAX,ChBytNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBnuNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB4uNf,sC;QAQI,OAAO,sBgBpuNP,eAAW,iBhBouNiB,QgBpuNjB,CAAX,ChBouNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB9uNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBuvNf,sC;QAQI,OAAO,sBgB/uNP,eAAW,iBhB+uNiB,QgB/uNjB,CAAX,ChB+uNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBzvNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBkwNf,sC;QAQI,OAAO,sBgB1vNP,eAAW,iBhB0vNiB,QgB1vNjB,CAAX,ChB0vNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBpwNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6wNf,sC;QAQI,OAAO,sBgBrwNP,eAAW,iBhBqwNiB,QgBrwNjB,CAAX,ChBqwNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/wNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBwxNf,sC;QAQI,OAAO,sBgBhxNP,eAAW,iBhBgxNiB,QgBhxNjB,CAAX,ChBgxNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB1xNA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBmyNf,sC;QAQI,OAAO,sBgB3xNP,eAAW,iBhB2xNiB,QgB3xNjB,CAAX,ChB2xNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBrySA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBszNf,sC;QAQI,OAAO,sBgB9yNP,eAAW,iBhB8yNiB,QgB9yNjB,CAAX,ChB8yNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBxzSA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBi0Nf,sC;QAQI,OAAO,sBgBzzNP,eAAW,iBhByzNiB,QgBzzNjB,CAAX,ChByzNO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBn0SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB40Nf,sC;QAQI,OAAO,sBgBp0NP,eAAW,iBhBo0NiB,QgBp0NjB,CAAX,ChBo0NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB91SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBu1Nf,sC;QAQI,OAAO,sBgB/0NP,eAAW,iBhB+0NiB,QgB/0NjB,CAAX,ChB+0NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBz2SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBk2Nf,sC;QAQI,OAAO,sBgB11NP,eAAW,iBhB01NiB,QgB11NjB,CAAX,ChB01NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBp3SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB63Nf,sC;QAQI,OAAO,sBgBr3NP,eAAW,iBhBq3NiB,QgBr3NjB,CAAX,ChBq3NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB/3SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBw4Nf,sC;QAQI,OAAO,sBgBh4NP,eAAW,iBhBg4NiB,QgBh4NjB,CAAX,ChBg4NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB15SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBm5Nf,sC;QAQI,OAAO,sBgB35NP,eAAW,iBhB25NiB,QgB35NjB,CAAX,ChB25NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBr6SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB86Nf,sC;QAQI,OAAO,sBgBt6NP,eAAW,iBhBs6NiB,QgBt6NjB,CAAX,ChBs6NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBh7SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBy7Nf,sC;QAQI,OAAO,sBgBj7NP,eAAW,iBhBi7NiB,QgBj7NjB,CAAX,ChBi7NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgB38SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBo8Nf,sC;QAQI,OAAO,sBgB58NP,eAAW,iBhB48NiB,QgB58NjB,CAAX,ChB48NO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBt9SA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;

A,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4wMf,sC;QAII,OAAO,sBgBhxMP,eAAW,2BhBgxM2B,QgBhxM3B,CAAX,ChBgxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1xMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmxMf,sC;QAII,OAAO,sBgBvxMP,eAAW,2BhBuxM2B,QgBvxM3B,CAAX,ChBuxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0xMf,sC;QAII,OAAO,sBgB9xMP,eAAW,2BhB8xM2B,QgB9xM3B,CAAX,ChB8xMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBxyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBiyMf,sC;QAII,OAAO,sBgBryMP,eAAW,2BhBqyM2B,QgBryM3B,CAAX,ChBqyMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/yMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwyMf,sC;QAII,OAAO,sBgB5yMP,eAAW,2BhB4yM2B,QgB5yM3B,CAAX,ChB4yMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtzMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB+yMf,sC;QAII,OAAO,sBgBnzMP,eAAW,2BhBmzM2B,QgBnzM3B,CAAX,ChBmzMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB7zMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBszMf,sC;QAII,OAAO,sBgB1zMP,eAAW,2BhB0zM2B,QgB1zM3B,CAAX,ChB0zMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp0MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB6zMf,sC;QAII,OAAO,sBgBj0MP,eAAW,2BhBi0M2B,QgBj0M3B,CAAX,ChBi0MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB30MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB40Mf,sC;QAII,OAAO,sBgBh1MP,eAAW,2BhBg1M2B,QgBh1M3B,CAAX,ChBg1MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB11MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm1Mf,sC;QAII,OAAO,sBgBv1MP,eAAW,2BhBu1M2B,QgBv1M3B,CAAX,ChBu1MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj2MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs1Mf,sC;QAII,OAAO,sBgB11MP,eAAW,2BhB01M2B,QgB11M3B,CAAX,ChB01MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp2MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy1Mf,sC;QAII,OAAO,sBgB71MP,eAAW,2BhB61M2B,QgB71M3B,CAAX,ChB61MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv2MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB41Mf,sC;QAII,OAAO,sBgBh2MP,eAAW,2BhBg2M2B,QgBh2M3B,CAAX,ChBg2MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB12MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm2Mf,sC;QAII,OAAO,sBgBv2MP,eAAW,2BhBu2M2B,QgBv2M3B,CAAX,ChBu2MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj3MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs2Mf,sC;QAII,OAAO,sBgB12MP,eAAW,2BhB02M2B,QgB12M3B,CAAX,ChB02MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp3MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy2Mf,sC;QAII,OAAO,sBgB72MP,eAAW,2BhB62M2B,QgB72M3B,CAAX,ChB62MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv3MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB42Mf,sC;QAII,OAAO,sBgBh3MP,eAAW,2BhBg3M2B,QgBh3M3B,CAAX,ChBg3MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB13MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm3Mf,sC;QAII,OAAO,sBgBv3MP,eAAW,2BhBu3M2B,QgBv3M3B,CAAX,ChBu3MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj4MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs3Mf,sC;QAII,OAAO,sBgB13MP,eAAW,2BhB03M2B,QgB13M3B,CAAX,ChB03MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp4MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy3Mf,sC;QAII,OAAO,sBgB73MP,eAAW,2BhB63M2B,QgB73M3B,CAAX,ChB63MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv4MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB44Mf,sC;QAII,OAAO,sBgBh5MP,eAAW,2BhBg5M2B,QgBh5M3B,CAAX,ChBg5MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB15MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm5Mf,sC;QAII,OAAO,sBgBv5MP,eAAW,2BhBu5M2B,QgBv5M3B,CAAX,ChBu5MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj6MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs5Mf,sC;QAII,OAAO,sBgB15MP,eAAW,2BhB05M2B,QgB15M3B,CAAX,ChB05MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp6MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy5Mf,sC;QAII,OAAO,sBgB75MP,eAAW,2BhB65M2B,QgB75M3B,CAAX,ChB65MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv6MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB46Mf,sC;QAII,OAAO,sBgBh7MP,eAAW,2BhBg7M2B,QgBh7M3B,CAAX,ChBg7MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB17MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm7Mf,sC;QAII,OAAO,sBgBv7MP,eAAW,2BhBu7M2B,QgBv7M3B,CAAX,ChBu7MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj8MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs7Mf,sC;QAII,OAAO,sBgB17MP,eAAW,2BhB07M2B,QgB17M3B,CAAX,ChB07MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp8MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy7Mf,sC;QAII,OAAO,sBgB77MP,eAAW,2BhB67M2B,QgB77M3B,CAAX,ChB67MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv8MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB48Mf,sC;QAII,OAAO,sBgBh9MP,eAAW,2BhBg9M2B,QgBh9M3B,CAAX,ChBg9MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB19MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm9Mf,sC;QAII,OAAO,sBgBv9MP,eAAW,2BhBu9M2B,QgBv9M3B,CAAX,ChBu9MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj+MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs9Mf,sC;QAII,OAAO,sBgB19MP,eAAW,2BhB09M2B,QgB19M3B,CAAX,ChB09MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp+MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy9Mf,sC;QAII,OAAO,sBgB79MP,eAAW,2BhB69M2B,QgB79M3B,CAAX,ChB69MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv+MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4+Mf,sC;QAII,OAAO,sBgBh/MP,eAAW,2BhBg/M2B,QgBh/M3B,CAAX,ChBg/MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1/MA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm/Mf,sC;QAII,OAAO,sBgBv/MP,eAAW,2BhBu/M2B,QgBv/M3B,CAAX,ChBu/MO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjgNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBsgNf,sC;QAII,OAAO,sBgB1gNP,eAAW,2BhB0gN2B,QgB1gN3B,CAAX,ChB0gNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBphNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBygNf,sC;QAII,OAAO,sBgB7gNP,eAAW,2BhB6gN2B,QgB7gN3B,CAAX,ChB6gNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBviNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4iNf,sC;QAII,OAAO,sBgBhjNP,eAAW,2BhBgjN2B,QgBhjN3B,CAAX,ChBgjNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1jNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmjNf,sC;QAII,OAAO,sBgBvjNP,eAAW,2BhBujN2B,QgBvjN3B,CAAX,ChBujNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjkNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBskNf,sC;QAII,OAAO,sBgB1kNP,eAAW,2BhB0kN2B,QgB1kN3B,CAAX,ChB0kNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBplNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBymNf,sC;QAII,OAAO,sBgB7mNP,eAAW,2BhB6mN2B,QgB7mN3B,CAAX,ChB6mNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBvnNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4nNf,sC;QAII,OAAO,sBgBhoNP,eAAW,2BhBgoN2B,QgBhoN3B,CAAX,ChBgoNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1oNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmoNf,sC;QAII,OAAO,sBgBvoNP,eAAW,2BhBuoN2B,QgBvoN3B,CAAX,ChBuoNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjpNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBspNf,sC;QAII,OAAO,sBgB1pNP,eAAW,2BhB0pN2B,QgB1pN3B,CAAX,ChB0pNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBpqNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBymNf,sC;QAII,OAAO,sBgB7mNP,eAAW,2BhB6mN2B,QgB7mN3B,CAAX,ChB6mNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBvnNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4nNf,sC;QAII,OAAO,sBgBhoNP,eAAW,2BhBgoN2B,QgBhoN3B,CAAX,ChBgoNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1oNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmoNf,sC;QAII,OAAO,sBgBvoNP,eAAW,2BhBuoN2B,QgBvoN3B,CAAX,ChBuoNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjpNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBspNf,sC;QAII,OAAO,sBgB1pNP,eAAW,2BhB0pN2B,QgB1pN3B,CAAX,ChB0pNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBpqNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqqNf,sC;QAII,OAAO,sBgBzqNP,eAAW,2BhByqN2B,QgBzqN3B,CAAX,ChByqNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBnrNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwrNf,sC;QAII,OAAO,sBgB5rNP,eAAW,2BhB4rN2B,QgB5rN3B,CAAX,ChB4rNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtsNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB2sNf,sC;QAII,OAAO,sBgB/sNP,eAAW,2BhB+sN2B,QgB/sN3B,CAAX,ChB+sNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBztNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB8tNf,sC;QAII,OAAO,sBgBluNP,eAAW,2BhBkuN2B,QgBluN3B,CAAX,ChBkuNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB5uNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBivNf,sC;QAII,OAAO,sBgBrvNP,eAAW,2BhBqvN2B,QgBrvN3B,CAAX,ChBqvNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/vNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBowNf,sC;QAII,OAAO,sBgBxwNP,eAAW,2BhBwwN2B,QgBxwN3B,CAAX,ChBwwNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBlxNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBuxNf,sC;QAII,OAAO,sBgB3xNP,eAAW,2BhB2xN2B,QgB3xN3B,CAAX,ChB2xNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBryNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0yNf,sC;QAII,OAAO,sBgB9yNP,eAAW,2BhB8yN2B,QgB9yN3B,CAAX,ChB8yNO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBxzNA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB6zNf,sC;QAII,OAAO,sBgBj0NP,eAAW,2BhBi0N2B,QgBj0N3B,CAAX,ChBi0NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB30NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBg1Nf,sC;QAII,OAAO,sBgBp1NP,eAAW,2BhBo1N2B,QgBp1N3B,CAAX,ChBo1NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB91NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm1Nf,sC;QAII,OAAO,sBgBv1NP,eAAW,2BhBu1N2B,QgBv1N3B,CAAX,ChBu1NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj2NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs1Nf,sC;QAII,OAAO,sBgB11NP,eAAW,2BhB01N2B,QgB11N3B,CAAX,ChB01NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp2NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy2Nf,sC;QAII,OAAO,sBgB72NP,eAAW,2BhB62N2B,QgB72N3B,CAAX,ChB62NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv3NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB43Nf,sC;QAII,OAAO,sBgBh4NP,eAAW,2BhBg4N2B,QgBh4N3B,CAAX,ChBg4NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB14NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm4Nf,sC;QAII,OAAO,sBgBv4NP,eAAW,2BhBu4N2B,QgBv4N3B,CAAX,ChBu4NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj5NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBs4Nf,sC;QAII,OAAO,sBgB14NP,eAAW,2BhB04N2B,QgB14N3B,CAAX,ChB04NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBp5NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBy5Nf,sC;QAII,OAAO,sBgB75NP,eAAW,2BhB65N2B,QgB75N3B,CAAX,ChB65NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBv6NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB46Nf,sC;QAII,OAAO,sBgBh7NP,eAAW,2BhBg7N2B,QgBh7N3B,CAAX,ChBg7NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB17NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBm7Nf,sC;QAII,OAAO,sBgBv7NP,eAAW,2BhBu7N2B,QgBv7N3B,CAAX,ChBu7NO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBj8NA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S

;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAmB,OAAnB,C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAmB,gCAAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY,gBAAZ,EAAkB,+BAAlB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAX,EAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO,gCAAS,gBAAT,EAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAAV,EAAgB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kCAAW,gBAAX,EAAiB,8BAAjB,C;K;wFAJ5C,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAAA,WI,eAAiC,cAAlB,yBAAkB,YAAlB,gBAAkB,CAAlB,kBAAkB,EAAlB,eAAkB,C;QAAlC,C1B,kBAAkC,mBAAlB,oBAAkB,QAAlB,cAAkB,iD;UAAlB,gBAAkB,e;UAAlB,WAAkB,qB8C,SAA0B,qB/B,CAAlB,U,OAAkB,C;UAAlB,qCAAkB,yBAAlB,C;UAAlB,qCAAkB,yBAAlB,C;UAAlB,qCAAkB,yBAAl

AAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsB,QAAtB,C;QAsQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQlC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KArRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuB,QAAvB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KAtRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwB,QAAxB,C;QAwQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC,WAyQpC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzQhB,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyB,QAAzB,C;QAyQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAxRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0B,QAA1B,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2B,QAA3B,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5Q2C,WA4QvC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4B,QAA5B,C;QA4QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7Q4C,WA6QxC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7QhB,OA+QO,W;O;KA3RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6B,QAA7B,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9Q6C,WA8QzC,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9QhB,OAgRO,W;O;KA5RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8B,QAA9B,C;QA8QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/Q8C,WA+Q1C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/QhB,OAiRO,W;O;KA7RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+B,QAA/B,C;QA+QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhR+C,WAgR3C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhRhB,OAkRO,W;O;KA9RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgC,QAAhC,C;QAgRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjRgD,WAiR5C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjRhB,OAmRO,W;O;KA/RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiC,QAAjC,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlRiD,WAkR7C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlRhB,OAoRO,W;O;KAhSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkC,QAAlC,C;QAkRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnRkD,WAmR9C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnRhB,OAqRO,W;O;KAjSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmC,QAAnC,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRmD,WAoR/C,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApRhB,OAsRO,W;O;KAlSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoC,QAApC,C;QAoRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArRoD,WAqRhD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArRhB,OAuRO,W;O;KAnSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqC,QAArC,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRqD,WAsRjD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtRhB,OAwRO,W;O;KApSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsC,QAAtC,C;QAsRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvRsD,WAuRlD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvRhB,OAyRO,W;O;KArSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuC,QAAvC,C;QAuRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxRuD,WAwRnD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxRhB,OA0RO,W;O;KAtSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwC,QAAxC,C;QAwRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzRwD,WAyRpD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzRhB,OA2RO,W;O;KAvSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyC,QAAzC,C;QAyRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1RyD,WA0RrD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1RhB,OA4RO,W;O;KAxSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0C,QAA1C,C;QA0RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3R0D,WA2RtD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3RhB,OA6RO,W;O;KAzSX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2C,QAA3C,C;QA2RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5R2D,WA4RvD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5RhB,OA8RO,W;O;KA1SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4C,QAA5C,C;QA4RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7R4D,WA6RxD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7RhB,OA+RO,W;O;KA3SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6C,QAA7C,C;QA6RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9R6D,WA8RzD,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9RhB,OAgSO,W;O;KA5SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8C,QAA9C,C;QA8RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/R8D,WA+R1D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/RhB,OAiSO,W;O;KA7SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+C,QAA/C,C;QA+RL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhS+D,WAgS3D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhShB,OAkSO,W;O;KA9SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgD,QAAhD,C;QAgSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjSgE,WAiS5D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjShB,OAmSO,W;O;KA/SX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiD,QAAjD,C;QAiSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlSiE,WAkS7D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlShB,OAoSO,W;O;KAhTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkD,QAAlD,C;QAkSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnSkE,WAmS9D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnShB,OAqSO,W;O;KAjTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmD,QAAnD,C;QAmSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApSmE,WAoS/D,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApShB,OAsSO,W;O;KAlTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoD,QAApD,C;QAoSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArSoE,WAqShE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArShB,OAuSO,W;O;KAnTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqD,QAArD,C;QAqSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtSqE,WAsSjE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtShB,OAwSO,W;O;KApTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsD,QAAtD,C;QAsSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvSsE,WAuSlE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvShB,OAySO,W;O;KArTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuD,QAAvD,C;QAuSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxSuE,WAwSnE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxShB,OA0SO,W;O;KAtTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwD,QAAxD,C;QAwSL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzSwE,WAySpE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzShB,OA2SO,W;O;KAvTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyD,QAAzD,C;QAySL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1SyE,WA0SrE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1ShB,OA4SO,W;O;KAxTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0D,QAA1D,C;QA0SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3S0E,WA2StE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3ShB,OA6SO,W;O;KAzTX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2D,QAA3D,C;QA2SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5S2E,WA4SvE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5ShB,OA8SO,W;O;KA1TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4D,QAA5D,C;QA4SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7S4E,WA6SxE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7ShB,OA+SO,W;O;KA3TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6D,QAA7D,C;QA6SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9S6E,WA8SzE,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9ShB,OAgTO,W;O;KA5TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8D,QAA9D,C;QA8SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/S8E,WA+S1E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/ShB,OAiTO,W;O;KA7TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+D,QAA/D,C;QA+SL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhT+E,WAgT3E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhThB,OAkTO,W;O;KA9TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgE,QAAhE,C;QAgTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjTgF,WAiT5E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjThB,OAmTO,W;O;KA/TX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiE,QAAjE,C;QAiTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlTiF,WAkT7E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlThB,OAoTO,W;O;KAhUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkE,QAAlE,C;QAkTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnTkF,WAmT9E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnThB,OAqTO,W;O;KAjUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmE,QAAnE,C;QAmTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApTmF,WAoT/E,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApThB,OAsTO,W;O;KAlUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoE,QAApE,C;QAoTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArToF,WAqThF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArThB,OAuTO,W;O;KAnUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqE,QAArE,C;QAqTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtTqF,WAsTjF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtThB,OAwTO,W;O;KApUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsE,QAAtE,C;QAsTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvTsF,WAuTlF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvThB,OAyTO,W;O;KArUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuE,QAAvE,C;QAuTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxTuF,WAwTnF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxThB,OA0TO,W;O;KAtUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwE,QAAxE,C;QAwTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzTwF,WAyTpF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzThB,OA2TO,W;O;KAvUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyE,QAAzE,C;QAyTL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1TyF,WA0TrF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1ThB,OA4TO,W;O;KAxUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0E,QAA1E,C;QA0TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3T0F,WA2TtF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3ThB,OA6TO,W;O;KAzUX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2E,QAA3E,C;QA2TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5T2F,WA4TvF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5ThB,OA8TO,W;O;KA1UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA4E,QAA5E,C;QA4TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA7T4F,WA6TxF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA7ThB,OA+TO,W;O;KA3UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA6E,QAA7E,C;QA6TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9T6F,WA8TzF,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA9ThB,OAgUO,W;O;KA5UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA8E,QAA9E,C;QA8TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA/T8F,WA+T1F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA/ThB,OAiUO,W;O;KA7UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA+E,QAA/E,C;QA+TL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAhU+F,WAgU3F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAhUhB,OAkUO,W;O;KA9UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAgF,QAAhF,C;QAgUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAjUgG,WAiU5F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAjUhB,OAmUO,W;O;KA/UX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAiF,QAAjF,C;QAiUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAlUiG,WAkU7F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAlUhB,OAoUO,W;O;KAhVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAkF,QAAlF,C;QAkUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAnUkG,WAmU9F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAnUhB,OAqUO,W;O;KAjVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAmF,QAAnF,C;QAmUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApUmG,WAoU/F,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QApUhB,OAsUO,W;O;KAlVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAoF,QAApF,C;QAoUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArUoG,WAqUhG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QArUhB,OAuUO,W;O;KAnVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAqF,QAArF,C;QAqUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtUqG,WAsUjG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAtUhB,OAwUO,W;O;KApVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAsF,QAAtF,C;QAsUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvUsG,WAuUlG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAvUhB,OAyUO,W;O;KArVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAuF,QAAvF,C;QAuUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxUuG,WAwUnG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAxUhB,OA0UO,W;O;KAtVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAwF,QAAxF,C;QAwUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzUwG,WAyUpG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QAzUhB,OA2UO,W;O;KAvVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAAyF,QAAzF,C;QAyUL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1UyG,WA0UrG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA1UhB,OA4UO,W;O;KAxVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA0F,QAA1F,C;QA0UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3U0G,WA2UtG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA3UhB,OA6UO,W;O;KAzVX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc,mBAA2F,QAA3F,C;QA2UL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA5U2G,WA4UvG,CAAY,OAAZ,CAAAJ,EAA0B,OAA1B,C;;QA5UhB,OA8UO,W;O;KA1VX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,C;QAC1B,kBAAc

AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEh
B,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,a
AAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OA
AO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,
YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+C;MAUoB,Q;MAAhB,wBAAgB,SAAh
B,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,
W;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,U
AAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;
kGAgBA,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,O
AAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;kGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;
MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,W
AAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;
MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eA
Ae,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGA
GX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,
CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB
,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEh
B,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAY,
aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAA
A,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aA
AI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAgBA,6C;MASoB,
Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOx+QnB,wBAAI,I
AAK,MAAT,EAAgB,IAAK,OAArB,C;;MP0+QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOv/QnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPy/QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOtgRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPwgRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOrhRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPuhRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOpiRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPsiRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOnjRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPqjRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlkRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPokRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOjlRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;MPmlRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,OAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;QPkmRA,OAAO,W;O;KAbX,C;gGAgBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAAA,aAAA,mBAAA,sC,cAAA,lB,YAAA,gBAAA,
kBAAA,eAAA,kBAAA,cAAA,kBAAA,cAAA,kBAAA,c

AAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAAxC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAAzC,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA1C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA3C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAlB,YAAY,gBAAZ,CAAkB,EAAc,EAAd,CAA5C,C;QAsJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EAtJe,aAsJF,CAAc,OAAd,CAAb,C;;QAtJhB,OAAuB,M;O;KAd3B,C;kGAiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA5

ACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,UAAK,CAAL,CAAP,C;UAAL,K;;UACa,uBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;a

QA4aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7a6B,SA6alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ahB,OAgbO,W;O;KAtbX,C;sFASA,yB;MAAA,+D;MAgbA,gD;MAhbA,uC;QAMW,kBAAU,gB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/a6B,SA+alB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhbhB,OAkbO,W;O;KAxbX,C;sFASA,yB;MAAA,+D;MAkbA,gD;MAlbA,uC;QAMW,kBAAU,gB;QAgbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjb6B,SAiblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlbhB,OAobO,W;O;KA1bX,C;sFASA,yB;MAAA,+D;MAobA,gD;MApbA,uC;QAMW,kBAAU,gB;QAkbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnb6B,SAmblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApbhB,OAsbO,W;O;KA5bX,C;sFASA,yB;MAAA,+D;MAsbA,gD;MAtbA,uC;QAMW,kBAAU,gB;QAobD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArb6B,SAqblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtbhB,OAwbO,W;O;KA9bX,C;sFASA,yB;MAAA,+D;MAwbA,gD;MAxbA,uC;QAMW,kBAAU,gB;QAsbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvb6B,SAublB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxbhB,OA0bO,W;O;KAhcX,C;sFASA,yB;MAAA,+D;MA0bA,gD;MA1bA,uC;QAMW,kBAAU,gB;QAwbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzb6B,SAyblB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1bhB,OA4bO,W;O;KAlcX,C;sFASA,yB;MAAA,+D;MA4bA,gD;MA5bA,uC;QAMW,kBAAU,gB;QA0bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3b6B,SA2blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5bhB,OA8bO,W;O;KApcX,C;sFASA,yB;MAAA,+D;MA8bA,gD;MA9bA,uC;QAMW,kBAAU,gB;QA4bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7b6B,SA6blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9bhB,OAgcO,W;O;KAtcX,C;sFASA,yB;MAAA,+D;MAgcA,gD;MAhcA,uC;QAMW,kBAAU,gB;QA8bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/b6B,SA+blB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhchB,OAkcO,W;O;KAxcX,C;sFASA,yB;MAAA,+D;MAkcA,gD;MAlcA,uC;QAMW,kBAAU,gB;QAgcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjc6B,SAiclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlchB,OAocO,W;O;KA1cX,C;sFASA,yB;MAAA,+D;MAocA,gD;MApcA,uC;QAMW,kBAAU,gB;QAkcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnc6B,SAmclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApchB,OAscO,W;O;KA5cX,C;sFASA,yB;MAAA,+D;MAscA,gD;MAtcA,uC;QAMW,kBAAU,gB;QAocD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArc6B,SAqclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtchB,OAwcO,W;O;KA9cX,C;sFASA,yB;MAAA,+D;MAwcA,gD;MAxcA,uC;QAMW,kBAAU,gB;QAscD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvc6B,SAuclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxchB,OA0cO,W;O;KAhdX,C;sFASA,yB;MAAA,+D;MA0cA,gD;MA1cA,uC;QAMW,kBAAU,gB;QAwcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzc6B,SAyclB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1chB,OA4cO,W;O;KAldX,C;sFASA,yB;MAAA,+D;MA4cA,gD;MA5cA,uC;QAMW,kBAAU,gB;QA0cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3c6B,SA2clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5chB,OA8cO,W;O;KApdX,C;sFASA,yB;MAAA,+D;MA8cA,gD;MA9cA,uC;QAMW,kBAAU,gB;QA4cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7c6B,SA6clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9chB,OAgdO,W;O;KAtdX,C;sFASA,yB;MAAA,+D;MAgdA,gD;MAhdA,uC;QAMW,kBAAU,gB;QA8cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/c6B,SA+clB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhdhB,OAkdO,W;O;KAxdX,C;sFASA,yB;MAAA,+D;MAkdA,gD;MAldA,uC;QAMW,kBAAU,gB;QAgdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjd6B,SAidlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAldhB,OAodO,W;O;KA1dX,C;sFASA,yB;MAAA,+D;MAodA,gD;MApdA,uC;QAMW,kBAAU,gB;QAkdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnd6B,SAmdlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApdhB,OAsdO,W;O;KA5dX,C;sFASA,yB;MAAA,+D;MAsdA,gD;MAtdA,uC;QAMW,kBAAU,gB;QAodD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArd6B,SAqdlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtdhB,OAwdO,W;O;KA9dX,C;sFASA,yB;MAAA,+D;MAwdA,gD;MAxdA,uC;QAMW,kBAAU,gB;QAsdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvd6B,SAudlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxdhB,OA0dO,W;O;KAheX,C;sFASA,yB;MAAA,+D;MA0dA,gD;MA1dA,uC;QAMW,kBAAU,gB;QAwdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzd6B,SAydlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1dhB,OA4dO,W;O;KAleX,C;sFASA,yB;MAAA,+D;MA4dA,gD;MA5dA,uC;QAMW,kBAAU,gB;QA0dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3d6B,SA2dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5dhB,OA8dO,W;O;KApeX,C;sFASA,yB;MAAA,+D;MA8dA,gD;MA9dA,uC;QAMW,kBAAU,gB;QA4dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7d6B,SA6dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9dhB,OAgeO,W;O;KAteX,C;sFASA,yB;MAAA,+D;MAgeA,gD;MAheA,uC;QAMW,kBAAU,gB;QA8dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/d6B,SA+dlB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAheA,OAkeO,W;O;KAxeX,C;sFASA,yB;MAAA,+D;MAkeA,gD;MAleA,uC;QAMW,kBAAU,gB;QAgeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAje6B,SAiejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlehB,OAoeO,W;O;KA1eX,C;sFASA,yB;MAAA,+D;MAoeA,gD;MApeA,uC;QAMW,kBAAU,gB;QAkeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAne6B,SAmejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApehB,OAseO,W;O;KA5eX,C;sFASA,yB;MAAA,+D;MAseA,gD;MAteA,uC;QAMW,kBAAU,gB;QAoeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAre6B,SAqejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtehB,OAweO,W;O;KA9eX,C;sFASA,yB;MAAA,+D;MAweA,gD;MAxeA,uC;QAMW,kBAAU,gB;QAseD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAve6B,SAuejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxehB,OA0eO,W;O;KAhfX,C;sFASA,yB;MAAA,+D;MA0eA,gD;MA1eA,uC;QAMW,kBAAU,gB;QAweD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAze6B,SAyejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1ehB,OA4eO,W;O;KAlfX,C;sFASA,yB;MAAA,+D;MA4eA,gD;MA5eA,uC;QAMW,kBAAU,gB;QA0eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3e6B,SA2ejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5ehB,OA8eO,W;O;KApfX,C;sFASA,yB;MAAA,+D;MA8eA,gD;MA9eA,uC;QAMW,kBAAU,gB;QA4eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7e6B,SA6ejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9ehB,OAgfO,W;O;KAtfX,C;sFASA,yB;MAAA,+D;MAgfA,gD;MAhfA,uC;QAMW,kBAAU,gB;QA8eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/e6B,SA+ejB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhfhB,OAkfO,W;O;KAxfX,C;sFASA,yB;MAAA,+D;MAkfA,gD;MAlfA,uC;QAMW,kBAAU,gB;QAgfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjf6B,SAifjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlfhB,OAofO,W;O;KA1fX,C;sFASA,yB;MAAA,+D;MAofA,gD;MApfA,uC;QAMW,kBAAU,gB;QAkfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnf6B,SAmfjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApfhB,OAsfO,W;O;KA5fX,C;sFASA,yB;MAAA,+D;MAsfA,gD;MAtfA,uC;QAMW,kBAAU,gB;QAofD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArf6B,SAqfjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtfhB,OAwfO,W;O;KA9fX,C;sFASA,yB;MAAA,+D;MAwfA,gD;MAxfA,uC;QAMW,kBAAU,gB;QAsfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvf6B,SAufjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxfhB,OA0fO,W;O;KAhgBX,C;sFASA,yB;MAAA,+D;MA0fA,gD;MA1fA,uC;QAMW,kBAAU,gB;QAwfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzf6B,SAyfjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1fhB,OA4fO,W;O;KAlgBX,C;sFASA,yB;MAAA,+D;MA4fA,gD;MA5fA,uC;QAMW,kBAAU,gB;QA0fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3f6B,SA2fjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5fhB,OA8fO,W;O;KApgBX,C;sFASA,yB;MAAA,+D;MA8fA,gD;MA9fA,uC;QAMW,kBAAU,gB;QA4fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7f6B,SA6fjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9fhB,OAggBO,W;O;KAtgBX,C;sFASA,yB;MAAA,+D;MAggBA,gD;MAhgBA,uC;QAMW,kBAAU,gB;QA8fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/f6B,SA+fjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhgBhB,OAkgBO,W;O;KAxgBX,C;sFASA,yB;MAAA,+D;MAkgBA,gD;MAlgBA,uC;QAMW,kBAAU,gB;QAggBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjgB6B,SAigBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlgBhB,OAogBO,W;O;KA1gBX,C;sFASA,yB;MAAA,+D;MAogBA,gD;MApgBA,uC;QAMW,kBAAU,gB;QAkgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAngB6B,SAmgBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApgBhB,OAsgBO,W;O;KA5gBX,C;sFASA,yB;MAAA,+D;MAsgBA,gD;MAtgBA,uC;QAMW,kBAAU,gB;QAogBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArgB6B,SAqgBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtgBhB,OAwgBO,W;O;KA9gBX,C;sFASA,yB;MAAA,+D;MAwgBA,gD;MAxgBA,uC;QAMW,kBAAU,gB;QAsgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvgB6B,SAugBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxgBhB,OA0gBO,W;O;KAhhBX,C;sFASA,yB;MAAA,+D;MA0gBA,gD;MA1gBA,uC;QAMW,kBAAU,gB;QAwgBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzgB6B,SAygBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1gBhB,OA4gBO,W;O;KAlhBX,C;sFASA,yB;MAAA,+D;MA4gBA,gD;MA5gBA,uC;QAMW,kBAAU,gB;QA0gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3gB6B,SA2gBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5gBhB,OA8gBO,W;O;KAphBX,C;sFASA,yB;MAAA,+D;MA8gBA,gD;MA9gBA,uC;QAMW,kBAAU,gB;QA4gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7gB6B,SA6gBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9gBhB,OAgiBO,W;O;KAtiBX,C;sFASA,yB;MAAA,+D;MAgiBA,gD;MAhiBA,uC;QAMW,kBAAU,gB;QA8gBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/gB6B,SA+gBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhiBhB,OAkiBO,W;O;KAxiBX,C;sFASA,yB;MAAA,+D;MAkiBA,gD;MAliBA,uC;QAMW,kBAAU,gB;QAgiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjiB6B,SAiiBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAliBhB,OAoiBO,W;O;KA1iBX,C;sFASA,yB;MAAA,+D;MAoiBA,gD;MApiBA,uC;QAMW,kBAAU,gB;QAkiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAniB6B,SAmiBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApiBhB,OAsiBO,W;O;KA5iBX,C;sFASA,yB;MAAA,+D;MAsiBA,gD;MAtiBA,uC;QAMW,kBAAU,gB;QAoiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAriB6B,SAqiBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtiBhB,OAwiBO,W;O;KA9iBX,C;sFASA,yB;MAAA,+D;MAwiBA,gD;MAxiBA,uC;QAMW,kBAAU,gB;QAsiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAviB6B,SAuiBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxiBhB,OA0iBO,W;O;KAhjBX,C;sFASA,yB;MAAA,+D;MA0iBA,gD;MA1iBA,uC;QAMW,kBAAU,gB;QAwiBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAziB6B,SAyiBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1iBhB,OA4iBO,W;O;KAljBX,C;sFASA,yB;MAAA,+D;MA4iBA,gD;MA5iBA,uC;QAMW,kBAAU,gB;QA0iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3iB6B,SA2iBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5iBhB,OA8iBO,W;O;KApjBX,C;sFASA,yB;MAAA,+D;MA8iBA,gD;MA9iBA,uC;QAMW,kBAAU,gB;QA4iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7iB6B,SA6iBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9iBhB,OAgjBO,W;O;KAtjBX,C;sFASA,yB;MAAA,+D;MAgjBA,gD;MAhjBA,uC;QAMW,kBAAU,gB;QA8iBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/iB6B,SA+iBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhjBhB,OAkjBO,W;O;KAxjBX,C;sFASA,yB;MAAA,+D;MAkjBA,gD;MAljBA,uC;QAMW,kBAAU,gB;QAgjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjjB6B,SAijBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAljBhB,OAojBO,W;O;KA1jBX,C;sFASA,yB;MAAA,+D;MAojBA,gD;MApjBA,uC;QAMW,kBAAU,gB;QAkjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnjB6B,SAmjBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApjBhB,OAsjBO,W;O;KA5jBX,C;sFASA,yB;MAAA,+D;MAsjBA,gD;MAtjBA,uC;QAMW,kBAAU,gB;QAojBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArjB6B,SAqjBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtjBhB,OAwjBO,W;O;KA9jBX,C;sFASA,yB;MAAA,+D;MAwjBA,gD;MAxjBA,uC;QAMW,kBAAU,gB;QAsjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvjB6B,SAujBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxjBhB,OA0jBO,W;O;KAhkBX,C;sFASA,yB;MAAA,+D;MA0jBA,gD;MA1jBA,uC;QAMW,kBAAU,gB;QAwjBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzjB6B,SAyjBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1jBhB,OA4jBO,W;O;KAlkBX,C;sFASA,yB;MAAA,+D;MA4jBA,gD;MA5jBA,uC;QAMW,kBAAU,gB;QA0jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3jB6B,SA2jBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5jBhB,OA8jBO,W;O;KApkBX,C;sFASA,yB;MAAA,+D;MA8jBA,gD;MA9jBA,uC;QAMW,kBAAU,gB;QA4jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7jB6B,SA6jBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9jBhB,OAgkBO,W;O;KAtkBX,C;sFASA,yB;MAAA,+D;MAgkBA,gD;MAhkBA,uC;QAMW,kBAAU,gB;QA8jBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/jB6B,SA+jBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhkBhB,OAkkBO,W;O;KAxkBX,C;sFASA,yB;MAAA,+D;MAkkBA,gD;MAlkBA,uC;QAMW,kBAAU,gB;QAgkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjkB6B,SAikBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlkBhB,OAokBO,W;O;KA1kBX,C;sFASA,yB;MAAA,+D;MAokBA,gD;MApkBA,uC;QAMW,kBAAU,gB;QAkkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnkB6B,SAmkBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApkBhB,OAskBO,W;O;KA5kBX,C;sFASA,yB;MAAA,+D;MAskBA,gD;MAtkBA,uC;QAMW,kBAAU,gB;QAokBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArkB6B,SAqkBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtkBhB,OAwkBO,W;O;KA9kBX,C;sFASA,yB;MAAA,+D;MAwkBA,gD;MAxkBA,uC;QAMW,kBAAU,gB;QAskBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvkB6B,SAukBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxkBhB,OA0kBO,W;O;KAhlBX,C;sFASA,yB;MAAA,+D;MA0kBA,gD;MA1kBA,uC;QAMW,kBAAU,gB;QAwkBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzkB6B,SAykBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1kBhB,OA4kBO,W;O;KAllBX,C;sFASA,yB;MAAA,+D;MA4kBA,gD;MA5kBA,uC;QAMW,kBAAU,gB;QA0kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3kB6B,SA2kBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5kBhB,OA8kBO,W;O;KAplBX,C;sFASA,yB;MAAA,+D;MA8kBA,gD;MA9kBA,uC;QAMW,kBAAU,gB;QA4kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7kB6B,SA6kBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9kBhB,OAgmBO,W;O;KAtmBX,C;sFASA,yB;MAAA,+D;MAgmBA,gD;MAhmBA,uC;QAMW,kBAAU,gB;QA8kBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/kB6B,SA+kBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhmBhB,OAkmBO,W;O;KAxmBX,C;sFASA,yB;MAAA,+D;MAkmBA,gD;MAlmBA,uC;QAMW,kBAAU,gB;QAgmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjmB6B,SAimBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlmBhB,OAomBO,W;O;KA1mBX,C;sFASA,yB;MAAA,+D;MAomBA,gD;MApmBA,uC;QAMW,kBAAU,gB;QAkmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnmB6B,SAmmBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApmBhB,OAsmBO,W;O;KA5mBX,C;sFASA,yB;MAAA,+D;MAsmBA,gD;MAtmBA,uC;QAMW,kBAAU,gB;QAomBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArmB6B,SAqmBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtmBhB,OAwmBO,W;O;KA9mBX,C;sFASA,yB;MAAA,+D;MAwmBA,gD;MAxmBA,uC;QAMW,kBAAU,gB;QAsmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvmB6B,SAumBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxmBhB,OA0mBO,W;O;KAhnBX,C;sFASA,yB;MAAA,+D;MA0mBA,gD;MA1mBA,uC;QAMW,kBAAU,gB;QAwmBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzmB6B,SAymBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1mBhB,OA4mBO,W;O;KAlnBX,C;sFASA,yB;MAAA,+D;MA4mBA,gD;MA5mBA,uC;QAMW,kBAAU,gB;QA0mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3mB6B,SA2mBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5mBhB,OA8mBO,W;O;KApnBX,C;sFASA,yB;MAAA,+D;MA8mBA,gD;MA9mBA,uC;QAMW,kBAAU,gB;QA4mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7mB6B,SA6mBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9mBhB,OAgnBO,W;O;KAtnBX,C;sFASA,yB;MAAA,+D;MAgnBA,gD;MAhnBA,uC;QAMW,kBAAU,gB;QA8mBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/mB6B,SA+mBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhnBhB,OAknBO,W;O;KAxnBX,C;sFASA,yB;MAAA,+D;MAknBA,gD;MAlnBA,uC;QAMW,kBAAU,gB;QAgnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjnB6B,SAinBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAlnBhB,OAonBO,W;O;KA1nBX,C;sFASA,yB;MAAA,+D;MAonBA,gD;MApnBA,uC;QAMW,kBAAU,gB;QAknBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnnB6B,SAmnBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApnBhB,OAsnBO,W;O;KA5nBX,C;sFASA,yB;MAAA,+D;MAsnBA,gD;MAtnBA,uC;QAMW,kBAAU,gB;QAonBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WArnB6B,SAqnBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtnBhB,OAwnBO,W;O;KA9nBX,C;sFASA,yB;MAAA,+D;MAwnBA,gD;MAxnBA,uC;QAMW,kBAAU,gB;QAsnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvnB6B,SAunBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxnBhB,OA0nBO,W;O;KAhoBX,C;sFASA,yB;MAAA,+D;MA0nBA,gD;MA1nBA,uC;QAMW,kBAAU,gB;QAwnBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAznB6B,SAynBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1nBhB,OA4nBO,W;O;KAloBX,C;sFASA,yB;MAAA,+D;MA4nBA,gD;MA5nBA,uC;QAMW,kBAAU,gB;QA0nBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3nB6B,SA2nBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5nBhB,OA8nBO,W;O;KApoBX,C;sFASA,yB;MAAA,+D;MA8nBA,gD;MA9nBA,uC;QAMW,kBAAU,gB;QA4nBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7nB6B,SA6nBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA9nBhB,OAgoBO,W;O;KAtoBX,C;sFASA,yB;MAAA,+D;MAgoBA,gD;MAhoBA,uC;QAMW,kBAAU,gB;QA8nBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA/nB6B,SA+nBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhoBhB,OAkoBO,W;O;KAxoBX,C;sFASA,yB;MAAA,+D;MAkoBA,gD;MAloBA,uC;QAMW,kBAAU,gB;QAgoBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAjoB6B,SAioBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAloBhB,OAooBO,W;O;KA1oBX,C;sFASA,yB;MAAA,+D;MAooBA,gD;MApoBA,uC;QAMW,kBAAU,gB;QAkoBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAnoB6B,SAmoBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QApoBhB,OAsoBO,W;O;KA5oBX,C;sFASA,yB;MAAA,+D;MAsoBA,gD;MAtoBA,uC;QAMW,kBAAU,gB;QAooBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAroB6B,SAqoBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtoBhB,OAwoBO,W;O;KA9oBX,C;sFASA,yB;MAAA,+D;MAwoBA,gD;MAxoBA,uC;QAMW,kBAAU,gB;QAsoBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAvoB6B,SAuoBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAxoBhB,OA0oBO,W;O;KAhpBX,C;sFASA,yB;MAAA,+D;MA0oBA,gD;MA1oBA,uC;QAMW,kBAAU,gB;QAwoBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAzoB6B,SAyoBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1oBhB,OA4oBO,W;O;KAlpBX,C;sFASA,yB;MAAA,+D;MA4oBA,gD;MA5oBA,uC;QAMW,kBAAU,gB;QA0oBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA3oB6B,SA2oBjB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5oBhB,OA8oBO,W;O;KApqBX,C;sFASA,yB;MAAA,+D;MA8oBA,gD;MA9oBA,uC;QAMW,kBAAU,gB;QA4oBD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA7oB6B,SA6oBjB,CAAU,OAAV,C;UACC,OAAZ,WA

MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB
,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA
EhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wB
AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;
UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAW
oB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,c
AAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;
wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,
cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,EAAO
IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;wGAkBA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,U
ACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,WAA
U,cAAV,EAAU,sBAAV,WAAmB,oBAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAf
X,C;wGAkBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAgB,SAAhB,gB;UA
AgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAmB,OAAnB,C;UACC,OAAZ,WAAY,
EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAfX,C;uFAkBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;Q
AEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB
cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,

D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,WOv9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KAnQX,C;sFAYA,yB;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3PqD,WA2P3C,CAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,WOx+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAxQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QASW,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,WOz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlQT,OAoQO,W;O;KA7RX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArQ0D,WAqQhD,CAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAyQO,W;O;KAlSX,C;sFAYA,yB;MAAA,wE;MAyQA,+D;MAzQA,yC;QASW,kBAAU,oB;QAyQD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1Q8D,WA0QpD,CAAY,OAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5QT,OA8QO,W;O;KAvSX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yC;QASW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QkE,WA+QxD,CAAY,OAAZ,C;UOjjVP,U;UADP,YPmjVe,WOnjVH,WPmjVwB,GOnjVxB,C;UACL,IAAI,aAAJ,C;YACH,aPijVuC,gB;YAA5B,WOhjVX,aPgjVgC,GOhjVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6iVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjRT,OAmRO,W;O;KA5SX,C;sFAYA,yB;MAAA,wE;MAmRA,+D;MAnRA,yC;QASW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApRsE,WAoR5D,CAAY,OAAZ,C;UOtkVP,U;UADP,YPwkVe,WOxkVH,WPwkVwB,GOxkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPskVuC,gB;YAA5B,WOrkVX,aPqkVgC,GOrkVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkkVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtRT,OAwRO,W;O;KAjTX,C;sFAYA,yB;MAAA,wE;MAwRA,+D;MAxRA,yC;QASW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzR0E,WAyRhE,CAAY,OAAZ,C;UO3lVP,U;UADP,YP6lVe,WO7lVH,WP6lVwB,GO7lVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2lVuC,gB;YAA5B,WO1lVX,aP0lVgC,GO1lVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPulVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3RT,OA6RO,W;O;KAtTX,C;sFAYA,yB;MAAA,wE;MA6RA,+D;MA7RA,yC;QASW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9R8E,WA8RpE,CAAY,OAAZ,C;UOhnVP,U;UADP,YPknVe,WOlnVH,WPknVwB,GOlnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPgnVuC,gB;YAA5B,WO/mVX,aP+mVgC,GO/mVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4mVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhST,OAkSO,W;O;KA3TX,C;sFAYA,yB;MAAA,wE;MAkSA,+D;MAlSA,yC;QASW,kBAAU,oB;QAkSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSkF,WAmSxE,CAAY,OAAZ,C;UOrnVP,U;UADP,YPunVe,WOvnVH,WPunVwB,GOvnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPqnVuC,gB;YAA5B,WOpnVX,aPonVgC,GOpnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPinVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArST,OAuSO,W;O;KAhUX,C;sFAYA,yB;MAAA,wE;MAuSA,+D;MAvSA,yC;QASW,kBAAU,oB;QAuSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxSsF,WAwS5E,CAAY,OAAZ,C;UO1oVP,U;UADP,YP4oVe,WO5oVH,WP4oVwB,GO5oVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0oVuC,gB;YAA5B,WOzoVX,aPyoVgC,GOzoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPsoVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1ST,OA4SO,W;O;KArUX,C;sFAYA,yB;MAAA,wE;MA4SA,+D;MA5SA,yC;QASW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7S0F,WA6ShF,CAAY,OAAZ,C;UO/pVP,U;UADP,YPiqVe,WOjqVH,WPiqVwB,GOjqVxB,C;UACL,IAAI,aAAJ,C;YACH,aP+pVuC,gB;YAA5B,WO9pVX,aP8pVgC,GO9pVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2pVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/ST,OAiTO,W;O;KA1UX,C;sFAYA,yB;MAAA,wE;MAiTA,+D;MAjTA,yC;QASW,kBAAU,oB;QAiTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlT8F,WAkTpF,CAAY,OAAZ,C;UOpqVP,U;UADP,YPsqVe,WOtqVH,WPsqVwB,GOtqVxB,C;UACL,IAAI,aAAJ,C;YACH,aPoqVuC,gB;YAA5B,WOnqVX,aPmqVgC,GOnqVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgqVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApTT,OAsTO,W;O;KA/UX,C;sFAYA,yB;MAAA,wE;MAsTA,+D;MAtTA,yC;QASW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvTkG,WAuTxF,CAAY,OAAZ,C;UOzrVP,U;UADP,YP2rVe,WO3rVH,WP2rVwB,GO3rVxB,C;UACL,IAAI,aAAJ,C;YACH,aPyrVuC,gB;YAA5B,WOxrVX,aPwrVgC,GOxrVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqrVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzTT,OA2TO,W;O;KApVX,C;sFAYA,yB;MAAA,wE;MA2TA,+D;MA3TA,yC;QASW,kBAAU,oB;QA2TD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5TsG,WA4T5F,CAAY,OAAZ,C;UO9sVP,U;UADP,YPgtVe,WOhtVH,WPgtVwB,GOhtVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8sVuC,gB;YAA5B,WO7sVX,aP6sVgC,GO7sVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0sVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9TT,OAgUO,W;O;KAzVX,C;sFAYA,yB;MAAA,wE;MAgUA,+D;MAhUA,yC;QASW,kBAAU,oB;QAgUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjU0G,WAiUhG,CAAY,OAAZ,C;UOnuVP,U;UADP,YPquVe,WOruVH,WPquVwB,GOruVxB,C;UACL,IAAI,aAAJ,C;YACH,aPmuVuC,gB;YAA5B,WOluVX,aPkuVgC,GOluVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+tVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnUT,OAqUO,W;O;KA9VX,C;sFAYA,yB;MAAA,wE;MAqUA,+D;MArUA,yC;QASW,kBAAU,oB;QAqUD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtU8G,WAsUpG,CAAY,OAAZ,C;UOxvVP,U;UADP,YP0vVe,WO1vVH,WP0vVwB,GO1vVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwvVuC,gB;YAA5B,WOvvVX,aPuvVgC,GOvvVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPovVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxUT,OA0UO,W;O;KAnWX,C;sFAYA,yB;MAAA,wE;MA0UA,+D;MA1UA,yC;QASW,kBAAU,oB;QA0UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3UkH,WA2UxG,CAAY,OAAZ,C;UO7wVP,U;UADP,YP+wVe,WO/wVH,WP+wVwB,GO/wVxB,C;UACL,IAAI,aAAJ,C;YACH,aP6wVuC,gB;YAA5B,WO5wVX,aP4wVgC,GO5wVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPywVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7UT,OA+UO,W;O;KAxWX,C;sFAYA,yB;MAAA,wE;MA+UA,+D;MA/UA,yC;QASW,kBAAU,oB;QA+UD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhVsH,WAgV5G,CAAY,OAAZ,C;UOlxVP,U;UADP,YPoxVe,WOpxVH,WPoxVwB,GOpxVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkxVuC,gB;YAA5B,WOjxVX,aPixVgC,GOjxVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8wVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlVT,OAoVO,W;O;KA7WX,C;sFAYA,yB;MAAA,wE;MAoVA,+D;MApVA,yC;QASW,kBAAU,oB;QAoVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArV0H,WAqVhH,CAAY,OAAZ,C;UOvyVP,U;UADP,YPyyVe,WOzyVH,WPyyVwB,GOzyVxB,C;UACL,IAAI,aAAJ,C;YACH,aPuyVuC,gB;YAA5B,WOtyVX,aPsyVgC,GOtyVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmyVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvVT,OAyVO,W;O;KAlXX,C;sFAYA,yB;MAAA,wE;MAyVA,+D;MAzVA,yC;QASW,kBAAU,oB;QAyVD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1V8H,WA0VpH,CAAY,OAAZ,C;UO5zVP,U;UADP,YP8zVe,WO9zVH,WP8zVwB,GO9zVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4zVuC,gB;YAA5B,WO3zVX,aP2zVgC,GO3zVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwzVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5VT,OA8VO,W;O;KAvXX,C;sFAYA,yB;MAAA,wE;MA8VA,+D;MA9VA,yC;QASW,kBAAU,oB;QA8VD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/VkI,WA+VxH,CAAY,OAAZ,C;UOj1VP,U;UADP,YPm1Ve,WOn1VH,WPm1VwB,GOn1VxB,C;UACL,IAAI,aAAJ,C;YACH,aPi1VuC,gB;YAA5B,WOh1VX,aPg1VgC,GOh1VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP60VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjWT,OAmWO,W;O;KA5XX,C;sFAYA,yB;MAAA,wE;MAmWA,+D;MAnWA,yC;QASW,kBAAU,oB;QAmWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApWsI,WAoW5H,CAAY,OAAZ,C;UOt2VP,U;UADP,YPw2Ve,WOx2VH,WPw2VwB,GOx2VxB,C;UACL,IAAI,aAAJ,C;YACH,aPs2VuC,gB;YAA5B,WOr2VX,aPq2VgC,GOr2VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk2VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtWT,OAwWO,W;O;KAjYX,C;sFAYA,yB;MAAA,wE;MAwWA,+D;MAxWA,yC;QASW,kBAAU,oB;QAwWD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzWyI,WAyW/H,CAAY,OAAZ,C;UO33VP,U;UADP,YP63Ve,WO73VH,WP63VwB,GO73VxB,C;UACL,IAAI,aAAJ,C;YACH,aP23VuC,gB;YAA5B,WO13VX,aP03VgC,GO13VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPu3VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3WT,OA6WO,W;O;KAtYX,C;sFAYA,yB;MAAA,wE;MA6WA,+D;MA7WA,yC;QASW,kBAAU,oB;QA6WD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9W4I,WA8WlI,CAAY,OAAZ,C;UOh5VP,U;UADP,YPk5Ve,WOl5VH,WPk5VwB,GOl5VxB,C;UACL,IAAI,aAAJ,C;YACH,aPg5VuC,gB;YAA5B,WO/4VX,aP+4VgC,GO/4VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP44VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhXT,OAkXO,W;O;KA3YX,C;sFAYA,yB;MAAA,wE;MAkXA,+D;MAlXA,yC;QASW,kBAAU,oB;QAkXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnX+I,WAmXrI,CAAY,OAAZ,C;UOr6VP,U;UADP,YPu6Ve,WOv6VH,WPu6VwB,GOv6VxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6VuC,gB;YAA5B,WOp6VX,aPo6VgC,GOp6VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPi6VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArXT,OAuXO,W;O;KAhZX,C;sFAYA,yB;MAAA,wE;MAuXA,+D;MAvXA,yC;QASW,kBAAU,oB;QAuXD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxXkJ,WAwXxI,CAAY,OAAZ,C;UO17VP,U;UADP,YP47Ve,WO57VH,WP47VwB,GO57VxB,C;UACL,IAAI,aAAJ,C;YACH,aP07VuC,gB;YAA5B,WOz7VX,aPy7VgC,GOz7VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs7VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1XT,OA4XO,W;O;KArZX,C;sFAYA,yB;MAAA,wE;MA4XA,+D;MA5XA,yC;QASW,kBAAU,oB;QA4XD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7XmJ,WA6XzI,CAAY,OAAZ,C;UO/8VP,U;UADP,YPi9Ve,WOj9VH,WPi9VwB,GOj9VxB,C;UACL,IAAI,aAAJ,C;YACH,aP+8VuC,gB;YAA5B,WO98VX,aP88VgC,GO98VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP28VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/XT,OAiYO,W;O;KA1ZX,C;sFAYA,yB;MAAA,wE;MAiYA,+D;MAjYA,yC;QASW,kBAAU,oB;QAiYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAlYoJ,WAkY1I,CAAY,OAAZ,C;UOp+VP,U;UADP,YPs+Ve,WOt+VH,WPs+VwB,GOt+VxB,C;UACL,IAAI,aAAJ,C;YACH,aPo+VuC,gB;YAA5B,WOn+VX,aPm+VgC,GOn+VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg+VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApYT,OAsYO,W;O;KA/ZX,C;sFAYA,yB;MAAA,wE;MAsYA,+D;MAtYA,yC;QASW,kBAAU,oB;QAsYD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvYqJ,WAuY3I,CAAY,OAAZ,C;UOz/VP,U;UADP,YP2/Ve,WO3/VH,WP2/VwB,GO3/VxB,C;UACL,IAAI,aAAJ,C;YACH,aPy/VuC,gB;YAA5B,WOx/VX,aPw/VgC,GOx/VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq/VA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzYT,OA2YO,W;O;KApaX,C;sFAYA,yB;MAAA,wE;MA2YA,+D;MA3YA,yC;QASW,kBAAU,oB;QA2YD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5YsJ,WA4Y5I,CAAY,OAAZ,C;UO9gWP,U;UADP,YPghWe,WOhhWH,WPghWwB,GOhhWxB,C;UACL,IAAI,aAAJ,C;YACH,aP8gWuC,gB;YAA5B,WO7gWX,aP6gWgC,GO7gWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0gWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9YT,OAgZO,W;O;KAzaX,C;sFAYA,yB;MAAA,wE;MAgZA,+D;MAhZA,yC;QASW,kBAAU,oB;QAgZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjZuJ,WAiZ7I,CAAY,OAAZ,C;UOnhWP,U;UADP,YPqhWe,WOrhWH,WPqhWwB,GOrhWxB,C;UACL,IAAI,aAAJ,C;YACH,aPmhWuC,gB;YAA5B,WOlhWX,aPkhWgC,GOlhWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+gWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnZT,OAqZO,W;O;KA9aX,C;sFAYA,yB;MAAA,wE;MAqZA,+D;MArZA,yC;QASW,kBAAU,oB;QAqZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAtZwJ,WAsZ9I,CAAY,OAAZ,C;UOxiWP,U;UADP,YP0iWe,WO1iWH,WP0iWwB,GO1iWxB,C;UACL,IAAI,aAAJ,C;YACH,aPwiWuC,gB;YAA5B,WOviWX,aPuiWgC,GOviWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPoiWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxZT,OA0ZO,W;O;KAnbX,C;sFAYA,yB;MAAA,wE;MA0ZA,+D;MA1ZA,yC;QASW,kBAAU,oB;QA0ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3ZyJ,WA2Z/I,CAAY,OAAZ,C;UO7jWP,U;UADP,YP+jWe,WO/jWH,WP+jWwB,GO/jWxB,C;UACL,IAAI,aAAJ,C;YACH,aP6jWuC,gB;YAA5B,WO5jWX,aP4jWgC,GO5jWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyjWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7ZT,OA+ZO,W;O;KAxbX,C;sFAYA,yB;MAAA,wE;MA+ZA,+D;MA/ZA,yC;QASW,kBAAU,oB;QA+ZD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAha0J,WAga/I,CAAY,OAAZ,C;UOlkWP,U;UADP,YPokWe,WOpkWH,WPokWwB,GOpkWxB,C;UACL,IAAI,aAAJ,C;YACH,aPkkWuC,gB;YAA5B,WOjkWX,aPikWgC,GOjkWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8jWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlaT,OAoaO,W;O;KA7bX,C;sFAYA,yB;MAAA,wE;MAoaA,+D;MApaA,yC;QASW,kBAAU,oB;QAoaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAra2J,WAqajJ,CAAY,OAAZ,C;UOvlWP,U;UADP,YPylWe,WOzlWH,WPylWwB,GOzlWxB,C;UACL,IAAI,aAAJ,C;YACH,aPulWuC,gB;YAA5B,WOtlWX,aPslWgC,GOtlWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPmlWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvaT,OAyaO,W;O;KAlcX,C;sFAYA,yB;MAAA,wE;MAyaA,+D;MAzaA,yC;QASW,kBAAU,oB;QAyaD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1amK,WA0a1J,CAAY,OAAZ,C;UO5mWP,U;UADP,YP8mWe,WO9mWH,WP8mWwB,GO9mWxB,C;UACL,IAAI,aAAJ,C;YACH,aP4mWuC,gB;YAA5B,WO3mWX,aP2mWgC,GO3mWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwmWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5aT,OA8aO,W;O;KAvcX,C;sFAYA,yB;MAAA,wE;MA8aA,+D;MA9aA,yC;QASW,kBAAU,oB;QA8aD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/amL,WA+a1K,CAAY,OAAZ,C;UOjnWP,U;UADP,YPmnWe,WOnnWH,WPmnWwB,GOnnWxB,C;UACL,IAAI,aAAJ,C;YACH,aPinWuC,gB;YAA5B,WOhnWX,aPgnWgC,GOhnWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP6mWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjbT,OAmbO,W;O;KA5cX,C;sFAYA,yB;MAAA,wE;MAmbA,+D;MAnbA,yC;QASW,kBAAU,oB;QAmbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApbwL,WAob/K,CAAY,OAAZ,C;UOtoWP,U;UADP,YPwoWe,WOxoWH,WPwoWwB,GOxoWxB,C;UACL,IAAI,aAAJ,C;YACH,aPsoWuC,gB;YAA5B,WOroWX,aPqoWgC,GOroWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkoWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtbT,OAwbO,W;O;KAjdX,C;sFAYA,yB;MAAA,wE;MAwbA,+D;MAxbA,yC;QASW,kBAAU,oB;QAwbD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzbwM,WAyb/L,CAAY,OAAZ,C;UO3pWP,U;UADP,YP6pWe,WO7pWH,WP6pWwB,GO7pWxB,C;UACL,IAAI,aAAJ,C;YACH,aP2pWuC,gB;YAA5B,WO1pWX,aP0pWgC,GO1pWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPupWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3bT,OA6bO,W;O;KAtdX,C;sFAYA,yB;MAAA,wE;MA6bA,+D;MA7bA,yC;QASW,kBAAU,oB;QA6bD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9bwN,WA8b/M,CAAY,OAAZ,C;UOhrWP,U;UADP,YPkrWe,WOlrWH,WPkrWwB,GOlrWxB,C;UACL,IAAI,aAAJ,C;YACH,aPgrWuC,gB;YAA5B,WO/qWX,aP+qWgC,GO/qWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4qWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhcT,OAkcO,W;O;KA3dX,C;sFAYA,yB;MAAA,wE;MAkcA,+D;MAlcA,yC;QASW,kBAAU,oB;QAkcD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAncyO,WAmchO,CAAY,OAAZ,C;UOrsWP,U;UADP,YPusWe,WOvsWH,WPusWwB,GOvsWxB,C;UACL,IAAI,aAAJ,C;YACH,aPqsWuC,gB;YAA5B,WOpsWX,aPosWgC,GOpsWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPisWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArcT,OAucO,W;O;KAheX,C;sFAYA,yB;MAAA,wE;MAucA,+D;MAvcA,yC;QASW,kBAAU,oB;QAucD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAxcyP,WAwchP,CAAY,OAAZ,C;UO1tWP,U;UADP,YP4tWe,WO5tWH,WP4tWwB,GO5tWxB,C;UACL,IAAI,aAAJ,C;YACH,aP0tWuC,gB;YAA5B,WOztWX,aPytWgC,GOztWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPstWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1cT,OA4cO,W;O;KArfX,C;sFAYA,yB;MAAA,wE;MA4cA,+D;MA5cA,yC;QASW,kBAAU,oB;QA4cD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7c0Q,WA6cjQ,CAAY,OAAZ,C;UO/uWP,U;UADP,YPivWe,WOjvWH,WPivWwB,GOjvWxB,C;UACL,IAAI,aAAJ,C;YACH,aP+uWuC,gB;YAA5B,WO9uWX,aP8uWgC,GO9uWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2uWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/cT,OAidO,W;O;KA1fX,C;sFAYA,yB;MAAA,wE;MAidA,+D;MAjdA,yC;QASW,kBAAU,oB;QAidD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAld2R,WAkdlR,CAAY,OAAZ,C;UOpwWP,U;UADP,YPswWe,WOtwWH,WPswWwB,GOtwWxB,C;UACL,IAAI,aAAJ,C;YACH,aPowWuC,gB;YAA5B,WOnwWX,aPmwWgC,GOnwWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgwWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApdT,OAsdO,W;O;KA/fX,C;sFAYA,yB;MAAA,wE;MAsdA,+D;MAtdA,yC;QASW,kBAAU,oB;QAsdD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvd4S,WAudnS,CAAY,OAAZ,C;UOzxWP,U;UADP,YP2xWe,WO3xWH,WP2xWwB,GO3xWxB,C;UACL,IAAI,aAAJ,C;YACH,aPyxWuC,gB;YAA5B,WOxxWX,aPwxWgC,GOxxWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPqxWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzdT,OA2dO,W;O;KApgBX,C;sFAYA,yB;MAAA,wE;MA2dA,+D;MA3dA,yC;QASW,kBAAU,oB;QA2dD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA5dqT,WA4d5S,CAAY,OAAZ,C;UO9yWP,U;UADP,YPgzWe,WOhzWH,WPgzWwB,GOhzWxB,C;UACL,IAAI,aAAJ,C;YACH,aP8yWuC,gB;YAA5B,WO7yWX,aP6yWgC,GO7yWhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0yWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9dT,OAgeO,W;O;KAzgBX,C;sFAYA,yB;MAAA,wE;MAgeA,+D;MAheA,yC;QASW,kBAAU,oB;QAgeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjeoU,WAieA,CAAY,OAAZ,C;UOn0WP,U;UADP,YPq0We,WOr0WH,WPq0WwB,GOr0WxB,C;UACL,IAAI,aAAJ,C;YACH,aPm0WuC,gB;YAA5B,WOl0WX,aPk0WgC,GOl0WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP+zWA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAneT,OAqeO,W;O;KA9gBX,C;sFAYA,yB;MAAA,wE;MAqeA,+D;MAreA,yC;QASW,kBAAU,oB;QAqeD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAteqV,WAse5U,CAAY,OAAZ,C;UOx1WP,U;UADP,YP01We,WO11WH,WP01WwB,GO11WxB,C;UACL,IAAI,aAAJ,C;YACH,aPw1WuC,gB;YAA5B,WOv1WX,aPu1WgC,GOv1WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo1WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxeT,OA0eO,W;O;KAnhBX,C;sFAYA,yB;MAAA,wE;MA0eA,+D;MA1eA,yC;QASW,kBAAU,oB;QA0eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3eqW,WA2e5V,CAAY,OAAZ,C;UO72WP,U;UADP,YP+2We,WO/2WH,WP+2WwB,GO/2WxB,C;UACL,IAAI,aAAJ,C;YACH,aP62WuC,gB;YAA5B,WO52WX,aP42WgC,GO52WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPy2WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7eT,OA+eO,W;O;KAxhBX,C;sFAYA,yB;MAAA,wE;MA+eA,+D;MA/eA,yC;QASW,kBAAU,oB;QA+eD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhfqX,WAgf5W,CAAY,OAAZ,C;UOl4WP,U;UADP,YPo4We,WOp4WH,WPo4WwB,GOp4WxB,C;UACL,IAAI,aAAJ,C;YACH,aPk4WuC,gB;YAA5B,WOj4WX,aPi4WgC,GOj4WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP83WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlfT,OAofO,W;O;KA7hBX,C;sFAYA,yB;MAAA,wE;MAofA,+D;MApfA,yC;QASW,kBAAU,oB;QAofD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UArfqY,WAqf5X,CAAY,OAAZ,C;UOv5WP,U;UADP,YPy5We,WOz5WH,WPy5WwB,GOz5WxB,C;UACL,IAAI,aAAJ,C;YACH,aPu5WuC,gB;YAA5B,WOt5WX,aPs5WgC,GOt5WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm5WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvfT,OAyfO,W;O;KAliBX,C;sFAYA,yB;MAAA,wE;MAyfA,+D;MAzfA,yC;QASW,kBAAU,oB;QAyfD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA1fqZ,WA0f5Y,CAAY,OAAZ,C;UO56WP,U;UADP,YP86We,WO96WH,WP86WwB,GO96WxB,C;UACL,IAAI,aAAJ,C;YACH,aP46WuC,gB;YAA5B,WO36WX,aP26WgC,GO36WhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPw6WA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5fT,OA8fO,W;O;KAviBX,C;sFAYA,yB;MAAA,wE;MA8fA,+D;MA9fA,yC;QASW,kBAAU,oB;QA8fD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/fqa,WA+f5Z,CAAY,OAAZ,C;UOj8WP,U;UADP,YPm8We,WOn8WH,WPm8WwB,GOn8WxB,C;UACL,

VhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAsTO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAsTA,oC;MAAA,+D;MAAA,gC;MAtTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,WO7rVX,aP6rVgC,GO7rVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0rVuC,gB;YAA5B,WOzrVX,aPyrVgC,GOzrVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsrVuC,gB;YAA5B,WOrrVX,aPqrVgC,GOrrVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkrVuC,gB;YAA5B,WOjrVX,aPirVgC,GOjrVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8qVuC,gB;YAA5B,WO7qVX,aP6qVgC,GO7qVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0qVuC,gB;YAA5B,WOzqVX,aPyqVgC,GOzqVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsqVuC,gB;YAA5B,WOrqVX,aPqqVgC,GOrqVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkqVuC,gB;YAA5B,WOjqVX,aPiqVgC,GOjqVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8pVuC,gB;YAA5B,WO7pVX,aP6pVgC,GO7pVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,aPypVgC,GOzpVhC,C;UACL,IAAI,aAAJ,C;YACH,aPspVuC,gB;YAA5B,WOrpVX,aPqpVgC,GOrpVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkpVuC,gB;YAA5B,WOjpVX,aPipVgC,GOjpVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8oVuC,gB;YAA5B,WO7oVX,aP6oVgC,GO7oVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0oVuC,gB;YAA5B,WOzoVX,aPyoVgC,GOzoVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsoVuC,gB;YAA5B,WOroVX,aPqoVgC,GOroVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkoVuC,gB;YAA5B,WOjoVX,aPioVgC,GOjoVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8nVuC,gB;YAA5B,WO7nVX,aP6nVgC,GO7nVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0nVuC,gB;YAA5B,WOznVX,aPynVgC,GOznVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,C;UACL,IAAI,aAAJ,C;YACH,aPknVuC,gB;YAA5B,WOjnVX,aPinVgC,GOjnVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8mVuC,gB;YAA5B,WO7mVX,aP6mVgC,GO7mVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0mVuC,gB;YAA5B,WOzmVX,aPymVgC,GOzmVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsmVuC,gB;YAA5B,WOrmVX,aPqmVgC,GOrmVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkmVuC,gB;YAA5B,WOjmVX,aPimVgC,GOjmVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8lVuC,gB;YAA5B,WO7lVX,aP6lVgC,GO7lVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0lVuC,gB;YAA5B,WOzlVX,aPylVgC,GOzlVhC,C;UACL,IAAI,aAAJ,C;YACH,aPslVuC,gB;YAA5B,WOrlVX,aPqlVgC,GOrlVhC,C;UACL,IAAI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,WOjlVX,aPilVgC,GOjlVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8kVuC,gB;YAA5B,WO7kVX,aP6kVgC,GO7kVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0kVuC,gB;YAA5B,WOzkVX,aPykVgC,GOzkVhC,C;UACL,IAAI,aAAJ,C;YACH,aPskVuC,gB;YAA5B,WOrkVX,aPqkVgC,GOrkVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkkVuC,gB;YAA5B,WOjkVX,aPikVgC,GOjkVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8jVuC,gB;YAA5B,WO7jVX,aP6jVgC,GO7jVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0jVuC,gB;YAA5B,WOzjVX,aPyjVgC,GOzjVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsjVuC,gB;YAA5B,WOrjVX,aPqjVgC,GOrjVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkjVuC,gB;YAA5B,WOjjVX,aPijVgC,GOjjVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0iVuC,gB;YAA5B,WOziVX,aPyiVgC,GOziVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsiVuC,gB;YAA5B,WOriVX,aPqiVgC,GOriVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkiVuC,gB;YAA5B,WOjiVX,aPiiVgC,GOjiVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8hVuC,gB;YAA5B,WO7hVX,aP6hVgC,GO7hVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0hVuC,gB;YAA5B,WOzhVX,aPyhVgC,GOzhVhC,C;UACL,IAAI,aAAJ,C;YACH,aPshVuC,gB;YAA5B,WOrhVX,aPqhVgC,GOrhVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkhVuC,gB;YAA5B,WOjhVX,aPihVgC,GOjhVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8gVuC,gB;YAA5B,WO7gVX,aP6gVgC,GO7gVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0gVuC,gB;YAA5B,WOzgVX,aPygVgC,GOzgVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsgVuC,gB;YAA5B,WOrgVX,aPqgVgC,GOrgVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,WOjgVX,aPigVgC,GOjgVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8fVuC,gB;YAA5B,WO7fVX,aP6fVgC,GO7fVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0fVuC,gB;YAA5B,WOzfVX,aPyfVgC,GOzfVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsfVuC,gB;YAA5B,WOrfVX,aPqfVgC,GOrfVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkfVuC,gB;YAA5B,WOjfVX,aPifVgC,GOjfVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8eVuC,gB;YAA5B,WO7eVX,aP6eVgC,GO7eVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0eVuC,gB;YAA5B,WOzeVX,aPyeVgC,GOzeVhC,C;UACL,IAAI,aAAJ,C;YACH,aPseVuC,gB;YAA5B,WOreVX,aPqeVgC,GOreVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkeVuC,gB;YAA5B,WOjeVX,aPieVgC,GOjeVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8dVuC,gB;YAA5B,WO7dVX,aP6dVgC,GO7dVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0dVuC,gB;YAA5B,WOzdVX,aPydVgC,GOzdVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsdVuC,gB;YAA5B,WOrdVX,aPqdVgC,GOrdVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkdVuC,gB;YAA5B,WOjdVX,aPidVgC,GOjdVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8cVuC,gB;YAA5B,WO7cVX,aP6cVgC,GO7cVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0cVuC,gB;YAA5B,WOzcVX,aPycVgC,GOzcVhC,C;UACL,IAAI,aAAJ,C;YACH,aPscVuC,gB;YAA5B,WOrcVX,aPqcVgC,GOrcVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkcVuC,gB;YAA5B,WOjcVX,aPicVgC,GOjcVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8bVuC,gB;YAA5B,WO7bVX,aP6bVgC,GO7bVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0bVuC,gB;YAA5B,WOzbVX,aPybVgC,GOzbVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsbVuC,gB;YAA5B,WOrbVX,aPqbVgC,GOrbVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkbVuC,gB;YAA5B,WOjbVX,aPibVgC,GOjbVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8aVuC,gB;YAA5B,WO7aVX,aP6aVgC,GO7aVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0aVuC,gB;YAA5B,WOzaVX,aPyaVgC,GOzaVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsaVuC,gB;YAA5B,WOraVX,aPqaVgC,GOraVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkaVuC,gB;YAA5B,WOjaVX,aPiaVgC,GOjaVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8ZVuC,gB;YAA5B,WO7ZVX,aP6ZVgC,GO7ZVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0ZVuC,gB;YAA5B,WOzZVX,aPyZVgC,GOzZVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsZVuC,gB;YAA5B,WOrZVX,aPqZVgC,GOrZVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkZVuC,gB;YAA5B,WOjZVX,aPiZVgC,GOjZVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8YVuC,gB;YAA5B,WO7YVX,aP6YVgC,GO7YVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0YVuC,gB;YAA5B,WOzYVX,aPyYVgC,GOzYVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsYVuC,gB;YAA5B,WOrYVX,aPqYVgC,GOrYVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkYVuC,gB;YAA5B,WOjYVX,aPiYVgC,GOjYVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8XVuC,gB;YAA5B,WO7XVX,aP6XVgC,GO7XVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0XVuC,gB;YAA5B,WOzXVX,aPyXVgC,GOzXVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsXVuC,gB;YAA5B,WOrXVX,aPqXVgC,GOrXVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkXVuC,gB;YAA5B,WOjXVX,aPiXVgC,GOjXVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8WVuC,gB;YAA5B,WO7WVX,aP6WVgC,GO7WVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0WVuC,gB;YAA5B,WOzWVX,aPyWVgC,GOzWVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsWVuC,gB;YAA5B,WOrWVX,aPqWVgC,GOrWVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkWVuC,gB;YAA5B,WOjWVX,aPiWVgC,GOjWVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8VVuC,gB;YAA5B,WO7VVX,aP6VVgC,GO7VVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0VVuC,gB;YAA5B,WOzVVX,aPyVVgC,GOzVVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsVVuC,gB;YAA5B,WOrVVX,aPqVVgC,GOrVVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkVVuC,gB;YAA5B,WOjVVX,aPiVVgC,GOjVVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8UVuC,gB;YAA5B,WO7UVX,aP6UVgC,GO7UVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0UVuC,gB;YAA5B,WOzUVX,aPyUVgC,GOzUVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsUVuC,gB;YAA5B,WOrUVX,aPqUVgC,GOrUVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkUVuC,gB;YAA5B,WOjUVX,aPiUVgC,GOjUVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8TVuC,gB;YAA5B,WO7TVX,aP6TVgC,GO7TVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0TVuC,gB;YAA5B,WOzTVX,aPyTVgC,GOzTVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsTVuC,gB;YAA5B,WOrTVX,aPqTVgC,GOrTVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkTVuC,gB;YAA5B,WOjTVX,aPiTVgC,GOjTVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8SVuC,gB;YAA5B,WO7SVX,aP6SVgC,GO7SVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0SVuC,gB;YAA5B,WOzSVX,aPySVgC,GOzSVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsSVuC,gB;YAA5B,WOrSVX,aPqSVgC,GOrSVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkSVuC,gB;YAA5B,WOjSVX,aPiSVgC,GOjSVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8RVuC,gB;YAA5B,WO7RVX,aP6RVgC,GO7RVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0RVuC,gB;YAA5B,WOzRVX,aPyRVgC,GOzRVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsRVuC,gB;YAA5B,WOrRVX,aPqRVgC,GOrRVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkRVuC,gB;YAA5B,WOjRVX,aPiRVgC,GOjRVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8QVuC,gB;YAA5B,WO7QVX,aP6QVgC,GO7QVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0QVuC,gB;YAA5B,WOzQVX,aPyQVgC,GOzQVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsQVuC,gB;YAA5B,WOrQVX,aPqQVgC,GOrQVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkQVuC,gB;YAA5B,WOjQVX,aPiQVgC,GOjQVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8PVuC,gB;YAA5B,WO7PVX,aP6PVgC,GO7PVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0PVuC,gB;YAA5B,WOzPVX,aPyPVgC,GOzPVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsPVuC,gB;YAA5B,WOrPVX,aPqPVgC,GOrPVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkPVuC,gB;YAA5B,WOjPVX,aPiPVgC,GOjPVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8OVuC,gB;YAA5B,WO7OVX,aP6OVgC,GO7OVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0OVuC,gB;YAA5B,WOzOVX,aPyOVgC,GOzOVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsOVuC,gB;YAA5B,WOrOVX,aPqOVgC,GOrOVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkOVuC,gB;YAA5B,WOjOVX,aPiOVgC,GOjOVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8NVuC,gB;YAA5B,WO7NVX,aP6NVgC,GO7NVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0NVuC,gB;YAA5B,WOzNVX,aPyNVgC,GOzNVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsNVuC,gB;YAA5B,WOrNVX,aPqNVgC,GOrNVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkNVuC,gB;YAA5B,WOjNVX,aPiNVgC,GOjNVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8MVuC,gB;YAA5B,WO7MVX,aP6MVgC,GO7MVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0MVuC,gB;YAA5B,WOzMVX,aPyMVgC,GOzMVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsMVuC,gB;YAA5B,WOrMVX,aPqMVgC,GOrMVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkMVuC,gB;YAA5B,WOjMVX,aPiMVgC,GOjMVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8LVuC,gB;YAA5B,WO7LVX,aP6LVgC,GO7LVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0LVuC,gB;YAA5B,WOzLVX,aPyLVgC,GOzLVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsLVuC,gB;YAA5B,WOrLVX,aPqLVgC,GOrLVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkLVuC,gB;YAA5B,WOjLVX,aPiLVgC,GOjLVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8KVuC,gB;YAA5B,WO7KVX,aP6KVgC,GO7KVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0KVuC,gB;YAA5B,WOzKVX,aPyKVgC,GOzKVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsKVuC,gB;YAA5B,WOrKVX,aPqKVgC,GOrKVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkKVuC,gB;YAA5B,WOjKVX,aPiKVgC,GOjKVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8JVuC,gB;YAA5B,WO7JVX,aP6JVgC,GO7JVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0JVuC,gB;YAA5B,WOzJVX,aPyJVgC,GOzJVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsJVuC,gB;YAA5B,WOrJVX,aPqJVgC,GOrJVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkJVuC,gB;YAA5B,WOjJVX,aPiJVgC,GOjJVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8IVuC,gB;YAA5B,WO7IVX,aP6IVgC,GO7IVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0IVuC,gB;YAA5B,WOzIVX,aPyIVgC,GOzIVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsIVuC,gB;YAA5B,WOrIVX,aPqIVgC,GOrIVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkIVuC,gB;YAA5B,WOjIVX,aPiIVgC,GOjIVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8HVuC,gB;YAA5B,WO7HVX,aP6HVgC,GO7HVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0HVuC,gB;YAA5B,WOzHVX,aPyHVgC,GOzHVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsHVuC,gB;YAA5B,WOrHVX,aPqHVgC,GOrHVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkHVuC,gB;YAA5B,WOjHVX,aPiHVgC,GOjHVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8GVuC,gB;YAA5B,WO7GVX,aP6GVgC,GO7GVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0GVuC,gB;YAA5B,WOzGVX,aPyGVgC,GOzGVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsGVuC,gB;YAA5B,WOrGVX,aPqGVgC,GOrGVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkGVuC,gB;YAA5B,WOjGVX,aPiGVgC,GOjGVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8FVuC,gB;YAA5B,WO7FVX,aP6FVgC,GO7FVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0FVuC,gB;YAA5B,WOzFVX,aPyFVgC,GOzFVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsFVuC,gB;YAA5B,WOrFVX,aPqFVgC,GOrFVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkFVuC,gB;YAA5B,WOjFVX,aPiFVgC,GOjFVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8EVuC,gB;YAA5B,WO7EVX,aP6EVgC,GO7EVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0EVuC,gB;YAA5B,WOzEVX,aPyEVgC,GOzEVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsEVuC,gB;YAA5B,WOrEVX,aPqEVgC,GOrEVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkEVuC,gB;YAA5B,WOjEVX,aPiEVgC,GOjEVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8DVuC,gB;YAA5B,WO7DVX,aP6DVgC,GO7DVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0DVuC,gB;YAA5B,WOzDVX,aPyDVgC,GOzDVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsDVuC,gB;YAA5B,WOrDVX,aPqDVgC,GOrDVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkDVuC,gB;YAA5B,WOjDVX,aPiDVgC,GOjDVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8CVuC,gB;YAA5B,WO7CVX,aP6CVgC,GO7CVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0CVuC,gB;YAA5B,WOzCVX,aPyCVgC,GOzCVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsCVuC,gB;YAA5B,WOrCVX,aPqCVgC,GOrCVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkCVuC,gB;YAA5B,WOjCVX,aPiCVgC,GOjCVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8BVuC,gB;YAA5B,WO7BVX,aP6BVgC,GO7BVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0BVuC,gB;YAA5B,WOzBVX,aPyBVgC,GOzBVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsBVuC,gB;YAA5B,WOrBVX,aPqBVgC,GOrBVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkBVuC,gB;YAA5B,WOjBVX,aPiBVgC,GOjBVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8AVuC,gB;YAA5B,WO7AVX,aP6AVgC,GO7AVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0AVuC,gB;YAA5B,WOzAVX,aPyAVgC,GOzAVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsAVuC,gB;YAA5B,WOrAVX,aPqAVgC,GOrAVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkAVuC,gB;YAA5B,WOjAVX,aPiAVgC,GOjAVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8ZVuC,gB;YAA5B,WO7ZVX,aP6ZVgC,GO7ZVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0ZVuC,gB;YAA5B,WOzZVX,aPyZVgC,GOzZVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsZVuC,gB;YAA5B,WOrZVX,aPqZVgC,GOrZVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkZVuC,gB;YAA5B,WOjZVX,aPiZVgC,GOjZVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8YVuC,gB;YAA5B,WO7YVX,aP6YVgC,GO7YVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0YVuC,gB;YAA5B,WOzYVX,aPyYVgC,GOzYVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsYVuC,gB;YAA5B,WOrYVX,aPqYVgC,GOrYVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkYVuC,gB;YAA5B,WOjYVX,aPiYVgC,GOjYVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8XVuC,gB;YAA5B,WO7XVX,aP6XVgC,GO7XVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0XVuC,gB;YAA5B,WOzXVX,aPyXVgC,GOzXVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsXVuC,gB;YAA5B,WOrXVX,aPqXVgC,GOrXVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkXVuC,gB;YAA5B,WOjXVX,aPiXVgC,GOjXVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8WVuC,gB;YAA5B,WO7WVX,aP6WVgC,GO7WVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0WVuC,gB;YAA5B,WOzWVX,aPyWVgC,GOzWVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsWVuC,gB;YAA5B,WOrWVX,aPqWVgC,GOrWVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkWVuC,gB;YAA5B,WOjWVX,aPiWVgC,GOjWVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8VVuC,gB;YAA5B,WO7VVX,aP6VVgC,GO7VVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0VVuC,gB;YAA5B,WOzVVX,aPyVVgC,GOzVVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsVVuC,gB;YAA5B,WOrVVX,aPqVVgC,GOrVVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkVVuC,gB;YAA5B,WOjVVX,aPiVVgC,GOjVVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8UVuC,gB;YAA5B,WO7UVX,aP6UVgC,GO7UVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0UVuC,gB;YAA5B,WOzUVX,aPyUVgC,GOzUVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsUVuC,gB;YAA5B,WOrUVX,aPqUVgC,GOrUVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkUVuC,gB;YAA5B,WOjUVX,aPiUVgC,GOjUVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8TVuC,gB;YAA5B,WO7TVX,aP6TVgC,GO7TVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0TVuC,gB;YAA5B,WOzTVX,aPyTVgC,GOzTVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsTVuC,gB;YAA5B,WOrTVX,aPqTVgC,GOrTVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkTVuC,gB;YAA5B,WOjTVX,aPiTVgC,GOjTVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8SVuC,gB;YAA5B,WO7SVX,aP6SVgC,GO7SVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0SVuC,gB;YAA5B,WOzSVX,aPySVgC,GOzSVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsSVuC,gB;YAA5B,WOrSVX,aPqSVgC,GOrSVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkSVuC,gB;YAA5B,WOjSVX,aPiSVgC,GOjSVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8RVuC,gB;YAA5B,WO7RVX,aP6RVgC,GO7RVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0RVuC,gB;YAA5B,WOzRVX,aPyRVgC,GOzRVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsRVuC,gB;YAA5B,WOrRVX,aPqRVgC,GOrRVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkRVuC,gB;YAA5B,WOjRVX,aPiRVgC,GOjRVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8QVuC,gB;YAA5B,WO7QVX,aP6QVgC,GO7QVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0QVuC,gB;YAA5B,WOzQVX,aPyQVgC,GOzQVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsQVuC,gB;YAA5B,WOrQVX,aPqQVgC,GOrQVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkQVuC,gB;YAA5B,WOjQVX,aPiQVgC,GOjQVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8PVuC,gB;YAA5B,WO7PVX,aP6PVgC,GO7PVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0PVuC,gB;YAA5B,WOzPVX,aPyPVgC,GOzPVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsPVuC,gB;YAA5B,WOrPVX,aPqPVgC,GOrPVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkPVuC,gB;YAA5B,WOjPVX,aPiPVgC,GOjPVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8OVuC,gB;YAA5B,WO7OVX,aP6OVgC,GO7OVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0OVuC,gB;YAA5B,WOzOVX,aPyOVgC,GOzOVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsOVuC,gB;YAA5B,WOrOVX,aPqOVgC,GOrOVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkOVuC,gB;YAA5B,WOjOVX,aPiOVgC,GOjOVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8NVuC,gB;YAA5B,WO7NVX,aP6NVgC,GO7NVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0NVuC,gB;YAA5B,WOzNVX,aPyNVgC,GOzNVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsNVuC,gB;YAA5B,WOrNVX,aPqNVgC,GOrNVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkNVuC,gB;YAA5B,WOjNVX,aPiNVgC,GOjNVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8MVuC,gB;YAA5B,WO7MVX,aP6MVgC,GO7MVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0MVuC,gB;YAA5B,WOzMVX,aPyMVgC,GOzMVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsMVuC,gB;YAA5B,WOrMVX,aPqMVgC,GOrMVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkMVuC,gB;YAA5B,WOjMVX,aPiMVgC,GOjMVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8LVuC,gB;YAA5B,WO7LVX,aP6LVgC,GO7LVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0LVuC,gB;YAA5B,WOzLVX,aPyLVgC,GOzLVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsLVuC,gB;YAA5B,WOrLVX,aPqLVgC,GOrLVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkLVuC,gB;YAA5B,WOjLVX,aPiLVgC,GOjLVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8KVuC,gB;YAA5B,WO7KVX,aP6KVgC,GO7KVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0KVuC,gB;YAA5B,WOzKVX,aPyKVgC,GOzKVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsKVuC,gB;YAA5B,WOrKVX,aPqKVgC,GOrKVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkKVuC,gB;YAA5B,WOjKVX,aPiKVgC,GOjKVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8JVuC,gB;YAA5B,WO7JVX,aP6JVgC,GO7JVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0JVuC,gB;YAA5B,WOzJVX,aPyJVgC,GOzJVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsJVuC,gB;YAA5B,WOrJVX,aPqJVgC,GOrJVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkJVuC,gB;YAA5B,WOjJVX,aPiJVgC,GOjJVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8IVuC,gB;YAA5B,WO7IVX,aP6IVgC,GO7IVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0IVuC,gB;YAA5B,WOzIVX,aPyIVgC,GOzIVhC,C;UACL,IAAI,aAAJ,C;YACH,aPsIVuC,gB;YAA5B,WOrIVX,aPqIVgC,GOrIVhC,C;UACL,IAAI,aAAJ,C;YACH,aPkIVuC,gB;YAA5B,WOjIVX,aPiIVgC,GOjIVhC,C;UACL,IAAI,aAAJ,C;YACH,aP8HVuC,gB;YAA5B,WO7HVX,aP6HVgC,GO7HVhC,C;UACL,IAAI,aAAJ,C;YACH,aP0HVuC,gB;YAA5B,WOzHVX,aPyHVgC,GOzH

AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WOtm
VH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOnmV
hC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,
W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAA
hB,M;UACI,UAAU,YAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,WOxnVH,WPwnVwB,GOxnVxB,C;UACL,IA
AI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk
nVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA
,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxoVP,
U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,WOvo
VX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CA
AJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;
UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5
pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YAC
A,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;
MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAY,
OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,
gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WA
AI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE
;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;U
O9rVP,U;UADP,YPgsVe,WOhsVH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,
WO7rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAAI,eAAe,oBAA
f,CAAJ,C;;QAET,OAAO,W;O;KAfX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;
MARX,oDASQ,Y;QAA6C,OAAgB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;M
AV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAcA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;Q
A+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W
;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,
WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MA
AA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhV
iB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBA
AM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;
;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,
Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KA
xVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb
,e;UACI,WAAY,WAhViB,SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,
gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QA+UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAY,WAhViB,
SAgVb,CAAU,IAAV,CAAJ,C;;QAhVhB,OAiVO,W;O;KAxVX,C;8EAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM

A1HhB,OA2HO,W;O;KAlIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7HwB,SA6HpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7HhB,OA8HO,W;O;KArIX,C;2FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+HP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhIwB,SAgIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhIhB,OAiIO,W;O;KAxIX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnIwB,SAmIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnIhB,OAoIO,W;O;KA3IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtIwB,SAsIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtIhB,OAuIO,W;O;KA9IX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwIP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzIwB,SAyIpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzIhB,OA0IO,W;O;KAjJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5IwB,SA4IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5IhB,OA6IO,W;O;KApJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8IP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/IwB,SA+IpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/IhB,OAgJO,W;O;KAvJX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlJwB,SAkJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlJhB,OAmJO,W;O;KA1JX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArJwB,SAqJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArJhB,OAsJO,W;O;KA7JX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuJP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxJwB,SAwJpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxJhB,OAyJO,W;O;KAhKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3JwB,SA2JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3JhB,OA4JO,W;O;KAnKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6JP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9JwB,SA8JpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9JhB,OA+JO,W;O;KAtKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjKwB,SAiKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjKhB,OAkKO,W;O;KAzKX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApKwB,SAoKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApKhB,OAqKO,W;O;KA5KX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvKwB,SAuKpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvKhB,OAwKO,W;O;KA/KX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyKP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1KwB,SA0KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1KhB,OA2KO,W;O;KAlLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7KwB,SA6KpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7KhB,OA8KO,W;O;KArLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+KP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhLwB,SAgLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhLhB,OAiLO,W;O;KAxLX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnLwB,SAmLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnLhB,OAoLO,W;O;KA3LX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtLwB,SAsLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtLhB,OAuLO,W;O;KA9LX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwLP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzLwB,SAyLpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzLhB,OA0LO,W;O;KAjMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5LwB,SA4LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5LhB,OA6LO,W;O;KApMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8LP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/LwB,SA+LpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/LhB,OAgMO,W;O;KAvMX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlMwB,SAkMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlMhB,OAmMO,W;O;KA1MX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArMwB,SAqMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArMhB,OAsMO,W;O;KA7MX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuMP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxMwB,SAwMpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxMhB,OAyMO,W;O;KAhNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3MwB,SA2MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3MhB,OA4MO,W;O;KAnNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6MP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9MwB,SA8MpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9MhB,OA+MO,W;O;KAtNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjNwB,SAiNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjNhB,OAkNO,W;O;KAzNX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApNwB,SAoNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApNhB,OAqNO,W;O;KA5NX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvNwB,SAuNpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvNhB,OAwNO,W;O;KA/NX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyNP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1NwB,SA0NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1NhB,OA2NO,W;O;KAlOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7NwB,SA6NpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7NhB,OA8NO,W;O;KArOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+NP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhOwB,SAgOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhOhB,OAiOO,W;O;KAxOX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnOwB,SAmOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnOhB,OAoOO,W;O;KA3OX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtOwB,SAsOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtOhB,OAuOO,W;O;KA9OX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwOP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzOwB,SAyOpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzOhB,OA0OO,W;O;KAjPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5OwB,SA4OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5OhB,OA6OO,W;O;KApPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8OP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/OwB,SA+OpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/OhB,OAgPO,W;O;KAvPX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlPwB,SAkPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlPhB,OAmPO,W;O;KA1PX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArPwB,SAqPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArPhB,OAsPO,W;O;KA7PX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuPP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxPwB,SAwPpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxPhB,OAyPO,W;O;KAhQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3PwB,SA2PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3PhB,OA4PO,W;O;KAnQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6PP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9PwB,SA8PpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9PhB,OA+PO,W;O;KAtQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjQwB,SAiQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjQhB,OAkQO,W;O;KAzQX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApQwB,SAoQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApQhB,OAqQO,W;O;KA5QX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvQwB,SAuQpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvQhB,OAwQO,W;O;KA/QX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyQP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1QwB,SA0QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1QhB,OA2QO,W;O;KAlRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7QwB,SA6QpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7QhB,OA8QO,W;O;KArRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+QP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhRwB,SAgRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhRhB,OAiRO,W;O;KAxRX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnRwB,SAmRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnRhB,OAoRO,W;O;KA3RX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtRwB,SAsRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtRhB,OAuRO,W;O;KA9RX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwRP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzRwB,SAyRpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzRhB,OA0RO,W;O;KAjSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5RwB,SA4RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5RhB,OA6RO,W;O;KApSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8RP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/RwB,SA+RpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/RhB,OAgSO,W;O;KAvSX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlSwB,SAkSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlShB,OAmSO,W;O;KA1SX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArSwB,SAqSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArShB,OAsSO,W;O;KA7SX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuSP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxSwB,SAwSpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxShB,OAySO,W;O;KAhTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3SwB,SA2SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3ShB,OA4SO,W;O;KAnTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6SP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9SwB,SA8SpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9ShB,OA+SO,W;O;KAtTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjTwB,SAiTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjThB,OAkTO,W;O;KAzTX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApTwB,SAoTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApThB,OAqTO,W;O;KA5TX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvTwB,SAuTpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvThB,OAwTO,W;O;KA/TX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyTP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1TwB,SA0TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1ThB,OA2TO,W;O;KAlUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7TwB,SA6TpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7ThB,OA8TO,W;O;KArUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+TP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhUwB,SAgUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhUhB,OAiUO,W;O;KAxUX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnUwB,SAmUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnUhB,OAoUO,W;O;KA3UX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtUwB,SAsUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtUhB,OAuUO,W;O;KA9UX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwUP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzUwB,SAyUpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzUhB,OA0UO,W;O;KAjVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5UwB,SA4UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5UhB,OA6UO,W;O;KApVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8UP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/UwB,SA+UpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/UhB,OAgVO,W;O;KAvVX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlVwB,SAkVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlVhB,OAmVO,W;O;KA1VX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArVwB,SAqVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArVhB,OAsVO,W;O;KA7VX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuVP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAxVwB,SAwVpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAxVhB,OAyVO,W;O;KAhWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA0VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA3VwB,SA2VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA3VhB,OA4VO,W;O;KAnWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA6VP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA9VwB,SA8VpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA9VhB,OA+VO,W;O;KAtWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAgWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAjWwB,SAiWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAjWhB,OAkWO,W;O;KAzWX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAmWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WApWwB,SAoWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QApWhB,OAqWO,W;O;KA5WX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAsWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAvWwB,SAuWpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAvWhB,OAwWO,W;O;KA/WX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAyWP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA1WwB,SA0WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA1WhB,OA2WO,W;O;KAlXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA4WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA7WwB,SA6WpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA7WhB,OA8WO,W;O;KArXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA+WP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAhXwB,SAgXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAhXhB,OAiXO,W;O;KAxXX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAkXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAnXwB,SAmXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAnXhB,OAoXO,W;O;KA3XX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAqXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAtXwB,SAsXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtXhB,OAuXO,W;O;KA9XX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAwXP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAzXwB,SAyXpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAzXhB,OA0XO,W;O;KAjYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA2XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA5XwB,SA4XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5XhB,OA6XO,W;O;KApYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QA8XP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WA/XwB,SA+XpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/XhB,OAgYO,W;O;KAvYX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAiYP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WAlYwB,SAkYpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAlYhB,OAmYO,W;O;KA1YX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAoYP,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UACI,WAAY,WArYwB,SAqYpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QArYhB,OAsYO,W;O;KA7YX,C;4FAUA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAa,eAAa,gBAAb,C;QAuYP,gB;QADb,YAAY,C;QACZ,

QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,g
C;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,8C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB
,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;
MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,iD;O;
K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MAKI,OAA
O,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;
IAGX,6B;MASI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;
K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAA
e,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,C
AAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAA
K,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,+D;MA
AA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,
UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;
O;KAjBX,C;4FAoBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QAC
X,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,C
AAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,s
C;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAA
U,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;K
AhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,w
BAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAA
R,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;
QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,
SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX
,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAA
U,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;
YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,oC;MA
AA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,
UAAU,SAAS,cAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,cAAL,C;;QAEb,
OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAI,WAAI,GAAJ,CAAR,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,e

MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,iC;MAMI,OAAO,wBAAa,qBAAiB,YAAY,gBAAZ,CAAjB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAmB,YAAY,gBAAZ,CAnB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAqB,YAAY,gBAAZ,CArB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAsB,YAAY,gBAAZ,CAtB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAuB,YAAY,gBAAZ,CAvB,CAAb,C;K;IAGX,mC;MAMI,OAAO,0BAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;K;IAGX,iC;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,e

I,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,qB;MAKI,OAAO,gB;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;kFAGX,gC;MAKoB,Q;MADhB,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;m

Z,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,cAAc,WAAU,cAAV,E
AAU,sBAAV,WAAmB,WAAnB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;wFAgBA,yB;MAAA,8D;M
AAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU
,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;
MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA
AU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8
D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,
8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,
UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAA
A,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAA
c,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;MA
AA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cA
Ac,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;M
AAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,c
AAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB;
MAAA,8D;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UACI
,cAAc,UAAU,UAAI,YAAJ,EAAI,oBAAJ,OAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,C;0FAiBA,yB
;MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CA
AhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAdX,
C;sGAiBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;UA
CI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,
C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C;U
ACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhB
X,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,C
;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAh
BX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAAhB,
C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;K
AhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CAA
hB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O
;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,CA
AhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;
O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAAS,C
AAhB,C;UACI,cAAc,UAAU,KAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,
W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB,OAAO,SAA
S,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,jB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA
O,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QAClB
,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,jB,EAA6B,WAA7B,C;UACd,q
B;;QAEJ,OAAO,W;O;KAhBX,C;oFAmBA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,
M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;
QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QA
AsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAs
B,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,
OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,OA
AO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,OAAO
,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,OAAO,O
AAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB
hB,UAAgB,SAAhB,O;UAAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QAAsB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QAAsB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAA
hB,M;QAAsB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;
QAAsB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAs
B,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QA
AsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,
OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,OAA
O,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,M;QAAsB,OAAO,O
AAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB
hB,UAAgB,SAAhB,O;UAAsB,OAAO,oBAAP,C;;O;KAJ1B,C;kGAOA

MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;

IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;cACI,UAAU,C;cACV,WAAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAkMP,IAx4LO,qBAAQ,CAAAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,cAAT,C;YACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;cACI,UAAU,C;cACV,WAAAW,C;;;UAGnB,qBAAO,O;;;QA9MP,yB;O;KAHJ,C;kFAMA,yB;MA8MA,8D;MAAA,sC;QAGW,oBAAI,IAhxLO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtNmB,QAsNJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzNe,QAyNP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9NP,yB;O;GAHJ,C;gFAMA,yB;IA8NA,8D;IAAA,oC;IA9NA,sC;MAGW,sB;;QAkOP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtOmB,QAsOJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzOe,QAyOP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9OP,yB;O;GAHJ,C;gFAMA,yB;IA8OA,8D;IAAA,oC;IA9OA,sC;MAGW,sB;;QAkPP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtPmB,QAsPJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzPe,QAyPP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9PP,yB;O;GAHJ,C;gFAMA,yB;IA8PA,8D;IAAA,oC;IA9PA,sC;MAGW,sB;;QAkQP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtQmB,QAsQJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzQe,QAyQP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9QP,yB;O;GAHJ,C;gFAMA,yB;IA8QA,8D;IAAA,oC;IA9QA,sC;MAGW,sB;;QAkRP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtRmB,QAsRJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzRe,QAyRP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9RP,yB;O;GAHJ,C;gFAMA,yB;IA8RA,8D;IAAA,oC;IA9RA,sC;MAGW,sB;;QAkSP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtSmB,QAsSJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzSe,QAySP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9SP,yB;O;GAHJ,C;gFAMA,yB;IA8SA,8D;IAAA,oC;IA9SA,sC;MAGW,sB;;QAkTP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtTmB,QAsTJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzTe,QAyTP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9TP,yB;O;GAHJ,C;gFAMA,yB;IA8TA,8D;IAAA,oC;IA9TA,sC;MAGW,sB;;QAkUP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtUmB,QAsUJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzUe,QAyUP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9UP,yB;O;GAHJ,C;gFAMA,yB;IA8UA,8D;IAAA,oC;IA9UA,sC;MAGW,sB;;QAkVP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtVmB,QAsVJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzVe,QAyVP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9VP,yB;O;GAHJ,C;gFAMA,yB;IA8VA,8D;IAAA,oC;IA9VA,sC;MAGW,sB;;QAkWP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtWmB,QAsWJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzWe,QAyWP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9WP,yB;O;GAHJ,C;gFAMA,yB;IA8WA,8D;IAAA,oC;IA9WA,sC;MAGW,sB;;QAkXP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtXmB,QAsXJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzXe,QAyXP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9XP,yB;O;GAHJ,C;gFAMA,yB;IA8XA,8D;IAAA,oC;IA9XA,sC;MAGW,sB;;QAkYP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtYmB,QAsYJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzYe,QAyYP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9YP,yB;O;GAHJ,C;gFAMA,yB;IA8YA,8D;IAAA,oC;IA9YA,sC;MAGW,sB;;QAkZP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtZmB,QAsZJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzZe,QAyZP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9ZP,yB;O;GAHJ,C;gFAMA,yB;IA8ZA,8D;IAAA,oC;IA9ZA,sC;MAGW,sB;;QAkaP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtamB,QAsaJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzae,QAyaP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9aP,yB;O;GAHJ,C;gFAMA,yB;IA8aA,8D;IAAA,oC;IA9aA,sC;MAGW,sB;;QAkbP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtbmB,QAsbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzbe,QAybP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9bP,yB;O;GAHJ,C;gFAMA,yB;IA8bA,8D;IAAA,oC;IA9bA,sC;MAGW,sB;;QAkcP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtcmB,QAscJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzce,QAycP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9cP,yB;O;GAHJ,C;gFAMA,yB;IA8cA,8D;IAAA,oC;IA9cA,sC;MAGW,sB;;QAkdP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtdmB,QAscJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzde,QAydP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9dP,yB;O;GAHJ,C;gFAMA,yB;IA8dA,8D;IAAA,oC;IA9dA,sC;MAGW,sB;;QAkeP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAteoB,QAsebJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzee,QAyeP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9eP,yB;O;GAHJ,C;gFAMA,yB;IA8eA,8D;IAAA,oC;IA9eA,sC;MAGW,sB;;QAkfP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtfoB,QAsfbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzfe,QAyfP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9fP,yB;O;GAHJ,C;gFAMA,yB;IA8fA,8D;IAAA,oC;IA9fA,sC;MAGW,sB;;QAkgBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtgBoB,QAsgBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzgBe,QAygBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9gBP,yB;O;GAHJ,C;gFAMA,yB;IA8gBA,8D;IAAA,oC;IA9gBA,sC;MAGW,sB;;QAkhBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAthBoB,QAshBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzhBe,QAyhBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9hBP,yB;O;GAHJ,C;gFAMA,yB;IA8hBA,8D;IAAA,oC;IA9hBA,sC;MAGW,sB;;QAkiBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtiBoB,QAsiBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAziBe,QAyiBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9iBP,yB;O;GAHJ,C;gFAMA,yB;IA8iBA,8D;IAAA,oC;IA9iBA,sC;MAGW,sB;;QAkjBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtjBoB,QAsjBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzjBe,QAyjBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9jBP,yB;O;GAHJ,C;gFAMA,yB;IA8jBA,8D;IAAA,oC;IA9jBA,sC;MAGW,sB;;QAkkBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtkBoB,QAskBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzkBe,QAykBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9kBP,yB;O;GAHJ,C;gFAMA,yB;IA8kBA,8D;IAAA,oC;IA9kBA,sC;MAGW,sB;;QAklBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtlBoB,QAslBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzlBe,QAylBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9lBP,yB;O;GAHJ,C;gFAMA,yB;IA8lBA,8D;IAAA,oC;IA9lBA,sC;MAGW,sB;;QAkmBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtmBoB,QAsmBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzmBe,QAymBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9mBP,yB;O;GAHJ,C;gFAMA,yB;IA8mBA,8D;IAAA,oC;IA9mBA,sC;MAGW,sB;;QAknBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtnBoB,QAsnBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAznBe,QAynBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9nBP,yB;O;GAHJ,C;gFAMA,yB;IA8nBA,8D;IAAA,oC;IA9nBA,sC;MAGW,sB;;QAkoBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtoBoB,QAsoBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzoBe,QAyoBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9oBP,yB;O;GAHJ,C;gFAMA,yB;IA8oBA,8D;IAAA,oC;IA9oBA,sC;MAGW,sB;;QAkpBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtpBoB,QAspBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzpBe,QAypBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9pBP,yB;O;GAHJ,C;gFAMA,yB;IA8pBA,8D;IAAA,oC;IA9pBA,sC;MAGW,sB;;QAkqBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtqBoB,QAsqBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzqBe,QAyqBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9qBP,yB;O;GAHJ,C;gFAMA,yB;IA8qBA,8D;IAAA,oC;IA9qBA,sC;MAGW,sB;;QAkrBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtrBoB,QAsrBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzrBe,QAyrBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9rBP,yB;O;GAHJ,C;gFAMA,yB;IA8rBA,8D;IAAA,oC;IA9rBA,sC;MAGW,sB;;QAksBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtsBoB,QAssBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzsBe,QAysBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9sBP,yB;O;GAHJ,C;gFAMA,yB;IA8sBA,8D;IAAA,oC;IA9sBA,sC;MAGW,sB;;QAktBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAttBoB,QAstBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAztBe,QAytBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9tBP,yB;O;GAHJ,C;gFAMA,yB;IA8tBA,8D;IAAA,oC;IA9tBA,sC;MAGW,sB;;QAkuBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtuBoB,QAsuBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzuBe,QAyuBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9uBP,yB;O;GAHJ,C;gFAMA,yB;IA8uBA,8D;IAAA,oC;IA9uBA,sC;MAGW,sB;;QAkvBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtvBoB,QAsvBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzvBe,QAyvBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9vBP,yB;O;GAHJ,C;gFAMA,yB;IA8vBA,8D;IAAA,oC;IA9vBA,sC;MAGW,sB;;QAkwBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtwBoB,QAswBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzwBe,QAywBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9wBP,yB;O;GAHJ,C;gFAMA,yB;IA8wBA,8D;IAAA,oC;IA9wBA,sC;MAGW,sB;;QAkxBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtxBoB,QAsxBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzxBe,QAyxBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9xBP,yB;O;GAHJ,C;gFAMA,yB;IA8xBA,8D;IAAA,oC;IA9xBA,sC;MAGW,sB;;QAkyBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtyBoB,QAsyBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzyBe,QAyyBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9yBP,yB;O;GAHJ,C;gFAMA,yB;IA8yBA,8D;IAAA,oC;IA9yBA,sC;MAGW,sB;;QAkzBP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAtzBoB,QAszBbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAzzBe,QAyzBP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA9zBP,yB;O;GAHJ,C;gFAMA,yB;IA8zBA,8D;IAAA,oC;IA9zBA,sC;MAGW,sB;;QAk0BP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAt0BoB,QAs0BbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAz0Be,QAy0BP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA90BP,yB;O;GAHJ,C;gFAMA,yB;IA80BA,8D;IAAA,oC;IA90BA,sC;MAGW,sB;;QAk1BP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAAc,UAAK,CAAL,C;QACd,gBAAAqB,wB;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,qBAAO,O;UAAP,uB;;QACpB,eAt1BoB,QAs1BbJ,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAz1Be,QAy1BP,cAAT,C;UACR,IAAI,2BAAAW,CAAAX,KAAAJ,C;YACI,UAAU,C;YACV,WAAAW,C;;;QAGnB,qBAAO,O;;;MA91BP,yB;O;GAHJ,C;gFAMA,yB;IA81BA,8D;IAAA,oC;IA91BA,sC;MAGW,sB;;QAk2BP,IAx4LO,qBAAQ,CAAAw4Lf,C;UAAe,qBAAO,I;UAAP,uB;;QACf,cAA

,WkB/obG,MAAO,KlB+obO,QkB/obP,ElB+obiB,CkB/objB,C;;QlBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MlB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrqbG,MAAO,KlBqqbO,QkBrqbP,ElBqqbiB,CkBrqbjB,C;;QlBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBlrbA,iB;MlBkrbA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KlB2rbO,QkB3rbP,ElB2rbiB,CkB3rbjB,C;;QlB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsbA,iB;MlBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KlBitbO,QkBjtbP,ElBitbiB,CkBjtbjB,C;;QlBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MlB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KlBuubO,QkBvubP,ElBuubiB,CkBvubjB,C;;QlBywbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpwbA,iB;MlBowbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAukMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBnxbG,MAAO,KlBmxbO,QkBnxbP,ElBmxbiB,CkBnxbjB,C;;QlBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MlBgybA,sC;QAeiB,Q;QAFb,IArlMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3zbG,MAAO,KlB2zbO,QkB3zbP,ElB2zbiB,CkB3zbjB,C;;QlB60bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx0bA,iB;MlBw0bA,sC;QAeiB,Q;QAFb,IAvmMO,qBAAQ,CAumMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB32bG,MAAO,KlB22bO,QkB32bP,ElB22biB,CkB32bjB,C;;QlB63bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx3bA,iB;MlBw3bA,sC;QAeiB,Q;QAFb,IAvnMO,qBAAQ,CAunMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB35bG,MAAO,KlB25bO,QkB35bP,ElB25biB,CkB35bjB,C;;QlB66bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx7bA,iB;MlBw7bA,sC;QAeiB,Q;QAFb,IAvoMO,qBAAQ,CAuoMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB38bG,MAAO,KlB28bO,QkB38bP,ElB28biB,CkB38bjB,C;;QlB69bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx9bA,iB;MlBw9bA,sC;QAeiB,Q;QAFb,IAvpMO,qBAAQ,CAupMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB39bG,MAAO,KlB29bO,QkB39bP,ElB29biB,CkB39bjB,C;;QlB6+bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx/bA,iB;MlBw/bA,sC;QAeiB,Q;QAFb,IAvqMO,qBAAQ,CAuqMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3/bG,MAAO,KlB2/bO,QkB3/bP,ElB2/biB,CkB3/bjB,C;;QlB6gcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxhcA,iB;MlBwhcA,sC;QAeiB,Q;QAFb,IAvrMO,qBAAQ,CAurMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3hcG,MAAO,KlB2hcO,QkB3hcP,ElB2hciB,CkB3hcjB,C;;QlB6icd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxjcA,iB;MlBwjcA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3jcG,MAAO,KlB2jcO,QkB3jcP,ElB2jciB,CkB3jcjB,C;;QlB6kcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxlcA,iB;MlBwlcA,sC;QAeiB,Q;QAFb,IAvtMO,qBAAQ,CAutMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3lcG,MAAO,KlB2lcO,QkB3lcP,ElB2lciB,CkB3lcjB,C;;QlB6mcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxncA,iB;MlBwncA,sC;QAeiB,Q;QAFb,IAvuMO,qBAAQ,CAuuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3ncG,MAAO,KlB2ncO,QkB3ncP,ElB2nciB,CkB3ncjB,C;;QlB6ocd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxpcA,iB;MlBwpcA,sC;QAeiB,Q;QAFb,IAvvMO,qBAAQ,CAuvMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3pcG,MAAO,KlB2pcO,QkB3pcP,ElB2pciB,CkB3pcjB,C;;QlB6qcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxrcA,iB;MlBwrcA,sC;QAeiB,Q;QAFb,IAvwMO,qBAAQ,CAuwMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rcG,MAAO,KlB2rcO,QkB3rcP,ElB2rciB,CkB3rcjB,C;;QlB6scd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxtcA,iB;MlBwtcA,sC;QAeiB,Q;QAFb,IAvxMO,qBAAQ,CAuxMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3tcG,MAAO,KlB2tcO,QkB3tcP,ElB2tciB,CkB3tcjB,C;;QlB6ucd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxvcA,iB;MlBwvcA,sC;QAeiB,Q;QAFb,IAvyMO,qBAAQ,CAuyMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3vcG,MAAO,KlB2vcO,QkB3vcP,ElB2vciB,CkB3vcjB,C;;QlB6wcd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxxcA,iB;MlBwxcA,sC;QAeiB,Q;QAFb,IAvzMO,qBAAQ,CAuzMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3xcG,MAAO,KlB2xcO,QkB3xcP,ElB2xciB,CkB3xcjB,C;;QlB6ycd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxzcA,iB;MlBwzcA,sC;QAeiB,Q;QAFb,IAv0MO,qBAAQ,CAu0Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3zcG,MAAO,KlB2zcO,QkB3zcP,ElB2zciB,CkB3zcjB,C;;QlB61cd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx2cA,iB;MlBw2cA,sC;QAeiB,Q;QAFb,IAv1MO,qBAAQ,CAu1Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB32cG,MAAO,KlB22cO,QkB32cP,ElB22ciB,CkB32cjB,C;;QlB63cd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx4cA,iB;MlBw4cA,sC;QAeiB,Q;QAFb,IAv2MO,qBAAQ,CAu2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34cG,MAAO,KlB24cO,QkB34cP,ElB24ciB,CkB34cjB,C;;QlB66cd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx6cA,iB;MlBw6cA,sC;QAeiB,Q;QAFb,IAv3MO,qBAAQ,CAu3Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB36cG,MAAO,KlB26cO,QkB36cP,ElB26ciB,CkB36cjB,C;;QlB69cd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx8cA,iB;MlBw8cA,sC;QAeiB,Q;QAFb,IAv4MO,qBAAQ,CAu4Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB38cG,MAAO,KlB28cO,QkB38cP,ElB28ciB,CkB38cjB,C;;QlB69dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx+cA,iB;MlBw+cA,sC;QAeiB,Q;QAFb,IAv5MO,qBAAQ,CAu5Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3+cG,MAAO,KlB2+cO,QkB3+cP,ElB2+ciB,CkB3+cjB,C;;QlB6/cd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxgdA,iB;MlBwgdA,sC;QAeiB,Q;QAFb,IAv6MO,qBAAQ,CAu6Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3gdG,MAAO,KlB2gdO,QkB3gdP,ElB2gdiB,CkB3gdjB,C;;QlB6hdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxidA,iB;MlBwidA,sC;QAeiB,Q;QAFb,IAv7MO,qBAAQ,CAu7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3idG,MAAO,KlB2idO,QkB3idP,ElB2idiB,CkB3idjB,C;;QlB6jdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxkdA,iB;MlBwkdA,sC;QAeiB,Q;QAFb,IAv8MO,qBAAQ,CAu8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3kdG,MAAO,KlB2kdO,QkB3kdP,ElB2kdiB,CkB3kdjB,C;;QlB6ldd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxmdA,iB;MlBwmdA,sC;QAeiB,Q;QAFb,IAv9MO,qBAAQ,CAu9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3mdG,MAAO,KlB2mdO,QkB3mdP,ElB2mdiB,CkB3mdjB,C;;QlB6ndd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxodA,iB;MlBwodA,sC;QAeiB,Q;QAFb,IAv+MO,qBAAQ,CAu+Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3odG,MAAO,KlB2odO,QkB3odP,ElB2odiB,CkB3odjB,C;;QlB6pdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxqdA,iB;MlBwqdA,sC;QAeiB,Q;QAFb,IAv/MO,qBAAQ,CAu/Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3qdG,MAAO,KlB2qdO,QkB3qdP,ElB2qdiB,CkB3qdjB,C;;QlB6rdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsdA,iB;MlBwsdA,sC;QAeiB,Q;QAFb,IAvgNO,qBAAQ,CAugNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3sdG,MAAO,KlB2sdO,QkB3sdP,ElB2sdiB,CkB3sdjB,C;;QlB6tdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxudA,iB;MlBwudA,sC;QAeiB,Q;QAFb,IAvhNO,qBAAQ,CAughNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3udG,MAAO,KlB2udO,QkB3udP,ElB2udiB,CkB3udjB,C;;QlB6vdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxwdA,iB;MlBwwdA,sC;QAeiB,Q;QAFb,IAviNO,qBAAQ,CAuiNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3wdG,MAAO,KlB2wdO,QkB3wdP,ElB2wdiB,CkB3wdjB,C;;QlB6xdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxydA,iB;MlBwydA,sC;QAeiB,Q;QAFb,IAvjNO,qBAAQ,CAujNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3ydG,MAAO,KlB2ydO,QkB3ydP,ElB2ydiB,CkB3ydjB,C;;QlB6zdd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx0dA,iB;MlBw0dA,sC;QAeiB,Q;QAFb,IAvkNO,qBAAQ,CAukNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB30dG,MAAO,KlB20dO,QkB30dP,ElB20diB,CkB30djB,C;;QlB61dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx2dA,iB;MlBw2dA,sC;QAeiB,Q;QAFb,IAvlNO,qBAAQ,CAulNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB32dG,MAAO,KlB22dO,QkB32dP,ElB22diB,CkB32djB,C;;QlB63dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx4dA,iB;MlBw4dA,sC;QAeiB,Q;QAFb,IAvmNO,qBAAQ,CAumNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34dG,MAAO,KlB24dO,QkB34dP,ElB24diB,CkB34djB,C;;QlB66dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx6dA,iB;MlBw6dA,sC;QAeiB,Q;QAFb,IAvnNO,qBAAQ,CAunNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB36dG,MAAO,KlB26dO,QkB36dP,ElB26diB,CkB36djB,C;;QlB69dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx8dA,iB;MlBw8dA,sC;QAeiB,Q;QAFb,IAvonNO,qBAAQ,CAunNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB38dG,MAAO,KlB28dO,QkB38dP,ElB28diB,CkB38djB,C;;QlB69ed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx+dA,iB;MlBw+dA,sC;QAeiB,Q;QAFb,IAvpNO,qBAAQ,CAupNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3+dG,MAAO,KlB2+dO,QkB3+dP,ElB2+diB,CkB3+djB,C;;QlB6/dd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxgeA,iB;MlBwgeA,sC;QAeiB,Q;QAFb,IAvqNO,qBAAQ,CAuqNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3geG,MAAO,KlB2geO,QkB3geP,ElB2geiB,CkB3gejB,C;;QlB6hed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxieA,iB;MlBwieA,sC;QAeiB,Q;QAFb,IAvrNO,qBAAQ,CAurNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3ieG,MAAO,KlB2ieO,QkB3ieP,ElB2ieiB,CkB3iejB,C;;QlB6jed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxjeA,iB;MlBwjeA,sC;QAeiB,Q;QAFb,IAvsNO,qBAAQ,CAusNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3jeG,MAAO,KlB2jeO,QkB3jeP,ElB2jeiB,CkB3jejB,C;;QlB6ked,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxleA,iB;MlBwleA,sC;QAeiB,Q;QAFb,IAvtNO,qBAAQ,CAutNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3leG,MAAO,KlB2leO,QkB3leP,ElB2leiB,CkB3lejB,C;;QlB6med,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxneA,iB;MlBwneA,sC;QAeiB,Q;QAFb,IAvuNO,qBAAQ,CAuuNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3neG,MAAO,KlB2neO,QkB3neP,ElB2neiB,CkB3nejB,C;;QlB6oed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxpeA,iB;MlBwpeA,sC;QAeiB,Q;QAFb,IAvvNO,qBAAQ,CAuvNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3peG,MAAO,KlB2peO,QkB3peP,ElB2peiB,CkB3pejB,C;;QlB6qed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxreA,iB;MlBwreA,sC;QAeiB,Q;QAFb,IAvwNO,qBAAQ,CAuwNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3reG,MAAO,KlB2reO,QkB3reP,ElB2reiB,CkB3rejB,C;;QlB6sed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxteA,iB;MlBwteA,sC;QAeiB,Q;QAFb,IAvxNO,qBAAQ,CAuxNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3teG,MAAO,KlB2teO,QkB3teP,ElB2teiB,CkB3tejB,C;;QlB6ued,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxveA,iB;MlBwveA,sC;QAeiB,Q;QAFb,IAvyNO,qBAAQ,CAuyNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3veG,MAAO,KlB2veO,QkB3veP,ElB2veiB,CkB3vejB,C;;QlB6wed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxxeA,iB;MlBwxeA,sC;QAeiB,Q;QAFb,IAvzNO,qBAAQ,CAuzNf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3xeG,MAAO,KlB2xeO,QkB3xeP,ElB2xeiB,CkB3xejB,C;;QlB6yed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxzeA,iB;MlBwzeA,sC;QAeiB,Q;QAFb,IAv0NO,qBAAQ,CAu0Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3zeG,MAAO,KlB2zeO,QkB3zeP,ElB2zeiB,CkB3zejB,C;;QlB61ed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx2eA,iB;MlBw2eA,sC;QAeiB,Q;QAFb,IAv1NO,qBAAQ,CAu1Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB32eG,MAAO,KlB22eO,QkB32eP,ElB22eiB,CkB32ejB,C;;QlB63ed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx4eA,iB;MlBw4eA,sC;QAeiB,Q;QAFb,IAv2NO,qBAAQ,CAu2Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34eG,MAAO,KlB24eO,QkB34eP,ElB24eiB,CkB34ejB,C;;QlB66ed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx6eA,iB;MlBw6eA,sC;QAeiB,Q;QAFb,IAv3NO,qBAAQ,CAu3Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB36eG,MAAO,KlB26eO,QkB36eP,ElB26eiB,CkB36ejB,C;;QlB69ed,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx8eA,iB;MlBw8eA,sC;QAeiB,Q;QAFb,IAv4NO,qBAAQ,CAu4Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB38eG,MAAO,KlB28eO,QkB38eP,ElB28eiB,CkB38ejB,C;;QlB69fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBx+eA,iB;MlBw+eA,sC;QAeiB,Q;QAFb,IAv5NO,qBAAQ,CAu5Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3+eG,MAAO,KlB2+eO,QkB3+eP,ElB2+eiB,CkB3+ejB,C;;QlB6/fd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxgfA,iB;MlBwgfA,sC;QAeiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3gfG,MAAO,KlB2gfO,QkB3gfP,ElB2gfiB,CkB3gfjB,C;;QlB6hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxifA,iB;MlBwifA,sC;QAeiB,Q;QAFb,IAv7NO,qBAAQ,CAu7Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3ifG,MAAO,KlB2ifO,QkB3ifP,ElB2ifiB,CkB3ifjB,C;;QlB6jfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxkfA,iB;MlBwkfA,sC;QAeiB,Q;QAFb,IAv8NO,qBAAQ,CAu8Nf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+

Bo+biB,CkBp+bjB,C;;QlBs+bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBj/bA,iB;MlBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KlB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QlB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2M+B,Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,EAAc,KAAK,CAAL,EAAd,C;YAAwB,MAAM,C;UAAC,W

OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1zcA,iB;MlB0zcA,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KlBi0cO,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QlBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MlB80cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAyoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr1cG,MAAO,KlBq1cO,QkBr1cP,ElBq1ciB,CkBr1cjB,C;;QlBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBl2cA,iB;MlBk2cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WkBz2cG,MAAO,KlBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QlB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3cA,iB;MlBs3cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73cG,MAAO,KlB63cO,QkB73cP,ElB63ciB,CkB73cjB,C;;QlB+3cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB14cA,iB;MlB04cA,sC;QAaiB,Q;QAFb,IAzvNO,qBAAQ,CAyvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5cG,MAAO,KlBi5cO,QkBj5cP,ElBi5ciB,CkBj5cjB,C;;QlBm5cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB96cA,iB;MlB86cA,sC;QAaiB,Q;QAFb,IAzwNO,qBAAQ,CAywNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7cG,MAAO,KlBq7cO,QkBr7cP,ElBq7ciB,CkBr7cjB,C;;QlBu7cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl9cA,iB;MlBk9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAyxNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz9cG,MAAO,KlBy9cO,QkBz9cP,ElBy9ciB,CkBz9cjB,C;;QlB29cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt+cA,iB;MlBs+cA,sC;QAaiB,Q;QAFb,IAzyNO,qBAAQ,CAyyNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7+cG,MAAO,KlB6+cO,QkB7+cP,ElB6+ciB,CkB7+cjB,C;;QlB++cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1gdA,iB;MlB0gdA,sC;QAaiB,Q;QAFb,IAzzNO,qBAAQ,CAyzNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjhdG,MAAO,KlBihdO,QkBjhdP,ElBihdiB,CkBjhdjB,C;;QlBmhdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9idA,iB;MlB8idA,sC;QAaiB,Q;QAFb,IA70NO,qBAAQ,CA60Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrjdG,MAAO,KlBqjdO,QkBrjdP,ElBqjdiB,CkBrjdjB,C;;QlBujdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBlldA,iB;MlBkldA,sC;QAaiB,Q;QAFb,IA71NO,qBAAQ,CA61Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzldG,MAAO,KlBydO,QkBzldP,ElBydiB,CkBzldjB,C;;QlB2ldd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtmdA,iB;MlBsmdA,sC;QAaiB,Q;QAFb,IA73NO,qBAAQ,CA63Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7mdG,MAAO,KlB6mdO,QkB7mdP,ElB6mdiB,CkB7mdjB,C;;QlB+mdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1odA,iB;MlB0odA,sC;QAaiB,Q;QAFb,IA74NO,qBAAQ,CA64Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpdG,MAAO,KlBipdO,QkBjpdP,ElBipdiB,CkBjpdjB,C;;QlBmpdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9qdA,iB;MlB8qdA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrrdG,MAAO,KlBqrdO,QkBrrdP,ElBqrdiB,CkBrrdjB,C;;QlBurdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBltdA,iB;MlBktdA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBztdG,MAAO,KlBytdO,QkBztdP,ElBytdiB,CkBztdjB,C;;QlB2tdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtvdA,iB;MlBsvdA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vdG,MAAO,KlB6vdO,QkB7vdP,ElB6vdiB,CkB7vdjB,C;;QlB+vdd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xdA,iB;MlB0xdA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjydG,MAAO,KlBiydO,QkBjydP,ElBiydiB,CkBjydjB,C;;QlBmyddOAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9zdA,iB;MlB8zdA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr0dG,MAAO,KlBq0dO,QkBr0dP,ElBq0diB,CkBr0djB,C;;QlBu0dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl2dA,iB;MlBk2dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz2dG,MAAO,KlBy2dO,QkBz2dP,ElBy2diB,CkBz2djB,C;;QlB22dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3dA,iB;MlBs3dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73dG,MAAO,KlB63dO,QkB73dP,ElB63diB,CkB73djB,C;;QlB+3dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB15dA,iB;MlB05dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5dG,MAAO,KlBi5dO,QkBj5dP,ElBi5diB,CkBj5djB,C;;QlBm5dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB97dA,iB;MlB87dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7dG,MAAO,KlBq7dO,QkBr7dP,ElBq7diB,CkBr7djB,C;;QlBu7dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl9dA,iB;MlBk9dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz9dG,MAAO,KlBy9dO,QkBz9dP,ElBy9diB,CkBz9djB,C;;QlB29dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt+dA,iB;MlBs+dA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7+dG,MAAO,KlB6+dO,QkB7+dP,ElB6+diB,CkB7+djB,C;;QlB++dd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1gfA,iB;MlB0gfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjhfG,MAAO,KlBihfO,QkBjhfP,ElBihfiB,CkBjhfjB,C;;QlBmhfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9ifA,iB;MlB8ifA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrjfG,MAAO,KlBqjfO,QkBrjfP,ElBqjfiB,CkBrjfjB,C;;QlBujfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBllfA,iB;MlBklfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzlfG,MAAO,KlBylfO,QkBzlfP,ElBylfiB,CkBzlfjB,C;;QlB2lfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtnfA,iB;MlBsnfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7nfG,MAAO,KlB6nfO,QkB7nfP,ElB6nfiB,CkB7nfjB,C;;QlB+nfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1pfA,iB;MlB0pfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpfG,MAAO,KlBipfO,QkBjpfP,ElBipfiB,CkBjpfjB,C;;QlBmpfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9qfA,iB;MlB8qfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrrfG,MAAO,KlBqrfO,QkBrrfP,ElBqrfiB,CkBrrfjB,C;;QlBurfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBltfA,iB;MlBktfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBztfG,MAAO,KlBytfO,QkBztfP,ElBytfiB,CkBztfjB,C;;QlB2tfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtvfA,iB;MlBsvfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vfG,MAAO,KlB6vfO,QkB7vfP,ElB6vfiB,CkB7vfjB,C;;QlB+vfd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xfA,iB;MlB0xfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjyfG,MAAO,KlBiyfO,QkBjyfP,ElBiyfiB,CkBjyfjB,C;;QlBmyfdOAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9zfA,iB;MlB8zfA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr0fG,MAAO,KlBq0fO,QkBr0fP,ElBq0fiB,CkBr0fjB,C;;QlBu0fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl2fA,iB;MlBk2fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz2fG,MAAO,KlBy2fO,QkBz2fP,ElBy2fiB,CkBz2fjB,C;;QlB22fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3fA,iB;MlBs3fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73fG,MAAO,KlB63fO,QkB73fP,ElB63fiB,CkB73fjB,C;;QlB+3fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB15fA,iB;MlB05fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5fG,MAAO,KlBi5fO,QkBj5fP,ElBi5fiB,CkBj5fjB,C;;QlBm5fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB97fA,iB;MlB87fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7fG,MAAO,KlBq7fO,QkBr7fP,ElBq7fiB,CkBr7fjB,C;;QlBu7fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl9fA,iB;MlBk9fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz9fG,MAAO,KlBy9fO,QkBz9fP,ElBy9fiB,CkBz9fjB,C;;QlB29fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt+fA,iB;MlBs+fA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7+fG,MAAO,KlB6+fO,QkB7+fP,ElB6+fiB,CkB7+fjB,C;;QlB++fd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ghBA,iB;MlB0ghBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjhgBG,MAAO,KlBihgBO,QkBjhgBP,ElBihgBiB,CkBjhgBjB,C;;QlBmhgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9igBA,iB;MlB8igBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrjgBG,MAAO,KlBqjgBO,QkBrjgBP,ElBqjgBiB,CkBrjgBjB,C;;QlBujgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBllgBA,iB;MlBklgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzlgBG,MAAO,KlBylgBO,QkBzlgBP,ElBylgBiB,CkBzlgBjB,C;;QlB2lgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtngBA,iB;MlBsngBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ngBG,MAAO,KlB6ngBO,QkB7ngBP,ElB6ngBiB,CkB7ngBjB,C;;QlB+ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1pgBA,iB;MlB0pgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpgBG,MAAO,KlBipgBO,QkBjpgBP,ElBipgBiB,CkBjpgBjB,C;;QlBmpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9qgBA,iB;MlB8qgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrrgBG,MAAO,KlBqrgBO,QkBrrgBP,ElBqrgBiB,CkBrrgBjB,C;;QlBurgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBltgBA,iB;MlBktgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBztgBG,MAAO,KlBytgBO,QkBztgBP,ElBytgBiB,CkBztgBjB,C;;QlB2tgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtvgBA,iB;MlBsvgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vgBG,MAAO,KlB6vgBO,QkB7vgBP,ElB6vgBiB,CkB7vgBjB,C;;QlB+vgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xgBA,iB;MlB0xgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjygBG,MAAO,KlBiygBO,QkBjygBP,ElBiygBiB,CkBjygBjB,C;;QlBmygBdOAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9zgBA,iB;MlB8zgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr0gBG,MAAO,KlBq0gBO,QkBr0gBP,ElBq0giB,CkBr0gBjB,C;;QlBu0gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl2gBA,iB;MlBk2gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz2gBG,MAAO,KlBy2gBO,QkBz2gBP,ElBy2giB,CkBz2gBjB,C;;QlB22gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt3gBA,iB;MlBs3gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB73gBG,MAAO,KlB63gBO,QkB73gBP,ElB63giB,CkB73gBjB,C;;QlB+3gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB15gBA,iB;MlB05gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj5gBG,MAAO,KlBi5gBO,QkBj5gBP,ElBi5giB,CkBj5gBjB,C;;QlBm5gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB97gBA,iB;MlB87gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBr7gBG,MAAO,KlBq7gBO,QkBr7gBP,ElBq7giB,CkBr7gBjB,C;;QlBu7gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBl9gBA,iB;MlBk9gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBz9gBG,MAAO,KlBy9gBO,QkBz9gBP,ElBy9giB,CkBz9gBjB,C;;QlB29gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBt+gBA,iB;MlBs+gBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7+gBG,MAAO,KlB6+gBO,QkB7+gBP,ElB6+giB,CkB7+gBjB,C;;QlB++gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ghBA,iB;MlB0ghBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjhgBG,MAAO,KlBihgBO,QkBjhgBP,ElBihgBiB,CkBjhgBjB,C;;QlBmhgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9igBA,iB;MlB8igBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrjgBG,MAAO,KlBqjgBO,QkBrjgBP,ElBqjgBiB,CkBrjgBjB,C;;QlBujgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBllgBA,iB;MlBklgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzlgBG,MAAO,KlBylgBO,QkBzlgBP,ElBylgBiB,CkBzlgBjB,C;;QlB2lgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtngBA,iB;MlBsngBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ngBG,MAAO,KlB6ngBO,QkB7ngBP,ElB6ngBiB,CkB7ngBjB,C;;QlB+ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1pgBA,iB;MlB0pgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjpgBG,MAAO,KlBipgBO,QkBjpgBP,ElBipgBiB,CkBjpgBjB,C;;QlBmpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9qgBA,iB;MlB8qgBA,sC;QAaiB,Q;QAFb,IA75NO,qBAAQ,CA65Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrrgBG,MAAO,KlBqrgBO,QkBrrgBP,ElBqrgBiB,CkBrrgBjB,C;;QlBurgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA

MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn+NO,qBAAQ,CAm+Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA/+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvgOO,qBAAQ,CAugOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnhOO,qBAAQ,CAmhOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3hOO,qBAAQ,CA2hOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAviOO,qBAAQ,CAuiOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnjOO,qBAAQ,CAmjOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3jOO,qBAAQ,CA2jOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvkOO,qBAAQ,CAukOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnlOO,qBAAQ,CAmlOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3lOO,qBAAQ,CA2lOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvmOO,qBAAQ,CAumOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnOO,qBAAQ,CAmnOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3nOO,qBAAQ,CA2nOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvoOO,qBAAQ,CAuoOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnpOO,qBAAQ,CAmpOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3pOO,qBAAQ,CA2pOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvqOO,qBAAQ,CAuqOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnrOO,qBAAQ,CAmrOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3rOO,qBAAQ,CA2rOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvsOO,qBAAQ,CAusOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAntOO,qBAAQ,CAmtOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3tOO,qBAAQ,CA2tOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvuOO,qBAAQ,CAuuOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnvOO,qBAAQ,CAmvOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3vOO,qBAAQ,CA2vOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvwOO,qBAAQ,CAuwOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnxOO,qBAAQ,CAmxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3xOO,qBAAQ,CA2xOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvyOO,qBAAQ,CAuyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnzOO,qBAAQ,CAmzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3zOO,qBAAQ,CA2zOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv0OO,qBAAQ,CAu0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn1OO,qBAAQ,CAm1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA31OO,qBAAQ,CA21Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv2OO,qBAAQ,CAu2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn3OO,qBAAQ,CAm3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA33OO,qBAAQ,CA23Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv4OO,qBAAQ,CAu4Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn5OO,qBAAQ,CAm5Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35OO,qBAAQ,CA25Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6OO,qBAAQ,CAu6Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn7OO,qBAAQ,CAm7Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA37OO,qBAAQ,CA27Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv8OO,qBAAQ,CAu8Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn9OO,qBAAQ,CAm9Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA39OO,qBAAQ,CA29Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv+OO,qBAAQ,CAu+Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAn/OO,qBAAQ,CAm/Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/OO,qBAAQ,CA2/Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvgPO,qBAAQ,CAugPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnhPO,qBAAQ,CAmhPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3hPO,qBAAQ,CA2hPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAviPO,qBAAQ,CAuiPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnjPO,qBAAQ,CAmjPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3jPO,qBAAQ,CA2jPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvkPO,qBAAQ,CAukPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnlPO,qBAAQ,CAmlPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3lPO,qBAAQ,CA2lPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvmPO,qBAAQ,CAumPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnPO,qBAAQ,CAmnPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3nPO,qBAAQ,CA2nPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvoPO,qBAAQ,CAuoPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnpPO,qBAAQ,CAmpPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3pPO,qBAAQ,CA2pPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAvqPO,qBAAQ,CAuqPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnrPO,qBAAQ,CAmrPf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO

AAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB
,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD
;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,
EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAA
A,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CA
AL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAA
W,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,
8D;MAAA,kD;QAWiB,Q;QAFb,IAr0OO,qBAAQ,CAq0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAL,
CAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,
QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,
kD;QAWiB,Q;QAFb,IAj1OO,qBAAQ,CAi1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA
CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,
EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,
Q;QAFb,IA71OO,qBAAQ,CA61Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,
aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,
GAAkC,CAAtC,C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAz2OO,
qBAAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB
;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,
C;;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr3OO,qBAAQ,
CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ
,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;;;QAGnB,
OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IAv8OO,qBAAQ,CAu8Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,
CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,MkB3leG,MAAO,KlB2leE,GkB3leF,ElB2leO,CkB3leP,C;;MlB6led,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv9OO,qBAAQ,CAu9Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,MkBtneG,MAAO,KlBsneE,GkBtneF,ElBsneO,CkBtneP,C;;MlBwned,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+OO,qBAAQ,CAq+Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA32OO,qBAAQ,CA22Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj4OO,qBAAQ,CAi4Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv5OO,qBAAQ,CAu5Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA76OO,qBAAQ,CA66Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAn7OO,qBAAQ,CAm7Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz8OO,qBAAQ,CAy8Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/9OO,qBAAQ,CA+9Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr/OO,qBAAQ,CAq/Of,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3gPO,qBAAQ,CA2gPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjhPO,qBAAQ,CAihPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvhPO,qBAAQ,CAuhPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7hPO,qBAAQ,CA6hPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnjPO,qBAAQ,CAmjPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzjPO,qBAAQ,CAyjPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/kPO,qBAAQ,CA+kPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArlPO,qBAAQ,CAqlPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3mPO,qBAAQ,CA2mPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjnPO,qBAAQ,CAinPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvnPO,qBAAQ,CAunPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7oPO,qBAAQ,CA6oPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnpPO,qBAAQ,CAmpPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzpPO,qBAAQ,CAypPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/qPO,qBAAQ,CA+qPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArrPO,qBAAQ,CAqrPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3rPO,qBAAQ,CA2rPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjsPO,qBAAQ,CAisPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvsPO,qBAAQ,CAusPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7sPO,qBAAQ,CA6sPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAntPO,qBAAQ,CAmtPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAztPO,qBAAQ,CAytPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/tPO,qBAAQ,CA+tPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArvPO,qBAAQ,CAqvPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3vPO,qBAAQ,CA2vPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAjwPO,qBAAQ,CAiwPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAvwPO,qBAAQ,CAuwPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7wPO,qBAAQ,CA6wPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAnxPO,qBAAQ,CAmxPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAzxPO,qBAAQ,CAyxPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/xPO,qBAAQ,CA+xPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IArzPO,qBAAQ,CAqzPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3zPO,qBAAQ,CA2zPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj0PO,qBAAQ,CAi0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv0PO,qBAAQ,CAu0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA70PO,qBAAQ,CA60Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAn1PO,qBAAQ,CAm1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz1PO,qBAAQ,CAy1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/1PO,qBAAQ,CA+1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr2PO,qBAAQ,CAq2Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA32PO,qBAAQ,CA22Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj3PO,qBAAQ,CAi3Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv3PO,qBAAQ,CAu3Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA73PO,qBAAQ,CA63Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAn4PO,qBAAQ,CAm4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz4PO,qBAAQ,CAy4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/4PO,qBAAQ,CA+4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr5PO,qBAAQ,CAq5Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA35PO,qBAAQ,CA25Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj6PO,qBAAQ,CAi6Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv6PO,qBAAQ,CAu6Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA76PO,qBAAQ,CA66Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAn7PO,qBAAQ,CAm7Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz7PO,qBAAQ,CAy7Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/7PO,qBAAQ,CA+7Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr8PO,qBAAQ,CAq8Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA38PO,qBAAQ,CA28Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj9PO,qBAAQ,CAi9Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv9PO,qBAAQ,CAu9Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA79PO,qBAAQ,CA69Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAn+PO,qBAAQ,CAm+Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAz+PO,qBAAQ,CAy+Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA/+PO,qBAAQ,CA++Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr/PO,qBAAQ,CAq/Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,CAAT,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;QAAA,MAAA,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3/PO,qBAAQ,CA2/Pf,C;QAAe,O

2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IA/oPO,qBAAQ,CA+oPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArpPO,qBAAQ,CAqpPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3pPO,qBAAQ,CA2pPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAjqPO,qBAAQ,CAiqPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAvqPO,qBAAQ,CAuqPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA7qPO,qBAAQ,CA6qPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnrPO,qBAAQ,CAmrPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzrPO,qBAAQ,CAyrPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/rPO,qBAAQ,CA+rPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArsPO,qBAAQ,CAqsPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3sPO,qBAAQ,CA2sPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAntPO,qBAAQ,CAmtPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAztPO,qBAAQ,CAytPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/tPO,qBAAQ,CA+tPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArvPO,qBAAQ,CAqvPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3vPO,qBAAQ,CA2vPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnwPO,qBAAQ,CAmwPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzwPO,qBAAQ,CAywPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/wPO,qBAAQ,CA+wPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArxPO,qBAAQ,CAqxPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3xPO,qBAAQ,CA2xPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnyPO,qBAAQ,CAmyPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzyPO,qBAAQ,CAyyPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/yPO,qBAAQ,CA+yPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArzPO,qBAAQ,CAqzPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3zPO,qBAAQ,CA2zPf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn0PO,qBAAQ,CAm0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz0PO,qBAAQ,CAy0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/0PO,qBAAQ,CA+0Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr1PO,qBAAQ,CAq1Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA31PO,qBAAQ,CA21Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn2PO,qBAAQ,CAm2Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz2PO,qBAAQ,CAy2Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/2PO,qBAAQ,CA+2Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr3PO,qBAAQ,CAq3Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA33PO,qBAAQ,CA23Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn4PO,qBAAQ,CAm4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz4PO,qBAAQ,CAy4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/4PO,qBAAQ,CA+4Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr5PO,qBAAQ,CAq5Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA35PO,qBAAQ,CA25Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn6PO,qBAAQ,CAm6Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz6PO,qBAAQ,CAy6Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/6PO,qBAAQ,CA+6Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr7PO,qBAAQ,CAq7Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA37PO,qBAAQ,CA27Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn8PO,qBAAQ,CAm8Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz8PO,qBAAQ,CAy8Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/8PO,qBAAQ,CA+8Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr9PO,qBAAQ,CAq9Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA39PO,qBAAQ,CA29Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAn+PO,qBAAQ,CAm+Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAz+PO,qBAAQ,CAy+Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/+PO,qBAAQ,CA++Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAr/PO,qBAAQ,CAq/Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3/PO,qBAAQ,CA2/Pf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAngQO,qBAAQ,CAmgQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzgQO,qBAAQ,CAygQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/gQO,qBAAQ,CA+gQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArhQO,qBAAQ,CAqhQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3hQO,qBAAQ,CA2hQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAniQO,qBAAQ,CAmiQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAziQO,qBAAQ,CAyiQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/iQO,qBAAQ,CA+iQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArjQO,qBAAQ,CAqjQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3jQO,qBAAQ,CA2jQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnkQO,qBAAQ,CAmkQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzkQO,qBAAQ,CAykQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/kQO,qBAAQ,CA+kQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArlQO,qBAAQ,CAqlQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3lQO,qBAAQ,CA2lQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAnmQO,qBAAQ,CAmmQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAzmQO,qBAAQ,CAymQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/mQO,qBAAQ,CA+mQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArnQO,qBAAQ,CAqnQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3nQO,qBAAQ,CA2nQf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MA

UAAK,CAAL,C;YACR,QArIe,QAqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eApKmB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAiLP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MA9LA,sC;QAGW,sB;;UAkMP,IA/9PO,qBAAQ,CA+9Pf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtMmB,QAsMJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;kFAMA,yB;MA+MA,8D;MA/MA,sC;QAGW,sB;;UAmNP,IAhgQO,qBAAQ,CAggQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAvNmB,QAuNJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1Ne,QA0NP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhOP,yB;O;KAHJ,C;kFAMA,yB;MAgOA,8D;MAhOA,sC;QAGW,sB;;UAoOP,IAjhQO,qBAAQ,CAihQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAxOmB,QAwOJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA3Oe,QA2OP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjPP,yB;O;KAHJ,C;kFAMA,yB;MAiPA,8D;MAjPA,sC;QAGW,sB;;UAqPP,IAlkQO,qBAAQ,CAkkQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzPmB,QAyPJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5Pe,QA4PP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlQP,yB;O;KAHJ,C;kFAMA,yB;MAkQA,8D;MAlQA,sC;QAGW,sB;;UAsQP,IAnnQO,qBAAQ,CAmnQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA1QmB,QA0QJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA7Qe,QA6QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnRP,yB;O;KAHJ,C;kFAMA,yB;MAmRA,8D;MAnRA,sC;QAGW,sB;;UAuRP,IApqQO,qBAAQ,CAoqQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA9Re,QA8RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApSP,yB;O;KAHJ,C;kFAMA,yB;MAoSA,8D;MApSA,sC;QAGW,sB;;UAwSP,IArtQO,qBAAQ,CAqtQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA5SmB,QA4SJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA/Se,QA+SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArTP,yB;O;KAHJ,C;kFAMA,yB;MAqTA,8D;MArTA,sC;QAGW,sB;;UAyTP,IAtwQO,qBAAQ,CAswQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA7TmB,QA6TJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAhUe,QAgUP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtUP,yB;O;KAHJ,C;kFAMA,yB;MAsUA,8D;MAtUA,sC;QAGW,sB;;UA0UP,IAvyQO,qBAAQ,CAuyQf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA9UmB,QA8UJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjVe,QAiVP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvVP,yB;O;KAHJ,C;kFAMA,yB;MAuVA,8D;MAvVA,sC;QAGW,sB;;UA2VP,IAx0QO,qBAAQ,CAw0Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA/VmB,QA+VJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAlWe,QAkWP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxWP,yB;O;KAHJ,C;kFAMA,yB;MAwWA,8D;MAxWA,sC;QAGW,sB;;UA4WP,IAz2QO,qBAAQ,CAy2Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAhXmB,QAgXJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnXe,QAmXP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzXP,yB;O;KAHJ,C;kFAMA,yB;MAyXA,8D;MAzXA,sC;QAGW,sB;;UA6XP,IA14QO,qBAAQ,CA04Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAjYmB,QAiYJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApYe,QAoYP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1YP,yB;O;KAHJ,C;kFAMA,yB;MA0YA,8D;MA1YA,sC;QAGW,sB;;UA8YP,IA35QO,qBAAQ,CA25Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAlZmB,QAkZJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArZe,QAqZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3ZP,yB;O;KAHJ,C;kFAMA,yB;MA2ZA,8D;MA3ZA,sC;QAGW,sB;;UA+ZP,IA56QO,qBAAQ,CA46Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnamB,QAmaJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtae,QAsaP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5aP,yB;O;KAHJ,C;kFAMA,yB;MA4aA,8D;MA5aA,sC;QAGW,sB;;UAgbP,IA77QO,qBAAQ,CA67Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eApbmB,QAobJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvbe,QAubP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7bP,yB;O;KAHJ,C;kFAMA,yB;MA6bA,8D;MA7bA,sC;QAGW,sB;;UAicP,IA98QO,qBAAQ,CA88Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eArcmB,QAqcJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxce,QAwcP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9cP,yB;O;KAHJ,C;kFAMA,yB;MA8cA,8D;MA9cA,sC;QAGW,sB;;UAkdP,IA/+QO,qBAAQ,CA++Qf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtdmB,QAsdJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzde,QAydP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/dP,yB;O;KAHJ,C;kFAMA,yB;MA+dA,8D;MA/dA,sC;QAGW,sB;;UAmeP,IAhhRO,qBAAQ,CAghRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAveoB,QAudL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1ee,QA0eP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhfP,yB;O;KAHJ,C;kFAMA,yB;MAgfA,8D;MAhfA,sC;QAGW,sB;;UAofP,IAjiRO,qBAAQ,CAiiRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAxfoB,QAwfL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA3ff,QA2fuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjgBP,yB;O;KAHJ,C;kFAMA,yB;MAigBA,8D;MAjgBA,sC;QAGW,sB;;UAqgBP,IAljRO,qBAAQ,CAkjRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzgBoB,QAygBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5gBf,QA4guB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlhBP,yB;O;KAHJ,C;kFAMA,yB;MAkhBA,8D;MAlhBA,sC;QAGW,sB;;UAshBP,IAnkRO,qBAAQ,CAmkRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA1hBoB,QA0hBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA7hBf,QA6huB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAniBP,yB;O;KAHJ,C;kFAMA,yB;MAmiBA,8D;MAniBA,sC;QAGW,sB;;UAuiBP,IApmRO,qBAAQ,CAomRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3iBoB,QA2iBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA9iBf,QA8huB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApjBP,yB;O;KAHJ,C;kFAMA,yB;MAojBA,8D;MApjBA,sC;QAGW,sB;;UAwjBP,IArnRO,qBAAQ,CAqnRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA5jBoB,QA4jBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA/jBf,QA+huB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArkBP,yB;O;KAHJ,C;kFAMA,yB;MAqkBA,8D;MArkBA,sC;QAGW,sB;;UAykBP,IAtoRO,qBAAQ,CAsoRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA7kBoB,QA6kBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAhlBf,QAgluB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtlBP,yB;O;KAHJ,C;kFAMA,yB;MAslBA,8D;MAtlBA,sC;QAGW,sB;;UA0lBP,IAvpRO,qBAAQ,CAupRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA9lBoB,QA8lBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjmBf,QAiluB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvmBP,yB;O;KAHJ,C;kFAMA,yB;MAumBA,8D;MAvmBA,sC;QAGW,sB;;UA2mBP,IAxqRO,qBAAQ,CAwqRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA/mBoB,QA+mBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAlnBf,QAkluB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxnBP,yB;O;KAHJ,C;kFAMA,yB;MAwnBA,8D;MAxnBA,sC;QAGW,sB;;UA4nBP,IAzrRO,qBAAQ,CAyrRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAhoBoB,QAgoBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnoBf,QAmluB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzoBP,yB;O;KAHJ,C;kFAMA,yB;MAyoBA,8D;MAzoBA,sC;QAGW,sB;;UA6oBP,IA1sRO,qBAAQ,CA0sRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAjpBoB,QAipBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAppBf,QAopBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1pBP,yB;O;KAHJ,C;kFAMA,yB;MA0pBA,8D;MA1pBA,sC;QAGW,sB;;UA8pBP,IA3tRO,qBAAQ,CA2tRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAlqBoB,QAkqBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArqBf,QAqqBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3qBP,yB;O;KAHJ,C;kFAMA,yB;MA2qBA,8D;MA3qBA,sC;QAGW,sB;;UA+qBP,IA5uRO,qBAAQ,CA4uRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAnrBoB,QAmrBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtrBf,QAsrBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5rBP,yB;O;KAHJ,C;kFAMA,yB;MA4rBA,8D;MA5rBA,sC;QAGW,sB;;UAgsBP,IA7vRO,qBAAQ,CA6vRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAptBoB,QAotBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvtBf,QAutBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7tBP,yB;O;KAHJ,C;kFAMA,yB;MA6tBA,8D;MA7tBA,sC;QAGW,sB;;UAiuBP,IA9xRO,qBAAQ,CA8xRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAruBoB,QAquBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxuBf,QAwuBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9uBP,yB;O;KAHJ,C;kFAMA,yB;MA8uBA,8D;MA9uBA,sC;QAGW,sB;;UAkvBP,IA/yRO,qBAAQ,CA+yRf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAtvBoB,QAsvBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzvBf,QAyvBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/vBP,yB;O;KAHJ,C;kFAMA,yB;MA+vBA,8D;MA/vBA,sC;QAGW,sB;;UAmwBP,IAh0RO,qBAAQ,CAg0Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAvwBoB,QAuwBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA1wBf,QA0wBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhxBP,yB;O;KAHJ,C;kFAMA,yB;MAgxBA,8D;MAhxBA,sC;QAGW,sB;;UAoxBP,IAj1RO,qBAAQ,CAi1Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAxxBoB,QAwxBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA3xBf,QA2xBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjyBP,yB;O;KAHJ,C;kFAMA,yB;MAiyBA,8D;MAjyBA,sC;QAGW,sB;;UAqyBP,IAl2RO,qBAAQ,CAk2Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eAzyBoB,QAyyBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA5yBf,QA4yBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlzBP,yB;O;KAHJ,C;kFAMA,yB;MAkzBA,8D;MAlzBA,sC;QAGW,sB;;UAszBP,IAn3RO,qBAAQ,CAm3Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA1zBoB,QA0zBL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA7zBf,QA6zBuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAn0BP,yB;O;KAHJ,C;kFAMA,yB;MAm0BA,8D;MAn0BA,sC;QAGW,sB;;UAu0BP,IAp4RO,qBAAQ,CAo4Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA30BoB,QA20BL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA90Bf,QA80BuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAp1BP,yB;O;KAHJ,C;kFAMA,yB;MAo1BA,8D;MAp1BA,sC;QAGW,sB;;UAw1BP,IAr5RO,qBAAQ,CAq5Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA51BoB,QA41BL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QA/1Bf,QA+1BuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAr2BP,yB;O;KAHJ,C;kFAMA,yB;MAq2BA,8D;MAr2BA,sC;QAGW,sB;;UAy2BP,IAt6RO,qBAAQ,CAs6Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA72BoB,QA62BL,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAh3Bf,QAg3BuB,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAt3BP,yB;O;KAHJ,C;kFAMA,yB;MAs3BA,8D;MAt3BA,sC;QAGW,sB;;UA03BP,IAv7RO,qBAAQ,CAu7Rf,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA93BoB,QA83BL,CAAS,

B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,B,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkB/gfA,iB;MlB+gfA,+C;QAOI,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,C;QACf,cAAT,SAAS,C;QACT,IAAI,cAAa,CAAjB,B,C;UAAoB,OAAO,O;QAC3B

Q,CAs1Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KlBi0fO,QkBj0fP,ElBi0fiB,CkBj0fjB,C;;QlBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MlB80fA,sC;QAeiB,Q;QAFb,IAp2QO,qBAAQ,CAo2Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KlBu1fO,QkBv1fP,ElBu1fiB,CkBv1fjB,C;;QlBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MlBo2fA,sC;QAeiB,Q;QAFb,IAl3QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KlB62fO,QkB72fP,ElB62fiB,CkB72fjB,C;;QlB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB;MlB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,MAAO,KlBm4fO,QkBn4fP,ElBm4fiB,CkBn4fjB,C;;QlBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBh5fA,iB;MlBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz5fG,MAAO,KlBy5fO,QkBz5fP,ElBy5fiB,CkBz5fjB,C;;QlB25fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA+4QO,qBAAQ,CA/4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAh/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA9/QO,qBAAQ,CA8/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxiRO,qBAAQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtjRO,qBAAQ,CAsjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtkRO,qBAAQ,CAskRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAllRO,qBAAQ,CAklRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxmRO,qBAAQ,CAwmRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtnRO,qBAAQ,CAsnRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAloRO,qBAAQ,CAkoRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAppRO,qBAAQ,CAopRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxqRO,qBAAQ,CAwqRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtrRO,qBAAQ,CAsrRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAlsRO,qBAAQ,CAksRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAptRO,qBAAQ,CAotRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxuRO,qBAAQ,CAwuRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtvRO,qBAAQ,CAsvRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAlwRO,qBAAQ,CAkwRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxxRO,qBAAQ,CAwxRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAtyRO,qBAAQ,CAsyRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAlzRO,qBAAQ,CAkzRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAxzRO,qBAAQ,CAwzRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt0RO,qBAAQ,CAs0Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl1RO,qBAAQ,CAk1Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx1RO,qBAAQ,CAw1Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt2RO,qBAAQ,CAs2Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl3RO,qBAAQ,CAk3Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx3RO,qBAAQ,CAw3Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt4RO,qBAAQ,CAs4Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl5RO,qBAAQ,CAk5Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt6RO,qBAAQ,CAs6Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl7RO,qBAAQ,CAk7Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx7RO,qBAAQ,CAw7Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt8RO,qBAAQ,CAs8Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl9RO,qBAAQ,CAk9Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx9RO,qBAAQ,CAw9Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt+RO,qBAAQ,CAs+Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAl/RO,qBAAQ,CAk/Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAx/RO,qBAAQ,CAw/Rf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YAAI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAeiB,Q;QAFb,IAt/RO,qBAAQ,CAs/

gBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAgsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KlBgpgBO,QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QlBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB;MlB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpqgBG,MAAO,KlBoqgBO,QkBpqgBP,ElBoqgBiB,CkBpqgBjB,C;;QlBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjrgBA,iB;MlBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrgBG,MAAO,KlBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QlB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrsgBA,iB;MlBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5sgBG,MAAO,KlB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QlB8sgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBztgBA,iB;MlBytgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAgvRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KlBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QlBkugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7vgBA,iB;MlB6vgBA,sC;QAaiB,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WkBpwgBG,MAAO,KlBowgBO,QkBpwgBP,ElBowgBiB,CkBpwgBjB,C;;QlBswgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjxgBA,iB;MlBixgBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxxgBG,MAAO,KlBwxgBO,QkBxxgBP,ElBwxgBiB,CkBxxgBjB,C;;QlB0xgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrygBA,iB;MlBqygBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ygBG,MAAO,KlB4ygBO,QkB5ygBP,ElB4ygBiB,CkB5ygBjB,C;;QlB8ygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzzgBA,iB;MlByzgBA,sC;QAaiB,Q;QAFb,IA33RO,qBAAQ,CA23Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh0gBG,MAAO,KlBg0gBO,QkBh0gBP,ElBg0gBiB,CkBh0gBjB,C;;QlBk0gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB71gBA,iB;MlB61gBA,sC;QAaiB,Q;QAFb,IA94RO,qBAAQ,CA84Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp2gBG,MAAO,KlBo2gBO,QkBp2gBP,ElBo2gBiB,CkBp2gBjB,C;;QlBs2gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj3gBA,iB;MlBi3gBA,sC;QAaiB,Q;QAFb,IAj6RO,qBAAQ,CAi6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx3gBG,MAAO,KlBw3gBO,QkBx3gBP,ElBw3gBiB,CkBx3gBjB,C;;QlB03gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr4gBA,iB;MlBq4gBA,sC;QAaiB,Q;QAFb,IAp7RO,qBAAQ,CAo7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54gBG,MAAO,KlB44gBO,QkB54gBP,ElB44gBiB,CkB54gBjB,C;;QlB84gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz5gBA,iB;MlBy5gBA,sC;QAaiB,Q;QAFb,IAv8RO,qBAAQ,CAu8Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh6gBG,MAAO,KlBg6gBO,QkBh6gBP,ElBg6gBiB,CkBh6gBjB,C;;QlBk6gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB77gBA,iB;MlB67gBA,sC;QAaiB,Q;QAFb,IA19RO,qBAAQ,CA09Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp8gBG,MAAO,KlBo8gBO,QkBp8gBP,ElBo8gBiB,CkBp8gBjB,C;;QlBs8gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj9gBA,iB;MlBi9gBA,sC;QAaiB,Q;QAFb,IAj/RO,qBAAQ,CAi/Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx9gBG,MAAO,KlBw9gBO,QkBx9gBP,ElBw9gBiB,CkBx9gBjB,C;;QlB09gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr+gBA,iB;MlBq+gBA,sC;QAaiB,Q;QAFb,IAp/RO,qBAAQ,CAo/Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5+gBG,MAAO,KlB4+gBO,QkB5+gBP,ElB4+gBiB,CkB5+gBjB,C;;QlB8+gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzghBA,iB;MlBygBA,sC;QAaiB,Q;QAFb,IAv/RO,qBAAQ,CAu/Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhhgBG,MAAO,KlBghgBO,QkBhhgBP,ElBghgBiB,CkBhhgBjB,C;;QlBkhgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7hgBA,iB;MlB6hgBA,sC;QAaiB,Q;QAFb,IA1gSO,qBAAQ,CA0gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpigBG,MAAO,KlBoigBO,QkBpigBP,ElBoigBiB,CkBpigBjB,C;;QlBsigBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjjgBA,iB;MlBijgBA,sC;QAaiB,Q;QAFb,IAjhSO,qBAAQ,CAihSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxjgBG,MAAO,KlBwjgBO,QkBxjgBP,ElBwjgBiB,CkBxjgBjB,C;;QlB0jgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrkgBA,iB;MlBqkgBA,sC;QAaiB,Q;QAFb,IAphSO,qBAAQ,CAohSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5kgBG,MAAO,KlB4kgBO,QkB5kgBP,ElB4kgBiB,CkB5kgBjB,C;;QlB8kgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzlgBA,iB;MlBylgBA,sC;QAaiB,Q;QAFb,IAvjSO,qBAAQ,CAujSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhmgBG,MAAO,KlBgmgBO,QkBhmgBP,ElBgmgBiB,CkBhmgBjB,C;;QlBkmgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7mgBA,iB;MlB6mgBA,sC;QAaiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpngBG,MAAO,KlBongBO,QkBpngBP,ElBongBiB,CkBpngBjB,C;;QlBsngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjogBA,iB;MlBiogBA,sC;QAaiB,Q;QAFb,IAjmSO,qBAAQ,CAimSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxogBG,MAAO,KlBwogBO,QkBxogBP,ElBwogBiB,CkBxogBjB,C;;QlB0ogBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrpgBA,iB;MlBqpgBA,sC;QAaiB,Q;QAFb,IApnSO,qBAAQ,CAonSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pgBG,MAAO,KlB4pgBO,QkB5pgBP,ElB4pgBiB,CkB5pgBjB,C;;QlB8pgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzqgBA,iB;MlBypgBA,sC;QAaiB,Q;QAFb,IAvoSO,qBAAQ,CAuoSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhqgBG,MAAO,KlBgqgBO,QkBhqgBP,ElBgqgBiB,CkBhqgBjB,C;;QlBkqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7rgBA,iB;MlB6rgBA,sC;QAaiB,Q;QAFb,IA1pSO,qBAAQ,CA0pSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpsgBG,MAAO,KlBosgBO,QkBpsgBP,ElBosgBiB,CkBpsgBjB,C;;QlBssgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjtgBA,iB;MlBitgBA,sC;QAaiB,Q;QAFb,IAjrSO,qBAAQ,CAirSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxtgBG,MAAO,KlBwtgBO,QkBxtgBP,ElBwtgBiB,CkBxtgBjB,C;;QlB0tgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrugBA,iB;MlBqugBA,sC;QAaiB,Q;QAFb,IAptSO,qBAAQ,CAotSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ugBG,MAAO,KlB4ugBO,QkB5ugBP,ElB4ugBiB,CkB5ugBjB,C;;QlB8ugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzvgBA,iB;MlByvgBA,sC;QAaiB,Q;QAFb,IAvtSO,qBAAQ,CAutSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhwgBG,MAAO,KlBgwgBO,QkBhwgBP,ElBgwgBiB,CkBhwgBjB,C;;QlBkwgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7wgBA,iB;MlB6wgBA,sC;QAaiB,Q;QAFb,IA1uSO,qBAAQ,CA0uSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpxgBG,MAAO,KlBoxgBO,QkBpxgBP,ElBoxgBiB,CkBpxgBjB,C;;QlBsxgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjygBA,iB;MlBiygBA,sC;QAaiB,Q;QAFb,IAjwSO,qBAAQ,CAiwSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxygBG,MAAO,KlBwygBO,QkBxygBP,ElBwygBiB,CkBxygBjB,C;;QlB0ygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrzgBA,iB;MlBqzgBA,sC;QAaiB,Q;QAFb,IApxSO,qBAAQ,CAoxSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5zgBG,MAAO,KlB4zgBO,QkB5zgBP,ElB4zgBiB,CkB5zgBjB,C;;QlB8zgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz0gBA,iB;MlBy0gBA,sC;QAaiB,Q;QAFb,IAvySO,qBAAQ,CAuySf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh1gBG,MAAO,KlBg1gBO,QkBh1gBP,ElBg1gBiB,CkBh1gBjB,C;;QlBk1gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB72gBA,iB;MlB62gBA,sC;QAaiB,Q;QAFb,IA1zSO,qBAAQ,CA0zSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp3gBG,MAAO,KlBo3gBO,QkBp3gBP,ElBo3gBiB,CkBp3gBjB,C;;QlBs3gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj4gBA,iB;MlBi4gBA,sC;QAaiB,Q;QAFb,IAj1SO,qBAAQ,CAi1Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx4gBG,MAAO,KlBw4gBO,QkBx4gBP,ElBw4gBiB,CkBx4gBjB,C;;QlB04gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr5gBA,iB;MlBq5gBA,sC;QAaiB,Q;QAFb,IAp2SO,qBAAQ,CAo2Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB55gBG,MAAO,KlB45gBO,QkB55gBP,ElB45gBiB,CkB55gBjB,C;;QlB85gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBz6gBA,iB;MlBy6gBA,sC;QAaiB,Q;QAFb,IAv3SO,qBAAQ,CAu3Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh7gBG,MAAO,KlBg7gBO,QkBh7gBP,ElBg7gBiB,CkBh7gBjB,C;;QlBk7gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB78gBA,iB;MlB68gBA,sC;QAaiB,Q;QAFb,IA14SO,qBAAQ,CA04Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp9gBG,MAAO,KlBo9gBO,QkBp9gBP,ElBo9gBiB,CkBp9gBjB,C;;QlBs9gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBj+gBA,iB;MlBi+gBA,sC;QAaiB,Q;QAFb,IAj6SO,qBAAQ,CAi6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx+gBG,MAAO,KlBw+gBO,QkBx+gBP,ElBw+gBiB,CkBx+gBjB,C;;QlB0+gBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrghBA,iB;MlBqghBA,sC;QAaiB,Q;QAFb,IAp8SO,qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ghBG,MAAO,KlB4ghBO,QkB5ghBP,ElB4ghBiB,CkB5ghBjB,C;;QlB8ghBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzhhBA,iB;MlByhhBA,sC;QAaiB,Q;QAFb,IAv+SO,qBAAQ,CAu+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhihBG,MAAO,KlBgihBO,QkBhihBP,ElBgihBiB,CkBhihBjB,C;;QlBkihBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ihBA,iB;MlB6ihBA,sC;QAaiB,Q;QAFb,IA1gTO,qBAAQ,CA0gTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpjhBG,MAAO,KlBojhBO,QkBpjhBP,ElBojhBiB,CkBpjhBjB,C;;QlBsjhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjkhBA,iB;MlBikhBA,sC;QAaiB,Q;QAFb,IAjiTO,qBAAQ,CAiiTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxkhBG,MAAO,KlBwkhBO,QkBxkhBP,ElBwkhBiB,CkBxkhBjB,C;;QlB0khBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrlhBA,iB;MlBqlhBA,sC;QAaiB,Q;QAFb,IAjjTO,qBAAQ,CAijTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxlhBG,MAAO,KlBwlhBO,QkBxlhBP,ElBwlhBiB,CkBxlhBjB,C;;QlB0lhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrmhBA,iB;MlBqmhBA,sC;QAaiB,Q;QAFb,IAjkTO,qBAAQ,CAikTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmhBG,MAAO,KlBwmhBO,QkBxmhBP,ElBwmhBiB,CkBxmhBjB,C;;QlB0mhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrnhBA,iB;MlBqnhBA,sC;QAaiB,Q;QAFb,IAjlTO,qBAAQ,CAilTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxnhBG,MAAO,KlBwnhBO,QkBxnhBP,ElBwnhBiB,CkBxnhBjB,C;;QlB0nhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrohBA,iB;MlBqohBA,sC;QAaiB,Q;QAFb,IAjmTO,qBAAQ,CAimTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxohBG,MAAO,KlBwohBO,QkBxohBP,ElBwohBiB,CkBxohBjB,C;;QlB0ohBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrphBA,iB;MlBqphBA,sC;QAaiB,Q;QAFb,IAjnTO,qBAAQ,CAinTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxphBG,MAAO,KlBwphBO,QkBxphBP,ElBwphBiB,CkBxphBjB,C;;QlB0phBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrqhBA,iB;MlBqqhBA,sC;QAaiB,Q;QAFb,IAjoTO,qBAAQ,CAioTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxqhBG,MAAO,KlBwqhBO,QkBxqhBP,ElBwqhBiB,CkBxqhBjB,C;;QlB0qhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrrhBA,iB;MlBqrhBA,sC;QAaiB,Q;QAFb,IAjpTO,qBAAQ,CAipTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrhBG,MAAO,KlBwrhBO,QkBxrhBP,ElBwrhBiB,CkBxrhBjB,C;;QlB0rhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrshBA,iB;MlBqshBA,sC;QAaiB,Q;QAFb,IAjqTO,qBAAQ,CAiqTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxshBG,MAAO,KlBwshBO,QkBxshBP,ElBwshBiB,CkBxshBjB,C;;QlB0shBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrthBA,iB;MlBqthBA,sC;QAaiB,Q;QAFb,IAjrTO,qBAAQ,CAirTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxthBG,MAAO,KlBwthBO,QkBxthBP,ElBwthBiB,CkBxthBjB,C;;QlB0thBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBruhBA,iB;MlBquhBA,sC;QAaiB,Q;QAFb,IAjsTO,qBAAQ,CAisTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxuhBG,MAAO,KlBwuhBO,QkBxuhBP,ElBwuhBiB,CkBxuhBjB,C;;QlB0uhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrvhBA,iB;MlBqvhBA,sC;QAaiB,Q;QAFb,IAjtTO,qBAAQ,CAitTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxvhBG,MAAO,KlBwvhBO,QkBxvhBP,ElBwvhBiB,CkBxvhBjB,C;;QlB0vhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrwhBA,iB;MlBqwhBA,sC;QAaiB,Q;QAFb,IAjuTO,qBAAQ,CAiuTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxwhBG,MAAO,KlBwwhBO,QkBxwhBP,ElBwwhBiB,CkBxwhBjB,C;;QlB0whBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrxhBA,iB;MlBqxhBA,sC;QAaiB,Q;QAFb,IAjvTO,qBAAQ,CAivTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxxhBG,MAAO,KlBwxhBO,QkBxxhBP,ElBwxhBiB,CkBxxhBjB,C;;QlB0xhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBryhBA,iB;MlBqyhBA,sC;QAaiB,Q;QAFb,IAjwTO,qBAAQ,CAiwTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxyhBG,MAAO,KlBwyhBO,QkBxyhBP,ElBwyhBiB,CkBxyhBjB,C;;QlB0yhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrzhBA,iB;MlBqzhBA,sC;QAaiB,Q;QAFb,IAjxTO,qBAAQ,CAixTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxzhBG,MAAO,KlBwzhBO,QkBxzhBP,ElBwzhBiB,CkBxzhBjB,C;;QlB0zhBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr0hBA,iB;MlBq0hBA,sC;QAaiB,Q;QAFb,IAjyTO,qBAAQ,CAiyTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx0hBG,MAAO,KlBw0hBO,QkBx0hBP,ElBw0hBiB,CkBx0hBjB,C;;QlB00hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr1hBA,iB;MlBq1hBA,sC;QAaiB,Q;QAFb,IAjzTO,qBAAQ,CAizTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx1hBG,MAAO,KlBw1hBO,QkBx1hBP,ElBw1hBiB,CkBx1hBjB,C;;QlB01hBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBr2hBA,iB;MlBq2hBA,sC;QAaiB,Q;QAFb,IAjzTO,qBAAQ,CAizTf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx2hBG,MAAO,KlBw2hBO,QkBx2h

AAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SA
AS,sBAAK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KlBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QlBy
8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;U
AAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SA
AS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjB
X,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,e
AAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CA
T,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAA
A,8D;MAAA,sC;QAWiB,Q;QAFb,IAtiSO,qBAAQ,CAsiSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,
CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,
CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAljSO,qBAAQ,CAkjSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAA
b,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9jSO,qBAAQ,CA8jSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtlSO,qBAAQ,CAslSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAllSO,qBAAQ,CAklSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAmmSO,qBAAQ,CAmmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnSO,qBAAQ,CAmnSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAlmSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAtlSO,qBAAQ,CAslSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAllSO,qBAAQ,CAklSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAmmSO,qBAAQ,CAmmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAnnSO,qBAAQ,CAmnSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAxoSO,qBAAQ,CAwo

,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApzSO,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAg6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA76SO,qBAAQ,CA66Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA86SO,qBAAQ,CA86Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA96SO,qBAAQ,CA86Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;sGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46

AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAhnTO,qBAAQ,CAgnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KlB2miBE,GkB3miBF,EAlB2miBO,CkB3miBP,C;;MlB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CAgoTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniBG,MAAO,KlBgniBE,GkBhniBF,EAlBgniBO,CkBhniBP,C;;MlBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAxwTO,qBAAQ,CAwwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9wTO,qBAAQ,CA8wTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlxTO,qBAAQ,CAkxTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAtxTO,qBAAQ,CAsxTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IA1xTO,qBAAQ,CA0xTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5yTO,qBAAQ,CA4yTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9yTO,qBAAQ,CA8yTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAhzTO,qBAAQ,CAgzTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAlzTO,qBAAQ,CAkzTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAtzTO,qBAAQ,CAszTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5zTO,qBAAQ,CA4zTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9zTO,qBAAQ,CA8zTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh0TO,qBAAQ,CAg0Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl0TO,qBAAQ,CAk0Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt0TO,qBAAQ,CAs0Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA50TO,qBAAQ,CA40Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA90TO,qBAAQ,CA80Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh1TO,qBAAQ,CAg1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl1TO,qBAAQ,CAk1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt1TO,qBAAQ,CAs1Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA51TO,qBAAQ,CA41Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA91TO,qBAAQ,CA81Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh2TO,qBAAQ,CAg2Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl2TO,qBAAQ,CAk2Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt2TO,qBAAQ,CAs2Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA52TO,qBAAQ,CA42Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA92TO,qBAAQ,CA82Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAh3TO,qBAAQ,CAg3Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAp3TO,qBAAQ,CAo3Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA13TO,qBAAQ,CA03Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA53TO,qBAAQ,CA43Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA93TO,qBAAQ,CA83Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAh4TO,qBAAQ,CAg4Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl4TO,qBAAQ,CAk4Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt4TO,qBAAQ,CAs4Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA14TO,qBAAQ,CA04Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IA94TO,qBAAQ,CA84Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl5TO,qBAAQ,CAk5Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAt5TO,qBAAQ,CAs5Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA15TO,qBAAQ,CA05Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IA95TO,qBAAQ,CA85Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA55TO,qBAAQ,CA45Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA96TO,qBAAQ,CA85Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl7TO,qBAAQ,CAk7Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt7TO,qBAAQ,CAs7Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA57TO,qBAAQ,CA47Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA97TO,qBAAQ,CA87Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl8TO,qBAAQ,CAk8Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt8TO,qBAAQ,CAs8Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA58TO,qBAAQ,CA48Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA98TO,qBAAQ,CA88Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl9TO,qBAAQ,CAk9Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt9TO,qBAAQ,CAs9Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA59TO,qBAAQ,CA49Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA99TO,qBAAQ,CA89Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl+TO,qBAAQ,CAk+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt+TO,qBAAQ,CAs+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA5+TO,qBAAQ,CA4+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA9+TO,qBAAQ,CA8+Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAl/TO,qBAAQ,CAk/Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,EAAgB,CAAhB,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,CAA3B,C;UAAgC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,8C;MAOiB,Q;MAFb,IAt/TO,qBAAQ,CAs/Tf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK

oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMo

B,C;;QAElB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl1UO,qBAAQ,CAk1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,CAg2Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAuB,E;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAt7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAl9UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,CAg+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA59UO,qBAAQ,CA49Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx+UO,qBAAQ,CAw+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh/UO,qBAAQ,CAg/Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhVO,qBAAQ,CAwhVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAuB,E;;QAElB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5iVO,qBAAQ,CA4iVf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhjVO,qBAAQ,CAgjVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtjVO,qBAAQ,CAsjVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5jVO,qBAAQ,CA4jVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAlkVO,qBAAQ,CAkkVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxkVO,qBAAQ,CAwkVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhlVO,qBAAQ,CAglVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxlVO,qBAAQ,CAwlVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhmVO,qBAAQ,CAgmVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxmVO,qBAAQ,CAwmVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhnVO,qBAAQ,CAgnVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxnVO,qBAAQ,CAwnVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhoVO,qBAAQ,CAgoVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxoVO,qBAAQ,CAwoVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhpVO,qBAAQ,CAgpVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qBAAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhqVO,qBAAQ,CAgqVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxqVO,qBAAQ,CAwqVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhrVO,qBAAQ,CAgrVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxrVO,qBAAQ,CAwrVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhsVO,qBAAQ,CAgsVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxsVO,qBAAQ,CAwsVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhtVO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxtVO,qBAAQ,CAwtVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhuVO,qBAAQ,CAguVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxuVO,qBAAQ,CAwuVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhvVO,qBAAQ,CAgvVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxvVO,qBAAQ,CAwvVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhwVO,qBAAQ,CAgwVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxwVO,qBAAQ,CAwwVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhxVO,qBAAQ,CAgxVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxxVO,qBAAQ,CAwxVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhyVO,qBAAQ,CAgyVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxyVO,qBAAQ,CAwyVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhzVO,qBAAQ,CAgzVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxzVO,qBAAQ,CAwzVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh0VO,qBAAQ,CAg0Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx0VO,qBAAQ,CAw0Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh1VO,qBAAQ,CAg1Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx1VO,qBAAQ,CAw1Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh2VO,qBAAQ,CAg2Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx2VO,qBAAQ,CAw2Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh3VO,qBAAQ,CAg3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx3VO,qBAAQ,CAw3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh4VO,qBAAQ,CAg4Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx4VO,qBAAQ,CAw4Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh5VO,qBAAQ,CAg5Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx5VO,qBAAQ,CAw5Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh6VO,qBAAQ,CAg6Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx6VO,qBAAQ,CAw6Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh7VO,qBAAQ,CAg7Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx7VO,qBAAQ,CAw7Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh8VO,qBAAQ,CAg8Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx8VO,qBAAQ,CAw8Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh9VO,qBAAQ,CAg9Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx9VO,qBAAQ,CAw9Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+VO,qBAAQ,CAg+Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx+VO,qBAAQ,CAw+Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh/VO,qBAAQ,CAg/Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAx/VO,qBAAQ,CAw/Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhgWO,qBAAQ,CAggWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxgWO,qBAAQ,CAwgWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhhWO,qBAAQ,CAghWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxhWO,qBAAQ,CAwhWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAhiWO,qBAAQ,CAgiWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,WAAjB,EAA8B,UAAK,KAAL,CAA

,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAElB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAAK,KAAL,EAAY,EAA9B,E;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn0VO,qBAAQ,CAm0Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAl1VO,qBAAQ,CAk1Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh3VO,qBAAQ,CAg3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA94VO,qBAAQ,CA84Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA75VO,qBAAQ,CA65Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA56VO,qBAAQ,CA46Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA37VO,qBAAQ,CA27Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAx8VO,qBAAQ,CAw8Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAr9VO,qBAAQ,CAq9Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAl+VO,qBAAQ,CAk+Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA/+VO,qBAAQ,CA++Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA5/VO,qBAAQ,CA4/Vf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAzgWO,qBAAQ,CAygWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAthWO,qBAAQ,CAshWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAniWO,qBAAQ,CAmiWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhjWO,qBAAQ,CAgjWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7jWO,qBAAQ,CA6jWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1kWO,qBAAQ,CA0kWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvlWO,qBAAQ,CAulWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnmWO,qBAAQ,CAmmWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhnWO,qBAAQ,CAgnWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7nWO,qBAAQ,CA6nWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1oWO,qBAAQ,CA0oWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvpWO,qBAAQ,CAupWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnqWO,qBAAQ,CAmqWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhrWO,qBAAQ,CAgrWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7rWO,qBAAQ,CA6rWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1sWO,qBAAQ,CA0sWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvtWO,qBAAQ,CAutWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnuWO,qBAAQ,CAmuWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhvWO,qBAAQ,CAgvWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7vWO,qBAAQ,CA6vWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1wWO,qBAAQ,CA0wWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvxWO,qBAAQ,CAuxWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnyWO,qBAAQ,CAmyWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhzWO,qBAAQ,CAgzWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7zWO,qBAAQ,CA6zWf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA10WO,qBAAQ,CA00Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv1WO,qBAAQ,CAu1Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn2WO,qBAAQ,CAm2Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh3WO,qBAAQ,CAg3Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA73WO,qBAAQ,CA63Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA14WO,qBAAQ,CA04Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv5WO,qBAAQ,CAu5Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn6WO,qBAAQ,CAm6Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh7WO,qBAAQ,CAg7Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA77WO,qBAAQ,CA67Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA18WO,qBAAQ,CA08Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv9WO,qBAAQ,CAu9Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAn+WO,qBAAQ,CAm+Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAh/WO,qBAAQ,CAg/Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7/WO,qBAAQ,CA6/Wf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1gXO,qBAAQ,CA0gXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvhXO,qBAAQ,CAuhXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAniXO,qBAAQ,CAmiXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhjXO,qBAAQ,CAgjXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7jXO,qBAAQ,CA6jXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1kXO,qBAAQ,CA0kXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvlXO,qBAAQ,CAulXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnmXO,qBAAQ,CAmmXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhnXO,qBAAQ,CAgnXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7nXO,qBAAQ,CA6nXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1oXO,qBAAQ,CA0oXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvpXO,qBAAQ,CAupXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnqXO,qBAAQ,CAmqXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhrXO,qBAAQ,CAgrXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7rXO,qBAAQ,CA6rXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1sXO,qBAAQ,CA0sXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvtXO,qBAAQ,CAutXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnuXO,qBAAQ,CAmuXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhvXO,qBAAQ,CAgvXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7vXO,qBAAQ,CA6vXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA1wXO,qBAAQ,CA0wXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAvxXO,qBAAQ,CAuxXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAnyXO,qBAAQ,CAmyXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAhzXO,qBAAQ,CAgzXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA7zXO,qBAAQ,CA6zXf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IA10XO,qBAAQ,CA00Xf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,8D;MAAA,uC;QAiBqB,Q;QAHjB,IAv1XO,qBAAQ,CAu1Xf,C;UACI,OAAO,I;QACX,kBAAkB,UAAK,CAAL,C;QACD,+B;QAAjB,iB

AS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,E;;QAElB,OAAO,W;O;KAnBX,C;0GAsBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAe6B,Q;QAJnC,YAAY,wB;QACZ,IAAI,QAAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAElB,OAAO,W;O;KAnBX,C;4

C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;wHAuBA,yB;MAAA,8D;MAAA,uC;QAe0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,UAAI,YAAJ,EAAI,oBAAJ,O;QAClB,OAAO,SAAS,CAAhB,

AAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp3XO,qBAAQ,CAo3Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzhnBO,W;QjB0hnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp4XO,qBAAQ,CAo4Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjjnBO,W;QjBkjnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp5XO,qBAAQ,CAo5Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzknBO,W;QjB0knBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp6XO,qBAAQ,CAo6Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjlnBO,W;QjBklnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp7XO,qBAAQ,CAo7Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzlnBO,W;QjB0lnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp8XO,qBAAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjmnBO,W;QjBknnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp9XO,qBAAQ,CAo9Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBznnBO,W;QjB0nnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp+XO,qBAAQ,CAo+Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjonBO,W;QjBkonBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzonBO,W;QjB0onBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjpnBO,W;QjBkpnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzpnBO,W;QjB0pnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjqnBO,W;QjBkqnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjrnBO,W;QjBkrnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzrnBO,W;QjB0rnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjsnBO,W;QjBksnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzsnBO,W;QjB0snBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjtnBO,W;QjBktnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBztnBO,W;QjB0tnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjunBO,W;QjBkunBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzunBO,W;QjB0unBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjvnBO,W;QjBkvnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzvnBO,W;QjB0vnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjwnBO,W;QjBkwnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzwnBO,W;QjB0wnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjxnBO,W;QjBkxnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzxnBO,W;QjB0xnBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjynBO,W;QjBkynBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzynBO,W;QjB0ynBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjznBO,W;QjBkznBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzznBO,W;QjB0znBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj0nBO,W;QjBk0nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz0nBO,W;QjB00nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj1nBO,W;QjBk1nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz1nBO,W;QjB01nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj2nBO,W;QjBk2nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz2nBO,W;QjB02nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz3nBO,W;QjB03nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj4nBO,W;QjBk4nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz4nBO,W;QjB04nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj5nBO,W;QjBk5nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz5nBO,W;QjB05nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj6nBO,W;QjBk6nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz6nBO,W;QjB06nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj7nBO,W;QjBk7nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz7nBO,W;QjB07nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj8nBO,W;QjBk8nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz8nBO,W;QjB08nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj9nBO,W;QjBk9nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz9nBO,W;QjB09nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj+nBO,W;QjBk+nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz+nBO,W;QjB0+nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBj/nBO,W;QjBk/nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAiBoB,Q;QAHhB,IAp/XO,qBAAQ,CAo/Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz/nBO,W;QjB0/nBP,kBAAkB,O;QAClB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;8F

Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA
A,gD;QAeI,IApqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QAClB,wD;UACI,cAAc,UAAU,KAAV,,EAAiB
,WAAjB,EAA8B,sBAAK,KAAL,,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gGAy
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAcI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAAqB,
UAAK,CAAL,,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB14nBO,W;QjB2
4nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,M
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAzwYO,qBAAQ,CAywYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg
6nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBx7nBO,W;QjBy
7nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAnyYO,qBAAQ,CAmyYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBn9nBO,W;QjBo
9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAjzYO,qBAAQ,CAizYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aie/nBO,W;QjBf
goBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA10YO,qBAAQ,CA00YY,C;UAAe,
OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxhoBO,W;QjBy
hoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAv1YO,qBAAQ,CAu1YY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB9joBO,W;QjB+
joBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA57YO,qBAAQ,CA47YY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpmoBO,W;QjBqm
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAj8YO,qBAAQ,CAi8YY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvooBO,W;QjBwo
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAt9YO,qBAAQ,CAs9YY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai1qoBO,W;Qj2q
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA3+YO,qBAAQ,CA2+YY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBjtoBO,W;QjBkt
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhgZO,qBAAQ,CAggZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBxvoBO,W;QjBwv
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAphZO,qBAAQ,CAohZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBzxoBO,W;QjBwx
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAxiZO,qBAAQ,CAwiZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB1zoBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5jZO,qBAAQ,CA4jZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB30oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhlZO,qBAAQ,CAglZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB51oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAplZO,qBAAQ,CAolZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB74oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAxmZO,qBAAQ,CAwmZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB96oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5nZO,qBAAQ,CA4nZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB79oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhpZO,qBAAQ,CAgpZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB5/oBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAppZO,qBAAQ,CAopZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhhpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAxqZO,qBAAQ,CAwqZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpipBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5rZO,qBAAQ,CA4rZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBxjpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhsZO,qBAAQ,CAgsZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB5kpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAptZO,qBAAQ,CAotZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhmpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAxuZO,qBAAQ,CAwuZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aipopBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5vZO,qBAAQ,CA4vZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBxqpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhxZO,qBAAQ,CAgxZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai5rpBO,W;Qj6r
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAnyZO,qBAAQ,CAmyZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBjtpBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5zZO,qBAAQ,CA4zZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aixupBO,W;QjBwz
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAr1ZO,qBAAQ,CAq1ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai3vpBO,W;Qj4v
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA52ZO,qBAAQ,CA42ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai5xpBO,W;Qj6x
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAn4ZO,qBAAQ,CAm4ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai7zpBO,W;Qj8z
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA35ZO,qBAAQ,CA25ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai91pBO,W;Qj+1
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAl7ZO,qBAAQ,CAk7ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,ai+3pBO,W;Qj/3
oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAz8ZO,qBAAQ,CAy8ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aigAqBO,W;QjhAr
BP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAh+ZO,qBAAQ,CAg+ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvCqBO,W;QjBwC
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAv/ZO,qBAAQ,CAu/ZY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBhFqBO,W;QjBiF
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAhhaO,qBAAQ,CAghaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBzIqBO,W;QjB0I
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAyiaO,qBAAQ,CAyiaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBlLqBO,W;QjBmL
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAjkaO,qBAAQ,CAikaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBnOqBO,W;QjBoO
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAzlaO,qBAAQ,CAylaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpRqBO,W;QjBqR
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAnnaO,qBAAQ,CAmnaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBrUqBO,W;QjBsU
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA7oaO,qBAAQ,CA6oaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBtXqBO,W;QjBuX
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAvpaO,qBAAQ,CAupaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBvaqBO,W;QjBwa
rBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAjqaO,qBAAQ,CAiqaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBxdqBO,W;QjBydrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA3qaO,qBAAQ,CA2qaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBzgrBqBO,W;QjB0grBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAlsaO,qBAAQ,CAksaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB1jrBqBO,W;QjB2jrBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5saO,qBAAQ,CA4saY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB3mrBqBO,W;QjB4mrBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAnuaO,qBAAQ,CAmuaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB5prBqBO,W;QjB6prBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IA5uaO,qBAAQ,CA4uaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBrtrBqBO,W;QjBstrBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAlwaO,qBAAQ,CAkwaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBnxrBqBO,W;QjBoxrBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAQI,IAxxaO,qBAAQ,CAwxaY,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,,CAAlB,C
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBjzrBqBO,W;QjBkzrBrBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,,EAAuB,UAAK,KAAL,,CAAv

AO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAp/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAkB,gBAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhiZO,qBAAQ,CAgiZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBptoBO,W;QjBqtoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhjZO,qBAAQ,CAgjZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuC,kBAA1B,eAAoB,gBAApB,C;QAAkC,sBAAI,aAAJ,C;QAA/C,aiB1toBO,W;QjB2toBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhkZO,qBAAQ,CAgkZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwC,kBAA3B,eAAqB,gBAArB,C;QAAmC,sBAAI,aAAJ,C;QAAhD,aiBhuoBO,W;QjBiuoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhlZO,qBAAQ,CAglZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyC,kBAA5B,eAAsB,gBAAtB,C;QAAoC,sBAAI,aAAJ,C;QAAjD,aiBtvoBO,W;QjBuvoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhmZO,qBAAQ,CAgmZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0C,kBAA7B,eAAuB,gBAAvB,C;QAAqC,sBAAI,aAAJ,C;QAAlD,aiB5woBO,W;QjB6woBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhnZO,qBAAQ,CAgnZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2C,kBAA9B,eAAwB,gBAAxB,C;QAAsC,sBAAI,aAAJ,C;QAAnD,aiBlxoBO,W;QjBmxoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhoZO,qBAAQ,CAgoZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4C,kBAA/B,eAAyB,gBAAzB,C;QAAuC,sBAAI,aAAJ,C;QAApD,aiBxxoBO,W;QjByxoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhpZO,qBAAQ,CAgpZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6C,kBAAhC,eAA0B,gBAA1B,C;QAAwC,sBAAI,aAAJ,C;QAArD,aiB9xoBO,W;QjB+xoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhqZO,qBAAQ,CAgqZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8C,kBAAjC,eAA2B,gBAA3B,C;QAAyC,sBAAI,aAAJ,C;QAAtD,aiBpyoBO,W;QjBqyoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhrZO,qBAAQ,CAgrZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+C,kBAAlC,eAA4B,gBAA5B,C;QAA0C,sBAAI,aAAJ,C;QAAvD,aiB1yoBO,W;QjB2yoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhsZO,qBAAQ,CAgsZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgD,kBAAnC,eAA6B,gBAA7B,C;QAA2C,sBAAI,aAAJ,C;QAAxD,aiBhzoBO,W;QjBizoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhtZO,qBAAQ,CAgtZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiD,kBAApC,eAA8B,gBAA9B,C;QAA4C,sBAAI,aAAJ,C;QAAzD,aiBt0oBO,W;QjBu0oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhuZO,qBAAQ,CAguZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkD,kBAArC,eAA+B,gBAA/B,C;QAA6C,sBAAI,aAAJ,C;QAA1D,aiBl1oBO,W;QjBm1oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhvZO,qBAAQ,CAgvZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmD,kBAAtC,eAAgC,gBAAhC,C;QAA8C,sBAAI,aAAJ,C;QAA3D,aiBt2oBO,W;QjBu2oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhwZO,qBAAQ,CAgwZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoD,kBAAvC,eAAiC,gBAAjC,C;QAA+C,sBAAI,aAAJ,C;QAA5D,aiB13oBO,W;QjB23oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhxZO,qBAAQ,CAgxZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqD,kBAAxC,eAAkC,gBAAlC,C;QAAgD,sBAAI,aAAJ,C;QAA7D,aiB94oBO,W;QjB+4oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhyZO,qBAAQ,CAgyZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsD,kBAAzC,eAAmC,gBAAnC,C;QAAiD,sBAAI,aAAJ,C;QAA9D,aiBl6oBO,W;QjBm6oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhzZO,qBAAQ,CAgzZf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuD,kBAA1C,eAAoC,gBAApC,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aiBt7oBO,W;QjBu7oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh0ZO,qBAAQ,CAg0Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwD,kBAA3C,eAAqC,gBAArC,C;QAAmD,sBAAI,aAAJ,C;QAAhE,ai18oBO,W;Qj28oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh1ZO,qBAAQ,CAg1Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyD,kBAA5C,eAAsC,gBAAtC,C;QAAoD,sBAAI,aAAJ,C;QAAjE,ai99oBO,W;Qj+9oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh2ZO,qBAAQ,CAg2Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0D,kBAA7C,eAAuC,gBAAvC,C;QAAqD,sBAAI,aAAJ,C;QAAlE,aik/oBO,W;Qjl/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh3ZO,qBAAQ,CAg3Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2D,kBAA9C,eAAwC,gBAAxC,C;QAAsD,sBAAI,aAAJ,C;QAAnE,aiBrr/oBO,W;QjBsr/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh4ZO,qBAAQ,CAg4Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4D,kBAA/C,eAAyC,gBAAzC,C;QAAuD,sBAAI,aAAJ,C;QAApE,aiBzs/oBO,W;QjB0s/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh5ZO,qBAAQ,CAg5Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6D,kBAAhD,eAA0C,gBAA1C,C;QAAwD,sBAAI,aAAJ,C;QAArE,aiB7t/oBO,W;QjB8t/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh6ZO,qBAAQ,CAg6Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8D,kBAAjD,eAA2C,gBAA3C,C;QAAyD,sBAAI,aAAJ,C;QAAtE,aiBjv/oBO,W;QjBkv/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh7ZO,qBAAQ,CAg7Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+D,kBAAlD,eAA4C,gBAA5C,C;QAA0D,sBAAI,aAAJ,C;QAAvE,aiBrw/oBO,W;QjBsw/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh8ZO,qBAAQ,CAg8Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgE,kBAAnD,eAA6C,gBAA7C,C;QAA2D,sBAAI,aAAJ,C;QAAxE,aiBzx/oBO,W;QjB0x/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh9ZO,qBAAQ,CAg9Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiE,kBAApD,eAA8C,gBAA9C,C;QAA4D,sBAAI,aAAJ,C;QAAzE,aiB7y/oBO,W;QjB8y/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh+ZO,qBAAQ,CAg+Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkE,kBAArD,eAA+C,gBAA/C,C;QAA6D,sBAAI,aAAJ,C;QAA1E,aiBj0/oBO,W;QjBk0/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAh/ZO,qBAAQ,CAg/Zf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmE,kBAAtD,eAAgD,gBAAhD,C;QAA8D,sBAAI,aAAJ,C;QAA3E,aiBr1/oBO,W;QjBs1/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhgaO,qBAAQ,CAggaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoE,kBAAvD,eAAiD,gBAAjD,C;QAA+D,sBAAI,aAAJ,C;QAA5E,aiBz2/oBO,W;QjB02/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhhaO,qBAAQ,CAghaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqE,kBAAxD,eAAkD,gBAAlD,C;QAAgE,sBAAI,aAAJ,C;QAA7E,aiB73/oBO,W;QjB83/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhiaO,qBAAQ,CAgiaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACsE,kBAAzD,eAAmD,gBAAnD,C;QAAiE,sBAAI,aAAJ,C;QAA9E,aiBj5/oBO,W;QjBk5/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhjaO,qBAAQ,CAgjaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACuE,kBAA1D,eAAoD,gBAApD,C;QAAkE,sBAAI,aAAJ,C;QAA/E,aiBr6/oBO,W;QjBs6/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhkaO,qBAAQ,CAgkaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACwE,kBAA3D,eAAqD,gBAArD,C;QAAmE,sBAAI,aAAJ,C;QAAhF,aiBz7/oBO,W;QjB07/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhlaO,qBAAQ,CAglaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACyE,kBAA5D,eAAsD,gBAAtD,C;QAAoE,sBAAI,aAAJ,C;QAAjF,aiB78/oBO,W;QjB88/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhmaO,qBAAQ,CAgmaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC0E,kBAA7D,eAAuD,gBAAvD,C;QAAqE,sBAAI,aAAJ,C;QAAlF,aiBj+/oBO,W;QjBk+/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhnaO,qBAAQ,CAgnaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC2E,kBAA9D,eAAwD,gBAAxD,C;QAAsE,sBAAI,aAAJ,C;QAAnF,aiBr/oBO,W;QjBs/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhoaO,qBAAQ,CAgoaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC4E,kBAA/D,eAAyD,gBAAzD,C;QAAuE,sBAAI,aAAJ,C;QAApF,aiBz/oBO,W;QjB0/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhpaO,qBAAQ,CAgpaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC6E,kBAAhE,eAA0D,gBAA1D,C;QAAwE,sBAAI,aAAJ,C;QAArF,aiB7/oBO,W;QjB8/oBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhqaO,qBAAQ,CAgqaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC8E,kBAAjE,eAA2D,gBAA3D,C;QAAyE,sBAAI,aAAJ,C;QAAtF,aiBjgpoBO,W;QjBkgpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhraO,qBAAQ,CAgraf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QAC+E,kBAAlE,eAA4D,gBAA5D,C;QAA0E,sBAAI,aAAJ,C;QAAvF,aiBrgpoBO,W;QjBsgpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhsaO,qBAAQ,CAgsaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACgF,kBAAnE,eAA6D,gBAA7D,C;QAA2E,sBAAI,aAAJ,C;QAAxF,aiBzgpoBO,W;QjB0gpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhtaO,qBAAQ,CAgtaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACiF,kBAApE,eAA8D,gBAA9D,C;QAA4E,sBAAI,aAAJ,C;QAAzF,aiB7gpoBO,W;QjB8gpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhuaO,qBAAQ,CAguaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACkF,kBAArE,eAA+D,gBAA/D,C;QAA6E,sBAAI,aAAJ,C;QAA1F,aiBjhpoBO,W;QjBkhpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhvaO,qBAAQ,CAgvaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACmF,kBAAtE,eAAgE,gBAAhE,C;QAA8E,sBAAI,aAAJ,C;QAA3F,aiBrhpoBO,W;QjBshpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhwaO,qBAAQ,CAgwaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACoF,kBAAvE,eAAiE,gBAAjE,C;QAA+E,sBAAI,aAAJ,C;QAA5F,aiBzhpoBO,W;QjB0hpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhxaO,qBAAQ,CAgxaf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAlB,C;QACqF,kBAAxE,eAAkE,gBAAlE,C;QAAgF,sBAAI,aAAJ,C;QAA7F,aiB7hpoBO,W;QjB8hpoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAAA,qD;MAAAA,gE;MAAAA,uC;QAYI,IAhyaO,qBAAQ,CAgyaf,C

Ab,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACI,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KAfJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UAnxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OAsxBH,OAtxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxBzB,OArxBC,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UAnxBnB,iD;YAAgB,cAAhB,e;YACI,cAkxBwB,SAlxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KAfJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OAgxBH,OAhxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wBC,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KAfJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UAvwBS,Q;UAHhB,IA5hYO,qBAAQ,CA4hYf,C;YAAe,qBAAO,OA0wBH,OA1wBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBzB,OAzwBC,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwBmB,O;UAvwBnB,iD;YAAgB,cAAhB,0B;YACI,cAswBwB,SAtwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmwBP,yB;O;KAfJ,C;4FAkBA,yB;MAnwBA,gD;MAAA,gE;MAmwBA,gD;QAeW,6B;;UAjwBS,Q;UAHhB,IAhjYO,qBAAQ,CAgjYf,C;YAAe,qBAAO,OAowBH,OApwBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmwBzB,OAnwBC,C;UAA5C,aiB7rnBO,W;UjB8rnBP,kBAkwBmB,O;UAjwBnB,iD;YAAgB,cAAhB,0B;YACI,cAgwBwB,SAhwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6vBP,yB;O;KAfJ,C;4FAkBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAeW,6B;;UA3vBS,Q;UAHhB,IApkYO,qBAAQ,CAokYf,C;YAAe,qBAAO,OA8vBH,OA9vBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6vBzB,OA7vBC,C;UAA5C,aiBjtnBO,W;UjBktnBP,kBA4vBmB,O;UA3vBnB,iD;YAAgB,cAAhB,0B;YACI,cA0vBwB,SA1vBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuvBP,yB;O;KAfJ,C;4FAkBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAeW,6B;;UArvBS,Q;UAHhB,IAxlYO,qBAAQ,CAwlYf,C;YAAe,qBAAO,OAwvBH,OAxvBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuvBzB,OAvvBC,C;UAA5C,aiBrunBO,W;UjBsunBP,kBAsvBmB,O;UArvBnB,iD;YAAgB,cAAhB,0B;YACI,cAovBwB,SApvBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiuBP,yB;O;KAfJ,C;4FAkBA,yB;MAjuBA,gD;MAAA,gE;MAiuBA,gD;QAeW,6B;;UA/tBS,Q;UAHhB,IA5mYO,qBAAQ,CA4mYf,C;YAAe,qBAAO,OAkuBH,OAluBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAiuBzB,OAjuBC,C;UAA5C,aiBzvnBO,W;UjB0vnBP,kBAguBmB,O;UA/tBnB,iD;YAAgB,cAAhB,0B;YACI,cA8tBwB,SA9tBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2tBP,yB;O;KAfJ,C;4FAkBA,yB;MA3tBA,gD;MAAA,gE;MA2tBA,gD;QAeW,6B;;UAztBS,Q;UAHhB,IAxnYO,qBAAQ,CAwnYf,C;YAAe,qBAAO,OA4tBH,OA5tBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2tBzB,OA3tBC,C;UAA5C,aiBrwnBO,W;UjBswnBP,kBA0tBmB,O;UAztBnB,iD;YAAgB,cAAhB,0B;YACI,cAwtBwB,SAxtBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqtBP,yB;O;KAfJ,C;4FAkBA,yB;MArtBA,gD;MAAA,gE;MAqtBA,gD;QAeW,6B;;UAntBS,Q;UAHhB,IApoYO,qBAAQ,CAooYf,C;YAAe,qBAAO,OAstBH,OAttBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqtBzB,OArtBC,C;UAA5C,aiBjxnBO,W;UjBkxnBP,kBAotBmB,O;UAntBnB,iD;YAAgB,cAAhB,0B;YACI,cAktBwB,SAltBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+sBP,yB;O;KAfJ,C;4FAkBA,yB;MA/sBA,gD;MAAA,gE;MA+sBA,gD;QAeW,6B;;UA7sBS,Q;UAHhB,IAhpYO,qBAAQ,CAgpYf,C;YAAe,qBAAO,OAgtBH,OAhtBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+sBzB,OA/sBC,C;UAA5C,aiBzynBO,W;UjB0ynBP,kBA8sBmB,O;UA7sBnB,iD;YAAgB,cAAhB,0B;YACI,cA4sBwB,SA5sBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyrBP,yB;O;KAfJ,C;4FAkBA,yB;MAzrBA,gD;MAAA,gE;MAyrBA,gD;QAeW,6B;;UAvrBS,Q;UAHhB,IA5pYO,qBAAQ,CA4pYf,C;YAAe,qBAAO,OA0sBH,OA1sBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAysBzB,OAzsBC,C;UAA5C,aiBr0nBO,W;UjBs0nBP,kBAwsBmB,O;UAvsBnB,iD;YAAgB,cAAhB,0B;YACI,cAssBwB,SAtsBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmrBP,yB;O;KAfJ,C;4FAkBA,yB;MAnrBA,gD;MAAA,gE;MAmrBA,gD;QAeW,6B;;UAjrBS,Q;UAHhB,IAhqYO,qBAAQ,CAgqYf,C;YAAe,qBAAO,OAotBH,OAptBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmtBzB,OAntBC,C;UAA5C,aiBj1nBO,W;UjBk1nBP,kBAktBmB,O;UAjtBnB,iD;YAAgB,cAAhB,0B;YACI,cAgtBwB,SAhtBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6rBP,yB;O;KAfJ,C;4FAkBA,yB;MA7rBA,gD;MAAA,gE;MA6rBA,gD;QAeW,6B;;UA3rBS,Q;UAHhB,IApqYO,qBAAQ,CAoqYf,C;YAAe,qBAAO,OA8tBH,OA9tBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6tBzB,OA7tBC,C;UAA5C,aiBz2nBO,W;UjB02nBP,kBA4tBmB,O;UA3tBnB,iD;YAAgB,cAAhB,0B;YACI,cA0tBwB,SA1tBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAusBP,yB;O;KAfJ,C;4FAkBA,yB;MAvsBA,gD;MAAA,gE;MAusBA,gD;QAeW,6B;;UArsBS,Q;UAHhB,IAxqYO,qBAAQ,CAwqYf,C;YAAe,qBAAO,OAwuBH,OAxuBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuuBzB,OAvuBC,C;UAA5C,aiBr4nBO,W;UjBs4nBP,kBAsuBmB,O;UAruBnB,iD;YAAgB,cAAhB,0B;YACI,cAouBwB,SApuBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAitBP,yB;O;KAfJ,C;4FAkBA,yB;MAjtBA,gD;MAAA,gE;MAitBA,gD;QAeW,6B;;UA/sBS,Q;UAHhB,IA5rYO,qBAAQ,CA4rYf,C;YAAe,qBAAO,OAkvBH,OAlvBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAivBzB,OAjvBC,C;UAA5C,aiBj5nBO,W;UjBk5nBP,kBAgvBmB,O;UA/uBnB,iD;YAAgB,cAAhB,0B;YACI,cA8uBwB,SA9uBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2uBP,yB;O;KAfJ,C;4FAkBA,yB;MA3uBA,gD;MAAA,gE;MA2uBA,gD;QAeW,6B;;UAzuBS,Q;UAHhB,IAxsYO,qBAAQ,CAwsYf,C;YAAe,qBAAO,OA4vBH,OA5vBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2vBzB,OA3vBC,C;UAA5C,aiBr6nBO,W;UjBs6nBP,kBA0vBmB,O;UAzvBnB,iD;YAAgB,cAAhB,0B;YACI,cAwvBwB,SAxvBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAquBP,yB;O;KAfJ,C;4FAkBA,yB;MAruBA,gD;MAAA,gE;MAquBA,gD;QAeW,6B;;UAnuBS,Q;UAHhB,IApuYO,qBAAQ,CAouYf,C;YAAe,qBAAO,OAswBH,OAtwBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqwBzB,OArwBC,C;UAA5C,aiBj8nBO,W;UjBk8nBP,kBAowBmB,O;UAnwBnB,iD;YAAgB,cAAhB,0B;YACI,cAkwBwB,SAlwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+vBP,yB;O;KAfJ,C;4FAkBA,yB;MA/vBA,gD;MAAA,gE;MA+vBA,gD;QAeW,6B;;UA7vBS,Q;UAHhB,IAhvYO,qBAAQ,CAgvYf,C;YAAe,qBAAO,OAgxBH,OAhxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wBC,C;UAA5C,aiBz9nBO,W;UjB09nBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,0B;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyvBP,yB;O;KAfJ,C;4FAkBA,yB;MAzvBA,gD;MAAA,gE;MAyvBA,gD;QAeW,6B;;UAvvBS,Q;UAHhB,IA5tYO,qBAAQ,CA4tYf,C;YAAe,qBAAO,OA0wBH,OA1wBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBzB,OAzwBC,C;UAA5C,aiBr+nBO,W;UjBs+nBP,kBAwwBmB,O;UAvwBnB,iD;YAAgB,cAAhB,0B;YACI,cAswBwB,SAtwBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmwBP,yB;O;KAfJ,C;4FAkBA,yB;MAnwBA,gD;MAAA,gE;MAmwBA,gD;QAeW,6B;;UAjwBS,Q;UAHhB,IAhuYO,qBAAQ,CAguYf,C;YAAe,qBAAO,OAoxBH,OApxBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmxBzB,OAnxBC,C;UAA5C,aiBjgoBO,W;UjBkgoBP,kBAkxBmB,O;UAjxBnB,iD;YAAgB,cAAhB,0B;YACI,cAgxBwB,SAhxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6wBP,yB;O;KAfJ,C;4FAkBA,yB;MA7wBA,gD;MAAA,gE;MA6wBA,gD;QAeW,6B;;UA3wBS,Q;UAHhB,IApvYO,qBAAQ,CAovYf,C;YAAe,qBAAO,OA8xBH,OA9xBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6xBzB,OA7xBC,C;UAA5C,aiBzhoBO,W;UjB0hoBP,kBA4xBmB,O;UA3xBnB,iD;YAAgB,cAAhB,0B;YACI,cA0xBwB,SA1xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuxBP,yB;O;KAfJ,C;4FAkBA,yB;MAvxBA,gD;MAAA,gE;MAuxBA,gD;QAeW,6B;;UArxBS,Q;UAHhB,IAxvYO,qBAAQ,CAwvYf,C;YAAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuyBzB,OAvyBC,C;UAA5C,aiBrioBO,W;UjBsioBP,kBAsyBmB,O;UAryBnB,iD;YAAgB,cAAhB,0B;YACI,cAoyBwB,SApyBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;O;KAfJ,C;4FAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAeW,6B;;UA/xBS,Q;UAHhB,IA5wYO,qBAAQ,CA4wYf,C;YAAe,qBAAO,OAkzBH,OAlzBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAizBzB,OAjzBC,C;UAA5C,aiBjpoBO,W;UjBkpoBP,kBAgzBmB,O;UA/yBnB,iD;YAAgB,cAAhB,0B;YACI,cA8yBwB,SA9yBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2yBP,yB;O;KAfJ,C;4FAkBA,yB;MA3yBA,gD;MAAA,gE;MA2yBA,gD;QAeW,6B;;UAzyBS,Q;UAHhB,IAxxYO,qBAAQ,CAwxYf,C;YAAe,qBAAO,OA4zBH,OA5zBG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2zBzB,OA3zBC,C;UAA5C,aiBrqoBO,W;UjBsqoBP,kBA0zBmB,O;UAzzBnB,iD;YAAgB,cAAhB,0B;YACI,cAwzBwB,SAxzBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqzBP,yB;O;KAfJ,C;4FAkBA,yB;MArzBA,gD;MAAA,gE;MAqzBA,gD;QAeW,6B;;UAnzBS,Q;UAHhB,IApyYO,qBAAQ,CAoyYf,C;YAAe,qBAAO,OAs0BH,OAt0BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAq0BzB,OAr0BC,C;UAA5C,aiBjroBO,W;UjBkroBP,kBAo0BmB,O;UAn0BnB,iD;YAAgB,cAAhB,0B;YACI,cAk0BwB,SAl0BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+zBP,yB;O;KAfJ,C;4FAkBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAeW,6B;;UA7zBS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAg1BH,OAh1BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+0BzB,OA/0BC,C;UAA5C,aiBzsoBO,W;UjB0soBP,kBA80BmB,O;UA70BnB,iD;YAAgB,cAAhB,0B;YACI,cA40BwB,SA50BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyzBP,yB;O;KAfJ,C;4FAkBA,yB;MAzzBA,gD;MAAA,gE;MAyzBA,gD;QAeW,6B;;UAvzBS,Q;UAHhB,IA5yYO,qBAAQ,CA4yYf,C;YAAe,qBAAO,OA02BH,OA12BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAy2BzB,OAz2BC,C;UAA5C,aiBrtoBO,W;UjBstoBP,kBAw2BmB,O;UAv2BnB,iD;YAAgB,cAAhB,0B;YACI,cAs2BwB,SAt2BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAm2BP,yB;O;KAfJ,C;4FAkBA,yB;MAn2BA,gD;MAAA,gE;MAm2BA,gD;QAeW,6B;;UAj2BS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAo3BH,OAp3BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAm3BzB,OAn3BC,C;UAA5C,aiBjvoBO,W;UjBkvoBP,kBAk3BmB,O;UAj3BnB,iD;YAAgB,cAAhB,0B;YACI,cAg3BwB,SAh3BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA62BP,yB;O;KAfJ,C;4FAkBA,yB;MA72BA,gD;MAAA,gE;MA62BA,gD;QAeW,6B;;UA32BS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA04BH,OA14BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAy4BzB,OAz4BC,C;UAA5C,aiBrwoBO,W;UjBswoBP,kBAw4BmB,O;UAv4BnB,iD;YAAgB,cAAhB,0B;YACI,cAs4BwB,SAt4BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAm4BP,yB;O;KAfJ,C;4FAkBA,yB;MAn4BA,gD;MAAA,gE;MAm4BA,gD;QAeW,6B;;UAj4BS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAo5BH,OAp5BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAm5BzB,OAn5BC,C;UAA5C,aiBjxoBO,W;UjBkxoBP,kBAk5BmB,O;UAj5BnB,iD;YAAgB,cAAhB,0B;YACI,cAg5BwB,SAh5BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA64BP,yB;O;KAfJ,C;4FAkBA,yB;MA74BA,gD;MAAA,gE;MA64BA,gD;QAeW,6B;;UA34BS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA06BH,OA16BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAy6BzB,OAz6BC,C;UAA5C,aiBrxoBO,W;UjBsxoBP,kBAw6BmB,O;UAv6BnB,iD;YAAgB,cAAhB,0B;YACI,cAs6BwB,SAt6BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAm6BP,yB;O;KAfJ,C;4FAkBA,yB;MAn6BA,gD;MAAA,gE;MAm6BA,gD;QAeW,6B;;UAj6BS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAo7BH,OAp7BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAm7BzB,OAn7BC,C;UAA5C,aiBjyoBO,W;UjBkyoBP,kBAk7BmB,O;UAj7BnB,iD;YAAgB,cAAhB,0B;YACI,cAg7BwB,SAh7BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA66BP,yB;O;KAfJ,C;4FAkBA,yB;MA76BA,gD;MAAA,gE;MA66BA,gD;QAeW,6B;;UA36BS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA08BH,OA18BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAy8BzB,OAz8BC,C;UAA5C,aiBrzoBO,W;UjBszoBP,kBAw8BmB,O;UAv8BnB,iD;YAAgB,cAAhB,0B;YACI,cAs8BwB,SAt8BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAm8BP,yB;O;KAfJ,C;4FAkBA,yB;MAn8BA,gD;MAAA,gE;MAm8BA,gD;QAeW,6B;;UAj8BS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAo9BH,OAp9BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAm9BzB,OAn9BC,C;UAA5C,aiBj0oBO,W;UjBk0oBP,kBAk9BmB,O;UAj9BnB,iD;YAAgB,cAAhB,0B;YACI,cAg9BwB,SAh9BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA68BP,yB;O;KAfJ,C;4FAkBA,yB;MA78BA,gD;MAAA,gE;MA68BA,gD;QAeW,6B;;UA38BS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0+BH,OA1+BG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAy+BzB,OAz+BC,C;UAA5C,aiBr1oBO,W;UjBs1oBP,kBAw+BmB,O;UAv+BnB,iD;YAAgB,cAAhB,0B;YACI,cAs+BwB,SAt+BV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAm+BP,yB;O;KAfJ,C;4FAkBA,yB;MAn+BA,gD;MAAA,gE;MAm+BA,gD;QAeW,6B;;UAj+BS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAogCH,OApgCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmgCzB,OAngCC,C;UAA5C,aiBj2oBO,W;UjBk2oBP,kBAkgCmB,O;UAjgCnB,iD;YAAgB,cAAhB,0B;YACI,cAggCwB,SAhgCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6/BP,yB;O;KAfJ,C;4FAkBA,yB;MA7/BA,gD;MAAA,gE;MA6/BA,gD;QAeW,6B;;UA3/BS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0hCH,OA1hCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyhCzB,OAzhCC,C;UAA5C,aiBr3oBO,W;UjBs3oBP,kBAwhCmB,O;UAvhCnB,iD;YAAgB,cAAhB,0B;YACI,cAshCwB,SAthCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmhCP,yB;O;KAfJ,C;4FAkBA,yB;MAnhCA,gD;MAAA,gE;MAmhCA,gD;QAeW,6B;;UAjhCS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAoiCH,OApiCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmiCzB,OAniCC,C;UAA5C,aiBj4oBO,W;UjBk4oBP,kBAkiCmB,O;UAjiCnB,iD;YAAgB,cAAhB,0B;YACI,cAgiCwB,SAhiCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6hCP,yB;O;KAfJ,C;4FAkBA,yB;MA7hCA,gD;MAAA,gE;MA6hCA,gD;QAeW,6B;;UA3hCS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0jCH,OA1jCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyjCzB,OAzjCC,C;UAA5C,aiBr5oBO,W;UjBs5oBP,kBAwjCmB,O;UAvjCnB,iD;YAAgB,cAAhB,0B;YACI,cAsjCwB,SAtjCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmjCP,yB;O;KAfJ,C;4FAkBA,yB;MAnjCA,gD;MAAA,gE;MAmjCA,gD;QAeW,6B;;UAjjCS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAolCH,OAplCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmlCzB,OAnlCC,C;UAA5C,aiBj6oBO,W;UjBk6oBP,kBAklCmB,O;UAjlCnB,iD;YAAgB,cAAhB,0B;YACI,cAglCwB,SAhlCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6kCP,yB;O;KAfJ,C;4FAkBA,yB;MA7kCA,gD;MAAA,gE;MA6kCA,gD;QAeW,6B;;UA3kCS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0mCH,OA1mCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAymCzB,OAzmCC,C;UAA5C,aiBr7oBO,W;UjBs7oBP,kBAwmCmB,O;UAvmCnB,iD;YAAgB,cAAhB,0B;YACI,cAsmCwB,SAtmCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmmCP,yB;O;KAfJ,C;4FAkBA,yB;MAnmCA,gD;MAAA,gE;MAmmCA,gD;QAeW,6B;;UAjmCS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAonCH,OApnCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmnCzB,OAnnCC,C;UAA5C,aiBj8oBO,W;UjBk8oBP,kBAknCmB,O;UAjnCnB,iD;YAAgB,cAAhB,0B;YACI,cAgnCwB,SAhnCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6mCP,yB;O;KAfJ,C;4FAkBA,yB;MA7mCA,gD;MAAA,gE;MA6mCA,gD;QAeW,6B;;UA3mCS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0oCH,OA1oCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyoCzB,OAzoCC,C;UAA5C,aiBr9oBO,W;UjBs9oBP,kBAwoCmB,O;UAvoCnB,iD;YAAgB,cAAhB,0B;YACI,cAsoCwB,SAtoCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmoCP,yB;O;KAfJ,C;4FAkBA,yB;MAnoCA,gD;MAAA,gE;MAmoCA,gD;QAeW,6B;;UAjoCS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAopCH,OAppCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmpCzB,OAnpCC,C;UAA5C,aiBj+oBO,W;UjBk+oBP,kBAkpCmB,O;UAjpCnB,iD;YAAgB,cAAhB,0B;YACI,cAgpCwB,SAhpCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6oCP,yB;O;KAfJ,C;4FAkBA,yB;MA7oCA,gD;MAAA,gE;MA6oCA,gD;QAeW,6B;;UA3oCS,Q;UAHhB,IApzYO,qBAAQ,CAozYf,C;YAAe,qBAAO,OA0qCH,OA1qCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyqCzB,OAzqCC,C;UAA5C,aiBr/oBO,W;UjBs/oBP,kBAwqCmB,O;UAvqCnB,iD;YAAgB,cAAhB,0B;YACI,cAsqCwB,SAtqCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmqCP,yB;O;KAfJ,C;4FAkBA,yB;MAnqCA,gD;MAAA,gE;MAmqCA,gD;QAeW,6B;;UAjqCS,Q;UAHhB,IAhzYO,qBAAQ,CAgzYf,C;YAAe,qBAAO,OAorCH,OAprCG,C;YAAP,uB;;UACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAmrCzB,OAnrCC,C;UAA5C,aiBjgpBO,W;UjBkgpBP,kBAkrCmB,O;UAjrCnB,iD;YAAgB,cAAhB,0B;YACI,cAgrCwB,SAhrCV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6qCP,yB;O;KAfJ,C;4FAkBA,yB;MA7qCA,gD;MAAA,gE;MA6qCA,gD;QAeW,6B;;UA3qCS,Q;UAHhB,IApzYO,qB

X,4BAAO,M;;;QAmtBP,gC;O;KAhBJ,C;gFAmBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB
;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MA
DhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAE
J,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q
ACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAg
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;M
AOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C
AAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAA
,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;M
ACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kF
AGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SA
AS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,
C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,
OAAO,G;O;KAVX,C;4FAaA,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,
wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;
MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C
AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;M
AClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAG
X,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SA
AS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QA
AgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAA
kB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;
K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QAClB,wBAAgB,SAAhB,gB;UA
AgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;gFAaA,+B;MAUo
B,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;
;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;
MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O
AAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,c
AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;
MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kF
AGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,
SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;
MAAA,sC;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UA
CI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;kFAgBA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBA
AgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;
MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT
,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,
C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;
K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAA
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;
MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;

MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAA,M;UACI,cAAO,SAAS,OAAT,CAAP,C

enB65qBnD,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAX,CAAhB,C;;QnB+5qBvD,OA
AO,G;O;KAdX,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBn
BymqB/B,CmBzmqB+B,CAAX,C;QnB0mqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96q
BmD,enB86qBnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAX,CAAhB,C;;QnBg7qBvD
,OAAO,G;O;KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBn
B0nqB/B,CmB1nqB+B,CAAX,C;QnB2nqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qB
mD,enB+7qBnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAX,CAAhB,C;;QnBi8qBvD,O
AAO,G;O;KAdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB
2oqB/B,CmB3oqB+B,CAAX,C;QnB4oqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBm
D,enBg9qBnD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAX,CAAhB,C;;QnBk9qBvD,O
AAO,G;O;KAdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB
4pqB/B,CmB5pqB+B,CAAX,C;QnB6pqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBj+qB
D,enBi+qBnD,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAX,CAAhB,C;;QnBm+qBvD,OA
AO,G;O;KAdX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6qqB6B6
qqB/B,CmB7qqB+B,CAAX,C;QnB8qqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBmD,
enBk/qBnD,GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAX,CAAhB,C;;QnBo/qBvD,OAAO,
G;O;KAdX,C;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB8B,
CmB9rqB+B,CAAX,C;QnB+rqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmg
rBnD,GmBngrB8D,KAAK,KnBmgrB5D,SAAS,OAAT,CmBngrBuE,KAAX,CAAhB,C;;QnBqgrBvD,OAAO,G;O;
KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MmBhtqBA,+B;MnBgtqBA,sC;QAWoB,Q;QADhB,UmB/sqBqC,eAAW,oBn
B+sqB/B,CmB/sqB+B,CAAX,C;QnBgtqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O
;UACI,MmBphrBmD,enBohrBnD,GmBphrB8D,KAAK,KnBohrB5D,SAAS,oBAAT,CmBphrBuE,KAAX,CAAhB,
C;;QnBsirBvD,OAAO,G;O;KAdX,C;IAiBA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,cAAA,
SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAzB,C;;;MAId,OAAO,0D;K;wFA
GX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB
,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAA
O,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAU
oB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;0FAoBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAUo

ACI,KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAjBX,C;IAoBA,+B;MAkGI,WkB3orBO,MAAO,KlB2orBG,gBkB3orBH,ElBgjrBH,KA2FkB,OkB3orBf,C;MlB4orBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,EAAO,CA9FO,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkB3prBO,MAAO,KlB2prBG,gBkB3prBH,ElB0jrBH,KAiGkB,OkB3prBf,C;MlB4prBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,EAAO,CApGO,EAAnB,KAoGqB,CAAM,CAAN,CApGF,CAoGrB,C;;MApGT,OAsGO,I;K;IAnGX,iC;MA8GI,WkB3rrBO,MAAO,KlB2rrBG,gBkB3rrBH,ElB8krBH,KA6GkB,OkB3rrBf,C;MlB4rrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,EAAO,CAhHO,EAAnB,KAgHqB,CAAM,CAAN,CAhHF,CAgHrB,C;;MAhHT,OAkHO,I;K;IA/GX,iC;MA0HI,WkB3trBO,MAAO,KlB2trBG,gBkB3trBH,ElBwlrBH,KAyHkB,OkB3trBf,C;MlB4trBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5HqB,GA4HP,UAAK,CAAL,EAAO,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MAsII,WkB3vrBO,MAAO,KlB2vrBG,gBkB3vrBH,ElBsnrBH,KAqIkB,OkB3vrBf,C;MlB4vrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,EAAO,CAxIO,EAAnB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,iC;MAkJI,WkB3xrBO,MAAO,KlB2xrBG,gBkB3xrBH,ElBonrBH,KAiJkB,OkB3xrBf,C;MlB4xrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApJqB,GAoJP,UAAK,CAAL,EAAO,CApJO,EAAnB,KAoJqB,CAAM,CAAN,CApJF,CAoJrB,C;;MApJT,OAsJO,I;K;IAnJX,iC;MA8JI,WkB3zrBO,MAAO,KlB2zrBG,gBkB3zrBH,ElBknrBH,KA6JkB,OkB3zrBf,C;MlB4zrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhKqB,GAgKP,UAAK,CAAL,EAAO,CAhKO,EAAnB,KAgKqB,CAAM,CAAN,CAhKF,CAgKrB,C;;MAhKT,OAkKO,I;K;IA/JX,iC;MA0KI,WkB31rBO,MAAO,KlB21rBG,gBkB31rBH,ElBwprBH,KAyKkB,OkB31rBf,C;MlB41rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5KqB,GA4KP,UAAK,CAAL,EAAO,CA5KO,EAAnB,KA4KqB,CAAM,CAAN,CA5KF,CA4KrB,C;;MA5KT,OA8KO,I;K;IA3KX,iC;MAsLI,WkB32rBO,MAAO,KlB22rBG,gBkB32rBH,ElBsrrBH,KAqLkB,OkB32rBf,C;MlB42rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxLqB,GAwLP,UAAK,CAAL,EAAO,CAxLO,EAAnB,KAwLqB,CAAM,CAAN,CAxLF,CAwLrB,C;;MAxLT,OA0LO,I;K;IAvLX,iC;MAkMI,WkB34rBO,MAAO,KlB24rBG,gBkB34rBH,ElBotrBH,KAiMkB,OkB34rBf,C;MlB44rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApMqB,GAoMP,UAAK,CAAL,EAAO,CApMO,EAAnB,KAoMqB,CAAM,CAAN,CApMF,CAoMrB,C;;MApMT,OAsMO,I;K;IAnMX,iC;MA8MI,WkB35rBO,MAAO,KlB25rBG,gBkB35rBH,ElBkvrBH,KA6MkB,OkB35rBf,C;MlB45rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhNqB,GAgNP,UAAK,CAAL,EAAO,CAhNO,EAAnB,KAgNqB,CAAM,CAAN,CAhNF,CAgNrB,C;;MAhNT,OAkNO,I;K;IA/MX,iC;MA0NI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwxrBH,KAyNkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5NqB,GA4NP,UAAK,CAAL,EAAO,CA5NO,EAAnB,KA4NqB,CAAM,CAAN,CA5NF,CA4NrB,C;;MA5NT,OA8NO,I;K;IA3NX,iC;MAsOI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBsxrBH,KAqOkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxOqB,GAwOP,UAAK,CAAL,EAAO,CAxOO,EAAnB,KAwOqB,CAAM,CAAN,CAxOF,CAwOrB,C;;MAxOT,OA0OO,I;K;IAvOX,iC;MAkPI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBoxrBH,KAiPkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApPqB,GAoPP,UAAK,CAAL,EAAO,CApPO,EAAnB,KAoPqB,CAAM,CAAN,CApPF,CAoPrB,C;;MApPT,OAsPO,I;K;IAnPX,iC;MA8PI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkxrBH,KA6PkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhQqB,GAgQP,UAAK,CAAL,EAAO,CAhQO,EAAnB,KAgQqB,CAAM,CAAN,CAhQF,CAgQrB,C;;MAhQT,OAkQO,I;K;IA/PX,iC;MA0QI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwwrBH,KAyQkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5QqB,GA4QP,UAAK,CAAL,EAAO,CA5QO,EAAnB,KA4QqB,CAAM,CAAN,CA5QF,CA4QrB,C;;MA5QT,OA8QO,I;K;IA3QX,iC;MAsRI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBswrBH,KAqRkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxRqB,GAwRP,UAAK,CAAL,EAAO,CAxRO,EAAnB,KAwRqB,CAAM,CAAN,CAxRF,CAwRrB,C;;MAxRT,OA0RO,I;K;IAvRX,iC;MAkSI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBovrBH,KAiSkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApSqB,GAoSP,UAAK,CAAL,EAAO,CApSO,EAAnB,KAoSqB,CAAM,CAAN,CApSF,CAoSrB,C;;MApST,OAsSO,I;K;IAnSX,iC;MA8SI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkvrBH,KA6SkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhTqB,GAgTP,UAAK,CAAL,EAAO,CAhTO,EAAnB,KAgTqB,CAAM,CAAN,CAhTF,CAgTrB,C;;MAhTT,OAkTO,I;K;IA/SX,iC;MA0TI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwurBH,KAyTkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5TqB,GA4TP,UAAK,CAAL,EAAO,CA5TO,EAAnB,KA4TqB,CAAM,CAAN,CA5TF,CA4TrB,C;;MA5TT,OA8TO,I;K;IA3TX,iC;MAsUI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBstrBH,KAqUkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxUqB,GAwUP,UAAK,CAAL,EAAO,CAxUO,EAAnB,KAwUqB,CAAM,CAAN,CAxUF,CAwUrB,C;;MAxUT,OA0UO,I;K;IAvUX,iC;MAkVI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBorrBH,KAiVkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApVqB,GAoVP,UAAK,CAAL,EAAO,CApVO,EAAnB,KAoVqB,CAAM,CAAN,CApVF,CAoVrB,C;;MApVT,OAsVO,I;K;IAnVX,iC;MA8VI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkrrBH,KA6VkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhWqB,GAgWP,UAAK,CAAL,EAAO,CAhWO,EAAnB,KAgWqB,CAAM,CAAN,CAhWF,CAgWrB,C;;MAhWT,OAkWO,I;K;IA/VX,iC;MA0WI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwsrBH,KAyWkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5WqB,GA4WP,UAAK,CAAL,EAAO,CA5WO,EAAnB,KA4WqB,CAAM,CAAN,CA5WF,CA4WrB,C;;MA5WT,OA8WO,I;K;IA3WX,iC;MAsXI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBstrBH,KAqXkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxXqB,GAwXP,UAAK,CAAL,EAAO,CAxXO,EAAnB,KAwXqB,CAAM,CAAN,CAxXF,CAwXrB,C;;MAxXT,OA0XO,I;K;IAvXX,iC;MAkYI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBotrBH,KAiYkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApYqB,GAoYP,UAAK,CAAL,EAAO,CApYO,EAAnB,KAoYqB,CAAM,CAAN,CApYF,CAoYrB,C;;MApYT,OAsYO,I;K;IAnYX,iC;MA8YI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkurBH,KA6YkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhZqB,GAgZP,UAAK,CAAL,EAAO,CAhZO,EAAnB,KAgZqB,CAAM,CAAN,CAhZF,CAgZrB,C;;MAhZT,OAkZO,I;K;IA/YX,iC;MA0ZI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwvrBH,KAyZkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5ZqB,GA4ZP,UAAK,CAAL,EAAO,CA5ZO,EAAnB,KA4ZqB,CAAM,CAAN,CA5ZF,CA4ZrB,C;;MA5ZT,OA8ZO,I;K;IA3ZX,iC;MAsaI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBswrBH,KAqakB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxaqB,GAwaP,UAAK,CAAL,EAAO,CAxaO,EAAnB,KAwaqB,CAAM,CAAN,CAxaF,CAwarB,C;;MAxaT,OA0aO,I;K;IAvaX,iC;MAkbI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBoxrBH,KAibkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApbqB,GAobP,UAAK,CAAL,EAAO,CApbO,EAAnB,KAobqB,CAAM,CAAN,CApbF,CAobrB,C;;MApbT,OAsbO,I;K;IAnbX,iC;MA8bI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkyrBH,KA6bkB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhcqB,GAgcP,UAAK,CAAL,EAAO,CAhcO,EAAnB,KAgcqB,CAAM,CAAN,CAhcF,CAgcrB,C;;MAhcT,OAkcO,I;K;IA/bX,iC;MA0cI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwzrBH,KAycoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5cqB,GA4cP,UAAK,CAAL,EAAO,CA5cO,EAAnB,KA4cqB,CAAM,CAAN,CA5cF,CA4crB,C;;MA5cT,OA8cO,I;K;IA3cX,iC;MAsdI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs0rBH,KAqdoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxdqB,GAwdP,UAAK,CAAL,EAAO,CAxdO,EAAnB,KAwdqB,CAAM,CAAN,CAxdF,CAwdrB,C;;MAxdT,OA0dO,I;K;IAvdX,iC;MAkeI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBo1rBH,KAieoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApeqB,GAoeP,UAAK,CAAL,EAAO,CApeO,EAAnB,KAoeqB,CAAM,CAAN,CApeF,CAoerB,C;;MApeT,OAseO,I;K;IAneX,iC;MA8eI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBk2rBH,KA6eoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhfqB,GAgfP,UAAK,CAAL,EAAO,CAhfO,EAAnB,KAgfqB,CAAM,CAAN,CAhfF,CAgfrB,C;;MAhfT,OAkfO,I;K;IA/eX,iC;MA0fI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBw3rBH,KAyfoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5fqB,GA4fP,UAAK,CAAL,EAAO,CA5fO,EAAnB,KA4fqB,CAAM,CAAN,CA5fF,CA4frB,C;;MA5fT,OA8fO,I;K;IA3fX,iC;MAshBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs5rBH,KAqhBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxhBqB,GAwhBP,UAAK,CAAL,EAAO,CAxhBO,EAAnB,KAwhBqB,CAAM,CAAN,CAxhBF,CAwhBrB,C;;MAxhBT,OA0hBO,I;K;IAvhBX,iC;MAkiBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBo6rBH,KAiiBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApiBqB,GAoiBP,UAAK,CAAL,EAAO,CApiBO,EAAnB,KAoiBqB,CAAM,CAAN,CApiBF,CAoiBrB,C;;MApiBT,OAsiBO,I;K;IAniBX,iC;MA8iBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBk7rBH,KA6iBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhjBqB,GAgjBP,UAAK,CAAL,EAAO,CAhjBO,EAAnB,KAgjBqB,CAAM,CAAN,CAhjBF,CAgjBrB,C;;MAhjBT,OAkjBO,I;K;IA/iBX,iC;MA0jBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBw8rBH,KAyjBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5jBqB,GA4jBP,UAAK,CAAL,EAAO,CA5jBO,EAAnB,KA4jBqB,CAAM,CAAN,CA5jBF,CA4jBrB,C;;MA5jBT,OA8jBO,I;K;IA3jBX,iC;MAskBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs9rBH,KAqkBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxkBqB,GAwkBP,UAAK,CAAL,EAAO,CAxkBO,EAAnB,KAwkBqB,CAAM,CAAN,CAxkBF,CAwkBrB,C;;MAxkBT,OA0kBO,I;K;IAvkBX,iC;MAklBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBo+rBH,KAillBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAplBqB,GAolBP,UAAK,CAAL,EAAO,CAplBO,EAAnB,KAolBqB,CAAM,CAAN,CAplBF,CAolBrB,C;;MAplBT,OAslBO,I;K;IAnlBX,iC;MA8lBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBk/rBH,KA6lBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhmBqB,GAgmBP,UAAK,CAAL,EAAO,CAhmBO,EAAnB,KAgmBqB,CAAM,CAAN,CAhmBF,CAgmBrB,C;;MAhmBT,OAkmBO,I;K;IA/lBX,iC;MA0mBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwggBH,KAymBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5mBqB,GA4mBP,UAAK,CAAL,EAAO,CA5mBO,EAAnB,KA4mBqB,CAAM,CAAN,CA5mBF,CA4mBrB,C;;MA5mBT,OA8mBO,I;K;IA3mBX,iC;MAsnBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBshgBH,KAqnBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxnBqB,GAwnBP,UAAK,CAAL,EAAO,CAxnBO,EAAnB,KAwnBqB,CAAM,CAAN,CAxnBF,CAwnBrB,C;;MAxnBT,OA0nBO,I;K;IAvnBX,iC;MAkoBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBoigBH,KAioBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApoBqB,GAooBP,UAAK,CAAL,EAAO,CApoBO,EAAnB,KAooBqB,CAAM,CAAN,CApoBF,CAooBrB,C;;MApoBT,OAsoBO,I;K;IAnoBX,iC;MA8oBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkjgBH,KA6oBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhpBqB,GAgpBP,UAAK,CAAL,EAAO,CAhpBO,EAAnB,KAgpBqB,CAAM,CAAN,CAhpBF,CAgpBrB,C;;MAhpBT,OAkpBO,I;K;IA/oBX,iC;MA0pBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwkgBH,KAypBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5pBqB,GA4pBP,UAAK,CAAL,EAAO,CA5pBO,EAAnB,KA4pBqB,CAAM,CAAN,CA5pBF,CA4pBrB,C;;MA5pBT,OA8pBO,I;K;IA3pBX,iC;MAsqBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBslgBH,KAqqBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxqBqB,GAwqBP,UAAK,CAAL,EAAO,CAxqBO,EAAnB,KAwqBqB,CAAM,CAAN,CAxqBF,CAwqBrB,C;;MAxqBT,OA0qBO,I;K;IAvqBX,iC;MAkrBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBomgBH,KAirBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAprBqB,GAorBP,UAAK,CAAL,EAAO,CAprBO,EAAnB,KAorBqB,CAAM,CAAN,CAprBF,CAorBrB,C;;MAprBT,OAsrBO,I;K;IAnrBX,iC;MA8rBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBknBH,KA6rBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhsBqB,GAgsBP,UAAK,CAAL,EAAO,CAhsBO,EAAnB,KAgsBqB,CAAM,CAAN,CAhsBF,CAgsBrB,C;;MAhsBT,OAksBO,I;K;IA/rBX,iC;MA0sBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwnBH,KAysBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5sBqB,GA4sBP,UAAK,CAAL,EAAO,CA5sBO,EAAnB,KA4sBqB,CAAM,CAAN,CA5sBF,CA4sBrB,C;;MA5sBT,OA8sBO,I;K;IA3sBX,iC;MAstBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBsoBH,KAqtBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxtBqB,GAwtBP,UAAK,CAAL,EAAO,CAxtBO,EAAnB,KAwtBqB,CAAM,CAAN,CAxtBF,CAwtBrB,C;;MAxtBT,OA0tBO,I;K;IAvtBX,iC;MAkuBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBopBH,KAiuBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApuBqB,GAouBP,UAAK,CAAL,EAAO,CApuBO,EAAnB,KAouBqB,CAAM,CAAN,CApuBF,CAouBrB,C;;MApuBT,OAsuBO,I;K;IAnuBX,iC;MA8uBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkqBH,KA6uBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhvBqB,GAgvBP,UAAK,CAAL,EAAO,CAhvBO,EAAnB,KAgvBqB,CAAM,CAAN,CAhvBF,CAgvBrB,C;;MAhvBT,OAkvBO,I;K;IA/uBX,iC;MA0vBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwrBH,KAyvBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5vBqB,GA4vBP,UAAK,CAAL,EAAO,CA5vBO,EAAnB,KA4vBqB,CAAM,CAAN,CA5vBF,CA4vBrB,C;;MA5vBT,OA8vBO,I;K;IA3vBX,iC;MAswBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBssBH,KAqwBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxwBqB,GAwwBP,UAAK,CAAL,EAAO,CAxwBO,EAAnB,KAwwBqB,CAAM,CAAN,CAxwBF,CAwwBrB,C;;MAxwBT,OA0wBO,I;K;IAvwBX,iC;MAkxBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBotBH,KAixBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WApxBqB,GAoxBP,UAAK,CAAL,EAAO,CApxBO,EAAnB,KAoxBqB,CAAM,CAAN,CApxBF,CAoxBrB,C;;MApxBT,OAsxBO,I;K;IAnxBX,iC;MA8xBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkuBH,KA6xBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAhyBqB,GAgyBP,UAAK,CAAL,EAAO,CAhyBO,EAAnB,KAgyBqB,CAAM,CAAN,CAhyBF,CAgyBrB,C;;MAhyBT,OAkyBO,I;K;IA/xBX,iC;MA0yBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBwvBH,KAyyBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA5yBqB,GA4yBP,UAAK,CAAL,EAAO,CA5yBO,EAAnB,KA4yBqB,CAAM,CAAN,CA5yBF,CA4yBrB,C;;MA5yBT,OA8yBO,I;K;IA3yBX,iC;MAszBI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBsxBH,KAqzBoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAxzBqB,GAwzBP,UAAK,CAAL,EAAO,CAxzBO,EAAnB,KAwzBqB,CAAM,CAAN,CAxzBF,CAwzBrB,C;;MAxzBT,OA0zBO,I;K;IAvzBX,iC;MAk0BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBozBH,KAi0BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAp0BqB,GAo0BP,UAAK,CAAL,EAAO,CAp0BO,EAAnB,KAo0BqB,CAAM,CAAN,CAp0BF,CAo0BrB,C;;MAp0BT,OAs0BO,I;K;IAn0BX,iC;MA80BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBk1BH,KA60BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAh1BqB,GAg1BP,UAAK,CAAL,EAAO,CAh1BO,EAAnB,KAg1BqB,CAAM,CAAN,CAh1BF,CAg1BrB,C;;MAh1BT,OAk1BO,I;K;IA/0BX,iC;MA01BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBw2BH,KAy1BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA51BqB,GA41BP,UAAK,CAAL,EAAO,CA51BO,EAAnB,KA41BqB,CAAM,CAAN,CA51BF,CA41BrB,C;;MA51BT,OA81BO,I;K;IA31BX,iC;MAs2BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs3BH,KAq2BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAx2BqB,GAw2BP,UAAK,CAAL,EAAO,CAx2BO,EAAnB,KAw2BqB,CAAM,CAAN,CAx2BF,CAw2BrB,C;;MAx2BT,OA02BO,I;K;IAv2BX,iC;MAk3BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBo4BH,KAi3BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAp3BqB,GAo3BP,UAAK,CAAL,EAAO,CAp3BO,EAAnB,KAo3BqB,CAAM,CAAN,CAp3BF,CAo3BrB,C;;MAp3BT,OAs3BO,I;K;IAn3BX,iC;MA83BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBk5BH,KA63BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAh4BqB,GAg4BP,UAAK,CAAL,EAAO,CAh4BO,EAAnB,KAg4BqB,CAAM,CAAN,CAh4BF,CAg4BrB,C;;MAh4BT,OAk4BO,I;K;IA/3BX,iC;MA05BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBw6BH,KAy4BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA55BqB,GA45BP,UAAK,CAAL,EAAO,CA55BO,EAAnB,KA45BqB,CAAM,CAAN,CA55BF,CA45BrB,C;;MA55BT,OA85BO,I;K;IA35BX,iC;MAs6BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBs8BH,KAq6BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAx6BqB,GAw6BP,UAAK,CAAL,EAAO,CAx6BO,EAAnB,KAw6BqB,CAAM,CAAN,CAx6BF,CAw6BrB,C;;MAx6BT,OA06BO,I;K;IAv6BX,iC;MAk7BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBo+BH,KAi7BoB,OkB37rBf,C;MlB47rBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WAp7BqB,GAo7BP,UAAK,CAAL,EAAO,CAp7BO,EAAnB,KAo7BqB,CAAM,CAAN,CAp7BF,CAo7BrB,C;;MAp7BT,OAs7BO,I;K;IAn7BX,iC;MA87BI,WkB37rBO,MAAO,KlB27rBG,gBkB37rBH,ElBkgCH,K

K,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBzwrBA,iB;MlBywrBA,8C;QAQI,WkB3wrBO,MAAO,KlB2wrBG,gBkB3wrBH,ElB2wrBS,KAAM,OkB3wrBf,C;QlB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,kC;MAqGoB,gB;MAHhB,gBAAgB,gB;MAChB,WAAW,iBkBt3rBJ,MAAO,KlBs3rBsB,wBA5FzB,KA4FyB,EAAwB,EAAxB,CkBt3rBtB,ElBs3rBmD,SkBt3rBnD,ClBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAAhGqB,EAAwB,EAAxB,CkBx4rBtB,ElBw4rBmD,SkBx4rBnD,ClBw4rBH,C;MACX,QAAQ,C;MACQ,OAtGL,KAsGK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB

BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,ClB05rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBz6rBA,iB;MlBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB56rBJ,MAAO,KlB46rBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,ClB46rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB37rBA,iB;MlB27rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB97rBJ,MAAO,KlB87rBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,ClB87rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr9rBA,iB;MlBq9rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBx9rBJ,MAAO,KlBw9rBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBx9rBtB,ElBw9rBmD,SkBx9rBnD,ClBw9rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB/+rBA,iB;MlB++rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBl/rBJ,MAAO,KlBk/rBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBl/rBtB,ElBk/rBmD,SkBl/rBnD,ClBk/rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBzhsBA,iB;MlByhsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB5hsBJ,MAAO,KlB4hsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB5hsBtB,ElB4hsBmD,SkB5hsBnD,ClB4hsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBnksBA,iB;MlBmksBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBtksBJ,MAAO,KlBsksBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBtksBtB,ElBsksBmD,SkBtksBnD,ClBsksBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB7msBA,iB;MlB6msBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBhnsBJ,MAAO,KlBgnsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBhnsBtB,ElBgnsBmD,SkBhnsBnD,ClBgnsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvosBA,iB;MlBuosBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1osBJ,MAAO,KlB0osBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1osBtB,ElB0osBmD,SkB1osBnD,ClB0osBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjqsBA,iB;MlBiqsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpqsBJ,MAAO,KlBoqsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpqsBtB,ElBoqsBmD,SkBpqsBnD,ClBoqsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3rsBA,iB;MlB2rsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9rsBJ,MAAO,KlB8rsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9rsBtB,ElB8rsBmD,SkB9rsBnD,ClB8rsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvtsBA,iB;MlButsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1tsBJ,MAAO,KlB0tsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1tsBtB,ElB0tsBmD,SkB1tsBnD,ClB0tsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjvsBA,iB;MlBivsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpvsBJ,MAAO,KlBovsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpvsBtB,ElBovsBmD,SkBpvsBnD,ClBovsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3wsBA,iB;MlB2wsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9wsBJ,MAAO,KlB8wsBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9wsBtB,ElB8wsBmD,SkB9wsBnD,ClB8wsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvysBA,iB;MlBuysBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1ysBJ,MAAO,KlB0ysBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1ysBtB,ElB0ysBmD,SkB1ysBnD,ClB0ysBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBj0sBA,iB;MlBi0sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBp0sBJ,MAAO,KlBo0sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBp0sBtB,ElBo0sBmD,SkBp0sBnD,ClBo0sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB31sBA,iB;MlB21sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB91sBJ,MAAO,KlB81sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB91sBtB,ElB81sBmD,SkB91sBnD,ClB81sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBv3sBA,iB;MlBu3sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB13sBJ,MAAO,KlB03sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB13sBtB,ElB03sBmD,SkB13sBnD,ClB03sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBj5sBA,iB;MlBi5sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBp5sBJ,MAAO,KlBo5sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBp5sBtB,ElBo5sBmD,SkBp5sBnD,ClBo5sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB37sBA,iB;MlB27sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB97sBJ,MAAO,KlB87sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97sBtB,ElB87sBmD,SkB97sBnD,ClB87sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr9sBA,iB;MlBq9sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBx9sBJ,MAAO,KlBw9sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBx9sBtB,ElBw9sBmD,SkBx9sBnD,ClBw9sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB/+sBA,iB;MlB++sBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBl/sBJ,MAAO,KlBk/sBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBl/sBtB,ElBk/sBmD,SkBl/sBnD,ClBk/sBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBzhtBA,iB;MlByhtBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB5htBJ,MAAO,KlB4htBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB5htBtB,ElB4htBmD,SkB5htBnD,ClB4htBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBnitBA,iB;MlBmitBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBtitBJ,MAAO,KlBsitBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBtitBtB,ElBsitBmD,SkBtitBnD,ClBsitBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB7jtBA,iB;MlB6jtBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBhktBJ,MAAO,KlBgktBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBhktBtB,ElBgktBmD,SkBhktBnD,ClBgktBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvltBA,iB;MlBultBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1ltBJ,MAAO,KlB0ltBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1ltBtB,ElB0ltBmD,SkB1ltBnD,ClB0ltBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjntBA,iB;MlBintBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpntBJ,MAAO,KlBontBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpntBtB,ElBontBmD,SkBpntBnD,ClBontBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3ptBA,iB;MlB2ptBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9ptBJ,MAAO,KlB8ptBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9ptBtB,ElB8ptBmD,SkB9ptBnD,ClB8ptBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvrtBA,iB;MlBurtBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1rtBJ,MAAO,KlB0rtBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1rtBtB,ElB0rtBmD,SkB1rtBnD,ClB0rtBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjttBA,iB;MlBittBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpttBJ,MAAO,KlBottBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpttBtB,ElBottBmD,SkBpttBnD,ClBottBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3vtBA,iB;MlB2vtBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9vtBJ,MAAO,KlB8vtBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9vtBtB,ElB8vtBmD,SkB9vtBnD,ClB8vtBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvxtBA,iB;MlBuxtBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1xtBJ,MAAO,KlB0xtBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1xtBtB,ElB0xtBmD,SkB1xtBnD,ClB0xtBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjztBA,iB;MlBiztBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpztBJ,MAAO,KlBoztBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpztBtB,ElBoztBmD,SkBpztBnD,ClBoztBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB31tBA,iB;MlB21tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB91tBJ,MAAO,KlB81tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB91tBtB,ElB81tBmD,SkB91tBnD,ClB81tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBr3tBA,iB;MlBq3tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBx3tBJ,MAAO,KlBw3tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBx3tBtB,ElBw3tBmD,SkBx3tBnD,ClBw3tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB/4tBA,iB;MlB+4tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBl5tBJ,MAAO,KlBk5tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBl5tBtB,ElBk5tBmD,SkBl5tBnD,ClBk5tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBz6tBA,iB;MlBy6tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB56tBJ,MAAO,KlB46tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56tBtB,ElB46tBmD,SkB56tBnD,ClB46tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBn8tBA,iB;MlBm8tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBt8tBJ,MAAO,KlBs8tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBt8tBtB,ElBs8tBmD,SkBt8tBnD,ClBs8tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB7+tBA,iB;MlB6+tBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBh/tBJ,MAAO,KlBg/tBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBh/tBtB,ElBg/tBmD,SkBh/tBnD,ClBg/tBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvguBA,iB;MlBuguBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1guBJ,MAAO,KlB0guBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1guBtB,ElB0guBmD,SkB1guBnD,ClB0guBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjiuBA,iB;MlBiiuBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpiuBJ,MAAO,KlBoiuBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpiuBtB,ElBoiuBmD,SkBpiuBnD,ClBoiuBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3juBA,iB;MlB2juBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9juBJ,MAAO,KlB8juBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9juBtB,ElB8juBmD,SkB9juBnD,ClB8juBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvluBA,iB;MlBuluBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1luBJ,MAAO,KlB0luBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1luBtB,ElB0luBmD,SkB1luBnD,ClB0luBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjouBA,iB;MlBiouBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpouBJ,MAAO,KlBoouBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpouBtB,ElBoouBmD,SkBpouBnD,ClBoouBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkB3puBA,iB;MlB2puBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB9puBJ,MAAO,KlB8puBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB9puBtB,ElB8puBmD,SkB9puBnD,ClB8puBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBvquBA,iB;MlBuquBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekB1quBJ,MAAO,KlB0quBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB1quBtB,ElB0quBmD,SkB1quBnD,ClB0quBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAfX,C;+EAkBA,yB;MAAA,kF;MAAA,gE;MkBjsuBA,iB;MlBisuBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QAChB,WAAW,ekBpsuBJ,MAAO,KlBosuBA,sBsB,wBAAN,KAAM,EAAwB,EAAxB,CkBpsuBtB,ElBosuBmD,SkBpsuBnD,ClBosuBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I

Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAlB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgIO,I;K;+EA7HX,yB;MAAA,gE;MkBrmsBA,iB;MlBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KlBumsBG,gBkBvmsBH,ElBumsBS,KAAM,OkBvmsBf,C;QlBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrnsBA,iB;MlBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KlBunsBG,gBkBvnsBH,ElBunsBS,KAAM,OkBvnsBf,C;QlBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrosBA,iB;MlBqosBA,8C;QAQI,WkBvosBO,MAAO,KlBuosBG,gBkBvosBH,ElBuosBS,KAAM,OkBvosBf,C;QlBwosBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrpsBA,iB;MlBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KlBupsBG,gBkBvpsBH,ElBupsBS,KAAM,OkBvpsBf,C;QlBwpsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA,iB;MlBqqsBA,8C;QAQI,WkBvqsBO,MAAO,KlBuqsBG,gBkBvqsBH,ElBuqsBS,KAAM,OkBvqsBf,C;QlBwqsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrrsBA,iB;MlBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KlBursBG,gBkBvrsBH,ElBursBS,KAAM,OkBvrsBf,C;QlBwrsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;MlBqssBA,8C;QAQI,WkBvssBO,MAAO,KlBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QlBwssBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrtsBA,iB;MlBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KlButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QlBwtsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrusBA,iB;MlBqusBA,8C;QAQI,WkBvusBO,MAAO,KlBuusBG,gBkBvusBH,ElBuusBS,KAAM,OkBvusBf,C;QlBwusBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrvsBA,iB;MlBqvsBA,8C;QAQI,WkBvvsBO,MAAO,KlBuvsBG,gBkBvvsBH,ElBuvsBS,KAAM,OkBvvsBf,C;QlBwvsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrwsBA,iB;MlBqwsBA,8C;QAQI,WkBvwsBO,MAAO,KlBuwsBG,gBkBvwsBH,ElBuwsBS,KAAM,OkBvwsBf,C;QlBwwsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrxsBA,iB;MlBqxsBA,8C;QAQI,WkBvxsBO,MAAO,KlBuxsBG,gBkBvxsBH,ElBuxsBS,KAAM,OkBvxsBf,C;QlBwxsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrysBA,iB;MlBqysBA,8C;QAQI,WkBvysBO,MAAO,KlBuysBG,gBkBvysBH,ElBuysBS,KAAM,OkBvysBf,C;QlBwysBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrzsBA,iB;MlBqzsBA,8C;QAQI,WkBvzsBO,MAAO,KlBuzsBG,gBkBvzsBH,ElBuzsBS,KAAM,OkBvzsBf,C;QlBwzsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr0sBA,iB;MlBq0sBA,8C;QAQI,WkBv0sBO,MAAO,KlBu0sBG,gBkBv0sBH,ElBu0sBS,KAAM,OkBv0sBf,C;QlBw0sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr1sBA,iB;MlBq1sBA,8C;QAQI,WkBv1sBO,MAAO,KlBu1sBG,gBkBv1sBH,ElBu1sBS,KAAM,OkBv1sBf,C;QlBw1sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr2sBA,iB;MlBq2sBA,8C;QAQI,WkBv2sBO,MAAO,KlBu2sBG,gBkBv2sBH,ElBu2sBS,KAAM,OkBv2sBf,C;QlBw2sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr3sBA,iB;MlBq3sBA,8C;QAQI,WkBv3sBO,MAAO,KlBu3sBG,gBkBv3sBH,ElBu3sBS,KAAM,OkBv3sBf,C;QlBw3sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr4sBA,iB;MlBq4sBA,8C;QAQI,WkBv4sBO,MAAO,KlBu4sBG,gBkBv4sBH,ElBu4sBS,KAAM,OkBv4sBf,C;QlBw4sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr5sBA,iB;MlBq5sBA,8C;QAQI,WkBv5sBO,MAAO,KlBu5sBG,gBkBv5sBH,ElBu5sBS,KAAM,OkBv5sBf,C;QlBw5sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr6sBA,iB;MlBq6sBA,8C;QAQI,WkBv6sBO,MAAO,KlBu6sBG,gBkBv6sBH,ElBu6sBS,KAAM,OkBv6sBf,C;QlBw6sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr7sBA,iB;MlBq7sBA,8C;QAQI,WkBv7sBO,MAAO,KlBu7sBG,gBkBv7sBH,ElBu7sBS,KAAM,OkBv7sBf,C;QlBw7sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr8sBA,iB;MlBq8sBA,8C;QAQI,WkBv8sBO,MAAO,KlBu8sBG,gBkBv8sBH,ElBu8sBS,KAAM,OkBv8sBf,C;QlBw8sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr9sBA,iB;MlBq9sBA,8C;QAQI,WkBv9sBO,MAAO,KlBu9sBG,gBkBv9sBH,ElBu9sBS,KAAM,OkBv9sBf,C;QlBw9sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr+sBA,iB;MlBq+sBA,8C;QAQI,WkBv+sBO,MAAO,KlBu+sBG,gBkBv+sBH,ElBu+sBS,KAAM,OkBv+sBf,C;QlBw+sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr/sBA,iB;MlBq/sBA,8C;QAQI,WkBv/sBO,MAAO,KlBu/sBG,gBkBv/sBH,ElBu/sBS,KAAM,OkBv/sBf,C;QlBw/sBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrgtBA,iB;MlBqgtBA,8C;QAQI,WkBvgtBO,MAAO,KlBugtBG,gBkBvgtBH,ElBugtBS,KAAM,OkBvgtBf,C;QlBwgtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrhtBA,iB;MlBqhtBA,8C;QAQI,WkBvhtBO,MAAO,KlBuhtBG,gBkBvhtBH,ElBuhtBS,KAAM,OkBvhtBf,C;QlBwhtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBritBA,iB;MlBqitBA,8C;QAQI,WkBvitBO,MAAO,KlBuitBG,gBkBvitBH,ElBuitBS,KAAM,OkBvitBf,C;QlBwitBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrjtBA,iB;MlBqjtBA,8C;QAQI,WkBvjtBO,MAAO,KlBujtBG,gBkBvjtBH,ElBujtBS,KAAM,OkBvjtBf,C;QlBwjtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrktBA,iB;MlBqktBA,8C;QAQI,WkBvktBO,MAAO,KlBuktBG,gBkBvktBH,ElBuktBS,KAAM,OkBvktBf,C;QlBwktBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrltBA,iB;MlBqltBA,8C;QAQI,WkBvltBO,MAAO,KlBultBG,gBkBvltBH,ElBultBS,KAAM,OkBvltBf,C;QlBwltBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrmtBA,iB;MlBqmtBA,8C;QAQI,WkBvmtBO,MAAO,KlBumtBG,gBkBvmtBH,ElBumtBS,KAAM,OkBvmtBf,C;QlBwmtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrntBA,iB;MlBqntBA,8C;QAQI,WkBvntBO,MAAO,KlBuntBG,gBkBvntBH,ElBuntBS,KAAM,OkBvntBf,C;QlBwntBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrotBA,iB;MlBqotBA,8C;QAQI,WkBvotBO,MAAO,KlBuotBG,gBkBvotBH,ElBuotBS,KAAM,OkBvotBf,C;QlBwotBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrptBA,iB;MlBqptBA,8C;QAQI,WkBvptBO,MAAO,KlBuptBG,gBkBvptBH,ElBuptBS,KAAM,OkBvptBf,C;QlBwptBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqtBA,iB;MlBqqtBA,8C;QAQI,WkBvqtBO,MAAO,KlBuqtBG,gBkBvqtBH,ElBuqtBS,KAAM,OkBvqtBf,C;QlBwqtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrrtBA,iB;MlBqrtBA,8C;QAQI,WkBvrtBO,MAAO,KlBurtBG,gBkBvrtBH,ElBurtBS,KAAM,OkBvrtBf,C;QlBwrtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrstBA,iB;MlBqstBA,8C;QAQI,WkBvstBO,MAAO,KlBustBG,gBkBvstBH,ElBustBS,KAAM,OkBvstBf,C;QlBwstBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrttBA,iB;MlBqttBA,8C;QAQI,WkBvttBO,MAAO,KlButtBG,gBkBvttBH,ElButtBS,KAAM,OkBvttBf,C;QlBwttBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrutBA,iB;MlBqutBA,8C;QAQI,WkBvutBO,MAAO,KlBuutBG,gBkBvutBH,ElBuutBS,KAAM,OkBvutBf,C;QlBwutBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrvtBA,iB;MlBqvtBA,8C;QAQI,WkBvvtBO,MAAO,KlBuvtBG,gBkBvvtBH,ElBuvtBS,KAAM,OkBvvtBf,C;QlBwvtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrwtBA,iB;MlBqwtBA,8C;QAQI,WkBvwtBO,MAAO,KlBuwtBG,gBkBvwtBH,ElBuwtBS,KAAM,OkBvwtBf,C;QlBwwtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrxtBA,iB;MlBqxtBA,8C;QAQI,WkBvxtBO,MAAO,KlBuxtBG,gBkBvxtBH,ElBuxtBS,KAAM,OkBvxtBf,C;QlBwxtBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrytBA,iB;MlBqytBA,8C;QAQI,WkBvytBO,MAAO,KlBuytBG,gBkBvytBH,ElBuytBS,KAAM,OkBvytBf,C;QlBwytBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrztBA,iB;MlBqztBA,8C;QAQI,WkBvztBO,MAAO,KlBuztBG,gBkBvztBH,ElBuztBS,KAAM,OkBvztBf,C;QlBwztBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr0tBA,iB;MlBq0tBA,8C;QAQI,WkBv0tBO,MAAO,KlBu0tBG,gBkBv0tBH,ElBu0tBS,KAAM,OkBv0tBf,C;QlBw0tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr1tBA,iB;MlBq1tBA,8C;QAQI,WkBv1tBO,MAAO,KlBu1tBG,gBkBv1tBH,ElBu1tBS,KAAM,OkBv1tBf,C;QlBw1tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr2tBA,iB;MlBq2tBA,8C;QAQI,WkBv2tBO,MAAO,KlBu2tBG,gBkBv2tBH,ElBu2tBS,KAAM,OkBv2tBf,C;QlBw2tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr3tBA,iB;MlBq3tBA,8C;QAQI,WkBv3tBO,MAAO,KlBu3tBG,gBkBv3tBH,ElBu3tBS,KAAM,OkBv3tBf,C;QlBw3tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr4tBA,iB;MlBq4tBA,8C;QAQI,WkBv4tBO,MAAO,KlBu4tBG,gBkBv4tBH,ElBu4tBS,KAAM,OkBv4tBf,C;QlBw4tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr5tBA,iB;MlBq5tBA,8C;QAQI,WkBv5tBO,MAAO,KlBu5tBG,gBkBv5tBH,ElBu5tBS,KAAM,OkBv5tBf,C;QlBw5tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr6tBA,iB;MlBq6tBA,8C;QAQI,WkBv6tBO,MAAO,KlBu6tBG,gBkBv6tBH,ElBu6tBS,KAAM,OkBv6tBf,C;QlBw6tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr7tBA,iB;MlBq7tBA,8C;QAQI,WkBv7tBO,MAAO,KlBu7tBG,gBkBv7tBH,ElBu7tBS,KAAM,OkBv7tBf,C;QlBw7tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr8tBA,iB;MlBq8tBA,8C;QAQI,WkBv8tBO,MAAO,KlBu8tBG,gBkBv8tBH,ElBu8tBS,KAAM,OkBv8tBf,C;QlBw8tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr9tBA,iB;MlBq9tBA,8C;QAQI,WkBv9tBO,MAAO,KlBu9tBG,gBkBv9tBH,ElBu9tBS,KAAM,OkBv9tBf,C;QlBw9tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr+tBA,iB;MlBq+tBA,8C;QAQI,WkBv+tBO,MAAO,KlBu+tBG,gBkBv+tBH,ElBu+tBS,KAAM,OkBv+tBf,C;QlBw+tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr/tBA,iB;MlBq/tBA,8C;QAQI,WkBv/tBO,MAAO,KlBu/tBG,gBkBv/tBH,ElBu/tBS,KAAM,OkBv/tBf,C;QlBw/tBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrguBA,iB;MlBqguBA,8C;QAQI,WkBvguBO,MAAO,KlBuguBG,gBkBvguBH,ElBuguBS,KAAM,OkBvguBf,C;QlBwguBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrhuBA,iB;MlBqhuBA,8C;QAQI,WkBvhuBO,MAAO,KlBuhuBG,gBkBvhuBH,ElBuhuBS,KAAM,OkBvhuBf,C;QlBwhuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBriuBA,iB;MlBqiuBA,8C;QAQI,WkBviuBO,MAAO,KlBuiuBG,gBkBviuBH,ElBuiuBS,KAAM,OkBviuBf,C;QlBwiuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrjuBA,iB;MlBqjuBA,8C;QAQI,WkBvjuBO,MAAO,KlBujuBG,gBkBvjuBH,ElBujuBS,KAAM,OkBvjuBf,C;QlBwjuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrkuBA,iB;MlBqkuBA,8C;QAQI,WkBvkuBO,MAAO,KlBukuBG,gBkBvkuBH,ElBukuBS,KAAM,OkBvkuBf,C;QlBwkuBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrluBA,iB;MlBqluBA,8C;QAQI,WkBvluBO,MAAO,KlBuluBG,gBkBvluBH,ElBuluBS,KAAM,OkBvluBf,C;QlBwluBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAsB,CAAtB,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBr

OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,iBAAJ,C;YACI,MAAO,gBAAO,UAAP,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAJ,C;QACI,MAAO,gBAAO,SAAP,C;MACxB,IAAI,QAAQ,CAAR,IAAa,iBAAJ,C;QACI,MAAO,gBAAO,UAAP,OAAV,CAAP,C;;QAEP,MAAO,gBAAO,OAAQ,WAAf,C;;MACR,K;;IAE

E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAChN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQoC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YAAyC,I;MAClN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQqC,yB;QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI ,yB;QAAA,YA0B,K;MAAO,yB;QAAA,YA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC, MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAG5F,4F;MAQkC,yB; QAAA,YA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y B;QAAA,YA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SA3D,EAAsE,SAAtE,CAAiF,W;K;IAQxE,4C;MAAA,mB;Q AAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,4BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO ,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAklef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,B,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO

gB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCA
AO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB
,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAA
O,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO
,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,I
AAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IA
AvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACjB,wBAAgB,SAA
hB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAA
vB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,S
AAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,
gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MA
Cf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMo
B,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G
;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA
AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,SAAhB,gB;QAAgB,cA
AA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAA
O,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,O
AAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKoB,Q;MADhB,UAAkB,G;MAClB,wBAAgB,S
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,q
B;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BA0B,iDAA8C,aAA9C,MA1B,C;O;
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;;MA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M
ACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i
D;QAOI,OAAW,SAAS,CAAT,IAAc,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K
APjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAY,YAAL,SAAK,EAAU,KAAV,C;MAChB,IAA
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAAY,UAAL,SAAK,EAAU,KAAV,C;MAChB,IAAI

AAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAAb,wB,SAAa,X,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;;UAGR,8BAAO,I;;;QAlBX,iBAkBI,kC;QAlBJ,iB;UAmBQ,iC;UAAA,mC,MAAA,gCAAuB,mEAAvB,C;;;QAAA,iDAAuB,Q;MAAvB,2B;MAAA,2B;MAAA,2B;MAAA

aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAyB,iCAAzB,C;;MAHlB,W;K;qFAOJ,yB;MA
AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,
2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA
AM,8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCA
AuB,wDAAvB,C;QAElB,OAAO,6E;O;KAfX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C
AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;;QAE1C,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO
,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OA
AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB
,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K
AAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA
CnB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C
;QACI,cMmoBc,sD;QNloBd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MMmoBV,IAAI,MAAK,CAAT,C;QAAY,OA
AO,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAlB,C;UACI,
OAAO,W;QACX,IAAI,eAAc,CAAlB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,I
AAI,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,C
AAJ,C;;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;;UAEb,OAAO,I;;
;QAIX,OAAO,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UA
AgB,IAAK,WAAI,MAAJ,C;;UAAe,qB;;MAExC,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MNnqBI,EM2q
BI,KAAK,CN3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MM0qBV,OAAO,
kBAAgB,gBAAV,IAAU,OAAV,CAAP,IAAU,EAAc,CAAd,IAAc,CAAd,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,u
C;QAMI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YAAgB,OAAO,I;
UACvB,IAAI,CAAC,UAAU,CAAf,C;YAAkB,OAAO,gBAAK,CAAL,C;UACzB,OAAO,KAAP,C;;QAEJ,OAAO,I;
MAEX,gC;QAAA,yB;QAAA,sC;QAAA,uC;QAAA,uC;QAAA,u

W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAY,OAAO,OAAO,mBAAP,C;;MAEvB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAY,qBAAL,IAAK,C;K;IAGhB,kC;MAEqC,IAAGhB,I;MNt3BjB,IAAI,EM42BI,KAAK,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MM22BV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACA,IAAK,WAAI,sBAAK,CAAL,C;QACL,IAAI,mBAAJ,C;UAAa,OAAO,CAAP,IAAO,C;QACpB

Z,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAyEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UbpkBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;;Qa0fA,OA4EO,W;O;KAxFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA5BoC,WA4BhC,CAAY,OAAZ,CAAqB,EAAJ,EAAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAqB,EAAJ,EAAA0B,OAA1B,C;;QA9BhB,OAgCO,W;O;KA5CX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAqB,EAAJ,EAAA0B,OAA1B,C;;QA9BhB,OAgCO,W;O;KA5CX,C;8FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAUI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAc,EAAd,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAqB,EAAJ,EAAA0B,OA1B

C;QASW,kBAAU,oB;QAyBD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UbvnCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbtnCX,aasnCgC,GbtnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbzoCP,U;UADP,Ya2oCe,Wb3oCH,Wa2oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aayoCuC,gB;YAA5B,WbxoCX,aawoCgC,GbxoChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,cAAyD,CAAe,OAAf,C;;QAAlF,OAAkF,W;O;KAAlF,C;0DAAkF,yB;MAAA,+D;MAAA,sE;QAAA,OAAA,W;O;KAAA,C;;QAAA,OAAA,W;O;KAAA,C;;QAAA,OAAA,W;O;KAAA,C;

A,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAmB,sBAAnB,EAAmB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W;O;KAbX,C;0FAgBA,yC;MASI,kBAAkB,O;MAClB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAnB,EAA+B,EAA/B,+BAAmC,C;;;MAGzC,OAAO,W;K;wGAGX,yC;MAAA,UAAU,kBAAkB,O;MAAlB,IAAI,CAAC,mBAAL,C;QAAI,eAAe,+BAAa,cAAb,C;QAAf,OAAO,QAAS,cAAhB,C;UAAgB,cAAc,UAAU,QAAS,WAAnB,EAA+B,EAA/B,+BAAmC,C;;;MAAjE,OAAO,W;K;wGAAP

C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eAAe,QAAS,UAAS,QAAT,EAAc,CAAd,CAAT,GAA4B,CAA3C,C;UAA8C,C;UAAoC,MAAM,C;;MAEvE,OAAO,G;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,C;UAAoC,MAAM,C;;MAE9C

OAAO,K;;QACrD,OAAO,I;O;KARX,C;oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtnBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAAApC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAAApC,C;;QAsnBmB,sB;QAtnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAAI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,yB;MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UAA2B,sB;QAAM,OAAO,cAAP,C;UAAO,IAAI,cAAc,UAAlB,C;YAAqB,OAAO,WAAP,C;

O;KAdJ,C;8FAiBA,yB;MA9FA,kF;MAAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;;UACqB,kBAAhC,eAAa,gBAAgB,CAAhB,IAAb,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C;UACZ,kBA2F0B,O;UA1FV,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,EAAU,WAAmB,WAAnB,EAAgC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAsFP,gC;O;KAfJ,C;kFAkBA,+B;MAOoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,C;;MAEX,4BAAO,M;;;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,SAAS,OAAO,G;K;mFAGX,yB;MAAO,SAAS,OAAO,G;K;mFAGvB

,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAgB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAmB,WAAW,IAAX,KAAmB,WAAW,IAAX,KAAm

AI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CAAiF,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAClB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAA6B,GAAgB,CAAhB,MAAM,K;K;IAGjD

AWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UA
AgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;
8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7
N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WA5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;K
ApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAa,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBlK5F,
OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;;QAR3D,OASO,W
;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAyEoB,Q;QAAA,OjBkKoE,iBAAQ,W;QiBlK5F,OAAgB,cAAhB,C;UAA
gB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W;YAAsC,6B;;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,
Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,C
AAJ,C;;MAChB,OAAO,W;K;8EAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACN,OAAA,Sj
BiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB
,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mB
AAJ,C;QAAe,OAAO,K;MACN,OAAA,SjB6LoE,QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IA
AI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;
MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3
K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFA
GX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;
UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;
UAAP,uB;;QACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,C
AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAC
lB,qBAAO,O;;;MI1pDP,yB;K;8FAGJ,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,
QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UA
AyB,qBAAO,O;UAAP,uB;;QACzB,eItoD2B,QJsoDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB
,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAA
T,QAAS,W;QAClB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MA
EtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,
OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,
OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ
kpDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,
IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eIxpD2B,QJwpDZ,CAAS,OAAT,C;;UAEX,QA
AQ,QAAS,O;UACjB,QI3pDuB,QJ2pDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YA
CV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIjqDP,yB;K;mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mB
AAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAgB,cAAhB,C;QAAgB,
yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,Sj
BkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,
kBAAR,iB;MAAQ,sB;;QJ0pDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,
cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eIhqD2B,QJgqDZ,
CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QInqDuB,QJmqDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,
C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIzqDP,yB;K;mFAGJ,gC;MAMo
B,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OA
Ag,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKo
B,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,OAAP,C;;K;kF
AG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ+pDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I
;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACzB,eIr
qD2B,QJqqDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIxqDuB,QJwqDf,CAAS,CAAT,C;UACR,IAAI,2
BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI9qDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ0qDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIhrD2B,QJgrDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QInrDuB,QJmrDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIzrDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ6rDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIjsD2B,QJisDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIpsDuB,QJosDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI1sDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ8sDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIltD2B,QJktDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIrtDuB,QJqtDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI3tDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ+tDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIntD2B,QJmtDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIttDuB,QJstDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI5uDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJguDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIpuD2B,QJouDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIvuDuB,QJuuDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI7vDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJiwDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIrwD2B,QJqwDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIxwDuB,QJwwDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI9xDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJkxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eItxD2B,QJsxDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzxDuB,QJyxDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI/yDP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJmyDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIvyD2B,QJuyDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI1yDuB,QJ0yDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIh0DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJozDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIxzD2B,QJwzDZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI3zDuB,QJ2zDf,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIj1DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJq0Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIz0D2B,QJy0DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI50DuB,QJ40Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIl2DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJs1Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI11D2B,QJ01DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI71DuB,QJ61Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIn3DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJu2Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI32D2B,QJ22DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI92DuB,QJ82Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIp4DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJw3Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI53D2B,QJ43DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QI/3DuB,QJ+3Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIr5DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJy4Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI75D2B,QJ65DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIh6DuB,QJg6Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIt7DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ05Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI96D2B,QJ86DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIj7DuB,QJi7Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIv8DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ26Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eI/6D2B,QJ+6DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIl7DuB,QJk7Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIx8DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ47Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIh8D2B,QJg8DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIn8DuB,QJm8Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MIz9DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ67Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIj9D2B,QJi9DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIp9DuB,QJo9Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI1+DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sF
AGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ,W;MiBlK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,OAAO,
OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAAQ,sB;;QJ87Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,
qBAAO,I;UAAP,uB;;QACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,O;UAAP,uB;;QACz
B,eIl+D2B,QJk+DZ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIr+DuB,QJq+Df,CAAS,CAAT,C;UACR,IAAI,
2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAED,QAAT,QAAS,W;QAClB,qBAAO,O;;;MI3/DP,yB;K;
mFAGJ,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAAe,OAAO,C;MAEtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;
MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ

AAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QInsDnB,OJssDO,Q;O;KIjtDX,C;sGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,yBAAO,I;UAAP,2B;;QACzB,eIxsD2C,QJwsD5B,CAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAlB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;MAPA,wC;QAII,OASe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;KANnB,C;kFASA,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cACzD,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,qBAAO,O;UAAP,uB;;QACzB,eIvyDmB,QJuyDJ,CAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,EAAc,CAAd,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,yBAAO,W;QAAP,6B;;QAMI,OAAe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;;;MIhzDP,6B;K;8FAGJ,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,qBAAO,I;UAAP,uB;;QACzB,cACzD,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,qBAAO,O;UAAP,uB;;QACzB,eI5yDmB,QJ4yDJ,CAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,EAAc,CAAd,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,yBAAO,W;QAAP,6B;;QAMI,OAAe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;;;MIryDP,6B;K;mFAGJ,yB;MAOA,8D;MAPA,wC;QAII,OASe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAAT,MAAS,UAAS,N;O;KANnB,C;kFASA

M,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB,gB;QADb,YAAY,C;QACC,OIvyCE,iBJuyCF,W;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAmB,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvyCnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,iC;MAII,OAAe,aAAR,iBAAAQ,C;K;IC9hBnB,kC;MAEI,gBCmE2D,8BAAY,c;MDlEvE,IAAI,SAAU,OAAV,EAAmB,CAAnB,EAAsB,WAAtB,Q;QAAsB,QAAAA,IAAI,cAAAC,QAAZ,EAAsB,IAAtB,C;UAAsB,OAAAC,SAAS,S;;uBAAC,eAAD,qBAAU,CAAV,EAAa,YAAb,EAAmB,SAAnB,EAAiC,WAAjC,EAAiD,CAAjD,C;UAAa

EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAsB,EAAtB,EAAkC,EAAlC,C;K;IAG1B,kC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,oBAAL,EAAK,CAAL,EAAgB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAlC,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAkC,CAAlC,EAAqC,cAArC,EAAqD,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAkC,cAAlC,EAAkD,aAA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,EAA7B,EAAkC,CAAlC,EAAqC,cAArC,EAAqD,IAA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAsB,EAAtB,EAAuB,cAAvB,EAAuC,EAAvC,C;K;IAG1B,gC;MAII,kBAAO,CAAP,EAAU,OAAV,EAAmB,GAAnB,EAAwB,CAAxB,EAA2B,IAA3B,EAAiC,GAAjC,EAAsC,IAAtC,EAA4C,IAA5C,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAsB,EAAtB,EAAuB,cAAvB,EAAuC,EAAvC

B,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD,YAAjD,wCAAoF,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAChC

6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;iFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAZ,OAAY,cAAZ,C;cAAY,aAAf,wB,SAAe,X,CAAU,U,OAAV,C;YAAU,cAAV,C;cAAU,8BAAO,M;cAAP,gC;;;UAAO,gBAAP,8BAAO,I;;;QAApB,kB,C;QAAA,iB;UAAmC,MAAM,gCAAuB,iEAAvB,C;;QAAhD,OAAgD,I;O;KAAlD,C;8GAAA,gC;MAWW,Q;MAAA,2B;MAAA,OAAA,OAAA,C;QAAA,2B;QAAA,OAAA,OAAA,C;UAAA,yB;UAAA,OAAA,OAAA,C;YAAA,yB;YAAA,OAAA,OAAA,C;cAAA,yB;cAAA,OAAA,OAAA,C;gBAAA,yB;gBAAA,OAAA,OAAA,C;kBAAA,yB;kBAAA,OAAA,OAAA,C;oBAAA,yB;oBAAA,OAAA,OAAA,C;sBAAA,yB;sBAAA,OAAA,OAAA,C;wBAAA,yB;wBAAA,OAAA,OAAA,C;0BAAA,yB;0BAAA,OAAA,OAAA,C;4BAAA,yB;4BAAA,OAAA,OAAA,C;8BAAA,yB;8BAAA,OAAA,OAAA,C;gCAAA,yB;gCAAA,OAAA,OAAA,C;kCAAA,yB;kCAAA,OAAA,OAAA,C;oCAAA,yB;oCAAA,OAAA,OAAA,C;sCAAA,yB;sCAAA,OAAA,OAAA,C;wCAAA,yB;wCAAA,OAAA,OAAA,C;0CAAA,yB;0CAAA,OAAA,OAAA,C;4CAAA,yB;4CAAA,OAAA,OAAA,C;8CAAA,yB;8CAAA,OAAA,OAAA,C;gDAAA,yB;gDAAA,OAAA,OAAA,C;kDAAA,yB;kDAAA,OAAA,OAAA,C;oDAAA,yB;oDAAA,OAAA,OAAA,C;sDAAA,yB;sDAAA,OAAA,OAAA,C;wDAAA,yB;wDAAA,OAAA,OAAA,C;0DAAA,yB;0DAAA,OAAA,OAAA,C;4DAAA,yB;4DAAA,OAAA,OAAA,C;8DAAA,yB;8DAAA,OAAA,OAAA,C;gEAAA,yB;gEAAA,OAAA,OAAA,C;kEAAA,yB;kEAAA,OAAA,OAAA,C;oEAAA,yB;oEAAA,OAAA,OAAA,C;sEAAA,yB;sEAAA,OAAA,OAAA,C;wEAAA,yB;wEAAA,OAAA,OAAA,C;0EAAA,yB;0EAAA,OAAA,OAAA,C;4EAAA,yB;4EAAA,OAAA,OAAA,C;8EAAA,yB;8EAAA,OAAA,OAAA,C;gFAAA,yB;gFAAA,OAAA,OAAA,C;kFAAA,yB;kFAAA,OAAA,OAAA,C;oFAAA,yB;oFAAA,OAAA,OAAA,C;sFAAA,yB;sFAAA,OAAA,OAAA,C;wFAAA,yB;wFAAA,OAAA,OAAA,C;0FAAA,yB;0FAAA,OAAA,OAAA,C;4FAAA,yB;4FAAA,OAAA,OAAA,C;8FAAA,yB;8FAAA,OAAA,OAAA,C;gGAAA,yB;gGAAA,OAAA,OAAA,C;kGAAA,yB;kGAAA,OAAA,OAAA,C;oGAAA,yB;oGAAA,OAAA,OAAA,C;sGAAA,yB;sGAAA,OAAA,OAAA,C;wGAAA,yB;wGAAA,OAAA,OAAA,C;0GAAA,yB;0GAAA,OAAA,OAAA,C;4GAAA,yB;4GAAA,OAAA,OAAA,C;8GAAA,yB;8GAAA,OAAA,OAAA,C;gHAAA,yB;gHAAA,OAAA,OAAA,C;kHAAA,yB;kHAAA,OAAA,OAAA,C;oHAAA,yB;oHAAA,OAAA,OAAA,C;sHAAA,yB;sHAAA,OAAA,OAAA,C;wHAAA,yB;wHAAA,OAAA,OAAA,C;0HAAA,yB;0HAAA,OAAA,OAAA,C;4HAAA,yB;4HAAA,OAAA,OAAA,C;8HAAA,yB;8HAAA,OAAA,OAAA,C;gIAAA,yB;gIAAA,OAAA,OAAA,C;kIAAA,yB;kIAAA,OAAA,OAAA,C;oIAAA,yB;oIAAA,OAAA,OAAA,C;sIAAA,yB;sIAAA,OAAA,OAAA,C;wIAAA,yB;wIAAA,OAAA,OAAA,C;0IAAA,yB;0IAAA,OAAA,OAAA,C;4IAAA,yB;4IAAA,OAAA,OAAA,C;8IAAA,yB;8IAAA,OAAA,OAAA,C;gJAAA,yB;gJAAA,OAAA,OAAA,C;kJAAA,yB;kJAAA,OAAA,OAAA,C;oJAAA,yB;oJAAA,OAAA,OAAA,C;sJAAA,yB;sJAAA,OAAA,OAAA,C;wJAAA,yB;wJAAA,OAAA,OAAA,C;0JAAA,yB;0JAAA,OAAA,OAAA,C;4JAAA,yB;4JAAA,OAAA,OAAA,C;8JAAA,yB;8JAAA,OAAA,OAAA,C;gKAAA,yB;gKAAA,OAAA,OAAA,C;kKAAA,yB;kKAAA,OAAA,OAAA,C;oKAAA,yB;oKAAA,OAAA,OAAA,C;sKAAA,yB;sKAAA,OAAA,OAAA,C;wKAAA,yB;wKAAA,OAAA,OAAA,C;0KAAA,yB;0KAAA,OAAA,OAAA,C;4KAAA,yB;4KAAA,OAAA,OAAA,C;8KAAA,yB;8KAAA,OAAA,OAAA,C;gLAAA,yB;gLAAA,OAAA,OAAA,C;kLAAA,yB;kLAAA,OAAA,OAAA,C;oLAAA,yB;oLAAA,OAAA,OAAA,C;sLAAA,yB;sLAAA,OAAA,OAAA,C;wLAAA,yB;wLAAA,OAAA,OAAA,C;0LAAA,yB;0LAAA,OAAA,OAAA,C;4LAAA,yB;4LAAA,OAAA,OAAA,C;8LAAA,yB;8LAAA,OAAA,OAAA,C;gMAAA,yB;gMAAA,OAAA,OAAA,C;kMAAA,yB;kMAAA,OAAA,OAAA,C;oMAAA,yB;oMAAA,OAAA,OAAA,C;sMAAA,yB;sMAAA,OAAA,OAAA,C;wMAAA,yB;wMAAA,OAAA,OAAA,C;0MAAA,yB;0MAAA,OAAA,OAAA,C;4MAAA,yB;4MAAA,OAAA,OAAA,C;8MAAA,yB;8MAAA,OAAA,OAAA,C;gNAAA,yB;gNAAA,OAAA,OAAA,C;kNAAA,yB;kNAAA,OAAA,OAAA,C;oNAAA,yB;oNAAA,OAAA,OAAA,C;sNAAA,yB;sNAAA,OAAA,OAAA,C;wNAAA,yB;wNAAA,OAAA,OAAA,C;0NAAA,yB;0NAAA,OAAA,OAAA,C;4NAAA,yB;4NAAA,OAAA,OAAA,C;8NAAA,yB;8NAAA,OAAA,OAAA,C;gOAAA,yB;gOAAA,OAAA,OAAA,C;kOAAA,yB;kOAAA,OAAA,OAAA,C;oOAAA,yB;oOAAA,OAAA,OAAA,C;sOAAA,yB;sOAAA,OAAA,OAAA,C;wOAAA,yB;wOAAA,OAAA,OAAA,C;0OAAA,yB;0OAAA,OAAA,OAAA,C;4OAAA,yB;4OAAA,OAAA,OAAA,C;8OAAA,yB;8OAAA,OAAA,OAAA,C;gPAAA,yB;gPAAA,OAAA,OAAA,C;kPAAA,yB;kPAAA,OAAA,OAAA,C;oPAAA,yB;oPAAA,OAAA,OAAA,C;sPAAA,yB;sPAAA,OAAA,OAAA,C;wPAAA,yB;wPAAA,OAAA,OAAA,C;0PAAA,yB;0PAAA,OAAA,OAAA,C;4PAAA,yB;4PAAA,OAAA,OAAA,C;8PAAA,yB;8PAAA,OAAA,OAAA,C;gQAAA,yB;gQAAA,OAAA,OAAA,C;kQAAA,yB;kQAAA,OAAA,OAAA,C;oQAAA,yB;oQAAA,OAAA,OAAA,C;sQAAA,yB;sQAAA,OAAA,OAAA,C;wQAAA,yB;wQAAA,OAAA,OAAA,C;0QAAA,yB;0QAAA,OAAA,OAAA,C;4QAAA,yB;4QAAA,OAAA,OAAA,C;8QAAA,yB;8QAAA,OAAA,OAAA,C;gRAAA,yB;gRAAA,OAAA,OAAA,C;kRAAA,yB;kRAAA,OAAA,OAAA,C;oRAAA,yB;oRAAA,OAAA,OAAA,C;sRAAA,yB;sRAAA,OAAA,OAAA,C;wRAAA,yB;wRAAA,OAAA,OAAA,C;0RAAA,yB;0RAAA,OAAA,OAAA,C;4RAAA,yB;4RAAA,OAAA,OAAA,C;8RAAA,yB;8RAAA,OAAA,OAAA,C;gSAAA,yB;gSAAA,OAAA,OAAA,C;kSAAA,yB;kSAAA,OAAA,OAAA,C;oSAAA,yB;oSAAA,OAAA,OAAA,C;sSAAA,yB;sSAAA,OAAA,OAAA,C;wSAAA,yB;wSAAA,OAAA,OAAA,C;0SAAA,yB;0SAAA,OAAA,OAAA,C;4SAAA,yB;4SAAA,OAAA,OAAA,C;8SAAA,yB;8SAAA,OAAA,OAAA,C;gTAAA,yB;gTAAA,OAAA,OAAA,C;kTAAA,yB;kTAAA,OAAA,OAAA,C;oTAAA,yB;oTAAA,OAAA,OAAA,C;sTAAA,yB;sTAAA,OAAA,OAAA,C;wTAAA,yB;wTAAA,OAAA,OAAA,C;0TAAA,yB;0TAAA,OAAA,OAAA,C;4TAAA,yB;4TAAA,OAAA,OAAA,C;8TAAA,yB;8TAAA,OAAA,OAAA,C;gUAAA,yB;gUAAA,OAAA,OAAA,C;kUAAA,yB;kUAAA,OAAA,OAAA,C;oUAAA,yB;oUAAA,OAAA,OAAA,C;sUAAA,yB;sUAAA,OAAA,OAAA,C;wUAAA,yB;wUAAA,OAAA,OAAA,C;0UAAA,yB;0UAAA,OAAA,OAAA,C;4UAAA,yB;4UAAA,OAAA,OAAA,C;8UAAA,yB;8UAAA,OAAA,OAAA,C;gVAAA,yB;gVAAA,OAAA,OAAA,C;kVAAA,yB;kVAAA,OAAA,OAAA,C;oVAAA,yB;oVAAA,OAAA,OAAA,C;sVAAA,yB;sVAAA,OAAA,OAAA,C;wVAAA,yB;wVAAA,OAAA,OAAA,C;0VAAA,yB;0VAAA,OAAA,OAAA,C;4VAAA,yB;4VAAA,OAAA,OAAA,C;8VAAA,yB;8VAAA,OAAA,OAAA,C;gWAAA,yB;gWAAA,OAAA,OAAA,C;kWAAA,yB;kWAAA,OAAA,OAAA,C;oWAAA,yB;oWAAA,OAAA,OAAA,C;sWAAA,yB;sWAAA,OAAA,OAAA,C;wWAAA,yB;wWAAA,OAAA,OAAA,C;0WAAA,yB;0WAAA,OAAA,OAAA,C;4WAAA,yB;4WAAA,OAAA,OAAA,C;8WAAA,yB;8WAAA,OAAA,OAAA,C;gXAAA,yB;gXAAA,OAAA,OAAA,C;kXAAA,yB;kXAAA,OAAA,OAAA,C;oXAAA,yB;oXAAA,OAAA,OAAA,C;sXAAA,yB;sXAAA,OAAA,OAAA,C;wXAAA,yB;wXAAA,OAAA,OAAA,C;0XAAA,yB;0XAAA,OAAA,OAAA,C;4XAAA,yB;4XAAA,OAAA,OAAA,C;8XAAA,yB;8XAAA,OAAA,OAAA,C;gYAAA,yB;gYAAA,OAAA,OAAA,C;kYAAA,yB;kYAAA,OAAA,OAAA,C;oYAAA,yB;oYAAA,OAAA,OAAA,C;sYAAA,yB;sYAAA,OAAA,OAAA,C;wYAAA,yB;wYAAA,OAAA,OAAA,C;0YAAA,yB;0YAAA,OAAA,OAAA,C;4YAAA,yB;4YAAA,OAAA,OAAA,C;8YAAA,yB;8YAAA,OAAA,OAAA,C;gZAAA,yB;gZAAA,OAAA,OAAA,C;kZAAA,yB;kZAAA,OAAA,OAAA,C;oZAAA,yB;oZAAA,OAAA,OAAA,C;sZAAA,yB;sZAAA,OAAA,OAAA,C;wZAAA,yB;wZAAA,OAAA,OAAA,C;0ZAAA,yB;0ZAAA,OAAA,OAAA,C;4ZAAA,yB;4ZAAA,OAAA,OAAA,C;8ZAAA,yB;8ZAAA,OAAA,OAAA,C;gaAAA,yB;gaAAA,OAAA,OAAA,C;kaAAA,yB;kaAAA,OAAA,OAAA,C;oaAAA,yB;oaAAA,OAAA,OAAA,C;saAAA,yB;saAAA,OAAA,OAAA,C;waAAA,yB;waAAA,OAAA,OAAA,C;0aAAA,yB;0aAAA,OAAA,OAAA,C;4aAAA,yB;4aAAA,OAAA,OAAA,C;8aAAA,yB;8aAAA,OAAA,OAAA,C;gbAAA,yB;gbAAA,OAAA,OAAA,C;kbAAA,yB;kbAAA,OAAA,OAAA,C;obAAA,yB;obAAA,OAAA,OAAA,C;sbAAA,yB;sbAAA,OAAA,OAAA,C;wbAAA,yB;wbAAA,OAAA,OAAA,C;0bAAA,yB;0bAAA,OAAA,OAAA,C;4bAAA,yB;4bAAA,OAAA,OAAA,C;8bAAA,yB;8bAAA,OAAA,OAAA,C;gcAAA,yB;gcAAA,OAAA,OAAA,C;kcAAA,yB;kcAAA,OAAA,OAAA,C;ocAAA,yB;ocAAA,OAAA,OAAA,C;scAAA,yB;scAAA,OAAA,OAAA,C;wcAAA,yB;wcAAA,OAAA,OAAA,C;0cAAA,yB;0cAAA,OAAA,OAAA,C;4cAAA,yB;4cAAA,OAAA,OAAA,C;8cAAA,yB;8cAAA,OAAA,OAAA,C;gdAAA,yB;gdAAA,OAAA,OAAA,C;kdAAA,yB;kdAAA,OAAA,OAAA,C;odAAA,yB;odAAA,OAAA,OAAA,C;sdAAA,yB;sdAAA,OAAA,OAAA,C;wdAAA,yB;wdAAA,OAAA,OAAA,C;0dAAA,yB;0dAAA,OAAA,OAAA,C;4dAAA,yB;4dAAA,OAAA,OAAA,C;8dAAA,yB;8dAAA,OAAA,OAAA,C;geAAA,yB;geAAA,OAAA,OAAA,C;keAAA,yB;keAAA,OAAA,OAAA,C;oeAAA,yB;oeAAA,OAAA,OAAA,C;seAAA,yB;seAAA,OAAA,OAAA,C;weAAA,yB;weAAA,OAAA,OAAA,C;0eAAA,yB;0eAAA,OAAA,OAAA,C;4eAAA,yB;4eAAA,OAAA,OAAA,C;8eAAA,yB;8eAAA,OAAA,OAAA,C;gfAAA,yB;gfAAA,OAAA,OAAA,C;kfAAA,yB;kfAAA,OAAA,OAAA,C;ofAAA,yB;ofAAA,OAAA,OAAA,C;sfAAA,yB;sfAAA,OAAA,OAAA,C;wfAAA,yB;wfAAA,OAAA,OAAA,C;0fAAA,yB;0fAAA,OAAA,OAAA,C;4fAAA,yB;4fAAA,OAAA,OAAA,C;8fAAA,yB;8fAAA,OAAA,OAAA,C;ggAAA,yB;ggAAA,OAAA,OAAA,C;kgAAA,yB;kgAAA,OAAA,OAAA,C;ogAAA,yB;ogAAA,OAAA,OAAA,C;sgAAA,yB;sgAAA,OAAA,OAAA,C;wgAAA,yB;wgAAA,OAAA,OAAA,C;0gAAA,yB;0gAAA,OAAA,OAAA,C;4gAAA,yB;4gAAA,OAAA,OAAA,C;8gAAA,yB;8gAAA,OAAA,OAAA,C;ghAAA,yB;ghAAA,OAAA,OAAA,C;khAAA,yB;khAAA,OAAA,OAAA,C;ohAAA,yB;ohAAA,OAAA,OAAA,C;shAAA,yB;shAAA,OAAA,OAAA,C;whAAA,yB;whAAA,OAAA,OAAA,C;0hAAA,yB;0hAAA,OAAA,OAAA,C;4hAAA,yB;4hAAA,OAAA,OAAA,C;8hAAA,yB;8hAAA,OAAA,OAAA,C;giAAA,yB;giAAA,OAAA,OAAA,C;kiAAA,yB;kiAAA,OAAA,OAAA,C;oiAAA,yB;oiAAA,OAAA,OAAA,C;siAAA,yB;siAAA,OAAA,OAAA,C;wiAAA,yB;wiAAA,OAAA,OAAA,C;0iAAA,yB;0iAAA,OAAA,OAAA,C;4iAAA,yB;4iAAA,OAAA,OAAA,C;8iAAA,yB;8iAAA,OAAA,OAAA,C;gjAAA,yB;gjAAA,OAAA,OAAA,C;kjAAA,yB;kjAAA,OAAA,OAAA,C;ojAAA,yB;ojAAA,OAAA,OAAA,C;sjAAA,yB;sjAAA,OAAA,OAAA,C;wjAAA,yB;wjAAA,OAAA,OAAA,C;0jAAA,yB;0jAAA,OAAA,OAAA,C;4jAAA,yB;4jAAA,OAAA,OAAA,C;8jAAA,yB;8jAAA,OAAA,OAAA,C;gkAAA,yB;gkAAA,OAAA,OAAA,C;kkAAA,yB;kkAAA,OAAA,OAAA,C;okAAA,yB;okAAA,OAAA,OAAA,C;skAAA,yB;skAAA,OAAA,OAAA,C;wkAAA,yB;wkAAA,OAAA,OAAA,C;0kAAA,yB;0kAAA,OAAA,OAAA,C;4kAAA,yB;4kAAA,OAAA,OAAA,C;8kAAA,yB;8kAAA,OAAA,OAAA,C;glAAA,yB;glAAA,OAAA,OAAA,C;klAAA,yB;klAAA,OAAA,OAAA,C;olAAA,yB;olAAA,OAAA,OAAA,C;slAAA,yB;slAAA,OAAA,OAAA,C;wlAAA,yB;wlAAA,OAAA,OAAA,C;0lAAA,yB;0lAAA,OAAA,OAAA,C;4lAAA,yB;4lAAA,OAAA,OAAA,C;8lAAA,yB;8lAAA,OAAA,OAAA,C;gmAAA,yB;gmAAA,OAAA,OAAA,C;kmAAA,yB;kmAAA,OAAA,OAAA,C;omAAA,yB;omAAA,OAAA,OAAA,C;smAAA,yB;smAAA,OAAA,OAAA,C;wmAAA,yB;wmAAA,OAAA,OAAA,C;0mAAA,yB;0mAAA,OAAA,OAAA,C;4mAAA,yB;4mAAA,OAAA,OAAA,C;8mAAA,yB;8mAAA,OAAA,OAAA,C;gnAAA,yB;gnAAA,OAAA,OAAA,C;knAAA,yB;knAAA,OAAA,OAAA,C;onAAA,yB;onAAA,OAAA,OAAA,C;snAAA,yB;snAAA,OAAA,OAAA,C;wnAAA,yB;wnAAA,OAAA,OAAA,C;0nAAA,yB;0nAAA,OAAA,OAAA,C;4nAAA,yB;4nAAA,OAAA,OAAA,C;8nAAA,yB;8nAAA,OAAA,OAAA,C;goAAA,yB;goAAA,OAAA,OAAA,C;koAAA,yB;koAAA,OAAA,OAAA,C;ooAAA,yB;ooAAA,OAAA,OAAA,C;soAAA,yB;soAAA,OAAA,OAAA,C;woAAA,yB;woAAA,OAAA,OAAA,C;0oAAA,yB;0oAAA,OAAA,OAAA,C;4oAAA,yB;4oAAA,OAAA,OAAA,C;8oAAA,yB;8oAAA,OAAA,OAAA,C;gpAAA,yB;gpAAA,OAAA,OAAA,C;kpAAA,yB;kpAAA,OAAA,OAAA,C;opAAA,yB;opAAA,OAAA,OAAA,C;spAAA,yB;spAAA,OAAA,OAAA,C;wpAAA,yB;wpAAA,OAAA,OAAA,C;0pAAA,yB;0pAAA,OAAA,OAAA,C;4pAAA,yB;4pAAA,OAAA,OAAA,C;8pAAA,yB;8pAAA,OAAA,OAAA,C;gqAAA,yB;gqAAA,OAAA,OAAA,C;kqAAA,yB;kqAAA,OAAA,OAAA,C;oqAAA,yB;oqAAA,OAAA,OAAA,C;sqAAA,yB;sqAAA,OAAA,OAAA,C;wqAAA,yB;wqAAA,OAAA,OAAA,C;0qAAA,yB;0qAAA,OAAA,OAAA,C;4qAAA,yB;4qAAA,OAAA,OAAA,C;8qAAA,yB;8qAAA,OAAA,OAAA,C;grAAA,yB;grAAA,OAAA,OAAA,C;krAAA,yB;krAAA,OAAA,OAAA,C;orAAA,yB;orAAA,OAAA,OAAA,C;srAAA,yB;srAAA,OAAA,OAAA,C;wrAAA,yB;wrAAA,OAAA,OAAA,C;0rAAA,yB;0rAAA,OAAA,OAAA,C;4rAAA,yB;4rAAA,OAAA,OAAA,C;8rAAA,yB;8rAAA,OAAA,OAAA,C;gsAAA,yB;gsAAA,OAAA,OAAA,C;ksAAA,yB;ksAAA,OAAA,OAAA,C;osAAA,yB;osAAA,OAAA,OAAA,C;ssAAA,yB;ssAAA,OAAA,OAAA,C;wsAAA,yB;wsAAA,OAAA,OAAA,C;0sAAA,yB;0sAAA,OAAA,OAAA,C;4sAAA,yB;4sAAA,OAAA,OAAA,C;8sAAA,yB;8sAAA,OAAA,OAAA,C;gtAAA,yB;gtAAA,OAAA,OAAA,C;ktAAA,yB;ktAAA,OAAA,OAAA,C;otAAA,yB;otAAA,OAAA,OAAA,C;stAAA,yB;stAAA,OAAA,OAAA,C;wtAAA,yB;wtAAA,OAAA,OAAA,C;0tAAA,yB;0tAAA,OAAA,OAAA,C;4tAAA,yB;4tAAA,OAAA,OAAA,C;8tAAA,yB;8tAAA,OAAA,OAAA,C;guAAA,yB;guAAA,OAAA,OAAA,C;kuAAA,yB;kuAAA,OAAA,OAAA,C;ouAAA,yB;ouAAA,OAAA,OAAA,C;suAAA,yB;suAAA,OAAA,OAAA,C;wuAAA,yB;wuAAA,OAAA,OAAA,C;0uAAA,yB;0uAAA,OAAA,OAAA,C;4uAAA,yB;4uAAA,OAAA,OAAA,C;8uAAA,yB;8uAAA,OAAA,OAAA,C;gvAAA,yB;gvAAA,OAAA,OAAA,C;kvAAA,yB;kvAAA,OAAA,OAAA,C;ovAAA,yB;ovAAA,OAAA,OAAA,C;svAAA,yB;svAAA,OAAA,OAAA,C;wvAAA,yB;wvAAA,OAAA,OAAA,C;0vAAA,yB;0vAAA,OAAA,OAAA,C;4vAAA,yB;4vAAA,OAAA,OAAA,C;8vAAA,yB;8vAAA,OAAA,OAAA,C;gwAAA,yB;gwAAA,OAAA,OAAA,C;kwAAA,yB;kwAAA,OAAA,OAAA,C;owAAA,yB;owAAA,OAAA,OAAA,C;swAAA,yB;swAAA,OAAA,OAAA,C;wwAAA,yB;wwAAA,OAAA,OAAA,C;0wAAA,yB;0wAAA,OAAA,OAAA,C;4wAAA,yB;4wAAA,OAAA,OAAA,C;8wAAA,yB;8wAAA,OAAA,OAAA,C;gxAAA,yB;gxAAA,OAAA,OAAA,C;kxAAA,yB;kxAAA,OAAA,OAAA,C;oxAAA,yB;oxAAA,OAAA,OAAA,C;sxAAA,yB;sxAAA,OAAA,OAAA,C;wxAAA,yB;wxAAA,OAAA,OAAA,C;0xAAA,yB;0xAAA,OAAA,OAAA,C;4xAAA,yB;4xAAA,OAAA,OAAA,C;8xAAA,yB;8xAAA,OAAA,OAAA,C;gyAAA,yB;gyAAA,OAAA,OAAA,C;kyAAA,yB;kyAAA,OAAA,OAAA,C;oyAAA,yB;oyAAA,OAAA,OAAA,C;syAAA,yB;syAAA,OAAA,OAAA,C;wyAAA,yB;wyAAA,OAAA,OAAA,C;0yAAA,yB;0yAAA,OAAA,OAAA,C;4yAAA,yB;4yAAA,OAAA,OAAA,C;8yAAA,yB;8yAAA,OAAA,OAAA,C;gzAAA,yB;gzAAA,OAAA,OAAA,C;kzAAA,yB;kzAAA,OAAA,OAAA,C;ozAAA,yB;ozAAA,OAAA,OAAA,C;szAAA,yB;szAAA,OAAA,OAAA,C;wzAAA,yB;wzAAA,OAAA,OAAA,C;0zAAA,yB;0zAAA,OAAA,OAAA,C;4zAAA,yB;4zAAA,OAAA,OAAA,C;8zAAA,yB;8zAAA,OAAA,OAAA,C;g0AAA,yB;g0AAA,OAAA,OAAA,C;k0AAA,yB;k0AAA,OAAA,OAAA,C;o0AAA,yB;o0AAA,OAAA,OAAA,C;s0AAA,yB;s0AAA,OAAA,OAAA,C;w0AAA,yB;w0AAA,OAAA,OAAA,C;0;

AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAY,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzgBP,IAAI,EgBwgBI,KAAK,ChBxgBT,CAAJ,C;QACI,cgBugBc,sD;QhBtgBd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MgBwgBF,OAAO,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SAAK,CAAL,CAAK,CAAL,CAAK,CAAL,C;;QACzB,OAAL,SAAK,CAAL,CAAK,CAAL,CAAK,CAAL,C;;QAAg

oBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhCT,OAkCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAlCA,yD;QAYW,kBAAU,oB;QAkCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;QAWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBgC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBvnBP,U;UADP,YuBynBe,WvBznBH,WuBynBwB,GvBznBxB,C;UACL,IAAI,aAAJ,C;YACH,auBunBgC,gB;YAA5B,WvBtnBX,auBsnBgC,GvBtnBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBmnBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,C;UAAf,OAAe,cAAf,C;YAAe,kC;YAAf,OAAe,cAAf,C;cAAe,kC;cAAf,OAAe,cAAf,C;gBAAe,kC;gBAAf,OAAe,cAAf,C;kBAAe,kC;kBAAf,OAAe,cAAf,C;oBAAe,kC;oBAAf,OAAe,cAAf,C;sBAAe,kC;sBAAf,OAAe,cAAf,C;wBAAe,kC;wBAAf,OAAe,cAAf,C;0BAAe,kC;0BAAf,OAAe,cAAf,C;4BAAe,kC;4BAAf,OAAe,cAAf,C;8BAAe,kC;8BAAf,OAAe,cAAf,C;gCAAe,kC;gCAAf,OAAe,cAAf,C;kCAAe,kC;kCAAf,OAAe,cAAf,C;oCAAe,kC;oCAAf,OAAe,cAAf,C;sCAAe,kC;sCAAf,OAAe,cAAf,C;wCAAe,kC;wCAAf,OAAe,cAAf,C;0CAAe,kC;0CAAf,OAAe,cAAf,C;4CAAe,kC;4CAAf,OAAe,cAAf,C;8CAAe,kC;8CAAf,OAAe,cAAf,C;gDAAe,kC;gDAAf,OAAe,cAAf,C;kDAAe,kC;kDAAf,OAAe,cAAf,C;oDAAe,kC;oDAAf,OAAe,cAAf,C;sDAAe,kC;sDAAf,OAAe,cAAf,C;wDAAe,kC;wDAAf,OAAe,cAAf,C;0DAAe,kC;0DAAf,OAAe,cAAf,C;4DAAe,kC;4DAAf,OAAe,cAAf,C;8DAAe,kC;8DAAf,OAAe,cAAf,C;gEAAe,kC;gEAAf,OAAe,cAAf,C;kEAAe,kC;kEAAf,OAAe,cAAf,C;oEAAe,kC;oEAAf,OAAe,cAAf,C;sEAAe,kC;sEAAf,OAAe,cAAf,C;wEAAe,kC;wEAAf,OAAe,cAAf,C;0EAAe,kC;0EAAf,OAAe,cAAf,C;4EAAe,kC;4EAAf,OAAe,cAAf,C;8EAAe,kC;8EAAf,OAAe,cAAf,C;gFAAe,kC;gFAAf,OAAe,cAAf,C;kFAAe,kC;kFAAf,OAAe,cAAf,C;oFAAe,kC;oFAAf,OAAe,cAAf,C;sFAAe,kC;sFAAf,OAAe,cAAf,C;wFAAe,kC;wFAAf,OAAe,cAAf,C;0FAAe,kC;0FAAf,OAAe,cAAf,C;4FAAe,kC;4FAAf,OAAe,cAAf,C;8FAAe,kC;8FAAf,OAAe,cAAf,C;gGAAe,kC;gGAAf,OAAe,cAAf,C;kGAAe,kC;kGAAf,OAAe,cAAf,C;oGAAe,kC;oGAAf,OAAe,cAAf,C;sGAAe,kC;sGAAf,OAAe,cAAf,C;wGAAe,kC;wGAAf,OAAe,cAAf,C;0GAAe,kC;0GAAf,OAAe,cAAf,C;4GAAe,kC;4GAAf,OAAe,cAAf,C;8GAAe,kC;8GAAf,OAAe,cAAf,C;gHAAe,kC;gHAAf,OAAe,cAAf,C;kHAAe,kC;kHAAf,OAAe,cAAf,C;oHAAe,kC;oHAAf,OAAe,cAAf,C;sHAAe,kC;sHAAf,OAAe,cAAf,C;wHAAe,kC;wHAAf,OAAe,cAAf,C;0HAAe,kC;0HAAf,OAAe,cAAf,C;4HAAe,kC;4HAAf,OAAe,cAAf,C;8HAAe,kC;8HAAf,OAAe,cAAf,C;gIAAe,kC;gIAAf,OAAe,cAAf,C;kIAAe,kC;kIAAf,OAAe,cAAf,C;oIAAe,kC;oIAAf,OAAe,cAAf,C;sIAAe,kC;sIAAf,OAAe,cAAf,C;wIAAe,kC;wIAAf,OAAe,cAAf,C;0IAAe,kC;0IAAf,OAAe,cAAf,C;4IAAe,kC;4IAAf,OAAe,cAAf,C;8IAAe,kC;8IAAf,OAAe,cAAf,C;gJAAe,kC;gJAAf,OAAe,cAAf,C;kJAAe,kC;kJAAf,OAAe,cAAf,C;oJAAe,kC;oJAAf,OAAe,cAAf,C;sJAAe,kC;sJAAf,OAAe,cAAf,C;wJAAe,kC;wJAAf,OAAe,cAAf,C;0JAAe,kC;0JAAf,OAAe,cAAf,C;4JAAe,kC;4JAAf,OAAe,cAAf,C;8JAAe,kC;8JAAf,OAAe,cAAf,C;gKAAe,kC;gKAAf,OAAe,cAAf,C;kKAAe,kC;kKAAf,OAAe,cAAf,C;oKAAe,kC;oKAAf,OAAe,cAAf,C;sKAAe,kC;sKAAf,OAAe,cAAf,C;wKAAe,kC;wKAAf,OAAe,cAAf,C;0KAAe,kC;0KAAf,OAAe,cAAf,C;4KAAe,kC;4KAAf,OAAe,cAAf,C;8KAAe,kC;8KAAf,OAAe,cAAf,C;gLAAe,kC;gLAAf,OAAe,cAAf,C;kLAAe,kC;kLAAf,OAAe,cAAf,C;oLAAe,kC;oLAAf,OAAe,cAAf,C;sLAAe,kC;sLAAf,OAAe,cAAf,C;wLAAe,kC;wLAAf,OAAe,cAAf,C;0LAAe,kC;0LAAf,OAAe,cAAf,C;4LAAe,kC;4LAAf,OAAe,cAAf,C;8LAAe,kC;8LAAf,OAAe,cAAf,C;gMAAe,kC;gMAAf,OAAe,cAAf,C;kMAAe,kC;kMAAf,OAAe,cAAf,C;oMAAe,kC;oMAAf,OAAe,cAAf,C;sMAAe,kC;sMAAf,OAAe,cAAf,C;wMAAe,kC;wMAAf,OAAe,cAAf,C;0MAAe,kC;0MAAf,OAAe,cAAf,C;4MAAe,kC;4MAAf,OAAe,cAAf,C;8MAAe,kC;8MAAf,OAAe,cAAf,C;gNAAe,kC;gNAAf,OAAe,cAAf,C;kNAAe,kC;kNAAf,OAAe,cAAf,C;oNAAe,kC;oNAAf,OAAe,cAAf,C;sNAAe,kC;sNAAf,OAAe,cAAf,C;wNAAe,kC;wNAAf,OAAe,cAAf,C;0NAAe,kC;0NAAf,OAAe,cAAf,C;4NAAe,kC;4NAAf,OAAe,cAAf,C;8NAAe,kC;8NAAf,OAAe,cAAf,C;gOAAe,kC;gOAAf,OAAe,cAAf,C;kOAAe,kC;kOAAf,OAAe,cAAf,C;oOAAe,kC;oOAAf,OAAe,cAAf,C;sOAAe,kC;sOAAf,OAAe,cAAf,C;wOAAe,kC;wOAAf,OAAe,cAAf,C;0OAAe,kC;0OAAf,OAAe,cAAf,C;4OAAe,kC;4OAAf,OAAe,cAAf,C;8OAAe,kC;8OAAf,OAAe,cAAf,C;gPAAe,kC;gPAAf,OAAe,cAAf,C;kPAAe,kC;kPAAf,OAAe,cAAf,C;oPAAe,kC;oPAAf,OAAe,cAAf,C;sPAAe,kC;sPAAf,OAAe,cAAf,C;wPAAe,kC;wPAAf,OAAe,cAAf,C;0PAAe,kC;0PAAf,OAAe,cAAf,C;4PAAe,kC;4PAAf,OAAe,cAAf,C;8PAAe,kC;8PAAf,OAAe,cAAf,C;gQAAe,kC;gQAAf,OAAe,cAAf,C;kQAAe,kC;kQAAf,OAAe,cAAf,C;oQAAe,kC;oQAAf,OAAe,cAAf,C;sQAAe,kC;sQAAf,OAAe,cAAf,C;wQAAe,kC;wQAAf,OAAe,cAAf,C;0QAAe,kC;0QAAf,OAAe,cAAf,C;4QAAe,kC;4QAAf,OAAe,cAAf,C;8QAAe,kC;8QAAf,OAAe,cAAf,C;gRAAe,kC;gRAAf,OAAe,cAAf,C;kRAAe,kC;kRAAf,OAAe,cAAf,C;oRAAe,kC;oRAAf,OAAe,cAAf,C;sRAAe,kC;sRAAf,OAAe,cAAf,C;wRAAe,kC;wRAAf,OAAe,cAAf,C;0RAAe,kC;0RAAf,OAAe,cAAf,C;4RAAe,kC;4RAAf,OAAe,cAAf,C;8RAAe,kC;8RAAf,OAAe,cAAf,C;gSAAe,kC;gSAAf,OAAe,cAAf,C;kSAAe,kC;kSAAf,OAAe,cAAf,C;oSAAe,kC;oSAAf,OAAe,cAAf,C;sSAAe,kC;sSAAf,OAAe,cAAf,C;wSAAe,kC;wSAAf,OAAe,cAAf,C;0SAAe,kC;0SAAf,OAAe,cAAf,C;4SAAe,kC;4SAAf,OAAe,cAAf,C;8SAAe,kC;8SAAf,OAAe,cAAf,C;gTAAe,kC;gTAAf,OAAe,cAAf,C;kTAAe,kC;kTAAf,OAAe,cAAf,C;oTAAe,kC;oTAAf,OAAe,cAAf,C;sTAAe,kC;sTAAf,OAAe,cAAf,C;wTAAe,kC;wTAAf,OAAe,cAAf,C;0TAAe,kC;0TAAf,OAAe,cAAf,C;4TAAe,kC;4TAAf,OAAe,cAAf,C;8TAAe,kC;8TAAf,OAAe,cAAf,C;gUAAe,kC;gUAAf,OAAe,cAAf,C;kUAAe,kC;kUAAf,OAAe,cAAf,C;oUAAe,kC;oUAAf,OAAe,cAAf,C;sUAAe,kC;sUAAf,OAAe,cAAf,C;wUAAe,kC;wUAAf,OAAe,cAAf,C;0UAAe,kC;0UAAf,OAAe,cAAf,C;4UAAe,kC;4UAAf,OAAe,cAAf,C;8UAAe,kC;8UAAf,OAAe,cAAf,C;gVAAe,kC;gVAAf,OAAe,cAAf,C;kVAAe,kC;kVAAf,OAAe,cAAf,C;oVAAe,kC;oVAAf,OAAe,cAAf,C;sVAAe,kC;sVAAf,OAAe,cAAf,C;wVAAe,kC;wVAAf,OAAe,cAAf,C;0VAAe,kC;0VAAf,OAAe,cAAf,C;4VAAe,kC;4VAAf,OAAe,cAAf,C;8VAAe,kC;8VAAf,OAAe,cAAf,C;gWAAe,kC;gWAAf,OAAe,cAAf,C;kWAAe,kC;kWAAf,OAAe,cAAf,C;oWAAe,kC;oWAAf,OAAe,cAAf,C;sWAAe,kC;sWAAf,OAAe,cAAf,C;wWAAe,kC;wWAAf,OAAe,cAAf,C;0WAAe,kC;0WAAf,OAAe,cAAf,C;4WAAe,kC;4WAAf,OAAe,cAAf,C;8WAAe,kC;8WAAf,OAAe,cAAf,C;gXAAe,kC;gXAAf,OAAe,cAAf,C;kXAAe,kC;kXAAf,OAAe,cAAf,C;oXAAe,kC;oXAAf,OAAe,cAAf,C;sXAAe,kC;sXAAf,OAAe,cAAf,C;wXAAe,kC;wXAAf,OAAe,cAAf,C;0XAAe,kC;0XAAf,OAAe,cAAf,C;4XAAe,kC;4XAAf,OAAe,cAAf,C;8XAAe,kC;8XAAf,OAAe,cAAf,C;gYAAe,kC;gYAAf,OAAe,cAAf,C;kYAAe,kC;kYAAf,OAAe,cAAf,C;oYAAe,kC;oYAAf,OAAe,cAAf,C;sYAAe,kC;sYAAf,OAAe,cAAf,C;wYAAe,kC;wYAAf,OAAe,cAAf,C;0YAAe,kC;0YAAf,OAAe,cAAf,C;4YAAe,kC;4YAAf,OAAe,cAAf,C;8YAAe,kC;8YAAf,OAAe,cAAf,C;gZAAe,kC;gZAAf,OAAe,cAAf,C;kZAAe,kC;kZAAf,OAAe,cAAf,C;oZAAe,kC;oZAAf,OAAe,cAAf,C;sZAAe,kC;sZAAf,OAAe,cAAf,C;wZAAe,kC;wZAAf,OAAe,cAAf,C;0ZAAe,kC;0ZAAf,OAAe,cAAf,C;4ZAAe,kC;4ZAAf,OAAe,cAAf,C;8ZAAe,kC;8ZAAf,OAAe,cAAf,C;gaAAe,kC;gaAAf,OAAe,cAAf,C;kaAAe,kC;kaAAf,OAAe,cAAf,C;oaAAe,kC;oaAAf,OAAe,cAAf,C;saAAe,kC;saAAf,OAAe,cAAf,C;waAAe,kC;waAAf,OAAe,cAAf,C;0aAAe,kC;0aAAf,OAAe,cAAf,C;4aAAe,kC;4aAAf,OAAe,cAAf,C;8aAAe,kC;8aAAf,OAAe,cAAf,C;gbAAe,kC;gbAAf,OAAe,cAAf,C;kbAAe,kC;kbAAf,OAAe,cAAf,C;obAAe,kC;obAAf,OAAe,cAAf,C;sbAAe,kC;sbAAf,OAAe,cAAf,C;wbAAe,kC;wbAAf,OAAe,cAAf,C;0bAAe,kC;0bAAf,OAAe,cAAf,C;4bAAe,kC;4bAAf,OAAe,cAAf,C;8bAAe,kC;8bAAf,OAAe,cAAf,C;gcAAe,kC;gcAAf,OAAe,cAAf,C;kcAAe,kC;kcAAf,OAAe,cAAf,C;ocAAe,kC;ocAAf,OAAe,cAAf,C;scAAe,kC;scAAf,OAAe,cAAf,C;wcAAe,kC;wcAAf,OAAe,cAAf,C;0cAAe,kC;0cAAf,OAAe,cAAf,C;4cAAe,kC;4cAAf,OAAe,cAAf,C;8cAAe,kC;8cAAf,OAAe,cAAf,C;gdAAe,kC;gdAAf,OAAe,cAAf,C;kdAAe,kC;kdAAf,OAAe,cAAf,C;odAAe,kC;odAAf,OAAe,cAAf,C;sdAAe,kC;sdAAf,OAAe,cAAf,C;wdAAe,kC;wdAAf,OAAe,cAAf,C;0dAAe,kC;0dAAf,OAAe,cAAf,C;4dAAe,kC;4dAAf,OAAe,cAAf,C;8dAAe,kC;8dAAf,OAAe,cAAf,C;geAAe,kC;geAAf,OAAe,cAAf,C;keAAe,kC;keAAf,OAAe,cAAf,C;oeAAe,kC;oeAAf,OAAe,cAAf,C;seAAe,kC;seAAf,OAAe,cAAf,C;weAAe,kC;weAAf,OAAe,cAAf,C;0eAAe,kC;0eAAf,OAAe,cAAf,C;4eAAe,kC;4eAAf,OAAe,cAAf,C;8eAAe,kC;8eAAf,OAAe,cAAf,C;gfAAe,kC;gfAAf,OAAe,cAAf,C;kfAAe,kC;kfAAf,OAAe,cAAf,C;ofAAe,kC;ofAAf,OAAe,cAAf,C;sfAAe,kC;sfAAf,OAAe,cAAf,C;wfAAe,kC;wfAAf,OAAe,cAAf,C;0fAAe,kC;0fAAf,OAAe,cAAf,C;4fAAe,kC;4fAAf,OAAe,cAAf,C;8fAAe,kC;8fAAf,OAAe,cAAf,C;ggAAe,kC;ggAAf,OAAe,cAAf,C;kgAAe,kC;kgAAf,OAAe,cAAf,C;ogAAe,kC;ogAAf,OAAe,cAAf,C;sgAAe,kC;sgAAf,OAAe,cAAf,C;wgAAe,kC;wgAAf,OAAe,cAAf,C;0gAAe,kC;0gAAf,OAAe,cAAf,C;4gAAe,kC;4gAAf,OAAe,cAAf,C;8gAAe,kC;8gAAf,OAAe,cAAf,C;ghAAe,kC;ghAAf,OAAe,cAAf,C;khAAe,kC;khAAf,OAAe,cAAf,C;ohAAe,kC;ohAAf,OAAe,cAAf,C;shAAe,kC;shAAf,OAAe,cAAf,C;whAAe,kC;whAAf,OAAe,cAAf,C;0hAAe,kC;0hAAf,OAAe,cAAf,C;4hAAe,kC;4hAAf,OAAe,cAAf,C;8hAAe,kC;8hAAf,OAAe,cAAf,C;giAAe,kC;giAAf,OAAe,cAAf,C;kiAAe,kC;kiAAf,OAAe,cAAf,C;oiAAe,kC;oiAAf,OAAe,cAAf,C;siAAe,kC;siAAf,OAAe,cAAf,C;wiAAe,kC;wiAAf,OAAe,cAAf,C;0iAAe,kC;0iAAf,OAAe,cAAf,C;4iAAe,kC;4iAAf,OAAe,cAAf,C;8iAAe,kC;8iAAf,OAAe,cAAf,C;gjAAe,kC;gjAAf,OAAe,cAAf,C;kjAAe,kC;kjAAf,OAAe,cAAf,C;ojAAe,kC;ojAAf,OAAe,cAAf,C;sjAAe,kC;sjAAf,OAAe,cAAf,C;wjAAe,kC;wjAAf,OAAe,cAAf,C;0jAAe,kC;0jAAf,OAAe,cAAf,C;4jAAe,kC;4jAAf,OAAe,cAAf,C;8jAAe,kC;8jAAf,OAAe,cAAf,C;gkAAe,kC;gkAAf,OAAe,cAAf,C;kkAAe,kC;kkAAf,OAAe,cAAf,C;okAAe,kC;okAAf,OAAe,cAAf,C;skAAe,kC;skAAf,OAAe,cAAf,C;wkAAe,kC;wkAAf,OAAe,cAAf,C;0kAAe,kC;0kAAf,OAAe,cAAf,C;4kAAe,kC;4kAAf,OAAe,cAAf,C;8kAAe,kC;8kAAf,OAAe,cAAf,C;glAAe,kC;glAAf,OAAe,cAAf,C;klAAe,kC;klAAf,OAAe,cAAf,C;olAAe,kC;olAAf,OAAe,cAAf,C;slAAe,kC;slAAf,OAAe,cAAf,C;wlAAe,kC;wlAAf,OAAe,cAAf,C;0lAAe,kC;0lAAf,OAAe,cAAf,C;4lAAe,kC;4lAAf,OAAe,cAAf,C;8lAAe,kC;8lAAf,OAAe,cAAf,C;gmAAe,kC;gmAAf,OAAe,cAAf,C;kmAAe,kC;kmAAf,OAAe,cAAf,C;omAAe,kC;omAAf,OAAe,cAAf,C;smAAe,kC;smAAf,OAAe,cAAf,C;wmAAe,kC;wmAAf,OAAe,cAAf,C;0mAAe,kC;0mAAf,OAAe,cAAf,C;4mAAe,kC;4mAAf,OAAe,cAAf,C;8mAAe,kC;8mAAf,OAAe,cAAf,C;gnAAe,kC;gnAAf,OAAe,cAAf,C;knAAe,kC;knAAf,OAAe,cAAf,C;onAAe,kC;onAAf,OAAe,cAAf,C;snAAe,kC;snAAf,OAAe,cAAf,C;wnAAe,kC;wnAAf,OAAe,cAAf,C;0nAAe,kC;0nAAf,OAAe,cAAf,C;4nAAe,kC;4nAAf,OAAe,cAAf,C;8nAAe,kC;8nAAf,OAAe,cAAf,C;goAAe,kC;goAAf,OAAe,cAAf,C;koAAe,kC;koAAf,OAAe,cAAf,C;ooAAe,kC;ooAAf,OAAe,cAAf,C;soAAe,kC;soAAf,OAAe,cAAf,C;woAAe,kC;woAAf,OAAe,cAAf,C;0oAAe,kC;0oAAf,OAAe,cAAf,C;4oAAe,kC;4oAAf,OAAe,cAAf,C;8oAAe,kC;8oAAf,OAAe,cAAf,C;gpAAe,kC;gpAAf,OAAe,cAAf,C;kpAAe,kC;kpAAf,OAAe,cAAf,C;opAAe,kC;opAAf,OAAe,cAAf,C;spAAe,kC;spAAf,OAAe,cAAf,C;wpAAe,kC;wpAAf,OAAe,cAAf,C;0pAAe,kC;0pAAf,OAAe,cAAf,C;4pAAe,kC;4pAAf,OAAe,cAAf,C;8pAAe,kC;8pAAf,OAAe,cAAf,C;gqAAe,kC;gqAAf,OAAe,cAAf,C;kqAAe,kC;kqAAf,OAAe,cAAf,C;oqAAe,kC;oqAAf,OAAe,cAAf,C;sqAAe,kC;sqAAf,OAAe,cAAf,C;wqAAe,kC;wqAAf,OAAe,cAAf,C;0qAAe,kC;0qAAf,OAAe,cAAf,C;4qAAe,kC;4qAAf,OAAe,cAAf,C;8qAAe,kC;8qAAf,OAAe,cAAf,C;grAAe,kC;grAAf,OAAe,cAAf,C;krAAe,kC;krAAf,OAAe,cAAf,C;orAAe,kC;orAAf,OAAe,cAAf,C;srAAe,kC;srAAf,OAAe,cAAf,C;wrAAe,kC;wrAAf,OAAe,cAAf,C;0rAAe,kC;0rAAf,OAAe,cAAf,C;4rAAe,kC;4rAAf,OAAe,cAAf,C;8rAAe,kC;8rAAf,OAAe,cAAf,C;gsAAe,kC;gsAAf,OAAe,cAAf,C;ksAAe,kC;ksAAf,OAAe,cAAf,C;osAAe,kC;osAAf,OAAe,cAAf,C;ssAAe,kC;ssAAf,OAAe,cAAf,C;wsAAe,kC;wsAAf,OAAe,cAAf,C;0sAAe,kC;0sAAf,OAAe,cAAf,C;4sAAe,kC;4sAAf,OAAe,cAAf,C;8sAAe,kC;8sAAf,OAAe,cAAf,C;gtAAe,kC;gtAAf,OAAe,cAAf,C;ktAAe,kC;ktAAf,OAAe,cAAf,C;otAAe,kC;otAAf,OAAe,cAAf,C;stAAe,kC;stAAf,OAAe,cAAf,C;wtAAe,kC;wtAAf,OAAe,cAAf,C;0tAAe,kC;0tAAf,OAAe,cAAf,C;4tAAe,kC;4tAAf,OAAe,cAAf,C;8tAAe,kC;8tAAf,OAAe,cAAf,C;guAAe,kC;guAAf,OAAe,cAAf,C;kuAAe,kC;kuAAf,OAAe,cAAf,C;ouAAe,kC;ouAAf,OAAe,cAAf,C;suAAe,kC;suAAf,OAAe,cAAf,C;wuAAe,kC;wuAAf,OAAe,cAAf,C;0uAAe,kC;0uAAf,OAAe,cAAf,C;4uAAe,kC;4uAAf,OAAe,cAAf,C;8uAAe,kC;8uAAf,OAAe,cAAf,C;gvAAe,kC;gvAAf,OAAe,cAAf,C;kvAAe,kC;kvAAf,OAAe,cAAf,C;ovAAe,kC;ovAAf,OAAe,cAAf,C;svAAe,kC;svAAf,OAAe,cAAf,C;wvAAe,kC;wvAAf,OAAe,cAAf,C;0vAAe,kC;0vAAf,OAAe,cAAf,C;4vAAe,kC;4vAAf,OAAe,cAAf,C;8vAAe,kC;8vAAf,OAAe,cAAf,C;gwAAe,kC;gwAAf,OAAe,cAAf,C;kwAAe,kC;kwAAf,OAAe,cAAf,C;owAAe,kC;owAAf,OAAe,cAAf,C;swAAe,kC;swAAf,OAAe,cAAf,C;wwAAe,kC;wwAAf,OAAe,cAAf,C;0wAAe,kC;0wAAf,OAAe,cAAf,C;4wAAe,kC;4wAAf,OAAe,cAAf,C;8wAAe,kC;8wAAf,OAAe,cAAf,C;gxAAe,kC;gxAAf,OAAe,cAAf,C;kxAAe,kC;kxAAf,OAAe,cAAf,C;oxAAe,kC;oxAAf,OAAe,cAAf,C;sxAAe,kC;sxAAf,OAAe,cAAf,C;wxAAe,kC;wxAAf,OAAe,cAAf,C;0xAAe,kC;0xAAf,OAAe,cAAf,C;4xAAe,kC;4xAAf,OAAe,cAAf,C;8xAAe,kC;8xAAf,OAAe,cAAf,C;gyAAe,kC;gyAAf,OAAe,cAAf,C;kyAAe,kC;kyAAf,OAAe,cAAf,C;oyAAe,kC;oyAAf,OAAe,cAAf,C;syAAe,kC;syAAf,OAAe,cAAf,C;wyAAe,kC;wyAAf,OAAe,cAAf,C;0yAAe,kC;0yAAf,OAAe,cAAf,C;4yAAe,kC;4yAAf,OAAe,cAAf,C;8yAAe,kC;8yAAf,OAAe,cAAf,C;gzAAe,kC;gzAAf,OAAe,cAAf,C;kzAAe,kC;kzAAf,OAAe,cAAf,C;ozAAe,kC;ozAAf,OAAe,cAAf,C;szAAe,kC;szAAf,OAAe,cAAf,C;wzAAe,kC;wzAAf,OAAe,cAAf,C;0zAAe,kC;0zAAf,OAAe,cAAf,C;4zAAe,kC;4zAAf,OAAe,cAAf,C;8zAAe,kC;8zAAf,OAAe,cAAf,C;g0AAe,kC;g0AAf,OAAe,cAAf,C;k0AAe,kC;k0AAf,OAAe,cAAf,C;o0AAe,kC;o0AAf,OAAe,cAAf,C;s0AAe,kC;s0AAf,OAAe,cAAf,C;w0AAe,kC;w0AAf,OAAe,cAAf,C;0;;;

UACI,UAAU,C;UACV,WAAW,C;;;MAED,QAAT,QAAS,W;MAClB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,EAAc,CAAd,C;;QYCI,OAAO,Q;O;KAtBX,C;iFAyBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZ1CG,MAAO,KY0CO,QZ1CP,EY0CiB,CZ1CjB,C;;QY4C

AS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,2BAA
W,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;MY47CA,sC;QA
aI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,
OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZt8CG,MAAO,KYs8CO,QZt8CP,EYs8
CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eAAe,oB;QACf,I
AAI,CAAC,QAAS,UAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAA
hB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+CiB,CZx+CjB,C;
;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,I;MAChC,eAAe,SAAS,QAAS,OAAlB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAlB,C;QACR,IAAI,2BAAW,C;;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAA
A,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,UAAW,SAAQ,Q;K;IAAX,C;MAAW,sE;MAAA,kD;QAAX,eAAe,oB;QAAf,IAAI,CAAC,QAAS,UAAd,C;UAAyB,MAAM,6B;QAAE,eAAe,SAAS,QAAS,OAAlB,C;QAAf,OAAO,QAAS,UAAhB,C;QAAyB,QAAQ,SAAS,QAAS,OAAlB,C;QAAR,IAAI,2BAAW,C;;;MAAf,O;K;IAAe,C;MAAf,sE;MAAA,kD;QAAe

gB;;;;cAAgB,oC;cACZ,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD
,OAApD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;;;;;;;;;
K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAlBpB,6D;MAkBI,OAAO,SAAS,wD
AAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,k
C;K;;;;wDAAA,Y;;;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAA
M,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gB
AAA,gB;;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBA
AA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;;;;;;;;;;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAgBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA,6B
;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;;+DAAA,Y;;;;;cAOuC,Q;oC
ANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2
C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;;;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;;
cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,sBAAvC,EAAoD,mBAAS,OAA7D
,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;;;;;;;;
;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAgBI,OAAO,SAAS,iD
AAT,C;K;IAcX,+C;MAkBI,OAAO,yBAAY,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAmB,
AnB,EAA4B,SA5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAA
gB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;MAC
F,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+B;MA
YoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;M
AEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q
ACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAWoB,gB;MAAW,SAWoB,gB;MAXpB,sC;QAYoB,Q;Q
ADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO
,G;O;KAfX,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55DmB,
C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK,G2Bg
uEzD,SAAS,OAAT,C3BhuEoE,KAAX,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAmBA,+B;MW16DA,+B;
MW06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB,OAAg
B,cAAhB,C;UAAgB,yB;UACZ,MXhvEmD,eWgvEnD,GXhvE8D,KAAK,KWgvE5D,SAAS,OAAT,CXhvEuE,KA
AX,CAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAyB,2BA
AwB,mBAAxB,MAAzB,C;;QAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAI,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,
sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAt
C,EAAwD,SAAxD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IA
AY,WAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MCI,k
BAAc,KAAd,C;MACA,OAAkB,SAAX,eAAW,EAAX,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IAsBO,6D;
MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFlC,Y;MCI,YAAqB,qBAAS,
AT,qBAAS,C;MACrB,OAAkB,SAAX,eAAW,EAAX,4CAAP,C;MAAiC,IAAI,Q9B80KG,
YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAGiC,8D;MAAA,qB;
QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MCI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QAAiC,
OAAO,eAAW,W;;QAElB,OAAkB,SAAX,eAAW,EAAX,4CAAP,C;MAAiC,IAAI,QAAI,
AnB5D,sC;MAAI,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAGiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MCI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QAAiC,OAAO,eAAW,W;;QAElB,OAAkB,SAAX,eAAW,EAAX,4CAAP,C;MAAiC,IAAI,QAAI,
AnB5D,sC;MAAI,qD;K;8FAAW,yB;MAAA,4C;MAAA,qC;QAAO,OAAI,iBAAM,gCAAN,C;O;K;IAAX,iD;MAAA,
qB;QAAE,OAAM,aAAN,mB;O;K;+CAAF,Y;MCI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QAAiC,OAAO,eAAW,W;;QAElB,OAAkB,SAAX,eAAW,EAAX,4CAAP,C;MAAiC,IAAI,QAAI,
AnB5D,sC;MAAI,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAGiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC

C,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IAUA,2D;MAgB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAjE,SAAiE,C;K;IAYpC,4B;MAAY,cAAM,EAAN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAAsB,EAAtB,SAAsB,EAAtB,EAA6B,UAA7B,C;K;IAGX,6C;MAUI,OAAO,oBAAgB,SAAhB,EAAsB,EAAtB,SAAsB,EAAtB,EAA6B,SAA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,kC;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MAAA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;;;sDAAA,Y;;;;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAd,C;gBAAyB,M;;gBAAzB,MAAyB;;;;;;;mCACC,sC;cACvB,gB;;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAyB,gB;;;;gCACC,sC;cACvB,O;cACvB,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAyB,Q;;cAAzB,QAAyB;;;;;;;

,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAY,WAAI,OAAJ,C;
;QWjxBvD,OXkxBG,W;;MWjxBP,aAAa,qBAAiB,SAAjB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;
K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAjB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;gGAG
X,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAA
Y,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAA
O,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MACb,MA
AO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;
MAA1C,aAAa,qBAAiB,YAAY,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,
GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,
OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAY,SAAK,KAAL,GAAY,CAAZ,IAAY,CAAZ,YAAb,CAAjB,C;MACb,MAAO
gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,q
C;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;InBnIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3
C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGmBYA,yB;MAAA,uD;MAAA,gC;M
AAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,CAAsC,GAAAsC,qBAAAI,KAAAJ,CAAAtC,GAAAsC,uBAAAa,KA
Ab,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAY,UAAL,SAAK,KAAL,GAAY,EAAU,QAAV,C;O;KAPhB,C;
0EAUA,yB;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAOW,sB;;UAyES,Q;UAAA,0B;UAAhB,OAAgB,c
AAhB,C;YAAgB,oC;YAAM,IAzEH,SAyEO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;;UAC9C,qB
AAO,I;;;QA1EP,yB;O;KAPJ,C;kFAUA,yB;MAwJA,mD;MAAA,+C;MAAA,oC;MAxJA,uC;QAOW,qB;;UAuJO,
Q;UAAA,OAAa,SAAR,sBAAQ,CAAR,WAAS,OAAT,c,cAAd,SAAc,CAAd,YAAc,CAAd,YAAc,CAAd,Y

CX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aA
CH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;;UACQ,MAAM,gCAAy
B,0CAAzB,C;;MAHlB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MA
AA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;U
ACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;
YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,MAAM,gCAAuB,6DAAvB,C;QAElB,OAAO,4E;O;KAf
X,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,CAAA,GAA8B,I;K;0FAGzC,yB;MAAA,6
C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,c
AAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YAClB,SAAS,
O;YACT,QAAQ,I;;;QAGhB,IAAI,CAAC,KAAL,C;UAAY,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;Ml
BzRI,IAAI,EkBiSI,KAAK,ClBjST,CAAJ,C;QACI,ckBgSc,wD;QlB/Rd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkB
gSV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MlBrSI,IAAI,EkB6SI,K
AAK,ClB7ST,CAAJ,C;QACI,ckB4Sc,wD;QlB3Sd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkB4SV,OLhH6E,oBKg
H1D,eAAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MlBjTI,IAAI,EkByTI,KAAK,ClBzTT,CAAJ,C;QAC
I,ckBwTc,wD;QlBvTd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT
,IAAY,EAAc,CAAd,CAAlB,C;K;IAGX,mC;MlB7TI,IAAI,EkBqUI,KAAK,ClBrUT,CAAJ,C;QACI,ckBoUc,wD;
QlBnUd,MAAM,gCAAyB,OAAQ,WAAjC,C,C;;MkBoUV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,
CAAd,CAAlB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA
CI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C,
C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WA+B,CA
A/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QA
AQ,CAAR,IL5JgE,C,C;;QK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UA
AL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI
,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,EAAnB,mB,gBAAnB,CAAmB
,C;QACf,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAL,MAAK,EAAL,MAAK,EAAL
,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KA
AL,EAAY,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;;QKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,y
D;MAkFA,oC;MAlFA,uC;QAMW,kBAAS,oB;QAkFM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApFxC,OAAsF
O,W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAzEA,uC;QAMW,kBAAS,oB;QAyEM,Q;QAAA,uB;QA
AtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,
gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAsBA,oC;MAtBA,6
C;MAAA,oC;MAruBA,uC;QAMW,kBAAS,oB;QAsBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAxB6B,SAwBzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAxBxC,OA0BO,WA1BqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAmCA,oC;MAnCA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAmCM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IArC6B,SAqCzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QArCxC,OAuCO,WAvCqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAgDA,oC;MAhDA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAgDM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAlD6B,SAkDzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAlDxC,OAoDO,WApDqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA6DA,oC;MA7DA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA6DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA/D6B,SA+DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA/DxC,OAiEO,WAjEqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA0EA,oC;MA1EA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA0EM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA5E6B,SA4EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA5ExC,OA8EO,WA9EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAuFA,oC;MAvFA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAuFM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAzF6B,SAyFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAzFxC,OA2FO,WA3FqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAoGA,oC;MApGA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAoGM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAtG6B,SAsGzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAtGxC,OAwGO,WAxGqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAiHA,oC;MAjHA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAiHM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAnH6B,SAmHzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAnHxC,OAqHO,WArHqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA8HA,oC;MA9HA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA8HM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAhI6B,SAgIzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAhIxC,OAkIO,WAlIqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA2IA,oC;MA3IA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA2IM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA7I6B,SA6IzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7IxC,OA+IO,WA/IqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAwJA,oC;MAxJA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAwJM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA1J6B,SA0JzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA1JxC,OA4JO,WA5JqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAqKA,oC;MArKA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAqKM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAvK6B,SAuKzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAvKxC,OAyKO,WAzKqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAkLA,oC;MAlLA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAkLM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IApL6B,SAoLzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApLxC,OAsLO,WAtLqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+LA,oC;MA/LA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA+LM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAjM6B,SAiMzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAjMxC,OAmMO,WAnMqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA4MA,oC;MA5MA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA4MM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA9M6B,SA8MzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA9MxC,OAgNO,WAhNqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAyNA,oC;MAzNA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAyNM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA3N6B,SA2NzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3NxC,OA6NO,WA7NqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAsOA,oC;MAtOA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAsOM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAxO6B,SAwOzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAxOxC,OA0OO,WA1OqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAmPA,oC;MAnPA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAmPM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IArP6B,SAqPzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QArPxC,OAuPO,WAvPqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAgQA,oC;MAhQA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAgQM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAlQ6B,SAkQzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAlQxC,OAoQO,WApQqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA6QA,oC;MA7QA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA6QM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA/Q6B,SA+QzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA/QxC,OAiRO,WAjRqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA0RA,oC;MA1RA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA0RM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA5R6B,SA4RzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA5RxC,OA8RO,WA9RqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAuSA,oC;MAvSA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAuSM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAzS6B,SAySzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAzSxC,OA2SO,WA3SqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAoTA,oC;MApTA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAoTM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAtT6B,SAsTzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAtTxC,OAwTO,WAxTqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAiUA,oC;MAjUA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAiUM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAnU6B,SAmUzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAnUxC,OAqUO,WArUqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA8UA,oC;MA9UA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA8UM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAhV6B,SAgVzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAhVxC,OAkVO,WAlVqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA2VA,oC;MA3VA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA2VM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA7V6B,SA6VzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7VxC,OA+VO,WA/VqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAwWA,oC;MAxWA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAwWM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA1W6B,SA0WzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA1WxC,OA4WO,WA5WqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAqXA,oC;MArXA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAqXM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAvX6B,SAuXzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAvXxC,OAyXO,WAzXqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAkYA,oC;MAlYA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAkYM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IApY6B,SAoYzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApYxC,OAsYO,WAtYqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+YA,oC;MA/YA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA+YM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAjZ6B,SAiZzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAjZxC,OAmZO,WAnZqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA4ZA,oC;MA5ZA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA4ZM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA9Z6B,SA8ZzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA9ZxC,OAgaO,WAhaqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAyaA,oC;MAzaA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAyaM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA3a6B,SA2azB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3axC,OA6aO,WA7aqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAsbA,oC;MAtbA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAsbM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAxb6B,SAwbzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAxbxC,OA0bO,WA1bqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAmcA,oC;MAncA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAmcM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IArc6B,SAqczB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QArcxC,OAucO,WAvcqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAgdA,oC;MAhdA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAgdM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAldA,SAkdI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAldxC,OAodO,WApdqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+dA,oC;MA/dA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA+dM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAjeA,SAieI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAjexC,OAmeO,WAneqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA8eA,oC;MA9eA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA8eM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAhfA,SAgfI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAhfxC,OAkfO,WAlfqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA6fA,oC;MA7fA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA6fM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA/fA,SA+fI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA/fxC,OAigBO,WAjgBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA4gBA,oC;MA5gBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA4gBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA9gBA,SA8gBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA9gBxC,OAghBO,WAhhBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA2hBA,oC;MA3hBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA2hBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA7hBA,SA6hBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7hBxC,OA+hBO,WA/hBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA0iBA,oC;MA1iBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA0iBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA5iBA,SA4iBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA5iBxC,OA8iBO,WA9iBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAyjBA,oC;MAzjBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAyjBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA3jBA,SA2jBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3jBxC,OA6jBO,WA7jBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAwkBA,oC;MAxkBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAwkBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA1kBA,SA0kBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA1kBxC,OA4kBO,WA5kBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAulBA,oC;MAvlBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAulBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAzlBA,SAylBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAzlBxC,OA2lBO,WA3lBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAsmBA,oC;MAtmBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAsmBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAxmBA,SAwmBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAxmBxC,OA0mBO,WA1mBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAqnBA,oC;MArnBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAqnBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAvnBA,SAunBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAvnBxC,OAynBO,WAznBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAooBA,oC;MApoBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAooBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAtoBA,SAsoBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAtoBxC,OAwoBO,WAxoBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAmpBA,oC;MAnpBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAmpBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IArpBA,SAqpBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QArpBxC,OAupBO,WAvpBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAkqBA,oC;MAlqBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAkqBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IApqBA,SAoqBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApqBxC,OAsqBO,WAtqBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAirBA,oC;MAjrBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAirBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAnrBA,SAmrBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAnrBxC,OAqrBO,WArrBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAgsBA,oC;MAhsBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAgsBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAlsBA,SAksBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAlsBxC,OAosBO,WApsBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+sBA,oC;MA/sBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA+sBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAjtBA,SAitBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAjtBxC,OAmtBO,WAntBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA8tBA,oC;MA9tBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA8tBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAhuBA,SAguBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAhuBxC,OAkuBO,WAluBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA6uBA,oC;MA7uBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA6uBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA/uBA,SA+uBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA/uBxC,OAivBO,WAjvBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA4vBA,oC;MA5vBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA4vBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA9vBA,SA8vBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA9vBxC,OAgwBO,WAhwBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA2wBA,oC;MA3wBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA2wBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA7wBA,SA6wBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA7wBxC,OA+wBO,WA/wBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA0xBA,oC;MA1xBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QA0xBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA5xBA,SA4xBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA5xBxC,OA8xBO,WA9xBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAyyBA,oC;MAzyBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAyyBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA3yBA,SA2yBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA3yBxC,OA6yBO,WA7yBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAwzBA,oC;MAxzBA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAwzBM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IA1zBA,SA0zBI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QA1zBxC,OA4zBO,WA5zBqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAu0BA,oC;MAv0BA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAu0BM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBA
AI,KAAJ,C;UACd,IAz0BA,SAy0BI,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAz0BxC,OA20BO,WA30BqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MAs1BA,oC;MAt1BA,6
C;MAAA,oC;MAAA,uC;QAMW,kBAAS,oB;QAs1BM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,c

C;MAAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,EAAwB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,IAAJ,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAtB,OAAM,CAAe,W;O;KALjD,C;IAQA,+B;MAIlB7fI,IAAI,EkBqgBI,KAAK,ClBrgBT,CAAJ,C;QACI,ckBogBc,wD;QAAlBngBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBogBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBzgBI,IAAI,EkBihBI,KAAK,ClBjhBT,CAAJ,C;QACI,ckBghBc,wD;QAAlBhhBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBghBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBliBI,IAAI,EkB6hBI,KAAK,ClB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QAAlBjiBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4hBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBpjBI,IAAI,EkBwjBI,KAAK,ClBxjBT,CAAJ,C;QACI,ckBujBc,wD;QAAlBnjBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBujBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBvkBI,IAAI,EkBmkBI,KAAK,ClBnkBT,CAAJ,C;QACI,ckBkkBc,wD;QAAlBtkBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBkkBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB1lBI,IAAI,EkB8lBI,KAAK,ClB9lBT,CAAJ,C;QACI,ckB6lBc,wD;QAAlBzlBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB6lBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB7mBI,IAAI,EkBymBI,KAAK,ClBzmBT,CAAJ,C;QACI,ckBwmBc,wD;QAAlB5mBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwmBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBhoBI,IAAI,EkBooBI,KAAK,ClBpoBT,CAAJ,C;QACI,ckBmoBc,wD;QAAlB/nBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBmoBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBnpBI,IAAI,EkBupBI,KAAK,ClBvpBT,CAAJ,C;QACI,ckBspBc,wD;QAAlBlpBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBspBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBtqBI,IAAI,EkB0qBI,KAAK,ClB1qBT,CAAJ,C;QACI,ckByqBc,wD;QAAlBrqBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkByqBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBzrBI,IAAI,EkB6rBI,KAAK,ClB7rBT,CAAJ,C;QACI,ckB4rBc,wD;QAAlBxrBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4rBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB5sBI,IAAI,EkBgtBI,KAAK,ClBhtBT,CAAJ,C;QACI,ckB+sBc,wD;QAAlB3sBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB+sBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB/tBI,IAAI,EkBmuBI,KAAK,ClBnuBT,CAAJ,C;QACI,ckBkuBc,wD;QAAlB9tBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBkuBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBlvBI,IAAI,EkBsvBI,KAAK,ClBtvBT,CAAJ,C;QACI,ckBqvBc,wD;QAAlBjvBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBqvBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBrwBI,IAAI,EkBywBI,KAAK,ClBzwBT,CAAJ,C;QACI,ckBwwBc,wD;QAAlBpwBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwwBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBxxBI,IAAI,EkB4xBI,KAAK,ClB5xBT,CAAJ,C;QACI,ckB2xBc,wD;QAAlBvxBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB2xBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB3yBI,IAAI,EkB+yBI,KAAK,ClB/yBT,CAAJ,C;QACI,ckB8yBc,wD;QAAlB1yBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB8yBV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB9zBI,IAAI,EkBk0BI,KAAK,ClBl0BT,CAAJ,C;QACI,ckBi0Bc,wD;QAAlB7zBd,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBi0BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBh1BI,IAAI,EkBq1BI,KAAK,ClBr1BT,CAAJ,C;QACI,ckBo1Bc,wD;QAAlB51BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBo1BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBn2BI,IAAI,EkBw2BI,KAAK,ClBx2BT,CAAJ,C;QACI,ckBu2Bc,wD;QAAlBh2BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBu2BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBt3BI,IAAI,EkB23BI,KAAK,ClB33BT,CAAJ,C;QACI,ckB03Bc,wD;QAAlBn3BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB03BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBz4BI,IAAI,EkB84BI,KAAK,ClB94BT,CAAJ,C;QACI,ckB64Bc,wD;QAAlBt4BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB64BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB55BI,IAAI,EkBi6BI,KAAK,ClBj6BT,CAAJ,C;QACI,ckBg6Bc,wD;QAAlBz5BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBg6BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB/6BI,IAAI,EkBo7BI,KAAK,ClBp7BT,CAAJ,C;QACI,ckBm7Bc,wD;QAAlB56BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBm7BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBl8BI,IAAI,EkBu8BI,KAAK,ClBv8BT,CAAJ,C;QACI,ckBs8Bc,wD;QAAlB/7BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBs8BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBr9BI,IAAI,EkB09BI,KAAK,ClB19BT,CAAJ,C;QACI,ckBy9Bc,wD;QAAlBl9BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBy9BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBx+BI,IAAI,EkB6+BI,KAAK,ClB7+BT,CAAJ,C;QACI,ckB4+Bc,wD;QAAlBr+BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4+BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB3/BI,IAAI,EkBggCI,KAAK,ClBhgCT,CAAJ,C;QACI,ckB+/Bc,wD;QAAlBx/BhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB+/BV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBjhCI,IAAI,EkBshCI,KAAK,ClBthCT,CAAJ,C;QACI,ckBqhCc,wD;QAAlB9gChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBqhCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBvhCI,IAAI,EkB4hCI,KAAK,ClB5hCT,CAAJ,C;QACI,ckB2hCc,wD;QAAlBpiChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB2hCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB7iCI,IAAI,EkBkjCI,KAAK,ClBljCT,CAAJ,C;QACI,ckBijCc,wD;QAAlBtjChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBijCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBnkCI,IAAI,EkBwkCI,KAAK,ClBxkCT,CAAJ,C;QACI,ckBukCc,wD;QAAlBhkChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBukCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBvlCI,IAAI,EkB8lCI,KAAK,ClB9lCT,CAAJ,C;QACI,ckB6lCc,wD;QAAlBtlChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB6lCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB7mCI,IAAI,EkBynCI,KAAK,ClBznCT,CAAJ,C;QACI,ckBwnCc,wD;QAAlB5nChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwnCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBhoCI,IAAI,EkBooCI,KAAK,ClBpoCT,CAAJ,C;QACI,ckBmoCc,wD;QAAlB/nChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBmoCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBnpCI,IAAI,EkBupCI,KAAK,ClBvpCT,CAAJ,C;QACI,ckBspCc,wD;QAAlBlpChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBspCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBtqCI,IAAI,EkB0qCI,KAAK,ClB1qCT,CAAJ,C;QACI,ckByqCc,wD;QAAlBrqChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkByqCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBzrCI,IAAI,EkB6rCI,KAAK,ClB7rCT,CAAJ,C;QACI,ckB4rCc,wD;QAAlBxrChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4rCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB5sCI,IAAI,EkBgtCI,KAAK,ClBhtCT,CAAJ,C;QACI,ckB+sCc,wD;QAAlB3sChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB+sCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB/tCI,IAAI,EkBmuCI,KAAK,ClBnuCT,CAAJ,C;QACI,ckBkuCc,wD;QAAlB9tChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBkuCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBlvCI,IAAI,EkBsvCI,KAAK,ClBtvCT,CAAJ,C;QACI,ckBqvCc,wD;QAAlBjvChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBqvCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBrwCI,IAAI,EkBywCI,KAAK,ClBzwCT,CAAJ,C;QACI,ckBwwCc,wD;QAAlBpwChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwwCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBxxCI,IAAI,EkB4xCI,KAAK,ClB5xCT,CAAJ,C;QACI,ckB2xCc,wD;QAAlBvxChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB2xCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB3yCI,IAAI,EkB+yCI,KAAK,ClB/yCT,CAAJ,C;QACI,ckB8yCc,wD;QAAlB1yChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB8yCV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB9zCI,IAAI,EkBk0CI,KAAK,ClBl0CT,CAAJ,C;QACI,ckBi0Cc,wD;QAAlB7zChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBi0CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBh1CI,IAAI,EkBq1CI,KAAK,ClBr1CT,CAAJ,C;QACI,ckBo1Cc,wD;QAAlBz1ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBo1CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBn2CI,IAAI,EkBw2CI,KAAK,ClBx2CT,CAAJ,C;QACI,ckBu2Cc,wD;QAAlBh2ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBu2CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBt3CI,IAAI,EkB23CI,KAAK,ClB33CT,CAAJ,C;QACI,ckB03Cc,wD;QAAlBn3ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB03CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBz4CI,IAAI,EkB84CI,KAAK,ClB94CT,CAAJ,C;QACI,ckB64Cc,wD;QAAlBt4ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB64CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB55CI,IAAI,EkBi6CI,KAAK,ClBj6CT,CAAJ,C;QACI,ckBg6Cc,wD;QAAlBz5ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBg6CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB/6CI,IAAI,EkBo7CI,KAAK,ClBp7CT,CAAJ,C;QACI,ckBm7Cc,wD;QAAlB56ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBm7CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBl8CI,IAAI,EkBu8CI,KAAK,ClBv8CT,CAAJ,C;QACI,ckBs8Cc,wD;QAAlB/7ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBs8CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBr9CI,IAAI,EkB09CI,KAAK,ClB19CT,CAAJ,C;QACI,ckBy9Cc,wD;QAAlBl9ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBy9CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBx+CI,IAAI,EkB6+CI,KAAK,ClB7+CT,CAAJ,C;QACI,ckB4+Cc,wD;QAAlBr+ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4+CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB3/CI,IAAI,EkBggDI,KAAK,ClBhgDT,CAAJ,C;QACI,ckB+/Cc,wD;QAAlBx/ChB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB+/CV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBjhDI,IAAI,EkBshDI,KAAK,ClBthDT,CAAJ,C;QACI,ckBqhDc,wD;QAAlB9gDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBqhDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBvhDI,IAAI,EkB4hDI,KAAK,ClB5hDT,CAAJ,C;QACI,ckB2hDc,wD;QAAlBpiDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB2hDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB7iDI,IAAI,EkBkjDI,KAAK,ClBljDT,CAAJ,C;QACI,ckBijDc,wD;QAAlBtjDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBijDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBnkDI,IAAI,EkBwkDI,KAAK,ClBxkDT,CAAJ,C;QACI,ckBukDc,wD;QAAlBhkDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBukDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBvlDI,IAAI,EkB8lDI,KAAK,ClB9lDT,CAAJ,C;QACI,ckB6lDc,wD;QAAlBtlDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB6lDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB7mDI,IAAI,EkBynDI,KAAK,ClBznDT,CAAJ,C;QACI,ckBwnDc,wD;QAAlB5nDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwnDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBhoDI,IAAI,EkBooDI,KAAK,ClBpoDT,CAAJ,C;QACI,ckBmoDc,wD;QAAlB/nDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBmoDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBnpDI,IAAI,EkBupDI,KAAK,ClBvpDT,CAAJ,C;QACI,ckBspDc,wD;QAAlBlpDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBspDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBtqDI,IAAI,EkB0qDI,KAAK,ClB1qDT,CAAJ,C;QACI,ckByqDc,wD;QAAlBrqDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkByqDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBzrDI,IAAI,EkB6rDI,KAAK,ClB7rDT,CAAJ,C;QACI,ckB4rDc,wD;QAAlBxrDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB4rDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB5sDI,IAAI,EkBgtDI,KAAK,ClBhtDT,CAAJ,C;QACI,ckB+sDc,wD;QAAlB3sDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkB+sDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlB/tDI,IAAI,EkBmuDI,KAAK,ClBnuDT,CAAJ,C;QACI,ckBkuDc,wD;QAAlB9tDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBkuDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBlvDI,IAAI,EkBsvDI,KAAK,ClBtvDT,CAAJ,C;QACI,ckBqvDc,wD;QAAlBjvDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBqvDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBrwDI,IAAI,EkBywDI,KAAK,ClBzwDT,CAAJ,C;QACI,ckBwwDc,wD;QAAlBpwDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,C,C;;MkBwwDV,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,8BAAY,OAAZ,C;QAAe,OAAO,EAAE,iB,EAAF,EAAE,EAAF,gBAAE,Ab,CAAF,EAAE,C;K;IAGpE,+B;MAIlBxxDI,IAAI,EkB4xDI,KAAK,ClB5xDT,CAAJ,C;QACI,ckB2xDc,wD;QAAlBvxDhB,MAAM,gCAAY,OAAZ,C;QAAkB,WAAjC,

K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,,EAAP,C;UAAL,K;;UACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAgB,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;;UACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,oJ;MAAA,kBAAM,gBAAN,C;aAAA,C;UAAA,K;;UAAA,C

A1IR,W;YAAsC,6B;;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAAsC,6B;;;QAC3D,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QAChB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,qBAAU,CDqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAyB,OAAO,I;;QACtD,OAAO,K;O;KAPX,C;4EAUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAyB,OAAO,K;;QACtD,OAAO,K;O;KAPX,C;0EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACxC,OAAO,W;O;KAPX,C;wEAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,cAAvB,C;;QACxC,OAAO,W;O;KAPX,C;0E

MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtkCgD,qBAAU,CDskC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtlCgD,qBAAU,CDslC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtmCgD,qBAAU,CDsmC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtnCgD,qBAAU,CDsnC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtoCgD,qBAAU,CDsoC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtpCgD,qBAAU,CDspC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtqCgD,qBAAU,CDsqC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtrCgD,qBAAU,CDsrC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtsCgD,qBAAU,CDssC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICttCgD,qBAAU,CDstC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtuCgD,qBAAU,CDsuC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtvCgD,qBAAU,CDsvC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtwCgD,qBAAU,CDswC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtxCgD,qBAAU,CDsxC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtyCgD,qBAAU,CDsyC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtzCgD,qBAAU,CDszC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt0CgD,qBAAU,CDs0C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt1CgD,qBAAU,CDs1C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt2CgD,qBAAU,CDs2C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt3CgD,qBAAU,CDs3C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt4CgD,qBAAU,CDs4C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt5CgD,qBAAU,CDs5C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt6CgD,qBAAU,CDs6C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt7CgD,qBAAU,CDs7C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt8CgD,qBAAU,CDs8C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt9CgD,qBAAU,CDs9C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt+CgD,qBAAU,CDs+C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt/CgD,qBAAU,CDs/C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtgDgD,qBAAU,CDsgD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICthDgD,qBAAU,CDshD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtiDgD,qBAAU,CDsiD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtjDgD,qBAAU,CDsjD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtkDgD,qBAAU,CDskD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtlDgD,qBAAU,CDslD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtmDgD,qBAAU,CDsmD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtnDgD,qBAAU,CDsnD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtoDgD,qBAAU,CDsoD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtpDgD,qBAAU,CDspD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtqDgD,qBAAU,CDsqD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtrDgD,qBAAU,CDsrD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtsDgD,qBAAU,CDssD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICttDgD,qBAAU,CDstD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtuDgD,qBAAU,CDsuD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtvDgD,qBAAU,CDsvD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtwDgD,qBAAU,CDswD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtxDgD,qBAAU,CDsxD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtyDgD,qBAAU,CDsyD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICtzDgD,qBAAU,CDszD1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt0DgD,qBAAU,CDs0D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt1DgD,qBAAU,CDs1D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt2DgD,qBAAU,CDs2D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt3DgD,qBAAU,CDs3D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt4DgD,qBAAU,CDs4D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt5DgD,qBAAU,CDs5D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt6DgD,qBAAU,CDs6D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt7DgD,qBAAU,CDs7D1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,B,CAAlB,EAAX,GAAkC,C,CAAlC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAnBX,C;oFAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAAW,Q;QAFb,ICt8DgD,qB

AAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD
,qBAAU,CDmzC1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QA
CI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;M
AGI,OAAO,4BAAc,UAAd,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MA
CtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,
UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4
B;MAMI,OCt1CgD,qBAAU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAA
A,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,
OAAO,I;O;KAPX,C;8EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,O
AAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC
;MA/fA,6C;MAAA,oC;MAAA,gC;MA+fA,2BAQiB,yB;QAvgBjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,
4B;YAAE,aAAe,c;YAhgBjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP
,EAAO,sBAAP,WAAgB,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QA
CC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;
O;KARJ,C;8EAWA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,q
BAAU,CDm4C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB
,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAElB,OAAO,W;O;KAnBX
,C;4FAsBA,yB;MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,
CDy5C1D,C;UACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,c,
CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;
KAnBX,C;wGAsBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD
+6C1D,C;UACI,OAAO,I;QACX,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,cAAd,yB;UACI,cAAc,o
BAAU,KAAV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAElB,OAAO,W;O;KAnBX,C;0FAsBA,yB;
MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAiBsB,Q;QAHlB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;
QACX,kBAAkB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,cAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,i
CAAK,KAAL,EAAvB,E;;QAElB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,
gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;O;KAhBJ
,C;qGAmBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;
UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;O;KAhBJ,C;iHAmBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;
MAAA,gC;MAAA,uC;QAe0B,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,OAAO,oBAAP,C;;QAAtC,gB;
O;KAhBJ,C;iH

gC,sBAAI,0BAAJ,C;QAA7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAiB0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAAe,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAlB,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,afp1DO,W;Qeq1De,uB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,EAA8B,iCAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FX,Q;UAHhB,ICvjDgD,qBAAU,CDujD1D,C;YAAe,qBAAO,OA+FH,FH,OA/FG,C;YAAP,uB;;UACuB,kBAAxB,eAAa,mBAAb,CAAT,IAAb,C;UAAiC,sBA8F3B,3B,OA9F2B,F2B,C;UAAA9C,af5wDO,W;Ue6wDP,kBA6F3B,mB,O;UA5FH,0B;UAAhB,OAAgB,cAAhB,C;YAAgC,sBAAI,0BAAJ,C;YAAhC,cA4FgB,C;YA5FhB,qBAAgB,C;YAAhB

AAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAY,KAAZ,EAAmB,UAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAAC,oC;MAC7F,cAAc,KAAK,WAAW,KAAK,WAAW,KAAK,WAAW

AGJ,yB;MA4nBA,+C;MAkuFI,0D;MA91GJ,uC;QASW,qB;;UA4nBO,Q;UAAA,OAAa,SAytFX,YAAR,iBAAQ,CAztFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9nBc,SA8nBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhoBP,wB;O;KATJ,C;yFAYA,yB;MAgoBA,+C;MA0tFI,0D;MA11GJ,uC;QASW,qB;;UAgoBO,Q;UAAA,OAAa,SAitFX,YAAR,iBAAQ,CAjtFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAloBc,SAkoBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApoBP,wB;O;KATJ,C;yFAYA,yB;MAooBA,+C;MAktFI,0D;MAt1GJ,uC;QASW,qB;;UAooBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtoBc,SAsoBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxoBP,wB;O;KATJ,C;yFAYA,yB;MAwoBA,+C;MA0sFI,0D;MAl1GJ,uC;QASW,qB;;UAwoBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1oBc,SA0oBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5oBP,wB;O;KATJ,C;yFAYA,yB;MA4oBA,+C;MAksFI,0D;MA11GJ,uC;QASW,qB;;UA4oBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9oBc,SA8oBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhpBP,wB;O;KATJ,C;yFAYA,yB;MAgpBA,+C;MA0sFI,0D;MAl2GJ,uC;QASW,qB;;UAgpBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlpBc,SAkpBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAppBP,wB;O;KATJ,C;yFAYA,yB;MAopBA,+C;MAksFI,0D;MA12GJ,uC;QASW,qB;;UAopBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtpBc,SAspBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxpBP,wB;O;KATJ,C;yFAYA,yB;MAwpBA,+C;MA0sFI,0D;MAl3GJ,uC;QASW,qB;;UAwpBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1pBc,SA0pBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5pBP,wB;O;KATJ,C;yFAYA,yB;MA4pBA,+C;MAksFI,0D;MA13GJ,uC;QASW,qB;;UA4pBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9pBc,SA8pBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhqBP,wB;O;KATJ,C;yFAYA,yB;MAgqBA,+C;MA0sFI,0D;MAl4GJ,uC;QASW,qB;;UAgqBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlqBc,SAkqBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApqBP,wB;O;KATJ,C;yFAYA,yB;MAoqBA,+C;MAksFI,0D;MA14GJ,uC;QASW,qB;;UAoqBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtqBc,SAsqBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxqBP,wB;O;KATJ,C;yFAYA,yB;MAwqBA,+C;MA0sFI,0D;MAl5GJ,uC;QASW,qB;;UAwqBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1qBc,SA0qBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5qBP,wB;O;KATJ,C;yFAYA,yB;MA4qBA,+C;MAksFI,0D;MA15GJ,uC;QASW,qB;;UA4qBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9qBc,SA8qBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhrBP,wB;O;KATJ,C;yFAYA,yB;MAgrBA,+C;MA0sFI,0D;MAl6GJ,uC;QASW,qB;;UAgrBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlrBc,SAkrBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAprBP,wB;O;KATJ,C;yFAYA,yB;MAorBA,+C;MAksFI,0D;MA16GJ,uC;QASW,qB;;UAorBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtrBc,SAsrBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxrBP,wB;O;KATJ,C;yFAYA,yB;MAwrBA,+C;MA0sFI,0D;MAl7GJ,uC;QASW,qB;;UAwrBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1rBc,SA0rBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5rBP,wB;O;KATJ,C;yFAYA,yB;MA4rBA,+C;MAksFI,0D;MA17GJ,uC;QASW,qB;;UA4rBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9rBc,SA8rBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhsBP,wB;O;KATJ,C;yFAYA,yB;MAgsBA,+C;MA0sFI,0D;MAl8GJ,uC;QASW,qB;;UAgsBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlsBc,SAksBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApsBP,wB;O;KATJ,C;yFAYA,yB;MAosBA,+C;MAksFI,0D;MA18GJ,uC;QASW,qB;;UAosBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtsBc,SAssBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxsBP,wB;O;KATJ,C;yFAYA,yB;MAwsBA,+C;MA0sFI,0D;MAl9GJ,uC;QASW,qB;;UAwsBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1sBc,SA0sBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5sBP,wB;O;KATJ,C;yFAYA,yB;MA4sBA,+C;MAksFI,0D;MA19GJ,uC;QASW,qB;;UA4sBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9sBc,SA8sBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhtBP,wB;O;KATJ,C;yFAYA,yB;MAgtBA,+C;MA0sFI,0D;MAl+GJ,uC;QASW,qB;;UAgtBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAltBc,SAktBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAptBP,wB;O;KATJ,C;yFAYA,yB;MAotBA,+C;MAksFI,0D;MA1+GJ,uC;QASW,qB;;UAotBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAttBc,SAstBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxtBP,wB;O;KATJ,C;yFAYA,yB;MAwtBA,+C;MA0sFI,0D;MAl/GJ,uC;QASW,qB;;UAwtBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1tBc,SA0tBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5tBP,wB;O;KATJ,C;yFAYA,yB;MA4tBA,+C;MAksFI,0D;MA1/GJ,uC;QASW,qB;;UA4tBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9tBc,SA8tBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhuBP,wB;O;KATJ,C;yFAYA,yB;MAguBA,+C;MA0sFI,0D;MAlgHJ,uC;QASW,qB;;UAguBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAluBc,SAkuBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApuBP,wB;O;KATJ,C;yFAYA,yB;MAouBA,+C;MAksFI,0D;MA1gHJ,uC;QASW,qB;;UAouBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtuBc,SAsuBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxuBP,wB;O;KATJ,C;yFAYA,yB;MAwuBA,+C;MA0sFI,0D;MAlhHJ,uC;QASW,qB;;UAwuBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1uBc,SA0uBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5uBP,wB;O;KATJ,C;yFAYA,yB;MA4uBA,+C;MAksFI,0D;MA1hHJ,uC;QASW,qB;;UA4uBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9uBc,SA8uBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhvBP,wB;O;KATJ,C;yFAYA,yB;MAgvBA,+C;MA0sFI,0D;MAliHJ,uC;QASW,qB;;UAgvBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlvBc,SAkvBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApvBP,wB;O;KATJ,C;yFAYA,yB;MAovBA,+C;MAksFI,0D;MA1iHJ,uC;QASW,qB;;UAovBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtvBc,SAsvBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxvBP,wB;O;KATJ,C;yFAYA,yB;MAwvBA,+C;MA0sFI,0D;MAljHJ,uC;QASW,qB;;UAwvBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1vBc,SA0vBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5vBP,wB;O;KATJ,C;yFAYA,yB;MA4vBA,+C;MAksFI,0D;MA1jHJ,uC;QASW,qB;;UA4vBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9vBc,SA8vBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhwBP,wB;O;KATJ,C;yFAYA,yB;MAgwBA,+C;MA0sFI,0D;MAlkHJ,uC;QASW,qB;;UAgwBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlwBc,SAkwBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApwBP,wB;O;KATJ,C;yFAYA,yB;MAowBA,+C;MAksFI,0D;MA1kHJ,uC;QASW,qB;;UAowBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtwBc,SAswBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxwBP,wB;O;KATJ,C;yFAYA,yB;MAwwBA,+C;MA0sFI,0D;MAllHJ,uC;QASW,qB;;UAwwBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1wBc,SA0wBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5wBP,wB;O;KATJ,C;yFAYA,yB;MA4wBA,+C;MAksFI,0D;MA1lHJ,uC;QASW,qB;;UA4wBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9wBc,SA8wBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhxBP,wB;O;KATJ,C;yFAYA,yB;MAgxBA,+C;MA0sFI,0D;MAlmHJ,uC;QASW,qB;;UAgxBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlxBc,SAkxBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApxBP,wB;O;KATJ,C;yFAYA,yB;MAoxBA,+C;MAksFI,0D;MA1mHJ,uC;QASW,qB;;UAoxBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtxBc,SAsxBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxxBP,wB;O;KATJ,C;yFAYA,yB;MAwxBA,+C;MA0sFI,0D;MAlnHJ,uC;QASW,qB;;UAwxBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1xBc,SA0xBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5xBP,wB;O;KATJ,C;yFAYA,yB;MA4xBA,+C;MAksFI,0D;MA1nHJ,uC;QASW,qB;;UA4xBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9xBc,SA8xBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhyBP,wB;O;KATJ,C;yFAYA,yB;MAgyBA,+C;MA0sFI,0D;MAloHJ,uC;QASW,qB;;UAgyBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlyBc,SAkyBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApyBP,wB;O;KATJ,C;yFAYA,yB;MAoyBA,+C;MAksFI,0D;MA1oHJ,uC;QASW,qB;;UAoyBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtyBc,SAsyBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxyBP,wB;O;KATJ,C;yFAYA,yB;MAwyBA,+C;MA0sFI,0D;MAlpHJ,uC;QASW,qB;;UAwyBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1yBc,SA0yBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5yBP,wB;O;KATJ,C;yFAYA,yB;MA4yBA,+C;MAksFI,0D;MA1pHJ,uC;QASW,qB;;UA4yBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9yBc,SA8yBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAhzBP,wB;O;KATJ,C;yFAYA,yB;MAgzBA,+C;MA0sFI,0D;MAlqHJ,uC;QASW,qB;;UAgzBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAlzBc,SAkzBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QApzBP,wB;O;KATJ,C;yFAYA,yB;MAozBA,+C;MAksFI,0D;MA1qHJ,uC;QASW,qB;;UAozBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtzBc,SAszBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAxzBP,wB;O;KATJ,C;yFAYA,yB;MAwzBA,+C;MA0sFI,0D;MAlrHJ,uC;QASW,qB;;UAwzBO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA1zBc,SA0zBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA5zBP,wB;O;KATJ,C;yFAYA,yB;MA4zBA,+C;MAksFI,0D;MA1rHJ,uC;QASW,qB;;UA4zBO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9zBc,SA8zBV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh0BP,wB;O;KATJ,C;yFAYA,yB;MAg0BA,+C;MA0sFI,0D;MAlsHJ,uC;QASW,qB;;UAg0BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl0Bc,SAk0BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp0BP,wB;O;KATJ,C;yFAYA,yB;MAo0BA,+C;MAksFI,0D;MA1sHJ,uC;QASW,qB;;UAo0BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt0Bc,SAs0BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx0BP,wB;O;KATJ,C;yFAYA,yB;MAw0BA,+C;MA0sFI,0D;MAltHJ,uC;QASW,qB;;UAw0BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA10Bc,SA00BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA50BP,wB;O;KATJ,C;yFAYA,yB;MA40BA,+C;MAksFI,0D;MA1tHJ,uC;QASW,qB;;UA40BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA90Bc,SA80BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh1BP,wB;O;KATJ,C;yFAYA,yB;MAg1BA,+C;MA0sFI,0D;MAluHJ,uC;QASW,qB;;UAg1BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl1Bc,SAk1BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp1BP,wB;O;KATJ,C;yFAYA,yB;MAo1BA,+C;MAksFI,0D;MA1uHJ,uC;QASW,qB;;UAo1BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt1Bc,SAs1BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx1BP,wB;O;KATJ,C;yFAYA,yB;MAw1BA,+C;MA0sFI,0D;MAlvHJ,uC;QASW,qB;;UAw1BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA11Bc,SA01BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA51BP,wB;O;KATJ,C;yFAYA,yB;MA41BA,+C;MAksFI,0D;MA1vHJ,uC;QASW,qB;;UA41BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA91Bc,SA81BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh2BP,wB;O;KATJ,C;yFAYA,yB;MAg2BA,+C;MA0sFI,0D;MAlwHJ,uC;QASW,qB;;UAg2BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl2Bc,SAk2BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp2BP,wB;O;KATJ,C;yFAYA,yB;MAo2BA,+C;MAksFI,0D;MA1wHJ,uC;QASW,qB;;UAo2BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt2Bc,SAs2BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx2BP,wB;O;KATJ,C;yFAYA,yB;MAw2BA,+C;MA0sFI,0D;MAlxHJ,uC;QASW,qB;;UAw2BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA12Bc,SA02BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA52BP,wB;O;KATJ,C;yFAYA,yB;MA42BA,+C;MAksFI,0D;MA1xHJ,uC;QASW,qB;;UA42BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA92Bc,SA82BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh3BP,wB;O;KATJ,C;yFAYA,yB;MAg3BA,+C;MA0sFI,0D;MAlyHJ,uC;QASW,qB;;UAg3BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl3Bc,SAk3BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp3BP,wB;O;KATJ,C;yFAYA,yB;MAo3BA,+C;MAksFI,0D;MA1yHJ,uC;QASW,qB;;UAo3BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAt3Bc,SAs3BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAx3BP,wB;O;KATJ,C;yFAYA,yB;MAw3BA,+C;MA0sFI,0D;MAlzHJ,uC;QASW,qB;;UAw3BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA13Bc,SA03BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QA53BP,wB;O;KATJ,C;yFAYA,yB;MA43BA,+C;MAksFI,0D;MA1zHJ,uC;QASW,qB;;UA43BO,Q;UAAA,OAAa,SAysFX,YAAR,iBAAQ,CAzsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA93Bc,SA83BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAh4BP,wB;O;KATJ,C;yFAYA,yB;MAg4BA,+C;MA0sFI,0D;MAl0HJ,uC;QASW,qB;;UAg4BO,Q;UAAA,OAAa,SAisFX,YAAR,iBAAQ,CAjsFW,CAAb,W;UAAd,OAAc,cAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAl4Bc,SAk4BV,CAAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;;UAE5B,oBAAO,I;;;QAp4BP,wB;O;KATJ,C;yFAYA,yB;MAo4BA,+C;MAksFI,0D;MA10HJ,uC;QASW,qB;;UAo4BO,Q

mCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cHsuCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCj1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;MmBuZA,0BAOgC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,qB;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAAK,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BAOgC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yBpC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YACI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCoB,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCryBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MlC3dA,+B;MkC2dA,0BAOgC,yB;QlClehC,+B;ekCkegC,6B;UAAA,qB;YAAE,yBlCxdW,gBkCwdD,ElCxdC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UlCxdW,gBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+cA,+B;MsC/cA,0BAOgC,yB;QtCsdhC,+B;esCtdgC,6B;UAAA,qB;YAAE,yBtCsdF,esCtdE,EtCsdF,CsCtdR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwxBf,0D;YACI,IsCzxB0B,UtCsdF,esCtdE,EF+wCpB,YAAK,KAAL,CE/wCoB,CsCtdR,CtCyxB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7xBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqcA,+B;MsCrcA,0BAOgC,yB;QtC4chC,+B;esC5cgC,6B;UAAA,qB;YAAE,yBtC4cF,esC5cE,EtC4cF,CsC5cR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC8wBf,0D;YACI,IsC/wB0B,UtC4cF,esC5cE,EFqvCpB,YAAK,KAAL,CErvCoB,CsC5cR,CtC+wB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCnxBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC2bA,+B;MsC3bA,0BAOgC,yB;QtCkchC,+B;esClcgC,6B;UAAA,qB;YAAE,yBtCkcF,esClcE,EtCkcF,CsClcR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCoxBf,0D;YACI,IsCrxB0B,UtCkcF,esClcE,EF2uCpB,YAAK,KAAL,CE3uCoB,CsClcR,CtCqxB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzxBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCibA,+B;MsCjbA,0BAOgC,yB;QtCwbhC,+B;esCxbgC,6B;UAAA,qB;YAAE,yBtCwbF,esCxbE,EtCwbF,CsCxbR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0wBf,0D;YACI,IsC3wB0B,UtCwbF,esCxbE,EFiuCpB,YAAK,KAAL,CEjuCoB,CsCxbR,CtC2wB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/wBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuaA,+B;MsCvaA,0BAOgC,yB;QtC8ahC,+B;esC9agC,6B;UAAA,qB;YAAE,yBtC8aF,esC9aE,EtC8aF,CsC9aR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgwBf,0D;YACI,IsCjwB0B,UtC8aF,esC9aE,EFuuCpB,YAAK,KAAL,CEvuCoB,CsC9aR,CtCiwB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCrwBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC6ZA,+B;MsC7ZA,0BAOgC,yB;QtCoahC,+B;esCpagC,6B;UAAA,qB;YAAE,yBtCoaF,esCpaE,EtCoaF,CsCpaR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCsvBf,0D;YACI,IsCvvB0B,UtCoaF,esCpaE,EF6tCpB,YAAK,KAAL,CE7tCoB,CsCpaR,CtCuvB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3vBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCmZA,+B;MsCnZA,0BAOgC,yB;QtC0ZhC,+B;esC1ZgC,6B;UAAA,qB;YAAE,yBtC0ZF,esC1ZE,EtC0ZF,CsC1ZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC4uBf,0D;YACI,IsC7uB0B,UtC0ZF,esC1ZE,EFmtCpB,YAAK,KAAL,CEntCoB,CsC1ZR,CtC6uB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCjvBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCyYA,+B;MsCzYA,0BAOgC,yB;QtCgZhC,+B;esChZgC,6B;UAAA,qB;YAAE,yBtCgZF,esChZE,EtCgZF,CsChZR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCstBf,0D;YACI,IsCvtB0B,UtCgZF,esChZE,EF2sCpB,YAAK,KAAL,CE3sCoB,CsChZR,CtCutB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC3tBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC+XA,+B;MsC/XA,0BAOgC,yB;QtCsYhC,+B;esCtYgC,6B;UAAA,qB;YAAE,yBtCsYF,esCtYE,EtCsYF,CsCtYR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCgtBf,0D;YACI,IsCjtB0B,UtCsYF,esCtYE,EFmsCpB,YAAK,KAAL,CEnsCoB,CsCtYR,CtCitB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCrtBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqXA,+B;MsCrXA,0BAOgC,yB;QtC4XhC,+B;esC5XgC,6B;UAAA,qB;YAAE,yBtC4XF,esC5XE,EtC4XF,CsC5XR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0sBf,0D;YACI,IsC3sB0B,UtC4XF,esC5XE,EF2rCpB,YAAK,KAAL,CE3rCoB,CsC5XR,CtC2sB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/sBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtC2WA,+B;MsC3WA,0BAOgC,yB;QtCkXhC,+B;esClXgC,6B;UAAA,qB;YAAE,yBtCkXF,esClXE,EtCkXF,CsClXR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCosBf,0D;YACI,IsCrsB0B,UtCkXF,esClXE,EFmrCpB,YAAK,KAAL,CEnrCoB,CsClXR,CtCqsB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCzsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCiWA,+B;MsCjWA,0BAOgC,yB;QtCwWhC,+B;esCxWgC,6B;UAAA,qB;YAAE,yBtCwWF,esCxWE,EtCwWF,CsCxWR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC8rBf,0D;YACI,IsC/rB0B,UtCwWF,esCxWE,EF2qCpB,YAAK,KAAL,CE3qCoB,CsCxWR,CtC+rB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsCnsBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuVA,+B;MsCvVA,0BAOgC,yB;QtC8VhC,+B;esC9VgC,6B;UAAA,qB;YAAE,yBtC8VF,esC9VE,EtC8VF,CsC9VR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwqBf,0D;YACI,IsCzqB0B,UtCsVF,esCtVE,EFmqCpB,YAAK,KAAL,CEnqCoB,CsCtVR,CtCyqB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7qBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqUA,+B;MsCrUA,0BAOgC,yB;QtC4UhC,+B;esC5UgC,6B;UAAA,qB;YAAE,yBtC4UF,esC5UE,EtC4UF,CsC5UR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0pBf,0D;YACI,IsC3pB0B,UtCwUF,esCxUE,EF2pCpB,YAAK,KAAL,CE3pCoB,CsCxUR,CtC2pB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/pBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuTA,+B;MsCvTA,0BAOgC,yB;QtC8ThC,+B;esC9TgC,6B;UAAA,qB;YAAE,yBtC8TF,esC9TE,EtC8TF,CsC9TR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwoBf,0D;YACI,IsCzoB0B,UtCsTF,esCtTE,EFmoCpB,YAAK,KAAL,CEnoCoB,CsCtTR,CtCyoB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7oBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqSA,+B;MsCrSA,0BAOgC,yB;QtC4ShC,+B;esC5SgC,6B;UAAA,qB;YAAE,yBtC4SF,esC5SE,EtC4SF,CsC5SR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0nBf,0D;YACI,IsC3nB0B,UtCwSF,esCxSE,EF2nCpB,YAAK,KAAL,CE3nCoB,CsCxSR,CtC2nB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/nBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuRA,+B;MsCvRA,0BAOgC,yB;QtC8RhC,+B;esC9RgC,6B;UAAA,qB;YAAE,yBtC8RF,esC9RE,EtC8RF,CsC9RR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwmBf,0D;YACI,IsCzmB0B,UtCsRF,esCtRE,EFmmCpB,YAAK,KAAL,CEnmCoB,CsCtRR,CtCymB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7mBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqQA,+B;MsCrQA,0BAOgC,yB;QtC4QhC,+B;esC5QgC,6B;UAAA,qB;YAAE,yBtC4QF,esC5QE,EtC4QF,CsC5QR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0lBf,0D;YACI,IsC3lB0B,UtCwQF,esCxQE,EF2lCpB,YAAK,KAAL,CE3lCoB,CsCxQR,CtC2lB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/lBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuPA,+B;MsCvPA,0BAOgC,yB;QtC8PhC,+B;esC9PgC,6B;UAAA,qB;YAAE,yBtC8PF,esC9PE,EtC8PF,CsC9PR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwkBf,0D;YACI,IsCzkB0B,UtCsPF,esCtPE,EFmkCpB,YAAK,KAAL,CEnkCoB,CsCtPR,CtCykB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7kBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqOA,+B;MsCrOA,0BAOgC,yB;QtC4OhC,+B;esC5OgC,6B;UAAA,qB;YAAE,yBtC4OF,esC5OE,EtC4OF,CsC5OR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0jBf,0D;YACI,IsC3jB0B,UtCwOF,esCxOE,EF2jCpB,YAAK,KAAL,CE3jCoB,CsCxOR,CtC2jB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/jBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuNA,+B;MsCvNA,0BAOgC,yB;QtC8NhC,+B;esC9NgC,6B;UAAA,qB;YAAE,yBtC8NF,esC9NE,EtC8NF,CsC9NR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwiBf,0D;YACI,IsCziB0B,UtCsNF,esCtNE,EFmiCpB,YAAK,KAAL,CEniCoB,CsCtNR,CtCyiB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7iBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqMA,+B;MsCrMA,0BAOgC,yB;QtC4MhC,+B;esC5MgC,6B;UAAA,qB;YAAE,yBtC4MF,esC5ME,EtC4MF,CsC5MR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0hBf,0D;YACI,IsC3hB0B,UtCwMF,esCxME,EF2hCpB,YAAK,KAAL,CE3hCoB,CsCxMR,CtC2hB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/hBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuLA,+B;MsCvLA,0BAOgC,yB;QtC8LhC,+B;esC9LgC,6B;UAAA,qB;YAAE,yBtC8LF,esC9LE,EtC8LF,CsC9LR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwgBf,0D;YACI,IsCzgB0B,UtCsLF,esCtLE,EFmgCpB,YAAK,KAAL,CEngCoB,CsCtLR,CtCygB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7gBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqKA,+B;MsCrKA,0BAOgC,yB;QtC4KhC,+B;esC5KgC,6B;UAAA,qB;YAAE,yBtC4KF,esC5KE,EtC4KF,CsC5KR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0ff,0D;YACI,IsC3f0B,UtCwKF,esCxKE,EF2fpB,YAAK,KAAL,CE3foB,CsCxKR,CtC2f1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/fP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuJA,+B;MsCvJA,0BAOgC,yB;QtC8JhC,+B;esC9JgC,6B;UAAA,qB;YAAE,yBtC8JF,esC9JE,EtC8JF,CsC9JR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwef,0D;YACI,IsCzef,UtCsJ0B,esCtJE,EFmepB,YAAK,KAAL,CEnenB,CsCtJR,CtCyeW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7eP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqIA,+B;MsCrIA,0BAOgC,yB;QtC4IhC,+B;esC5IgC,6B;UAAA,qB;YAAE,yBtC4IF,esC5IE,EtC4IF,CsC5IR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0df,0D;YACI,IsC3df,UtCwI0B,esCxIE,EF2dpB,YAAK,KAAL,CE3dnB,CsCxIR,CtC2dW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/dP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuHA,+B;MsCvHA,0BAOgC,yB;QtC8HhC,+B;esC9HgC,6B;UAAA,qB;YAAE,yBtC8HF,esC9HE,EtC8HF,CsC9HR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwcf,0D;YACI,IsCzcf,UtCsH0B,esCtHE,EFmcpB,YAAK,KAAL,CEncnB,CsCtHR,CtCycW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7cP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqGA,+B;MsCrGA,0BAOgC,yB;QtC4GhC,+B;esC5GgC,6B;UAAA,qB;YAAE,yBtC4GF,esC5GE,EtC4GF,CsC5GR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0bf,0D;YACI,IsC3bf,UtCwG0B,esCxGE,EF2bpB,YAAK,KAAL,CE3bnB,CsCxGR,CtC2bW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/bP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuFA,+B;MsCvFA,0BAOgC,yB;QtC8FhC,+B;esC9FgC,6B;UAAA,qB;YAAE,yBtC8FF,esC9FE,EtC8FF,CsC9FR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwaf,0D;YACI,IsCzaf,UtCsF0B,esCtFE,EFmapB,YAAK,KAAL,CEnanB,CsCtFR,CtCyaW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7aP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqEA,+B;MsCrEA,0BAOgC,yB;QtC4EhC,+B;esC5EgC,6B;UAAA,qB;YAAE,yBtC4EF,esC5EE,EtC4EF,CsC5ER,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Zf,0D;YACI,IsC3Zf,UtCwE0B,esCxEE,EF2ZpB,YAAK,KAAL,CE3ZnB,CsCxER,CtC2ZW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/ZP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuDA,+B;MsCvDA,0BAOgC,yB;QtC8DhC,+B;esC9DgC,6B;UAAA,qB;YAAE,yBtC8DF,esC9DE,EtC8DF,CsC9DR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwYf,0D;YACI,IsCzYf,UtCsD0B,esCtDE,EFmYpB,YAAK,KAAL,CEnYnB,CsCtDR,CtCyYW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7YP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqCA,+B;MsCrCA,0BAOgC,yB;QtC4ChC,+B;esC5CgC,6B;UAAA,qB;YAAE,yBtC4CF,esC5CE,EtC4CF,CsC5CR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Xf,0D;YACI,IsC3Xf,UtCwC0B,esCxCE,EF2XpB,YAAK,KAAL,CE3XnB,CsCxCR,CtC2XW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/XP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuBA,+B;MsCvBA,0BAOgC,yB;QtC8BhC,+B;esC9BgC,6B;UAAA,qB;YAAE,yBtC8BF,esC9BE,EtC8BF,CsC9BR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwWf,0D;YACI,IsCzWf,UtCsB0B,esCtBE,EFmWpB,YAAK,KAAL,CEnWnB,CsCtBR,CtCyWW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7WP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqAA,+B;MsCrAA,0BAOgC,yB;QtC4AhC,+B;esC5AgC,6B;UAAA,qB;YAAE,yBtC4AF,esC5AE,EtC4AF,CsC5AR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Vf,0D;YACI,IsC3Vf,UtCwA0B,esCxAE,EF2VpB,YAAK,KAAL,CE3VnB,CsCxAR,CtC2VW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/VP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuPA,+B;MsCvPA,0BAOgC,yB;QtC8PhC,+B;esC9PgC,6B;UAAA,qB;YAAE,yBtC8PF,esC9PE,EtC8PF,CsC9PR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwkBf,0D;YACI,IsCzkB0B,UtCsPF,esCtPE,EFmkCpB,YAAK,KAAL,CEnkCoB,CsCtPR,CtCykB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7kBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqOA,+B;MsCrOA,0BAOgC,yB;QtC4OhC,+B;esC5OgC,6B;UAAA,qB;YAAE,yBtC4OF,esC5OE,EtC4OF,CsC5OR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0jBf,0D;YACI,IsC3jB0B,UtCwOF,esCxOE,EF2jCpB,YAAK,KAAL,CE3jCoB,CsCxOR,CtC2jB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/jBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuNA,+B;MsCvNA,0BAOgC,yB;QtC8NhC,+B;esC9NgC,6B;UAAA,qB;YAAE,yBtC8NF,esC9NE,EtC8NF,CsC9NR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwiBf,0D;YACI,IsCziB0B,UtCsNF,esCtNE,EFmiCpB,YAAK,KAAL,CEniCoB,CsCtNR,CtCyiB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7iBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqMA,+B;MsCrMA,0BAOgC,yB;QtC4MhC,+B;esC5MgC,6B;UAAA,qB;YAAE,yBtC4MF,esC5ME,EtC4MF,CsC5MR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0hBf,0D;YACI,IsC3hB0B,UtCwMF,esCxME,EF2hCpB,YAAK,KAAL,CE3hCoB,CsCxMR,CtC2hB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/hBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuLA,+B;MsCvLA,0BAOgC,yB;QtC8LhC,+B;esC9LgC,6B;UAAA,qB;YAAE,yBtC8LF,esC9LE,EtC8LF,CsC9LR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwgBf,0D;YACI,IsCzgB0B,UtCsLF,esCtLE,EFmgCpB,YAAK,KAAL,CEngCoB,CsCtLR,CtCygB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7gBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqKA,+B;MsCrKA,0BAOgC,yB;QtC4KhC,+B;esC5KgC,6B;UAAA,qB;YAAE,yBtC4KF,esC5KE,EtC4KF,CsC5KR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0ff,0D;YACI,IsC3f0B,UtCwKF,esCxKE,EF2fpB,YAAK,KAAL,CE3foB,CsCxKR,CtC2f1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/fP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuJA,+B;MsCvJA,0BAOgC,yB;QtC8JhC,+B;esC9JgC,6B;UAAA,qB;YAAE,yBtC8JF,esC9JE,EtC8JF,CsC9JR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwef,0D;YACI,IsCzef,UtCsJ0B,esCtJE,EFmepB,YAAK,KAAL,CEnenB,CsCtJR,CtCyeW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7eP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqIA,+B;MsCrIA,0BAOgC,yB;QtC4IhC,+B;esC5IgC,6B;UAAA,qB;YAAE,yBtC4IF,esC5IE,EtC4IF,CsC5IR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0df,0D;YACI,IsC3df,UtCwI0B,esCxIE,EF2dpB,YAAK,KAAL,CE3dnB,CsCxIR,CtC2dW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/dP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuHA,+B;MsCvHA,0BAOgC,yB;QtC8HhC,+B;esC9HgC,6B;UAAA,qB;YAAE,yBtC8HF,esC9HE,EtC8HF,CsC9HR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwcf,0D;YACI,IsCzcf,UtCsH0B,esCtHE,EFmcpB,YAAK,KAAL,CEncnB,CsCtHR,CtCycW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7cP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqGA,+B;MsCrGA,0BAOgC,yB;QtC4GhC,+B;esC5GgC,6B;UAAA,qB;YAAE,yBtC4GF,esC5GE,EtC4GF,CsC5GR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0bf,0D;YACI,IsC3bf,UtCwG0B,esCxGE,EF2bpB,YAAK,KAAL,CE3bnB,CsCxGR,CtC2bW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/bP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuFA,+B;MsCvFA,0BAOgC,yB;QtC8FhC,+B;esC9FgC,6B;UAAA,qB;YAAE,yBtC8FF,esC9FE,EtC8FF,CsC9FR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwaf,0D;YACI,IsCzaf,UtCsF0B,esCtFE,EFmapB,YAAK,KAAL,CEnanB,CsCtFR,CtCyaW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7aP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqEA,+B;MsCrEA,0BAOgC,yB;QtC4EhC,+B;esC5EgC,6B;UAAA,qB;YAAE,yBtC4EF,esC5EE,EtC4EF,CsC5ER,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Zf,0D;YACI,IsC3Zf,UtCwE0B,esCxEE,EF2ZpB,YAAK,KAAL,CE3ZnB,CsCxER,CtC2ZW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/ZP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuDA,+B;MsCvDA,0BAOgC,yB;QtC8DhC,+B;esC9DgC,6B;UAAA,qB;YAAE,yBtC8DF,esC9DE,EtC8DF,CsC9DR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwYf,0D;YACI,IsCzYf,UtCsD0B,esCtDE,EFmYpB,YAAK,KAAL,CEnYnB,CsCtDR,CtCyYW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7YP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqCA,+B;MsCrCA,0BAOgC,yB;QtC4ChC,+B;esC5CgC,6B;UAAA,qB;YAAE,yBtC4CF,esC5CE,EtC4CF,CsC5CR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Xf,0D;YACI,IsC3Xf,UtCwC0B,esCxCE,EF2XpB,YAAK,KAAL,CE3XnB,CsCxCR,CtC2XW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/XP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuBA,+B;MsCvBA,0BAOgC,yB;QtC8BhC,+B;esC9BgC,6B;UAAA,qB;YAAE,yBtC8BF,esC9BE,EtC8BF,CsC9BR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwWf,0D;YACI,IsCzWf,UtCsB0B,esCtBE,EFmWpB,YAAK,KAAL,CEnWnB,CsCtBR,CtCyWW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7WP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqAA,+B;MsCrAA,0BAOgC,yB;QtC4AhC,+B;esC5AgC,6B;UAAA,qB;YAAE,yBtC4AF,esC5AE,EtC4AF,CsC5AR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0Vf,0D;YACI,IsC3Vf,UtCwA0B,esCxAE,EF2VpB,YAAK,KAAL,CE3VnB,CsCxAR,CtC2VW,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC/VP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCuPA,+B;MsCvPA,0BAOgC,yB;QtC8PhC,+B;esC9PgC,6B;UAAA,qB;YAAE,yBtC8PF,esC9PE,EtC8PF,CsC9PR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtCwkBf,0D;YACI,IsCzkB0B,UtCsPF,esCtPE,EFmkCpB,YAAK,KAAL,CEnkCoB,CsCtPR,CtCykB1B,C;cACI,sBAAO,K;cAAP,wB;;;UAGR,sBAAO,E;;;QsC7kBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCqOA,+B;MsCrOA,0BAOgC,yB;QtC4OhC,+B;esC5OgC,6B;UAAA,qB;YAAE,yBtC4OF,esC5OE,EtC4OF,CsC5OR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UtC0jBf,0D;YACI,IsC3jB0B,UtCwOF,esCxOE,EF2jCpB,YAAK,KAAL,CE3jCoB,CsCxOR,CtC2jB1

B;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAAY,OlCzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MAluFJ,uC;QASkB,Q;QAAA,OAAa,SAAytFX,YAAztFF,SAAytFN,QAAQ,CAAztFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,C,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,SAAitFX,YAAjtFF,SAAitFN,QAAQ,CAAjtFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,C,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MAktFI,0D;MAltFJ,uC;QASkB,Q;QAAA,OAAa,SAAysFX,YAAzsFF,SAAysFN,QAAQ,CAAzsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,C,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,SAAisFX,YAAjsFF,SAAisFN,QAAQ,CAAjsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,C,OAAO,I;O;KAbX,C;6FAgBA,yB;MAAA,+C;MAksFI,0D;MAlsFJ,uC;QASkB,Q;QAAA,OAAa,SAAysFX,YAAzsFF,SAAysFN,QAAQ,CAAzsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,C,OAAO,I;O;KAbX,C;IAeA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC

AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GA4B,I;K;iGAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UAClB,SAAS,O;UACT,QAAQ,I;;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,MAAM,gCAAyB,OAAQ,WAAjC,C;;MwB8hDV,OAAO,uBAAoB,gBAAqB,iBAAsB,OAAtB,IAAsC,OAAtC,IAAsD,OAAtD,IAAsE,OAAtE,IAAsF,OAAtF,IAAsG,OAAtG,IAAsH,OAAtH,IAAsI,OAAtI,IAAsJ,OAAtJ,IAAsK,OAAtK,IAAsL,OAAtL,IAAsM,OAAtM,IAAsN,OAAtN,IAAsO,OAAtO,IAAsP,OAAtP,IAAsQ,OAAtQ,IAAsR,OAAtR,IAAsS,OAAtS,IAAsT,OAAtT,IAAsU,OAAtU,IAAsV,OAAtV,IAAsW,OAAtW,IAAsX,OAAtX,IAAsY,OAAtY,IAAsZ,OAAtZ,IAAsa,OAAta,IAAsb,OAAtb,IAAsc,OAAtc,IAAsd,OAAtd,IAAse,OAAte,IAAsf,OAAtf,IAAsgB,OAAtgB,IAAshB,OAAthB,IAAsiB,OAAtiB,IAAsjB,OAAtjB,IAAskB,OAAtkB,IAAslB,OAAtlB,IAAsmB,OAAtmB,IAAsnB,OAAtnB,IAAsoB,OAAtoB,IAAspB,OAAtpB,IAAsqB,OAAtqB,IAAsrB,OAAtrB,IAAssB,OAAtsB,IAAstB,OAAttB,IAAsuB,OAAtuB,IAAsvB,OAAtvB,IAAswB,OAAtwB,IAAsxB,OAAtxB,IAAsyB,OAAtyB,IAAsz,OAAtz,IAAs0B,OAAt0B,IAAs1B,OAAt1B,IAAs2B,OAAt2B,IAAs3B,OAAt3B,IAAs4B,OAAt4B,IAAs5B,OAAt5B,IAAs6B,OAAt6B,IAAs7B,OAAt7B,IAAs8B,OAAt8B,IAAs9B,OAAt9B,IAAs+B,OAAt+B,IAAs/B,OAAt/B,IAAsgC,OAAtgC,IAAshC,OAAthC,IAAsiC,OAAtiC,IAAsjC,OAAtjC,IAAskC,OAAtkC,IAAslC,OAAtlC,IAAsmC,OAAtmC,IAAsnC,OAAtnC,IAAsoC,OAAtoC,IAAspC,OAAtpC,IAAsqC,OAAtqC,IAAsrC,OAAtrC,IAAssC,OAAtsC,IAAstC,OAAttC,IAAsuC,OAAtuC,IAAsvC,OAAtvC,IAAswC,OAAtwC,IAAsxC,OAAtxC,IAAsyC,OAAtyC,IAAszC,OAAtzC,IAAs0C,OAAt0C,IAAs1C,OAAt1C,IAAs2C,OAAt2C,IAAs3C,OAAt3C,IAAs4C,OAAt4C,IAAs5C,OAAt5C,IAAs6C,OAAt6C,IAAs7C,OAAt7C,IAAs8C,OAAt8C,IAAs9C,OAAt9C,IAAs+C,OAAt+C,IAAs/C,OAAt/C,IAAsgD,OAAtgD,IAAshD,OAAthD,IAAsiD,OAAtiD,IAAsjD,OAAtjD,IAAskD,OAAtkD,IAAslD,OAAtlD,IAAsmD,OAAtmD,IAAsnD,OAAtnD,IAAsoD,OAAtoD,IAAspD,OAAtpD,IAAsqD,OAAtqD,IAAsrD,OAAtrD,IAAssD,OAAtsD,IAAstD,OAAttD,IAAsuD,OAAtuD,IAAsvD,OAAtvD,IAAswD,OAAtwD,IAAsxD,OAAtxD,IAAsyD,OAAtyD,IAAszD,OAAtzD,IAAs0D,OAAt0D,IAAs1D,OAAt1D,IAAs2D,OAAt2D,IAAs3D,OAAt3D,IAAs4D,OAAt4D,IAAs5D,OAAt5D,IAAs6D,OAAt6D,IAAs7D,OAAt7D,IAAs8D,OAAt8D,IAAs9D,OAAt9D,IAAs+D,OAAt+D,IAAs/D,OAAt/D,IAAsgE,OAAtgE,IAAshE,OAAthE,IAAsiE,OAAtiE,IAAsjE,OAAtjE,IAAskE,OAAtkE,IAAslE,OAAtlE,IAAsmE,OAAtmE,IAAsnE,OAAtnE,IAAsoE,OAAtoE,IAAspE,OAAtpE,IAAsqE,OAAtqE,IAAsrE,OAAtrE,IAAssE,OAAtsE,IAAstE,OAAttE,IAAsuE,OAAtuE,IAAsvE,OAAtvE,IAAswE,OAAtwE,IAAsxE,OAAtxE,IAAsyE,OAAtyE,IAAszE,OAAtzE,IAAs0E,OAAt0E,IAAs1E,OAAt1E,IAAs2E,OAAt2E,IAAs3E,OAAt3E,IAAs4E,OAAt4E,IAAs5E,OAAt5E,IAAs6E,OAAt6E,IAAs7E,OAAt7E,IAAs8E,OAAt8E,IAAs9E,OAAt9E,IAAs+E,OAAt+E,IAAs/E,OAAt/E,IAAsgF,OAAtgF,IAAshF,OAAthF,IAAsiF,OAAtiF,IAAsjF,OAAtjF,IAAskF,OAAtkF,IAAslF,OAAtlF,IAAsmF,OAAtmF,IAAsnF,OAAtnF,IAAsoF,OAAtoF,IAAspF,OAAtpF,IAAsqF,OAAtqF,IAAsrF,OAAtrF,IAAssF,OAAtsF,IAAstF,OAAttF,IAAsuF,OAAtuF,IAAsvF,OAAtvF,IAAswF,OAAtwF,IAAsxF,OAAtxF,IAAsyF,OAAtyF,IAAszF,OAAtzF,IAAs0F,OAAt0F,IAAs1F,OAAt1F,IAAs2F,OAAt2F,IAAs3F,OAAt3F,IAAs4F,OAAt4F,IAAs5F,OAAt5F,IAAs6F,OAAt6F,IAAs7F,OAAt7F,IAAs8F,OAAt8F,IAAs9F,OAAt9F,IAAs+F,OAAt+F,IAAs/F,OAAt/F,IAAsgG,OAAtgG,IAAshG,OAAthG,IAAsiG,OAAtiG,IAAsjG,OAAtjG,IAAskG,OAAtkG,IAAslG,OAAtlG,IAAsmG,OAAtmG,IAAsnG,OAAtnG,IAAsoG,OAAtoG,IAAspG,OAAtpG,IAAsqG,OAAtqG,IAAsrG,OAAtrG,IAAssG,OAAtsG,IAAstG,OAAttG,IAAsuG,OAAtuG,IAAsvG,OAAtvG,IAAswG,OAAtwG,IAAsxG,OAAtxG,IAAsyG,OAAtyG,IAAszG,OAAtzG,IAAs0G,OAAt0G,IAAs1G,OAAt1G,IAAs2G,OAAt2G,IAAs3G,OAAt3G,IAAs4G,OAAt4G,IAAs5G,OAAt5G,IAAs6G,OAAt6G,IAAs7G,OAAt7G,IAAs8G,OAAt8G,IAAs9G,OAAt9G,IAAs+G,OAAt+G,IAAs/G,OAAt/G,IAAsgH,OAAtgH,IAAshH,OAAthH,IAAsiH,OAAtiH,IAAsjH,OAAtjH,IAAskH,OAAtkH,IAAslH,OAAtlH,IAAsmH,OAAtmH,IAAsnH,OAAtnH,IAAsoH,OAAtoH,IAAspH,OAAtpH,IAAsqH,OAAtqH,IAAsrH,OAAtrH,IAAssH,OAAtsH,IAAstH,OAAttH,IAAsuH,OAAtuH,IAAsvH,OAAtvH,IAAswH,OAAtwH,IAAsxH,OAAtxH,IAAsyH,OAAtyH,IAAszH,OAAtzH,IAAs0H,OAAt0H,IAAs1H,OAAt1H,IAAs2H,OAAt2H,IAAs3H,OAAt3H,IAAs4H,OAAt4H,IAAs5H,OAAt5H,IAAs6H,OAAt6H,IAAs7H,OAAt7H,IAAs8H,OAAt8H,IAAs9H,OAAt9H,IAAs+H,OAAt+H,IAAs/H,OAAt/H,IAAsgI,OAAtgI,IAAshI,OAAthI,IAAsiI,OAAtiI,IAAsjI,OAAtjI,IAAskI,OAAtkI,IAAslI,OAAtlI,IAAsmI,OAAtmI,IAAsnI,OAAtnI,IAAsoI,OAAtoI,IAAspI,OAAtpI,IAAsqI,OAAtqI,IAAsrI,OAAtrI,IAAssI,OAAtsI,IAAstI,OAAttI,IAAsuI,OAAtuI,IAAsvI,OAAtvI,IAAswI,OAAtwI,IAAsxI,OAAtxI,IAAsyI,OAAtyI,IAAszI,OAAtzI,IAAs0I,OAAt0I,IAAs1I,OAAt1I,IAAs2I,OAAt2I,IAAs3I,OAAt3I,IAAs4I,OAAt4I,IAAs5I,OAAt5I,IAAs6I,OAAt6I,IAAs7I,OAAt7I,IAAs8I,OAAt8I,IAAs9I,OAAt9I,IAAs+I,OAAt+I,IAAs/I,OAAt/I,IAAsgJ,OAAtgJ,IAAshJ,OAAthJ,IAAsiJ,OAAtiJ,IAAsjJ,OAAtjJ,IAAskJ,OAAtkJ,IAAslJ,OAAtlJ,IAAsmJ,OAAtmJ,IAAsnJ,OAAtnJ,IAAsoJ,OAAtoJ,IAAspJ,OAAtpJ,IAAsqJ,OAAtqJ,IAAsrJ,OAAtrJ,IAAssJ,OAAtsJ,IAAstJ,OAAttJ,IAAsuJ,OAAtuJ,IAAsvJ,OAAtvJ,IAAswJ,OAAtwJ,IAAsxJ,OAAtxJ,IAAsyJ,OAAtyJ,IAAszJ,OAAtzJ,IAAs0J,OAAt0J,IAAs1J,OAAt1J,IAAs2J,OAAt2J,IAAs3J,OAAt3J,IAAs4J,OAAt4J,IAAs5J,OAAt5J,IAAs6J,OAAt6J,IAAs7J,OAAt7J,IAAs8J,OAAt8J,IAAs9J,OAAt9J,IAAs+J,OAAt+J,IAAs/J,OAAt/J,IAAsgK,OAAtgK,IAAshK,OAAthK,IAAsiK,OAAtiK,IAAsjK,OAAtjK,IAAskK,OAAtkK,IAAslK,OAAtlK,IAAsmK,OAAtmK,IAAsnK,OAAtnK,IAAsoK,OAAtoK,IAAspK,OAAtpK,IAAsqK,OAAtqK,IAAsrK,OAAtrK,IAAssK,OAAtsK,IAAstK,OAAttK,IAAsuK,OAAtuK,IAAsvK,OAAtvK,IAAswK,OAAtwK,IAAsxK,OAAtxK,IAAsyK,OAAtyK,IAAszK,OAAtzK,IAAs0K,OAAt0K,IAAs1K,OAAt1K,IAAs2K,OAAt2K,IAAs3K,OAAt3K,IAAs4K,OAAt4K,IAAs5K,OAAt5K,IAAs6K,OAAt6K,IAAs7K,OAAt7K,IAAs8K,OAAt8K,IAAs9K,OAAt9K,IAAs+K,OAAt+K,IAAs/K,OAAt/K,IAAsgL,OAAtgL,IAAshL,OAAthL,IAAsiL,OAAtiL,IAAsjL,OAAtjL,IAAskL,OAAtkL,IAAslL,OAAtlL,IAAsmL,OAAtmL,IAAsnL,OAAtnL,IAAsoL,OAAtoL,IAAspL,OAAtpL,IAAsqL,OAAtqL,IAAsrL,OAAtrL,IAAssL,OAAtsL,IAAstL,OAAttL,IAAsuL,OAAtuL,IAAsvL,OAAtvL,IAAswL,OAAtwL,IAAsxL,OAAtxL,IAAsyL,OAAtyL,IAAszL,OAAtzL,IAAs0L,OAAt0L,IAAs1L,OAAt1L,IAAs2L,OAAt2L,IAAs3L,OAAt3L,IAAs4L,OAAt4L,IAAs5L,OAAt5L,IAAs6L,OAAt6L,IAAs7L,OAAt7L,IAAs8L,OAAt8L,IAAs9L,OAAt9L,IAAs+L,OAAt+L,IAAs/L,OAAt/L,IAAsgM,OAAtgM,IAAshM,OAAthM,IAAsiM,OAAtiM,IAAsjM,OAAtjM,IAAskM,OAAtkM,IAAslM,OAAtlM,IAAsmM,OAAtmM,IAAsnM,OAAtnM,IAAsoM,OAAtoM,IAAspM,OAAtpM,IAAsqM,OAAtqM,IAAsrM,OAAtrM,IAAssM,OAAtsM,IAAstM,OAAttM,IAAsuM,OAAtuM,IAAsvM,OAAtvM,IAAswM,OAAtwM,IAAsxM,OAAtxM,IAAsyM,OAAtyM,IAAszM,OAAtzM,IAAs0M,OAAt0M,IAAs1M,OAAt1M,IAAs2M,OAAt2M,IAAs3M,OAAt3M,IAAs4M,OAAt4M,IAAs5M,OAAt5M,IAAs6M,OAAt6M,IAAs7M,OAAt7M,IAAs8M,OAAt8M,IAAs9M,OAAt9M,IAAs+M,OAAt+M,IAAs/M,OAAt/M,IAAsgN,OAAtgN,IAAshN,OAAthN,IAAsiN,OAAtiN,IAAsjN,OAAtjN,IAAskN,OAAtkN,IAAslN,OAAtlN,IAAsmN,OAAtmN,IAAsnN,OAAtnN,IAAsoN,OAAtoN,IAAspN,OAAtpN,IAAsqN,OAAtqN,IAAsrN,OAAtrN,IAAssN,OAAtsN,IAAstN,OAAttN,IAAsuN,OAAtuN,IAAsvN,OAAtvN,IAAswN,OAAtwN,IAAsxN,OAAtxN,IAAsyN,OAAtyN,IAAszN,OAAtzN,IAAs0N,OAAt0N,IAAs1N,OAAt1N,IAAs2N,OAAt2N,IAAs3N,OAAt3N,IAAs4N,OAAt4N,IAAs5N,OAAt5N,IAAs6N,OAAt6N,IAAs7N,OAAt7N,IAAs8N,OAAt8N,IAAs9N,OAAt9N,IAAs+N,OAAt+N,IAAs/N,OAAt/N,IAAsgO,OAAtgO,IAAshO,OAAthO,IAAsiO,OAAtiO,IAAsjO,OAAtjO,IAAskO,OAAtkO,IAAslO,OAAtlO,IAAsmO,OAAtmO,IAAsnO,OAAtnO,IAAsoO,OAAtoO,IAAspO,OAAtpO,IAAsqO,OAAtqO,IAAsrO,OAAtrO,IAAssO,OAAtsO,IAAstO,OAAttO,IAAsuO,OAAtuO,IAAsvO,OAAtvO,IAAswO,OAAtwO,IAAsxO,OAAtxO,IAAsyO,OAAtyO,IAAszO,OAAtzO,IAAs0O,OAAt0O,IAAs1O,OAAt1O,IAAs2O,OAAt2O,IAAs3O,OAAt3O,IAAs4O,OAAt4O,IAAs5O,OAAt5O,IAAs6O,OAAt6O,IAAs7O,OAAt7O,IAAs8O,OAAt8O,IAAs9O,OAAt9O,IAAs+O,OAAt+O,IAAs/O,OAAt/O,IAAsgP,OAAtgP,IAAshP,OAAthP,IAAsiP,OAAtiP,IAAsjP,OAAtjP,IAAskP,OAAtkP,IAAslP,OAAtlP,IAAsmP,OAAtmP,IAAsnP,OAAtnP,IAAsoP,OAAtoP,IAAspP,OAAtpP,IAAsqP,OAAtqP,IAAsrP,OAAtrP,IAAssP,OAAtsP,IAAstP,OAAttP,IAAsuP,OAAtuP,IAAsvP,OAAtvP,IAAswP,OAAtwP,IAAsxP,OAAtxP,IAAsyP,OAAtyP,IAAszP,OAAtzP,IAAs0P,OAAt0P,IAAs1P,OAAt1P,IAAs2P,OAAt2P,IAAs3P,OAAt3P,IAAs4P,OAAt4P,IAAs5P,OAAt5P,IAAs6P,OAAt6P,IAAs7P,OAAt7P,IAAs8P,OAAt8P,IAAs9P,OAAt9P,IAAs+P,OAAt+P,IAAs/P,OAAt/P,IAAsgQ,OAAtgQ,IAAshQ,OAAthQ,IAAsiQ,OAAtiQ,IAAsjQ,OAAtjQ,IAAskQ,OAAtkQ,IAAslQ,OAAtlQ,IAAsmQ,OAAtmQ,IAAsnQ,OAAtnQ,IAAsoQ,OAAtoQ,IAAspQ,OAAtpQ,IAAsqQ,OAAtqQ,IAAsrQ,OAAtrQ,IAAssQ,OAAtsQ,IAAstQ,OAAttQ,IAAsuQ,OAAtuQ,IAAsvQ,OAAtvQ,IAAswQ,OAAtwQ,IAAsxQ,OAAtxQ,IAAsyQ,OAAtyQ,IAAszQ,OAAtzQ,IAAs0Q,OAAt0Q,IAAs1Q,OAAt1Q,IAAs2Q,OAAt2Q,IAAs3Q,OAAt3Q,IAAs4Q,OAAt4Q,IAAs5Q,OAAt5Q,IAAs6Q,OAAt6Q,IAAs7Q,OAAt7Q,IAAs8Q,OAAt8Q,IAAs9Q,OAAt9Q,IAAs+Q,OAAt+Q,IAAs/Q,OAAt/Q,IAAsgR,OAAtgR,IAAshR,OAAthR,IAAsiR,OAAtiR,IAAsjR,OAAtjR,IAAskR,OAAtkR,IAAslR,OAAtlR,IAAsmR,OAAtmR,IAAsnR,OAAtnR,IAAsoR,OAAtoR,IAAspR,OAAtpR,IAAsqR,OAAtqR,IAAsrR,OAAtrR,IAAssR,OAAtsR,IAAstR,OAAttR,IAAsuR,OAAtuR,IAAsvR,OAAtvR,IAAswR,OAAtwR,IAAsxR,OAAtxR,IAAsyR,OAAtyR,IAAszR,OAAtzR,IAAs0R,OAAt0R,IAAs1R,OAAt1R,IAAs2R,OAAt2R,IAAs3R,OAAt3R,IAAs4R,OAAt4R,IAAs5R,OAAt5R,IAAs6R,OAAt6R,IAAs7R,OAAt7R,IAAs8R,OAAt8R,IAAs9R,OAAt9R,IAAs+R,OAAt+R,IAAs/R,OAAt/R,IAAsgS,OAAtgS,IAAshS,OAAthS,IAAsiS,OAAtiS,IAAsjS,OAAtjS,IAAskS,OAAtkS,IAAslS,OAAtlS,IAAsmS,OAAtmS,IAAsnS,OAAtnS,IAAsoS,OAAtoS,IAAspS,OAAtpS,IAAsqS,OAAtqS,IAAsrS,OAAtrS,IAAssS,OAAtsS,IAAstS,OAAttS,IAAsuS,OAAtuS,IAAsvS,OAAtvS,IAAswS,OAAtwS,IAAsxS,OAAtxS,IAAsyS,OAAtyS,IAAszS,OAAtzS,IAAs0S,OAAt0S,IAAs1S,OAAt1S,IAAs2S,OAAt2S,IAAs3S,OAAt3S,IAAs4S,OAAt4S,IAAs5S,OAAt5S,IAAs6S,OAAt6S,IAAs7S,OAAt7S,IAAs8S,OAAt8S,IAAs9S,OAAt9S,IAAs+S,OAAt+S,IAAs/S,OAAt/S,IAAsgT,OAAtgT,IAAshT,OAAthT,IAAsiT,OAAtiT,IAAsjT,OAAtjT,IAAskT,OAAtkT,IAAslT,OAAtlT,IAAsmT,OAAtmT,IAAsnT,OAAtnT,IAAsoT,OAAtoT,IAAspT,OAAtpT,IAAsqT,OAAtqT,IAAsrT,OAAtrT,IAAssT,OAAtsT,IAAstT,OAAttT,IAAsuT,OAAtuT,IAAsvT,OAAtvT,IAAswT,OAAtwT,IAAsxT,OAAtxT,IAAsyT,OAAtyT,IAAszT,OAAtzT,IAAs0T,OAAt0T,IAAs1T,OAAt1T,IAAs2T,OAAt2T,IAAs3T,OAAt3T,IAAs4T,OAAt4T,IAAs5T,OAAt5T,IAAs6T,OAAt6T,IAAs7T,OAAt7T,IAAs8T,OAAt8T,IAAs9T,OAAt9T,IAAs+T,OAAt+T,IAAs/T,OAAt/T,IAAsgU,OAAtgU,IAAshU,OAAthU,IAAsiU,OAAtiU,IAAsjU,OAAtjU,IAAskU,OAAtkU,IAAslU,OAAtlU,IAAsmU,OAAtmU,IAAsnU,OAAtnU,IAAsoU,OAAtoU,IAAspU,OAAtpU,IAAsqU,OAAtqU,IAAsrU,OAAtrU,IAAssU,OAAtsU,IAAstU,OAAttU,IAAsuU,OAAtuU,IAAsvU,OAAtvU,IAAswU,OAAtwU,IAAsxU,OAAtxU,IAAsyU,OAAtyU,IAAszU,OAAtzU,IAAs0U,OAAt0U,IAAs1U,OAAt1U,IAAs2U,OAAt2U,IAAs3U,OAAt3U,IAAs4U,OAAt4U,IAAs5U,OAAt5U,IAAs6U,OAAt6U,IAAs7U,OAAt7U,IAAs8U,OAAt8U,IAAs9U,OAAt9U,IAAs+U,OAAt+U,IAAs/U,OAAt/U,IAAsgV,OAAtgV,IAAshV,OAAthV,IAAsiV,OAAtiV,IAAsjV,OAAtjV,IAAskV,OAAtkV,IAAslV,OAAtlV,IAAsmV,OAAtmV,IAAsnV,OAAtnV,IAAsoV,OAAtoV,IAAspV,OAAtpV,IAAsqV,OAAtqV,IAAsrV,OAAtrV,IAAssV,OAAtsV,IAAstV,OAAttV,IAAsuV,OAAtuV,IAAsvV,OAAtvV,IAAswV,OAAtwV,IAAsxV,OAAtxV,IAAsyV,OAAtyV,IAAszV,OAAtzV,IAAs0V,OAAt0V,IAAs1V,OAAt1V,IAAs2V,OAAt2V,IAAs3V,OAAt3V,IAAs4V,OAAt4V,IAAs5V,OAAt5V,IAAs6V,OAAt6V,IAAs7V,OAAt7V,IAAs8V,OAAt8V,IAAs9V,OAAt9V,IAAs+V,OAAt+V,IAAs/V,OAAt/V,IAAsgW,OAAtgW,IAAshW,OAAthW,IAAsiW,OAAtiW,IAAsjW,OAAtjW,IAAskW,OAAtkW,IAAslW,OAAtlW,IAAsmW,OAAtmW,IAAsnW,OAAtnW,IAAsoW,OAAtoW,IAAspW,OAAtpW,IAAsqW,OAAtqW,IAAsrW,OAAtrW,IAAssW,OAAtsW,IAAstW,OAAttW,IAAsuW,OAAtuW,IAAsvW,OAAtvW,IAAswW,OAAtwW,IAAsxW,OAAtxW,IAAsyW,OAAtyW,IAAszW,OAAtzW,IAAs0W,OAAt0W,IAAs1W,OAAt1W,IAAs2W,OAAt2W,IAAs3W,OAAt3W,IAAs4W,OAAt4W,IAAs5W,OAAt5W,IAAs6W,OAAt6W,IAAs7W,OAAt7W,IAAs8W,OAAt8W,IAAs9W,OAAt9W,IAAs+W,OAAt+W,IAAs/W,OAAt/W,IAAsgX,OAAtgX,IAAshX,OAAthX,IAAsiX,OAAtiX,IAAsjX,OAAtjX,IAAskX,OAAtkX,IAAslX,OAAtlX,IAAsmX,OAAtmX,IAAsnX,OAAtnX,IAAsoX,OAAtoX,IAAspX,OAAtpX,IAAsqX,OAAtqX,IAAsrX,OAAtrX,IAAssX,OAAtsX,IAAstX,OAAttX,IAAsuX,OAAtuX,IAAsvX,OAAtvX,IAAswX,OAAtwX,IAAsxX,OAAtxX,IAAsyX,OAAtyX,IAAszX,OAAtzX,IAAs0X,OAAt0X,IAAs1X,OAAt1X,IAAs2X,OAAt2X,IAAs3X,OAAt3X,IAAs4X,OAAt4X,IAAs5X,OAAt5X,IAAs6X,OAAt6X,IAAs7X,OAAt7X,IAAs8X,OAAt8X,IAAs9X,OAAt9X,IAAs+X,OAAt+X,IAAs/X,OAAt/X,IAAsgY,OAAtgY,IAAshY,OAAthY,IAAsiY,OAAtiY,IAAsjY,OAAtjY,IAAskY,OAAtkY,IAAslY,OAAtlY,IAAsmY,OAAtmY,IAAsnY,OAAtnY,IAAsoY,OAAtoY,IAAspY,OAAtpY,IAAsqY,OAAtqY,IAAsrY,OAAtrY,IAAssY,OAAtsY,IAAstY,OAAttY,IAAsuY,OAAtuY,IAAsvY,OAAtvY,IAAswY,OAAtwY,IAAsxY,OAAtxY,IAAsyY,OAAtyY,IAAszY,OAAtzY,IAAs0Y,OAAt0Y,IAAs1Y,OAAt1Y,IAAs2Y,OAAt2Y,IAAs3Y,OAAt3Y,IAAs4Y,OAAt4Y,IAAs5Y,OAAt5Y,IAAs6Y,OAAt6Y,IAAs7Y,OAAt7Y,IAAs8Y,OAAt8Y,IAAs9Y,OAAt9Y,IAAs+Y,OAAt+Y,IAAs/Y,OAAt/Y,IAAsgZ,OAAtgZ,IAAshZ,OAAthZ,IAAsiZ,OAAtiZ,IAAsjZ,OAAtjZ,IAAskZ,OAAtkZ,IAAslZ,OAAtlZ,IAAsmZ,OAAtmZ,IAAsnZ,OAAtnZ,IAAsoZ,OAAtoZ,IAAspZ,OAAtpZ,IAAsqZ,OAAtqZ,IAAsrZ,OAAtrZ,IAAssZ,OAAtsZ,IAAstZ,OAAttZ,IAAsuZ,OAAtuZ,IAAsvZ,OAAtvZ,IAAswZ,OAAtwZ,IAAsxZ,OAAtxZ,IAAsyZ,OAAtyZ,IAAszZ,OAAtzZ,IAAs0Z,OAAt0Z,IAAs1Z,OAAt1Z,IAAs2Z,OAAt2Z,IAAs3Z,OAAt3Z,IAAs4Z,OAAt4Z,IAAs5Z,OAAt5Z,IAAs6Z,OAAt6Z,IAAs7Z,OAAt7Z,IAAs8Z,OAAt8Z,IAAs9Z,OAAt9Z,IAAs+Z,OAAt+Z,IAAs/Z,OAAt/Z,IAAsgaA,OAAtgaA,IAAshaA,OAAthaA,IAAsiaA,OAAtiaA,IAAsjaA,OAAtjaA,IAAskaA,OAAtkaA,IAAslaA,OAAtlaA,IAAsmaA,OAAtmaA,IAAsnaA,OAAtnaA,IAAsoaA,OAAtoaA,IAAspaA,OAAtpaA,IAAsqaA,OAAtqaA,IAAsraA,OAAtraA,IAAssaA,OAAtsaA,IAAstaA,OAAttaA,IAAsuaA,OAAtuaA,IAAsvaA,OAAtvaA,IAAswaA,OAAtwaA,IAAsxaA,OAAtxaA,IAAsyaA,OAAtyaA,IAAszaA,OAAtzaA,IAAs0aA,OAAt0aA,IAAs1aA,OAAt1aA,IAAs2aA,OAAt2aA,IAAs3aA,OAAt3aA,IAAs4aA,OAAt4aA,IAAs5aA,OAAt5aA,IAAs6aA,OAAt6aA,IAAs7aA,OAAt7aA,IAAs8aA,OAAt8aA,IAAs9aA,OAAt9aA,IAAs+aA,OAAt+aA,IAAs/aA,OAAt/aA,IAAsgbA,OAAtgbA,IAAshbA,OAAthbA,IAAsibA,OAAtibA,IAAsjbA,OAAtjbA,IAAskbA,OAAtkbA,IAAslbA,OAAtlbA,IAAsmbA,OAAtmbA,IAAsnbA,OAAtnbA,IAAsobA,OAAtobA,IAAspbA,OAAtpbA,IAAsqbA,OAAtqbA,IAAsrbA,OAAtrbA,IAAssbA,OAAtsbA,IAAstbA,OAAttbA,IAAsubA,OAAtubA,IAAsvbA,OAAtvbA,IAAswbA,OAAtwbA,IAAsxbA,OAAtxbA,IAAsybA,OAAtybA,IAAszbA,OAAtzbA,IAAs0bA,OAAt0bA,IAAs1bA,OAAt1bA,IAAs2bA,OAAt2bA,IAAs3bA,OAAt3bA,IAAs4bA,OAAt4bA,IAAs5bA,OAAt5bA,IAAs6bA,OAAt6bA,IAAs7bA,OAAt7bA,IAAs8bA,OAAt8bA,IAAs9bA,OAAt9bA,IAAs+bA,OAAt+bA,IAAs/bA,OAAt/bA,IAAsgcA,OAAtgcA,IAAshcA,OAAthcA,IAAsicA,OAAticA,IAAsjcA,OAAtjcA,IAAskcA,OAAtkcA,IAAslcA,OAAtlcA,IAAsmcA,OAAtmcA,IAAsncA,OAAtncA,IAAsocA,OAAtocA,IAAspcA,OAAtpcA,IAAsqcA,OAAtqcA,IAAsrcA,OAAtrcA,IAAsscA,OAAtscA,IAAstcA,OAAttcA,IAAsucA,OAAtucA,IAAsvcA,OAAtvcA,IAAswcA,OAAtwcA,IAAsxcA,OAAtxcA,IAAsycA,OAAtycA,IAAszcA,OAAtzcA,IAAs0cA,OAAt0cA,IAAs1cA,OAAt1cA,IAAs2cA,OAAt2cA,IAAs3cA,OAAt3cA,IAAs4cA,OAAt4cA,IAAs5cA,OAAt5cA,IAAs6cA,OAAt6cA,IAAs7cA,OAAt7cA,IAAs8cA,OAAt8cA,IAAs9cA,OAAt9cA,IAAs+cA,OAAt+cA,IAAs/cA,OAAt/cA,IAAsgdA,OAAtgdA,IAAshdA,OAAthdA,IAAsidA,OAAtidA,IAAsjdA,OAAtjdA,IAAskdA,OAAtkdA,IAAsldA,OAAtldA,IAAsmdA,OAAtmdA,IAAsndA,OAAtndA,IAAsodA,OAAtodA,IAAspdA,OAAtpdA,IAAsqdA,OAAtqdA,IAAsrdA,OAAtrdA,IAAssdA,OAAtsdA,IAAstdA,OAAttdA,IAAsudA,OAAtudA,IAAsvdA,OAAtvdA,IAAswdA,OAAtwdA,IAAsxdA,OAAtxdA,IAAsydA,OAAtydA,IAAszdA,OAAtzdA,IAAs0dA,OAAt0dA,IAAs1dA,OAAt1dA,IAAs2dA,OAAt2dA,IAAs3dA,OAAt3dA,IAAs4dA,OAAt4dA,IAAs5dA,OAAt5dA,IAAs6dA,OAAt6dA,IAAs7dA,OAAt7dA,IAAs8dA,OAAt8dA,IAAs9dA,OAAt9dA,IAAs+dA,OAAt+dA,IAAs/dA,OAAt/dA,IAAsgeA,OAAtgeA,IAAsheA,OAAtheA,IAAsieA,OAAtieA,IAAsjeA,OAAtjeA,IAAskeA,OAAtkeA,IAAsleA,OAAtleA,IAAsmeA,OAAtmeA,IAAsneA,OAAtneA,IAAsoeA,OAAtoeA,IAAspeA,OAAtpeA,IAAsqeA,OAAtqeA,IAAsreA,OAAtreA,IAAsseA,OAAtseA,IAAsteA,OAAtteA,IAAsueA,OAAtueA,IAAsveA,OAAtveA,IAAsweA,OAAtweA,IAAsxeA,OAAtxeA,IAAsyeA,OAAtyeA,IAAszeA,OAAtzeA,IAAs0eA,OAAt0eA,IAAs1eA,OAAt1eA,IAAs2eA,OAAt2eA,IAAs3eA,OAAt3eA,IAAs4eA,OAAt4eA,IAAs5eA,OAAt5eA,IAAs6eA,OAAt6eA,IAAs7eA,OAAt7eA,IAAs8eA,OAAt8eA,IAAs9eA,OAAt9eA,IAAs+eA,OAAt+eA,IAAs/eA,OAAt/eA,IAAsgfA,OAAtgfA,IAAshfA,OAAthfA,IAAsifA,OAAtifA,IAAsjfA,OAAtjfA,IAAskfA,OAAtkfA,IAAslfA,OAAtlfA,IAAsmfA,OAAtmfA,IAAsnfA,OAAtnfA,IAAsofA,OAAtofA,IAAspfA,OAAtpfA,IAAsqfA,OAAtqfA,IAAsrfA,OAAtrfA,IAAssfA,OAAtsfA,IAAstfA,OAAttfA,IAAsufA,OAAtufA,IAAsvfA,OAAtvfA,IAAswfA,OAAtwfA,IAAsxfA,OAAtxfA,IAAsyfA,OAAtyfA,IAAszfA,OAAtzfA,IAAs0fA,OAAt0fA,IAAs1fA,OAAt1fA,IAAs2fA,OAAt2fA,IAAs3fA,OAAt3fA,IAAs4fA,OAAt4fA,IAAs5fA,OAAt5fA,IAAs6fA,OAAt6fA,IAAs7fA,OAAt7fA,IAAs8fA,OAAt8fA,IAAs9fA,OAAt9fA,IAAs+fA,OAAt+fA,IAAs/fA,OAAt/fA,IAAsggA,OAAtggA,IAAshgA,OAAthgA,IAAsigA,OAAtigA,IAAsjgA,OAAtjgA,IAAskgA,OAAtkgA,IAAslgA,OAAtlgA,IAAsmgA,OAAtmgA,IAAsngA,OAAtngA,IAAsogA,OAAtogA,IAAspgA,OAAtpgA,IAAsqgA,OAAtqgA,IAAsrgA,OAAtrgA,IAAssgA,OAAtsgA,IAAstgA,OAAttgA,IAAsugA,OAAtugA,IAAsvgA,OAAtvgA,IAAswgA,OAAtwgA,IAAsxgA,OAAtxgA,IAAsygA,OAAtygA,IAAszgA,OAAtzgA,IAAs0gA,OAAt0gA,IAAs1gA,OAAt1gA,IAAs2gA,OAAt2gA,IAAs3gA,OAAt3gA,IAAs4gA,OAAt4gA,IAAs5gA,OAAt5gA,IAAs6gA,OAAt6gA,IAAs7gA,OAAt7gA,IAAs8gA,OAAt8gA,IAAs9gA,OAAt9gA,IAAs+gA,OAAt+gA,IAAs/gA,OAAt/gA,IAAsghA,OAAtghA,IAAshhA,OAAth

I,IAAJ,C;YACL,WAAW,I;;;QAEnB,OAAO,I;O;KAlBX,C;qFAqBA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgRT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhR1D,OAiRO,W;O;KA1RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,SAiRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjR3D,OAkRO,W;O;KA3RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlRe,SAkRX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlR5D,OAmRO,W;O;KA5RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnRgB,SAmRZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnR7D,OAoRO,W;O;KA7RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApRiB,SAoRb,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApR9D,OAqRO,W;O;KA9RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArRkB,SAqRd,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArR/D,OAsRO,W;O;KA/RX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtRmB,SAsRf,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtRhE,OAuRO,W;O;KAhSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvRoB,SAuRhB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvRjE,OAwRO,W;O;KAjSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxRqB,SAwRjB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxRlE,OAyRO,W;O;KAlSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyRA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzRsB,SAyRlB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzRnE,OA0RO,W;O;KAnSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1RuB,SA0RnB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1RpE,OA2RO,W;O;KApSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3RwB,SA2RpB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3RrE,OA4RO,W;O;KArSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5RyB,SA4RrB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5RtE,OA6RO,W;O;KAtSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7R0B,SA6RtB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7RvE,OA8RO,W;O;KAvSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9R2B,SA8RvB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9RxE,OA+RO,W;O;KAxSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+RA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/R4B,SA+RxB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/RzE,OAgSO,W;O;KAzSX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhS6B,SAgSzB,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhS1E,OAiSO,W;O;KA1SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjS8B,SAiS1B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjS3E,OAkSO,W;O;KA3SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlS+B,SAkS3B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlS5E,OAmSO,W;O;KA5SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnSgC,SAmS5B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnS7E,OAoSO,W;O;KA7SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApSiC,SAoS7B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApS9E,OAqSO,W;O;KA9SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArSkC,SAqS9B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArS/E,OAsSO,W;O;KA/SX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtSmC,SAsS/B,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtShF,OAuSO,W;O;KAhTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvSoC,SAuShC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvSjF,OAwSO,W;O;KAjTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwSA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxSqC,SAwSjC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxSlF,OAySO,W;O;KAlTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAySA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzSsC,SAySlC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzSnF,OA0SO,W;O;KAnTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1SuC,SA0SnC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1SpF,OA2SO,W;O;KApTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3SwC,SA2SpC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3SrF,OA4SO,W;O;KArTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5SyC,SA4SrC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5StF,OA6SO,W;O;KAtTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7S0C,SA6StC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7SvF,OA8SO,W;O;KAvTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9S2C,SA8SvC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9SxF,OA+SO,W;O;KAxTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+SA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/S4C,SA+SxC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/SzF,OAgTO,W;O;KAzTX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhT6C,SAgTzC,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhT1F,OAiTO,W;O;KA1TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjT8C,SAiT1C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjT3F,OAkTO,W;O;KA3TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlT+C,SAkT3C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlT5F,OAmTO,W;O;KA5TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnTgD,SAmT5C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnT7F,OAoTO,W;O;KA7TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApTiD,SAoT7C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApT9F,OAqTO,W;O;KA9TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArTkD,SAqT9C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArT/F,OAsTO,W;O;KA/TX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtTmD,SAsT/C,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtThG,OAuTO,W;O;KAhUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvToD,SAuThD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvTjG,OAwTO,W;O;KAjUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxTqD,SAwTjD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxTlG,OAyTO,W;O;KAlUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyTA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzTsD,SAyTlD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzTnG,OA0TO,W;O;KAnUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1TuD,SA0TnD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1TpG,OA2TO,W;O;KApUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3TwD,SA2TpD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3TrG,OA4TO,W;O;KArUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5TyD,SA4TrD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5TtG,OA6TO,W;O;KAtUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7T0D,SA6TtD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7TvG,OA8TO,W;O;KAvUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9T2D,SA8TvD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9TxG,OA+TO,W;O;KAxUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+TA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/T4D,SA+TxD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/TzG,OAgUO,W;O;KAzUX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhU6D,SAgUzD,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhU1G,OAiUO,W;O;KA1UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjU8D,SAiU1D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjU3G,OAkUO,W;O;KA3UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlU+D,SAkU3D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlU5G,OAmUO,W;O;KA5UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnUgE,SAmU5D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnU7G,OAoUO,W;O;KA7UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApUiE,SAoU7D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApU9G,OAqUO,W;O;KA9UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArUkE,SAqU9D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArU/G,OAsUO,W;O;KA/UX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtUmE,SAsU/D,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtUhH,OAuUO,W;O;KAhVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvUoE,SAuUhE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvUjH,OAwUO,W;O;KAjVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxUqE,SAwUjE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxUlH,OAyUO,W;O;KAlVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyUA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzUsE,SAyUlE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzUnH,OA0UO,W;O;KAnVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1UuE,SA0UnE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1UpH,OA2UO,W;O;KApVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3UwE,SA2UpE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3UrH,OA4UO,W;O;KArVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5UyE,SA4UrE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5UtH,OA6UO,W;O;KAtVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7U0E,SA6UtE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7UvH,OA8UO,W;O;KAvVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9U2E,SA8UvE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9UxH,OA+UO,W;O;KAxVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+UA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/U4E,SA+UxE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/UzH,OAgVO,W;O;KAzVX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhV6E,SAgVzE,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhV1H,OAiVO,W;O;KA1VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjV8E,SAiV1E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjV3H,OAkVO,W;O;KA3VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlV+E,SAkV3E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlV5H,OAmVO,W;O;KA5VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnVgF,SAmV5E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnV7H,OAoVO,W;O;KA7VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApViF,SAoV7E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApV9H,OAqVO,W;O;KA9VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArVkF,SAqV9E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArV/H,OAsVO,W;O;KA/VX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtVmF,SAsV/E,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtVhI,OAuVO,W;O;KAhWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvVoF,SAuVhF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvVjI,OAwVO,W;O;KAjWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxVqF,SAwVjF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxVlI,OAyVO,W;O;KAlWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyVA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzVsF,SAyVlF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzVnI,OA0VO,W;O;KAnWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1VuF,SA0VnF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1VpI,OA2VO,W;O;KApWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3VwF,SA2VpF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3VrI,OA4VO,W;O;KArWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5VyF,SA4VrF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5VtI,OA6VO,W;O;KAtWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA7V0F,SA6VtF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA7VvI,OA8VO,W;O;KAvWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA8VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA9V2F,SA8VvF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA9VxI,OA+VO,W;O;KAxWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA+VA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA/V4F,SA+VxF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA/VzI,OAgWO,W;O;KAzWX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAgWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAhW6F,SAgWzF,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhW1I,OAiWO,W;O;KA1WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAiWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAjW8F,SAiW1F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAjW3I,OAkWO,W;O;KA3WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAkWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAlW+F,SAkW3F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAlW5I,OAmWO,W;O;KA5WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAnWgG,SAmW5F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnW7I,OAoWO,W;O;KA7WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAoWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IApWiG,SAoW7F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QApW9I,OAqWO,W;O;KA9WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAqWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IArWkG,SAqW9F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QArW/I,OAsWO,W;O;KA/WX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAsWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAtWmG,SAsW/F,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAtWhJ,OAuWO,W;O;KAhXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAuWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvWoG,SAuWhG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvWjJ,OAwWO,W;O;KAjXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAwWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxWqG,SAwWjG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxWlJ,OAyWO,W;O;KAlXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAyWA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzWsG,SAyWlG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzWnJ,OA0WO,W;O;KAnXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA0WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA1WuG,SA0WnG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1WpJ,OA2WO,W;O;KApXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA2WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA3WwG,SA2WpG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3WrJ,OA4WO,W;O;KArXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA4WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IA5WyG,SA4WrG,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA5WtJ,OA6WO,W;O;KAtXX,C;qFAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QA6WA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAA

I,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjEe,W;;MgCwjEtC,OAA4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,CAAlB,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;;MgCkkEtC,OAA4D,SAgjDrD,eAAmB,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;;MgC4kEtC,OAA4D,UAsjDrD,eAAmB,iBAAQ,EAtjDP,OAAQ,MAsjDD,EAtjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAsjDR,CAAnB,CAtjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrlEe,W;;MgCslEtC,OAA4D,UA4jDrD,eAAmB,iBAAQ,EA5jDP,OAAQ,MA4jDD,EA5jDQ,OAAQ,aAAR,GAAuB,CAAvB,IA4jDR,CAAnB,CA5jDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/lEe,W;;MgCgmEtC,OAA4D,UAkkDrD,eAAmB,iBAAQ,EAlkDP,OAAQ,MAkkDD,EAlkDQ,OAAQ,aAAR,GAAuB,CAAvB,IAkkDR,CAAnB,CAlkDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCznEe,W;;MgC0nEtC,OAA4D,UAwkDrD,eAAmB,iBAAQ,EAxkDP,OAAQ,MAwkDD,EAxkDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwkDR,CAAnB,CAxkDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnpEe,W;;MgCopEtC,OAA4D,UA8kDrD,eAAmB,iBAAQ,EA9kDP,OAAQ,MA8kDD,EA9kDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8kDR,CAAnB,CA9kDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrqEe,W;;MgCsqEtC,OAA4D,UAolDrD,eAAmB,iBAAQ,EAplDP,OAAQ,MAolDD,EAplDQ,OAAQ,aAAR,GAAuB,CAAvB,IAolDR,CAAnB,CAplDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvrEe,W;;MgCwrEtC,OAA4D,UA0lDrD,eAAmB,iBAAQ,EA1lDP,OAAQ,MA0lDD,EA1lDQ,OAAQ,aAAR,GAAuB,CAAvB,IA0lDR,CAAnB,CA1lDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCztEe,W;;MgC0tEtC,OAA4D,UAgmDrD,eAAmB,iBAAQ,EAhmDP,OAAQ,MAgmDD,EAhmDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgmDR,CAAnB,CAhmDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3vEe,W;;MgC4vEtC,OAA4D,UAsmDrD,eAAmB,iBAAQ,EAtmDP,OAAQ,MAsmDD,EAtmDQ,OAAQ,aAAR,GAAuB,CAAvB,IAsmDR,CAAnB,CAtmDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC7xEe,W;;MgC8xEtC,OAA4D,UA4mDrD,eAAmB,iBAAQ,EA5mDP,OAAQ,MA4mDD,EA5mDQ,OAAQ,aAAR,GAAuB,CAAvB,IA4mDR,CAAnB,CA5mDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjzEe,W;;MgCkzEtC,OAA4D,UAknDrD,eAAmB,iBAAQ,EAlnDP,OAAQ,MAknDD,EAlnDQ,OAAQ,aAAR,GAAuB,CAAvB,IAknDR,CAAnB,CAlnDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn0Ee,W;;MgCo0EtC,OAA4D,UAwnDrD,eAAmB,iBAAQ,EAxnDP,OAAQ,MAwnDD,EAxnDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwnDR,CAAnB,CAxnDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv1Ee,W;;MgCw1EtC,OAA4D,UA8nDrD,eAAmB,iBAAQ,EA9nDP,OAAQ,MA8nDD,EA9nDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8nDR,CAAnB,CA9nDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC32Ee,W;;MgC42EtC,OAA4D,UAooDrD,eAAmB,iBAAQ,EApoDP,OAAQ,MAooDD,EApoDQ,OAAQ,aAAR,GAAuB,CAAvB,IAooDR,CAAnB,CApoDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/3Ee,W;;MgCg4EtC,OAA4D,UA0oDrD,eAAmB,iBAAQ,EA1oDP,OAAQ,MA0oDD,EA1oDQ,OAAQ,aAAR,GAAuB,CAAvB,IA0oDR,CAAnB,CA1oDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn5Ee,W;;MgCo5EtC,OAA4D,UAgpDrD,eAAmB,iBAAQ,EAhpDP,OAAQ,MAgpDD,EAhpDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgpDR,CAAnB,CAhpDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv6Ee,W;;MgCw6EtC,OAA4D,UAspDrD,eAAmB,iBAAQ,EAtpDP,OAAQ,MAspDD,EAtpDQ,OAAQ,aAAR,GAAuB,CAAvB,IAspDR,CAAnB,CAtpDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC37Ee,W;;MgC47EtC,OAA4D,UA4pDrD,eAAmB,iBAAQ,EA5pDP,OAAQ,MA4pDD,EA5pDQ,OAAQ,aAAR,GAAuB,CAAvB,IA4pDR,CAAnB,CA5pDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/8Ee,W;;MgCg9EtC,OAA4D,UAkqDrD,eAAmB,iBAAQ,EAlqDP,OAAQ,MAkqDD,EAlqDQ,OAAQ,aAAR,GAAuB,CAAvB,IAkqDR,CAAnB,CAlqDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn+Ee,W;;MgCo+EtC,OAA4D,UAwqDrD,eAAmB,iBAAQ,EAxqDP,OAAQ,MAwqDD,EAxqDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwqDR,CAAnB,CAxqDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv/Ee,W;;MgCw/EtC,OAA4D,UA8qDrD,eAAmB,iBAAQ,EA9qDP,OAAQ,MA8qDD,EA9qDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8qDR,CAAnB,CA9qDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3gFe,W;;MgC4gFtC,OAA4D,UA4rDrD,eAAmB,iBAAQ,EA5rDP,OAAQ,MA4rDD,EA5rDQ,OAAQ,aAAR,GAAuB,CAAvB,IA4rDR,CAAnB,CA5rDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/hFe,W;;MgCgiFtC,OAA4D,UAksDrD,eAAmB,iBAAQ,EAlsDP,OAAQ,MAksDD,EAlsDQ,OAAQ,aAAR,GAAuB,CAAvB,IAksDR,CAAnB,CAlsDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnjFe,W;;MgCojFtC,OAA4D,UAwsDrD,eAAmB,iBAAQ,EAxsDP,OAAQ,MAwsDD,EAxsDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwsDR,CAAnB,CAxsDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvkFe,W;;MgCwkFtC,OAA4D,UA8sDrD,eAAmB,iBAAQ,EA9sDP,OAAQ,MA8sDD,EA9sDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8sDR,CAAnB,CA9sDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3lFe,W;;MgC4lFtC,OAA4D,UAotDrD,eAAmB,iBAAQ,EAptDP,OAAQ,MAotDD,EAptDQ,OAAQ,aAAR,GAAuB,CAAvB,IAotDR,CAAnB,CAptDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/mFe,W;;MgCgnFtC,OAA4D,UAktDrD,eAAmB,iBAAQ,EAltDP,OAAQ,MAktDD,EAltDQ,OAAQ,aAAR,GAAuB,CAAvB,IAktDR,CAAnB,CAltDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnoFe,W;;MgConFtC,OAA4D,UAwtDrD,eAAmB,iBAAQ,EAxtDP,OAAQ,MAwtDD,EAxtDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwtDR,CAAnB,CAxtDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvpFe,W;;MgCwpFtC,OAA4D,UA8tDrD,eAAmB,iBAAQ,EA9tDP,OAAQ,MA8tDD,EA9tDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8tDR,CAAnB,CA9tDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3qFe,W;;MgC4qFtC,OAA4D,UAouDrD,eAAmB,iBAAQ,EApuDP,OAAQ,MAouDD,EApuDQ,OAAQ,aAAR,GAAuB,CAAvB,IAouDR,CAAnB,CApuDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/rFe,W;;MgCgsFtC,OAA4D,UAkvDrD,eAAmB,iBAAQ,EAlvDP,OAAQ,MAkvDD,EAlvDQ,OAAQ,aAAR,GAAuB,CAAvB,IAkvDR,CAAnB,CAlvDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCntFe,W;;MgCotFtC,OAA4D,UAwvDrD,eAAmB,iBAAQ,EAxvDP,OAAQ,MAwvDD,EAxvDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwvDR,CAAnB,CAxvDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvtFe,W;;MgCwtFtC,OAA4D,UA8vDrD,eAAmB,iBAAQ,EA9vDP,OAAQ,MA8vDD,EA9vDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8vDR,CAAnB,CA9vDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3uFe,W;;MgC4uFtC,OAA4D,UAowDrD,eAAmB,iBAAQ,EApwDP,OAAQ,MAowDD,EApwDQ,OAAQ,aAAR,GAAuB,CAAvB,IAowDR,CAAnB,CApwDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/vFe,W;;MgCgwFtC,OAA4D,UAkxDrD,eAAmB,iBAAQ,EAlxDP,OAAQ,MAkxDD,EAlxDQ,OAAQ,aAAR,GAAuB,CAAvB,IAkxDR,CAAnB,CAlxDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnxFe,W;;MgCoxFtC,OAA4D,UAwxDrD,eAAmB,iBAAQ,EAxxDP,OAAQ,MAwxDD,EAxxDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwxDR,CAAnB,CAxxDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvyFe,W;;MgCwyFtC,OAA4D,UA8xDrD,eAAmB,iBAAQ,EA9xDP,OAAQ,MA8xDD,EA9xDQ,OAAQ,aAAR,GAAuB,CAAvB,IA8xDR,CAAnB,CA9xDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3zFe,W;;MgC4zFtC,OAA4D,UAoyDrD,eAAmB,iBAAQ,EApyDP,OAAQ,MAoyDD,EApyDQ,OAAQ,aAAR,GAAuB,CAAvB,IAoyDR,CAAnB,CApyDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/0Fe,W;;MgCg1FtC,OAA4D,UAkzDrD,eAAmB,iBAAQ,EAlzDP,OAAQ,MAkzDD,EAlzDQ,OAAQ,aAAR,GAAuB,CAAvB,IAkzDR,CAAnB,CAlzDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn2Fe,W;;MgCo2FtC,OAA4D,UAwzDrD,eAAmB,iBAAQ,EAxzDP,OAAQ,MAwzDD,EAxzDQ,OAAQ,aAAR,GAAuB,CAAvB,IAwzDR,CAAnB,CAxzDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv3Fe,W;;MgCw3FtC,OAA4D,UA80DrD,eAAmB,iBAAQ,EA90DP,OAAQ,MA80DD,EA90DQ,OAAQ,aAAR,GAAuB,CAAvB,IA80DR,CAAnB,CA90DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC34Fe,W;;MgC44FtC,OAA4D,UAo1DrD,eAAmB,iBAAQ,EAp1DP,OAAQ,MAo1DD,EAp1DQ,OAAQ,aAAR,GAAuB,CAAvB,IAo1DR,CAAnB,CAp1DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/5Fe,W;;MgCg6FtC,OAA4D,UAk2DrD,eAAmB,iBAAQ,EAl2DP,OAAQ,MAk2DD,EAl2DQ,OAAQ,aAAR,GAAuB,CAAvB,IAk2DR,CAAnB,CAl2DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn7Fe,W;;MgCo7FtC,OAA4D,UAw2DrD,eAAmB,iBAAQ,EAx2DP,OAAQ,MAw2DD,EAx2DQ,OAAQ,aAAR,GAAuB,CAAvB,IAw2DR,CAAnB,CAx2DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv8Fe,W;;MgCw8FtC,OAA4D,UA83DrD,eAAmB,iBAAQ,EA93DP,OAAQ,MA83DD,EA93DQ,OAAQ,aAAR,GAAuB,CAAvB,IA83DR,CAAnB,CA93DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC39Fe,W;;MgC49FtC,OAA4D,UAo4DrD,eAAmB,iBAAQ,EAp4DP,OAAQ,MAo4DD,EAp4DQ,OAAQ,aAAR,GAAuB,CAAvB,IAo4DR,CAAnB,CAp4DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/+Fe,W;;MgCg/FtC,OAA4D,UAk5DrD,eAAmB,iBAAQ,EAl5DP,OAAQ,MAk5DD,EAl5DQ,OAAQ,aAAR,GAAuB,CAAvB,IAk5DR,CAAnB,CAl5DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn/Fe,W;;MgCo/FtC,OAA4D,UAw5DrD,eAAmB,iBAAQ,EAx5DP,OAAQ,MAw5DD,EAx5DQ,OAAQ,aAAR,GAAuB,CAAvB,IAw5DR,CAAnB,CAx5DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvggBe,W;;MgCwggBtC,OAA4D,UA86DrD,eAAmB,iBAAQ,EA96DP,OAAQ,MA86DD,EA96DQ,OAAQ,aAAR,GAAuB,CAAvB,IA86DR,CAAnB,CA96DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3hgBe,W;;MgC4hgBtC,OAA4D,UAo7DrD,eAAmB,iBAAQ,EAp7DP,OAAQ,MAo7DD,EAp7DQ,OAAQ,aAAR,GAAuB,CAAvB,IAo7DR,CAAnB,CAp7DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/igBe,W;;MgCgjgBtC,OAA4D,UAk8DrD,eAAmB,iBAAQ,EAl8DP,OAAQ,MAk8DD,EAl8DQ,OAAQ,aAAR,GAAuB,CAAvB,IAk8DR,CAAnB,CAl8DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnkgBe,W;;MgCokgBtC,OAA4D,UAw8DrD,eAAmB,iBAAQ,EAx8DP,OAAQ,MAw8DD,EAx8DQ,OAAQ,aAAR,GAAuB,CAAvB,IAw8DR,CAAnB,CAx8DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvlgBe,W;;MgCwlgBtC,OAA4D,UA89DrD,eAAmB,iBAAQ,EA99DP,OAAQ,MA89DD,EA99DQ,OAAQ,aAAR,GAAuB,CAAvB,IA89DR,CAAnB,CA99DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3mgBe,W;;MgC4mgBtC,OAA4D,UAo+DrD,eAAmB,iBAAQ,EAp+DP,OAAQ,MAo+DD,EAp+DQ,OAAQ,aAAR,GAAuB,CAAvB,IAo+DR,CAAnB,CAp+DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/ngBe,W;;MgCgogBtC,OAA4D,UAk/DrD,eAAmB,iBAAQ,EAl/DP,OAAQ,MAk/DD,EAl/DQ,OAAQ,aAAR,GAAuB,CAAvB,IAk/DR,CAAnB,CAl/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnpgBe,W;;MgCopgBtC,OAA4D,UAw/DrD,eAAmB,iBAAQ,EAx/DP,OAAQ,MAw/DD,EAx/DQ,OAAQ,aAAR,GAAuB,CAAvB,IAw/DR,CAAnB,CAx/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvqgBe,W;;MgCwqgBtC,OAA4D,UA8/DrD,eAAmB,iBAAQ,EA9/DP,OAAQ,MA8/DD,EA9/DQ,OAAQ,aAAR,GAAuB,CAAvB,IA8/DR,CAAnB,CA9/DqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3rgBe,W;;MgC4rgBtC,OAA4D,UAogErD,eAAmB,iBAAQ,EApgEP,OAAQ,MAogED,EApgEQ,OAAQ,aAAR,GAAuB,CAAvB,IAogER,CAAnB,CApgEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/sgBe,W;;MgCgtgBtC,OAA4D,UAkhErD,eAAmB,iBAAQ,EAlhEP,OAAQ,MAkhED,EAlhEQ,OAAQ,aAAR,GAAuB,CAvBvD,IAuBuD,CAAnB,CAlhEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnugBe,W;;MgCougBtC,OAA4D,UAwhErD,eAAmB,iBAAQ,EAxhEP,OAAQ,MAwhED,EAxhEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwhER,CAAnB,CAxhEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvvgBe,W;;MgCwvgBtC,OAA4D,UA8hErD,eAAmB,iBAAQ,EA9hEP,OAAQ,MA8hED,EA9hEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8hER,CAAnB,CA9hEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3wgBe,W;;MgC4wgBtC,OAA4D,UAoiErD,eAAmB,iBAAQ,EApiEP,OAAQ,MAoiED,EApiEQ,OAAQ,aAAR,GAAuB,CAAvB,IAoiER,CAAnB,CApiEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/xgBe,W;;MgCgygBtC,OAA4D,UAkjErD,eAAmB,iBAAQ,EAljEP,OAAQ,MAkjED,EAljEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkjER,CAAnB,CAljEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnzgBe,W;;MgCozgBtC,OAA4D,UAwjErD,eAAmB,iBAAQ,EAxjEP,OAAQ,MAwjED,EAxjEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwjER,CAAnB,CAxjEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv0gBe,W;;MgCw0gBtC,OAA4D,UA8jErD,eAAmB,iBAAQ,EA9jEP,OAAQ,MA8jED,EA9jEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8jER,CAAnB,CA9jEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC31gBe,W;;MgC41gBtC,OAA4D,UAokErD,eAAmB,iBAAQ,EApkEP,OAAQ,MAokED,EApkEQ,OAAQ,aAAR,GAAuB,CAAvB,IAokER,CAAnB,CApkEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/2gBe,W;;MgCg3gBtC,OAA4D,UAklErD,eAAmB,iBAAQ,EAllEP,OAAQ,MAklED,EAllEQ,OAAQ,aAAR,GAAuB,CAAvB,IAklER,CAAnB,CAllEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn4gBe,W;;MgCo4gBtC,OAA4D,UAwlErD,eAAmB,iBAAQ,EAxlEP,OAAQ,MAwlED,EAxlEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwlER,CAAnB,CAxlEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv5gBe,W;;MgCw5gBtC,OAA4D,UA8lErD,eAAmB,iBAAQ,EA9lEP,OAAQ,MA8lED,EA9lEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8lER,CAAnB,CA9lEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC36gBe,W;;MgC46gBtC,OAA4D,UAomErD,eAAmB,iBAAQ,EApmEP,OAAQ,MAomED,EApmEQ,OAAQ,aAAR,GAAuB,CAAvB,IAomER,CAAnB,CApmEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/7gBe,W;;MgCg8gBtC,OAA4D,UAknErD,eAAmB,iBAAQ,EAlnEP,OAAQ,MAknED,EAlnEQ,OAAQ,aAAR,GAAuB,CAAvB,IAknER,CAAnB,CAlnEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn9gBe,W;;MgCo9gBtC,OAA4D,UAwnErD,eAAmB,iBAAQ,EAxnEP,OAAQ,MAwnED,EAxnEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwnER,CAAnB,CAxnEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv+gBe,W;;MgCw+gBtC,OAA4D,UA8nErD,eAAmB,iBAAQ,EA9nEP,OAAQ,MA8nED,EA9nEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8nER,CAAnB,CA9nEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3/gBe,W;;MgC4/gBtC,OAA4D,UAooErD,eAAmB,iBAAQ,EApoEP,OAAQ,MAooED,EApoEQ,OAAQ,aAAR,GAAuB,CAAvB,IAooER,CAAnB,CApoEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/ghBe,W;;MgCghhBtC,OAA4D,UAkpErD,eAAmB,iBAAQ,EAlpEP,OAAQ,MAkpED,EAlpEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkpER,CAAnB,CAlpEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnihBe,W;;MgCoihBtC,OAA4D,UAwpErD,eAAmB,iBAAQ,EAxpEP,OAAQ,MAwpED,EAxpEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwpER,CAAnB,CAxpEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvkhBe,W;;MgCwkhBtC,OAA4D,UA8pErD,eAAmB,iBAAQ,EA9pEP,OAAQ,MA8pED,EA9pEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8pER,CAAnB,CA9pEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3mhBe,W;;MgC4mhBtC,OAA4D,UAoqErD,eAAmB,iBAAQ,EApqEP,OAAQ,MAoqED,EApqEQ,OAAQ,aAAR,GAAuB,CAAvB,IAoqER,CAAnB,CApqEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/ohBe,W;;MgCgphBtC,OAA4D,UAkrErD,eAAmB,iBAAQ,EAlrEP,OAAQ,MAkrED,EAlrEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkrER,CAAnB,CAlrEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnqhBe,W;;MgCoqhBtC,OAA4D,UAwrErD,eAAmB,iBAAQ,EAxrEP,OAAQ,MAwrED,EAxrEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwrER,CAAnB,CAxrEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvshBe,W;;MgCwshBtC,OAA4D,UA8rErD,eAAmB,iBAAQ,EA9rEP,OAAQ,MA8rED,EA9rEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8rER,CAAnB,CA9rEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3uhBe,W;;MgC4uhBtC,OAA4D,UAosErD,eAAmB,iBAAQ,EApsEP,OAAQ,MAosED,EApsEQ,OAAQ,aAAR,GAAuB,CAAvB,IAosER,CAAnB,CApsEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/whBe,W;;MgCgxhBtC,OAA4D,UAktErD,eAAmB,iBAAQ,EAltEP,OAAQ,MAktED,EAltEQ,OAAQ,aAAR,GAAuB,CAAvB,IAktER,CAAnB,CAltEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnyhBe,W;;MgCoyhBtC,OAA4D,UAwtErD,eAAmB,iBAAQ,EAxtEP,OAAQ,MAwtED,EAxtEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwtER,CAAnB,CAxtEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvzhBe,W;;MgCwzhBtC,OAA4D,UA8tErD,eAAmB,iBAAQ,EA9tEP,OAAQ,MA8tED,EA9tEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8tER,CAAnB,CA9tEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC31hBe,W;;MgC41hBtC,OAA4D,UAouErD,eAAmB,iBAAQ,EApuEP,OAAQ,MAouED,EApuEQ,OAAQ,aAAR,GAAuB,CAAvB,IAouER,CAAnB,CApuEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/3hBe,W;;MgCg4hBtC,OAA4D,UAkvErD,eAAmB,iBAAQ,EAlvEP,OAAQ,MAkvED,EAlvEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkvER,CAAnB,CAlvEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn5hBe,W;;MgCo5hBtC,OAA4D,UAwvErD,eAAmB,iBAAQ,EAxvEP,OAAQ,MAwvED,EAxvEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwvER,CAAnB,CAxvEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv6hBe,W;;MgCw6hBtC,OAA4D,UA8vErD,eAAmB,iBAAQ,EA9vEP,OAAQ,MA8vED,EA9vEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8vER,CAAnB,CA9vEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC37hBe,W;;MgC47hBtC,OAA4D,UAowErD,eAAmB,iBAAQ,EApwEP,OAAQ,MAowED,EApwEQ,OAAQ,aAAR,GAAuB,CAAvB,IAowER,CAAnB,CApwEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/8hBe,W;;MgCg9hBtC,OAA4D,UAkxErD,eAAmB,iBAAQ,EAlxEP,OAAQ,MAkxED,EAlxEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkxER,CAAnB,CAlxEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCn+hBe,W;;MgCo+hBtC,OAA4D,UAwxErD,eAAmB,iBAAQ,EAxxEP,OAAQ,MAwxED,EAxxEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwxER,CAAnB,CAxxEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCv/hBe,W;;MgCw/hBtC,OAA4D,UA8xErD,eAAmB,iBAAQ,EA9xEP,OAAQ,MA8xED,EA9xEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8xER,CAAnB,CA9xEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3giBe,W;;MgC4giBtC,OAA4D,UAoyErD,eAAmB,iBAAQ,EApyEP,OAAQ,MAoyED,EApyEQ,OAAQ,aAAR,GAAuB,CAAvB,IAoyER,CAAnB,CApyEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC/hiBe,W;;MgCgiiBtC,OAA4D,UAkzErD,eAAmB,iBAAQ,EAlzEP,OAAQ,MAkzED,EAlzEQ,OAAQ,aAAR,GAAuB,CAAvB,IAkzER,CAAnB,CAlzEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCnjiBe,W;;MgCojiBtC,OAA4D,UAwzErD,eAAmB,iBAAQ,EAxzEP,OAAQ,MAwzED,EAxzEQ,OAAQ,aAAR,GAAuB,CAAvB,IAwzER,CAAnB,CAxzEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvkiBe,W;;MgCwkiBtC,OAA4D,UA8zErD,eAAmB,iBAAQ,EA9zEP,OAAQ,MA8zED,EA9zEQ,OAAQ,aAAR,GAAuB,CAAvB,IA8zER,CAAnB,CA9zEqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3liBe,W;;MgC4liBtC,OAA4D,UAo0ErD,eAAmB,iBAAQ,EAp0EP,OAAQ,MAo0ED,EA

CtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAA
iB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;
MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KAAK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5Ed,
MAAM,gCAAyB,OAAQ,WAAjC,C,;;MwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;M
ACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OA
AO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA
7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KAA
K,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAyB,OAAQ,WAAjC,C,;;MwBq7EV,IAAI,MAA
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAl
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MAs2CI,8D;MAt2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;,;QAGf,OAAO,iB;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA
SI,iBAo1CgB,cAAR,iBAAQ,CAp1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;,;QAGf,OAAO,iB;O;KAdX,C;mGAiBA,yB;MAAA,4C;M
AAA,gD;MAo1CI,8D;MAp1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,C
AAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;,;QAGf,OAAO,iB;O
;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CAl0C
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ
,CAAR,IAAL,C;,;QAGf,OAAO,iB;O;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;
QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,W
AAI,IAAJ,C;;QAET,OAAO,I;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;
QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,I
AAJ,C;;QAET,OAAO,I;O;KAfX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;
QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,
C;;QAET,OAAO,I;O;KAfX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOI,iBAAO,cAAP,iBAAO,CAAP,WAAO,
CAAP,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;
,;QAGf,OAAO,I;O;KAXX,C;uFAc

L,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OA
A2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBA
AK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,
gBAAR,iBAAQ,CAt9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW
,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C
;;K;IAIR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;;K;IAySZ,sC;MAMI,IAAI,iBAAO
,CAAX,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;;K;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR
,iBAAQ,C;;K;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;;K;IA+SZ,6B;MAMoB
,kBA+nBT,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B
;MAMoB,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MAloBiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;
K;IAGrC,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,Wq
By4F0B,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,Ur
Bl5F1B,WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0lBd,cA1lBA,SA0lBU,
QvB58EO,QuB48EjB,C;MA1lBsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OA
AO,S;MACD,kBA4lBd,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OrBt6FO,W;K;Iq
By6FX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8lBd,eA9lBA,SA8lBW,QvBx/EM,QuBw/EjB,C;
MA9lBsB,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgmBd
,gBAhmBA,SAgmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,
mBAAJ,C;QAAe,OAAO,S;MACD,kBAkmBd,cAlmBA,SAkmBU,QvB58EO,QuB48EjB,C;MAlmBsB,mB;MAA7B,O
rBp8FO,W;K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAomBd,eAAmB,UApmBrB,SAomB
QAAQ,CAAnB,C;MApmBsB,mB;MAA7B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;M
ACD,kBAsmBd,eAtjBA,SAsjBW,QvBx/EM,QuBw/EjB,C;MAtjBsB,mB;MAA7B,OrBx9FO,W;K;IqB29FX,6C;MA
MI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwmBd,gBAxmBA,SAwmBY,QvB1/EK,QuB0/EjB,C;MAxjBsB,
mB;MAA7B,OrBl+FO,W;K;IqBq+FX,uC;MAQoB,kBA0mBT,eAAW,iBvB58EO,QuB48EjB,C;MA1mBiB,mB;MAAx
B,OAAiC,YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA4mBT,eAAW,iBvBx/EM,QuBw/EjB,C;MA5mBiB,
mB;MAAxB,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA8mBT,eAAW,iBvBx/EM,QuBw/EjB,
C;MA3gBiB,mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBAgnBT,eAAW,iBvBx/EM,
QuBw/EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0F
AGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAAA
A,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,
mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;gG
AWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAY,gBAAL,
SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,gBAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,g
BAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MASI,OAAY,gBAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MAOI,O
AAqB,cAAd,4CAAc,EAAd,oCAAc,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAd,oCAAc,C;K;IAGzB,2C;
MAOI,OAAqB,cAAd,4CAAc,EAAd,oCAAc,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAd,oCAAc,C;K;IA
GzB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAA
Y,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc,
C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;
MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAY,kBA
AL,SAAK,C;K;IAGhB,sC;MAUI,OAAY,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAY,kBAAL,SAAK,C;K;IAGh
B,sC;MAQW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MA
QW,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;M
AAP,OAAO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OA
AO,sDAAmB,IAAnB,EAAyB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;sFAGjD,yB;MvBxhFA,8C;MuBwhFA,kF;
QAmB6D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhF
A,iBvBxhFA,EuBwhFiB,WAAY,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhF
rE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAy

B,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAY,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAY,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAyB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAY,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAAU,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/EM,QuBw/EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBvB1/EK,QuB0/EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,CAAlB,C;O;KAXX,C;sFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KAXX,C;sFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KAXX,C;sFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OAAR,iBAAQ,CAApB,C;O;KAXX,C;sFAcA,yB;MAAA,gD;MAAA,uC;MAAA,gD;QAAA,uC;QAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,CAAlB,C;O;KAXX,C;sFAcA,yB;MAAA,gD;MAAA,yC;MAAA,gD;QAAA,yC;QAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,CAAnB,C;O;KAXX,C;sFAcA,yB;MAAA,gD;MAAA,yC;MAAA,gD;QAAA,yC;Q

AO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,iBvBjuEV,EuBiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,sC;QAOI,OAAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEqB,QAAS,QvBrwE9B,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO,qBvBvwEA,qBuBuwEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAc,YAAU,SAAV,EAAgB,CAAhB,CAAmB,EAAnB,CAAsB,cAAnB,C;K;IAGlB

X,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;uFAGX,yB;MAAA,+D;MAAoL,gD;MAApL,uC;QAAsW,kBAAU,gB;QAAkL,QAAlL,kBAAkL,QAAlL,2B;QAAkL,OAAlL,kBAAkL,OAAlL,2B;QAAkL,OAAlL,kBAAkL,OAAlL,2B;QAAkL,OAAlL,kBAAkL,O

C;QAYW,kBAAU,oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAAU,oB;QA2ID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAgJO,W;O;KA5JX,C;uFAiBA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAAU,oB;QAgJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjJiD,WAiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BqiJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnJT,OAqJO,W;O;KAjKX,C;uFAsBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAAU,oB;QAqJD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0jJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxJT,OA0JO,W;O;KAtKX,C;uFA2BA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAAU,oB;QA0JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U/BvlJP,U;UADP,Y+BylJe,W/BzlJH,W+BylJwB,G/BzlJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+kJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7JT,OA+JO,W;O;KA3KX,C;uFAgCA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAAU,oB;QA+JD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BonJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlKT,OAoKO,W;O;KAhLX,C;uFAqCA,yB;MAAA,wE;MAoKA,+D;MApKA,yD;QAaW,kBAAU,oB;QAoKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArKiD,WAqKvC,CAAY,OAAZ,C;U/BpoJP,U;UADP,Y+BsoJe,W/BtoJH,W+BsoJwB,G/BtoJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BooJuC,gB;YAA5B,W/BnoJX,a+BmoJgC,G/BnoJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4oJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvKT,OAyKO,W;O;KArLX,C;uFA0CA,yB;MAAA,wE;MAyKA,+D;MAzKA,yD;QAaW,kBAAU,oB;QAyKD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1KiD,WA0KvC,CAAY,OAAZ,C;U/BzpJP,U;UADP,Y+B2pJe,W/B3pJH,W+B2pJwB,G/B3pJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BypJuC,gB;YAA5B,W/BxpJX,a+BwpJgC,G/BxpJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BiqJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5KT,OA8KO,W;O;KA1LX,C;uFA+CA,yB;MAAA,wE;MA8KA,+D;MA9KA,yD;QAaW,kBAAU,oB;QA8KD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/KiD,WA+KvC,CAAY,OAAZ,C;U/B9qJP,U;UADP,Y+BgrJe,W/BhrJH,W+BgrJwB,G/BhrJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B8qJuC,gB;YAA5B,W/B7qJX,a+B6qJgC,G/B7qJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BsrJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjLT,OAmLO,W;O;KA/LX,C;uFAoDA,yB;MAAA,wE;MAmLA,+D;MAnLA,yD;QAaW,kBAAU,oB;QAmLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApLiD,WAoLvC,CAAY,OAAZ,C;U/BnsJP,U;UADP,Y+BqsJe,W/BrsJH,W+BqsJwB,G/BrsJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BmsJuC,gB;YAA5B,W/BlsJX,a+BksJgC,G/BlsJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B2sJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtLT,OAwLO,W;O;KApMX,C;uFAyDA,yB;MAAA,wE;MAwLA,+D;MAxLA,yD;QAaW,kBAAU,oB;QAwLD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzLiD,WAyLvC,CAAY,OAAZ,C;U/BxtJP,U;UADP,Y+B0tJe,W/B1tJH,W+B0tJwB,G/B1tJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwtJuC,gB;YAA5B,W/BvtJX,a+ButJgC,G/BvtJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BguJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3LT,OA6LO,W;O;KAzMX,C;uFA8DA,yB;MAAA,wE;MA6LA,+D;MA7LA,yD;QAaW,kBAAU,oB;QA6LD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9LiD,WA8LvC,CAAY,OAAZ,C;U/B7uJP,U;UADP,Y+B+uJe,W/B/uJH,W+B+uJwB,G/B/uJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6uJuC,gB;YAA5B,W/B5uJX,a+B4uJgC,G/B5uJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BqvJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhMT,OAkMO,W;O;KA9MX,C;uFAmEA,yB;MAAA,wE;MAkMA,+D;MAlMA,yD;QAaW,kBAAU,oB;QAkMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnMiD,WAmMvC,CAAY,OAAZ,C;U/BlwJP,U;UADP,Y+BowJe,W/BpwJH,W+BowJwB,G/BpwJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkwJuC,gB;YAA5B,W/BjwJX,a+BiwJgC,G/BjwJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0wJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArMT,OAuMO,W;O;KAnNX,C;uFAwEA,yB;MAAA,wE;MAuMA,+D;MAvMA,yD;QAaW,kBAAU,oB;QAuMD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAxMiD,WAwMvC,CAAY,OAAZ,C;U/BvxJP,U;UADP,Y+ByxJe,W/BzxJH,W+ByxJwB,G/BzxJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BuxJuC,gB;YAA5B,W/BtxJX,a+BsxJgC,G/BtxJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+xJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1MT,OA4MO,W;O;KAxNX,C;uFA6EA,yB;MAAA,wE;MA4MA,+D;MA5MA,yD;QAaW,kBAAU,oB;QA4MD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7MiD,WA6MvC,CAAY,OAAZ,C;U/B5yJP,U;UADP,Y+B8yJe,W/B9yJH,W+B8yJwB,G/B9yJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4yJuC,gB;YAA5B,W/B3yJX,a+B2yJgC,G/B3yJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BozJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/MT,OAiNO,W;O;KA7NX,C;uFAkFA,yB;MAAA,wE;MAiNA,+D;MAjNA,yD;QAaW,kBAAU,oB;QAiND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlNiD,WAkNvC,CAAY,OAAZ,C;U/BjzJP,U;UADP,Y+BmzJe,W/BnzJH,W+BmzJwB,G/BnzJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BizJuC,gB;YAA5B,W/BhzJX,a+BgzJgC,G/BhzJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+By0JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApNT,OAsNO,W;O;KAlOX,C;uFAuFA,yB;MAAA,wE;MAsNA,+D;MAtNA,yD;QAaW,kBAAU,oB;QAsND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvNiD,WAuNvC,CAAY,OAAZ,C;U/BtzJP,U;UADP,Y+BwzJe,W/BxzJH,W+BwzJwB,G/BxzJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BszJuC,gB;YAA5B,W/BrzJX,a+BqzJgC,G/BrzJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B80JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzNT,OA2NO,W;O;KAvOX,C;uFA4FA,yB;MAAA,wE;MA2NA,+D;MA3NA,yD;QAaW,kBAAU,oB;QA2ND,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5NiD,WA4NvC,CAAY,OAAZ,C;U/B30JP,U;UADP,Y+B60Je,W/B70JH,W+B60JwB,G/B70JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B20JuC,gB;YAA5B,W/B10JX,a+B00JgC,G/B10JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bm1JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9NT,OAgOO,W;O;KA5OX,C;uFAiGA,yB;MAAA,wE;MAgOA,+D;MAhOA,yD;QAaW,kBAAU,oB;QAgOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjOiD,WAiOvC,CAAY,OAAZ,C;U/Bh2JP,U;UADP,Y+Bk2Je,W/Bl2JH,W+Bk2JwB,G/Bl2JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg2JuC,gB;YAA5B,W/B/1JX,a+B+1JgC,G/B/1JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw2JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnOT,OAqOO,W;O;KAjPX,C;uFAsGA,yB;MAAA,wE;MAqOA,+D;MArOA,yD;QAaW,kBAAU,oB;QAqOD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtOiD,WAsOvC,CAAY,OAAZ,C;U/Br3JP,U;UADP,Y+Bu3Je,W/Bv3JH,W+Bu3JwB,G/Bv3JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bq3JuC,gB;YAA5B,W/Bp3JX,a+Bo3JgC,G/Bp3JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B63JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxOT,OA0OO,W;O;KAtPX,C;uFA2GA,yB;MAAA,wE;MA0OA,+D;MA1OA,yD;QAaW,kBAAU,oB;QA0OD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3OiD,WA2OvC,CAAY,OAAZ,C;U/B14JP,U;UADP,Y+B44Je,W/B54JH,W+B44JwB,G/B54JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B04JuC,gB;YAA5B,W/Bz4JX,a+By4JgC,G/Bz4JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bk5JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7OT,OA+OO,W;O;KA3PX,C;uFAgHA,yB;MAAA,wE;MA+OA,+D;MA/OA,yD;QAaW,kBAAU,oB;QA+OD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhPiD,WAgPvC,CAAY,OAAZ,C;U/B/5JP,U;UADP,Y+Bi6Je,W/Bj6JH,W+Bi6JwB,G/Bj6JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+5JuC,gB;YAA5B,W/B95JX,a+B85JgC,G/B95JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bu6JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlPT,OAoPO,W;O;KAhQX,C;uFAqHA,yB;MAAA,wE;MAoPA,+D;MApPA,yD;QAaW,kBAAU,oB;QAoPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArPiD,WAqPvC,CAAY,OAAZ,C;U/Bp7JP,U;UADP,Y+Bs7Je,W/Bt7JH,W+Bs7JwB,G/Bt7JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bo7JuC,gB;YAA5B,W/Bn7JX,a+Bm7JgC,G/Bn7JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B47JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvPT,OAyPO,W;O;KArQX,C;uFA0HA,yB;MAAA,wE;MAyPA,+D;MAzPA,yD;QAaW,kBAAU,oB;QAyPD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1PiD,WA0PvC,CAAY,OAAZ,C;U/Bz8JP,U;UADP,Y+B28Je,W/B38JH,W+B28JwB,G/B38JxB,C;UACL,IAAI,aAAJ,C;YACH,a+By8JuC,gB;YAA5B,W/Bx8JX,a+Bw8JgC,G/Bx8JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bi9JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5PT,OA8PO,W;O;KA1QX,C;uFA+HA,yB;MAAA,wE;MA8PA,+D;MA9PA,yD;QAaW,kBAAU,oB;QA8PD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/PiD,WA+PvC,CAAY,OAAZ,C;U/B99JP,U;UADP,Y+Bg+Je,W/Bh+JH,W+Bg+JwB,G/Bh+JxB,C;UACL,IAAI,aAAJ,C;YACH,a+B89JuC,gB;YAA5B,W/B79JX,a+B69JgC,G/B79JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bs+JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjQT,OAmQO,W;O;KA/QX,C;uFAoIA,yB;MAAA,wE;MAmQA,+D;MAnQA,yD;QAaW,kBAAU,oB;QAmQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApQiD,WAoQvC,CAAY,OAAZ,C;U/Bn/JP,U;UADP,Y+Bq/Je,W/Br/JH,W+Bq/JwB,G/Br/JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bm/JuC,gB;YAA5B,W/Bl/JX,a+Bk/JgC,G/Bl/JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B2/JA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtQT,OAwQO,W;O;KApRX,C;uFAyIA,yB;MAAA,wE;MAwQA,+D;MAxQA,yD;QAaW,kBAAU,oB;QAwQD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzQiD,WAyQvC,CAAY,OAAZ,C;U/Bx/JP,U;UADP,Y+B0/Je,W/B1/JH,W+B0/JwB,G/B1/JxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bw/JuC,gB;YAA5B,W/Bv/JX,a+Bu/JgC,G/Bv/JhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA3QT,OA6QO,W;O;KAzRX,C;uFA8IA,yB;MAAA,wE;MA6QA,+D;MA7QA,yD;QAaW,kBAAU,oB;QA6QD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9QiD,WA8QvC,CAAY,OAAZ,C;U/B7gKP,U;UADP,Y+B+gKe,W/B/gKH,W+B+gKwB,G/B/gKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6gKuC,gB;YAA5B,W/B5gKX,a+B4gKgC,G/B5gKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BqhKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAhRT,OAkRO,W;O;KA9RX,C;uFAmJA,yB;MAAA,wE;MAkRA,+D;MAlRA,yD;QAaW,kBAAU,oB;QAkRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnRiD,WAmRvC,CAAY,OAAZ,C;U/BliKP,U;UADP,Y+BoiKe,W/BpiKH,W+BoiKwB,G/BpiKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkiKuC,gB;YAA5B,W/BjiKX,a+BiiKgC,G/BjiKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B0iKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QArRT,OAuRO,W;O;KAnSX,C;uFAwJA,yB;MAAA,wE;MAuRA,+D;MAvRA,yD;QAaW,kBAAU,oB;QAuRD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAxRiD,WAwRvC,CAAY,OAAZ,C;U/BvjKP,U;UADP,Y+ByjKe,W/BzjKH,W+ByjKwB,G/BzjKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BujKuC,gB;YAA5B,W/BtjKX,a+BsjKgC,G/BtjKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B+jKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA1RT,OA4RO,W;O;KAxSX,C;uFA6JA,yB;MAAA,wE;MA4RA,+D;MA5RA,yD;QAaW,kBAAU,oB;QA4RD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA7RiD,WA6RvC,CAAY,OAAZ,C;U/B5kKP,U;UADP,Y+B8kKe,W/B9kKH,W+B8kKwB,G/B9kKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4kKuC,gB;YAA5B,W/B3kKX,a+B2kKgC,G/B3kKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BolKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/RT,OAiSO,W;O;KA7SX,C;uFAkKA,yB;MAAA,wE;MAiSA,+D;MAjSA,yD;QAaW,kBAAU,oB;QAiSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlSiD,WAkSvC,CAAY,OAAZ,C;U/BjmKP,U;UADP,Y+BmmKe,W/BnmKH,W+BmmKwB,G/BnmKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BimKuC,gB;YAA5B,W/BhmKX,a+BgmKgC,G/BhmKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BymKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QApST,OAsSO,W;O;KAlTX,C;uFAuKA,yB;MAAA,wE;MAsSA,+D;MAtSA,yD;QAaW,kBAAU,oB;QAsSD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvSiD,WAuSvC,CAAY,OAAZ,C;U/BtnKP,U;UADP,Y+BwnKe,W/BxnKH,W+BwnKwB,G/BxnKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BsnKuC,gB;YAA5B,W/BrnKX,a+BqnKgC,G/BrnKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8nKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzST,OA2SO,W;O;KAvTX,C;uFA4KA,yB;MAAA,wE;MA2SA,+D;MA3SA,yD;QAaW,kBAAU,oB;QA2SD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5SiD,WA4SvC,CAAY,OAAZ,C;U/B3oKP,U;UADP,Y+B6oKe,W/B7oKH,W+B6oKwB,G/B7oKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B2oKuC,gB;YAA5B,W/B1oKX,a+B0oKgC,G/B1oKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmpKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9ST,OAgTO,W;O;KA5TX,C;uFAiLA,yB;MAAA,wE;MAgTA,+D;MAhTA,yD;QAaW,kBAAU,oB;QAgTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAjTiD,WAiTvC,CAAY,OAAZ,C;U/BhqKP,U;UADP,Y+BkqKe,W/BlqKH,W+BkqKwB,G/BlqKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BgqKuC,gB;YAA5B,W/B/pKX,a+B+pKgC,G/B/pKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwqKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAnTT,OAqTO,W;O;KAjUX,C;uFAsLA,yB;MAAA,wE;MAqTA,+D;MArTA,yD;QAaW,kBAAU,oB;QAqTD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAtTiD,WAsTvC,CAAY,OAAZ,C;U/BrrKP,U;UADP,Y+BurKe,W/BvrKH,W+BurKwB,G/BvrKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BqrKuC,gB;YAA5B,W/BprKX,a+BorKgC,G/BprKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B6rKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxTT,OA0TO,W;O;KAtUX,C;uFA2LA,yB;MAAA,wE;MA0TA,+D;MA1TA,yD;QAaW,kBAAU,oB;QA0TD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3TiD,WA2TvC,CAAY,OAAZ,C;U/B1sKP,U;UADP,Y+B4sKe,W/B5sKH,W+B4sKwB,G/B5sKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B0sKuC,gB;YAA5B,W/BzsKX,a+BysKgC,G/BzsKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BktKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7UT,OA+UO,W;O;KA3VX,C;uFAgNA,yB;MAAA,wE;MA+UA,+D;MA/UA,yD;QAaW,kBAAU,oB;QA+UD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhViD,WAgVvC,CAAY,OAAZ,C;U/B/tKP,U;UADP,Y+BiuKe,W/BjuKH,W+BiuKwB,G/BjuKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+tKuC,gB;YAA5B,W/B9tKX,a+B8tKgC,G/B9tKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BuuKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlVT,OAoVO,W;O;KAhWX,C;uFAqNA,yB;MAAA,wE;MAoVA,+D;MApVA,yD;QAaW,kBAAU,oB;QAoVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArViD,WAqVvC,CAAY,OAAZ,C;U/BpvKP,U;UADP,Y+BsvKe,W/BtvKH,W+BsvKwB,G/BtvKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BovKuC,gB;YAA5B,W/BnvKX,a+BmvKgC,G/BnvKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4vKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvVT,OAyVO,W;O;KArWX,C;uFA0NA,yB;MAAA,wE;MAyVA,+D;MAzVA,yD;QAaW,kBAAU,oB;QAyVD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1ViD,WA0VvC,CAAY,OAAZ,C;U/BzwKP,U;UADP,Y+B2wKe,W/B3wKH,W+B2wKwB,G/B3wKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BywKuC,gB;YAA5B,W/BxwKX,a+BwwKgC,G/BxwKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BixKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5VT,OA8VO,W;O;KA1WX,C;uFA+NA,yB;MAAA,wE;MA8VA,+D;MA9VA,yD;QAaW,kBAAU,oB;QA8VD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/ViD,WA+VvC,CAAY,OAAZ,C;U/B9xKP,U;UADP,Y+BgyKe,W/BhyKH,W+BgyKwB,G/BhyKxB,C;UACL,IAAI,aAAJ,C;YACH,a+B8xKuC,gB;YAA5B,W/B7xKX,a+B6xKgC,G/B7xKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BsyKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjWT,OAmWO,W;O;KA/WX,C;uFAoOA,yB;MAAA,wE;MAmWA,+D;MAnWA,yD;QAaW,kBAAU,oB;QAmWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApWiD,WAoWvC,CAAY,OAAZ,C;U/BnzKP,U;UADP,Y+BqzKe,W/BrzKH,W+BqzKwB,G/BrzKxB,C;UACL,IAAI,aAAJ,C;YACH,a+BmzKuC,gB;YAA5B,W/BlzKX,a+BkzKgC,G/BlzKhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B2zKA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtWT,OAwWO,W;O;KApXX,C;uFAyOA,yB;MAAA,wE;MAwWA,+D;MAxWA,yD;QAaW,kBAAU,oB;QAwWD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzWiD,WAyWvC,CAAY,OAAZ,C;U/B10KP,U;UADP,Y+B40Ke,W/B50KH,W+B40KwB,G/B50KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B00KuC,gB;YAA5B,W/Bz0KX,a+By0KgC,G/Bz0KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bk1KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA7WT,OA+WO,W;O;KA3XX,C;uFAgPA,yB;MAAA,wE;MA+WA,+D;MA/WA,yD;QAaW,kBAAU,oB;QA+WD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAhXiD,WAgXvC,CAAY,OAAZ,C;U/B/1KP,U;UADP,Y+Bi2Ke,W/Bj2KH,W+Bi2KwB,G/Bj2KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B+1KuC,gB;YAA5B,W/B91KX,a+B81KgC,G/B91KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bu2KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAlXT,OAoXO,W;O;KAhYX,C;uFAqPA,yB;MAAA,wE;MAoXA,+D;MApXA,yD;QAaW,kBAAU,oB;QAoXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UArXiD,WAqXvC,CAAY,OAAZ,C;U/Bp3KP,U;UADP,Y+Bs3Ke,W/Bt3KH,W+Bs3KwB,G/Bt3KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bo3KuC,gB;YAA5B,W/Bn3KX,a+Bm3KgC,G/Bn3KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B43KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvXT,OAyXO,W;O;KArYX,C;uFA0PA,yB;MAAA,wE;MAyXA,+D;MAzXA,yD;QAaW,kBAAU,oB;QAyXD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1XiD,WA0XvC,CAAY,OAAZ,C;U/Bz4KP,U;UADP,Y+B24Ke,W/B34KH,W+B24KwB,G/B34KxB,C;UACL,IAAI,aAAJ,C;YACH,a+By4KuC,gB;YAA5B,W/Bx4KX,a+Bw4KgC,G/Bx4KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bi5KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5XT,OA8XO,W;O;KA1YX,C;uFA+PA,yB;MAAA,wE;MA8XA,+D;MA9XA,yD;QAaW,kBAAU,oB;QA8XD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA/XiD,WA+XvC,CAAY,OAAZ,C;U/B95KP,U;UADP,Y+Bg6Ke,W/Bh6KH,W+Bg6KwB,G/Bh6KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B85KuC,gB;YAA5B,W/B75KX,a+B65KgC,G/B75KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bs6KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAjYT,OAmYO,W;O;KA/YX,C;uFAoQA,yB;MAAA,wE;MAmYA,+D;MAnYA,yD;QAaW,kBAAU,oB;QAmYD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UApYiD,WAoYvC,CAAY,OAAZ,C;U/Bn7KP,U;UADP,Y+Bq7Ke,W/Br7KH,W+Bq7KwB,G/Br7KxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bm7KuC,gB;YAA5B,W/Bl7KX,a+Bk7KgC,G/Bl7KhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B27KA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAtYT,OAwYO,W;O;KApZX,C;uFAyQA,yB;MAAA,wE;MAwYA,+D;MAxYA,yD;QAaW,kBAAU,oB;QAwYD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAzYiD,WAyYvC,CAAY,OAAZ,C;U/B18KP,U;UADP,Y+B48Ke,W/B58KH,W+B48KwB,G/B58KxB,C;UACL,IAAI,aAAJ,C;YACH,a+B08KuC,gB;YAA5B,W/Bz8KX,a+By8KgC,G/Bz8KhC,EAAS,MAAT,C;YACA,e;;YAEA

A,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAAe,OAAAf,CAAAJ,C;;QAET,OAAO,W;O;KAlBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAAa,cAAAb,C;QAAsK,Q;QAAA,2B;QAAAb,OAAAa,cAAAb,C;UAAAa,sB;UACT,WAAY,WAAvKiB,SAAuKb,CAAAJ,IAAAA,EAAAA,C;;QAAvK,OAAAiB,KAAAb,C;QAAuK,W;O;KAlBvK

AGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C

AAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/De,QA+DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArEP,yB;O;KANJ,C;mFAUA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhFe,QAgFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtFP,yB;O;KANJ,C;mFAWA,yB;MAjiEI,8D;MAiiEJ,sC;QAMW,sB;;UAwFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnEgB,cAAR,iBAAQ,C;UAinEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjGe,QAiGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvGP,yB;O;KANJ,C;mFAYA,yB;MAljEI,8D;MAkjEJ,sC;QAMW,sB;;UAyGP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjoEgB,cAAR,iBAAQ,C;UAkoEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3GmB,QA2GJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlHe,QAkHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxHP,yB;O;KANJ,C;mFAaA,yB;MAnkEI,8D;MAmkEJ,sC;QAMW,sB;;UA0HP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlpEgB,cAAR,iBAAQ,C;UAmpEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3HmB,QA2HJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnIe,QAmIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzIP,yB;O;KANJ,C;mFAcA,yB;MApmEI,8D;MAomEJ,sC;QAMW,sB;;UA2IP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnqEgB,cAAR,iBAAQ,C;UAoqEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ImB,QA2IJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApJe,QAoJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1JP,yB;O;KANJ,C;mFAeA,yB;MArnEI,8D;MAqnEJ,sC;QAMW,sB;;UA4JP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApsEgB,cAAR,iBAAQ,C;UAqsEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3JmB,QA2JJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QArKe,QAqKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3KP,yB;O;KANJ,C;mFAgBA,yB;MAtoEI,8D;MAsoEJ,sC;QAMW,sB;;UA6KP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArtEgB,cAAR,iBAAQ,C;UAstEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3KmB,QA2KJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAtLe,QAsLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5LP,yB;O;KANJ,C;mFAiBA,yB;MAvpEI,8D;MAupEJ,sC;QAMW,sB;;UA8LP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtuEgB,cAAR,iBAAQ,C;UAuuEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3LmB,QA2LJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAvMe,QAuMP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7MP,yB;O;KANJ,C;mFAkBA,yB;MAxqEI,8D;MAwqEJ,sC;QAMW,sB;;UA+MP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvvEgB,cAAR,iBAAQ,C;UAwvEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3MmB,QA2MJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAxNe,QAwNP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9NP,yB;O;KANJ,C;mFAmBA,yB;MAzrEI,8D;MAyrEJ,sC;QAMW,sB;;UAgOP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxwEgB,cAAR,iBAAQ,C;UAywEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3OmB,QA2OJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAzPe,QAyPP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/PP,yB;O;KANJ,C;mFAoBA,yB;MA1sEI,8D;MA0sEJ,sC;QAMW,sB;;UAiPP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzxEgB,cAAR,iBAAQ,C;UA0xEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3PmB,QA2PJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA1Qe,QA0QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhRP,yB;O;KANJ,C;mFAqBA,yB;MA3tEI,8D;MA2tEJ,sC;QAMW,sB;;UAkQP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1yEgB,cAAR,iBAAQ,C;UA2yEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3QmB,QA2QJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA3Re,QA2RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjSP,yB;O;KANJ,C;mFAsBA,yB;MA5uEI,8D;MA4uEJ,sC;QAMW,sB;;UAmRP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3zEgB,cAAR,iBAAQ,C;UA4zEhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA5Se,QA4SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlTP,yB;O;KANJ,C;mFAuBA,yB;MA7vEI,8D;MA6vEJ,sC;QAMW,sB;;UAoSP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA51EgB,cAAR,iBAAQ,C;UA61EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3SmB,QA2SJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA7Te,QA6TP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnUP,yB;O;KANJ,C;mFAwBA,yB;MA9wEI,8D;MA8wEJ,sC;QAMW,sB;;UAqTP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA72EgB,cAAR,iBAAQ,C;UA82EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3TmB,QA2TJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ue,QA8UP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApVP,yB;O;KANJ,C;mFAyBA,yB;MA/xEI,8D;MA+xEJ,sC;QAMW,sB;;UAsUP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA93EgB,cAAR,iBAAQ,C;UA+3EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3UmB,QA2UJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/Ve,QA+VP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArWP,yB;O;KANJ,C;mFA0BA,yB;MAhzEI,8D;MAgzEJ,sC;QAMW,sB;;UAuVP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/4EgB,cAAR,iBAAQ,C;UAg5EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3VmB,QA2VJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhXe,QAgXP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtXP,yB;O;KANJ,C;mFA2BA,yB;MAj0EI,8D;MAi0EJ,sC;QAMW,sB;;UAwWP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAh6EgB,cAAR,iBAAQ,C;UAi6EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3WmB,QA2WJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjYe,QAiYP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvYP,yB;O;KANJ,C;mFA4BA,yB;MAl1EI,8D;MAk1EJ,sC;QAMW,sB;;UAyXP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAj7EgB,cAAR,iBAAQ,C;UAk7EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3XmB,QA2XJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlZe,QAkZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxZP,yB;O;KANJ,C;mFA6BA,yB;MAn2EI,8D;MAm2EJ,sC;QAMW,sB;;UA0YP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAl8EgB,cAAR,iBAAQ,C;UAm8EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3YmB,QA2YJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnae,QAmaP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzaP,yB;O;KANJ,C;mFA8BA,yB;MAp3EI,8D;MAo3EJ,sC;QAMW,sB;;UA2ZP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAn9EgB,cAAR,iBAAQ,C;UAo9EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ZmB,QA2ZJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApbe,QAobP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1bP,yB;O;KANJ,C;mFA+BA,yB;MAr4EI,8D;MAq4EJ,sC;QAMW,sB;;UA4aP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAp+EgB,cAAR,iBAAQ,C;UAq+EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3amB,QA2aJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QArce,QAqcP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3cP,yB;O;KANJ,C;mFAgCA,yB;MAt5EI,8D;MAs5EJ,sC;QAMW,sB;;UA6bP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAr/EgB,cAAR,iBAAQ,C;UAs/EhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3bmB,QA2bJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAtde,QAscP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5dP,yB;O;KANJ,C;mFAiCA,yB;MAv6EI,8D;MAu6EJ,sC;QAMW,sB;;UA8cP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtgFgB,cAAR,iBAAQ,C;UAugFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3cmB,QA2cJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAvee,QAufP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7eP,yB;O;KANJ,C;mFAkCA,yB;MAx7EI,8D;MAw7EJ,sC;QAMW,sB;;UA+dP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvhFgB,cAAR,iBAAQ,C;UAwhFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3dmB,QA2dJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAxfe,QAwfP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9fP,yB;O;KANJ,C;mFAmCA,yB;MAz8EI,8D;MAy8EJ,sC;QAMW,sB;;UAgfP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxiFgB,cAAR,iBAAQ,C;UAyiFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3fmB,QA2fJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAzge,QAygeP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/gBP,yB;O;KANJ,C;mFAoCA,yB;MA19EI,8D;MA09EJ,sC;QAMW,sB;;UAihBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzjFgB,cAAR,iBAAQ,C;UA0jFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3hBmB,QA2hBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA1ie,QA0iePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhjBP,yB;O;KANJ,C;mFAqCA,yB;MA3+EI,8D;MA2+EJ,sC;QAMW,sB;;UAkjBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1kFgB,cAAR,iBAAQ,C;UA2kFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3jBmB,QA2jBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA3ke,QA2kePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjlBP,yB;O;KANJ,C;mFAsCA,yB;MA5gFI,8D;MA4gFJ,sC;QAMW,sB;;UAmlBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3lFgB,cAAR,iBAAQ,C;UA4lFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3lBmB,QA2lBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA5me,QA4mePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlnBP,yB;O;KANJ,C;mFAuCA,yB;MA7iFI,8D;MA6iFJ,sC;QAMW,sB;;UAonBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA5nFgB,cAAR,iBAAQ,C;UA6nFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3nBmB,QA2nBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA7oe,QA6oePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnpBP,yB;O;KANJ,C;mFAwCA,yB;MA9kFI,8D;MA8kFJ,sC;QAMW,sB;;UAqpBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7pFgB,cAAR,iBAAQ,C;UA8pFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3pBmB,QA2pBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9qe,QA8qePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApqBP,yB;O;KANJ,C;mFAyCA,yB;MA/mFI,8D;MA+mFJ,sC;QAMW,sB;;UAsqBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9qFgB,cAAR,iBAAQ,C;UA+qFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3qBmB,QA2qBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA/re,QA+rePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArrBP,yB;O;KANJ,C;mFA0CA,yB;MAhoFI,8D;MAgoFJ,sC;QAMW,sB;;UAurBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/rFgB,cAAR,iBAAQ,C;UAgsFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3rBmB,QA2rBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAhte,QAgtePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtsBP,yB;O;KANJ,C;mFA2CA,yB;MAjpFI,8D;MAipFJ,sC;QAMW,sB;;UAwsBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhtFgB,cAAR,iBAAQ,C;UAitFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3sBmB,QA2sBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAjue,QAiuePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvtBP,yB;O;KANJ,C;mFA4CA,yB;MAlqFI,8D;MAkqFJ,sC;QAMW,sB;;UAytBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjuFgB,cAAR,iBAAQ,C;UAkuFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3tBmB,QA2tBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAlve,QAkvePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxuBP,yB;O;KANJ,C;mFA6CA,yB;MAnrFI,8D;MAmrFJ,sC;QAMW,sB;;UA0uBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlvFgB,cAAR,iBAAQ,C;UAmvFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3uBmB,QA2uBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAnwe,QAmwePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzvBP,yB;O;KANJ,C;mFA8CA,yB;MApsFI,8D;MAosFJ,sC;QAMW,sB;;UA2vBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnwFgB,cAAR,iBAAQ,C;UAowFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3vBmB,QA2vBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QApxe,QAoxePP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1wBP,yB;O;KANJ,C;mFA+CA,yB;MArtFI,8D;MAqtFJ,sC;QAMW,sB;;UA4wBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApxFgB,cAAR,iBAAQ,C;UAqxFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3wBmB,QA2wBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAryeQ,QAqyeA,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3xBP,yB;O;KANJ,C;mFAgDA,yB;MAtuFI,8D;MAsuFJ,sC;QAMW,sB;;UA6xBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArxFgB,cAAR,iBAAQ,C;UAsxFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3xBmB,QA2xBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAtyeQ,QAsyeA,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5yBP,yB;O;KANJ,C;mFAiDA,yB;MAvvFI,8D;MAuvFJ,sC;QAMW,sB;;UA8yBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtyFgB,cAAR,iBAAQ,C;UAuyFhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3yBmB,QA2yBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QAvzeQ,QAuzeA,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7zBP,yB;O;KANJ,C;mFAkDA,yB;MAxwFI,8D;MAwwFJ,sC;QAMW,sB;;UA+zBP,IAAI,mBAAJ,

O,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlwEG,cAAR,iBAAQ,Q;QAkwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1gMG,MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAjxEG,cAAR,iBAAQ,Q;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBjiMG,MAAO,KoBiiMO,QpBjiMP,EoBiiMiB,CpBjiMjB,C;;QoBmiMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAhyEG,cAAR,iBAAQ,Q;QAgyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBxjMG,MAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBryHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/yEG,cAAR,iBAAQ,Q;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9yEI,8D;MpBpzHJ,iB;MoBomMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9zEG,cAAR,iBAAQ,Q;QA8zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBtmMG,MAAO,KoBsmMO,QpBtmMP,EoBsmMiB,CpBtmMjB,C;;QoBwmMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA70EI,8D;MpBn0HJ,iB;MoBmnMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA70EG,cAAR,iBAAQ,Q;QA60EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBrnMG,MAAO,KoBqnMO,QpBrnMP,EoBqnMiB,CpBrnMjB,C;;QoBunMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA50EI,8D;MpBl1HJ,iB;MoBkoMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA50EG,cAAR,iBAAQ,Q;QA40EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBpoMG,MAAO,KoBooMO,QpBpoMP,EoBooMiB,CpBpoMjB,C;;QoBsoMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA30EI,8D;MpBj2HJ,iB;MoBipMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA30EG,cAAR,iBAAQ,Q;QA20EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBnpMG,MAAO,KoBmpMO,QpBnpMP,EoBmpMiB,CpBnpMjB,C;;QoBqpMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA10EI,8D;MpBh3HJ,iB;MoBgqMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA10EG,cAAR,iBAAQ,Q;QA00EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBlqMG,MAAO,KoBkqMO,QpBlqMP,EoBkqMiB,CpBlqMjB,C;;QoBoqMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAz0EI,8D;MpB/3HJ,iB;MoB+qMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAz0EG,cAAR,iBAAQ,Q;QAy0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBjrMG,MAAO,KoBirMO,QpBjrMP,EoBirMiB,CpBjrMjB,C;;QoBmrMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAx0EI,8D;MpB94HJ,iB;MoB8rMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAx0EG,cAAR,iBAAQ,Q;QAw0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBhsMG,MAAO,KoBgsMO,QpBhsMP,EoBgsMiB,CpBhsMjB,C;;QoBksMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAv0EI,8D;MpB75HJ,iB;MoB6sMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAv0EG,cAAR,iBAAQ,Q;QAu0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/sMG,MAAO,KoB+sMO,QpB/sMP,EoB+sMiB,CpB/sMjB,C;;QoBitMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAt0EI,8D;MpB56HJ,iB;MoB4tMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAt0EG,cAAR,iBAAQ,Q;QAs0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9tMG,MAAO,KoB8tMO,QpB9tMP,EoB8tMiB,CpB9tMjB,C;;QoBguMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAr0EI,8D;MpB37HJ,iB;MoB2uMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAr0EG,cAAR,iBAAQ,Q;QAq0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7uMG,MAAO,KoB6uMO,QpB7uMP,EoB6uMiB,CpB7uMjB,C;;QoB+uMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAp0EI,8D;MpB18HJ,iB;MoB0vMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAp0EG,cAAR,iBAAQ,Q;QAo0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB5vMG,MAAO,KoB4vMO,QpB5vMP,EoB4vMiB,CpB5vMjB,C;;QoB8vMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAn0EI,8D;MpBz9HJ,iB;MoBywMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAn0EG,cAAR,iBAAQ,Q;QAm0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB3wMG,MAAO,KoB2wMO,QpB3wMP,EoB2wMiB,CpB3wMjB,C;;QoB6wMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAl0EI,8D;MpBx+HJ,iB;MoBwxMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAl0EG,cAAR,iBAAQ,Q;QAk0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1xMG,MAAO,KoB0xMO,QpB1xMP,EoB0xMiB,CpB1xMjB,C;;QoB4xMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAj0EI,8D;MpBvgIJ,iB;MoBuyMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAj0EG,cAAR,iBAAQ,Q;QAi0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBzyMG,MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAh0EI,8D;MpBthIJ,iB;MoBszMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAh0EG,cAAR,iBAAQ,Q;QAg0EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBxzMG,MAAO,KoBwzMO,QpBxzMP,EoBwzMiB,CpBxzMjB,C;;QoB0zMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/zEI,8D;MpBriIJ,iB;MoBq0MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/zEG,cAAR,iBAAQ,Q;QA+zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBv0MG,MAAO,KoBu0MO,QpBv0MP,EoBu0MiB,CpBv0MjB,C;;QoBy0Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9zEI,8D;MpBpjIJ,iB;MoBo1MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9zEG,cAAR,iBAAQ,Q;QA8zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBt1MG,MAAO,KoBs1MO,QpBt1MP,EoBs1MiB,CpBt1MjB,C;;QoBw1Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7zEI,8D;MpBnkIJ,iB;MoBm2MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7zEG,cAAR,iBAAQ,Q;QA6zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBr2MG,MAAO,KoBq2MO,QpBr2MP,EoBq2MiB,CpBr2MjB,C;;QoBu2Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA5zEI,8D;MpBllIJ,iB;MoBk3MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA5zEG,cAAR,iBAAQ,Q;QA4zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBp3MG,MAAO,KoBo3MO,QpBp3MP,EoBo3MiB,CpBp3MjB,C;;QoBs3Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA3zEI,8D;MpBjmIJ,iB;MoBi4MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA3zEG,cAAR,iBAAQ,Q;QA2zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBn4MG,MAAO,KoBm4MO,QpBn4MP,EoBm4MiB,CpBn4MjB,C;;QoBq4Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA1zEI,8D;MpBhnIJ,iB;MoBg5MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA1zEG,cAAR,iBAAQ,Q;QA0zEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBl5MG,MAAO,KoBk5MO,QpBl5MP,EoBk5MiB,CpBl5MjB,C;;QoBo5Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAzzEI,8D;MpB/nIJ,iB;MoB+6MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAzzEG,cAAR,iBAAQ,Q;QAyzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBj7MG,MAAO,KoBi7MO,QpBj7MP,EoBi7MiB,CpBj7MjB,C;;QoBm7Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAxzEI,8D;MpB9oIJ,iB;MoB88MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAxzEG,cAAR,iBAAQ,Q;QAwzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBh9MG,MAAO,KoBg9MO,QpBh9MP,EoBg9MiB,CpBh9MjB,C;;QoBk9Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAvzEI,8D;MpB7pIJ,iB;MoB69MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAvzEG,cAAR,iBAAQ,Q;QAuzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB/9MG,MAAO,KoB+9MO,QpB/9MP,EoB+9MiB,CpB/9MjB,C;;QoBi+Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAtzEI,8D;MpB5qIJ,iB;MoB4+MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAtzEG,cAAR,iBAAQ,Q;QAszEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9+MG,MAAO,KoB8+MO,QpB9+MP,EoB8+MiB,CpB9+MjB,C;;QoBg/Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MArzEI,8D;MpB3rIJ,iB;MoB2/MA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OArzEG,cAAR,iBAAQ,Q;QAqzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB7/MG,MAAO,KoB6/MO,QpB7/MP,EoB6/MiB,CpB7/MjB,C;;QoB+/Md,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MApzEI,8D;MpBzsIJ,iB;MoBygNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OApzEG,cAAR,iBAAQ,Q;QAozEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB3gNG,MAAO,KoB2gNO,QpB3gNP,EoB2gNiB,CpB3gNjB,C;;QoB6gNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnzEI,8D;MpBvtIJ,iB;MoBuhNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAnzEG,cAAR,iBAAQ,Q;QAmzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBzhNG,MAAO,KoByhNO,QpBzhNP,EoByhNiB,CpBzhNjB,C;;QoB2hNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlzEI,8D;MpBruIJ,iB;MoBqiNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlzEG,cAAR,iBAAQ,Q;QAkzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBvjNG,MAAO,KoBujNO,QpBvjNP,EoBujNiB,CpBvjNjB,C;;QoByjNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjzEI,8D;MpBnvIJ,iB;MoBmkNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAjzEG,cAAR,iBAAQ,Q;QAizEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBrkNG,MAAO,KoBqkNO,QpBrkNP,EoBqkNiB,CpBrkNjB,C;;QoBukNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhzEI,8D;MpBjwIJ,iB;MoBimNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAhzEG,cAAR,iBAAQ,Q;QAgzEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBnmNG,MAAO,KoBmmNO,QpBnmNP,EoBmmNiB,CpBnmNjB,C;;QoBqmNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/yEI,8D;MpB/wIJ,iB;MoB+nNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/yEG,cAAR,iBAAQ,Q;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBroNG,MAAO,KoBqoNO,QpBroNP,EoBqoNiB,CpBroNjB,C;;QoBuoNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9yEI,8D;MpBpxIJ,iB;MoBopNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9yEG,cAAR,iBAAQ,Q;QA8yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1pNG,MAAO,KoB0pNO,QpB1pNP,EoB0pNiB,CpB1pNjB,C;;QoB4pNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7yEI,8D;MpBhyIJ,iB;MoBgqNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7yEG,cAAR,iBAAQ,Q;QA6yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBtqNG,MAAO,KoBsqNO,QpBtqNP,EoBsqNiB,CpBtqNjB,C;;QoBwqNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA5yEI,8D;MpB5yIJ,iB;MoB4qNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA5yEG,cAAR,iBAAQ,Q;QA4yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBlrNG,MAAO,KoBkrNO,QpBlrNP,EoBkrNiB,CpBlrNjB,C;;QoBorNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA3yEI,8D;MpBxzIJ,iB;MoBwrNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA3yEG,cAAR,iBAAQ,Q;QA2yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9rNG,MAAO,KoB8rNO,QpB9rNP,EoB8rNiB,CpB9rNjB,C;;QoBgsNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA1yEI,8D;MpBp0IJ,iB;MoBosNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA1yEG,cAAR,iBAAQ,Q;QA0yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1sNG,MAAO,KoB0sNO,QpB1sNP,EoB0sNiB,CpB1sNjB,C;;QoB4sNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAzyEI,8D;MpBh1IJ,iB;MoBgtNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAzyEG,cAAR,iBAAQ,Q;QAyyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBttNG,MAAO,KoBstNO,QpBttNP,EoBstNiB,CpBttNjB,C;;QoBwtNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAxyEI,8D;MpB51IJ,iB;MoB4uNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAxyEG,cAAR,iBAAQ,Q;QAwyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBlvNG,MAAO,KoBkvNO,QpBlvNP,EoBkvNiB,CpBlvNjB,C;;QoBovNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAvyEI,8D;MpBx2IJ,iB;MoBwwNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAvyEG,cAAR,iBAAQ,Q;QAuyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9wNG,MAAO,KoB8wNO,QpB9wNP,EoB8wNiB,CpB9wNjB,C;;QoBgxNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAtyEI,8D;MpBp3IJ,iB;MoBoxNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAtyEG,cAAR,iBAAQ,Q;QAsyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB1xNG,MAAO,KoB0xNO,QpB1xNP,EoB0xNiB,CpB1xNjB,C;;QoB4xNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAryEI,8D;MpBh4IJ,iB;MoBgyNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAryEG,cAAR,iBAAQ,Q;QAqyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBtyNG,MAAO,KoBsyNO,QpBtyNP,EoBsyNiB,CpBtyNjB,C;;QoBwyNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MApyEI,8D;MpB54IJ,iB;MoB4yNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OApyEG,cAAR,iBAAQ,Q;QAoyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBlzNG,MAAO,KoBkzNO,QpBlzNP,EoBkzNiB,CpBlzNjB,C;;QoBozNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnyEI,8D;MpBx5IJ,iB;MoBwzNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAnyEG,cAAR,iBAAQ,Q;QAmyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB9zNG,MAAO,KoB8zNO,QpB9zNP,EoB8zNiB,CpB9zNjB,C;;QoBg0Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAlyEI,8D;MpBp6IJ,iB;MoBo0NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAlyEG,cAAR,iBAAQ,Q;QAkyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB10NG,MAAO,KoB00NO,QpB10NP,EoB00NiB,CpB10NjB,C;;QoB40Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjyEI,8D;MpBh7IJ,iB;MoBg1NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAjyEG,cAAR,iBAAQ,Q;QAiyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBt1NG,MAAO,KoBs1NO,QpBt1NP,EoBs1NiB,CpBt1NjB,C;;QoBw1Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhyEI,8D;MpB57IJ,iB;MoB41NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OAhyEG,cAAR,iBAAQ,Q;QAgyEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBl2NG,MAAO,KoBk2NO,QpBl2NP,EoBk2NiB,CpBl2NjB,C;;QoBo2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBx8IJ,iB;MoBw2NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA/xEG,cAAR,iBAAQ,Q;QA+xEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBt3NG,MAAO,KoBs3NO,QpBt3NP,EoBs3NiB,CpBt3NjB,C;;QoBw3Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA9xEI,8D;MpBp9IJ,iB;MoBo3NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA9xEG,cAAR,iBAAQ,Q;QA8xEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpB14NG,MAAO,KoB04NO,QpB14NP,EoB04NiB,CpB14NjB,C;;QoB44Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA7xEI,8D;MpBh+IJ,iB;MoBg5NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA7xEG,cAAR,iBAAQ,Q;QA6xEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBt5NG,MAAO,KoBs5NO,QpBt5NP,EoBs5NiB,CpBt5NjB,C;;QoBw5Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA5xEI,8D;MpB5+IJ,iB;MoB45NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAAL,CAAAT,C;QACF,OA5xEG,cAAR,iBAAQ,Q;QA4xEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAAL,CAAAT,C;UACR,WpBl6NG,MAAO,KoBk6NO,QpBl6NP,EoBk6NiB,CpBl6NjB,C;;QoBo6Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA3xEI,8D;MpBx/IJ,iB;MoBw6NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAA

ACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9zMjB,C;;QoBg0Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjFG,cAAR,iBAAQ,C;QAmjFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,QpBn1MP,EoBm1MiB,CpBn1MjB,C;;QoBq1Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAllFI,8D;MAklFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9lFG,cAAR,iBAAQ,C;QA8lFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/mFI,8D;MA+mFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAhoFI,8D;MAgoFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAjpFI,8D;MAipFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlqFI,8D;MAkqFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnrFI,8D;MAmrFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAprFI,8D;MAorFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAssFI,8D;MAqsFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAvtFI,8D;MAutFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxuFI,8D;MAwuFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAzvFI,8D;MAyvFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1wFI,8D;MA0wFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3xFI,8D;MA2xFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5yFI,8D;MA4yFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA7zFI,8D;MA6zFJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA90FI,8D;MA80FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/1FI,8D;MA+1FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAh3FI,8D;MAg3FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj4FI,8D;MAi4FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl5FI,8D;MAk5FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm6FI,8D;MAl6FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn7FI,8D;MAm7FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8FI,8D;MAo8FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAr9FI,8D;MAq9FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAt+FI,8D;MAs+FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv/FI,8D;MAu/FJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxgGI,8D;MAwgGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAzhGI,8D;MAyhGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1iGI,8D;MA0iGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3jGI,8D;MA2jGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5kGI,8D;MA4kGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA7lGI,8D;MA6lGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9mGI,8D;MA8mGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/nGI,8D;MA+nGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAhpGI,8D;MAgpGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAjqGI,8D;MAiqGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlrGI,8D;MAkrGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmsGI,8D;MAlsGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAntGI,8D;MAmtGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAptGI,8D;MAotGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAvuGI,8D;MAuuGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxvGI,8D;MAwvGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAzwGI,8D;MAywGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1xGI,8D;MA0xGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3yGI,8D;MA2yGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5zGI,8D;MA4zGJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA71GI,8D;MA61GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA92GI,8D;MA82GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/3GI,8D;MA+3GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAh5GI,8D;MAg5GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAj6GI,8D;MAi6GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl7GI,8D;MAk7GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAm8GI,8D;MAl8GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAn9GI,8D;MAm9GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp+GI,8D;MAo+GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAr/GI,8D;MAq/GJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAtgHI,8D;MAsgHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAvhHI,8D;MAuhHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxiHI,8D;MAwiHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAzjHI,8D;MAyjHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1kHI,8D;MA0kHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3lHI,8D;MA2lHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA7nHI,8D;MA6nHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9oHI,8D;MA8oHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA/pHI,8D;MA+pHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAhrHI,8D;MAgrHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAjsHI,8D;MAisHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAltHI,8D;MAktHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAmuHI,8D;MAluHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAnvHI,8D;MAmvHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAovHI,8D;MAnvHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAqwHI,8D;MApwHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAsxHI,8D;MArxHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAuyHI,8D;MAtyHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAwzHI,8D;MAvzHJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAy0HI,8D;MAx0HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA01HI,8D;MAz1HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA22HI,8D;MA12HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA43HI,8D;MA33HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA65HI,8D;MA55HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA85HI,8D;MA75HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA+8HI,8D;MA98HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAg/HI,8D;MA/+HJ,sC;QAAA,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K;UAAgB,YAAI,CAAJ,C;YAAO,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;YACpC,WAAW,C;;;QAGnB,OAAO

;QACR,InBnnN+D,amBmnN3D,GnBnnN6E,KAAlB,EmBmnNrD,CnBnnNmF,KAA9B,CmBmnN3D,IAAJ,C;UA
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,s
BAAK,CAAL,C;MACG,OA52FG,gBAAR,iBAAQ,C;MA42FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C
;QACR,IpC1pN4E,0BoC0pNxE,GpC/6M8B,KAAL,GAAiB,GA3O8B,EoC0pNlE,CpC/6MwB,KAAL,GAAiB,GA
3O8B,CoC0pNxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;Q
AAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAn3FG,gBAAR,iBAAQ,C;MAm3FhB,aAAU,CAAV,iB
;QACI,QAAQ,sBAAK,CAAL,C;QACR,IlCjqN6E,0BkCiqNzE,GlC77M8B,KAAL,GAAiB,KApO+B,EkCiqNnE,C
lC77MwB,KAAL,GAAiB,KApO+B,CkCiqNzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,
OAAO,4BAAc,UAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,
C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAd,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;M
ACtB,UAAU,sBAAK,CAAL,C;MACG,OA17FG,gBAAR,iBAAQ,C;MA07FhB,aAAU,CAAV,iB;QACI,QAAQ,s
BAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8FG,gBAAR,iBAAQ,C;MAi8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;
MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8FG,gBAAR,iBAAQ,C;MAw8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA/8FG,gBAAR,iBAAQ,C;MA+8FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA/+FG,gBAAR,iBAAQ,C;MA++FhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA/hGG,gBAAR,iBAAQ,C;MA+hGhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,
IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;U
A8jGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,a
AAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IA
AI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFA
SA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kGgB,cAAR,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjEP,yB;O;KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlFP,yB;O;KANJ,C;mFASA,yB;MAjiGI,8D;MAiiGJ,sC;QAMW,sB;;UAwFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnGgB,cAAR,iBAAQ,C;UAinGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnGP,yB;O;KANJ,C;mFASA,yB;MAljGI,8D;MAkjGJ,sC;QAMW,sB;;UAyGP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjoGgB,cAAR,iBAAQ,C;UAkoGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3GmB,QA2GJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ge,QA8GP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApHP,yB;O;KANJ,C;mFASA,yB;MAnkGI,8D;MAmkGJ,sC;QAMW,sB;;UA0HP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAlpGgB,cAAR,iBAAQ,C;UAmpGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3HmB,QA2HJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9He,QA8HP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QArIP,yB;O;KANJ,C;mFASA,yB;MApmGI,8D;MAomGJ,sC;QAMW,sB;;UA2IP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAnqGgB,cAAR,iBAAQ,C;UAoqGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ImB,QA2IJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ie,QA8IP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtJP,yB;O;KANJ,C;mFASA,yB;MArnGI,8D;MAqnGJ,sC;QAMW,sB;;UA4JP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApsGgB,cAAR,iBAAQ,C;UAqsGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3JmB,QA2JJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Je,QA8JP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvKP,yB;O;KANJ,C;mFASA,yB;MAtpGI,8D;MAspGJ,sC;QAMW,sB;;UA6KP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArtGgB,cAAR,iBAAQ,C;UAstGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3KmB,QA2KJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ke,QA8KP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxLP,yB;O;KANJ,C;mFASA,yB;MAvqGI,8D;MAuqGJ,sC;QAMW,sB;;UA8LP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtuGgB,cAAR,iBAAQ,C;UAuuGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3LmB,QA2LJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Le,QA8LP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzMP,yB;O;KANJ,C;mFASA,yB;MAxrGI,8D;MAwrGJ,sC;QAMW,sB;;UA+MP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvvGgB,cAAR,iBAAQ,C;UAwvGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3MmB,QA2MJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Me,QA8MP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1NP,yB;O;KANJ,C;mFASA,yB;MAzsGI,8D;MAysGJ,sC;QAMW,sB;;UAgOP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxwGgB,cAAR,iBAAQ,C;UAywGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3OmB,QA2OJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Oe,QA8OP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3PP,yB;O;KANJ,C;mFASA,yB;MA1tGI,8D;MA0tGJ,sC;QAMW,sB;;UAiPP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzxGgB,cAAR,iBAAQ,C;UA0xGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3PmB,QA2PJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Pe,QA8PP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5QP,yB;O;KANJ,C;mFASA,yB;MA3uGI,8D;MA2uGJ,sC;QAMW,sB;;UAkQP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1yGgB,cAAR,iBAAQ,C;UA2yGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3QmB,QA2QJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Qe,QA8QP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7RP,yB;O;KANJ,C;mFASA,yB;MA5vGI,8D;MA4vGJ,sC;QAMW,sB;;UAmRP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3zGgB,cAAR,iBAAQ,C;UA4zGhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3RmB,QA2RJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Re,QA8RP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9SP,yB;O;KANJ,C;mFASA,yB;MA7wGI,8D;MA6wGJ,sC;QAMW,sB;;UAoSP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA50GgB,cAAR,iBAAQ,C;UA60GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3SmB,QA2SJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Se,QA8SP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/TP,yB;O;KANJ,C;mFASA,yB;MA9xGI,8D;MA8xGJ,sC;QAMW,sB;;UAqTP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA71GgB,cAAR,iBAAQ,C;UA81GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3TmB,QA2TJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Te,QA8TP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhVP,yB;O;KANJ,C;mFASA,yB;MA/yGI,8D;MA+yGJ,sC;QAMW,sB;;UAsUP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA93GgB,cAAR,iBAAQ,C;UA+3GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3UmB,QA2UJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ue,QA8UP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjWP,yB;O;KANJ,C;mFASA,yB;MAh1GI,8D;MAg1GJ,sC;QAMW,sB;;UAuVP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/5GgB,cAAR,iBAAQ,C;UAg6GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3VmB,QA2VJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ve,QA8VP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlXP,yB;O;KANJ,C;mFASA,yB;MAj3GI,8D;MAi3GJ,sC;QAMW,sB;;UAwWP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAh8GgB,cAAR,iBAAQ,C;UAi8GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3WmB,QA2WJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9We,QA8WP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnYP,yB;O;KANJ,C;mFASA,yB;MAl5GI,8D;MAk5GJ,sC;QAMW,sB;;UAyXP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAj+GgB,cAAR,iBAAQ,C;UAk+GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3XmB,QA2XJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Xe,QA8XP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QApZP,yB;O;KANJ,C;mFASA,yB;MAn7GI,8D;MAm7GJ,sC;QAMW,sB;;UA0YP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAl/GgB,cAAR,iBAAQ,C;UAm/GhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3YmB,QA2YJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ye,QA8YP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAraP,yB;O;KANJ,C;mFASA,yB;MAp9GI,8D;MAo9GJ,sC;QAMW,sB;;UA2ZP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAngHgB,cAAR,iBAAQ,C;UAogHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3ZmB,QA2ZJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ze,QA8ZP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAtbP,yB;O;KANJ,C;mFASA,yB;MAr+GI,8D;MAq+GJ,sC;QAMW,sB;;UA4aP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBApiHgB,cAAR,iBAAQ,C;UAqiHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3amB,QA2aJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9ae,QA8aP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAvcP,yB;O;KANJ,C;mFASA,yB;MAt/GI,8D;MAs/GJ,sC;QAMW,sB;;UA6bP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBArkHgB,cAAR,iBAAQ,C;UAskHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3bmB,QA2bJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9be,QA8bP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAxdP,yB;O;KANJ,C;mFASA,yB;MAvgHI,8D;MAugHJ,sC;QAMW,sB;;UA8cP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAtlHgB,cAAR,iBAAQ,C;UAulHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3cmB,QA2cJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9ce,QA8cP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAzeP,yB;O;KANJ,C;mFASA,yB;MAxhHI,8D;MAwhHJ,sC;QAMW,sB;;UA+dP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAvmHgB,cAAR,iBAAQ,C;UAwmHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3dmB,QA2dJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9de,QA8dP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA1fP,yB;O;KANJ,C;mFASA,yB;MAzjHI,8D;MAyjHJ,sC;QAMW,sB;;UAgfP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAxnHgB,cAAR,iBAAQ,C;UAynHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3fmB,QA2fJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9fe,QA8fP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA3gBP,yB;O;KANJ,C;mFASA,yB;MA1kHI,8D;MA0kHJ,sC;QAMW,sB;;UAiiBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAzoHgB,cAAR,iBAAQ,C;UA0oHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3iBmB,QA2iBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9iBe,QA8iBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA5jBP,yB;O;KANJ,C;mFASA,yB;MA3nHI,8D;MA2nHJ,sC;QAMW,sB;;UAkmBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA1qHgB,cAAR,iBAAQ,C;UA2qHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3mBmB,QA2mBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9mBe,QA8mBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA7nBP,yB;O;KANJ,C;mFASA,yB;MA5qHI,8D;MA4qHJ,sC;QAMW,sB;;UAmqBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA3tHgB,cAAR,iBAAQ,C;UA4tHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3qBmB,QA2qBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9qBe,QA8qBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA9rBP,yB;O;KANJ,C;mFASA,yB;MA7tHI,8D;MA6tHJ,sC;QAMW,sB;;UAorBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA5xHgB,cAAR,iBAAQ,C;UA6xHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3rBmB,QA2rBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9rBe,QA8rBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QA/sBP,yB;O;KANJ,C;mFASA,yB;MA9wHI,8D;MA8wHJ,sC;QAMW,sB;;UAqsBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA7zHgB,cAAR,iBAAQ,C;UA8zHhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3sBmB,QA2sBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9sBe,QA8sBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAhuBP,yB;O;KANJ,C;mFASA,yB;MA/zHI,8D;MA+zHJ,sC;QAMW,sB;;UAstBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA93HgB,cAAR,iBAAQ,C;UA+3HhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3tBmB,QA2tBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9tBe,QA8tBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAjvBP,yB;O;KANJ,C;mFASA,yB;MAh3HI,8D;MAg3HJ,sC;QAMW,sB;;UAuuBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBA/7HgB,cAAR,iBAAQ,C;UAg8HhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3uBmB,QA2uBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9uBe,QA8uBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAlwBP,yB;O;KANJ,C;mFASA,yB;MAj6HI,8D;MAi6HJ,sC;QAMW,sB;;UAwvBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAhgIgB,cAAR,iBAAQ,C;UAigIhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3vBmB,QA2vBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9vBe,QA8vBP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;;UAGnB,qBAAO,O;;;QAnxBP,yB;O;KANJ,C;mFASA,yB;MAl7HI,8D;MAk7HJ,sC;QAMW,sB;;UAyxBP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;;UACf,cAAc,sBAAK,CAAL,C;UACd,gBAjhIgB,cAAR,iBAAQ,C;UAkhIhB,IAAI,cAAa,CAAjB,B,C;YAAoB,qBAAO,O;YAAP,uB;;UACpB,eA3xBmB,QA2xBJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YAC

,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA/lGgB,cA+lGA,SA/lGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhnGgB,cAgnGA,SAhnGR,GAgnGQ,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtpGI,8D;MAspGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjqGgB,cAiqGA,SAjqGR,GAiqGQ,QAAQ,C;QAkqGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtrGI,8D;MAsrGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjsGgB,cAisGA,SAjsGR,GAisGQ,QAAQ,C;QAksGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAttGI,8D;MAstGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjuGgB,cAiuGA,SAjuGR,GAiuGQ,QAAQ,C;QAkuGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtvGI,8D;MAsvGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjwGgB,cAiwGA,SAjwGR,GAiwGQ,QAAQ,C;QAkwGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtxGI,8D;MAsxGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjyGgB,cAiyGA,SAjyGR,GAiyGQ,QAAQ,C;QAkyGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtzGI,8D;MAszGJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj0GgB,cAi0GA,SAj0GR,GAi0GQ,QAAQ,C;QAk0GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt1GI,8D;MAs1GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj2GgB,cAi2GA,SAj2GR,GAi2GQ,QAAQ,C;QAk2GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt3GI,8D;MAs3GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj4GgB,cAi4GA,SAj4GR,GAi4GQ,QAAQ,C;QAk4GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt5GI,8D;MAs5GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj6GgB,cAi6GA,SAj6GR,GAi6GQ,QAAQ,C;QAk6GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt7GI,8D;MAs7GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj8GgB,cAi8GA,SAj8GR,GAi8GQ,QAAQ,C;QAk8GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt9GI,8D;MAs9GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj+GgB,cAi+GA,SAj+GR,GAi+GQ,QAAQ,C;QAk+GhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt/GI,8D;MAs/GJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjgHgB,cAigHA,SAjgHR,GAigHQ,QAAQ,C;QAkgHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAthHI,8D;MAshHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjiHgB,cAiiHA,SAjiHR,GAiiHQ,QAAQ,C;QAkiHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtjHI,8D;MAsjHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjkHgB,cAikHA,SAjkHR,GAikHQ,QAAQ,C;QAkkHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtlHI,8D;MAslHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjmHgB,cAimHA,SAjmHR,GAimHQ,QAAQ,C;QAkmHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtnHI,8D;MAsnHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjoHgB,cAioHA,SAjoHR,GAioHQ,QAAQ,C;QAkoHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtpHI,8D;MAspHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjqHgB,cAiqHA,SAjqHR,GAiqHQ,QAAQ,C;QAkqHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtrHI,8D;MAsrHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjsHgB,cAisHA,SAjsHR,GAisHQ,QAAQ,C;QAksHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAttHI,8D;MAstHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjuHgB,cAiuHA,SAjuHR,GAiuHQ,QAAQ,C;QAkuHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtvHI,8D;MAsvHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjwHgB,cAiwHA,SAjwHR,GAiwHQ,QAAQ,C;QAkwHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtxHI,8D;MAsxHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjyHgB,cAiyHA,SAjyHR,GAiyHQ,QAAQ,C;QAkyHhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtzHI,8D;MAszHJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj0HgB,cAi0HA,SAj0HR,GAi0HQ,QAAQ,C;QAk0HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt1HI,8D;MAs1HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj2HgB,cAi2HA,SAj2HR,GAi2HQ,QAAQ,C;QAk2HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt3HI,8D;MAs3HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj4HgB,cAi4HA,SAj4HR,GAi4HQ,QAAQ,C;QAk4HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt5HI,8D;MAs5HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj6HgB,cAi6HA,SAj6HR,GAi6HQ,QAAQ,C;QAk6HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt7HI,8D;MAs7HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj8HgB,cAi8HA,SAj8HR,GAi8HQ,QAAQ,C;QAk8HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt9HI,8D;MAs9HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj+HgB,cAi+HA,SAj+HR,GAi+HQ,QAAQ,C;QAk+HhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt/HI,8D;MAs/HJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjgIgB,cAigIA,SAjgIR,GAigIQ,QAAQ,C;QAkgIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAthII,8D;MAshIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjiIgB,cAiiIA,SAjiIR,GAiiIQ,QAAQ,C;QAkiIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtjII,8D;MAsjIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjkIgB,cAikIA,SAjkIR,GAikIQ,QAAQ,C;QAkkIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtlII,8D;MAslIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjmIgB,cAimIA,SAjmIR,GAimIQ,QAAQ,C;QAkmIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtnII,8D;MAsnIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjoIgB,cAioIA,SAjoIR,GAioIQ,QAAQ,C;QAkoIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtpII,8D;MAspIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjqIgB,cAiqIA,SAjqIR,GAiqIQ,QAAQ,C;QAkqIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtrII,8D;MAsrIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjsIgB,cAisIA,SAjsIR,GAisIQ,QAAQ,C;QAksIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAttII,8D;MAstIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjuIgB,cAiuIA,SAjuIR,GAiuIQ,QAAQ,C;QAkuIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtvII,8D;MAsvIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjwIgB,cAiwIA,SAjwIR,GAiwIQ,QAAQ,C;QAkwIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtxII,8D;MAsxIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjyIgB,cAiyIA,SAjyIR,GAiyIQ,QAAQ,C;QAkyIhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAtzII,8D;MAszIJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj0IgB,cAi0IA,SAj0IR,GAi0IQ,QAAQ,C;QAk0IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt1II,8D;MAs1IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj2IgB,cAi2IA,SAj2IR,GAi2IQ,QAAQ,C;QAk2IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt3II,8D;MAs3IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj4IgB,cAi4IA,SAj4IR,GAi4IQ,QAAQ,C;QAk4IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt5II,8D;MAs5IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj6IgB,cAi6IA,SAj6IR,GAi6IQ,QAAQ,C;QAk6IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt7II,8D;MAs7IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj8IgB,cAi8IA,SAj8IR,GAi8IQ,QAAQ,C;QAk8IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt9II,8D;MAs9IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAj+IgB,cAi+IA,SAj+IR,GAi+IQ,QAAQ,C;QAk+IhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAt/II,8D;MAs/IJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjgJgB,cAigJA,SAjgJR,GAigJQ,QAAQ,C;QAkgJhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;;QAGnB,OAAO,O;O;KAtBX,C;kFAyBA,yB;MAAA,sE;MAthJI,8D;MAshJJ,sC;QAUI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjiJgB,cAiiJA,SAjiJR,GAiiJQ,QAAQ,C;QAkiJhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WA

T,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,MAAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8GI,8D;MpB/jHJ,iB;MoBmgOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl9GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhhOG,MAAO,KoBghOO,QpBhhOP,EoBghOiB,CpBhhOjB,C;;QoBkhOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA98GI,8D;MpBrlHJ,iB;MoBuhOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5+GG,cAAR,iBAAQ,C;QA4+GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpjOG,MAAO,KoBojOO,QpBpjOP,EoBojOiB,CpBpjOjB,C;;QoBsjOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx+GI,8D;MpB3mHJ,iB;MoB2iOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtgHG,cAAR,iBAAQ,C;QAsgHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxlOG,MAAO,KoBwlOO,QpBxlOP,EoBwlOiB,CpBxlOjB,C;;QoB0lOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlgHI,8D;MpBjoHJ,iB;MoBukOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhiHG,cAAR,iBAAQ,C;QAgiHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5mOG,MAAO,KoB4mOO,QpB5mOP,EoB4mOiB,CpB5mOjB,C;;QoB8mOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5hHI,8D;MpBvpHJ,iB;MoBmmOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1jHG,cAAR,iBAAQ,C;QA0jHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpoOG,MAAO,KoBooOO,QpBpoOP,EoBooOiB,CpBpoOjB,C;;QoBsoOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAtjHI,8D;MpB7qHJ,iB;MoB+nOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApkHG,cAAR,iBAAQ,C;QAokHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxpOG,MAAO,KoBwpOO,QpBxpOP,EoBwpOiB,CpBxpOjB,C;;QoB0pOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAhkHI,8D;MpBnsHJ,iB;MoB2pOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9lHG,cAAR,iBAAQ,C;QA8lHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhrOG,MAAO,KoBgrOO,QpBhrOP,EoBgrOiB,CpBhrOjB,C;;QoBkrOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1lHI,8D;MpBztHJ,iB;MoBurOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAwnHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5sOG,MAAO,KoB4sOO,QpB5sOP,EoB4sOiB,CpB5sOjB,C;;QoB8sOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MApnHI,8D;MpB/uHJ,iB;MoBmtOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5oHG,cAAR,iBAAQ,C;QA4oHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpuOG,MAAO,KoBouOO,QpBpuOP,EoBouOiB,CpBpuOjB,C;;QoBsuOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9oHI,8D;MpBrwHJ,iB;MoB+uOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqHG,cAAR,iBAAQ,C;QAsqHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhwOG,MAAO,KoBgwOO,QpBhwOP,EoBgwOiB,CpBhwOjB,C;;QoBkwOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxqHI,8D;MpB3xHJ,iB;MoB2wOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhsHG,cAAR,iBAAQ,C;QAgsHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxOG,MAAO,KoBoxOO,QpBpxOP,EoBoxOiB,CpBpxOjB,C;;QoBsxOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlsHI,8D;MpBjzHJ,iB;MoBuxOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1tHG,cAAR,iBAAQ,C;QA0tHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5yOG,MAAO,KoB4yOO,QpB5yOP,EoB4yOiB,CpB5yOjB,C;;QoB8yOd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5tHI,8D;MpBv0HJ,iB;MoBmzOA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlvHG,cAAR,iBAAQ,C;QAkvHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp0OG,MAAO,KoBo0OO,QpBp0OP,EoBo0OiB,CpBp0OjB,C;;QoBs0Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxvHI,8D;MpB31HJ,iB;MoB+0OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtwHG,cAAR,iBAAQ,C;QAswHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx1OG,MAAO,KoBw1OO,QpBx1OP,EoBw1OiB,CpBx1OjB,C;;QoB01Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlxHI,8D;MpBj3HJ,iB;MoBu2OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1yHG,cAAR,iBAAQ,C;QA0yHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB53OG,MAAO,KoB43OO,QpB53OP,EoB43OiB,CpB53OjB,C;;QoB83Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5yHI,8D;MpBv4HJ,iB;MoBm4OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl0HG,cAAR,iBAAQ,C;QAk0HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp5OG,MAAO,KoBo5OO,QpBp5OP,EoBo5OiB,CpBp5OjB,C;;QoBs5Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxzHI,8D;MpB35HJ,iB;MoB+5OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt1HG,cAAR,iBAAQ,C;QAs1HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx6OG,MAAO,KoBw6OO,QpBx6OP,EoBw6OiB,CpBx6OjB,C;;QoB06Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl1HI,8D;MpBj8HJ,iB;MoBu7OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA12HG,cAAR,iBAAQ,C;QA02HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB58OG,MAAO,KoB48OO,QpB58OP,EoB48OiB,CpB58OjB,C;;QoB88Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA52HI,8D;MpBv9HJ,iB;MoBm9OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl4HG,cAAR,iBAAQ,C;QAk4HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp+OG,MAAO,KoBo+OO,QpBp+OP,EoBo+OiB,CpBp+OjB,C;;QoBs+Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx3HI,8D;MpB39HJ,iB;MoB++OA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt5HG,cAAR,iBAAQ,C;QAs5HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx/OG,MAAO,KoBw/OO,QpBx/OP,EoBw/OiB,CpBx/OjB,C;;QoB0/Od,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl5HI,8D;MpBj/HJ,iB;MoBugPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA16HG,cAAR,iBAAQ,C;QA06HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5gPG,MAAO,KoB4gPO,QpB5gPP,EoB4gPiB,CpB5gPjB,C;;QoB8gPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA56HI,8D;MpBvgIJ,iB;MoBmhPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl8HG,cAAR,iBAAQ,C;QAk8HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpiPG,MAAO,KoBoiPO,QpBpiPP,EoBoiPiB,CpBpiPjB,C;;QoBsiPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx7HI,8D;MpB3hIJ,iB;MoB+iPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt9HG,cAAR,iBAAQ,C;QAs9HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxjPG,MAAO,KoBwjPO,QpBxjPP,EoBwjPiB,CpBxjPjB,C;;QoB0jPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl9HI,8D;MpBjjIJ,iB;MoBukPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1+HG,cAAR,iBAAQ,C;QA0+HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5kPG,MAAO,KoB4kPO,QpB5kPP,EoB4kPiB,CpB5kPjB,C;;QoB8kPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5+HI,8D;MpBvkIJ,iB;MoBmlPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlgIG,cAAR,iBAAQ,C;QAkgIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpmPG,MAAO,KoBomPO,QpBpmPP,EoBomPiB,CpBpmPjB,C;;QoBsmPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxgII,8D;MpB3lIJ,iB;MoB+mPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAthIG,cAAR,iBAAQ,C;QAshIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxnPG,MAAO,KoBwnPO,QpBxnPP,EoBwnPiB,CpBxnPjB,C;;QoB0nPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAliII,8D;MpBjnIJ,iB;MoBuoPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1jIG,cAAR,iBAAQ,C;QA0jIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5oPG,MAAO,KoB4oPO,QpB5oPP,EoB4oPiB,CpB5oPjB,C;;QoB8oPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5jII,8D;MpBvoIJ,iB;MoBmpPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAllIG,cAAR,iBAAQ,C;QAklIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpqPG,MAAO,KoBoqPO,QpBpqPP,EoBoqPiB,CpBpqPjB,C;;QoBsqPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxkII,8D;MpB3pIJ,iB;MoB+qPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtmIG,cAAR,iBAAQ,C;QAsmIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxrPG,MAAO,KoBwrPO,QpBxrPP,EoBwrPiB,CpBxrPjB,C;;QoB0rPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAllII,8D;MpBjrIJ,iB;MoBusPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1nIG,cAAR,iBAAQ,C;QA0nIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5sPG,MAAO,KoB4sPO,QpB5sPP,EoB4sPiB,CpB5sPjB,C;;QoB8sPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mII,8D;MpBvsIJ,iB;MoBmtPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlpIG,cAAR,iBAAQ,C;QAkpIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpuPG,MAAO,KoBouPO,QpBpuPP,EoBouPiB,CpBpuPjB,C;;QoBsuPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxoII,8D;MpB3tIJ,iB;MoB+uPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqIG,cAAR,iBAAQ,C;QAsqIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxvPG,MAAO,KoBwvPO,QpBxvPP,EoBwvPiB,CpBxvPjB,C;;QoB0vPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlqII,8D;MpBjvIJ,iB;MoBuwPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1rIG,cAAR,iBAAQ,C;QA0rIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5wPG,MAAO,KoB4wPO,QpB5wPP,EoB4wPiB,CpB5wPjB,C;;QoB8wPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5rII,8D;MpBvwIJ,iB;MoBmxPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAltIG,cAAR,iBAAQ,C;QAktIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxPG,MAAO,KoBoxPO,QpBpxPP,EoBoxPiB,CpBpxPjB,C;;QoBsxPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxsII,8D;MpB3xIJ,iB;MoB+yPA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtuIG,cAAR,iBAAQ,C;QAsuIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxzPG,MAAO,KoBwzPO,QpBxzPP,EoBwzPiB,CpBxzPjB,C;;QoB0zPd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAltII,8D;MpBjzIJ,iB;MoBu0PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1vIG,cAAR,iBAAQ,C;QA0vIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB51PG,MAAO,KoB41PO,QpB51PP,EoB41PiB,CpB51PjB,C;;QoB81Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5uII,8D;MpBv0IJ,iB;MoBm2PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlxIG,cAAR,iBAAQ,C;QAkxIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp2PG,MAAO,KoBo2PO,QpBp2PP,EoBo2PiB,CpBp2PjB,C;;QoBs2Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxwII,8D;MpB31IJ,iB;MoB+3PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtyIG,cAAR,iBAAQ,C;QAsyIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx4PG,MAAO,KoBw4PO,QpBx4PP,EoBw4PiB,CpBx4PjB,C;;QoB04Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlyII,8D;MpBj3IJ,iB;MoBu5PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1zIG,cAAR,iBAAQ,C;QA0zIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB56PG,MAAO,KoB46PO,QpB56PP,EoB46PiB,CpB56PjB,C;;QoB86Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5zII,8D;MpBv4IJ,iB;MoBm7PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl1IG,cAAR,iBAAQ,C;QAk1IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp7PG,MAAO,KoBo7PO,QpBp7PP,EoBo7PiB,CpBp7PjB,C;;QoBs7Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx1II,8D;MpB35IJ,iB;MoB+8PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt3IG,cAAR,iBAAQ,C;QAs3IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx8PG,MAAO,KoBw8PO,QpBx8PP,EoBw8PiB,CpBx8PjB,C;;QoB08Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl2II,8D;MpBj7IJ,iB;MoBu9PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA14IG,cAAR,iBAAQ,C;QA04IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB59PG,MAAO,KoB49PO,QpB59PP,EoB49PiB,CpB59PjB,C;;QoB89Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA52II,8D;MpBv8IJ,iB;MoBm+PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl6IG,cAAR,iBAAQ,C;QAk6IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp+PG,MAAO,KoBo+PO,QpBp+PP,EoBo+PiB,CpBp+PjB,C;;QoBs+Pd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx3II,8D;MpB39IJ,iB;MoB+/PA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt5IG,cAAR,iBAAQ,C;QAs5IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxgQG,MAAO,KoBwgQO,QpBxgQP,EoBwgQiB,CpBxgQjB,C;;QoB0gQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl4II,8D;MpBj+IJ,iB;MoBuhQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA16IG,cAAR,iBAAQ,C;QA06IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5hQG,MAAO,KoB4hQO,QpB5hQP,EoB4hQiB,CpB5hQjB,C;;QoB8hQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA56II,8D;MpBvgJJ,iB;MoBmjQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl8IG,cAAR,iBAAQ,C;QAk8IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpjQG,MAAO,KoBojQO,QpBpjQP,EoBojQiB,CpBpjQjB,C;;QoBsjQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAx7II,8D;MpB3hJJ,iB;MoB+kQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt9IG,cAAR,iBAAQ,C;QAs9IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxkQG,MAAO,KoBwkQO,QpBxkQP,EoBwkQiB,CpBxkQjB,C;;QoB0kQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAl8II,8D;MpBjiJJ,iB;MoBumQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1+IG,cAAR,iBAAQ,C;QA0+IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5lQG,MAAO,KoB4lQO,QpB5lQP,EoB4lQiB,CpB5lQjB,C;;QoB8lQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5+II,8D;MpBvjJJ,iB;MoBmnQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlgJG,cAAR,iBAAQ,C;QAkgJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpnQG,MAAO,KoBonQO,QpBpnQP,EoBonQiB,CpBpnQjB,C;;QoBsnQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxgJI,8D;MpB3kJJ,iB;MoB+oQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAthJG,cAAR,iBAAQ,C;QAshJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxoQG,MAAO,KoBwoQO,QpBxoQP,EoBwoQiB,CpBxoQjB,C;;QoB0oQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAlhJI,8D;MpBjlJJ,iB;MoBuqQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1iJG,cAAR,iBAAQ,C;QA0iJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5pQG,MAAO,KoB4pQO,QpB5pQP,EoB4pQiB,CpB5pQjB,C;;QoB8pQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5iJI,8D;MpBvmJJ,iB;MoBmrQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlkJG,cAAR,iBAAQ,C;QAkkJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBprQG,MAAO,KoBorQO,QpBprQP,EoBorQiB,CpBprQjB,C;;QoBsrQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxjJI,8D;MpB3nJJ,iB;MoB+sQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtlJG,cAAR,iBAAQ,C;QAslJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxsQG,MAAO,KoBwsQO,QpBxsQP,EoBwsQiB,CpBxsQjB,C;;QoB0sQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAllJI,8D;MpBjpJJ,iB;MoBuuQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1mJG,cAAR,iBAAQ,C;QA0mJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5tQG,MAAO,KoB4tQO,QpB5tQP,EoB4tQiB,CpB5tQjB,C;;QoB8tQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5mJI,8D;MpBvqJJ,iB;MoBmvQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlnJG,cAAR,iBAAQ,C;QAknJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvQG,MAAO,KoBovQO,QpBpvQP,EoBovQiB,CpBpvQjB,C;;QoBsvQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxnJI,8D;MpB3rJJ,iB;MoB+wQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtoJG,cAAR,iBAAQ,C;QAsoJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxwQG,MAAO,KoBwwQO,QpBxwQP,EoBwwQiB,CpBxwQjB,C;;QoB0wQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAloJI,8D;MpBjtJJ,iB;MoBuyQA,sC;QAciB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1pJG,cAAR,iBAAQ,C;QA0pJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB5xQG,MAAO,KoB4xQO,QpB5xQP,EoB4xQiB,CpB5xQjB,C;;QoB8xQd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA5pJI,8D;MpBvuJJ,iB;MoBmzQA,sC;QAciB,

QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UAC
R,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O
;KApBX,C;uGAuBA,yB;MAlwHI,8D;MAkwHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eA
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,
SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;Y
ACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,
mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,
aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArzHG,cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtzHI,8D;MAszHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl0HG,cAAR,iBAAQ,C;QAk0HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAn0HI,8D;MAm0HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/0HG,cAAR,iBAAQ,C;QA+0HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAh1HI,8D;MAg1HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA52HG,cAAR,iBAAQ,C;QA42HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA72HI,8D;MA62HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz3HG,cAAR,iBAAQ,C;QAy3HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA13HI,8D;MA03HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt4HG,cAAR,iBAAQ,C;QAs4HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv4HI,8D;MAu4HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAn5HG,cAAR,iBAAQ,C;QAm5HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAp5HI,8D;MAo5HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAh6HG,cAAR,iBAAQ,C;QAg6HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAi6HI,8D;MAi6HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA76HG,cAAR,iBAAQ,C;QA66HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA76HI,8D;MA66HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz7HG,cAAR,iBAAQ,C;QAy7HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAx7HI,8D;MAw7HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAp8HG,cAAR,iBAAQ,C;QAo8HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA38HI,8D;MA28HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAv9HG,cAAR,iBAAQ,C;QAu9HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA99HI,8D;MA89HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA1+HG,cAAR,iBAAQ,C;QA0+HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAj/HI,8D;MAi/HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA7/HG,cAAR,iBAAQ,C;QA6/HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAp/HI,8D;MAo/HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhgIG,cAAR,iBAAQ,C;QAggIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAv/HI,8D;MAu/HJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAngIG,cAAR,iBAAQ,C;QAmgIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA1gII,8D;MA0gIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAthIG,cAAR,iBAAQ,C;QAshIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA7hII,8D;MA6hIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhIG,cAAR,iBAAQ,C;QAyhIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAhiII,8D;MAgiIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5iIG,cAAR,iBAAQ,C;QA4iIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAnjII,8D;MAmjIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/jIG,cAAR,iBAAQ,C;QA+jIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtjII,8D;MAsjIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlkIG,cAAR,iBAAQ,C;QAkkIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzkII,8D;MAykIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArlIG,cAAR,iBAAQ,C;QAqlIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5lII,8D;MA4lIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxmIG,cAAR,iBAAQ,C;QAwmIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/mII,8D;MA+mIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3nIG,cAAR,iBAAQ,C;QA2nIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAloII,8D;MAkoIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9oIG,cAAR,iBAAQ,C;QA8oIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtpII,8D;MAspIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlqIG,cAAR,iBAAQ,C;QAkqIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzqII,8D;MAyqIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrIG,cAAR,iBAAQ,C;QAqrIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5rII,8D;MA4rIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxsIG,cAAR,iBAAQ,C;QAwsIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/sII,8D;MA+sIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3tIG,cAAR,iBAAQ,C;QA2tIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAluII,8D;MAkuIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9uIG,cAAR,iBAAQ,C;QA8uIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtvII,8D;MAsvIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwIG,cAAR,iBAAQ,C;QAkwIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzwII,8D;MAywIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArxIG,cAAR,iBAAQ,C;QAqxIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5xII,8D;MA4xIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyIG,cAAR,iBAAQ,C;QAwyIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/yII,8D;MA+yIJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3zIG,cAAR,iBAAQ,C;QA2zIhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAl0II,8D;MAk0IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA90IG,cAAR,iBAAQ,C;QA80IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA11II,8D;MA01IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAt2IG,cAAR,iBAAQ,C;QAs2IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA72II,8D;MA62IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz3IG,cAAR,iBAAQ,C;QAy3IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAh4II,8D;MAg4IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA54IG,cAAR,iBAAQ,C;QA44IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAn5II,8D;MAm5IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/5IG,cAAR,iBAAQ,C;QA+5IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAt6II,8D;MAs6IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAl7IG,cAAR,iBAAQ,C;QAk7IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAz7II,8D;MAy7IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8IG,cAAR,iBAAQ,C;QAq8IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA58II,8D;MA48IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx9IG,cAAR,iBAAQ,C;QAw9IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/9II,8D;MA+9IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3+IG,cAAR,iBAAQ,C;QA2+IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAl/II,8D;MAk/IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9/IG,cAAR,iBAAQ,C;QA8/IhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAr/II,8D;MAq/IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjgJG,cAAR,iBAAQ,C;QAigJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAx/II,8D;MAw/IJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApgJG,cAAR,iBAAQ,C;QAogJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA3gJI,8D;MA2gJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAvhJG,cAAR,iBAAQ,C;QAuhJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAhhJI,8D;MAghJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5hJG,cAAR,iBAAQ,C;QA4hJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAnhJI,8D;MAmhJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/hJG,cAAR,iBAAQ,C;QA+hJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAthJI,8D;MAshJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAliJG,cAAR,iBAAQ,C;QAkiJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAzhJI,8D;MAyhJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArjJG,cAAR,iBAAQ,C;QAqjJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA5iJI,8D;MA4iJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxjJG,cAAR,iBAAQ,C;QAwjJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MA/jJI,8D;MA+jJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3kJG,cAAR,iBAAQ,C;QA2kJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAllJI,8D;MAklJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9lJG,cAAR,iBAAQ,C;QA8lJhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAlB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;;QAGnB,OAAO,Q;O;KAlBX,C;uGAqBA,yB;MAtmJI,8D;MAsmJJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlnJG,cAAR,iBAAQ,C;QAknJhB,aAAU,CAAV,iB;UACI

;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,hB,C;;MAgsEnB

BAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;iGAyBA,yB;MAzgJI,8D;MAygJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAAkB,sBAAK,CAAL,C;QACD,OA5hJD,cAAR,iBAAQ,C;QA4hJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA1kJI,cAAR,iBAAQ,C;QA0kJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3mJI,8D;MA2mJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA3nJI,cAAR,iBAAQ,C;QA2nJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5oJI,8D;MA4oJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5pJI,cAAR,iBAAQ,C;QA4pJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7qJI,8D;MA6qJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7rJI,cAAR,iBAAQ,C;QA6rJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9sJI,8D;MA8sJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9tJI,cAAR,iBAAQ,C;QA8tJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/uJI,8D;MA+uJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/vJI,cAAR,iBAAQ,C;QA+vJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhxJI,8D;MAgxJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhyJI,cAAR,iBAAQ,C;QAgyJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjzJI,8D;MAizJJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjzJI,cAAR,iBAAQ,C;QAizJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAl0JI,8D;MAk0JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAl0JI,cAAR,iBAAQ,C;QAk0JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAn1JI,8D;MAm1JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAn1JI,cAAR,iBAAQ,C;QAm1JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAp2JI,8D;MAo2JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAp2JI,cAAR,iBAAQ,C;QAo2JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAr3JI,8D;MAq3JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAr3JI,cAAR,iBAAQ,C;QAq3JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAt4JI,8D;MAs4JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAt4JI,cAAR,iBAAQ,C;QAs4JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAv5JI,8D;MAu5JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAv5JI,cAAR,iBAAQ,C;QAu5JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAx6JI,8D;MAw6JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAx6JI,cAAR,iBAAQ,C;QAw6JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAz7JI,8D;MAy7JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAz7JI,cAAR,iBAAQ,C;QAy7JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA18JI,8D;MA08JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA18JI,cAAR,iBAAQ,C;QA08JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA39JI,8D;MA29JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA39JI,cAAR,iBAAQ,C;QA29JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5+JI,8D;MA4+JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5+JI,cAAR,iBAAQ,C;QA4+JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7/JI,8D;MA6/JJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7/JI,cAAR,iBAAQ,C;QA6/JhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9gKI,8D;MA8gKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9gKI,cAAR,iBAAQ,C;QA8gKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/hKI,8D;MA+hKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/hKI,cAAR,iBAAQ,C;QA+hKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhjKI,8D;MAgjKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhjKI,cAAR,iBAAQ,C;QAgjKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjkKI,8D;MAikKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjkKI,cAAR,iBAAQ,C;QAikKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAllKI,8D;MAklKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAllKI,cAAR,iBAAQ,C;QAklKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnmKI,8D;MAmmKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAnmKI,cAAR,iBAAQ,C;QAmmKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApnKI,8D;MAonKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YApnKI,cAAR,iBAAQ,C;QAonKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArnKI,8D;MAqnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YArnKI,cAAR,iBAAQ,C;QAqnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtnKI,8D;MAsnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAtnKI,cAAR,iBAAQ,C;QAsnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvnKI,8D;MAunKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAvnKI,cAAR,iBAAQ,C;QAunKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxnKI,8D;MAwnKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAxnKI,cAAR,iBAAQ,C;QAwnKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAznKI,8D;MAynKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAznKI,cAAR,iBAAQ,C;QAynKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1nKI,8D;MA0nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA1nKI,cAAR,iBAAQ,C;QA0nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3nKI,8D;MA2nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA3nKI,cAAR,iBAAQ,C;QA2nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5nKI,8D;MA4nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5nKI,cAAR,iBAAQ,C;QA4nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7nKI,8D;MA6nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7nKI,cAAR,iBAAQ,C;QA6nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9nKI,8D;MA8nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9nKI,cAAR,iBAAQ,C;QA8nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/nKI,8D;MA+nKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/nKI,cAAR,iBAAQ,C;QA+nKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhoKI,8D;MAgoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhoKI,cAAR,iBAAQ,C;QAgoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjoKI,8D;MAioKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjoKI,cAAR,iBAAQ,C;QAioKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAloKI,8D;MAkoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAloKI,cAAR,iBAAQ,C;QAkoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnoKI,8D;MAmoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAnoKI,cAAR,iBAAQ,C;QAmoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApoKI,8D;MAooKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YApoKI,cAAR,iBAAQ,C;QAooKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAroKI,8D;MAqoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAroKI,cAAR,iBAAQ,C;QAqoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtoKI,8D;MAsoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAtoKI,cAAR,iBAAQ,C;QAsoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvoKI,8D;MAuoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAvoKI,cAAR,iBAAQ,C;QAuoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxoKI,8D;MAwoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAxoKI,cAAR,iBAAQ,C;QAwoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzoKI,8D;MAyoKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAzoKI,cAAR,iBAAQ,C;QAyoKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1oKI,8D;MA0oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA1oKI,cAAR,iBAAQ,C;QA0oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3oKI,8D;MA2oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA3oKI,cAAR,iBAAQ,C;QA2oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5oKI,8D;MA4oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5oKI,cAAR,iBAAQ,C;QA4oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7oKI,8D;MA6oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7oKI,cAAR,iBAAQ,C;QA6oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9oKI,8D;MA8oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9oKI,cAAR,iBAAQ,C;QA8oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/oKI,8D;MA+oKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/oKI,cAAR,iBAAQ,C;QA+oKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhpKI,8D;MAgpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhpKI,cAAR,iBAAQ,C;QAgpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjpKI,8D;MAipKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjpKI,cAAR,iBAAQ,C;QAipKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAlpKI,8D;MAkpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAlpKI,cAAR,iBAAQ,C;QAkpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnpKI,8D;MAmpKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAnpKI,cAAR,iBAAQ,C;QAmpKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MApqKI,8D;MAoqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YApqKI,cAAR,iBAAQ,C;QAoqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArqKI,8D;MAqqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YArqKI,cAAR,iBAAQ,C;QAqqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtqKI,8D;MAsqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAtqKI,cAAR,iBAAQ,C;QAsqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvqKI,8D;MAuqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAvqKI,cAAR,iBAAQ,C;QAuqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxqKI,8D;MAwqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAxqKI,cAAR,iBAAQ,C;QAwqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzqKI,8D;MAyqKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAzqKI,cAAR,iBAAQ,C;QAyqKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1qKI,8D;MA0qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA1qKI,cAAR,iBAAQ,C;QA0qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3qKI,8D;MA2qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA3qKI,cAAR,iBAAQ,C;QA2qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5qKI,8D;MA4qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5qKI,cAAR,iBAAQ,C;QA4qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7qKI,8D;MA6qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7qKI,cAAR,iBAAQ,C;QA6qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9qKI,8D;MA8qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9qKI,cAAR,iBAAQ,C;QA8qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/qKI,8D;MA+qKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/qKI,cAAR,iBAAQ,C;QA+qKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhrKI,8D;MAgrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhrKI,cAAR,iBAAQ,C;QAgrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjrKI,8D;MAirKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjrKI,cAAR,iBAAQ,C;QAirKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAlrKI,8D;MAkrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAlrKI,cAAR,iBAAQ,C;QAkrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAnrKI,8D;MAmrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAnrKI,cAAR,iBAAQ,C;QAmrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAprKI,8D;MAorKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAprKI,cAAR,iBAAQ,C;QAorKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MArrKI,8D;MAqrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YArrKI,cAAR,iBAAQ,C;QAqrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAtrKI,8D;MAsrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAtrKI,cAAR,iBAAQ,C;QAsrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAvrKI,8D;MAurKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAvrKI,cAAR,iBAAQ,C;QAurKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAxrKI,8D;MAwrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAxrKI,cAAR,iBAAQ,C;QAwrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAzrKI,8D;MAyrKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAzrKI,cAAR,iBAAQ,C;QAyrKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1rKI,8D;MA0rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA1rKI,cAAR,iBAAQ,C;QA0rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3rKI,8D;MA2rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA3rKI,cAAR,iBAAQ,C;QA2rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA5rKI,8D;MA4rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA5rKI,cAAR,iBAAQ,C;QA4rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7rKI,8D;MA6rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA7rKI,cAAR,iBAAQ,C;QA6rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA9rKI,8D;MA8rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA9rKI,cAAR,iBAAQ,C;QA8rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA/rKI,8D;MA+rKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YA/rKI,cAAR,iBAAQ,C;QA+rKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAhsKI,8D;MAgsKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAhsKI,cAAR,iBAAQ,C;QAgsKhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MAjsKI,8D;MAisKJ,uC;QAkB0B,Q;QAAtB,UAAU,M;QAJd,C,YAjsKI,cAAR,iBAAQ,C;QAisKhB,iBAAc,C

xB,C;;QAElB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA54JI,8D;MA44JJ,uC;QAkB0B,UAEU,M;QAJhC,YA55JgB
,cAAR,iBAAQ,C;QA65JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ
,Q;QAClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;
QAElB,OAAO,W;O;KAtBX,C;2GAyBA,yB;MA75JI,8D;MA65JJ,uC;QAkB0B,UAEU,M;QAJhC,YA76JgB,cAA
R,iBAAQ,C;QA86JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,uBAAI,YAAJ,EAAI,oBAAJ,Q;Q
AClB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QA
ElB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;
UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrtRO,W;Q
qBstRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OA
AvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAA
A,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QA+B,8B;QAA5C,arB9uRO,W;QqB+uRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C
;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAA
P,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAAkB,O;QA
CF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,W
AAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAkBoB,Q;QAHh
B,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QA+B,8B;QA
A5C,arBhyRO,W;QqBiyRP,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAU,
WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAyBA,yB;MAAA,gD;MA
AA,gE;MAlIKI,0D;MAklKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAAkB,O;QACJ,2B;QAAd,OAAc,cAAd,C;UAAc,yB;UACV,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MAAA

CqC,kBAAxB,eAAkB,cAAlB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;iHAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmC,kBAAtB,eAAgB,cAAhB,B,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoC,kBAAtB,eAAgB,cAAhB,B,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA3BX,C;iHA8BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqC,kBAAtB,eAAgB,cAAhB,B,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSgB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnCX,C;iHAsCA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsC,kBAAtB,eAAgB,cAAhB,B,C;QAAiC,sBAAI,aAAJ,C;QAA9C,arBxoSO,W;QqByoSiB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtDX,C;iHAyDA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuC,kBAAtB,eAAgB,cAAhB,B,C;QAAkC,sBAAI,aAAJ,C;QAA/C,arB9sSO,W;QqB+sSkB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzEX,C;iHA4EA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwC,kBAAtB,eAAgB,cAAhB,B,C;QAAmC,sBAAI,aAAJ,C;QAAhD,arBxxSO,W;QqByxSmB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA5FX,C;iHA+FA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyC,kBAAtB,eAAgB,cAAhB,B,C;QAAoC,sBAAI,aAAJ,C;QAAjD,arB7zSO,W;QqB8zSoB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlHX,C;iHAqHA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC0C,kBAAtB,eAAgB,cAAhB,B,C;QAAqC,sBAAI,aAAJ,C;QAAlD,arBl2SO,W;QqBm2SqB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA3IX,C;iHA8IA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC2C,kBAAtB,eAAgB,cAAhB,B,C;QAAsC,sBAAI,aAAJ,C;QAAnD,arB34SO,W;QqB44SsB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAlJX,C;iHAqJA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC4C,kBAAtB,eAAgB,cAAhB,B,C;QAAuC,sBAAI,aAAJ,C;QAApD,arBp7SO,W;QqBq7SuB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzJX,C;iHA4JA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC6C,kBAAtB,eAAgB,cAAhB,B,C;QAAwC,sBAAI,aAAJ,C;QAArD,arB/+SO,W;QqBg/SwB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAhKX,C;iHAmKA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC8C,kBAAtB,eAAgB,cAAhB,B,C;QAAyC,sBAAI,aAAJ,C;QAAtD,arBtiTO,W;QqBuiTyB,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvKX,C;iHA0KA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC+C,kBAAtB,eAAgB,cAAhB,B,C;QAA0C,sBAAI,aAAJ,C;QAAvD,arBrlTO,W;QqBslT0B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA9KX,C;iHAiLA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgD,kBAAtB,eAAgB,cAAhB,B,C;QAA2C,sBAAI,aAAJ,C;QAAxD,arBzmTO,W;QqB0mT2B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArLX,C;iHAwLA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiD,kBAAtB,eAAgB,cAAhB,B,C;QAA4C,sBAAI,aAAJ,C;QAAzD,arBnoTO,W;QqBooT4B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA5LX,C;iHA+LA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkD,kBAAtB,eAAgB,cAAhB,B,C;QAA6C,sBAAI,aAAJ,C;QAA1D,arB7pTO,W;QqB8pT6B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnMX,C;iHAsMA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmD,kBAAtB,eAAgB,cAAhB,B,C;QAA8C,sBAAI,aAAJ,C;QAA3D,arBrrTO,W;QqBsrT8B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA1MX,C;iHA6MA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoD,kBAAtB,eAAgB,cAAhB,B,C;QAA+C,sBAAI,aAAJ,C;QAA5D,arBzsTO,W;QqB0sT+B,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAjNX,C;iHAoNA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqD,kBAAtB,eAAgB,cAAhB,B,C;QAAgD,sBAAI,aAAJ,C;QAA7D,arBjuTO,W;QqBkuTgC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxNX,C;iHA2NA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsD,kBAAtB,eAAgB,cAAhB,B,C;QAAiD,sBAAI,aAAJ,C;QAA9D,arBvvTO,W;QqBwvTiC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA/NX,C;iHAkOA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuD,kBAAtB,eAAgB,cAAhB,B,C;QAAkD,sBAAI,aAAJ,C;QAA/D,arB3wTO,W;QqB4wTkC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtOX,C;iHAyOA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwD,kBAAtB,eAAgB,cAAhB,B,C;QAAmD,sBAAI,aAAJ,C;QAAhE,arBnyTO,W;QqBoyTmC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA9OX,C;iHAiPA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyD,kBAAtB,eAAgB,cAAhB,B,C;QAAoD,sBAAI,aAAJ,C;QAAjE,arB/zTO,W;QqBg0ToC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArPX,C;iHAwPA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC0D,kBAAtB,eAAgB,cAAhB,B,C;QAAqD,sBAAI,aAAJ,C;QAAlE,arBv1TO,W;QqBw1TqC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA5PX,C;iHA+PA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC2D,kBAAtB,eAAgB,cAAhB,B,C;QAAsD,sBAAI,aAAJ,C;QAAnE,arB32TO,W;QqB42TsC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnQX,C;iHAsQA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC4D,kBAAtB,eAAgB,cAAhB,B,C;QAAuD,sBAAI,aAAJ,C;QAApE,arBn4TO,W;QqBo4TuC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA1QX,C;iHA6QA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC6D,kBAAtB,eAAgB,cAAhB,B,C;QAAwD,sBAAI,aAAJ,C;QAArE,arB35TO,W;QqB45TwC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAjRX,C;iHAoRA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC8D,kBAAtB,eAAgB,cAAhB,B,C;QAAyD,sBAAI,aAAJ,C;QAAtE,arBn7TO,W;QqBo7TyC,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxRX,C;iHA2RA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC+D,kBAAtB,eAAgB,cAAhB,B,C;QAA0D,sBAAI,aAAJ,C;QAAvE,arBv9TO,W;QqBw9T0C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA/RX,C;iHAkSA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgE,kBAAtB,eAAgB,cAAhB,B,C;QAA2D,sBAAI,aAAJ,C;QAAxE,arB//TO,W;QqBggU2C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtSX,C;iHAyTA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiE,kBAAtB,eAAgB,cAAhB,B,C;QAA4D,sBAAI,aAAJ,C;QAAzE,arBxhUO,W;QqByhU4C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA/TX,C;iHAkUA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkE,kBAAtB,eAAgB,cAAhB,B,C;QAA6D,sBAAI,aAAJ,C;QAA1E,arBpjUO,W;QqBqjU6C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAxUX,C;iHA2UA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmE,kBAAtB,eAAgB,cAAhB,B,C;QAA8D,sBAAI,aAAJ,C;QAA3E,arBrlUO,W;QqBslU8C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzVX,C;iHA4VA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoE,kBAAtB,eAAgB,cAAhB,B,C;QAA+D,sBAAI,aAAJ,C;QAA5E,arBtmUO,W;QqBumU+C,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA1WX,C;iHA6WA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqE,kBAAtB,eAAgB,cAAhB,B,C;QAAgE,sBAAI,aAAJ,C;QAA7E,arBvnUO,W;QqBwnUgD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA3XX,C;iHA8XA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsE,kBAAtB,eAAgB,cAAhB,B,C;QAAiE,sBAAI,aAAJ,C;QAA9E,arBxoUO,W;QqByoUiD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA5YX,C;iHA+YA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACuE,kBAAtB,eAAgB,cAAhB,B,C;QAAkE,sBAAI,aAAJ,C;QAA/E,arBzpUO,W;QqB0pUkD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA7ZX,C;iHAgaA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACwE,kBAAtB,eAAgB,cAAhB,B,C;QAAmE,sBAAI,aAAJ,C;QAAhF,arBrqUO,W;QqBsqUmD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA9aX,C;iHAibA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACyE,kBAAtB,eAAgB,cAAhB,B,C;QAAoE,sBAAI,aAAJ,C;QAAjF,arBjrUO,W;QqBkrUoD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA/bX,C;iHAkcA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC0E,kBAAtB,eAAgB,cAAhB,B,C;QAAqE,sBAAI,aAAJ,C;QAAlF,arBzsUO,W;QqB0sUqD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAhdX,C;iHAmdA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC2E,kBAAtB,eAAgB,cAAhB,B,C;QAAsE,sBAAI,aAAJ,C;QAAnF,arB7tUO,W;QqB8tUsD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAjeX,C;iHAofA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC4E,kBAAtB,eAAgB,cAAhB,B,C;QAAuE,sBAAI,aAAJ,C;QAApF,arBjvUO,W;QqBkvUuD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArfX,C;iHAwfA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC6E,kBAAtB,eAAgB,cAAhB,B,C;QAAwE,sBAAI,aAAJ,C;QAArF,arBrwUO,W;QqBswUwD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzgBX,C;iHA4gBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC8E,kBAAtB,eAAgB,cAAhB,B,C;QAAyE,sBAAI,aAAJ,C;QAAtF,arBzxUO,W;QqB0xUyD,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA7hBX,C;iHAgiBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QAC+E,kBAAtB,eAAgB,cAAhB,B,C;QAA0E,sBAAI,aAAJ,C;QAAvF,arB7yUO,W;QqB8yU0D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAjjBX,C;iHAojBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACgF,kBAAtB,eAAgB,cAAhB,B,C;QAA2E,sBAAI,aAAJ,C;QAAxF,arBj0UO,W;QqBk0U2D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArkBX,C;iHAwkBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACiF,kBAAtB,eAAgB,cAAhB,B,C;QAA4E,sBAAI,aAAJ,C;QAAzF,arBr1UO,W;QqBs1U4D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzlBX,C;iHA4lBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACkF,kBAAtB,eAAgB,cAAhB,B,C;QAA6E,sBAAI,aAAJ,C;QAA1F,arBz2UO,W;QqB02U6D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KA7mBX,C;iHAgnBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACmF,kBAAtB,eAAgB,cAAhB,B,C;QAA8E,sBAAI,aAAJ,C;QAA3F,arB73UO,W;QqB83U8D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAjoBX,C;iHAopBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACoF,kBAAtB,eAAgB,cAAhB,B,C;QAA+E,sBAAI,aAAJ,C;QAA5F,arBj5UO,W;QqBk5U+D,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArqBX,C;iHAwqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACqF,kBAAtB,eAAgB,cAAhB,B,C;QAAgF,sBAAI,aAAJ,C;QAA7F,arBr6UO,W;QqBs6UgE,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,B,EAA8B,sBAAK,KAAL,CAA9B,C;;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAzrBX,C;iHA4rBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAAkB,sBAAK,CAAL,CAAlB,C;QACsF,kBAAtB,eAAgB,cAAhB,B,C;QAAiF,sBAAI,aAA

WO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;;UACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WlB,OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UAAA,kB;UAAA,kB;UAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,EAA9B,sBAAK,KAAL,CAAA9B,OAAK,C;;UAEX,4BAAO,M;;;QAAwWP,gC;O;KAAjBJ,C;mFAAoBA,yB;MAAA,wB;MAAA,sC;QAAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,CAAgB,C;UAAhB,UAAgB,yB;UACZ,MnCvwSiD,SmCuwSjD,GnCvwS2D,KAAK,GmCuwSzD,SAAS,OAAT,CnCvwSoE,KAAK,IAAf,C;;QmCywSrD,OAAO,G;O;KAAb,X;mFAAc,yB;MAAA,wB;MAAA,sC;QAAUA,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,CAAgB,C;UAAhB,UAAgB,yB;UACZ,MnCvxSiD,SmCuxSjD,GnCvxS2D,KAAK,GmCuxSzD,SAAS,OAAT,CnCvxSoE,KAAK,IAAf,C;;QmCyxSrD,OAAO,G;O;KAAb,X;mFAAc,yB;MAAA,wB;MAAA,sC;QAAUA,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,CAAgB,C;UAAhB,UAAgB,yB;UACZ,MnCvySiD,SmCuySjD,GnCvyS2D,KAAK,GmCuySzD,SAAS,OAAT,CnCvySoE,KAAK,IAAf,C;;QmCyySrD,OAAO,G;O;KAAb,X;mFAAc,yB;MAAA,wB;MAAA,sC;QAAUA,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,CAAgB,C;UAAhB,UAAgB,yB;UACZ,MnCvzSiD,SmCuzSjD,GnCvzS2D,KAAK,GmCuzSzD,SAAS,OAAT,CnCvzSoE,KAAK,IAAf,C;;QmCyzSrD,OAAO,G;O;K8FAb,X;mFAAc,yB;MAAA,wB;MAAA,sC;QAAUA,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,CAAgB,C;UAAhB,UAAgB,yB;UACZ,MAAS,SAAT,CAAS,GAAT,CAAS,GAAT,CAAS,KAAT,CAAS,IAAT,CAAS,I

3qTmD,emB2qTnD,GnB3qT8D,KAAK,KmB2qT5D,SAAS,OAAT,CnB3qTuE,KAAX,CAAhB,C;;QmB6qTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBx3SA,+B;MmBw3SA,sC;QAaoB,Q;QADhB,UnBz3SqC,eAAW,oBmBy3S/B,CnBz3S+B,CAAX,C;QmB03SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB9rTmD,emB8rTnD,GnB9rT8D,KAAK,KmB8rT5D,SAAS,OAAT,CnB9rTuE,KAAX,CAAhB,C;;QmBgsTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB34SA,+B;MmB24SA,sC;QAaoB,Q;QADhB,UnB54SqC,eAAW,oBmB44S/B,CnB54S+B,CAAX,C;QmB64SrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjjTmD,emBijTnD,GnBjjT8D,KAAK,KmBijT5D,SAAS,OAAT,CnBjjTuE,KAAX,CAAhB,C;;QmBmjTvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB95TA,+B;MmB85TA,sC;QAaoB,Q;QADhB,UnB/5TqC,eAAW,oBmB+5T/B,CnB/5T+B,CAAX,C;QmBg6TrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpqUmD,emBoqUnD,GnBpqU8D,KAAK,KmBoqU5D,SAAS,OAAT,CnBpqUuE,KAAX,CAAhB,C;;QmBsqUvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl7UA,+B;MmBk7UA,sC;QAaoB,Q;QADhB,UnBn7UqC,eAAW,oBmBm7U/B,CnBn7U+B,CAAX,C;QmBo7UrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxrVmD,emBwrVnD,GnBxrV8D,KAAK,KmBwrV5D,SAAS,OAAT,CnBxrVuE,KAAX,CAAhB,C;;QmB0rVvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt8WA,+B;MmBs8WA,sC;QAaoB,Q;QADhB,UnBv8WqC,eAAW,oBmBu8W/B,CnBv8W+B,CAAX,C;QmBw8WrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5sXmD,emB4sXnD,GnB5sX8D,KAAK,KmB4sX5D,SAAS,OAAT,CnB5sXuE,KAAX,CAAhB,C;;QmB8sXvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1+YA,+B;MmB0+YA,sC;QAaoB,Q;QADhB,UnB3+YqC,eAAW,oBmB2+Y/B,CnB3+Y+B,CAAX,C;QmB4+YrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhvZmD,emBgvZnD,GnBhvZ8D,KAAK,KmBgvZ5D,SAAS,OAAT,CnBhvZuE,KAAX,CAAhB,C;;QmBkvZvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9/aA,+B;MmB8/aA,sC;QAaoB,Q;QADhB,UnB//aqC,eAAW,oBmB+/a/B,CnB//a+B,CAAX,C;QmBggbrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpwbmD,emBowbnD,GnBpwb8D,KAAK,KmBowb5D,SAAS,OAAT,CnBpwbuE,KAAX,CAAhB,C;;QmBswbvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlicA,+B;MmBkicA,sC;QAaoB,Q;QADhB,UnBnicqC,eAAW,oBmBmic/B,CnBnic+B,CAAX,C;QmBoicrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxxcmD,emBwxcnD,GnBxxc8D,KAAK,KmBwxc5D,SAAS,OAAT,CnBxxcuE,KAAX,CAAhB,C;;QmB0xcvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtkeA,+B;MmBskeA,sC;QAaoB,Q;QADhB,UnBvkeqC,eAAW,oBmBukec,CnBvkeb,CAAX,C;QmBwkerB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5zemD,emB4zenD,GnB5ze8D,KAAK,KmB4ze5D,SAAS,OAAT,CnB5zeuE,KAAX,CAAhB,C;;QmB8zevD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1mgBA,+B;MmB0mgBA,sC;QAaoB,Q;QADhB,UnB3mgBqC,eAAW,oBmB2mgBc,CnB3mgBb,CAAX,C;QmB4mgBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBh2gBmD,emBg2gBnD,GnBh2gB8D,KAAK,KmBg2gB5D,SAAS,OAAT,CnBh2guE,KAAX,CAAhB,C;;QmBk2gBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9ohBA,+B;MmB8ohBA,sC;QAaoB,Q;QADhB,UnB/ohBqC,eAAW,oBmB+ohBc,CnB/ohBb,CAAX,C;QmBgphBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBp4hBmD,emBo4hBnD,GnBp4hB8D,KAAK,KmBo4hB5D,SAAS,OAAT,CnBp4huE,KAAX,CAAhB,C;;QmBs4hBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlqiBA,+B;MmBkqiBA,sC;QAaoB,Q;QADhB,UnBnqiBqC,eAAW,oBmBmqiBc,CnBnqiBb,CAAX,C;QmBoqiBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBx5iBmD,emBw5iBnD,GnBx5iB8D,KAAK,KmBw5iB5D,SAAS,OAAT,CnBx5iBuE,KAAX,CAAhB,C;;QmB05iBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtsjBA,+B;MmBssjBA,sC;QAaoB,Q;QADhB,UnBvsjBqC,eAAW,oBmBusjBc,CnBvsjBb,CAAX,C;QmBwsjBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB57jBmD,emB47jBnD,GnB57jB8D,KAAK,KmB47jB5D,SAAS,OAAT,CnB57juE,KAAX,CAAhB,C;;QmB87jBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1tkBA,+B;MmB0tkBA,sC;QAaoB,Q;QADhB,UnB3tkBqC,eAAW,oBmB2tkBc,CnB3tkBb,CAAX,C;QmB4tkBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBh9kBmD,emBg9kBnD,GnBh9kB8D,KAAK,KmBg9kB5D,SAAS,OAAT,CnBh9kBuE,KAAX,CAAhB,C;;QmBk9kBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9vlBA,+B;MmB8vlBA,sC;QAaoB,Q;QADhB,UnB/vlBqC,eAAW,oBmB+vlBc,CnB/vlBb,CAAX,C;QmBgwlBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpgmBmD,emBogmBnD,GnBpgmB8D,KAAK,KmBogmB5D,SAAS,OAAT,CnBpgmBuE,KAAX,CAAhB,C;;QmBsgmBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlymBA,+B;MmBkymBA,sC;QAaoB,Q;QADhB,UnBnymBqC,eAAW,oBmBmymBc,CnBnymBb,CAAX,C;QmBoymBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxinBmD,emBwinBnD,GnBxin8D,KAAK,KmBwin5D,SAAS,OAAT,CnBxinuE,KAAX,CAAhB,C;;QmB0inBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt0nBA,+B;MmBs0nBA,sC;QAaoB,Q;QADhB,UnBv0nBqC,eAAW,oBmBu0nBc,CnBv0nBb,CAAX,C;QmBw0nBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5koBmD,emB4koBnD,GnB5ko8D,KAAK,KmB4ko5D,SAAS,OAAT,CnB5kouE,KAAX,CAAhB,C;;QmB8koBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB12oBA,+B;MmB02oBA,sC;QAaoB,Q;QADhB,UnB32oBqC,eAAW,oBmB22oBc,CnB32oBb,CAAX,C;QmB42oBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhnpBmD,emBgnpBnD,GnBhnp8D,KAAK,KmBgnp5D,SAAS,OAAT,CnBhnpuE,KAAX,CAAhB,C;;QmBknpBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB94pBA,+B;MmB84pBA,sC;QAaoB,Q;QADhB,UnB/4pBqC,eAAW,oBmB+4pBc,CnB/4pBb,CAAX,C;QmBg5pBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpppBmD,emBoppBnD,GnBpppB8D,KAAK,KmBoppB5D,SAAS,OAAT,CnBppBuE,KAAX,CAAhB,C;;QmBsppBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl7qBA,+B;MmBk7qBA,sC;QAaoB,Q;QADhB,UnBn7qBqC,eAAW,oBmBm7qBc,CnBn7qBb,CAAX,C;QmBo7qBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxrrBmD,emBwrrBnD,GnBxrr8D,KAAK,KmBwrr5D,SAAS,OAAT,CnBxrruE,KAAX,CAAhB,C;;QmB0rrBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt9sBA,+B;MmBs9sBA,sC;QAaoB,Q;QADhB,UnBv9sBqC,eAAW,oBmBu9sBc,CnBv9sBb,CAAX,C;QmBw9sBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5tsBmD,emB4tsBnD,GnB5ts8D,KAAK,KmB4ts5D,SAAS,OAAT,CnB5tsuE,KAAX,CAAhB,C;;QmB8tsBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1/tBA,+B;MmB0/tBA,sC;QAaoB,Q;QADhB,UnB3/tBqC,eAAW,oBmB2/tBc,CnB3/tBb,CAAX,C;QmB4/tBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhvuBmD,emBgvuBnD,GnBhvu8D,KAAK,KmBgvu5D,SAAS,OAAT,CnBhvuuE,KAAX,CAAhB,C;;QmBkvuBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9hvBA,+B;MmB8hvBA,sC;QAaoB,Q;QADhB,UnB/hvBqC,eAAW,oBmB+hvBc,CnB/hvBb,CAAX,C;QmBgivBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpxvBmD,emBoxvBnD,GnBpxv8D,KAAK,KmBoxv5D,SAAS,OAAT,CnBpxvuE,KAAX,CAAhB,C;;QmBsxvBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlkwBA,+B;MmBkkwBA,sC;QAaoB,Q;QADhB,UnBnkwBqC,eAAW,oBmBmkwBc,CnBnkwBb,CAAX,C;QmBokwBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxzwBmD,emBwzwBnD,GnBxzw8D,KAAK,KmBwzw5D,SAAS,OAAT,CnBxzwuE,KAAX,CAAhB,C;;QmB0zwBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtmxBA,+B;MmBsmxBA,sC;QAaoB,Q;QADhB,UnBvmxBqC,eAAW,oBmBumxBc,CnBvmxBb,CAAX,C;QmBwmxBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB51xBmD,emB41xBnD,GnB51x8D,KAAK,KmB41x5D,SAAS,OAAT,CnB51xuE,KAAX,CAAhB,C;;QmB81xBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1oyBA,+B;MmB0oyBA,sC;QAaoB,Q;QADhB,UnB3oyBqC,eAAW,oBmB2oyBc,CnB3oyBb,CAAX,C;QmB4oyBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBh4yBmD,emBg4yBnD,GnBh4y8D,KAAK,KmBg4y5D,SAAS,OAAT,CnBh4yuE,KAAX,CAAhB,C;;QmBk4yBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9qzBA,+B;MmB8qzBA,sC;QAaoB,Q;QADhB,UnB/qzBqC,eAAW,oBmB+qzBc,CnB/qzBb,CAAX,C;QmBgrzBrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBp6zBmD,emBo6zBnD,GnBp6z8D,KAAK,KmBo6z5D,SAAS,OAAT,CnBp6zuE,KAAX,CAAhB,C;;QmBs6zBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlt0BA,+B;MmBkt0BA,sC;QAaoB,Q;QADhB,UnBnt0BqC,eAAW,oBmBmt0BqB,CnBnt0BpB,CAAX,C;QmBot0BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBx80BmD,emBw80BnD,GnBx80B8D,KAAK,KmBw80B5D,SAAS,OAAT,CnBx80BuE,KAAX,CAAhB,C;;QmB080BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtv1BA,+B;MmBsv1BA,sC;QAaoB,Q;QADhB,UnBvv1BqC,eAAW,oBmBuv1BqB,CnBvv1BpB,CAAX,C;QmBwv1BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5+1BmD,emB4+1BnD,GnB5+1B8D,KAAK,KmB4+1B5D,SAAS,OAAT,CnB5+1BuE,KAAX,CAAhB,C;;QmB8+1BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1x2BA,+B;MmB0x2BA,sC;QAaoB,Q;QADhB,UnB3x2BqC,eAAW,oBmB2x2BqB,CnB3x2BpB,CAAX,C;QmB4x2BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhh3BmD,emBgh3BnD,GnBhh3B8D,KAAK,KmBgh3B5D,SAAS,OAAT,CnBhh3BuE,KAAX,CAAhB,C;;QmBkh3BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9z3BA,+B;MmB8z3BA,sC;QAaoB,Q;QADhB,UnB/z3BqC,eAAW,oBmB+z3BqB,CnB/z3BpB,CAAX,C;QmBg03BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpj4BmD,emBoj4BnD,GnBpj4B8D,KAAK,KmBoj4B5D,SAAS,OAAT,CnBpj4BuE,KAAX,CAAhB,C;;QmBsj4BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl25BA,+B;MmBk25BA,sC;QAaoB,Q;QADhB,UnBn25BqC,eAAW,oBmBm25BqB,CnBn25BpB,CAAX,C;QmBo25BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxl6BmD,emBwl6BnD,GnBxl6B8D,KAAK,KmBwl6B5D,SAAS,OAAT,CnBxl6BuE,KAAX,CAAhB,C;;QmB0l6BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt47BA,+B;MmBs47BA,sC;QAaoB,Q;QADhB,UnBv47BqC,eAAW,oBmBu47BqB,CnBv47BpB,CAAX,C;QmBw47BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5n8BmD,emB4n8BnD,GnB5n8B8D,KAAK,KmB4n8B5D,SAAS,OAAT,CnB5n8BuE,KAAX,CAAhB,C;;QmB8n8BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1691BA,+B;MmB0691BA,sC;QAaoB,Q;QADhB,UnB3691BqC,eAAW,oBmB2691BqB,CnB3691BpB,CAAX,C;QmB4691BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhq2BmD,emBgq2BnD,GnBhq2B8D,KAAK,KmBgq2B5D,SAAS,OAAT,CnBhq2BuE,KAAX,CAAhB,C;;QmBkq2BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9s3BA,+B;MmB8s3BA,sC;QAaoB,Q;QADhB,UnB/s3BqC,eAAW,oBmB+s3BqB,CnB/s3BpB,CAAX,C;QmBgt3BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpc4BmD,emBoc5BnD,GnBpc4B8D,KAAK,KmBoc5B5D,SAAS,OAAT,CnBpc4BuE,KAAX,CAAhB,C;;QmBsc5BvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlv4CA,+B;MmBkv4CA,sC;QAaoB,Q;QADhB,UnBnv4CqC,eAAW,oBmBmv4CqB,CnBnv4CpB,CAAX,C;QmBov4CrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxe5CmD,emBwe4CnD,GnBxe5C8D,KAAK,KmBwe4C5D,SAAS,OAAT,CnBxe4CuE,KAAX,CAAhB,C;;QmB0e5CvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtx5DA,+B;MmBsx5DA,sC;QAaoB,Q;QADhB,UnBvx5DqC,eAAW,oBmBux5DqB,CnBvx5DpB,CAAX,C;QmBwx5DrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5g6DmD,emB4g6DnD,GnB5g6D8D,KAAK,KmB4g6D5D,SAAS,OAAT,CnB5g6DuE,KAAX,CAAhB,C;;QmB8g6DvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1z7DA,+B;MmB0z7DA,sC;QAaoB,Q;QADhB,UnB3z7DqC,eAAW,oBmB2z7DqB,CnB3z7DpB,CAAX,C;QmB4z7DrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhi8DmD,emBgi8DnD,GnBhi8D8D,KAAK,KmBgi8D5D,SAAS,OAAT,CnBhi8DuE,KAAX,CAAhB,C;;QmBki8DvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9192BA,+B;MmB8192BA,sC;QAaoB,Q;QADhB,UnB/192BqC,eAAW,oBmB+192BqB,CnB/192BpB,CAAX,C;QmBg292BrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpk3DmD,emBok3DnD,GnBpk3D8D,KAAK,KmBok3D5D,SAAS,OAAT,CnBpk3DuE,KAAX,CAAhB,C;;QmBsk3DvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl4+DA,+B;MmBk4+DA,sC;QAaoB,Q;QADhB,UnBn4+DqC,eAAW,oBmBm4+DqB,CnBn4+DpB,CAAX,C;QmBo4+DrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxm/DmD,emBwm/DnD,GnBxm/D8D,KAAK,KmBwm/D5D,SAAS,OAAT,CnBxm/DuE,KAAX,CAAhB,C;;QmB0m/DvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt5gEA,+B;MmBs5gEA,sC;QAaoB,Q;QADhB,UnBv5gEqC,eAAW,oBmBu5gEqB,CnBv5gEpB,CAAX,C;QmBw5gErB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5o/DmD,emB4o/DnD,GnB5o/D8D,KAAK,KmB4o/D5D,SAAS,OAAT,CnB5o/DuE,KAAX,CAAhB,C;;QmB8o/DvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1ohEA,+B;MmB0ohEA,sC;QAaoB,Q;QADhB,UnB3ohEqC,eAAW,oBmB2ohEqB,CnB3ohEpB,CAAX,C;QmB4ohErB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhqiEmD,emBgqiEnD,GnBhqiE8D,KAAK,KmBgqiE5D,SAAS,OAAT,CnBhqiEuE,KAAX,CAAhB,C;;QmBkqiEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9ykFA,+B;MmB8ykFA,sC;QAaoB,Q;QADhB,UnB/ykFqC,eAAW,oBmB+ykFqB,CnB/ykFpB,CAAX,C;QmBgzkFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpjlEmD,emBojlEnD,GnBpjlE8D,KAAK,KmBojlE5D,SAAS,OAAT,CnBpjlEuE,KAAX,CAAhB,C;;QmBsjlEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl2pFA,+B;MmBk2pFA,sC;QAaoB,Q;QADhB,UnBn2pFqC,eAAW,oBmBm2pFqB,CnBn2pFpB,CAAX,C;QmBo2pFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxlqEmD,emBwlqEnD,GnBxlqE8D,KAAK,KmBwlqE5D,SAAS,OAAT,CnBxlqEuE,KAAX,CAAhB,C;;QmB0lqEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBt4sFA,+B;MmBs4sFA,sC;QAaoB,Q;QADhB,UnBv4sFqC,eAAW,oBmBu4sFqB,CnBv4sFpB,CAAX,C;QmBw4sFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5nsEmD,emB4nsEnD,GnB5nsE8D,KAAK,KmB4nsE5D,SAAS,OAAT,CnB5nsEuE,KAAX,CAAhB,C;;QmB8nsEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB16vFA,+B;MmB06vFA,sC;QAaoB,Q;QADhB,UnB36vFqC,eAAW,oBmB26vFqB,CnB36vFpB,CAAX,C;QmB46vFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhpsEmD,emBgpsEnD,GnBhpsE8D,KAAK,KmBgpsE5D,SAAS,OAAT,CnBhpsEuE,KAAX,CAAhB,C;;QmBkpsEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB98xFA,+B;MmB88xFA,sC;QAaoB,Q;QADhB,UnB/8xFqC,eAAW,oBmB+8xFqB,CnB/8xFpB,CAAX,C;QmBg9xFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpqsEmD,emBoqsEnD,GnBpqsE8D,KAAK,KmBoqsE5D,SAAS,OAAT,CnBpqsEuE,KAAX,CAAhB,C;;QmBsqsEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBl+zFA,+B;MmBk+zFA,sC;QAaoB,Q;QADhB,UnBn+zFqC,eAAW,oBmBm+zFqB,CnBn+zFpB,CAAX,C;QmBo+zFrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBxrsEmD,emBwrsEnD,GnBxrsE8D,KAAK,KmBwrsE5D,SAAS,OAAT,CnBxrsEuE,KAAX,CAAhB,C;;QmB0rsEvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBtg1FA,+B;MmBsg1FA,sC;QAaoB,Q;QADhB,UnBvg1FqC,eAAW,oBmBug1FqB,CnBvg1FpB,CAAX,C;QmBwg1FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB5tsEmD,emB4tsEnD,GnB5ts8D,KAAK,KmB4ts5D,SAAS,OAAT,CnB5tsuE,KAAX,CAAhB,C;;QmB8tsBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB1i2FA,+B;MmB0i2FA,sC;QAaoB,Q;QADhB,UnB3i2FqC,eAAW,oBmB2i2FqB,CnB3i2FpB,CAAX,C;QmB4i2FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBhvsEmD,emBgvsEnD,GnBhvs8D,KAAK,KmBgvs5D,SAAS,OAAT,CnBhvsuE,KAAX,CAAhB,C;;QmBkvsBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB9k3FA,+B;MmB8k3FA,sC;QAaoB,Q;QADhB,UnB/k3FqC,eAAW,oBmB+k3FqB,CnB/k3FpB,CAAX,C;QmBgl3FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBpxsEmD,emBoxsEnD,GnBpxs8D,KAAK,KmBoxs5D,SAAS,OAAT,CnBpxsuE,KAAX,CAAhB,C;;QmBsxsBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBlm4FA,+B;MmBkm4FA,sC;QAaoB,Q;QADhB,UnBnm4FqC,eAAW,oBmBmm4FqB,CnBnm4FpB,CAAX,C;QmBom4FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzzsEmD,emByzsEnD,GnBzzs8D,KAAK,KmByzs5D,SAAS,OAAT,CnBzzsuE,KAAX,CAAhB,C;;QmB2zsBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBvo5FA,+B;MmBuo5FA,sC;QAaoB,Q;QADhB,UnBxo5FqC,eAAW,oBmBwo5FqB,CnBxo5FpB,CAAX,C;QmByo5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB70sEmD,emB60sEnD,GnB70s8D,KAAK,KmB60s5D,SAAS,OAAT,CnB70suE,KAAX,CAAhB,C;;QmB+0sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3q5FA,+B;MmB2q5FA,sC;QAaoB,Q;QADhB,UnB5q5FqC,eAAW,oBmB4q5FqB,CnB5q5FpB,CAAX,C;QmB6q5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj2sEmD,emBi2sEnD,GnBj2s8D,KAAK,KmBi2s5D,SAAS,OAAT,CnBj2suE,KAAX,CAAhB,C;;QmBm2sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/s5FA,+B;MmB+s5FA,sC;QAaoB,Q;QADhB,UnBht5FqC,eAAW,oBmBgt5FqB,CnBht5FpB,CAAX,C;QmBit5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBr3sEmD,emBq3sEnD,GnBr3s8D,KAAK,KmBq3s5D,SAAS,OAAT,CnBr3suE,KAAX,CAAhB,C;;QmBu3sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBnv5FA,+B;MmBmv5FA,sC;QAaoB,Q;QADhB,UnBpv5FqC,eAAW,oBmBov5FqB,CnBpv5FpB,CAAX,C;QmBqv5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBz4sEmD,emBy4sEnD,GnBz4s8D,KAAK,KmBy4s5D,SAAS,OAAT,CnBz4suE,KAAX,CAAhB,C;;QmB24sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBvx5FA,+B;MmBux5FA,sC;QAaoB,Q;QADhB,UnBxx5FqC,eAAW,oBmBwx5FqB,CnBxx5FpB,CAAX,C;QmByx5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB75sEmD,emB65sEnD,GnB75s8D,KAAK,KmB65s5D,SAAS,OAAT,CnB75suE,KAAX,CAAhB,C;;QmB+5sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3z5FA,+B;MmB2z5FA,sC;QAaoB,Q;QADhB,UnB5z5FqC,eAAW,oBmB4z5FqB,CnB5z5FpB,CAAX,C;QmB6z5FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj+sEmD,emBi+sEnD,GnBj+s8D,KAAK,KmBi+s5D,SAAS,OAAT,CnBj+suE,KAAX,CAAhB,C;;QmBm+sBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/25FA,+B;MmB+25FA,sC;QAaoB,Q;QADhB,UnBh35FqC,eAAW,oBmBg35FqB,CnBh35FpB,CAAX,C;QmBi35FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBrhtEmD,emBqhtEnD,GnBrht8D,KAAK,KmBqht5D,SAAS,OAAT,CnBrhtuE,KAAX,CAAhB,C;;QmBuhtBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBn55FA,+B;MmBm55FA,sC;QAaoB,Q;QADhB,UnBp55FqC,eAAW,oBmBo55FqB,CnBp55FpB,CAAX,C;QmBq55FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzktEmD,emByktEnD,GnBzkt8D,KAAK,KmBykt5D,SAAS,OAAT,CnBzktuE,KAAX,CAAhB,C;;QmB2ktBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBv85FA,+B;MmBu85FA,sC;QAaoB,Q;QADhB,UnBx85FqC,eAAW,oBmBw85FqB,CnBx85FpB,CAAX,C;QmBy85FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB7otEmD,emB6otEnD,GnB7ot8D,KAAK,KmB6ot5D,SAAS,OAAT,CnB7otuE,KAAX,CAAhB,C;;QmB+otBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3+6FA,+B;MmB2+6FA,sC;QAaoB,Q;QADhB,UnB5+6FqC,eAAW,oBmB4+6FqB,CnB5+6FpB,CAAX,C;QmB6+6FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBjstEmD,emBistEnD,GnBjst8D,KAAK,KmBist5D,SAAS,OAAT,CnBjstuE,KAAX,CAAhB,C;;QmBmstBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/h7FA,+B;MmB+h7FA,sC;QAaoB,Q;QADhB,UnBhi7FqC,eAAW,oBmBgi7FqB,CnBhi7FpB,CAAX,C;QmBii7FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBrwtEmD,emBqwtEnD,GnBrwt8D,KAAK,KmBqwt5D,SAAS,OAAT,CnBrwtuE,KAAX,CAAhB,C;;QmBuwtBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBnl7FA,+B;MmBml7FA,sC;QAaoB,Q;QADhB,UnBpl7FqC,eAAW,oBmBol7FqB,CnBpl7FpB,CAAX,C;QmBql7FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBzztEmD,emByztEnD,GnBzzt8D,KAAK,KmByzt5D,SAAS,OAAT,CnBzztuE,KAAX,CAAhB,C;;QmB2ztBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBvp7FA,+B;MmBup7FA,sC;QAaoB,Q;QADhB,UnBxp7FqC,eAAW,oBmBwp7FqB,CnBxp7FpB,CAAX,C;QmByp7FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnB71tEmD,emB61tEnD,GnB71t8D,KAAK,KmB61t5D,SAAS,OAAT,CnB71tuE,KAAX,CAAhB,C;;QmB+1tBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB3u7FA,+B;MmB2u7FA,sC;QAaoB,Q;QADhB,UnB5u7FqC,eAAW,oBmB4u7FqB,CnB5u7FpB,CAAX,C;QmB6u7FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBj5tEmD,emBi5tEnD,GnBj5t8D,KAAK,KmBi5t5D,SAAS,OAAT,CnBj5tuE,KAAX,CAAhB,C;;QmBm5tBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnB/z7FA,+B;MmB+z7FA,sC;QAaoB,Q;QADhB,UnBh07FqC,eAAW,oBmBg07FqB,CnBh07FpB,CAAX,C;QmBi07FrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnBr8tEmD,emBq8tEnD,GnBr8t8D,KAAK,KmBq8t5D,SAAS,OAAT,CnBr8tuE,KAAX,CAAhB,C;;QmBu8tBvD,OAAO,G;O;KAhBX,C;mFAmBA,yB;MnBn47FA,+B;MmBm47FA,sC;QAaoB,Q;QADhB,UnBp47FqC,eAAW,oBmBo47F

BAAgB,c;QAChB,WAAW,epBhvTJ,MAAO,KoBgvTsB,wBAAN,KAAM,EAAwB,EAAxB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/vTA,iB;MoB+vTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrwTJ,MAAO,KoBqwTH,wBAAN,KAAM,EAAwB,EAAxB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB1wTA,iB;MoB0wTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB1xTJ,MAAO,KoB0xTH,wBAAN,KAAM,EAAwB,EAAxB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB/xTA,iB;MoB+xTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB/yTJ,MAAO,KoB+yTH,wBAAN,KAAM,EAAwB,EAAxB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpzTA,iB;MoBozTA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBp0TJ,MAAO,KoBo0TH,wBAAN,KAAM,EAAwB,EAAxB,CpBp0TtB,EoBo0TmD,SpBp0TnD,CoBo0TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBz0TA,iB;MoBy0TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBz1TJ,MAAO,KoBy1TH,wBAAN,KAAM,EAAwB,EAAxB,CpBz1TtB,EoBy1TmD,SpBz1TnD,CoBy1TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB91TA,iB;MoB81TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB92TJ,MAAO,KoB82TH,wBAAN,KAAM,EAAwB,EAAxB,CpB92TtB,EoB82TmD,SpB92TnD,CoB82TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBn4TA,iB;MoBm4TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBn5TJ,MAAO,KoBm5TH,wBAAN,KAAM,EAAwB,EAAxB,CpBn5TtB,EoBm5TmD,SpBn5TnD,CoBm5TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBx5TA,iB;MoBw5TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBx6TJ,MAAO,KoBw6TH,wBAAN,KAAM,EAAwB,EAAxB,CpBx6TtB,EoBw6TmD,SpBx6TnD,CoBw6TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB77TA,iB;MoB67TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB77TJ,MAAO,KoB67TH,wBAAN,KAAM,EAAwB,EAAxB,CpB77TtB,EoB67TmD,SpB77TnD,CoB67TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBl9TA,iB;MoBk9TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBl+TJ,MAAO,KoBk+TH,wBAAN,KAAM,EAAwB,EAAxB,CpBl+TtB,EoBk+TmD,SpBl+TnD,CoBk+TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBv/TA,iB;MoBu/TA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBv/TJ,MAAO,KoBu/TH,wBAAN,KAAM,EAAwB,EAAxB,CpBv/TtB,EoBu/TmD,SpBv/TnD,CoBu/TH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB5gUA,iB;MoB4gUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB5gUJ,MAAO,KoB4gUH,wBAAN,KAAM,EAAwB,EAAxB,CpB5gUtB,EoB4gUmD,SpB5gUnD,CoB4gUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBjiUA,iB;MoBiiUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBjiUJ,MAAO,KoBiiUH,wBAAN,KAAM,EAAwB,EAAxB,CpBjiUtB,EoBiiUmD,SpBjiUnD,CoBiiUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBrjUA,iB;MoBqjUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrjUJ,MAAO,KoBqjUH,wBAAN,KAAM,EAAwB,EAAxB,CpBrjUtB,EoBqjUmD,SpBrjUnD,CoBqjUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBzkUA,iB;MoBykUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBzkUJ,MAAO,KoBykUH,wBAAN,KAAM,EAAwB,EAAxB,CpBzkUtB,EoBykUmD,SpBzkUnD,CoBykUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB7lUA,iB;MoB6lUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB7lUJ,MAAO,KoB6lUH,wBAAN,KAAM,EAAwB,EAAxB,CpB7lUtB,EoB6lUmD,SpB7lUnD,CoB6lUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBnnUA,iB;MoBmnUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBnnUJ,MAAO,KoBmnUH,wBAAN,KAAM,EAAwB,EAAxB,CpBnnUtB,EoBmnUmD,SpBnnUnD,CoBmnUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3oUA,iB;MoB2oUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3oUJ,MAAO,KoB2oUH,wBAAN,KAAM,EAAwB,EAAxB,CpB3oUtB,EoB2oUmD,SpB3oUnD,CoB2oUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpqUA,iB;MoBoqUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBpqUJ,MAAO,KoBoqUH,wBAAN,KAAM,EAAwB,EAAxB,CpBpqUtB,EoBoqUmD,SpBpqUnD,CoBoqUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBhsUA,iB;MoBgsUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBhsUJ,MAAO,KoBgsUH,wBAAN,KAAM,EAAwB,EAAxB,CpBhsUtB,EoBgsUmD,SpBhsUnD,CoBgsUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBztUA,iB;MoBytUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBztUJ,MAAO,KoBytUH,wBAAN,KAAM,EAAwB,EAAxB,CpBztUtB,EoBytUmD,SpBztUnD,CoBytUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBlvUA,iB;MoBkvUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBlvUJ,MAAO,KoBkvUH,wBAAN,KAAM,EAAwB,EAAxB,CpBlvUtB,EoBkvUmD,SpBlvUnD,CoBkvUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3wUA,iB;MoB2wUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3wUJ,MAAO,KoB2wUH,wBAAN,KAAM,EAAwB,EAAxB,CpB3wUtB,EoB2wUmD,SpB3wUnD,CoB2wUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpyUA,iB;MoBoyUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBpyUJ,MAAO,KoBoyUH,wBAAN,KAAM,EAAwB,EAAxB,CpBpyUtB,EoBoyUmD,SpBpyUnD,CoBoyUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBhzUA,iB;MoBgzUA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBhzUJ,MAAO,KoBgzUH,wBAAN,KAAM,EAAwB,EAAxB,CpBhzUtB,EoBgzUmD,SpBhzUnD,CoBgzUH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBz0UA,iB;MoBy0UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBz1UJ,MAAO,KoBy1UH,wBAAN,KAAM,EAAwB,EAAxB,CpBz1UtB,EoBy1UmD,SpBz1UnD,CoBy1UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB92UA,iB;MoB82UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB92UJ,MAAO,KoB82UH,wBAAN,KAAM,EAAwB,EAAxB,CpB92UtB,EoB82UmD,SpB92UnD,CoB82UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBn4UA,iB;MoBm4UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBn5UJ,MAAO,KoBm5UH,wBAAN,KAAM,EAAwB,EAAxB,CpBn5UtB,EoBm5UmD,SpBn5UnD,CoBm5UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBx5UA,iB;MoBw5UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBx6UJ,MAAO,KoBw6UH,wBAAN,KAAM,EAAwB,EAAxB,CpBx6UtB,EoBw6UmD,SpBx6UnD,CoBw6UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB77UA,iB;MoB67UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB77UJ,MAAO,KoB67UH,wBAAN,KAAM,EAAwB,EAAxB,CpB77UtB,EoB67UmD,SpB77UnD,CoB67UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBl9UA,iB;MoBk9UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBl+UJ,MAAO,KoBk+UH,wBAAN,KAAM,EAAwB,EAAxB,CpBl+UtB,EoBk+UmD,SpBl+UnD,CoBk+UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBv/UA,iB;MoBu/UA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBv/UJ,MAAO,KoBu/UH,wBAAN,KAAM,EAAwB,EAAxB,CpBv/UtB,EoBu/UmD,SpBv/UnD,CoBu/UH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB5gVA,iB;MoB4gVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB5gVJ,MAAO,KoB4gVH,wBAAN,KAAM,EAAwB,EAAxB,CpB5gVtB,EoB4gVmD,SpB5gVnD,CoB4gVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBjiVA,iB;MoBiiVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBjiVJ,MAAO,KoBiiVH,wBAAN,KAAM,EAAwB,EAAxB,CpBjiVtB,EoBiiVmD,SpBjiVnD,CoBiiVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBrjVA,iB;MoBqjVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBrjVJ,MAAO,KoBqjVH,wBAAN,KAAM,EAAwB,EAAxB,CpBrjVtB,EoBqjVmD,SpBrjVnD,CoBqjVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBzkVA,iB;MoBykVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBzkVJ,MAAO,KoBykVH,wBAAN,KAAM,EAAwB,EAAxB,CpBzkVtB,EoBykVmD,SpBzkVnD,CoBykVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB7lVA,iB;MoB6lVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB7lVJ,MAAO,KoB6lVH,wBAAN,KAAM,EAAwB,EAAxB,CpB7lVtB,EoB6lVmD,SpB7lVnD,CoB6lVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBnnVA,iB;MoBmnVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBnnVJ,MAAO,KoBmnVH,wBAAN,KAAM,EAAwB,EAAxB,CpBnnVtB,EoBmnVmD,SpBnnVnD,CoBmnVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3oVA,iB;MoB2oVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3oVJ,MAAO,KoB2oVH,wBAAN,KAAM,EAAwB,EAAxB,CpB3oVtB,EoB2oVmD,SpB3oVnD,CoB2oVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpqVA,iB;MoBoqVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBpqVJ,MAAO,KoBoqVH,wBAAN,KAAM,EAAwB,EAAxB,CpBpqVtB,EoBoqVmD,SpBpqVnD,CoBoqVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBhsVA,iB;MoBgsVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBhsVJ,MAAO,KoBgsVH,wBAAN,KAAM,EAAwB,EAAxB,CpBhsVtB,EoBgsVmD,SpBhsVnD,CoBgsVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBztVA,iB;MoBytVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBztVJ,MAAO,KoBytVH,wBAAN,KAAM,EAAwB,EAAxB,CpBztVtB,EoBytVmD,SpBztVnD,CoBytVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBlvVA,iB;MoBkvVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBlvVJ,MAAO,KoBkvVH,wBAAN,KAAM,EAAwB,EAAxB,CpBlvVtB,EoBkvVmD,SpBlvVnD,CoBkvVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB3wVA,iB;MoB2wVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epB3wVJ,MAAO,KoB2wVH,wBAAN,KAAM,EAAwB,EAAxB,CpB3wVtB,EoB2wVmD,SpB3wVnD,CoB2wVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBpyVA,iB;MoBoyVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBpyVJ,MAAO,KoBoyVH,wBAAN,KAAM,EAAwB,EAAxB,CpBpyVtB,EoBoyVmD,SpBpyVnD,CoBoyVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBhzVA,iB;MoBgzVA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBhzVJ,MAAO,KoBgzVH,wBAAN,KAAM,EAAwB,EAAxB,CpBhzVtB,EoBgzVmD,SpBhzVnD,CoBgzVH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpBz0VA,iB;MoBy0VA,8C;QAcoB,UAEY,M;QAL5B,gBAAgB,c;QAChB,WAAW,epBz1VJ,MAAO,KoBy1VH,wBAAN,KAAM,EAAwB,EAAxB,CpBz1VtB,EoBy1VmD,SpBz1VnD,CoBy1VH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAArB,CAAJ,C;;QAET,OAAO,I;O;KAlBX,C;+EAqBA,yB;MAAA,kF;MAAA,gE;MpB92VA

B;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI,OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;MmC43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9ToB,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C;S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,OpC75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;QmC2rUrD,OAjjBO,G;O;KA0iBX,C;+EAUA,yB;MAAA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QlCl+Tb,6B;ekCk+Ta,c;UAAE,OlCz9ToB,ckCy9TpB,ElCz9T8B,KAAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAAW,CC4O5C,ckC+6Sf,OlC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;QmCqsUrD,OAxiBO,G;O;KAiiBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,EAAO,WAAkB,OAAlB,C;;MACJ,OAAO,M;K;IAGX,2B;MAAA,Q;MADA,UAAgB,W;MAChB,aAAa,2B;MAAb,OAAa,cAAb,C;QAAa,yB;QAAb,oBAAa,cAAb,EAAa,sBAAb,EAAa,WAAb,C;;MAAA

OI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MA
AA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc
,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAA
X,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;
QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MA
CA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;
K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,
GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kB
AAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KAT
X,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QAChB,+C;UACE,MAAM,2BAAuB,CAAE,QAAAz
B,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QAChB,+C;UACE,MAAM,2BAAuB,
CAAE,QAAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;
KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;M
AMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGlB,4C;MAMI,IAAI,m
BAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP,MAAO,EAAU,SAAV,C;K;oFAGlB,8B;MASI,OAAO,WAAW,IA
AX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,u
C;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4K6B,KAAL,GAAiB,GAAT,CuC5K5B,C;K;IAGX,uC;MAMI,OAA
O,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,KAAK,CAAL,UAAN,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2Bt
CwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAK,CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,
OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBqFwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,o
CtCoPR,SsCpPiB,KtB6KlB,KhBuEW,QAAV,CsCpPQ,C;;MAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzI
nB,KrCyI6B,KAAL,GAAiB,KAAT,CqC5I5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1I1Ih
C,KrC0I2B,KAAK,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHI,SvCmHM,KAAL,
GAAiB,GAAT,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAT,CuCnHZ,EAA4C,EAA5C,C;K;I
AG3B,kC;MASI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO
,wCAAiB,yBAAgB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgF
M,KAAL,GAAiB,KAAT,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAL,GAAiB,KAAT,CqChFZ,EAA4C,EAA5C,
C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,EAA5B,CAAN,CAAM,cAAN,EAAM,IAA7B,C;K;IA
G3B,gC;MAMI,OAAO,wCAAiB,yBAAgB,cAAhB,EAAwB,EAAxB,EAA4B,EAA5B,CAAN,CAAM,aAAN,EAAM,IAA7B,C;K;IAG5B,iC;MAMI,
oBAAoB,OAAO,CAA3B,EAA8B,EAA9B,IAAiC,C;MACjC,OAAO,uCAAgB,yBAAgB,eAAhB,EAAwB,EAAxB,EAA4B,cAA5B,EAAuC,cAAvC,EAAmD,SA
AK,KAAL,GAAY,YAAhB,EAAsB,GAAtB,EAA2B,IAA3B,EAAiC,GAAjC,CAAN,CAAM,IAAN,EAAM,IAA7D,C;K;IAGX,iC;MAMI,oBAAoB,kB
AAO,CAA3B,EAA8B,EAA9B,IAAiC,C;MACjC,OAAO,uCAAgB,yBAAgB,eAAhB,EAAwB,EAAxB,EAA4B,cAA5B,EAAuC,cAAvC,EAAmD,SAAK,KAAL,GAAY,YAAhB,EAAsB,GAAtB,EAA2B,IAA3B,EAAiC,GAAjC,CAAN,CAAM,IAAN,EAAM,IAA7D,C;K;IAGX,iC;MAMI,OAAO,uCAAgB,yBAAgB,eAAhB,EAAwB,EAAxB,EAA4B,cAA5B,EAAuC,cAAvC,EAAmD,SAAK,KAAL,GAAY,YAAhB,EAAsB,GAAtB,EAA2B,IAA3B,EAAiC,GAAjC,CAAN,CAAM,IAAN,EAAM,IAA7D,C;K;IAGX,iC;MAMI,OAAO,wCAAi

L,GAAiB,GA3O8B,EuC2T9D,YvChFoB,KAAL,GAAiB,GA3O8B,CuC2TrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KAAL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAL,GAAiB,KApO+B,CqCgUtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,EsCqUhD,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,StB1U0E,KAAlB,EsB0UjD,YtB1U+E,KAA9B,CsB0UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OvC/WgF,0BuC+WrE,SvCpI2B,KAAL,GAAiB,GA3O8B,EuC+W9D,YvCpIoB,KAAL,GAAiB,GA3O8B,CuC+WrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAL,GAAiB,KApO+B,EqCoX/D,YrChJoB,KAAL,GAAiB,KApO+B,CqCoXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCzYmE,asCyYxD,StCzY0E,KAAlB,EsCyYjD,YtCzY+E,KAA9B,CsCyYxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,ItC1YmE,asC0YxD,StC1Y0E,KAAlB,EsC0YjD,YtC1Y+E,KAA9B,CsC0YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,ItC3YmE,asC2YxD,StC3Y0E,KAAlB,EsC2YjD,YtC3Y+E,KAA9B,CsC2YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5YmE,avC4YxD,SvC5Y0E,KAAlB,EuC4YjD,YvC5Y+E,KAA9B,CuC4YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7YmE,avC6YxD,SvC7Y0E,KAAlB,EuC6YjD,YvC7Y+E,KAA9B,CuC6YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9YmE,avC8YxD,SvC9Y0E,KAAlB,EuC8YjD,YvC9Y+E,KAA9B,CuC8YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/YmE,avC+YxD,SvC/Y0E,KAAlB,EuC+YjD,YvC/Y+E,KAA9B,CuC+YxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChZmE,avCgZxD,SvChZ0E,KAAlB,EuCgZjD,YvChZ+E,KAA9B,CuCgZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjZmE,avCiZxD,SvCjZ0E,KAAlB,EuCiZjD,YvCjZ+E,KAA9B,CuCiZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClZmE,avCkZxD,SvClZ0E,KAAlB,EuCkZjD,YvClZ+E,KAA9B,CuCkZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCnZmE,avCmZxD,SvCnZ0E,KAAlB,EuCmZjD,YvCnZ+E,KAA9B,CuCmZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpZmE,avCoZxD,SvCpZ0E,KAAlB,EuCoZjD,YvCpZ+E,KAA9B,CuCoZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrZmE,avCqZxD,SvCrZ0E,KAAlB,EuCqZjD,YvCrZ+E,KAA9B,CuCqZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtZmE,avCsZxD,SvCtZ0E,KAAlB,EuCsZjD,YvCtZ+E,KAA9B,CuCsZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvZmE,avCuZxD,SvCvZ0E,KAAlB,EuCuZjD,YvCvZ+E,KAA9B,CuCuZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxZmE,avCwZxD,SvCxZ0E,KAAlB,EuCwZjD,YvCxZ+E,KAA9B,CuCwZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzZmE,avCyZxD,SvCzZ0E,KAAlB,EuCyZjD,YvCzZ+E,KAA9B,CuCyZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1ZmE,avC0ZxD,SvC1Z0E,KAAlB,EuC0ZjD,YvC1Z+E,KAA9B,CuC0ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3ZmE,avC2ZxD,SvC3Z0E,KAAlB,EuC2ZjD,YvC3Z+E,KAA9B,CuC2ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5ZmE,avC4ZxD,SvC5Z0E,KAAlB,EuC4ZjD,YvC5Z+E,KAA9B,CuC4ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7ZmE,avC6ZxD,SvC7Z0E,KAAlB,EuC6ZjD,YvC7Z+E,KAA9B,CuC6ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9ZmE,avC8ZxD,SvC9Z0E,KAAlB,EuC8ZjD,YvC9Z+E,KAA9B,CuC8ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/ZmE,avC+ZxD,SvC/Z0E,KAAlB,EuC+ZjD,YvC/Z+E,KAA9B,CuC+ZxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChanE,avCgaxD,SvChaiF,KAAlB,EuCgajD,YvChaqF,KAA9B,CuCgaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjanE,avCiaxD,SvCjaiF,KAAlB,EuCiajD,YvCjaqF,KAA9B,CuCiaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClanE,avCkaxD,SvClaiF,KAAlB,EuCkajD,YvClaqF,KAA9B,CuCkaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCnanE,avCmaxD,SvCnaiF,KAAlB,EuCmajD,YvCnaqF,KAA9B,CuCmaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpanE,avCoaxD,SvCpaiF,KAAlB,EuCoajD,YvCpaqF,KAA9B,CuCoaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCranE,avCqaxD,SvCraiF,KAAlB,EuCqajD,YvCraqF,KAA9B,CuCqaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtanE,avCsaxD,SvCtaiF,KAAlB,EuCsajD,YvCtaqF,KAA9B,CuCsaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvanE,avCuaxD,SvCvaiF,KAAlB,EuCuajD,YvCvaqF,KAA9B,CuCuaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxanE,avCwaxD,SvCxaiF,KAAlB,EuCwajD,YvCxaqF,KAA9B,CuCwaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzanE,avCyaxD,SvCzaiF,KAAlB,EuCyajD,YvCzaqF,KAA9B,CuCyaxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1anE,avC0axD,SvC1aiF,KAAlB,EuC0ajD,YvC1aqF,KAA9B,CuC0axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3anE,avC2axD,SvC3aiF,KAAlB,EuC2ajD,YvC3aqF,KAA9B,CuC2axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5anE,avC4axD,SvC5aiF,KAAlB,EuC4ajD,YvC5aqF,KAA9B,CuC4axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7anE,avC6axD,SvC7aiF,KAAlB,EuC6ajD,YvC7aqF,KAA9B,CuC6axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9anE,avC8axD,SvC9aiF,KAAlB,EuC8ajD,YvC9aqF,KAA9B,CuC8axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/anE,avC+axD,SvC/aiF,KAAlB,EuC+ajD,YvC/aqF,KAA9B,CuC+axD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChbnE,avCgbxD,SvChbiF,KAAlB,EuCgbjD,YvChbqF,KAA9B,CuCgbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjbnE,avCibxD,SvCjbiF,KAAlB,EuCibjD,YvCjbqF,KAA9B,CuCibxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClbnE,avCkbxD,SvClbiF,KAAlB,EuCkbjD,YvClbqF,KAA9B,CuCkbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCnbnE,avCmbxD,SvCnbiF,KAAlB,EuCmbjD,YvCnbqF,KAA9B,CuCmbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpbnE,avCobxD,SvCpbiF,KAAlB,EuCobjD,YvCpbqF,KAA9B,CuCobxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrbnE,avCqbxD,SvCrbiF,KAAlB,EuCqbjD,YvCrbqF,KAA9B,CuCqbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtbnE,avCsbxD,SvCtbiF,KAAlB,EuCsbjD,YvCtbqF,KAA9B,CuCsbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvbnE,avCubxD,SvCvbiF,KAAlB,EuCubjD,YvCvbqF,KAA9B,CuCubxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxbnE,avCwbxD,SvCxbiF,KAAlB,EuCwbjD,YvCxbqF,KAA9B,CuCwbxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzbnE,avCybxD,SvCzbiF,KAAlB,EuCybjD,YvCzbqF,KAA9B,CuCybxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1bnE,avC0bxD,SvC1biF,KAAlB,EuC0bjD,YvC1bqF,KAA9B,CuC0bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3bnE,avC2bxD,SvC3biF,KAAlB,EuC2bjD,YvC3bqF,KAA9B,CuC2bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5bnE,avC4bxD,SvC5biF,KAAlB,EuC4bjD,YvC5bqF,KAA9B,CuC4bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7bnE,avC6bxD,SvC7biF,KAAlB,EuC6bjD,YvC7bqF,KAA9B,CuC6bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9bnE,avC8bxD,SvC9biF,KAAlB,EuC8bjD,YvC9bqF,KAA9B,CuC8bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/bnE,avC+bxD,SvC/biF,KAAlB,EuC+bjD,YvC/bqF,KAA9B,CuC+bxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChcnE,avCgcxD,SvChciF,KAAlB,EuCgcjD,YvChcqF,KAA9B,CuCgcxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjcnE,avCicxD,SvCjciF,KAAlB,EuCicjD,YvCjcqF,KAA9B,CuCicxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClcnE,avCkcxD,SvClciF,KAAlB,EuCkcjD,YvClcqF,KAA9B,CuCkcxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCncnE,avCmcxD,SvCnciF,KAAlB,EuCmcjD,YvCncqF,KAA9B,CuCmcxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpcnE,avCocxD,SvCpciF,KAAlB,EuCocjD,YvCpcqF,KAA9B,CuCocxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrcnE,avCqcxD,SvCrciF,KAAlB,EuCqcjD,YvCrcqF,KAA9B,CuCqcxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtcnE,avCscxD,SvCtciF,KAAlB,EuCscjD,YvCtcqF,KAA9B,CuCscxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvcnE,avCucxD,SvCvciF,KAAlB,EuCucjD,YvCvcqF,KAA9B,CuCucxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxcnE,avCwcxD,SvCxciF,KAAlB,EuCwcjD,YvCxcqF,KAA9B,CuCwcxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzcnE,avCycxD,SvCzciF,KAAlB,EuCycjD,YvCzcqF,KAA9B,CuCycxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1cnE,avC0cxD,SvC1ciF,KAAlB,EuC0cjD,YvC1cqF,KAA9B,CuC0cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3cnE,avC2cxD,SvC3ciF,KAAlB,EuC2cjD,YvC3cqF,KAA9B,CuC2cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5cnE,avC4cxD,SvC5ciF,KAAlB,EuC4cjD,YvC5cqF,KAA9B,CuC4cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7cnE,avC6cxD,SvC7ciF,KAAlB,EuC6cjD,YvC7cqF,KAA9B,CuC6cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9cnE,avC8cxD,SvC9ciF,KAAlB,EuC8cjD,YvC9cqF,KAA9B,CuC8cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/cnE,avC+cxD,SvC/ciF,KAAlB,EuC+cjD,YvC/cqF,KAA9B,CuC+cxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChdnE,avCgdxD,SvChdiF,KAAlB,EuCgdjD,YvChdqF,KAA9B,CuCgdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjdnE,avCidxD,SvCjdiF,KAAlB,EuCidjD,YvCjdqF,KAA9B,CuCidxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCldnE,avCkdxD,SvCldiF,KAAlB,EuCkdjD,YvCldqF,KAA9B,CuCkdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCndnE,avCmdxD,SvCndiF,KAAlB,EuCmdjD,YvCndqF,KAA9B,CuCmdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpdnE,avCodxD,SvCpdiF,KAAlB,EuCodjD,YvCpdqF,KAA9B,CuCodxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrdnE,avCqdxD,SvCrdiF,KAAlB,EuCqdjD,YvCrdqF,KAA9B,CuCqdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtdnE,avCsdxD,SvCtdiF,KAAlB,EuCsdjD,YvCtdqF,KAA9B,CuCsdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvdnE,avCudxD,SvCvdiF,KAAlB,EuCudjD,YvCvdqF,KAA9B,CuCudxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxdnE,avCwdxD,SvCxdiF,KAAlB,EuCwdjD,YvCxdqF,KAA9B,CuCwdxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzdnE,avCydxD,SvCzdiF,KAAlB,EuCydjD,YvCzdqF,KAA9B,CuCydxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1dnE,avC0dxD,SvC1diF,KAAlB,EuC0djD,YvC1dqF,KAA9B,CuC0dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3dnE,avC2dxD,SvC3diF,KAAlB,EuC2djD,YvC3dqF,KAA9B,CuC2dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5dnE,avC4dxD,SvC5diF,KAAlB,EuC4djD,YvC5dqF,KAA9B,CuC4dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7dnE,avC6dxD,SvC7diF,KAAlB,EuC6djD,YvC7dqF,KAA9B,CuC6dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9dnE,avC8dxD,SvC9diF,KAAlB,EuC8djD,YvC9dqF,KAA9B,CuC8dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/dnE,avC+dxD,SvC/diF,KAAlB,EuC+djD,YvC/dqF,KAA9B,CuC+dxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChenE,avCgexD,SvChemF,KAAlB,EuCgejD,YvChevF,KAA9B,CuCgexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjenE,avCiexD,SvCjemF,KAAlB,EuCiejD,YvCjevF,KAA9B,CuCiexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClenE,avCkexD,SvClemF,KAAlB,EuCkejD,YvClevF,KAA9B,CuCkexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCnenE,avCmexD,SvCnemF,KAAlB,EuCmejD,YvCnevF,KAA9B,CuCmexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpenE,avCoexD,SvCpemF,KAAlB,EuCoejD,YvCpevF,KAA9B,CuCoexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrenE,avCqexD,SvCremF,KAAlB,EuCqejD,YvCrevF,KAA9B,CuCqexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtenE,avCsexD,SvCtemF,KAAlB,EuCsejD,YvCtevF,KAA9B,CuCsexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvenE,avCuexD,SvCvemF,KAAlB,EuCuejD,YvCvevF,KAA9B,CuCuexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxenE,avCwexD,SvCxemF,KAAlB,EuCwejD,YvCxevF,KAA9B,CuCwexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzenE,avCyexD,SvCzemF,KAAlB,EuCyejD,YvCzevF,KAA9B,CuCyexD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1enE,avC0exD,SvC1emF,KAAlB,EuC0ejD,YvC1evF,KAA9B,CuC0exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3enE,avC2exD,SvC3emF,KAAlB,EuC2ejD,YvC3evF,KAA9B,CuC2exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5enE,avC4exD,SvC5emF,KAAlB,EuC4ejD,YvC5evF,KAA9B,CuC4exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7enE,avC6exD,SvC7emF,KAAlB,EuC6ejD,YvC7evF,KAA9B,CuC6exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9enE,avC8exD,SvC9emF,KAAlB,EuC8ejD,YvC9evF,KAA9B,CuC8exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/enE,avC+exD,SvC/emF,KAAlB,EuC+ejD,YvC/evF,KAA9B,CuC+exD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChfnE,avCgfxD,SvChfmF,KAAlB,EuCgfjD,YvChfuF,KAA9B,CuCgfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjfnE,avCifxD,SvCjfmF,KAAlB,EuCifjD,YvCjfuF,KAA9B,CuCifxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClfnE,avCkfxD,SvClfmF,KAAlB,EuCkfjD,YvClfuF,KAA9B,CuCkfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCnfnE,avCmfxD,SvCnfmF,KAAlB,EuCmfjD,YvCnfuF,KAA9B,CuCmfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpfnE,avCofxD,SvCpfmF,KAAlB,EuCofjD,YvCpfuF,KAA9B,CuCofxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCrfnE,avCqfxD,SvCrfmF,KAAlB,EuCqfjD,YvCrfuF,KAA9B,CuCqfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCtfnE,avCsfxD,SvCtfmF,KAAlB,EuCsfjD,YvCtfuF,KAA9B,CuCsfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCvfnE,avCufxD,SvCvfmF,KAAlB,EuCufjD,YvCvfuF,KAA9B,CuCufxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCxfnE,avCwfxD,SvCxfmF,KAAlB,EuCwfjD,YvCxfuF,KAA9B,CuCwfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCzfnE,avCyfxD,SvCzfmF,KAAlB,EuCyfjD,YvCzfuF,KAA9B,CuCyfxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC1fnE,avC0fxD,SvC1fmF,KAAlB,EuC0fjD,YvC1fuF,KAA9B,CuC0fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC3fnE,avC2fxD,SvC3fmF,KAAlB,EuC2fjD,YvC3fuF,KAA9B,CuC2fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC5fnE,avC4fxD,SvC5fmF,KAAlB,EuC4fjD,YvC5fuF,KAA9B,CuC4fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC7fnE,avC6fxD,SvC7fmF,KAAlB,EuC6fjD,YvC7fuF,KAA9B,CuC6fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC9fnE,avC8fxD,SvC9fmF,KAAlB,EuC8fjD,YvC9fuF,KAA9B,CuC8fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvC/fnE,avC+fxD,SvC/fmF,KAAlB,EuC+fjD,YvC/fuF,KAA9B,CuC+fxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvChgnE,avCggxD,SvChgmF,KAAlB,EuCggjD,YvChguF,KAA9B,CuCggxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCjgnE,avCigxD,SvCjgmF,KAAlB,EuCigjD,YvCjguF,KAA9B,CuCigxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvClgnE,avCkgxD,SvClgmF,KAAlB,EuCkgjD,YvClguF,KAA9B,CuCkgxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCngnE,avCmgxD,SvCngmF,KAAlB,EuCmgjD,YvCngvF,KAA9B,CuCmgxD,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MAAC,vC,IvCpgnE,avCogxD,SvCpgmF,KA

MmBjC1C,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnBgCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;;IAQgB,mD;MAAyC,sB;MAAjB,gB;MACzD,sBAAgC,I;MAChC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;+CAEhD,Y;MAAkC,qB;K;+CAElC,Y;MACI,YAAY,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,K;K;;IAQuB,uB;MAAoC,oD;MAAM,4C;MAAuB,sB;MAAjB,gB;MAC9E,sBAAgC,I;MAChC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAEhD,Y;MAAkC,qB;K;gD

AKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAAa,KAAM,UAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;;IASkB,wC;MAAsB,lB,iC;MAAtB,sD,2BAAgB,KAAhB,hB,EAAuB,YAAvB,vB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,SAAT,SAAkB,M;K;kCAEhF,sBAAS,SAAT,SAAkB,K;K;iCAElC,iB;MACI,2CAAuB,kBAAA,KAAA,MAAA,UAAA,nB,KAAA,cAAA,vB,KAAA,cAAA,vB,KAAA,cAAA,v

B;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJjF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,mC;MACmD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACtD,aAAY,C;K;uDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAuD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJjF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJlF,oC;MACoD,iD;K;IAOF,uD;MAAA,kC;MAAS,uB;MACzD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAlB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,mC;MACmD,kD;K;IAOF,wD;MAAA,kC;MAAS,yB;MAC3

B;;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M;UACrC,kBAAgB,O;UAChB,qBAAmB,I;;UAEnB,kBAAgB,I;UAChB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YEThB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;UAAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4B/B,CChDR,C;;UFqBgB,M;;;K;mDAMhB,Y;MACI,kBAAkB,mB;MAClB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,B,C;;MAEvC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7CuDuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;;IARtC,6C;MAAA,4C;QAAA,2B;;MAAA,qC;K;IGyDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;MACI,Q;MAAA,sC;QAAiB,U;;MACjB,OAAO,oB;K;IARnB,6G;sJAjJIA,iC;MAgBU,OAAK,SAAL,CAAiB,B,UAAjB,B,EAA6B,6B,KAA7B,B,C;K;wJAAV,E,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,B,EAA2B,2B,KAA3B,B,EAAuC,uC,KAAvC,B,C;K;wJAAV,E,kD;MAkBU,OAAK,SAAL,CAAiB,QAAjB,B,EAA2B,2B,KAA3B,B,EAAuC,uC,KAAvC,B,EAAmD,6B,KAAnD,B,EAAgE,6B,KAAhE,B,C;K;IAgC6C,6C,oG;MAAA,mB;QAAC,3C,OAAK,SAAL,CAAiB,QAAjB,B,EAA2B,2B,KAA3B,B,EAAuC,uC,KAAvC,B,EAAmD,6B,KAAnD,B,EAAgE,6B,KAAhE,B,C;K;IAAD,C;IAAA,O;IAAA,K;IAAA,6B;IAAA,6

0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAgB,KAAhB,C;MAAxC,Y;K;6FClGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAAJ,GAAI,GAAE,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6ECHP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH1D,aAAkB,GAAI,O;MACtB,aAAkB,GAAI,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAI,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,SAAT,EAAoB,CAApB,EAAuB,SAAvB,EAAkC,CAAlC,EAAqC,SAArC,EAAgD,CAAhD,EAAmD,SAAnD,EAA8D,CAA9D,EAAiE,SAAjE,EAA4E,CAA5E,EAA+E,SAA/E,EAA0F,CAA1F,EAA6F,SAA7F,EAAwG,CAAxG,EAA2G,SAA3G,EAAsH,CAAtH,EAAyH,SAAzH,EAAoI,CAApI,EAAuI,SAAvI,EAAkJ,CAAlJ,EAAqJ,SAArJ,EAAgK,CAAhK,EAAmK,SAAnK,EAA8K,CAA9K,EAAiL,SAAjL,EAA4L,CAA5L,EAA+L,SAA/L,EAA0M,CAA1M,EAA6M,SAA7M,EAAwN,CAAxN,EAA2N,SAA3N,EAAsO,CAAtO,EAAyO,SAAzO,EAAoP,CAApP,EAAuP,SAAvP,EAAkQ,CAAlQ,EAAqQ,SAArQ,EAAgR,CAAhR,EAAmR,SAAnR,EAA8R,CAA9R,EAAiS,SAAjS,EAA4S,CAA5S,EAA+S,SAA/S,EAA0T,CAA1T,EAA6T,SAA7T,EAAwU,CAAxU,EAA2U,SAA3U,EAAsV,CAAtV,EAAyV,SAAzV,EAAoW,CAApW,EAAuW,SAAvW,EAAkX,CAAlX,EAAqX,SAArX,EAAgY,CAAhY,EAAmY,SAAnY,EAA8Y,CAA9Y,EAAiZ,SAAjZ,EAA4Z,CAA5Z,EAA+Z,SAA/Z,EAA0a,CAA1a,EAA6a,SAA7a,EAAwb,CAAxb,EAA2b,SAA3b,EAAsc,CAAtc,EAAyc,SAAzc,EAAod,CAApd,EAAud,SAAvd,EAAke,CAAle,EAAqe,SAAre,EAAgf,CAAhf,EAAmf,SAAnf,EAA8f,CAA9f,EAAigB,SAAjgB,EAA4gB,CAA5gB,EAA+gB,SAA/gB,EAA0hB,CAA1hB,EAA6hB,SAA7hB,EAAwiB,CAAxiB,EAA2iB,SAA3iB,EAAsjB,CAAtjB,EAAyjB,SAAzjB,EAAokB,CAApkB,EAAukB,SAAvkB,EAAklB,CAAllB,EAAqlB,SAArlB,EAAgmB,CAAhmB,EAAmmB,SAAnmB,EAA8mB,CAA9mB,EAAinB,SAAjnB,EAA4nB,CAA5nB,EAA+nB,SAA/nB,EAA0oB,CAA1oB,EAA6oB,SAA7oB,EAAwpB,CAAxpB,EAA2pB,SAA3pB,EAAsqB,CAAtqB,EAAyqB,SAAzqB,EAAorB,CAAprB,EAAurB,SAAvrB,EAAksB,CAAlsB,EAAqsB,SAArsB,EAAgtB,CAAhtB,EAAmtB,SAAntB,EAA8tB,CAA9tB,EAAiuB,SAAjuB,EAA4uB,CAA5uB,EAA+uB,SAA/uB,EAA0vB,CAA1vB,EAA6vB,SAA7vB,EAAwwB,CAAxwB,EAA2wB,SAA3wB,EAAsxB,CAAtxB,EAAyxB,SAAzxB,EAAoyB,CAApyB,EAAuyB,SAAvyB,EAAkzB,CAAlzB,EAAqzB,SAArzB,EAAg0B,CAAh0B,EAAm0B,SAAn0B,EAA80B,CAA90B,EAAi1B,SAAj1B,EAA41B,CAA51B,EAA+1B,SAA/1B,EAA02B,CAA12B,EAA62B,SAA72B,EAAw3B,CAAx3B,EAA23B,SAA33B,EAAs4B,CAAt4B,EAAy4B,SAAz4B,EAAo5B,CAAp5B,EAAu5B,SAAv5B,EAAk6B,CAAl6B,EAAq6B,SAAr6B,EAAg7B,CAAh7B,EAAm7B,SAAn7B,EAA87B,CAA97B,EAAi8B,SAAj8B,EAA48B,CAA58B,EAA+8B,SAA/8B,EAA09B,CAA19B,EAA69B,SAA79B,EAAw+B,CAAx+B,EAA2+B,SAA3+B,EAAsgC,CAAtgC,EAAygC,SAAzgC,EAAohC,CAAphC,EAAuhC,SAAvhC,EAAkiC,CAAliC,EAAqiC,SAAriC,EAAgjC,CAAhjC,EAAmjC,SAAnjC,EAA8jC,CAA9jC,EAAikC,SAAjkC,EAA4kC,CAA5kC,EAA+kC,SAA/kC,EAA0lC,CAA1lC,EAA6lC,SAA7lC,EAAwmC,CAAxmC,EAA2mC,SAA3mC,EAAsnC,CAAtnC,EAAynC,SAAznC,EAAooC,CAApoC,EAAuoC,SAAvoC,EAAkpC,CAAlpC,EAAqpC,SAArpC,EAAgqC,CAAhqC,EAAmqC,SAAnqC,EAA8qC,CAA9qC,EAAirC,SAAjrC,EAA4rC,CAA5rC,EAA+rC,SAA/rC,EAA0sC,CAA1sC,EAA6sC,SAA7sC,EAAwtC,CAAxtC,EAA2tC,SAA3tC,EAAsuC,CAAtuC,EAAyuC,SAAzuC,EAAovC,CAApvC,EAAuvC,SAAvvC,EAAkwC,CAAlwC,EAAqwC,SAArwC,EAAgxC,CAAhxC,EAAmxC,SAAnxC,EAA8xC,CAA9xC,EAAiyC,SAAjyC,EAA4yC,CAA5yC,EAA+yC,SAA/yC,EAA0zC,CAA1zC,EAA6zC,SAA7zC,EAAw0C,CAAx0C,EAA20C,SAA30C,EAAs1C,CAAt1C,EAAy1C,SAAz1C,EAAo2C,CAAp2C,EAAu2C,SAAv2C,EAAk3C,CAAl3C,EAAq3C,SAAr3C,EAAg4C,CAAh4C,EAAm4C,SAAn4C,EAA84C,CAA94C,EAAi5C,SAAj5C,EAA45C,CAA55C,EAA+5C,SAA/5C,EAA06C,CAA16C,EAA66C,SAA76C,EAAw7C,CAAx7C,EAA27C,SAA37C,EAAs8C,CAAt8C,EAAy8C,SAAz8C,EAAo9C,CAAp9C,EAAu9C,SAAv9C,EAAk+C,CAAl+C,EAAq+C,SAAr+C,EAAg/C,CAAh/C,EAAm/C,SAAn/C,EAA8/C,CAA9/C,EAAigD,SAAjgD,EAA4gD,CAA5gD,EAA+gD,SAA/gD,EAA0hD,CAA1hD,EAA6hD,SAA7hD,EAAwiD,CAAxiD,EAA2iD,SAA3iD,EAAsjD,CAAtjD,EAAyjD,SAAzjD,EAAokD,CAApkD,EAAukD,SAAvkD,EAAklD,CAAllD,EAAqlD,SAArlD,EAAgmD,CAAhmD,EAAmmD,SAAnmD,EAA8mD,CAA9mD,EAAinD,SAAjnD,EAA4nD,CAA5nD,EAA+nD,SAA/nD,EAA0oD,CAA1oD,EAA6oD,SAA7oD,EAAwpD,CAAxpD,EAA2pD,SAA3pD,EAAsqD,CAAtqD,EAAyqD,SAAzqD,EAAorD,CAAprD,EAAurD,SAAvrD,EAAksD,CAAlsD,EAAqsD,SAArsD,EAAgtD,CAAhtD,EAAmtD,SAAntD,EAA8tD,CAA9tD,EAAiuD,SAAjuD,EAA4uD,CAA5uD,EAA+uD,SAA/uD,EAA0vD,CAA1vD,EAA6vD,SAA7vD,EAAwwD,CAAxwD,EAA2wD,SAA3wD,EAAsxD,CAAtxD,EAAyxD,SAAzxD,EAAoyD,CAApyD,EAAuyD,SAAvyD,EAAkzD,CAAlzD,EAAqzD,SAArzD,EAAg0D,CAAh0D,EAAm0D,SAAn0D,EAA80D,CAA90D,EAAi1D,SAAj1D,EAA41D,CAA51D,EAA+1D,SAA/1D,EAA02D,CAA12D,EAA62D,SAA72D,EAAw3D,CAAx3D,EAA23D,SAA33D,EAAs4D,CAAt4D,EAAy4D,SAAz4D,EAAo5D,CAAp5D,EAAu5D,SAAv5D,EAAk6D,CAAl6D,EAAq6D,SAAr6D,EAAg7D,CAAh7D,EAAm7D,SAAn7D,EAA87D,CAA97D,EAAi8D,SAAj8D,EAA48D,CAA58D,EAA+8D,SAA/8D,EAA09D,CAA19D,EAA69D,SAA79D,EAAw+D,CAAx+D,EAA2+D,SAA3+D,EAAsgE,CAAtgE,EAAygE,SAAzgE,EAAohE,CAAphE,EAAuhE,SAAvhE,EAAkiE,CAAliE,EAAqiE,SAAriE,EAAgjE,CAAhjE,EAAmjE,SAAnjE,EAA8jE,CAA9jE,EAAikE,SAAjkE,EAA4kE,CAA5kE,EAA+kE,SAA/kE,EAA0lE,CAA1lE,EAA6lE,SAA7lE,EAAwmE,CAAxmE,EAA2mE,SAA3mE,EAAsnE,CAAtnE,EAAynE,SAAznE,EAAooE,CAApoE,EAAuoE,SAAvoE,EAAkpE,CAAlpE,EAAqpE,SAArpE,EAAgqE,CAAhqE,EAAmqE,SAAnqE,EAA8qE,CAA9qE,EAAirE,SAAjrE,EAA4rE,CAA5rE,EAA+rE,SAA/rE,EAA0sE,CAA1sE,EAA6sE,SAA7sE,EAAwtE,CAAxtE,EAA2tE,SAA3tE,EAAsuE,CAAtuE,EAAyuE,SAAzuE,EAAovE,CAApvE,EAAuvE,SAAvvE,EAAkwE,CAAlwE,EAAqwE,SAArwE,EAAgxE,CAAhxE,EAAmxE,SAAnxE,EAA8xE,CAA9xE,EAAiyE,SAAjyE,EAA4yE,CAA5yE,EAA+yE,SAA/yE,EAA0zE,CAA1zE,EAA6zE,SAA7zE,EAAw0E,CAAx0E,EAA20E,SAA30E,EAAs1E,CAAt1E,EAAy1E,SAAz1E,EAAo2E,CAAp2E,EAAu2E,SAAv2E,EAAk3E,CAAl3E,EAAq3E,SAAr3E,EAAg4E,CAAh4E,EAAm4E,SAAn4E,EAA84E,CAA94E,EAAi5E,SAAj5E,EAA45E,CAA55E,EAA+5E,SAA/5E,EAA06E,CAA16E,EAA66E,SAA76E,EAAw7E,CAAx7E,EAA27E,SAA37E,EAAs8E,CAAt8E,EAAy8E,SAAz8E,EAAo9E,CAAp9E,EAAu9E,SAAv9E,EAAk+E,CAAl+E,EAAq+E,SAAr+E,EAAg/E,CAAh/E,EAAm/E,SAAn/E,EAA8/E,CAA9/E,EAAigF,SAAjgF,EAA4gF,CAA5gF,EAA+gF,SAA/gF,EAA0hF,CAA1hF,EAA6hF,SAA7hF,EAAwiF,CAAxiF,EAA2iF,SAA3iF,EAAsjF,CAAtjF,EAAyjF,SAAzjF,EAAokF,CAApkF,EAAukF,SAAvkF,EAAklF,CAAllF,EAAqlF,SAArlF,EAAgmF,CAAhmF,EAAmmF,SAAnmF,EAA8mF,CAA9mF,EAAinF,SAAjnF,EAA4nF,CAA5nF,EAA+nF,SAA/nF,EAA0oF,CAA1oF,EAA6oF,SAA7oF,EAAwpF,CAAxpF,EAA2pF,SAA3pF,EAAsqF,CAAtqF,EAAyqF,SAAzqF,EAAorF,CAAprF,EAAurF,SAAvrF,EAAksF,CAAlsF,EAAqsF,SAArsF,EAAgtF,CAAhtF,EAAmtF,SAAntF,EAA8tF,CAA9tF,EAAiuF,SAAjuF,EAA4uF,CAA5uF,EAA+uF,SAA/uF,EAA0vF,CAA1vF,EAA6vF,SAA7vF,EAAwwF,CAAxwF,EAA2wF,SAA3wF,EAAsxF,CAAtxF,EAAyxF,SAAzxF,EAAoyF,CAApyF,EAAuyF,SAAvyF,EAAkzF,CAAlzF,EAAqzF,SAArzF,EAAg0F,CAAh0F,EAAm0F,SAAn0F,EAA80F,CAA90F,EAAi1F,SAAj1F,EAA41F,CAA51F,EAA+1F,SAA/1F,EAA02F,CAA12F,EAA62F,SAA72F,EAAw3F,CAAx3F,EAA23F,SAA33F,EAAs4F,CAAt4F,EAAy4F,SAAz4F,EAAo5F,CAAp5F,EAAu5F,SAAv5F,EAAk6F,CAAl6F,EAAq6F,SAAr6F,EAAg7F,CAAh7F,EAAm7F,SAAn7F,EAA87F,CAA97F,EAAi8F,SAAj8F,EAA48F,CAA58F,EAA+8F,SAA/8F,EAA09F,CAA19F,EAA69F,SAA79F,EAAw+F,CAAx+F,EAA2+F,SAA3+F,EAAsgG,CAAtgG,EAAygG,SAAzgG,EAAohG,CAAphG,EAAuhG,SAAvhG,EAAkiG,CAAliG,EAAqiG,SAAriG,EAAgjG,CAAhjG,EAAmjG,SAAnjG,EAA8jG,CAA9jG,EAAikG,SAAjkG,EAA4kG,CAA5kG,EAA+kG,SAA/kG,EAA0lG,CAA1lG,EAA6lG,SAA7lG,EAAwmG,CAAxmG,EAA2mG,SAA3mG,EAAsnG,CAAtnG,EAAynG,SAAznG,EAAooG,CAApoG,EAAuoG,SAAvoG,EAAkpG,CAAlpG,EAAqpG,SAArpG,EAAgqG,CAAhqG,EAAmqG,SAAnqG,EAA8qG,CAA9qG,EAAirG,SAAjrG,EAA4rG,CAA5rG,EAA+rG,SAA/rG,EAA0sG,CAA1sG,EAA6sG,SAA7sG,EAAwtG,CAAxtG,EAA2tG,SAA3tG,EAAsuG,CAAtuG,EAAyuG,SAAzuG,EAAovG,CAApvG,EAAuvG,SAAvvG,EAAkwG,CAAlwG,EAAqwG,SAArwG,EAAgxG,CAAhxG,EAAmxG,SAAnxG,EAA8xG,CAA9xG,EAAiyG,SAAjyG,EAA4yG,CAA5yG,EAA+yG,SAA/yG,EAA0zG,CAA1zG,EAA6zG,SAA7zG,EAAw0G,CAAx0G,EAA20G,SAA30G,EAAs1G,CAAt1G,EAAy1G,SAAz1G,EAAo2G,CAAp2G,EAAu2G,SAAv2G,EAAk3G,CAAl3G,EAAq3G,SAAr3G,EAAg4G,CAAh4G,EAAm4G,SAAn4G,EAA84G,CAA94G,EAAi5G,SAAj5G,EAA45G,CAA55G,EAA+5G,SAA/5G,EAA06G,CAA16G,EAA66G,SAA76G,EAAw7G,CAAx7G,EAA27G,SAA37G,EAAs8G,CAAt8G,EAAy8G,SAAz8G,EAAo9G,CAAp9G,EAAu9G,SAAv9G,EAAk+G,CAAl+G,EAAq+G,SAAr+G,EAAg/G,CAAh/G,EAAm/G,SAAn/G,EAA8/G,CAA9/G,EAAigH,SAAjgH,EAA4gH,CAA5gH,EAA+gH,SAA/gH,EAA0hH,CAA1hH,EAA6hH,SAA7hH,EAAwiH,CAAxiH,EAA2iH,SAA3iH,EAAsjH,CAAtjH,EAAyjH,SAAzjH,EAAokH,CAApkH,EAAukH,SAAvkH,EAAklH,CAAllH,EAAqlH,SAArlH,EAAgmH,CAAhmH,EAAmmH,SAAnmH,EAA8mH,CAA9mH,EAAinH,SAAjnH,EAA4nH,CAA5nH,EAA+nH,SAA/nH,EAA0oH,CAA1oH,EAA6oH,SAA7oH,EAAwpH,CAAxpH,EAA2pH,SAA3pH,EAAsqH,CAAtqH,EAAyqH,SAAzqH,EAAorH,CAAprH,EAAurH,SAAvrH,EAAksH,CAAlsH,EAAqsH,SAArsH,EAAgtH,CAAhtH,EAAmtH,SAAntH,EAA8tH,CAA9tH,EAAiuH,SAAjuH,EAA4uH,CAA5uH,EAA+uH,SAA/uH,EAA0vH,CAA1vH,EAA6vH,SAA7vH,EAAwwH,CAAxwH,EAA2wH,SAA3wH,EAAsxH,CAAtxH,EAAyxH,SAAzxH,EAAoyH,CAApyH,EAAuyH,SAAvyH,EAAkzH,CAAlzH,EAAqzH,SAArzH,EAAg0H,CAAh0H,EAAm0H,SAAn0H,EAA80H,CAA90H,EAAi1H,SAAj1H,EAA41H,CAA51H,EAA+1H,SAA/1H,EAA02H,CAA12H,EAA62H,SAA72H,EAAw3H,CAAx3H,EAA23H,SAA33H,EAAs4H,CAAt4H,EAAy4H,SAAz4H,EAAo5H,CAAp5H,EAAu5H,SAAv5H,EAAk6H,CAAl6H,EAAq6H,SAAr6H,EAAg7H,CAAh7H,EAAm7H,SAAn7H,EAA87H,CAA97H,EAAi8H,SAAj8H,EAA48H,CAA58H,EAA+8H,SAA/8H,EAA09I,CAA19I,EAA69I,SAA79I,EAAw+I,CAAx+I,EAA2+I,SAA3+I,EAAsgJ,CAAtgJ,EAAygJ,SAAzgJ,EAAohJ,CAAphJ,EAAuhJ,SAAvhJ,EAAkiJ,CAAliJ,EAAqiJ,SAAriJ,EAAgjJ,CAAhjJ,EAAmjJ,SAAnjJ,EAA8jJ,CAA9jJ,EAAikJ,SAAjkJ,EAA4kJ,CAA5kJ,EAA+kJ,SAA/kJ,EAA0lJ,CAA1lJ,EAA6lJ,SAA7lJ,EAAwmJ,CAAxmJ,EAA2mJ,SAA3mJ,EAAsnJ,CAAtnJ,EAAynJ,SAAznJ,EAAooJ,CAApoJ,EAAuoJ,SAAvoJ,EAAkpJ,CAAlpJ,EAAqpJ,SAArpJ,EAAgqJ,CAAhqJ,EAAmqJ,SAAnqJ,EAA8qJ,CAA9qJ,EAAirJ,SAAjrJ,EAA4rJ,CAA5rJ,EAA+rJ,SAA/rJ,EAA0sJ,CAA1sJ,EAA6sJ,SAA7sJ,EAAwtJ,CAAxtJ,EAA2tJ,SAA3tJ,EAAsuJ,CAAtuJ,EAAyuJ,SAAzuJ,EAAovJ,CAApvJ,EAAuvJ,SAAvvJ,EAAkwJ,CAAlwJ,EAAqwJ,SAArwJ,EAAgxJ,CAAhxJ,EAAmxJ,SAAnxJ,EAA8xJ,CAA9xJ,EAAiyJ,SAAjyJ,EAA4yJ,CAA5yJ,EAA+yJ,SAA/yJ,EAA0zJ,CAA1zJ,EAA6zJ,SAA7zJ,EAAw0J,CAAx0J,EAA20J,SAA30J,EAAs1J,CAAt1J,EAAy1J,SAAz1J,EAAo2J,CAAp2J,EAAu2J,SAAv2J,EAAk3J,CAAl3J,EAAq3J,SAAr3J,EAAg4J,CAAh4J,EAAm4J,SAAn4J,EAA84J,CAA94J,EAAi5J,SAAj5J,EAA45J,CAA55J,EAA+5J,SAA/5J,EAA06J,CAA16J,EAA66J,SAA76J,EAAw7J,CAAx7J,EAA27J,SAA37J,EAAs8J,CAAt8J,EAAy8J,SAAz8J,EAAo9J,CAAp9J,EAAu9J,SAAv9J,EAAk+J,CAAl+J,EAAq+J,SAAr+J,EAAg/J,CAAh/J,EAAm/J,SAAn/J,EAA8/J,CAA9/J,EAAigK,SAAjgK,EAA4gK,CAA5gK,EAA+gK,SAA/gK,EAA0hK,CAA1hK,EAA6hK,SAA7hK,EAAwiK,CAAxiK,EAA2iK,SAA3iK,EAAsjK,CAAtjK,EAAyjK,SAAzjK,EAAokK,CAApkK,EAAukK,SAAvkK,EAAklK,CAAllK,EAAqlK,SAArlK,EAAgmK,CAAhmK,EAAmmK,SAAnmK,EAA8mK,CAA9mK,EAAinK,SAAjnK,EAA4nK,CAA5nK,EAA+nK,SAA/nK,EAA0oK,CAA1oK,EAA6oK,SAA7oK,EAAwpK,CAAxpK,EAA2pK,SAA3pK,EAAsqK,CAAtqK,EAAyqK,SAAzqK,EAAorK,CAAprK,EAAurK,SAAvrK,EAAksK,CAAlsK,EAAqsK,SAArsK,EAAgtK,CAAhtK,EAAmtK,SAAntK,EAA8tK,CAA9tK,EAAiuK,SAAjuK,EAA4uK,CAA5uK,EAA+uK,SAA/uK,EAA0vK,CAA1vK,EAA6vK,SAA7vK,EAAwwK,CAAxwK,EAA2wK,SAA3wK,EAAsxK,CAAtxK,EAAyxK,SAAzxK,EAAoyK,CAApyK,EAAuyK,SAAvyK,EAAkzK,CAAlzK,EAAqzK,SAArzK,EAAg0K,CAAh0K,EAAm0K,SAAn0K,EAA80K,CAA90K,EAAi1K,SAAj1K,EAA41K,CAA51K,EAA+1K,SAA/1K,EAA02K,CAA12K,EAA62K,SAA72K,EAAw3K,CAAx3K,EAA23K,SAA33K,EAAs4K,CAAt4K,EAAy4K,SAAz4K,EAAo5K,CAAp5K,EAAu5K,SAAv5K,EAAk6K,CAAl6K,EAAq6K,SAAr6K,EAAg7K,CAAh7K,EAAm7K,SAAn7K,EAA87K,CAA97K,EAAi8K,SAAj8K,EAA48K,CAA58K,EAA+8K,SAA/8K,EAA09L,CAA19L,EAA69L,SAA79L,EAAw+L,CAAx+L,EAA2+L,SAA3+L,EAAsgM,CAAtgM,EAAygM,SAAzgM,EAAohM,CAAphM,EAAuhM,SAAvhM,EAAkiM,CAAliM,EAAqiM,SAAriM,EAAgjM,CAAhjM,EAAmjM,SAAnjM,EAA8jM,CAA9jM,EAAikM,SAAjkM,EAA4kM,CAA5kM,EAA+kM,SAA/kM,EAA0lM,CAA1lM,EAA6lM,SAA7lM,EAAwmM,CAAxmM,EAA2mM,SAA3mM,EAAsnM,CAAtnM,EAAynM,SAAznM,EAAooM,CAApoM,EAAuoM,SAAvoM,EAAkpM,CAAlpM,EAAqpM,SAArpM,EAAgqM,CAAhqM,EAAmqM,SAAnqM,EAA8qM,CAA9qM,EAAirM,SAAjrM,EAA4rM,CAA5rM,EAA+rM,SAA/rM,EAA0sM,CAA1sM,EAA6sM,SAA7sM,EAAwtM,CAAxtM,EAA2tM,SAA3tM,EAAsuM,CAAtuM,EAAyuM,SAAzuM,EAAovM,CAApvM,EAAuvM,SAAvvM,EAAkwM,CAAlwM,EAAqwM,SAArwM,EAAgxM,CAAhxM,EAAmxM,SAAnxM,EAA8xM,CAA9xM,EAAiyM,SAAjyM,EAA4yM,CAA5yM,EAA+yM,SAA/yM,EAA0zM,CAA1zM,EAA6zM,SAA7zM,EAAw0M,CAAx0M,EAA20M,SAA30M,EAAs1M,CAAt1M,EAAy1M,SAAz1M,EAAo2M,CAAp2M,EAAu2M,SAAv2M,EAAk3M,CAAl3M,EAAq3M,SAAr3M,EAAg4M,CAAh4M,EAAm4M,SAAn4M,EAA84M,CAA94M,EAAi5M,SAAj5M,EAA45M,CAA55M,EAA+5M,SAA/5M,EAA06M,CAA16M,EAA66M,SAA76M,EAAw7M,CAAx7M,EAA27M,SAA37M,EAAs8M,CAAt8M,EAAy8M,SAAz8M,EAAo9M,CAAp9M,EAAu9M,SAAv9M,EAAk+M,CAAl+M,EAAq+M,SAAr+M,EAAg/M,CAAh/M,EAAm/M,SAAn/M,EAA8/M,CAA9/M,EAAigN,SAAjgN,EAA4gN,CAA5gN,EAA+gN,SAA/gN,EAA0hN,CAA1hN,EAA6hN,SAA7hN,EAAwiN,CAAxiN,EAA2iN,SAA3iN,EAAsjN,CAAtjN,EAAyjN,SAAzjN,EAAokN,CAApkN,EAAukN,SAAvkN,EAAklN,CAAllN,EAAqlN,SAArlN,EAAgmN,CAAhmN,EAAmmN,SAAnmN,EAA8mN,CAA9mN,EAAinN,SAAjnN,EAA4nN,CAA5nN,EAA+nN,SAA/nN,EAA0oN,CAA1oN,EAA6oN,SAA7oN,EAAwpN,CAAxpN,EAA2pN,SAA3pN,EAAsqN,CAAtqN,EAAyqN,SAAzqN,EAAorN,CAAprN,EAAurN,SAAvrN,EAAksN,CAAlsN,EAAqsN,SAArsN,EAAgtN,CAAhtN,EAAmtN,SAAntN,EAA8tN,CAA9tN,EAAiuN,SAAjuN,EAA4uN,CAA5uN,EAA+uN,SAA/uN,EAA0vN,CAA1vN,EAA6vN,SAA7vN,EAAwwN,CAAxwN,EAA2wN,SAA3wN,EAAsxN,CAAtxN,EAAyxN,SAAzxN,EAAoyN,CAApyN,EAAuyN,SAAvyN,EAAkzN,CAAlzN,EAAqzN,SAArzN,EAAg0N,CAAh0N,EAAm0N,SAAn0N,EAA80N,CAA90N,EAAi1N,SAAj1N,EAA41N,CAA51N,EAA+1N,SAA/1N,EAA02O,CAA12O,EAA62O,SAA72O,EAAw3O,CAAx3O,EAA23O,SAA33O,EAAs4O,CAAt4O,EAAy4O,SAAz4O,EAAo5O,CAAp5O,EAAu5O,SAAv5O,EAAk6O,CAAl6O,EAAq6O,SAAr6O,EAAg7O,CAAh7O,EAAm7O,SAAn7O,EAA87O,CAA97O,EAAi8O,SAAj8O,EAA48O,CAA58O,EAA+8O,SAA/8O,EAA09P,CAA19P,EAA69P,SAA79P,EAAw+P,CAAx+P,EAA2+P,SAA3+P,EAAsgQ,CAAtgQ,EAAygQ,SAAzgQ,EAAohQ,CAAphQ,EAAuhQ,SAAvhQ,EAAkiQ,CAAliQ,EAAqiQ,SAAriQ,EAAgjQ,CAAhjQ,EAAmjQ,SAAnjQ,EAA8jQ,CAA9jQ,EAAikQ,SAAjkQ,EAA4kQ,CAA5kQ,EAA+kQ,SAA/kQ,EAA0lQ,CAA1lQ,EAA6lQ,SAA7lQ,EAAwmQ,CAAxmQ,EAA2mQ,SAA3mQ,EAAsnQ,CAAtnQ,EAAynQ,SAAznQ,EAAooQ,CAApoQ,EAAuoQ,SAAvoQ,EAAkpQ,CAAlpQ,EAAqpQ,SAArpQ,EAAgqQ,CAAhqQ,EAAmqQ,SAAnqQ,EAA8qQ,CAA9qQ,EAAirQ,SAAjrQ,EAA4rQ,CAA5rQ,EAA+rQ,SAA/rQ,EAA0sQ,CAA1sQ,EAA6sQ,SAA7sQ,EAAwtQ,CAAxtQ,EAA2tQ,SAA3tQ,EAAsuQ,CAAtuQ,EAAyuQ,SAAzuQ,EAAovQ,CAApvQ,EAAuvQ,SAAvvQ,EAAkwQ,CAAlwQ,EAAqwQ,SAArwQ,EAAgxQ,CAAhxQ,EAAmxQ,SAAnxQ,EAA8xQ,CAA9xQ,EAAiyQ,SAAjyQ,EAA4yQ,CAA5yQ,EAA+yQ,SAA/yQ,EAA0zQ,CAA1zQ,EAA6zQ,SAA7zQ,EAAw0Q,CAAx0Q,EAA20Q,SAA30Q,EAAs1Q,CAAt1Q,EAAy1Q,SAAz1Q,EAAo2Q,CAAp2Q,EAAu2Q,SAAv2Q,EAAk3Q,CAAl3Q,EAAq3Q,SAAr3Q,EAAg4Q,CAAh4Q,EAAm4Q,SAAn4Q,EAA84Q,CAA94Q,EAAi5Q,SAAj5Q,EAA45Q,CAA55Q,EAA+5Q,SAA/5Q,EAA06R,CAA16R,EAA66R,SAA76R,EAAw7R,CAAx7R,EAA27R,SAA37R,EAAs8R,CAAt8R,EAAy8R,SAAz8R,EAAo9R,CAAp9R,EAAu9R,SAAv9R,EAAk+R,CAAl+R,EAAq+R,SAAr+R,EAAg/R,CAAh/R,EAAm/R,SAAn/R,EAA8/R,CAA9/R,EAAigS,SAAjgS,EAA4gS,CAA5gS,EAA+gS,SAA/gS,EAA0hS,CAA1hS,EAA6hS,SAA7hS,EAAwiS,CAAxiS,EAA2iS,SAA3iS,EAAsjS,CAAtjS,EAAyjS,SAAzjS,EAAokS,CAApkS,EAAukS,SAAvkS,EAAklS,CAAllS,EAAqlS,SAArlS,EAAgmS,CAAhmS,EAAmmS,SAAnmS,EAA8mS,CAA9mS,EAAinS,SAAjnS,EAA4nS,CAA5nS,EAA+nS,SAA/nS,EAA0oS,CAA1oS,EAA6oS,SAA7oS,EAAwpS,CAAxpS,EAA2pS,SAA3pS,EAAsqS,CAAtqS,EAAyqS,SAAzqS,EAAorS,CAAprS,EAAurS,SAAvrS,EAAksS,CAAlsS,EAAqsS,SAArsS,EAAgtS,CAAhtS,EAAmtS,SAAntS,EAA8tS,CAA9tS,EAAiuS,SAAjuS,EAA4uS,CAA5uS,EAA+uS,SAA/uS,EAA0vS,CAA1vS,EAA6vS,SAA7vS,EAAwwS,CAAxwS,EAA2wS,SAA3wS,EAAsxS,CAAtxS,EAAyxS,SAAzxS,EAAoyS,CAApyS,EAAuyS,SAAvyS,EAAkzS,CAAlzS,EAAqzS,SAArzS,EAAg0S,CAAh0S,EAAm0S,SAAn0S,EAA80S,CAA90S,EAAi1S,SAAj1S,EAA41S,CAA51S,EAA+1S,SAA/1S,EAA02T,CAA12T,EAA62T,SAA72T,EAAw3T,CAAx3T,EAA23T,SAA33T,EAAs4T,CAAt4T,EAAy4T,SAAz4T,EAAo5T,CAAp5T,EAAu5T,SAAv5T,EAAk6T,CAAl6T,EAAq6T,SAAr6T,EAAg7T,CAAh7T,EAAm7T,SAAn7T,EAA87T,CAA97T,EAAi8T,SAAj8T,EAA48T,CAA58T,EAA+8T,SAA/8T,EAA09U,CAA19U,EAA69U,SAA79U,EAAw+U,CAAx+U,EAA2+U,SAA3+U,EAAsgV,CAAtgV,EAAygV,SAAzgV,EAAohV,CAAphV,EAAuhV,SAAvhV,EAAkiV,CAAliV,EAAqiV,SAAriV,EAAgjV,CAAhjV,EAAmjV,SAAnjV,EAA8jV,CAA9jV,EAAikV,SAAjkV,EAA4kV,CAA5kV,EAA+kV,SAA/kV,EAA0lV,CAA1lV,EAA6lV,SAA7lV,EAAwmV,CAAxmV,EAA2mV,SAA3mV,EAAsnV,CAAtnV,EAAynV,SAAznV,EAAooV,CAApoV,EAAuoV,SAAvoV,EAAkpV,CAAlpV,EAAqpV,SAArpV,EAAgqV,CAAhqV,EAAmqV,SAAnqV,EAA8qV,CAA9qV,EAAirV,SAAjrV,EAA4rV,CAA5rV,EAA+rV,SAA/rV,EAA0sV,CAA1sV,EAA6sV,SAA7sV,EAAwtV,CAAxtV,EAA2tV,SAA3tV,EAAsuV,CAAtuV,EAAyuV,SAAzuV,EAAovV,CAApvV,EAAuvV,SAAvvV,EAAkwV,CAAlwV,EAAqwV,SAArwV,EAAgxV,CAAhxV,EAAmxV,SAAnxV,EAA8xV,CAA9xV,EAAiyV,SAAjyV,EAA4yV,CAA5yV,EAA+yV,SAA/yV,EAA0zV,CAA1zV,EAA6zV,SAA7zV,EAAw0V,CAAx0V,EAA20V,SAA30V,EAAs1V,CAAt1V,EAAy1V,SAAz1V,EAAo2V,CAAp2V,EAAu2V,SAAv2V,EAAk3V,CAAl3V,EAAq3V,SAAr3V,EAAg4V,CAAh4V,EAAm4V,SAAn4V,EAA84V,CAA94V,EAAi5V,SAAj5V,EAA45V,CAA55V,EAA+5V,SAA/5V,EAA06W,CAA16W,EAA66W,SAA76W,EAAw7W,CAAx7W,EAA27W,SAA37W,EAAs8W,CAAt8W,EAAy8W,SAAz8W,EAAo9W,CAAp9W,EAAu9W,SAAv9W,EAAk+W,CAAl+W,EAAq+W,SAAr+W,EAAg/W,CAAh/W,EAAm/W,SAAn/W,EAA8/W,CAA9/W,EAAigX,SAAjgX,EAA4gX,CAA5gX,EAA+gX,SAA/gX,EAA0hX,CAA1hX,EAA6hX,SAA7hX,EAAwiX,CAAxiX,EAA2iX,SAA3iX,EAAsjX,CAAtjX,EAAyjX,SAAzjX,EAAokX,CAApkX,EAAukX,SAAvkX,EAAklX,CAAllX,EAAqlX,SAArlX,EAAgmX,CAAhmX,EAAmmX,SAAnmX,EAA8mX,CAA9mX,EAAinX,SAAjnX,EAA4nX,CAA5nX,EAA+nX,SAA/nX,EAA0oX,CAA1oX,EAA6oX,SAA7oX,EAAwpX,CAAxpX,EAA2pX,SAA3pX,EAAsqX,CAAtqX,EAAyqX,SAAzqX,EAAorX,CAAprX,EAAurX,SAAvrX,EAAksX,CAAlsX,EAAqsX,SAArsX,EAAgtX,CAAhtX,EAAmtX,SAAntX,EAA8tX,CAA9tX,EAAiuX,SAAjuX,EAA4uX,CAA5uX,EAA+uX,SAA/uX,EAA0vX,CAA1vX,EAA6vX,SAA7vX,EAAwwX,CAAxwX,EAA2wX,SAA3wX,EAAsxX,CAAtxX,EAAyxX,SAAzxX,EAAoyX,CAApyX,EAAuyX,SAAvyX,EAAkzX,CAAlzX,EAAqzX,SAArzX,EAAg0X,CAAh0X,EAAm0X,SAAn0X,EAA

Y,oBAAL,SAAK,C;K;IAehB,0C;MAYI,OAAY,oBAAL,SAAK,C;K;IAkBhB,2C;MAWI,OAAY,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,2C;MAWI,OAAY,cAAL,SAAK,EAAc,KAAd,C;K;IAGhB,4

M,gCAAyB,OAAQ,WAAjC,C;;MC2tCV,OAAO,SAAS,SAAT,EAAe,iBAAY,OAAZ,CAAf,C;K;IAGX,uC;MDhu
CI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyuCoB,0C;QDxuCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;
MCyuCH,WAAS,c;MAAT,YAAyB,gBAAgB,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;M
xC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,WAAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDt
vCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCuvCH,WAAS,W;MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OA
AV,CAAf,C;MwCxkC7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;IxC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,C
DvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAyB,OAAQ,WAAjC,C;;MCswCV,OAAO,gBAAgB
,SAAhB,EAAsB,OAAtB,EAA+B,KAA/B,C;K;IAGX,sD;MAWI,oCAAa,2BAAkB,SAAlB,EAA6B,EAA7B,EAAiC,OAA7B,EAAsC,C
gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAAkB,SAAlB,EAA6B,EAA7B,EAAiC,OAA7B,EAAsC,

,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAApB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;iFAGX,+B;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;iFAQA,yB;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;iFAQA,yB;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;iFAQA,yB;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;iFAQA,yB;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;iFAQA,yB;MAII,QAAO,QAAP,EAAiB,SAAjB,EAA4B,QAA5B,C;O;KALX,C;8FAQA,8B;MAKI,OAAY,SAAY,QAAO,CAAAQ,OAAR,CAAQ,C;K;IAAoBL,2B;MAAsB,OAAA,CAAAE,iBAAA,C;K;IAAnNhB,C;MAAA,OAAA,CAAAE,iBAAA,C;K;IAAA

kC,UAAlC,EAA8C,IAA9C,C;K;;;IAvB/B,gC;MAAA,+B;QAAA,c;;MAAA,wB;K;IA2BA,qC;MAKkB,IAJP,I;MACH,WAAO,EAAP,C;QAAe,W;WACf,WAAO,IAAP,C;QAAgB,OAAI,CAAC,KAAO,CAAR,MAAc,CAAlB,GAAAqB,QAAS,CAA9B,GAAAqC,OAAS,E;;QAE1D,QAAM,KAAK,CAAX,C;eACI,C;YAAK,eAAS,E;YAAd,K;eACA,C;YAAK,OAAC,QAAS,CAAV,GAAc,EAAd,iB,E;YAAA,K;;YACQ,cAAS,E;YAAhB,rB,K;;;MAJR,W;K;IAYJ,qC;MAII,SAAS,SAAC,iBAAD,C;MAAT,WAAS,WAAC,iBAAD,C;MAAT,WAAS,WAAC,iBAAD,C;MAAT,WAAS,EAAT,C;MAAA,WAAS,WAAC,iBAAD,C;MAAT,WAAS,WAAC,iBAAD,C;MAAT,WAAS,WAAC,iBAAD,C;MAAT

Ee,CApEf,GAoEkB,C;MAAzB,OAAa,CApEF,iBAAK,GAAL,MAAJ,GAoEM,CApEN,GAAmB,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARlB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARlB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,B;MAAA,OAAO,G;K;IAGX,4B;MAM

mB,EAChB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CADG,EACA,EADA,EACI,CADJ,EACO,CADP,EACU,EADV,EACc,EADd,EACkB,EADlB,EACsB,CADtB,EACyB,CADzB,EAC4B,CAD5B,EAC+B,CAD/B,EACkC,CADlC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;;MAAA,8B;K;IASA,qC;MACI,YAAY,kBAAkB,4BAAe,wBAAjC,EAAkD,SAAlD,C;MACZ,OAAO,SAAS,CAAT,OAAc,aAAO,4BAAe,wBAAf,CAAwB,+B,KAAA/B,EAAwC,IAAxC,wC,4BAAyC,yBAAf,CAAf,yBAAkC,KAAlC,CAAwC,IAAxC,C;K;ICXzB,qC;MACI,OAAe,IAAf,8BAAqB,gBAArB,EAAsC,IAAtC,KACY,I,AADZ,8BAAqB,gBAArB,EAAsC,IAAtC,KACY,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,IAAS,CAAT,OAAc,I4CXY,K5CWZ,IAAS,CAAT,OAAc,2BAA3B,C;QAAA,OAAsC,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B,mCAAyB,gBAAzB,EAA0C,MAA1C,C;;MAAtC,W;K;ICRJ,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBAAgB,gBAAhB,EAAiC,KAAjC,kBAAgB,gBAAhB,EAAiC,MAAjC,C;QAAA,OAAsC,GAAtC,CAAsC,IAAt

GI,OAAsB,UAAY,QAAvB,KAAmC,SAA9C,GACe,UAAY,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAGR,qC;MA
EI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAY,MAAK,QAAS,OA
Ad,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OA
AO,gBAAgB,UAAhB,C;;MAEX,eAAe,UAAW,W;MAC1B,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MA
AM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAlB,C;QACI,MAAM,KAAN,IA
Ae,I;;MAEnB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gB
AAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QA
II,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KALvD,C;IA
SA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAnB,oB;QAAyB,aJVhC,W;
QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIsC,gBAA3B,mBAAiB,QAAjB,C;QA
AiC,aJjBxC,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA
,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA,yB;MAA
A,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q;O;KAJ9D,
C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QACI,sBAAK,KAAL,EAAc,KAAd,C;;K;IAIR,+B;
MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJjE7C,W;K;IImEX,4B;M
AQI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MA
CI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YAAY,YAAY,IAAZ,C;MACZ,gBAAc,KAAd,EAAq
B,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,
AV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAlB,O;K;IAGX,iF;MAII,oCAAa,2BAAkB,UAAlB,EAA8B,QAA9B
,EAAwC,MAAO,OAA/C,C;MACb,gBAAgB,WAAW,UAAX,I;MAChB,oCAAa,2BAAkB,iBAAlB,EAAqC,oBAA
oB,SAApB,IAArC,E;MAAoE,WAAY,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAP,CAAlB,O;QACI,OAAO,
MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAAqB,QAArB,C;QACtB,WAAY,KAAI,QAAJ,EAAc
c,iBAAd,C;;QAExB,IAAI,WAAW,WAAX,IAA0B,qBAAqB,UAAnD,C;UACI,iBAAc,CAAd,UAAsB,SAAtB,U;Y
ACI,YAAY,oBAAoB,KAApB,IAAZ,C,OAAO,aAAa,KAAb,IAAP,C;;;UAGX,mBAAc,YAAY,CAAZ,IAA
d,aAAmC,CAAnC,Y;YACI,YAAY,oBAAoB,OAApB,IAAZ,C,OAAO,aAAa,OAAb,IAAP,C;;;;K;8GAMzD,
qB;MAEgF,gB;K;kGAEhF,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,KAAL,EAAK,KAAL,C;O;KADnF,C;sGAIA,gC;M
AEI,OAAI,SAAJ,GAAI,SAAJ,GAAI,SAAJ,SN83BoB,Q;K;IM13B5B,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,
OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;;MAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAEr
D,wC;MPzNI,IAAI,EOgOI,YAAY,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAY,BAAJ,QAAI,
AjC,C;;K;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAIvF,mB;MACI,qB;MACA,eAAe,e;MACf,OAA
O,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAkB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAAO,I
;;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACf,CC,0B;MAAhB,OAAgB,cAAhB,C
;QAAgB,yB;QACZ,CZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,gB
AAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,Q;K;IAAA,
qB;MAAA,gBAAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,Q;K;IAAA,qB;MAAA,gBAAM,OAAN,
Q;K;IAAA,

,C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAsB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,i
B;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oC
AAa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAa,yBAAgB,IAAhB,C;K;IAG5C,kD;
MAAA,oB;MACI,eACsB,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7ClB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA
AsB,OAAQ,WAA9B,C;;MsE6CF,6BAAS,WAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,o
B;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAnB,EAA0B,WAAyB,KAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;M
AAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;M
AE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;
K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtElFJ,IAA
I,EsEmFU,gBAAQ,EtEnFlB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WA9B,C;;MsEkFF
,wBAAI,WAAJ,EAAU,OAAV,C;K;;IAIgB,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,o
CAAa,2BAAkB,gBAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB
,0B;MACI,oCAAa,4BAAmB,KAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OA
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB
AAY,KAAZ,EAAmB,IAAL,C;K;6DAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB
AAS,mBAAY,KAAZ,EAAmB,IAAT,C;MAClB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAlB,EA
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OAAvB,C;K;mGAGX,Y;MAAQ,mB
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBA6C,I;K;IAlF
R,oD;MAAC,wB;MAGlC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,i
EAAc,IAAd,C;K;sDAClC,iB;MAA4C,+DAAY,IAAZ,EAAkB,KAAlB,C;K;;IAlB5C,8E;MAAA,wE;MAAsC,2CA
AK,KAAM,IAAX,EAAgB,KAAM,MAAtB,C;MAAsB,MAAtB,C;MAAsC,Y;K;IAsBJ,+C;MACrE,sE,6B;K;yCAGJ,oB;MACI,
oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OAAvB,C;K;mGAGX,Y;MAAQ,mB
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;yCAxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBA6C,I;K;IAlF
R,oD;MAAC,wB;MAGlC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA
Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,i
EAAc,IAAd,C;K;sDAClC,iB;MAA4C,+DAAY,IAAZ,EAAkB,KAAlB,C;K;;IAlB5C,8E;MAAA,wE;MAAsC,2CA
AK,KAAM,IAAX,EAAgB,KAAM,MAAtB,C;MAAsB,MAAtB,C;MAAsC,Y;K;IAsBJ,+C;MACrE,sE,6B;K;yCAGJ,oB;MACI,
oCAAa,2BAAkB,KAAlB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,EAAmB,IAAJ,EAAU,OAAvB,C;K;mGAGX,Y;MAAQ,mB
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;I

MjrD0C,YkEgDrD,QlEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mC
AAoB,KAApB,C;MAEA,IAAI,UAAS,SAAb,C;QAAmB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBlE
7DqD,YkE6D7C,QlE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EAAV,
CAAU,EAAP,KAAO,CAAY,QlE9DE,YkE8DK,QlE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAm
B,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,q
C;MACA,OAAW,UAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAc,CAAd,CAAlB,CA
AmC,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAg
B,OAAhB,CAAJ,C;UACU,oBAAY,QAAO,KAAP,EAAc,CAAd,C;UAClB,qC;UACA,OAAO,I;;;MAGf,OAAO,K;
K;8CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAY,QAAO,SAAP,EAAkB,UAAU,SAAV,IAAlB,C;K;gCAGtB,
Y;MACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C,
C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;
K;0CAE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPlB,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,OAAO,2D;;
MAGc,gBAAxB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEvwBsC,KxEuwBtC,EAD+F,CA
C/F,EADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,MAAM,SAAN,I
AAc,6E;;MAGlB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IA
AI,yBAAJ,C;QAAgB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;K;wDAIrC,iB;M
ACI,oCAAa,mCAA0B,SAA1B,C;MAD6B,Y;K;;IAlJ9C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K
;IAKA,kD;MAAA,mD;MAIkD,sB9BdP,E8BcO,C;MAJlD,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBlENa,YkEMR,
QlENQ,CkEMb,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAL,C;;QAElB,UAAU
,KAAV,EAAwC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EAA4D,eAAX,UAAW,CAA5D,C;;K;IAMiB,kD;MAAA
,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;
MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW
,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,
EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,
CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,
SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kB
AAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAA
A,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB
,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;Q
AAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,
uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;M
AAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,4C;MAAjC,uB;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAAW,

,kD;QAAA,iC;;MAAA,2C;K;;;MC0BA,iC;MAKA,8B;MA6CA,0BAAmE,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C;K;2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,OAAA,WAAa,uBAAc,OAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;;MAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,gBAAZ,Z,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MAAV,QvE+mD5D,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MuEhnDgD,iB;K;kFAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,qB;;MAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEhF,e;MAA+C,OAAA,a,0BAAY,WAAI,GAAJ,C;K;oCAE3D,3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE7D,e;MAAyC,OAAA,0B,aAAY,cAAO,GAAP,C;K;+CAEpD,+E,e;MAAmD,OAAA,0BAAY,K;K;;IA5DlD,0C;MAAA,iD;MAAuD,8B;MAAvC,3D,mB;MAAwC,wCAAsB,8BAAmB,W;MAAnB,mCAAmB,+B;MAAnB,mCAAmB,sB

MAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAY,C;QACZ,OAAO,C;;QAEP,oBAAe,I;QACf,OAAO,C;;K;mEAIf,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAGX,Y;M/E/CR,I+EgDyB,c/EhDrB,QAAJ,C;QACI,cAhBYB,0B;QAiBzB,MAAM,6BAAsB,C;;M+E+CpB,cAAO,WAA9B,C;;M+EAA,E+E+CA,CAAO,C;;M/E/CP,E+EgDA,CAAO,6BAAP,YAAO,IAAP,C;;M/EhDA,E+EiDA,CAAO,6BAAP,YAAO,IAAP,C;;K;6CAAP,Y;MACI,IAAI,mBAAmB,kBAAvB,WAAuC,QAAvC,C;MACI,cAAO,OAAP,CAAO,IAAP,C;;K;;;;wCCtKrD,Y;MACI,IAAI,aAAR,R,MAAQ,IAAR,OAAQ,IAAR,CAAQ,IAAR,C;QACI,OAAO,KAAP,C;;MAEJ,OAAO,I;K;ICNuB,qC;MAAA,cAAO,OAAP,CAAO,IAAP,C;;K

QAAS,C;QACT,OAAO,I;;QAEP,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACI,qB;MAEA,YAAY,kBAAI,cAAO,GAAP,C;MAChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;;MAEjB,OAAO,I;K;qFAGmB,Y;MAAQ,OAAA,kBAAI,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAgB,MAAM,oC;K;;IAnG1B,mC;MAAA,uD;MAGuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAlKxD,yB;MAoKc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAAuB,UAAvB,C;QAAuB,MAAM,Q;MAA/K,K/KlE,yB;MAgLQ,sBAAM,gB;MAAd,YAAc,sD;MAAA,uD;MAAA,2C,qBAAA,K;K;IAAA,sB

U;QACI,mBAAK,UAAL,G;;QACJ,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBlD,C;UAC6B,8BAAzB,CAAyB,C;;UAGN,UAAlB,uDAAkB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAArB,C;K;IAGV,sB;MAEI,MAAM,uBAAmB,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAArC,C;K;IClBV,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAkFiD,U;QAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,EyG1OoB,CCmEkC,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAiFhD,GDpJrC,CCoJqC,GAA6B,UAjFjC,WAiFiC,C,6DDpJnD,IAAM,CAAN,IzG0OpB,C;;MyG1OA,OCqEO,W;K;IC3EqC,gD;MAAC,oC;K;;;;;IC0CjD,qB;MAK0B,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAA,tB,M;QAAA,OAAK,IAAC,C,0BAAD,IAAC,C,0BAAD,IAAC,C,0BAAD

QAF0C,OAE3B,CAAC,wCAAO,U;;QACR,WAAc,UAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAzC,E;QAHkB,OjD1b2B,MAAa,gBAAe,IAAf,C;;K;IiDictF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QAAH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC,WAAM,SAAN,C;QAFuD,OAEzC,E;WACd,SAAK,C;QAHuD,OAGrC,C;QAAL,SAAK,C;QAHuD,OAGrC,C;;QAHqC,OAI1B,1B,SAAL,SAAK,C;QAJqC,OAIpB,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAyB,yBAAzB,C;WACjB,gBAAO,UAAP,C;QAFyB,OAEP,C;QAFO,OAEjB,U;WACR,gBAAO,WAAP,C;QAHyB,OAGP,C;QAHO,OAGjB,W;;QAHiB,OAIjB,iB,OAAP,UAAO,C;QAJiB,OAIA,C;QAJA,OAIV,U;WACR,gBAAO,WAAP,C;QALyB,OAKP,C;QALO,OAKjB,W;;QALiB,OAMjB,iB,OAAP,UAAO,C;QANiB,OAMA,C;QANA,OAMV,U;WACR,gBAAO,WAAP,C;QAPyB,OAOP,C;QAPO,OAOjB,W;;QAPiB,OAQjB,iB,OAAP,UAAO,C;QARiB,OAQA,C;QARA,OAQV,U;WACR,gBAAO,WAAP,C;QATyB,OASP,C;QATO,OASjB,W;;QATiB,OAUjB,iB,OAAP,UAAO,C;QAViB,OAUA,C;QAVA,OAUV,U;WACR,gBAAO,WAAP,C;QAXyB,OAWP,C;QAXO,OAWjB,W;;QAXiB,OAYjB,iB,OAAP,UAAO,C;QAZiB,OAYA,C;QAZA,OAYV,U;WACR,gBAAO,WAAP,C;QAbyB,OAaP,C;QAbO,OAajB,W;;QAbiB,OAcjB,iB,OAAP,UAAO,C;QAdiB,OAcA,C;QAdA,OAcV,U;WACR,gBAAO,WAAP,C;QAfyB,OAeP,C;QAfO,OAejB,W;;QAfiB,OAgBjB,iB,OAAP,UAAO,C;QAhBiB,OAgBA,C;QAhBA,OAgBV,U;WACR,gBAAO,WAAP,C;QAjByB,OAiBP,C;QAjBO,OAiBjB,W;;QAjBiB,OAkBjB,iB,OAAP,UAAO,C;QAlBiB,OAkBA,C;QAlBA,OAkBV,U;WACR,gBAAO,WAAP,C;QAnByB,OAmBP,C;QAnBO,OAmBjB,W;;QAnBiB,OAoBjB,iB,OAAP,UAAO,C;QApBiB,OAoBA,C;QApBA,OAoBV,U;WACR,gBAAO,WAAP,C;QArByB,OAqBP,C;QArBO,OAqBjB,W;;QArBiB,OAsBjB,iB,OAAP,UAAO,C;QAtBiB,OAsBA,C;QAtBA,OAsBV,U;WACR,gBAAO,WAAP,C;QAvByB,OAuBP,C;QAvBO,OAuBjB,W;;QAvBiB,OAwBjB,iB,OAAP,UAAO,C;QAxBiB,OAwBA,C;QAxBA,OAwBV,U;WACR,gBAAO,WAAP,C;QAzByB,OAyBP,C;QAzBO,OAyBjB,W;;QAzBiB,OA0BjB,iB,OAAP,UAAO,C;QA1BiB,OA0BA,C;QA1BA,OA0BV,U;WACR,gBAAO,WAAP,C;QA3ByB,OA2BP,C;QA3BO,OA2BjB,W;;QA3BiB,OA4BjB,iB,OAAP,UAAO,C;QA5BiB,OA4BA,C;QA5BA,OA4BV,U;WACR,gBAAO,WAAP,C;QA7ByB,OA6BP,C;QA7BO,OA6BjB,W;;QA7BiB,OA8BjB,iB,OAAP,UAAO,C;QA9BiB,OA8BA,C;QA9BA,OA8BV,U;WACR,gBAAO,WAAP,C;QA/ByB,OA+BP,C;QA/BO,OA+BjB,W;;QA/BiB,OAgCjB,iB,OAAP,UAAO,C;QAhCiB,OAgCA,C;QAhCA,OAgCV,U;WACR,gBAAO,WAAP,C;QAjCyB,OAiCP,C;QAjCO,OAiCjB,W;;QAjCiB,OAkCjB,iB,OAAP,UAAO,C;QAlCiB,OAkCA,C;QAlCA,OAkCV,U;WACR,gBAAO,WAAP,C;QAnCyB,OAmCP,C;QAnCO,OAmCjB,W;;QAnCiB,OAoCjB,iB,OAAP,UAAO,C;QApCiB,OAoCA,C;QApCA,OAoCV,U;WACR,gBAAO,WAAP,C;QArCyB,OAqCP,C;QArCO,OAqCjB,W;;QArCiB,OAsCjB,iB,OAAP,UAAO,C;QAtCiB,OAsCA,C;QAtCA,OAsCV,U;WACR,gBAAO,WAAP,C;QAvCyB,OAuCP,C;QAvCO,OAuCjB,W;;QAvCiB,OAwCjB,iB,OAAP,UAAO,C;QAxCiB,OAwCA,C;QAxCA,OAwCV,U;WACR,gBAAO,WAAP,C;QAzCyB,OAyCP,C;QAzCO,OAyCjB,W;;QAzCiB,OA0CjB,iB,OAAP,UAAO,C;QA1CiB,OA0CA,C;QA1CA,OA0CV,U;WACR,gBAAO,WAAP,C;QA3CyB,OA2CP,C;QA3CO,OA2CjB,W;;QA3CiB,OA4CjB,iB,OAAP,UAAO,C;QA5CiB,OA4CA,C;QA5CA,OA4CV,U;WACR,gBAAO,WAAP,C;QA7CyB,OA6CP,C;QA7CO,OA6CjB,W;;QA7CiB,OA8CjB,iB,OAAP,UAAO,C;QA9CiB,OA8CA,C;QA9CA,OA8CV,U;WACR,gBAAO,WAAP,C;QA/CyB,OA+CP,C;QA/CO,OA+CjB,W;;QA/CiB,OAgDjB,iB,OAAP,UAAO,C;QAhDiB,OAgDA,C;QAhDA,OAgDV,U;WACR,gBAAO,WAAP,C;QAjDyB,OAiDP,C;QAjDO,OAiDjB,W;;QAjDiB,OAkDjB,iB,OAAP,UAAO,C;QAlDiB,OAkDA,C;QAlDA,OAkDV,U;WACR,gBAAO,WAAP,C;QAnDyB,OAmDP,C;QAnDO,OAmDjB,W;;QAnDiB,OAoDjB,iB,OAAP,UAAO,C;QApDiB,OAoDA,C;QApDA,OAoDV,U;WACR,gBAAO,WAAP,C;QArDyB,OAqDP,C;QArDO,OAqDjB,W;;QArDiB,OAsDjB,iB,OAAP,UAAO,C;QAtDiB,OAsDA,C;QAtDA,OAsDV,U;WACR,gBAAO,WAAP,C;QAvDyB,OAuDP,C;QAvDO,OAuDjB,W;;QAvDiB,OAwDjB,iB,OAAP,UAAO,C;QAxDiB,OAwDA,C;QAxDA,OAwDV,U;WACR,gBAAO,WAAP,C;QAzDyB,OAyDP,C;QAzDO,OAyDjB,W;;QAzDiB,OA0DjB,iB,OAAP,UAAO,C;QA1DiB,OA0DA,C;QA1DA,OA0DV,U;WACR,gBAAO,WAAP,C;QA3DyB,OA2DP,C;QA3DO,OA2DjB,W;;QA3DiB,OA4DjB,iB,OAAP,UAAO,C;QA5DiB,OA4DA,C;QA5DA,OA4DV,U;WACR,gBAAO,WAAP,C;QA7DyB,OA6DP,C;QA7DO,OA6DjB,W;;QA7DiB,OA8DjB,iB,OAAP,UAAO,C;QA9DiB,OA8DA,C;QA9DA,OA8DV,U;WACR,gBAAO,WAAP,C;QA/DyB,OA+DP,C;QA/DO,OA+DjB,W;;QA/DiB,OAgEjB,iB,OAAP,UAAO,C;QAhEiB,OAgEA,C;QAhEA,OAgEV,U;WACR,gBAAO,WAAP,C;QAjEyB,OAiEP,C;QAjEO,OAiEjB,W;;QAjEiB,OAkEjB,iB,OAAP,UAAO,C;QAlEiB,OAkEA,C;QAlEA,OAkEV,U;WACR,gBAAO,WAAP,C;QAnEyB,OAmEP,C;QAnEO,OAmEjB,W;;QAnEiB,OAoEjB,iB,OAAP,UAAO,C;QApEiB,OAoEA,C;QApEA,OAoEV,U;WACR,gBAAO,WAAP,C;QArEyB,OAqEP,C;QArEO,OAqEjB,W;;QArEiB,OAsEjB,iB,OAAP,UAAO,C;QAtEiB,OAsEA,C;QAtEA,OAsEV,U;WACR,gBAAO,WAAP,C;QAvEyB,OAuEP,C;QAvEO,OAuEjB,W;;QAvEiB,OAwEjB,iB,OAAP,UAAO,C;QAxEiB,OAwEA,C;QAxEA,OAwEV,U;WACR,gBAAO,WAAP,C;QAzEyB,OAyEP,C;QAzEO,OAyEjB,W;;QAzEiB,OA0EjB,iB,OAAP,UAAO,C;QA1EiB,OA0EA,C;QA1EA,OA0EV,U;WACR,gBAAO,WAAP,C;QA3EyB,OA2EP,C;QA3EO,OA2EjB,W;;QA3EiB,OA4EjB,iB,OAAP,UAAO,C;QA5EiB,OA4EA,C;QA5EA,OA4EV,U;WACR,gBAAO,WAAP,C;QA7EyB,OA6EP,C;QA7EO,OA6EjB,W;;QA7EiB,OA8EjB,iB,OAAP,UAAO,C;QA9EiB,OA8EA,C;QA9EA,OA8EV,U;WACR,gBAAO,WAAP,C;QA/EyB,OA+EP,C;QA/EO,OA+EjB,W;;QA/EiB,OAgFjB,iB,OAAP,UAAO,C;QAhFiB,OAgFA,C;QAhFA,OAgFV,U;WACR,gBAAO,WAAP,C;QAjFyB,OAiFP,C;QAjFO,OAiFjB,W;;QAjFiB,OAkFjB,iB,OAAP,UAAO,C;QAlFiB,OAkFA,C;QAlFA,OAkFV,U;WACR,gBAAO,WAAP,C;QAnFyB,OAmFP,C;QAnFO,OAmFjB,W;;QAnFiB,OAoFjB,iB,OAAP,UAAO,C;QApFiB,OAoFA,C;QApFA,OAoFV,U;WACR,gBAAO,WAAP,C;QArFyB,OAqFP,C;QArFO,OAqFjB,W;;QArFiB,OAsFjB,iB,OAAP,UAAO,C;QAtFiB,OAsFA,C;QAtFA,OAsFV,U;WACR,gBAAO,WAAP,C;QAvFyB,OAuFP,C;QAvFO,OAuFjB,W;;QAvFiB,OAwFjB,iB,OAAP,UAAO,C;QAxFiB,OAwFA,C;QAxFA,OAwFV,U;WACR,gBAAO,WAAP,C;QAzFyB,OAyFP,C;QAzFO,OAyFjB,W;;QAzFiB,OA0FjB,iB,OAAP,UAAO,C;QA1FiB,OA0FA,C;QA1FA,OA0FV,U;WACR,gBAAO,WAAP,C;QA3FyB,OA2FP,C;QA3FO,OA2FjB,W;;QA3FiB,OA4FjB,iB,OAAP,UAAO,C;QA5FiB,OA4FA,C;QA5FA,OA4FV,U;WACR,gBAAO,WAAP,C;QA7FyB,OA6FP,C;QA7FO,OA6FjB,W;;QA7FiB,OA8FjB,iB,OAAP,UAAO,C;QA9FiB,OA8FA,C;QA9FA,OA8FV,U;WACR,gBAAO,WAAP,C;QA/FyB,OA+FP,C;QA/FO,OA+FjB,W;;QA/FiB,OAgGjB,iB,OAAP,UAAO,C;QAhGiB,OAgGA,C;QAhGA,OAgGV,U;WACR,gBAAO,WAAP,C;QAjGyB,OAiGP,C;QAjGO,OAiGjB,W;;QAjGiB,OAkGjB,iB,OAAP,UAAO,C;QAlGiB,OAkGA,C;QAlGA,OAkGV,U;WACR,gBAAO,WAAP,C;QAnGyB,OAmGP,C;QAnGO,OAmGjB,W;;QAnGiB,OAoGjB,iB,OAAP,UAAO,C;QApGiB,OAoGA,C;QApGA,OAoGV,U;WACR,gBAAO,WAAP,C;QArGyB,OAqGP,C;QArGO,OAqGjB,W;;QArGiB,OAsGjB,iB,OAAP,UAAO,C;QAtGiB,OAsGA,C;QAtGA,OAsGV,U;WACR,gBAAO,WAAP,C;QAvGyB,OAuGP,C;QAvGO,OAuGjB,W;;QAvGiB,OAwGjB,iB,OAAP,UAAO,C;QAxGiB,OAwGA,C;QAxGA,OAwGV,U;WACR,gBAAO,WAAP,C;QAzGyB,OAyGP,C;QAzGO,OAyGjB,W;;QAzGiB,OA0GjB,iB,OAAP,UAAO,C;QA1GiB,OA0GA,C;QA1GA,OA0GV,U;WACR,gBAAO,WAAP,C;QA3GyB,OA2GP,C;QA3GO,OA2GjB,W;;QA3GiB,OA4GjB,iB,OAAP,UAAO,C;QA5GiB,OA4GA,C;QA5GA,OA4GV,U;WACR,gBAAO,WAAP,C;QA7GyB,OA6GP,C;QA7GO,OA6GjB,W;;QA7GiB,OA8GjB,iB,OAAP,UAAO,C;QA9GiB,OA8GA,C;QA9GA,OA8GV,U;WACR,gBAAO,WAAP,C;QA/GyB,OA+GP,C;QA/GO,OA+GjB,W;;QA/GiB,OAgHjB,iB,OAAP,UAAO,C;QAhHiB,OAgHA,C;QAhHA,OAgHV,U;WACR,gBAAO,WAAP,C;QAjHyB,OAiHP,C;QAjHO,OAiHjB,W;;QAjHiB,OAkHjB,iB,OAAP,UAAO,C;QAlHiB,OAkHA,C;QAlHA,OAkHV,U;WACR,gBAAO,WAAP,C;QAnHyB,OAmHP,C;QAnHO,OAmHjB,W;;QAnHiB,OAoHjB,iB,OAAP,UAAO,C;QApHiB,OAoHA,C;QApHA,OAoHV,U;WACR,gBAAO,WAAP,C;QArHyB,OAqHP,C;QArHO,OAqHjB,W;;QArHiB,OAsHjB,iB,OAAP,UAAO,C;QAtHiB,OAsHA,C;QAtHA,OAsHV,U;WACR,gBAAO,WAAP,C;QAvHyB,OAuHP,C;QAvHO,OAuHjB,W;;QAvHiB,OAwHjB,iB,OAAP,UAAO,C;QAxHiB,OAwHA,C;QAxHA,OAwHV,U;WACR,gBAAO,WAAP,C;QAzHyB,OAyHP,C;QAzHO,OAyHjB,W;;QAzHiB,OA0HjB,iB,OAAP,UAAO,C;QA1HiB,OA0HA,C;QA1HA,OA0HV,U;WACR,gBAAO,WAAP,C;QA3HyB,OA2HP,C;QA3HO,OA2HjB,W;;QA3HiB,OA4HjB,iB,OAAP,UAAO,C;QA5HiB,OA4HA,C;QA5HA,OA4HV,U;WACR,gBAAO,WAAP,C;QA7HyB,OA6HP,C;QA7HO,OA6HjB,W;;QA7HiB,OA8HjB,iB,OAAP,UAAO,C;QA9HiB,OA8HA,C;QA9HA,OA8HV,U;WACR,gBAAO,WAAP,C;QA/HyB,OA+HP,C;QA/HO,OA+HjB,W;;QA/HiB,OAgIjB,iB,OAAP,UAAO,C;QAhIiB,OAgIA,C;QAhIA,OAgIV,U;WACR,gBAAO,WAAP,C;QAjIyB,OAiIP,C;QAjIO,OAiIjB,W;;QAjIiB,OAkIjB,iB,OAAP,UAAO,C;QAlIiB,OAkIA,C;QAlIA,OAkIV,U;WACR,gBAAO,WAAP,C;QAnIyB,OAmIP,C;QAnIO,OAmIjB,W;;QAnIiB,OAoIjB,iB,OAAP,UAAO,C;QApIiB,OAoIA,C;QApIA,OAoIV,U;WACR,gBAAO,WAAP,C;QArIyB,OAqIP,C;QArIO,OAqIjB,W;;QArIiB,OAsIjB,iB,OAAP,UAAO,C;QAtIiB,OAsIA,C;QAtIA,OAsIV,U;WACR,gBAAO,WAAP,C;QAvIyB,OAuIP,C;QAvIO,OAuIjB,W;;QAvIiB,OAwIjB,iB,OAAP,UAAO,C;QAxIiB,OAwIA,C;QAxIA,OAwIV,U;WACR,gBAAO,WAAP,C;QAzIyB,OAyIP,C;QAzIO,OAyIjB,W;;QAzIiB,OA0IjB,iB,OAAP,UAAO,C;QA1IiB,OA0IA,C;QA1IA,OA0IV,U;WACR,gBAAO,WAAP,C;QA3IyB,OA2IP,C;QA3IO,OA2IjB,W;;QA3IiB,OA4IjB,iB,OAAP,UAAO,C;QA5IiB,OA4IA,C;QA5IA,OA4IV,U;WACR,gBAAO,WAAP,C;QA7IyB,OA6IP,C;QA7IO,OA6IjB,W;;QA7IiB,OA8IjB,iB,OAAP,UAAO,C;QA9IiB,OA8IA,C;QA9IA,OA8IV,U;WACR,gBAAO,WAAP,C;QA/IyB,OA+IP,C;QA/IO,OA+IjB,W;;QA/IiB,OAgJjB,iB,OAAP,UAAO,C;QAhJiB,OAgJA,C;QAhJA,OAgJV,U;WACR,gBAAO,WAAP,C;QAjJyB,OAiJP,C;QAjJO,OAiJjB,W;;QAjJiB,OAkJjB,iB,OAAP,UAAO,C;QAlJiB,OAkJA,C;QAlJA,OAkJV,U;WACR,gBAAO,WAAP,C;QAnJyB,OAmJP,C;QAnJO,OAmJjB,W;;QAnJiB,OAoJjB,iB,OAAP,UAAO,C;QApJiB,OAoJA,C;QApJA,OAoJV,U;WACR,gBAAO,WAAP,C;QArJyB,OAqJP,C;QArJO,OAqJjB,W;;QArJiB,OAsJjB,iB,OAAP,UAAO,C;QAtJiB,OAsJA,C;QAtJA,OAsJV,U;WACR,gBAAO,WAAP,C;QAvJyB,OAuJP,C;QAvJO,OAuJjB,W;;QAvJiB,OAwJjB,iB,OAAP,UAAO,C;QAxJiB,OAwJA,C;QAxJA,OAwJV,U;WACR,gBAAO,WAAP,C;QAzJyB,OAyJP,C;QAzJO,OAyJjB,W;;QAzJiB,OA0JjB,iB,OAAP,UAAO,C;QA1JiB,OA0JA,C;QA1JA,OA0JV,U;WACR,gBAAO,WAAP,C;QA3JyB,OA2JP,C;QA3JO,OA2JjB,W;;QA3JiB,OA4JjB,iB,OAAP,UAAO,C;QA5JiB,OA4JA,C;QA5JA,OA4JV,U;WACR,gBAAO,WAAP,C;QA7JyB,OA6JP,C;QA7JO,OA6JjB,W;;QA7JiB,OA8JjB,iB,OAAP,UAAO,C;QA9JiB,OA8JA,C;QA9JA,OA8JV,U;WACR,gBAAO,WAAP,C;QA/JyB,OA+JP,C;QA/JO,OA+JjB,W;;QA/JiB,OAgKjB,iB,OAAP,UAAO,C;QAhKiB,OAgKA,C;QAhKA,OAgKV,U;WACR,gBAAO,WAAP,C;QAjKyB,OAiKP,C;QAjKO,OAiKjB,W;;QAjKiB,OAkKjB,iB,OAAP,UAAO,C;QAlKiB,OAkKA,C;QAlKA,OAkKV,U;WACR,gBAAO,WAAP,C;QAnKyB,OAmKP,C;QAnKO,OAmKjB,W;;QAnKiB,OAoKjB,iB,OAAP,UAAO,C;QApKiB,OAoKA,C;QApKA,OAoKV,U;WACR,gBAAO,WAAP,C;QArKyB,OAqKP,C;QArKO,OAqKjB,W;;QArKiB,OAsKjB,iB,OAAP,UAAO,C;QAtKiB,OAsKA,C;QAtKA,OAsKV,U;WACR,gBAAO,WAAP,C;QAvKyB,OAuKP,C;QAvKO,OAuKjB,W;;QAvKiB,OAwKjB,iB,OAAP,UAAO,C;QAxKiB,OAwKA,C;QAxKA,OAwKV,U;WACR,gBAAO,WAAP,C;QAzKyB,OAyKP,C;QAzKO,OAyKjB,W;;QAzKiB,OA0KjB,iB,OAAP,UAAO,C;QA1KiB,OA0KA,C;QA1KA,OA0KV,U;WACR,gBAAO,WAAP,C;QA3KyB,OA2KP,C;QA3KO,OA2KjB,W;;QA3KiB,OA4KjB,iB,OAAP,UAAO,C;QA5KiB,OA4KA,C;QA5KA,OA4KV,U;WACR,gBAAO,WAAP,C;QA7KyB,OA6KP,C;QA7KO,OA6KjB,W;;QA7KiB,OA8KjB,iB,OAAP,UAAO,C;QA9KiB,OA8KA,C;QA9KA,OA8KV,U;WACR,gBAAO,WAAP,C;QA/KyB,OA+KP,C;QA/KO,OA+KjB,W;;QA/KiB,OAgLjB,iB,OAAP,UAAO,C;QAhLiB,OAgLA,C;QAhLA,OAgLV,U;WACR,gBAAO,WAAP,C;QAjLyB,OAiLP,C;QAjLO,OAiLjB,W;;QAjLiB,OAkLjB,iB,OAAP,UAAO,C;QAlLiB,OAkLA,C;QAlLA,OAkLV,U;WACR,gBAAO,WAAP,C;QAnLyB,OAmLP,C;QAnLO,OAmLjB,W;;QAnLiB,OAoLjB,iB,OAAP,UAAO,C;QApLiB,OAoLA,C;QApLA,OAoLV,U;WACR,gBAAO,WAAP,C;QArLyB,OAqLP,C;QArLO,OAqLjB,W;;QArLiB,OAsLjB,iB,OAAP,UAAO,C;QAtLiB,OAsLA,C;QAtLA,OAsLV,U;WACR,gBAAO,WAAP,C;QAvLyB,OAuLP,C;QAvLO,OAuLjB,W;;QAvLiB,OAwLjB,iB,OAAP,UAAO,C;QAxLiB,OAwLA,C;QAxLA,OAwLV,U;WACR,gBAAO,WAAP,C;QAzLyB,OAyLP,C;QAzLO,OAyLjB,W;;QAzLiB,OA0LjB,iB,OAAP,UAAO,C;QA1LiB,OA0LA,C;QA1LA,OA0LV,U;WACR,gBAAO,WAAP,C;QA3LyB,OA2LP,C;QA3LO,OA2LjB,W;;QA3LiB,OA4LjB,iB,OAAP,UAAO,C;QA5LiB,OA4LA,C;QA5LA,OA4LV,U;WACR,gBAAO,WAAP,C;QA7LyB,OA6LP,C;QA7LO,OA6LjB,W;;QA7LiB,OA8LjB,iB,OAAP,UAAO,C;QA9LiB,OA8LA,C;QA9LA,OA8LV,U;WACR,gBAAO,WAAP,C;QA/LyB,OA+LP,C;QA/LO,OA+LjB,W;;QA/LiB,OAgMjB,iB,OAAP,UAAO,C;QAhMiB,OAgMA,C;QAhMA,OAgMV,U;WACR,gBAAO,WAAP,C;QAjMyB,OAiMP,C;QAjMO,OAiMjB,W;;QAjMiB,OAkMjB,iB,OAAP,UAAO,C;QAlMiB,OAkMA,C;QAlMA,OAkMV,U;WACR,gBAAO,WAAP,C;QAnMyB,OAmMP,C;QAnMO,OAmMjB,W;;QAnMiB,OAoMjB,iB,OAAP,UAAO,C;QApMiB,OAoMA,C;QApMA,OAoMV,U;WACR,gBAAO,WAAP,C;QArMyB,OAqMP,C;QArMO,OAqMjB,W;;QArMiB,OAsMjB,iB,OAAP,UAAO,C;QAtMiB,OAsMA,C;QAtMA,OAsMV,U;WACR,gBAAO,WAAP,C;QAvMyB,OAuMP,C;QAvMO,OAuMjB,W;;QAvMiB,OAwMjB,iB,OAAP,UAAO,C;QAxMiB,OAwMA,C;QAxMA,OAwMV,U;WACR,gBAAO,WAAP,C;QAzMyB,OAyMP,C;QAzMO,OAyMjB,W;;QAzMiB,OA0MjB,iB,OAAP,UAAO,C;QA1MiB,OA0MA,C;QA1MA,OA0MV,U;WACR,gBAAO,WAAP,C;QA3MyB,OA2MP,C;QA3MO,OA2MjB,W;;QA3MiB,OA4MjB,iB,OAAP,UAAO,C;QA5MiB,OA4MA,C;QA5MA,OA4MV,U;WACR,gBAAO,WAAP,C;QA7MyB,OA6MP,C;QA7MO,OA6MjB,W;;QA7MiB,OA8MjB,iB,OAAP,UAAO,C;QA9MiB,OA8MA,C;QA9MA,OA8MV,U;WACR,gBAAO,WAAP,C;QA/MyB,OA+MP,C;QA/MO,OA+MjB,W;;QA/MiB,OAgNjB,iB,OAAP,UAAO,C;QAhNiB,OAgNA,C;QAhNA,OAgNV,U;WACR,gBAAO,WAAP,C;QAjNyB,OAiNP,C;QAjNO,OAiNjB,W;;QAjNiB,OAkNjB,iB,OAAP,UAAO,C;QAlNiB,OAkNA,C;QAlNA,OAkNV,U;WACR,gBAAO,WAAP,C;QAnNyB,OAmNP,C;QAnNO,OAmNjB,W;;QAnNiB,OAoNjB,iB,OAAP,UAAO,C;QApNiB,OAoNA,C;QApNA,OAoNV,U;WACR,gBAAO,WAAP,C;QArNyB,OAqNP,C;QArNO,OAqNjB,W;;QArNiB,OAsNjB,iB,OAAP,UAAO,C;QAtNiB,OAsNA,C;QAtNA,OAsNV,U;WACR,gBAAO,WAAP,C;QAvNyB,OAuNP,C;QAvNO,OAuNjB,W;;QAvNiB,OAwNjB,iB,OAAP,UAAO,C;QAxNiB,OAwNA,C;QAxNA,OAwNV,U;WACR,gBAAO,WAAP,C;QAzNyB,OAyNP,C;QAzNO,OAyNjB,W;;QAzNiB,OA0NjB,iB,OAAP,UAAO,C;QA1NiB,OA0NA,C;QA1NA,OA0NV,U;WACR,gBAAO,WAAP,C;QA3NyB,OA2NP,C;QA3NO,OA2NjB,W;;QA3NiB,OA4NjB,iB,OAAP,UAAO,C;QA5NiB,OA4NA,C;QA5NA,OA4NV,U;WACR,gBAAO,WAAP,C;QA7NyB,OA6NP,C;QA7NO,OA6NjB,W;;QA7NiB,OA8NjB,iB,OAAP,UAAO,C;QA9NiB,OA8NA,C;QA9NA,OA8NV,U;WACR,gBAAO,WAAP,C;QA/NyB,OA+NP,C;QA/NO,OA+NjB,W;;QA/NiB,OAgOjB,iB,OAAP,UAAO,C;QAhOiB,OAgOA,C;QAhOA,OAgOV,U;WACR,gBAAO,WAAP,C;QAjOyB,OAiOP,C;QAjOO,OAiOjB,W;;QAjOiB,OAkOjB,iB,OAAP,UAAO,C;QAlOiB,OAkOA,C;QAlOA,OAkOV,U;WACR,gBAAO,WAAP,C;QAnOyB,OAmOP,C;QAnOO,OAmOjB,W;;QAnOiB,OAoOjB,iB,OAAP,UAAO,C;QApOiB,OAoOA,C;QApOA,OAoOV,U;WACR,gBAAO,WAAP,C;QArOyB,OAqOP,C;QArOO,OAqOjB,W;;QArOiB,OAsOjB,iB,OAAP,UAAO,C;QAtOiB,OAsOA,C;QAtOA,OAsOV,U;WACR,gBAAO,WAAP,C;QAvOyB,OAuOP,C;QAvOO,OAuOjB,W;;QAvOiB,OAwOjB,iB,OAAP,UAAO,C;QAxOiB,OAwOA,C;QAxOA,OAwOV,U;WACR,gBAAO,WAAP,C;QAzOyB,OAyOP,C;QAzOO,OAyOjB,W;;QAzOiB,OA0OjB,iB,OAAP,UAAO,C;QA1OiB,OA0OA,C;QA1OA,OA0OV,U;WACR,gBAAO,WAAP,C;QA3OyB,OA2OP,C;QA3OO,OA2OjB,W;;QA3OiB,OA4OjB,iB,OAAP,UAAO,C;QA5OiB,OA4OA,C;QA5OA,OA4OV,U;WACR,gBAAO,WAAP,C;QA7OyB,OA6OP,C;QA7OO,OA6OjB,W;;QA7OiB,OA8OjB,iB,OAAP,UAAO,C;QA9OiB,OA8OA,C;QA9OA,OA8OV,U;WACR,gBAAO,WAAP,C;QA/OyB,OA+OP,C;QA/OO,OA+OjB,W;;QA/OiB,OAgPjB,iB,OAAP,UAAO,C;QAhPiB,OAgPA,C;QAhPA,OAgPV,U;WACR,gBAAO,WAAP,C;QAjPyB,OAiPP,C;QAjPO,OAiPjB,W;;QAjPiB,OAkPjB,iB,OAAP,UAAO,C;QAlPiB,OAkPA,C;QAlPA,OAkPV,U;WACR,gBAAO,WAAP,C;QAnPyB,OAmPP,C;QAnPO,OAmPjB,W;;QAnPiB,OAoPjB,iB,OAAP,UAAO,C;QApPiB,OAoPA,C;QApPA,OAoPV,U;WACR,gBAAO,WAAP,C;QArPyB,OAqPP,C;QArPO,OAqPjB,W;;QArPiB,OAsPjB,iB,OAAP,UAAO,C;QAtPiB,OAsPA,C;QAtPA,OAsPV,U;WACR,gBAAO,WAAP,C;QAvPyB,OAuPP,C;QAvPO,OAuPjB,W;;QAvPiB,OAwPjB,iB,OAAP,UAAO,C;QAxPiB,OAwPA,C;QAxPA,OAwPV,U;WACR,gBAAO,WAAP,C;QAzPyB,OAyPP,C;QAzPO,OAyPjB,W;;QAzPiB,OA0PjB,iB,OAAP,UAAO,C;QA1PiB,OA0PA,C;QA1PA,OA0PV,U;WACR,gBAAO,WAAP,C;QA3PyB,OA2PP,C;QA3PO,OA2PjB,W;;QA3PiB,OA4PjB,iB,OAAP,UAAO,C;QA5PiB,OA4PA,C;QA5PA,OA4PV,U;WACR,gBAAO,WAAP,C;QA7PyB,OA6PP,C;QA7PO,OA6PjB,W;;QA7PiB,OA8PjB,iB,OAAP,UAAO,C;QA9PiB,OA8PA,C;QA9PA,OA8PV,U;WACR,gBAAO,WAAP,C;QA/PyB,OA+PP,C;QA/PO,OA+PjB,W;;QA/PiB,OAgQjB,iB,OAAP,UAAO,C;QAhQiB,OAgQA,C;QAhQA,OAgQV,U;WACR,gBAAO,WAAP,C;QAjQyB,OAiQP,C;QAjQO,OAiQjB,W;;QAjQiB,OAkQjB,iB,OAAP,UAAO,C;QAlQiB,OAkQA,C;QAlQA,OAkQV,U;WACR,gBAAO,WAAP,C;QAnQyB,OAmQP,C;QAnQO,OAmQjB,W;;QAnQiB,OAoQjB,iB,OAAP,UAAO,C;QApQiB,OAoQA,C;QApQA,OAoQV,U;WACR,gBAAO,WAAP,C;QArQyB,OAqQP,C;QArQO,OAqQjB,W;;QArQiB,OAsQjB,iB,OAAP,UAAO,C;QAtQiB,OAsQA,C;QAtQA,OAsQV,U;WACR,gBAAO,WAAP,C;QAvQyB,OAuQP,C;QAvQO,OAuQjB,W;;QAvQiB,OAwQjB,iB,OAAP,UAAO,C;QAxQiB,OAwQA,C;QAxQA,OAwQV,U;WACR,gBAAO,WAAP,C;QAzQyB,OAyQP,C;QAzQO,OAyQjB,W;;QAzQiB,OA0QjB,iB,OAAP,UAAO,C;QA1QiB,OA0QA,C;QA1QA,OA0QV,U;WACR,gBAAO,WAAP,C;QA3QyB,OA2QP,C;QA3QO,OA2QjB,W;;QA3QiB,OA4QjB,iB,OAAP,UAAO,C;QA5QiB,OA4QA,C;QA5QA,OA4QV,U;WACR,gBAAO,WAAP,C;QA7QyB,OA6QP,C;QA7QO,OA6QjB,W;;QA7QiB,OA8QjB,iB,OAAP,UAAO,C;QA9QiB,OA8QA,C;QA9QA,OA8QV,U;WACR,gBAAO,WAAP,C;QA/QyB,OA+QP,C;QA/QO,OA+QjB,W;;QA/QiB,OAgRjB,iB,OAAP,UAAO,C;QAhRiB,OAgRA,C;QAhRA,OAgRV,U;WACR,gBAAO,WAAP,C;QAjRyB,OAiRP,C;QAjRO,OAiRjB,W;;QAjRiB,OAkRjB,iB,OAAP,UAAO,C;QAlRiB,OAkRA,C;QAlRA,OAkRV,U;WACR,gBAAO,WAAP,C;QAnRyB,OAmRP,C;QAnRO,OAmRjB,W;;QAnRiB,OAoRjB,iB,OAAP,UAAO,C;QApRiB,OAoRA,C;QApRA,OAoRV,U;WACR,gBAAO,WAAP,C;QArRyB,OAqRP,C;QArRO,OAqRjB,W;;QArRiB,OAsRjB,iB,OAAP,UAAO,C;QAtRiB,OAsRA,C;QAtRA,OAsRV,U;WACR,gBAAO,WAAP,C;QAvRyB,OAuRP,C;QAvRO,OAuRjB,W;;QAvRiB,OAwRjB,iB,OAAP,UAAO,C;QAxRiB,OAwRA,C;QAxRA,OAwRV,U;WACR,gBAAO,WAAP,C;QAzRyB,OAyRP,C;QAzRO,OAyRjB,W;;QAzRiB,OA0RjB,iB,OAAP,UAAO,C;QA1RiB,OA0RA,C;QA1RA,OA0RV,U;WACR,gBAAO,WAAP,C;QA3RyB,OA2RP,C;QA3RO,OA2RjB,W;;QA3RiB,OA4RjB,iB,OAAP,UAAO,C;QA5RiB,OA4RA,C;QA5RA,OA4RV,U;WACR,gBAAO,WAAP,C;QA7RyB,OA6RP,C;QA7RO,OA6RjB,W;;QA7RiB,OA8RjB,iB,OAAP,UAAO,C;QA9RiB,OA8RA,C;QA9RA,OA8RV,U;WACR,gBAAO,WAAP,C;QA/RyB,OA+RP,C;QA/RO,OA+RjB,W;;QA/RiB,OAgSjB,iB,OAAP,UAAO,C;QAhSiB,OAgSA,C;QAhSA,OAgSV,U;WACR,gBAAO,WAAP,C;QAjSyB,OAiSP,C;QAjSO,OAiSjB,W;;QAjSiB,OAkSjB,iB,OAAP,UAAO,C;QAlSiB,OAkSA,C;QAlSA,OAkSV,U;WACR,gBAAO,WAAP,C;QAnSyB,OAmSP,C;QAnSO,OAmSjB,W;;QAnSiB,OAoSjB,iB,OAAP,UAAO,C;QApSiB,OAoSA,C;QApSA,OAoSV,U;WACR,gBAAO,WAAP,C;QArSyB,OAqSP,C;QArSO,OAqSjB,W;;QArSiB,OAsSjB,iB,OAAP,UAAO,C;QAtSiB,OAsSA,C;QAtSA,OAsSV,U;WACR,gBAAO,WAAP,C;QAvSyB,OAuSP,C;QAvSO,OAuSjB,W;;QAvSiB,OAwSjB,iB,OAAP,UAAO,C;QAxSiB,OAwSA,C;QAxSA,OAwSV,U;WACR,gBAAO,WAAP,C;QAzSyB,OAySP,C;QAzSO,OAySjB,W;;QAzSiB,OA0SjB,iB,OAAP,UAAO,C;QA1SiB,OA0SA,C;QA1SA,OA0SV,U;WACR,gBAAO,WAAP,C;QA3SyB,OA2SP,C;QA3SO,OA2SjB,W;;QA3SiB,OA4SjB,

MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CA
AC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAA
C,IAAM,UAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAA
E,KAAK,CAAP,GAAc,SAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,SApC
,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAc,QApC,K;MACJ,IAAI,CAAC,IAAM,
KAAP,KAAsB,CAAE,KAAK,EAA7B,B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAM2D,OAAA,
MAAO,OAAM,SAAN,C;O;KANlE,C;IAQA,0C;MAOI,YATuD,MAAO,OAS9B,EAAf,aAAQ,CAAC,SAAD,IAA
R,CAAe,CAT8B,CAS9D,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,GAAe,CAAf,GAAsB,CAAE,KAAK,CAAP,GAAc,IAAJ,EAAU,GAAlB,B
+B,MAAO,iB;K;IAoBlE,qC;MAQI,oBAAS,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAAI,oBAAI,QAAJ,GAAiB,QAAjB,GAAsB,CAAE,KAAK,CAAP,GAAc,IAAJ,EAAU,GAAlB,cAA
K,EAAL,GAAqB,B,Q;K;IAG1C,0C;MAAI,oBAAI,EAAJ,GAAS,GAAT,oB,QAAsB,B,GAAtB,C,cAAK,Q;K;IAG1C,mC;MAMI,O
AAK,alDhEmD,uBkDgEnD,CAAL,GAA0B,alDjE6B,sBkDiE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,SlDxEuC,
c;MkDyEpD,e;QADJ,OACS,KA7E8C,MAAO,OlDGP,sBkDHO,CA6ErD,I;;QADT,OA5EuD,MAAO,OA8ElD,IA9
EkD,C;;K;IAiFlE,4C;MAMU,UAAU,SlDpFuC,a;MkDqFnD,c;QADJ,OACS,KAAqB,sBlDpF0B,uBkDoF1B,CAAr
B,I;;QADT,OAEgB,sBAAJ,GAAI,C;K;IAGpB,wC;MAOU,WAAW,SlD/FuC,c;MkDgGpD,e;QAAK,UAAS,kBlDj
GqC,sBkDiGrC,C;QADlB,OlDjG4C,MAAa,KAAK,UAAS,GAAT,EkDkGvB,ClDlGuB,C;;QkDmGlD,aAAa,kBA
AL,IAAK,C;QAFzB,OlDjG4C,MAAa,KAAK,UkDmG7C,ClDnG6C,EAAc,MAAd,C;;K;IkDsGlE,uC;MAOU,UA
AU,SlD5GuC,a;MkD6GnD,c;QAAK,WAAa,iBlD5GkC,uBkD4GlC,C;QADtB,OlD7G4C,MAAa,KAAK,UkD8Gh
D,ClD9GgD,EAAc,IAAd,C;;QkD+GlD,YAAS,iBAAJ,GAAI,C;QAFrB,OlD7G4C,MAAa,KAAK,UAAS,KAAT,E
kD+GrB,ClD/GqB,C;;K;IkDkHlE,2C;MAAI,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD/Hy
C,a;QkDgInD,WAAW,SlD/HyC,c;QkDgIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDhIyC,a;QkDiInD,WAAW,SlDhIyC,c;QkDiIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDjIyC,a;QkDkInD,WAAW,SlDjIyC,c;QkDkIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDlIyC,a;QkDmInD,WAAW,SlDlIyC,c;QkDmIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDnIyC,a;QkDoInD,WAAW,SlDnIyC,c;QkDoIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDpIyC,a;QkDqInD,WAAW,SlDpIyC,c;QkDqIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDrIyC,a;QkDsInD,WAAW,SlDrIyC,c;QkDsIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDtIyC,a;QkDuInD,WAAW,SlDtIyC,c;QkDuIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDvIyC,a;QkDwInD,WAAW,SlDvIyC,c;QkDwIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDxIyC,a;QkDyInD,WAAW,SlDxIyC,c;QkDyIpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDzIyC,a;QkD0InD,WAAW,SlDzIyC,c;QkD0IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD1IyC,a;QkD2InD,WAAW,SlD1IyC,c;QkD2IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD3IyC,a;QkD4InD,WAAW,SlD3IyC,c;QkD4IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD5IyC,a;QkD6InD,WAAW,SlD5IyC,c;QkD6IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD7IyC,a;QkD8InD,WAAW,SlD7IyC,c;QkD8IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD8IyC,a;QkD9InD,WAAW,SlD8IyC,c;QkD9IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD+IyC,a;QkD/InD,WAAW,SlD+IyC,c;QkD/IpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDgJyC,a;QkDhJnD,WAAW,SlDgJyC,c;QkDhJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDiJyC,a;QkDjJnD,WAAW,SlDiJyC,c;QkDjJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDkJyC,a;QkDlJnD,WAAW,SlDkJyC,c;QkDlJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDmJyC,a;QkDnJnD,WAAW,SlDmJyC,c;QkDnJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDoJyC,a;QkDpJnD,WAAW,SlDoJyC,c;QkDpJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDqJyC,a;QkDrJnD,WAAW,SlDqJyC,c;QkDrJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDsJyC,a;QkDtJnD,WAAW,SlDsJyC,c;QkDtJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDuJyC,a;QkDvJnD,WAAW,SlDuJyC,c;QkDvJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDwJyC,a;QkDxJnD,WAAW,SlDwJyC,c;QkDxJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDyJyC,a;QkDzJnD,WAAW,SlDyJyC,c;QkDzJpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD0JyC,a;QkD1JnD,WAAW,SlD0JyC,c;QkD1JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD2JyC,a;QkD3JnD,WAAW,SlD2JyC,c;QkD3JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD4JyC,a;QkD5JnD,WAAW,SlD4JyC,c;QkD5JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD6JyC,a;QkD7JnD,WAAW,SlD6JyC,c;QkD7JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD8JyC,a;QkD9JnD,WAAW,SlD8JyC,c;QkD9JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD+JyC,a;QkD/JnD,WAAW,SlD+JyC,c;QkD/JpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDgKyC,a;QkDhKnD,WAAW,SlDgKyC,c;QkDhKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDiKyC,a;QkDjKnD,WAAW,SlDiKyC,c;QkDjKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDkKyC,a;QkDlKnD,WAAW,SlDkKyC,c;QkDlKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDmKyC,a;QkDnKnD,WAAW,SlDmKyC,c;QkDnKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDoKyC,a;QkDpKnD,WAAW,SlDoKyC,c;QkDpKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDqKyC,a;QkDrKnD,WAAW,SlDqKyC,c;QkDrKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDsKyC,a;QkDtKnD,WAAW,SlDsKyC,c;QkDtKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDuKyC,a;QkDvKnD,WAAW,SlDuKyC,c;QkDvKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDwKyC,a;QkDxKnD,WAAW,SlDwKyC,c;QkDxKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDyKyC,a;QkDzKnD,WAAW,SlDyKyC,c;QkDzKpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD0KyC,a;QkD1KnD,WAAW,SlD0KyC,c;QkD1KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD2KyC,a;QkD3KnD,WAAW,SlD2KyC,c;QkD3KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD4KyC,a;QkD5KnD,WAAW,SlD4KyC,c;QkD5KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD6KyC,a;QkD7KnD,WAAW,SlD6KyC,c;QkD7KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD8KyC,a;QkD9KnD,WAAW,SlD8KyC,c;QkD9KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD+KyC,a;QkD/KnD,WAAW,SlD+KyC,c;QkD/KpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDgLyC,a;QkDhLnD,WAAW,SlDgLyC,c;QkDhLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDiLyC,a;QkDjLnD,WAAW,SlDiLyC,c;QkDjLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDkLyC,a;QkDlLnD,WAAW,SlDkLyC,c;QkDlLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDmLyC,a;QkDnLnD,WAAW,SlDmLyC,c;QkDnLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDoLyC,a;QkDpLnD,WAAW,SlDoLyC,c;QkDpLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDqLyC,a;QkDrLnD,WAAW,SlDqLyC,c;QkDrLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDsLyC,a;QkDtLnD,WAAW,SlDsLyC,c;QkDtLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDuLyC,a;QkDvLnD,WAAW,SlDuLyC,c;QkDvLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDwLyC,a;QkDxLnD,WAAW,SlDwLyC,c;QkDxLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDyLyC,a;QkDzLnD,WAAW,SlDyLyC,c;QkDzLpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD0LyC,a;QkD1LnD,WAAW,SlD0LyC,c;QkD1LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD2LyC,a;QkD3LnD,WAAW,SlD2LyC,c;QkD3LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD4LyC,a;QkD5LnD,WAAW,SlD4LyC,c;QkD5LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD6LyC,a;QkD7LnD,WAAW,SlD6LyC,c;QkD7LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD8LyC,a;QkD9LnD,WAAW,SlD8LyC,c;QkD9LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlD+LyC,a;QkD/LnD,WAAW,SlD+LyC,c;QkD/LpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDgMyC,a;QkDhMnD,WAAW,SlDgMyC,c;QkDhMpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDiMyC,a;QkDjMnD,WAAW,SlDiMyC,c;QkDjMpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDkMyC,a;QkDlMnD,WAAW,SlDkMyC,c;QkDlMpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDmMyC,a;QkDnMnD,WAAW,SlDmMyC,c;QkDnMpD,aAAa,GAAI,IAAI,QAAR,GAAqB,IAAK,MAAK,CAAC,QAAD,IAAA
L,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAtB,SAAsB,CAAC,QAAD,IAAL,L,C;QACxC,OAAW,CAAC,W
AAa,EAAd,MAAqB,CAAzB,C;QACI,UAAU,SlDoMyC,a;QkDpMnD,WAAW,SlDoMyC,c;QkDpMpD,aAA

K;kEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;iCAEA,iB;MACI,0CACQ,wBAAc,KAAM,WAApB,CADR,IAC0C,uBAAa,KAAM,UAAnB,CAD1C,IAC0E,0BAAoB,KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,eAAW,CAAX,GAAwB,EAAAxB,QAAAuC,SAAV,cAAU,CAAAvC,IAAAwC,IAAAsD,EAAAtD,QAAA4E,SAAAjB,qBAAAiB,CAAA5E,IAAA,I;K;mCAEJ,Y;MACkB,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAAW,W;WAC7B,IAAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,5B;MAHZ,2B;MAMA,WACQ,cAAU,UAAd,GAAyB,EAAzB,cAAyB,EAAzB,EAAA,IAAA,EAAA,mB,GAAA,EAAA,EAAA,E

AAY,KAAZ,C;K;2EAElE,qB;MAI8D,gB;K;IClDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB
;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;;MAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;;;;;I
CLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAEI,qEAGW,CA
HX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,
iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MAKA,yEAGa,CAHb,EAGgB,I
AHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,IAHlB,C;MAKA,6FAGuB,CA
HvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc,EAHd,EAGkB,IAHlB,C;MA
KA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,8EAGe,EAHf,EAGmB,I
AHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EAGY,IAHZ,C;MAKA,8DAGO,E
AHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,EAHV,EAGc,IAHd,C;MAKA,k
FAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHlB,EAGsB,IAHtB,C;MAKA,gFAGgB,EAHhB,EAGoB,I
AHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHlB,EAGsB,IAHtB,C;MAKA,wEAGY,
EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,
C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH9B,C;MAKA,gGAGwB,EAHxB
,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA
,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;
MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,2D;M
AAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB;MAAA,0C;K;;IAKA,iD;MAA
A,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;MAAA,2C;K;;IAKA,wD;MAAA,
yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAAA,mC;K;;IAKA,gD;MAAA,yB;
MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,sD;MAAA,yB;MA
AA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD;K;;IAKA,sD;MAAA,yB;MAAA,
8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,oD;MAAA,yB;MAAA,4C;
K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAKA,4D;MAAA,yB;MAAA,oD;K;8
CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;MAAA,sC;K;uDACI,oB;MAEQ,I
ADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS,QAAT,C;WACZ,IAFE,QAEF,IA
AG,EAAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,IAAT,C;;QACL,MAAM,gCAAyB
,eAAY,QAAZ,qBAAzB,C;K;;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7JJ,+B;MAAA,+yC
;K;;IAAA,oC;MAAA,a;aAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aAAA,kB;UAAA,kD;aA
AA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;aAAA,wB;UAAA,wD;aAAA,sB
;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,gB;UAAA,gD;aAAA,qB;UAAA,q
D;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA,2C;aAAA,kB;UAAA,kD;aAAA,
mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,mD;aAAA,a;UAAA,6C;aAAA,iB;U
AAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,yB;UAAA,yD;;UAAA,6D;;K;;ICKi
D,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAe9B,gBAAiC
,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAA
P,a;MrGoGG,Q;MAAA,IqGpGc,KrGoGV,IAAS,CAAT,IqGpGU,KrGoGI,IAAS,2BAA3B,C;QAAA,OAAsC,qBq
GpGxB,KrGoGwB,C;;QqGpGf,MAAM,8BAA0B,mCAAyB,WAAzB,MAA1B,C;;MAAhC,W;K;kDAEJ,gC;MAA
gF,OAAA,a1GiMY,W0GjMK,U1GiML,E0GjMiB,Q1GiMjB,C;K;6C0G/L5F,iB;MACI,qCAAU,KAAV,C;MACA,
OAAO,I;K;6CAGX,iB;MACI,iBAAgB,SAAN,KAAM,C;MAChB,OAAO,I;K;6CAGX,uC;MACI,OAAA,IAAK,qB
AAY,wBAAS,MAArB,EAA6B,UA7B,EAAyC,QAAzC,C;K;sCAET,Y;MAAyB,UAEK,M;MAL1B,eAAe,E;M
ACf,YAAY,aAAO,OAAP,GAAgB,CAAhB,IAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAA
O,oBAAP,Q;QACV,IAAQ,eAAJ,IAAI,CAAJ,IAAwB,wBAAS,SAAT,CAArC,C;UAAA,UAAU,0BAAO,WAAW,0BAAO
,cAAP,EAAA,O,sBAAP,U;UACV,IAAS,gBAAL,IAAK,CAAL,IAAyB,wBAAS,SAAT,CAAtC,C;YAAA,UAAU,+BAAO,WAAW,+
BAAO,iBAAX,wBAAkB,gBAAlB,lB,C;;YAEV,IAAS,gBAAL,IAAK,CAAL,IAAyB,wBAAS,SAAT,CAAtC,C;;;UAAA,UAAU,
gCAAO,gBAAP,EAAA,Q;MACV,MAAM,gCAAO,OAAP,EAAA,I;K;6CAGV,iB;MACI,iBAAgB,SAAN,KAAM,C;MAChB,OAAO,I;K;6C
AGX,iB;MAAqB,qCAAK,IAAL,C;MAArB,Y;K;6CAGJ,iB;MACI,iBAAgB,eAAN,KAAM,C;MAChB,OAAO,I;K;6C
AGX,iB;MAAqB,qCAAK,IAAL,C;MAArB,Y;K;6CAGJ,iB;MACI,iBAAgB,eAAN,KAAM,C;MAChB,OAAO,I;K;6CAE3C
,iB;MAAO,IAAgB,KAAhB,SAAgB,KAAhB,IAAwB,wBAAS,SAAT,CAAxB,C;MAAA,OAAO,I;K;uCAAgB,Y;MAAU,UAAV,
K;qDAE7

B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAElE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,MpGuGwC,YAAU,CoGvGlD,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GmB+E,W0GnB9D,C1GmB8D,E0GnB3D,K1GmB2D,C0GnB/E,YAA6B,KAA7B,IAAqC,a1GgB2B,W0GhBV,K1GgBU,C;M0GfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GK+E,W0GL9D,C1GK8D,E0GL3D,K1GK2D,C0GL/E,uBAA6B,kBAA7B,IAAqC,a1GE2B,W0GFV,K1GEU,C;M0GDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1GX+E,W0GW9D,C1GX8D,E0GW3D,K1GX2D,C0GW/E,GAAmC,eAAN,KAAM,CAAnC,GAAsD,a1GdU,W0GcO,K1GdP,C;M0GezE,OAAO,I;K;6CAGX,wB;MAaI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G9B+E,W0G8B9D,C1G9B8D,E0G8B3D,K1G9B2D,C0G8B/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GjBU,W0GiBO,K1GjBP,C;M0GkBzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAa,4BAAmB,KAAnB,B,EAA0B,WAA1B,B,C;MAEb,gBAAS,a1G/B+E,W0G+B9D,C1G/B8D,E0G+B3D,K1G/B2D,C0G+B/E,GAAmC,SAAN,KAAM,CAAnC,GAAsD,a1GlBU,W0GkBO,K1GlBP,C;M0Gm

AAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAElF,2C;MAWo
G,OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;Q
AAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,
UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,UAAnB,EAA+B,QAA/
B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAmB,UAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI
,OAAA,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAiBI,OAA
A,SAAK,qBAAY,KAAZ,EAAmB,KAAnB,EAA0B,UA1B,EAAsC,QAAtC,C;K;qF3GhsBT,qB;MAMoD,OA6B
W,8BAAY,cAfrB,YAAY,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YAAY,CAAZ,C;K;iFAEtD,qB;
MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KANpD,C;IAQA,kC;MAYI,gB
AiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SA1B,GAAoC,qBAAU,CAAV,C;
K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MAGoD,QAAQ,cAAA,sCAAK,
mBAAL,EAAyB,sCAAK,mBA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,s
CAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAa,2BAAR,C;K;IAEzB,8B;MAOI,IAAI,YA
AO,GAAX,C;QACI,OAAO,I;;MAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CA
AR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAAxB,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OA
AO,K;;MAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL
,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX
,C;QACI,OAAO,K;;MAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,
CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,
EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,sB;K;IAGX
,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,
kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,
YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAo
B,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,
EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX
,gC;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,
kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,
YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,
CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,
CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,
OAAO,0B;K;IAGX,gC;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,
IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,
I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,CAAQ,
kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BA
A5C,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,
IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAA
L,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX
,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,
kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CA
AR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,gCAAoD,oD;K;
IAG/D,iC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CA
AQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,
IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,
iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,
kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,
gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BA
pB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO
,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,CAAQ,kBAAK,GA
AL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,
CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,
OAAO,gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,
6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,
OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK
,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAA
gE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MA
EX,OAAO,gCAAoD,oD;K;IAG/D,iC;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,C
AR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,
OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,
CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,
6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,
OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL
,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;Q
ACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,CAAQ,
kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BA
A5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,
K;;MAEX,OAAO,gCAAoD,oD;K;IAG/D,iC;MAUI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EA
AL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;
QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;;MAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ
,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BA
A5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;QACI,OAAO,I;;MAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,
K;;MAEX,OAAO,gCAAoD,oD;K;IAG/D,iC;MASI,IAAI,CAAQ,kBAAK,GAAL,,CAAR,iCAAoB,CAAQ,kBAAK,EA
AL,,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,,CAAR,6BAA5C,IAAgE,CAAQ,kBAAK,EAAL,,CAAR,6BAAhE,C;
QACI,

QlC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;IAqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAAoC,WAAO,OAAP,E AAwB,QAAR,OAAQ,EAAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAkD,I;K;0CAHlD,Y;MACI,Q;MAAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAAvC,WAAO,YAAP,EAAwB,QAAR,YAAQ,EAAQ,IAAR,CAAxB,C;QAA8C,6BtHmCnE,S;QsHnCF,StHoCG,S;;MsHpCH,a;K;iDAGJ,Y;MACI,Q;MAAA,U;MAAA,uD;QAAA,a;;QtHVG,gB;QsHWC,IAAY,aAAR,YAAQ,EAAW,EAAX,CAAR,IAAmC,WAAR,YAAQ,EAAS,EAAT,CAAvC,C;UAAA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAV,EAAe,qBAAQ,EAAR,EAAR,EAA3B,MAAP,EAA2D,QAAR,YAAQ,EAAQ,IAAR,CAAnD,C;QACb,4B;QAAO,oCtH0BP,S;QsH/BF,StHgCG,S;;MsHhCH,a;K;sCAGJ,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,WAAX,C;MAC1B,OAAO,iBAAiB,KAAM,MAAN,EAAa,KAAb,EAAoB,CAAC,KAAM,MAAN,EAAa,KAAb,EAAoB,O;K;8CAGjF,iB;MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAX,C;K;wCAGhC,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,MAAN,EAAa,KAAb,EAAoB,KAAM,MAAN,EAAa,KAAb,EAAoB,KAAM,MAAN,EAAa,KAAb,EAAoB

AAA,gB;;;;cAAA,gB;;;cAOA,gB;8BAAA,iCtGkIgF,mBsGlI1E,wBtGkI0E,EsGlI1D,oBtGkI0D,EsGlI/C,wBAAM,OtGkIyC,CAAkC,WsGlIlH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;;;;;;;;;;;;;;;K;IAjBY,sF;MAAA,yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C;MAChE,wBAAwB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAsBX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,uBAAP,EAAiC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAAoB,GAApB,C;MAGhC,iCAAsC,WAAO,KAAP,EAAiB,GAAjB,B,C;K;oDAtBtC,mB;MAIwD,oBAAM,oBAAO,OAAP,EAAgB,CAAhB,C;K;+CAExD,mB;MAIoD,OAAA,O5GnEyC,S4GmEnB,oB5B5GmB,E4GmEJ,M5GnEI,C;K;0D4GqE7F,mB;MAI+D,OAAA,O5GzE8B,S4GyEY,wB5GzEQ,E4GyEW,M5GzEX,C;K;gE4G8E7F,mB;MAAgE,OAAA,O5G9E6B,S4G8EP,8B5G9EO,E4G8EkB,M5G9ElB,C;K;;I4GwDjG,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;;IA5PA,4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAc,EAAd,c,MAAM,MAAN,EAAc,CAAd,C;MADlE,Y;K;IAGA,sC;MAAA,+C;MAC6C,kBAAK,OAAL,EAAc,EAAd,c,UAAd,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBAAN/R8C,CM+RxC,CN/RwC,CM+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,OAAA,kBAAM,O;K;wGAC1C,iB;MAAuC,Q;MAAA,eAAA,kBAAN/SG,CM+SG,KN/SH,CM+SH,mBAAgB,E;K;;qGAAhE,Jn,Y;MAAI,IAAI,2BAAJ,C;QAAI,yH;;MAAJ,KAAI,OAAJ,EAAI,kC;K;4CAAJ,f,Y;MAAI,OAAA,Y,SAAA,wBAAA,kBAAA,kBAAA,mBAAA,gBAAA,oB,E;K;qGAAJ,iB;MAAI,eAAA,kBAAA,kBAAA,kB

AAW,SAAX,EAAiB,CAAjB,EAAoB,gBAApB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,EAApB,EAAwB,gBAAxB,EAA0C,KAA1C,EAAiD,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MAClB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAElC,oCAAa,4BAAmB,UAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,gBAAgB,C;MAChB,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMI,OAAO,WAAW,SAAX,EAAiB,c;K;mFAGX,qB;MAMI,OAAO,WAAW,SAAX,EAAiB,c;K;uFAGX,qB;MAMI,OAAO,WAAW,SAAX,EAAiB,c;K;yFAGX,qC;MAMI,OAAO,oFAAP,EAAa,SAAb,EAAqB,SAArB,EAAgC,SAAhC,EAA2C,SAA3C,EAAsD,SAAtD,EAAiE,SAAjE,EAA4E,SAA5E,EAAuF,SAAvF,EAAkG,SAAlG,EAA6G,SAA7G,EAAwH,SAAxH,EAAmI,SAAnI,EAA8I,SAA9I,EAAyJ,SAAzJ,EAAoK,SAApK,EAA+K,SAA/K,EAA0L,SAA1L,EAAqM,SAArM,EAAgN,SAAhN,EAA2N,SAA3N,EAAsO,SAAtO,EAAiP,SAAjP,EAA4P,SAA5P,EAAuQ,SAAvQ,EAAkR,SAAlR,EAA6R,SAA7R,EAAwS,SAAxS,EAAmT,SAAnT,EAA8T,SAA9T,EAAyU,SAAzU,EAAoV,SAApV,EAA+V,SAA/V,EAA0W,SAA1W,EAAqX,SAArX,EAAgY,SAAhY,EAA2Y,SAA3Y,EAAsZ,SAAtZ,EAAia,SAAja,EAA4a,SAA5a,EAAub,SAAvb,EAAkc,SAAlc,EAA6c,SAA7c,EAAwd,SAAxd,EAAme,SAAne,EAA8e,SAA9e,EAAyf,SAAzf,EAAogB,SAApgB,EAA+gB,SAA/gB,EAA0hB,SAA1hB,EAAqiB,SAAriB,EAAgjB,SAAhjB,EAA2jB,SAA3jB,EAAskB,SAAtkB,EAAilB,SAAjlB,EAA4lB,SAA5lB,EAAumB,SAAvmB,EAAknB,SAAlnB,EAA6nB,SAA7nB,EAAwoB,SAAxoB,EAAmpB,SAAnpB,EAA8pB,SAA9pB,EAAyqB,SAAzqB,EAAorB,SAAprB,EAA+rB,SAA/rB,EAA0sB,SAA1sB,EAAqtB,SAArtB,EAAguB,SAAhuB,EAA2uB,SAA3uB,EAAsvB,SAAtvB,EAAiwB,SAAjwB,EAA4wB,SAA5wB,EAAuxB,SAAvxB,EAAkyB,SAAlyB,EAA6yB,SAA7yB,EAAwzB,SAAxzB,EAAm0B,SAAn0B,EAA80B,SAA90B,EAAy1B,SAAz1B,EAAo2B,SAAp2B,EAA+2B,SAA/2B,EAA03B,SAA13B,EAAq4B,SAAr4B,EAAg5B,SAAh5B,EAA25B,SAA35B,EAAs6B,SAAt6B,EAAi7B,SAAj7B,EAA47B,SAA57B,EAAu8B,SAAv8B,EAAk9B,SAAl9B,EAA69B,SAA79B,EAAw+B,SAAx+B,EAAm/B,SAAn/B,EAA8/B,SAA9/B,EAAyhC,SAAzhC,EAAoiC,SAApiC,EAA+iC,SAA/iC,EAA0jC,SAA1jC,EAAqkC,SAArkC,EAAglC,SAAhlC,EAA2lC,SAA3lC,EAAsmC,SAAtmC,EAAinC,SAAjnC,EAA4nC,SAA5nC,EAAuoC,SAAvoC,EAAkpC,SAAlpC,EAA6pC,SAA7pC,EAAwqC,SAAxqC,EAAmrC,SAAnrC,EAA8rC,SAA9rC,EAAysC,SAAzsC,EAAotC,SAAptC,EAA+tC,SAA/tC,EAA0uC,SAA1uC,EAAqvC,SAArvC,EAAgwC,SAAhwC,EAA2wC,SAA3wC,EAAsxC,SAAtxC,EAAiyC,SAAjyC,EAA4yC,SAA5yC,EAAuzC,SAAvzC,EAAk0C,SAAl0C,EAA60C,SAA70C,EAAw1C,SAAx1C,EAAm2C,SAAn2C,EAA82C,SAA92C,EAAy3C,SAAz3C,EAAo4C,SAAp4C,EAA+4C,SAA/4C,EAA05C,SAA15C,EAAq6C,SAAr6C,EAAg7C,SAAh7C,EAA27C,SAA37C,EAAs8C,SAAt8C,EAAi9C,SAAj9C,EAA49C,SAA59C,EAAu+C,SAAv+C,EAAk/C,SAAl/C,EAA6/C,SAA7/C,EAAwgD,SAAxgD,EAAmhD,SAAnhD,EAA8hD,SAA9hD,EAAyiD,SAAziD,EAAojD,SAApjD,EAA+jD,SAA/jD,EAA0kD,SAA1kD,EAAqlD,SAArlD,EAAgmD,SAAhmD,EAA2mD,SAA3mD,EAAsnD,SAAtnD,EAAioD,SAAjoD,EAA4oD,SAA5oD,EAAupD,SAAvpD,EAAkqD,SAAlqD,EAA6qD,SAA7qD,EAAwrD,SAAxrD,EAAmsD,SAAnsD,EAA8sD,SAA9sD,EAAytD,SAAztD,EAAouD,SAApuD,EAA+uD,SAA/uD,EAA0vD,SAA1vD,EAAqwD,SAArwD,EAAgxD,SAAhxD,EAA2xD,SAA3xD,EAAsyD,SAAtyD,EAAizD,SAAjzD,EAA4zD,SAA5zD,EAAu0D,SAAv0D,EAAk1D,SAAl1D,EAA61D,SAA71D,EAAw2D,SAAx2D,EAAm3D,SAAn3D,EAA83D,SAA93D,EAAy4D,SAAz4D,EAAo5D,SAAp5D,EAA+5D,SAA/5D,EAA06D,SAA16D,EAAq7D,SAAr7D,EAAg8D,SAAh8D,EAA28D,SAA38D,EAAs9D,SAAt9D,EAAi+D,SAAj+D,EAA4+D,SAA5+D,EAAu/D,SAAv/D,EAAkgE,SAAlgE,EAA6gE,SAA7gE,EAAwhE,SAAxhE,EAAmiE,SAAniE,EAA8iE,SAA9iE,EAAyjE,SAAzjE,EAAokE,SAApkE,EAA+kE,SAA/kE,EAA0lE,SAA1lE,EAAqmE,SAArmE,EAAgnE,SAAhnE,EAA2nE,SAA3nE,EAAsoE,SAAtoE,EAAipE,SAAjpE,EAA4pE,SAA5pE,EAAuqE,SAAvqE,EAAkrE,SAAlrE,EAA6rE,SAA7rE,EAAwsE,SAAxsE,EAAmtE,SAAntE,EAA8tE,SAA9tE,EAAyuE,SAAzuE,EAAovE,SAApvE,EAA+vE,SAA/vE,EAA0wE,SAA1wE,EAAqxE,SAArxE,EAAgyE,SAAhyE,EAA2yE,SAA3yE,EAAszE,SAAtzE,EAAi0E,SAAj0E,EAA40E,SAA50E,EAAu1E,SAAv1E,EAAk2E,SAAl2E,EAA62E,SAA72E,EAAw3E,SAAx3E,EAAm4E,SAAn4E,EAA84E,SAA94E,EAAy5E,SAAz5E,EAAo6E,SAAp6E,EAA+6E,SAA/6E,EAA07E,SAA17E,EAAq8E,SAAr8E,EAAg9E,SAAh9E,EAA29E,SAA39E,EAAs+E,SAAt+E,EAAi/E,SAAj/E,EAA4/E,SAA5/E,EAAugF,SAAvgF,EAAkhF,SAAlhF,EAA6hF,SAA7hF,EAAwiF,SAAxiF,EAAmjF,SAAnjF,EAA8jF,SAA9jF,EAAykF,SAAzkF,EAAolF,SAAplF,EAA+lF,SAA/lF,EAA0mF,SAA1mF,EAAqnF,SAArnF,EAAgoF,SAAhoF,EAA2oF,SAA3oF,EAAspF,SAAtpF,EAAiqF,SAAjqF,EAA4qF,SAA5qF,EAAurF,SAAvrF,EAAksF,SAAlsF,EAA6sF,SAA7sF,EAAwtF,SAAxtF,EAAmuF,SAAnuF,EAA8uF,SAA9uF,EAAyvF,SAAzvF,EAAowF,SAApwF,EAA+wF,SAA/wF,EAA0xF,SAA1xF,EAAqyF,SAAryF,EAAgzF,SAAhzF,EAA2zF,SAA3zF,EAAs0F,SAAt0F,EAAi1F,SAAj1F,EAA41F,SAA51F,EAAu2F,SAAv2F,EAAk3F,SAAl3F,EAA63F,SAA73F,EAAw4F,SAAx4F,EAAm5F,SAAn5F,EAA85F,SAA95F,EAAy6F,SAAz6F,EAAo7F,SAAp7F,EAA+7F,SAA/7F,EAA08F,SAA18F,EAAq9F,SAAr9F,EAAg+F,SAAh+F,EAA2+F,SAA3+F,EAAs/F,SAAt/F,EAAigG,SAAjgG,EAA4gG,SAA5gG,EAAuhG,SAAvhG,EAAkiG,SAAliG,EAA6iG,SAA7iG,EAAwjG,SAAxjG,EAAmkG,SAAnkG,EAA8kG,SAA9kG,EAAylG,SAAzlG,EAAomG,SAApmG,EAA+mG,SAA/mG,EAA0nG,SAA1nG,EAAqoG,SAAroG,EAAgpG,SAAhpG,EAA2pG,SAA3pG,EAAsqG,SAAtqG,EAAirG,SAAjrG,EAA4rG,SAA5rG,EAAusG,SAAvsG,EAAktG,SAAltG,EAA6tG,SAA7tG,EAAwuG,SAAxuG,EAAmvG,SAAnvG,EAA8vG,SAA9vG,EAAywG,SAAzwG,EAAoxG,SAApxG,EAA+xG,SAA/xG,EAA0yG,SAA1yG,EAAqzG,SAArzG,EAAg0G,SAAh0G,EAA20G,SAA30G,EAAs1G,SAAt1G,EAAi2G,SAAj2G,EAA42G,SAA52G,EAAu3G,SAAv3G,EAAk4G,SAAl4G,EAA64G,SAA74G,EAAw5G,SAAx5G,EAAm6G,SAAn6G,EAA86G,SAA96G,EAAy7G,SAAz7G,EAAo8G,SAAp8G,EAA+8G,SAA/8G,EAA09G,SAA19G,EAAq+G,SAAr+G,EAAg/G,SAAh/G,EAA2/G,SAA3/G,EAAsgH,SAAtgH,EAAihH,SAAjhH,EAA4hH,SAA5hH,EAAuiH,SAAviH,EAAkjH,SAAljH,EAA6jH,SAA7jH,EAAwkH,SAAxkH,EAAmlH,SAAnlH,EAA8lH,SAA9lH,EAAymH,SAAzmH,EAAonH,SAApnH,EAA+nH,SAA/nH,EAA0oH,SAA1oH,EAAqpH,SAArpH,EAAgqH,SAAhqH,EAA2qH,SAA3qH,EAAsrH,SAAtrH,EAAisH,SAAjsH,EAA4sH,SAA5sH,EAAutH,SAAvtH,EAAkuH,SAAluH,EAA6uH,SAA7uH,EAAwvH,SAAxvH,EAAmwH,SAAnwH,EAA8wH,SAA9wH,EAAyxH,SAAzxH,EAAoyH,SAApyH,EAA+yH,SAA/yH,EAA0zH,SAA1zH,EAAq0H,SAAr0H,EAAg1H,SAAh1H,EAA21H,SAA31H,EAAs2H,SAAt2H,EAAi3H,SAAj3H,EAA43H,SAA53H,EAAu4H,SAAv4H,EAAk5H,SAAl5H,EAA65H,SAA75H,EAAw6H,SAAx6H,EAAm7H,SAAn7H,EAA87H,SAA97H,EAAy8H,SAAz8H,EAAo9H,SAAp9H,EAA+9H,SAA/9H,EAA0+H,SAA1+H,EAAq/H,SAAr/H,EAAggI,SAAhgI,EAA2gI,SAA3gI,EAAshI,SAAthI,EAAiiI,SAAjiI,EAA4iI,SAA5iI,EAAujI,SAAvjI,EAAkkI,SAAlkI,EAA6kI,SAA7kI,EAAwlI,SAAxlI,EAAmmI,SAAnmI,EAA8mI,SAA9mI,EAAynI,SAAznI,EAAooI,SAApoI,EAA+oI,SAA/oI,EAA0pI,SAA1pI,EAAqqI,SAArqI,EAAgrI,SAAhrI,EAA2rI,SAA3rI,EAAssI,SAAtsI,EAAitI,SAAjtI,EAA4tI,SAA5tI,EAAuuI,SAAvuI,EAAkvI,SAAlvI,EAA6vI,SAA7vI,EAAwwI,SAAxwI,EAAmxI,SAAnxI,EAA8xI,SAA9xI,EAAyyI,SAAzyI,EAAozI,SAApzI,EAA+zI,SAA/zI,EAA00I,SAA10I,EAAq1I,SAAr1I,EAAg2I,SAAh2I,EAA22I,SAA32I,EAAs3I,SAAt3I,EAAi4I,SAAj4I,EAA44I,SAA54I,EAAu5I,SAAv5I,EAAk6I,SAAl6I,EAA66I,SAA76I,EAAw7I,SAAx7I,EAAm8I,SAAn8I,EAA88I,SAA98I,EAAy9I,SAAz9I,EAAo+I,SAAp+I,EAA++I,SAA/+I,EAA0/I,SAA1/I,EAAqgJ,SAArgJ,EAAghJ,SAAhhJ,EAA2hJ,SAA3hJ,EAAsiJ,SAAtiJ,EAAijJ,SAAjjJ,EAA4jJ,SAA5jJ,EAAukJ,SAAvkJ,EAAklJ,SAAllJ,EAA6lJ,SAA7lJ,EAAwmJ,SAAxmJ,EAAmnJ,SAAnnJ,EAA8nJ,SAA9nJ,EAAyoJ,SAAzoJ,EAAopJ,SAAppJ,EAA+pJ,SAA/pJ,EAA0qJ,SAA1qJ,EAAqrJ,SAArrJ,EAAgsJ,SAAhsJ,EAA2sJ,SAA3sJ,EAAstJ,SAAttJ,EAAiuJ,SAAjuJ,EAA4uJ,SAA5uJ,EAAuvJ,SAAvvJ,EAAkwJ,SAAlwJ,EAA6wJ,SAA7wJ,EAAwxJ,SAAxxJ,EAAmyJ,SAAnyJ,EAA8yJ,SAA9yJ,EAAyzJ,SAAzzJ,EAAo0J,SAAp0J,EAA+0J,SAA/0J,EAA01J,SAA11J,EAAq2J,SAAr2J,EAAg3J,SAAh3J,EAA23J,SAA33J,EAAs4J,SAAt4J,EAAi5J,SAAj5J,EAA45J,SAA55J,EAAu6J,SAAv6J,EAAk7J,SAAl7J,EAA67J,SAA77J,EAAw8J,SAAx8J,EAAm9J,SAAn9J,EAA89J,SAA99J,EAAy+J,SAAz+J,EAAo/J,SAAp/J,EAA+/J,SAA//J,EAA0gK,SAA1gK,EAAqhK,SAArhK,EAAgiK,SAAhiK,EAA2iK,SAA3iK,EAAsjK,SAAtjK,EAAikK,SAAjkK,EAA4kK,SAA5kK,EAAulK,SAAvlK,EAAkmK,SAAlmK,EAA6mK,SAA7mK,EAAwnK,SAAxnK,EAAmoK,SAAnoK,EAA8oK,SAA9oK,EAAypK,SAAzpK,EAAoqK,SAApqK,EAA+qK,SAA/qK,EAA0rK,SAA1rK,EAAqsK,SAArsK,EAAgtK,SAAhtK,EAA2tK,SAA3tK,EAAsuK,SAAtuK,EAAivK,SAAjvK,EAA4vK,SAA5vK,EAAuwK,SAAvwK,EAAkxK,SAAlxK,EAA6xK,SAA7xK,EAAwyK,SAAxyK,EAAmzK,SAAnzK,EAA8zK,SAA9zK,EAAy0K,SAAz0K,EAAo1K,SAAp1K,EAA+1K,SAA/1K,EAA02K,SAA12K,EAAq3K,SAAr3K,EAAg4K,SAAh4K,EAA24K,SAA34K,EAAs5K,SAAt5K,EAAi6K,SAAj6K,EAA46K,SAA56K,EAAu7K,SAAv7K,EAAk8K,SAAl8K,EAA68K,SAA78K,EAAw9K,SAAx9K,EAAm+K,SAAn+K,EAA8+K,SAA9+K,EAAy/K,SAAz/K,EAAogL,SAApgL,EAA+gL,SAA/gL,EAA0hL,SAA1hL,EAAqiL,SAAriL,EAAgjL,SAAhjL,EAA2jL,SAA3jL,EAAskL,SAAtkL,EAAilL,SAAjlL,EAA4lL,SAA5lL,EAAumL,SAAvmL,EAAknL,SAAlnL,EAA6nL,SAA7nL,EAAwoL,SAAxoL,EAAmpL,SAAnpL,EAA8pL,SAA9pL,EAAyqL,SAAzqL,EAAorL,SAAprL,EAA+rL,SAA/rL,EAA0sL,SAA1sL,EAAqtL,SAArtL,EAAguL,SAAhuL,EAA2uL,SAA3uL,EAAsvL,SAAtvL,EAAiwL,SAAjwL,EAA4wL,SAA5wL,EAAuxL,SAAvxL,EAAkyL,SAAlyL,EAA6yL,SAA7yL,EAAwzL,SAAxzL,EAAm0L,SAAn0L,EAA80L,SAA90L,EAAy1L,SAAz1L,EAAo2L,SAAp2L,EAA+2L,SAA/2L,EAA03L,SAA13L,EAAq4L,SAAr4L,EAAg5L,SAAh5L,EAA25L,SAA35L,EAAs6L,SAAt6L,EAAi7L,SAAj7L,EAA47L,SAA57L,EAAu8L,SAAv8L,EAAk9L,SAAl9L,EAA69L,SAA79L,EAAw+L,SAAx+L,EAAm/L,SAAn/L,EAA8/L,SAA9/L,EAAyhM,SAAzhM,EAAoiM,SAApiM,EAA+iM,SAA/iM,EAA0jM,SAA1jM,EAAqkM,SAArkM,EAAglM,SAAhlM,EAA2lM,SAA3lM,EAAsmM,SAAtmM,EAAinM,SAAjnM,EAA4nM,SAA5nM,EAAuoM,SAAvoM,EAAkpM,SAAlpM,EAA6pM,SAA7pM,EAAwqM,SAAxqM,EAAmrM,SAAnrM,EAA8rM,SAA9rM,EAAysM,SAAzsM,EAAotM,SAAptM,EAA+tM,SAA/tM,EAA0uM,SAA1uM,EAAqvM,SAArvM,EAAgwM,SAAhwM,EAA2wM,SAA3wM,EAAsxM,SAAtxM,EAAiyM,SAAjyM,EAA4yM,SAA5yM,EAAuzM,SAAvzM,EAAk0M,SAAl0M,EAA60M,SAA70M,EAAw1M,SAAx1M,EAAm2M,SAAn2M,EAA82M,SAA92M,EAAy3M,SAAz3M,EAAo4M,SAAp4M,EAA+4M,SAA/4M,EAA05M,SAA15M,EAAq6M,SAAr6M,EAAg7M,SAAh7M,EAA27M,SAA37M,EAAs8M,SAAt8M,EAAi9M,SAAj9M,EAA49M,SAA59M,EAAu+M,SAAv+M,EAAk/M,SAAl/M,EAA6/M,SAA7/M,EAAwgN,SAAxgN,EAAmhN,SAAnhN,EAA8hN,SAA9hN,EAAyiN,SAAziN,EAAojN,SAApjN,EAA+jN,SAA/jN,EAA0kN,SAA1kN,EAAqlN,SAArlN,EAAgmN,SAAhmN,EAA2mN,SAA3mN,EAAsnN,SAAtnN,EAAioN,SAAjoN,EAA4oN,SAA5oN,EAAupN,SAAvpN,EAAkqN,SAAlqN,EAA6qN,SAA7qN,EAAwrN,SAAxrN,EAAmsN,SAAnsN,EAA8sN,SAA9sN,EAAytN,SAAztN,EAAouN,SAApuN,EAA+uN,SAA/uN,EAA0vN,SAA1vN,EAAqwN,SAArwN,EAAgxN,SAAhxN,EAA2xN,SAA3xN,EAAsyN,SAAtyN,EAAizN,SAAjzN,EAA4zN,SAA5zN,EAAu0N,SAAv0N,EAAk1N,SAAl1N,EAA61N,SAA71N,EAAw2N,SAAx2N,EAAm3N,SAAn3N,EAA83N,SAA93N,EAAy4N,SAAz4N,EAAo5N,SAAp5N,EAA+5N,SAA/5N,EAA06N,SAA16N,EAAq7N,SAAr7N,EAAg8N,SAAh8N,EAA28N,SAA38N,EAAs9N,SAAt9N,EAAi+N,SAAj+N,EAA4+N,SAA5+N,EAAu/N,SAAv/N,EAAkgO,SAAlgO,EAA6gO,SAA7gO,EAAwhO,SAAxhO,EAAmiO,SAAniO,EAA8iO,SAA9iO,EAAyjO,SAAzjO,EAAokO,SAApkO,EAA+kO,SAA/kO,EAA0lO,SAA1lO,EAAqmO,SAArmO,EAAgnO,SAAhnO,EAA2nO,SAA3nO,EAAsoO,SAAtoO,EAAipO,SAAjpO,EAA4pO,SAA5pO,EAAuqO,SAAvqO,EAAkrO,SAAlrO,EAA6rO,SAA7rO,EAAwsO,SAAxsO,EAAmtO,SAAntO,EAA8tO,SAA9tO,EAAyuO,SAAzuO,EAAovO,SAApvO,EAA+vO,SAA/vO,EAA0wO,SAA1wO,EAAqxO,SAArxO,EAAgyO,SAAhyO,EAA2yO,SAA3yO,EAAszO,SAAtzO,EAAi0O,SAAj0O,EAA40O,SAA50O,EAAu1O,SAAv1O,EAAk2O,SAAl2O,EAA62O,SAA72O,EAAw3O,SAAx3O,EAAm4O,SAAn4O,EAA84O,SAA94O,EAAy5O,SAAz5O,EAAo6O,SAAp6O,EAA+6O,SAA/6O,EAA07O,SAA17O,EAAq8O,SAAr8O,EAAg9O,SAAh9O,EAA29O,SAA39O,EAAs+O,SAAt+O,EAAi/O,SAAj/O,EAA4/O,SAA5/O,EAAugP,SAAvgP,EAAkhP,SAAlhP,EAA6hP,SAA7hP,EAAwiP,SAAxiP,EAAmjP,SAAnjP,EAA8jP,SAA9jP,EAAykP,SAAzkP,EAAolP,SAAplP,EAA+lP,SAA/lP,EAA0mP,SAA1mP,EAAqnP,SAArnP,EAAgoP,SAAhoP,EAA2oP,SAA3oP,EAAspP,SAAtpP,EAAiqP,SAAjqP,EAA4qP,SAA5qP,EAAurP,SAAvrP,EAAksP,SAAlsP,EAA6sP,SAA7sP,EAAwtP,SAAxtP,EAAmuP,SAAnuP,EAA8uP,SAA9uP,EAAyvP,SAAzvP,EAAowP,SAApwP,EAA+wP,SAA/wP,EAA0xP,SAA1xP,EAAqyP,SAAryP,EAAgzP,SAAhzP,EAA2zP,SAA3zP,EAAs0P,SAAt0P,EAAi1P,SAAj1P,EAA41P,SAA51P,EAAu2P,SAAv2P,EAAk3P,SAAl3P,EAA63P,SAA73P,EAAw4P,SAAx4P,EAAm5P,SAAn5P,EAA85P,SAA95P,EAAy6P,SAAz6P,EAAo7P,SAAp7P,EAA+7P,SAA/7P,EAA08P,SAA18P,EAAq9P,SAAr9P,EAAg+P,SAAh+P,EAA2+P,SAA3+P,EAAs/P,SAAt/P,EAAigQ,SAAjgQ,EAA4gQ,SAA5gQ,EAAuhQ,SAAvhQ,EAAkiQ,SAAliQ,EAA6iQ,SAA7iQ,EAAwjQ,SAAxjQ,EAAmkQ,SAAnkQ,EAA8kQ,SAA9kQ,EAAylQ,SAAzlQ,EAAomQ,SAApmQ,EAA+mQ,SAA/mQ,EAA0nQ,SAA1nQ,EAAqoQ,SAAroQ,EAAgpQ,SAAhpQ,EAA2pQ,SAA3pQ,EAAsqQ,SAAtqQ,EAAirQ,SAAjrQ,EAA4rQ,SAA5rQ,EAAusQ,SAAvsQ,EAAktQ,SAAltQ,EAA6tQ,SAA7tQ,EAAwuQ,SAAxuQ,EAAmvQ,SAAnvQ,EAA8vQ,SAA9vQ,EAAywQ,SAAzwQ,EAAoxQ,SAApxQ,EAA+xQ,SAA/xQ,EAA0yQ,SAA1yQ,EAAqzQ,SAArzQ,EAAg0Q,SAAh0Q,EAA20Q,SAA30Q,EAAs1Q,SAAt1Q,EAAi2Q,SAAj2Q,EAA42Q,SAA52Q,EAAu3Q,SAAv3Q,EAAk4Q,SAAl4Q,EAA64Q,SAA74Q,EAAw5Q,SAAx5Q,EAAm6Q,SAAn6Q,EAA86Q,SAA96Q,EAAy7Q,SAAz7Q,EAAo8Q,SAAp8Q,EAA+8Q,SAA/8Q,EAA09Q,SAA19Q,EAAq+Q,SAAr+Q,EAAg/Q,SAAh/Q,EAA2/Q,SAA3/Q,EAAsgR,SAAtgR,EAAihR,SAAjhR,EAA4hR,SAA5hR,EAAuiR,SAAviR,EAAkjR,SAAljR,EAA6jR,SAA7jR,EAAwkR,SAAxkR,EAAmlR,SAAnlR,EAA8lR,SAA9lR,EAAymR,SAAzmR,EAAonR,SAApnR,EAA+nR,SAA/nR,EAA0oR,SAA1oR,EAAqpR,SAArpR,EAAgqR,SAAhqR,EAA2qR,SAA3qR,EAAsrR,SAAtrR,EAAisR,SAAjsR,EAA4sR,SAA5sR,EAAutR,SAAvtR,EAAkuR,SAAluR,EAA6uR,SAA7uR,EAAwvR,SAAxvR,EAAmwR,SAAnwR,EAA8wR,SAA9wR,EAAyxR,SAAzxR,EAAoyR,SAApyR,EAA+yR,SAA/yR,EAA0zR,SAA1zR,EAAq0R,SAAr0R,EAAg1R,SAAh1R,EAA21R,SAA31R,EAAs2R,SAAt2R,EAAi3R,SAAj3R,EAA43R,SAA53R,EAAu4R,SAAv4R,EAAk5R,SAAl5R,EAA65R,SAA75R,EAAw6R,SAAx6R,EAAm7R,SAAn7R,EAA87R,SAA97R,EAAy8R,SAAz8R,EAAo9R,SAAp9R,EAA+9R,SAA/9R,EAA0+R,SAA1+R,EAAq/R,SAAr/R,EAAggS,SAAhgS,EAA2gS,SAA3gS,EAAshS,SAAthS,EAAiiS,SAAjiS,EAA4iS,SAA5iS,EAAujS,SAAvjS,EAAkkS,SAAlkS,EAA6kS,SAA7kS,EAAwlS,SAAxlS,EAAmmS,SAAnmS,EAA8mS,SAA9mS,EAAynS,SAAznS,EAAooS,SAApoS,EAA+oS,SAA/oS,EAA0pS,SAA1pS,EAAqqS,SAArqS,EAAgrS,SAAhrS,EAA2rS,SAA3rS,EAAssS,SAAtsS,EAAitS,SAAjtS,EAA4tS,SAA5tS,EAAuuS,SAAvuS,EAAkvS,SAAlvS,EAA6vS,SAA7vS,EAAwwS,SAAxwS,EAAmxS,SAAnxS,EAA8xS,SAA9xS,EAAyyS,SAAzyS,EAAozS,SAApzS,EAA+zS,SAA/zS,EAA00S,SAA10S,EAAq1S,SAAr1S,EAAg2S,SAAh2S,EAA22S,SAA32S,EAAs3S,SAAt3S,EAAi4S,SAAj4S,EAA44S,SAA54S,EAAu5S,SAAv5S,EAAk6S,SAAl6S,EAA66S,SAA76S,EAAw7S,SAAx7S,EAAm8S,SAAn8S,EAA88S,SAA98S,EAAy9S,SAAz9S,EAAo+S,SAAp+S,EAA++S,SAA/+S,EAA0/S,SAA1/S,EAAqgT,SAArgT,EAAghT,SAAhhT,EAA2hT,SAA3hT,EAAsiT,SAAtiT,EAAijT,SAAjjT,EAA4jT,SAA5jT,EAAukT,SAAvkT,EAAklT,SAAllT,EAA6lT,SAA7lT,EAAwmT,SAAxmT,EAAmnT,SAAnnT,EAA8nT,SAA9nT,EAAyoT,SAAzoT,EAAopT,SAAppT,EAA+pT,SAA/pT,EAA0qT,SAA1qT,EAAqrT,SAArrT,EAAgsT,SAAhsT,EAA2sT,SAA3sT,EAAstT,SAAttT,EAAiuT,SAAjuT,EAA4uT,SAA5uT,EAAuvT,SAAvvT,EAAkwT,SAAlwT,EAA6wT,SAA7wT,EAAwxT,SAAxxT,EAAmyT,SAAnyT,EAA8yT,SAA9yT,EAAyzT,SAAzzT,EAAo0T,SAAp0T,EAA+0T,SAA/0T,EAA01T,SAA11T,EAAq2T,SAAr2T,EAAg3T,SAAh3T,EAA23T,SAA33T,EAAs4T,SAAt4T,EAAi5T,SAAj5T,EAA45T,SAA55T,EAAu6T,SAAv6T,EAAk7T,SAAl7T,EAA67T,SAA77T,EAAw8T,SAAx8T,EAAm9T,SAAn9T,EAA89T,SAA99T,EAAy+T,SAAz+T,EAAo/T,SAAp/T,EAA+/T,SAA//T,EAA0gU,SAA1gU,EAAqhU,SAArhU,EAAgiU,SAAhiU,EAA2iU,SAA3iU,EAAsjU,SAAtjU,EAAikU,SAAjkU,EAA4kU,SAA5kU,EAAulU,SAAvlU,EAAkmU,SAAlmU,EAA6mU,SAA7mU,EAAwnU,SAAxnU,EAAmoU,SAAnoU,EAA8oU,SAA9oU,EAAypU,SAAzpU,EAAoqU,SAApqU,EAA+qU,SAA/qU,EAA0rU,SAA1rU,EAAqsU,SAArsU,EAAgtU,SAAhtU,EAA2tU,SAA3tU,EAAsuU,SAAtuU,EAAivU,SAAjvU,EAA4vU,SAA5vU,EAAuwU,SAAvwU,EAAkxU,SAAlxU,EAA6xU,SAA7xU,EAAwyU,SAAxyU,EAAmzU,SAAnzU,EAA8zU,SAA9zU,EAAy0U,SAAz0U,EAAo1U,SAAp1U,EAA+1U,SAA/1U,EAA02U,SAA12U,EAAq3U,SAAr3U,EAAg4U,SAAh4U,EAA24U,SAA34U,EAAs5U,SAAt5U,EAAi6U,SAAj6U,EAA46U,SAA56U,EAAu7U,SAAv7U,EAAk8U,SAAl8U,EAA68U,SAA78U,EAAw9U,SAAx9U,EAAm+U,SAAn+U,EAA8+U,SAA9+U,EAAy/U,SAAz/U,EAAogV,SAApgV,EAA+gV,SAA/gV,EAA0hV,SAA1hV,EAAqiV,SAAriV,EAAgjV,SAAhjV,EAA2jV,SAA3jV,EAAskV,SAAtkV,EAAilV,SAAjlV,EAA4lV,SAA5lV,EAAumV,SAAvmV,EAAknV,SAAlnV,EAA6nV,SAA7nV,EAAwoV,SAAxoV,EAAmpV,SAAnpV,EAA8pV,SAA9pV,EAAyqV,SAAzqV,EAAorV,SAAprV,EAA+rV,SAA/rV,EAA0sV,SAA1sV,EAAqtV,SAArtV,EAAguV,SAAhuV,EAA2uV,SAA3uV,EAAsvV,SAAtvV,EAAiwV,SAAjwV,EAA4wV,SAA5wV,EAAuxV,SAAvxV,EAAkyV,SAAlyV,EAA6yV,SAA7yV,EAAwzV,SAAxzV,EAAm0V,SAAn0V,EAA80V,SAA90V,EAAy1V,SAAz1V,EAAo2V,SAAp2V,EAA+2V,SAA/2V,EAA03V,SAA13V,EAAq4V,SAAr4V,EAAg5V,SAAh5V,EAA25V,SAA35V,EAAs6V,SAAt6V,EAAi7V,SAAj7V,EAA47V,SAA57V,EAAu8V,SAAv8V,EAAk9V,SAAl9V,EAA69V,SAA79V,EAAw+V,SAAx+V,EAAm/V,SAAn/V,EAA8/V,SAA9/V,EAAyhW,SAAzhW,EAAoiW,SAApiW,EAA+iW,SAA/iW,EAA0jW,SAA1jW,EAAqkW,SAArkW,EAAglW,SAAhlW,EAA2lW,SAA3lW,EAAsmW,SAAtmW,EAAinW,SAAjnW,EAA4nW,SAA5nW,EAAuoW,SAAvoW,EAAkpW,SAAlpW,EAA6pW,SAA7pW,EAAwqW,SAAxqW,EAAmrW,SAAnrW,EAA8rW,SAA9rW,EAAysW,SAAzsW,EAAotW,SAAptW,EAA+tW,SAA/tW,EAA0uW,SAA1uW,EAAqvW,SAArvW,EAAgwW,SAAhwW,EAA2wW,SAA3wW,EAAsxW,SAAtxW,EAAiyW,SAAjyW,EAA4yW,SAA5yW,EAAuzW,SAAvzW,EAAk0W,SAAl0W,EAA60W,SAA70W,EAAw1W,SAAx1W,EAAm2W,SAAn2W,EAA82W,SAA92W,EAAy3W,SAAz3W,EAAo4W,SAAp4W,EAA+4W,SAA/4W,EAA05W,SAA15W,EAAq6W,SAAr6W,EAAg7W,SAAh7W,EAA27W,SAA37W,EAAs8W,SAAt8W,EAAi9W,SAAj9W,EAA49W,SAA59W,EAAu+W,SAAv+W,EAAk/W,SAAl/W,EAA6/W,SAA7/W,EAAwgX,SAAxgX,EAAmhX,SAAnhX,EAA8hX,SAA9hX,EAAyiX,SAAziX,EAAojX,SAApjX,EAA+jX,SAA/jX,EAA0kX,SAA1kX,EAAqlX,SAArlX,EAAgmX,SAAhmX,EAA2mX,SAA3mX,EAAsnX,SAAtnX,EAAioX,SAAjoX,EAA4oX,SAA5oX,EAAupX,SAAvpX,EAAkqX,SAAlqX,EAA6qX,SAA7qX,EAAwrX,SAAxrX,EAAmsX,SAAnsX,EAA8sX,SAA9sX,EAAytX,SAAztX,EAAouX,SAApuX,EAA+uX,SAA/uX,EAA0vX,SAA1vX,EAAqwX,SAArwX,EAAgxX,SAAhxX,EAA2xX,SAA3xX,EAAsyX,SAAtyX,EAAizX,SAAjzX,EAA4zX,SAA5zX,EAAu0X,SAAv0X,EAAk1X,SAAl1X,EAA61X,SAA71X,EAAw2X,SAAx2X,EAAm3X,SAAn3X,EAA83X,SAA93X,EAAy4X,SAAz4X,EAAo5X,SAAp5X,EAA+5X,SAA/5X,EAA06X,SAA16X,EAAq7X,SAAr7X,EAAg8X,SAAh8X,EAA28X,SAA38X,EAAs9X,SAAt9X,EAAi+X,SAAj+X,EAA4+X,SAA5+X,EAAu/X,SAAv/X,EAAkgY,SAAlgY,EAA6gY,SAA7gY,EAAwhY,SAAxhY,EAAmiY,SAAniY,EAA8iY,SAA9iY,EAAyjY,SAAzjY,EAAokY,SAApkY,EAA+kY,SAA/kY,EAA0lY,SAA1lY,EAAqmY,SAArmY,EA

K,C;;;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MAOqE,0B;QAAA,aAAsB,K;MACvF,O9GkFiG,kB8GlFnF,W
AAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KAAhB,GAA2B,IAA1D,C9GkFmF,E8GlFlB,6BA
AM,iCAAwB,QAAxB,C9GkFY,C;K;I8GhFrG,4D;MAM+D,0B;QAAA,aAAsB,K;MACjF,O9GyEiG,kB8GzEnF,
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,KAAhB,GAA2B,IAApE,C9GyEmF,
F,E8GzEA,oBAAR,OAAQ,C9GyEA,C;K;I8GvErG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O9GqEqG,kB8GrEnF,
F,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,IAAhB,GAA0B,GAA1B,GAAqC,C9GqEmF,E8GrEpB,
6BAAM,iCAAwB,QAAxB,C9GqEc,C;K;I8GnErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O9GiEiG,kB8GjEnF,
WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0B,GAAtE,C9GiEmF,E8GjEpB,
F,E8GjEF,oBAAR,OAAQ,C9GiEE,C;K;I+G7OrG,kD;MAEI,IAAI,gBAAJ,C;QAAsB,MAAM,6BAAyB,qCAAkC,
QAAQ,CAAR,IAAlC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,KAAjB,
kBAAjB,KAAA2B,C;QAAA,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,B,C;;MAEX,UAAA
U,kBAAO,KAAP,C7GwBgC,I;M6GvB1C,IAAI,EAAQ,KAAR,kBAAgB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,
CAAV,EAAa,KAAb,EAAoB,gBAApB,B,C;;MAEX,OAAO,SAAW,CAAC,OAAS,IAAV,V,CAAqB,KAAQ,qB,EAAA,
MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAlB,IAAuB,IAAvB,SAAqC,QAAA,pC,C;QACrC,OAAO,UAAU,
CAAV,EAAa,KAAb,EAAoB,gBAApB,B,C;;MAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAAV,
MAAkB,GAAlB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,B,C;;MAEX,OAAQ,SAAU,CAAX,
,GAAkB,KAAlB,IAA4B,GAA5B,I;K;IAGvC,yE;MAQI,IAAI,SAAU,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,
EAAoB,gBAApB,B,C;;MAEX,OAAO,SAAW,CAAC,OAAS,IAAV,V,CAAqB,KAAQ,qB,EAAA,
MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAlB,IAAuB,IAAvB,SAAqC,QAAA,pC,C;QACrC,OAAO,UAAU,
CAAV,EAAa,KAAb,

SAArC,EAAgD,QAAhD,EAA0D,gBAA1D,C;UAChB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAaqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAaqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAaqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAakD,OAA3B,aAAc,EAAf,GAAsB,GAAM,C;YAClD,MAAM,mBAAN,EAAM,2BAAN,aAAA6D,OAAA,rC,aAAc,EAAf,GAAuB,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAAA4D,OAAA,pC,aAAc,EAAf,GAAsB,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAA3D,OAAA,pC,YAAa,EAAf,GAAqB,GAAM,C;YACpD,6B;;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAAlB,C;K;;IAAqD,QAAzD,mE;MAAiB,ByB,Q;M5H9LrB,IAAI,E4HwLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OAArC,C,IAAA6C,OAAA,C,cAAc,CAAd,Q5HxL/D,CAAJ,C;QACI,cAAa,qB;QAAb,MAAM,gCAAN,OAAA,WAAA,C;QAAM,MAAM,oBAAN,OAAA,WAAA,C;QAAM,MAAM,oBAAN,OAAA,WAAA,C;QAAM,MAAM,oB

AN,GAAkB,GAAlB,IAAN,C;QACR,IAAI,MAAK,2BAAkB,iBAAT,eAAS,CAAT,GAAqB,GAArB,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAgB,CAAhB,I;UACA,eAAe,S;UACf,YAAY,G;;;MAGpB,IAAI,gBAAgB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAAoB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,iBAAmB,YAAnB,nB,GAAkC,kCAAlC,C,KAAqC,MAAA+C,EAAA,EAAA,EAAA

HzyB4C,4B5HyyB9B,S4HzyB8B,C5HyyB5C,C;YAAwB,WAAY,WAAI,SAAJ,C;;Q4HzyBtD,sBAAmF,e5H0yBhF,W4H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;;MAGX,OAAO,K;K;IEnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C,C;;K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;iHCoBf,sJ;MAEyC,qB;QAAA,QAAkB,I;MAAM,qB;QAAA,QAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAAkC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MAAO,6C;QAAA,gCAA0C,E;MAAM,iC;QAAA,oBAA8B,S;MAAW,uC;QAAA,0BAAoC,O;MAAS,wC;QAAA,2BAAqC,E;MAAM,iC;QAAA,oBAA8B,O;MAAS,wC;QAAA,2BAAqC,O;MAAS

AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;kGAsCX,iX;MAEiC,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3

E,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,qB;QAAA,QAAkB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,qB;QAAA,QAAkB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM

AAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAwEX,2B;ME+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MAEoC,qB;QAAA,QAAA,c,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlI,QAAA,Q,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAA5K,QAAA,Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GAAuB,oD;MAE0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlL,QAAA,Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;2FAAoB,kF;MAEiC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlJ,QAAA,Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAAmB,4B;MAEkC,kB;QAAA,KAAe,S;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAlM,QAAA,Q,E;MACR,EAAE,QAAF,IAAc,M;MACd

MAChB,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGASX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;MAE6D,iBAAY,KAAA,Z,C;K;wEAUzE,7D,4B;MAEsE,iBAAY,KAAA,Z,C;K;wEAatF,2B;MAEwE,iBAAY,IAAA,Z,C;K;uGAcpF,sCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAAkC,S;MAAW,+B;QAAA,kBAAkC,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,I;MAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,eAAF,IAAqB,IAAA,aAAqB,B;MAAG,a;MACrC,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAyB,IAAA,aAAqB,iB;MAAG,Y;MACjD,EAAE,uBAAF,IAA6B,IAAA,aAAqB,6B;MAAG,qB;MACrD,EAAE,iBAAF,IAAuB,IAAA,aAAqB,e;MAAK,vB;MACjD,OAAO,C;K;mGAAgB,oB;MAEqB,qC,wB;QAAA,WAAqB,K;MAAO,uD,QAAA,E;MACrE,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wEAAgB,2B;MAEiB,iBAAY,IAAA,Z,C;K;2GAAkB,c;MAAe,yC,kB;QAAA,KAAA,gB,S;MAAA,uD,QAAA,E;MAAA,QAAA,E;MAAA,EAAA,SAAA,IAAA,aAAA,IAAA,EAAA,IAAA,EAAA,IAAA,E

K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAY,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;kFASJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;qFAElB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAAkB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEyC,qB;QAAA,QAAkB,S;MAAW,2B;QAAA,cAAwB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,eAAyB,S;MAAW,wB;QAAA,WAAqB,S;MAAW,uB;QAAA,UAAoB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;sHAkBX,kN;MAEwC,qB;QAAA,QAAkB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,2B;QAAA,cAAwB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,eAAyB,S;MAAW,wB;QAAA,WAAqB,S;MAAW,uB;QAAA,UAAoB,S;MAC9nB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;sHAAX,kN;MAAwC,qB;QAAA,QAAkB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,2B;QAAA,cAAwB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,sB;QAAA,SAAmB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,0B;QAAA,aAAuB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAoB,S;MAAW,4B;QAAA,eAAyB,S;MAAW,wB;QAAA,WAAqB,S;MAAW,uB;QAAA,UAAoB,S;MAC9nB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;0HAAX,0M;MAA4C

AmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,Q
AAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EA
AE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,QAAF,IA
Ac,M;MACd,EAAE,YAAF,IAAkB,U;MAClB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,kBAAF,IAAwB,gB;MACx
B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAA
F,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAqBX,gD;M
AEsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MAC
R,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;Q
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SA
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wHAwCX,wB;
MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MA
Cb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAyBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MA
Ae,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHA
YX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;Q
AAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAA
F,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY,S;MAA
W,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;
MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;
MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,qB;QAA
A,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF
,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QA
AQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,QAAQ,E
;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C
;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAA
O,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAAed,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;K;0GAE
R,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAAed,qB;MAAQ,OAAQ,O;K;8FASjB,qB;MAAQ,O
AAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEpB,qB;MAAQ,OAAc,a;K;w
GAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAZ,C;K;iGASnB,qB;MAAQ,OAAS,Q;K;6FAE
nB,qB;MAAQ,OAAO,M;K;+FAAed,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;MAAQ,O
AAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,wB;QAA
A,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,k
C;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAA
G,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;
MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UA
AkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QA
AA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MA
AO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBA
A0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;
QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MA
AG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR
,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA
AE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;
MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE
,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MA

Cf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MAClB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAA,iB,I;MAAM,sB;QAAA,SAAA,mB,K;MAAO,iB;QAAA,UAAA,oB,K;MAAO,iB;QAAA,UAAA,oB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MAEkE,iB;QAAA,OAAA,KAAA,C;K;4EAElE,qC;MAE2E,U;QAAA,OAAA,KAAA,C;K;4EAiBhG,4B;MAEuE,iB;QAAA,OAAA,KAAA,C;K;4EAEvE,qC;MAE+E,U;QAAA,OAAA,KAAA,C;K;4EAiBpG,4B;MAEuE,iB;QAAA,OAAA,KAAA,C;K;4EAEvE,qC;MAE+E,U;QAAA,OAAA,KAAA,C;K;4EAiBpG,4B;MAEoE,iB;QAAA,OAAA,KAAA,C;K;2EAEpE,qC;MAE4E,U;QAAA,OAAA,KAAA,C;K;4EAkBjG,4B;MAE6E,iB;QAAA,OAAA,KAAA,C;K;4EAE7E,qC;MAEqF,U;QAAA,OAAA,KAAA,C;K;4EAgBpG,4B;MAEqE,iB;QAAA,OAAA,KAAA,C;K;4EAErE,qC;MAE6E,U;QAAA,OAAA,KAAA,C;K;uFJ57BlG,+H;MAE8B,sB;QAAA,OAAA,KAAA,C;MAAW,uB;QAAA,OAAA,KAAA,C;MAAW,oB;QAAA,OAAA,KAAA,C;MAAW,wB;QAAA,OAAA,KAAA,C;MAAW,8B;QAAA,OAAA,KAAA,C;MAAW,oB;QAAA,OAAA,KAAA,C;MAAW,2B;QAAA,OAAA,KAAA,C;MAAW,qB;QAAA,OAAA,KAAA,C;MAAW,wB;QAAA,OAAA,KAAA,C;MAAW,yB;QAAA,OAAA,KAAA,C;MAAW,yB;QAAA,OAAA,KAAA,C;MAAW,wB;QAAA,OAAA,KAAA,C;MAAW,wB;QAAA,OAAA,KAAA,C;MAAW,s

E,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHAyBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;;MQx9MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,Ia,K;MACb,EAAE,MAAF,IAAY,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,C/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mB;MAEgD,oB;QAAA,OAAa,E;MAAI,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAA2C,E;MAAI,qB;QAAA,QAA6B,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,C/S,QAAQ,E;MACR,EAAE,aAAF,IAAmB,I;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MAClB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;uGAAX,qC;MAEqE,sB;QAAA,SAAkB,K;MAAO,oB;QAAA,OAAa,K;MAAO,qB;QAAA,QAAiB,K;MAAO,oB;QAAA,OAAa,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAo

MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA
A,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;;UAAA,8D;;K;;;IA0BmC,sC;MACnC,8B;K;
;IAMqC,sC;MACrC,8B;K;;IC5DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA0BA,+B;K;;ICNqC,uC;MA
CjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,
uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC
;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;;UAAA,+D;;
K;;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QrJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA
1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,sB;QAAhB,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IqJ3rD6C,OrJ2rD/B,
SqJ3rD+B,UrJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MqJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qr
JmqDG,Q;QADhB,IAAI,cqJlqDA,QrJkqDA,iBqJlqDA,QrJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;;QACrB,O
qJnqDZ,QrJmqDY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CqJnqDP,oBrJmqDkB,OqJnqDlB,CrJ
mqDG,C;YAAyB,aAAO,K;YAAP,e;;;QAC/C,aAAO,I;;;MqJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q
E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk
C,4BAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAxB,kBAA6B,wCAA7B,C;K;2CAIlC,Y;MAI4C,uBAAgB,IAAhB,
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;
MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA
,iC;;UAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M5JUX,IAAI,E4JXQ,
mD5JWR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAyB,OAAQ,WAAjC,C;;M4JZC,QAAM,oBAAN,M;aACH,
M;UAAc,Y;UAAd,K;aACA,O;UAAe,W;UAAf,K;;UACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,
IAAI,CAAC,cAAL,C;QAAgB,B,MAAM,6B;MACtB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MA
CA,OAAO,kD;K;+CAEX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;ICjDkC,wB;MAoFtC,oC;MAp
FgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QvJkU3C,Q;QADb,YAAY,C;QACC,sB;QAAb,O
AAa,cAAb,C;UAAa,sB;UACT,IuJnUmE,OvJmUrD,IuJnUqD,UvJmUnE,C;YACI,sBAAO,K;YAAP,wB;;UACJ,qB
;;QAEJ,sBAAO,E;;;MuJvUiD,0B;K;+CAExD,mB;MA4D,sB;;QvJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAA
O,QAAS,cAAhB,C;UACI,IuJ7VsE,OvJ6VxD,QAAS,WuJ7V+C,UvJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;
;;QAGR,qBAAO,E;;;MuJjWqD,yB;K;0CAE5D,Y;MAA+C,+C,+CAAiB,mBAAjB,C;K;kDAE/C,iB;MAAyD,+C
KAAjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAc,EAAAyB,OAAAzB,7B,C;K;IAElC,wD;MAAgF,uB;MA
A/E,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;
MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAlB,EAAyB,YAAzB,C;MAEA,OAAO,wBAA
K,mBAAY,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGpB,nC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,oB
AAO,I;MAC3B,3B,IAAI,2BAAJ,C,C;QAAuB,uB,OAAO,K;MAE9B,9B,OAAO,2DAAc,IAAd,EAAoB,EAAAyB,
oBAApB,B,C;K;sCAGX,Y;MAG+B,+B,kBAAQ,C;K;+CAEvC,mB;MAAwD,sBAAgB,C;K;IAEpE,wD;MAAgF,uB;MA
AhF,C;;MAEV,IAAI,aAAa,QAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAE
hC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,
aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAj
B,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,
oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;MAEhC,IAAI,aAAa,UAAjB,C;QAAyB,oBAAO,C;
MAEh

I,OAAO,K;;;MAGf,OAAO,I;K;;;IAjDf,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;ICnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAAAR,Y;MAAQ,c;;QxJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;;QACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IwJlrDwD,OxJkrD1C,OwJlrD6C,MAAH,QxJkrDxD,C;YAAwB,aAAO,I;YAAP,e;;;QAC9C,aAAO,K;;;MwJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MAChB,YAAY,KAAM,M;MrKiNO,Q;MqKhNzB,erKgN4C,CAAnB,mDAAmB,YqKhNzB,GrKgNyB,C;MqK9M5C,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;;MAIP,6B;MAAA,W;QrK0NqB,U;QqK1NrB,UrK0NqD,UAAnB,oBAAmB,CAAnB,mDAAmB,oBqK1NrD,CAAnB,oBAAmB,CAAnB,mDAAmB,oBAAnB,C;QAAmB,OAAO,K;;MAC1B,OAAO,I;MAGX,mCAAI,IAAI,GAAJ,C;QACA,OAAO,K;;MAIX,g

A,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAlClC,U;QAkCmB,OAlCnB,6BAQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6ClC,SA7CkC,IAAZ,CARzC,CA6ChD,IAAmC,O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO,2BAAA,mBAgEX,WAhEW,4D;MAkEP,gBAAS,mBAAY,WAAZ,IAAoB,I;MAC7B,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,e,IAAf,GAAe,yB,kB;K;sCAExD,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAAe,WAAf,4BAAA,mBAAA,WAAA,4D;MAEnB,gBAAS,mBAAY,WAAZ,IAAoB,I;MAC7B,wBAAQ,CAAR,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,e,IAAf,GAAe,yB,iB;K;qCAEvD,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;uCAGJ,mB;MAII,sBAAe,YAAO,CAAP,IAAf,C;MAEA,mBAAO,mBAAY,WAAZ,C;MACP

BsF,Y/JulBtF,C;YAAA,U+JtlBgB,kB/JslBhB,E+JtlBqC,kB/JslBrC,E+JtlBkD,C/JslBlD,E+JtlBqD,Y/JslBrD,E+JtlBmE,a/JslBnE,C;;;Q+JnlBQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAgB,YAAhB,IAAZ,CAAvB,EAAkE,QAAlE,C;;QAIA,2BAA2B,gBAAgB,YAAhB,I;QAE3B,IAAI,gBAAgB,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAYAY,OAAvC,C;Y/J2kBZ,U+J1kBgB,kB/J0kBhB,E+J1kBqC,kB/J0kBrC,E+J1kBkD,oB/J0kBlD,E+J1kBwE,a/J0kBxE,E+J1kBuF,I/J0kBvF,C;;Y+JxkBgB,IAAI,wBAAwB,kBAAY,OAAxC,C;c/JwkBhB,U+JvkBoB,kB/JukBpB,E+JvkBkByC,kB/JukBzC,E+JvkBsD,uBAAuB,kBAAY,OAAnC,I/JukBtD,E+JvkB+F,a/JukB/F,E+JvkB8G,I/JukB9G,C;;c+JrkBoB,mBAAmB,OAAO,YAAP,GAAsB,kBAAY,OAAlC,I;c/JqkBvC,U+JpkBoB,kB/JokBpB,E+JpkByC,kB/JokBzC,E+JpkBsD,C/JokBtD,E+JpkByD,OAAO,YAAP,I/JokBzD,E+JpkB8E,I/JokB9E,C;cAAA,U+JnkBoB,kBpB,E+JnkByC,kB/JmkBzC,E+JnkBsD,oB/JmkBtD,E+JnkB4E,a/JmkB5E,E+JnkB2F,OAAO,YAAP,I/JmkB3F,C;;;;UAAA,U+J/jBY,kB/J+jBZ,E+J/jBiC,kB/J+jBjC,E+J/jB8C,Y/J+jB9C,E+J/jB4D,C/J+jB5D,E+J/jB+D,I/J+jB/D,C;U+J9jBY,IAAI,wBAAwB,kBAAY,OAAxC,C;Y/J8jBZ,U+J7jBgB,kB/J6jBhB,E+J7jBqC,kB/J6jBrC,E+J7jBkD,uBAAuB,kBAAY,OAAnC,I/J6jBlD,E+J7jB2F,a/J6jB3F,E+J7jB0G,kBAAY,O/J6jBtH,C;;YAAA,U+J3jBgB,kB/J2jBhB,E+J3jBqC,kB/J2jBrC,E+J3jBkD,C/J2jBlD,E+J3jBqD,kBAAY,OAAZ,GAAmB,YAAnB,I/J2jBrD,E+J3jBsF,kBAAY,O/J2jBlG,C;YAAA,U+J1jBgB,kB/J0jBhB,E+J1jBqC,kB/J0jBrC,E+J1jBkD,oB/J0jBlD,E+J1jBwE,a/J0jBxE,E+J1jBuF,kBAAY,OAAZ,GAAmB,YAAnB,I/J0jBvF,C;;;Q+JvjBQ,8BAAuB,aAAvB,EAAsC,QAAtC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,EAAyB,SAAzB,B,C;MAjRN,Q;MAmRP,OAnRO,2BAAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAsRX,0B;MACI,oCAAa,2BAAkB,KAAlB,EAAyB,EAAyB,SAAzB,B,C;MAEb,oBAAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,CARzC,Q;MA0RP,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA3SgD,Q;MA4SP,mCAAzC,SA5SgD,mCA4SzC,IAAZ,CARzC,4D;MAqTP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAtUgD,Q;MAuUP,mCAAzC,SAvUgD,mCAuUzC,IAAZ,CARzC,4D;MAgVP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAjWgD,Q;MAkWP,mCAAzC,SAlWgD,mCAkWzC,IAAZ,CARzC,4D;MA2WP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5WgD,Q;MA6WP,mCAAzC,SA7WgD,mCA6WzC,IAAZ,CARzC,4D;MAsXP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvXgD,Q;MAwXP,mCAAzC,SAxXgD,mCAwXzC,IAAZ,CARzC,4D;MAiYP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAlYgD,Q;MAmYP,mCAAzC,SAnYgD,mCAmYzC,IAAZ,CARzC,4D;MA4YP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA7YgD,Q;MA8YP,mCAAzC,SA9YgD,mCA8YzC,IAAZ,CARzC,4D;MAuZP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAxZgD,Q;MAyZP,mCAAzC,SAzZgD,mCAyZzC,IAAZ,CARzC,4D;MAkaP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAnagD,Q;MAoaP,mCAAzC,SApagD,mCAoazC,IAAZ,CARzC,4D;MA6aP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA9agD,Q;MA+aP,mCAAzC,SA/agD,mCA+azC,IAAZ,CARzC,4D;MAwbP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAzbgD,Q;MA0bP,mCAAzC,SA1bgD,mCA0bzC,IAAZ,CARzC,4D;MAmcP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WApcgD,Q;MAqcP,mCAAzC,SArcgD,mCAqczC,IAAZ,CARzC,4D;MA8cP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA/cgD,Q;MAgdP,mCAAzC,SAhdgD,mCAgdzC,IAAZ,CARzC,4D;MAydP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA1dgD,Q;MA2dP,mCAAzC,SA3dgD,mCA2dzC,IAAZ,CARzC,4D;MAoePyC,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAreyC,Q;MAsfP,mCAAzC,SAtfyC,mCAsflC,IAAZ,CARzC,4D;MA+fP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAhgBgD,Q;MAigBP,mCAAzC,SAjgBgD,mCAigBzC,IAAZ,CARzC,4D;MA0gBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA3gBgD,Q;MA4gBP,mCAAzC,SA5gBgD,mCA4gBzC,IAAZ,CARzC,4D;MAqhBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAthBgD,Q;MAuhBP,mCAAzC,SAvhBgD,mCAuhBzC,IAAZ,CARzC,4D;MAgiBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAjiBgD,Q;MAkiBP,mCAAzC,SAliBgD,mCAkiBzC,IAAZ,CARzC,4D;MA2iBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5iBgD,Q;MA6iBP,mCAAzC,SA7iBgD,mCA6iBzC,IAAZ,CARzC,4D;MAsjBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvjBgD,Q;MAwjBP,mCAAzC,SAxjBgD,mCAwjBzC,IAAZ,CARzC,4D;MAikBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAlkBgD,Q;MAmkBP,mCAAzC,SAnkBgD,mCAmkBzC,IAAZ,CARzC,4D;MA4kBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA7kBgD,Q;MA8kBP,mCAAzC,SA9kBgD,mCA8kBzC,IAAZ,CARzC,4D;MAulBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAxlBgD,Q;MAylBP,mCAAzC,SAzlBgD,mCAylBzC,IAAZ,CARzC,4D;MAkmBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAnmBgD,Q;MAomBP,mCAAzC,SApmBgD,mCAomBzC,IAAZ,CARzC,4D;MA6mBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA9mBgD,Q;MA+mBP,mCAAzC,SA/mBgD,mCA+mBzC,IAAZ,CARzC,4D;MAwnBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAznBgD,Q;MA0nBP,mCAAzC,SA1nBgD,mCA0nBzC,IAAZ,CARzC,4D;MAmoBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WApoBgD,Q;MAqoBP,mCAAzC,SAroBgD,mCAqoBzC,IAAZ,CARzC,4D;MA8oBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA/oBgD,Q;MAgpBP,mCAAzC,SAhpBgD,mCAgpBzC,IAAZ,CARzC,4D;MAypBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAtpBgD,Q;MAupBP,mCAAzC,SAvpBgD,mCAupBzC,IAAZ,CARzC,4D;MAgqBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAjqBgD,Q;MAkqBP,mCAAzC,SAlqBgD,mCAkqBzC,IAAZ,CARzC,4D;MA2qBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5qBgD,Q;MA6qBP,mCAAzC,SA7qBgD,mCA6qBzC,IAAZ,CARzC,4D;MAsrBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvrBgD,Q;MAwrBP,mCAAzC,SAxrBgD,mCAwrBzC,IAAZ,CARzC,4D;MAisBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAlsBgD,Q;MAmsBP,mCAAzC,SAnsBgD,mCAmsBzC,IAAZ,CARzC,4D;MA4sBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA7sBgD,Q;MA8sBP,mCAAzC,SA9sBgD,mCA8sBzC,IAAZ,CARzC,4D;MAutBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAxtBgD,Q;MAytBP,mCAAzC,SAztBgD,mCAytBzC,IAAZ,CARzC,4D;MAkuBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAnuBgD,Q;MAouBP,mCAAzC,SApuBgD,mCAouBzC,IAAZ,CARzC,4D;MA6uBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA9uBgD,Q;MA+uBP,mCAAzC,SA/uBgD,mCA+uBzC,IAAZ,CARzC,4D;MAwvBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAzvBgD,Q;MA0vBP,mCAAzC,SA1vBgD,mCA0vBzC,IAAZ,CARzC,4D;MAmwBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WApwBgD,Q;MAqwBP,mCAAzC,SArwBgD,mCAqwBzC,IAAZ,CARzC,4D;MA8wBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA/wBgD,Q;MAgxBP,mCAAzC,SAhxBgD,mCAgxBzC,IAAZ,CARzC,4D;MAyxBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAtxBgD,Q;MAuxBP,mCAAzC,SAvxBgD,mCAuxBzC,IAAZ,CARzC,4D;MAgyBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAjyBgD,Q;MAkyBP,mCAAzC,SAlyBgD,mCAkyBzC,IAAZ,CARzC,4D;MA2yBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5yBgD,Q;MA6yBP,mCAAzC,SA7yBgD,mCA6yBzC,IAAZ,CARzC,4D;MAszBP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvzBgD,Q;MAwzBP,mCAAzC,SAxzBgD,mCAwzBzC,IAAZ,CARzC,4D;MAi0BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAl0BgD,Q;MAm0BP,mCAAzC,SAn0BgD,mCAm0BzC,IAAZ,CARzC,4D;MA40BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA70BgD,Q;MA80BP,mCAAzC,SA90BgD,mCA80BzC,IAAZ,CARzC,4D;MAu1BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAx1BgD,Q;MAy1BP,mCAAzC,SAz1BgD,mCAy1BzC,IAAZ,CARzC,4D;MAk2BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA32BgD,Q;MA42BP,mCAAzC,SA52BgD,mCA42BzC,IAAZ,CARzC,4D;MAq3BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAt3BgD,Q;MAu3BP,mCAAzC,SAv3BgD,mCAu3BzC,IAAZ,CARzC,4D;MAg4BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAj4BgD,Q;MAk4BP,mCAAzC,SAl4BgD,mCAk4BzC,IAAZ,CARzC,4D;MA24BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA54BgD,Q;MA64BP,mCAAzC,SA74BgD,mCA64BzC,IAAZ,CARzC,4D;MAs5BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAv5BgD,Q;MAw5BP,mCAAzC,SAx5BgD,mCAw5BzC,IAAZ,CARzC,4D;MAi6BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA56BgD,Q;MA66BP,mCAAzC,SA76BgD,mCA66BzC,IAAZ,CARzC,4D;MAs7BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAv7BgD,Q;MAw7BP,mCAAzC,SAx7BgD,mCAw7BzC,IAAZ,CARzC,4D;MAi8BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA58BgD,Q;MA68BP,mCAAzC,SA78BgD,mCA68BzC,IAAZ,CARzC,4D;MAs9BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAv9BgD,Q;MAw9BP,mCAAzC,SAx9BgD,mCAw9BzC,IAAZ,CARzC,4D;MAi+BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA59BgD,Q;MA69BP,mCAAzC,SA79BgD,mCA69BzC,IAAZ,CARzC,4D;MAs+BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAv+BgD,Q;MAw+BP,mCAAzC,SAx+BgD,mCAw+BzC,IAAZ,CARzC,4D;MAi/BP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5/BgD,Q;MA6/BP,mCAAzC,SA7/BgD,mCA6/BzC,IAAZ,CARzC,4D;MAsgCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvgCgD,Q;MAwgCP,mCAAzC,SAxgCgD,mCAwgCzC,IAAZ,CARzC,4D;MAihCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5hCgD,Q;MA6hCP,mCAAzC,SA7hCgD,mCA6hCzC,IAAZ,CARzC,4D;MAsiCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAviCgD,Q;MAwiCP,mCAAzC,SAxiCgD,mCAwiCzC,IAAZ,CARzC,4D;MAijCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5jCgD,Q;MA6jCP,mCAAzC,SA7jCgD,mCA6jCzC,IAAZ,CARzC,4D;MAskCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvkCgD,Q;MAwkCP,mCAAzC,SAxkCgD,mCAwkCzC,IAAZ,CARzC,4D;MAilCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5lCgD,Q;MA6lCP,mCAAzC,SA7lCgD,mCA6lCzC,IAAZ,CARzC,4D;MAsmCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvmCgD,Q;MAwmCP,mCAAzC,SAxmCgD,mCAwmCzC,IAAZ,CARzC,4D;MAinCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5nCgD,Q;MA6nCP,mCAAzC,SA7nCgD,mCA6nCzC,IAAZ,CARzC,4D;MAsoCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WAvoCgD,Q;MAwoCP,mCAAzC,SAxoCgD,mCAwoCzC,IAAZ,CARzC,4D;MAipCP,mBAAY,cAAZ,IAA+B,O;MAE/B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,EAAiB,E;K;yCAExE,mB;MAAsB,sBAAI,IAAJ,EAAU,IAAV,EAAgB,EAAhB,IAAuB,M;MAAvB,gBAAzCzC,WA5pCgD,Q;MA6pCP,mCAAzC,SA7pCgD,mCA6pCzC,IAAZ,CARzC,4D;MAsqCP,mBAAY,cAAZ,IAA

BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAA
L,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,O
AAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BlE,kFA/BkE,CA+BhF,C;cACI,mBAAY,g
BAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,Y
AAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4
ClE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;;
QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MAvDuD,6B;K;6CAEl
E,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;Q8K7w
OX,W;UACI,yBAAO,K;UAAP,2B;;QAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QA
Cd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAY,KAAZ,C;
YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;U
AGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAAr
C,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6B6E,kFA7B7E,CA
6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;
UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGr
B,IA1CsE,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cA
EV,WAAW,I;;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;;MArD
uD,6B;K;2CAElE,qB;MASsB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAlBJ,EAmBM,M
AnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB9K6wOnB,YAAQ,C;;M8K7wOX,W;QACI
,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAA
I,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAzB,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0E
AAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EAA
AK,IAAL,EAAW,OAAX,EAAoB,IAApB,C;;QAGE,oB;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAc,mB
AAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,E
AAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAY,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,I
AAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,
C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mBAAY,OAAZ,C;;YAEV,WAAW,I;;;;MAIvB,IAAI,QAAJ,C
;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,WAAW,kC;MAEX,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OAAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB,IAAjB
,IAAjB,C;;QACT,IxKtS6C,CAAC,cwKsS9C,C;UACS,OAAZ,kBAAY,EAAK,IAAL,EAAW,WAAX,EAAiB,kBA
AY,OAA7B,C;UACA,OAAZ,kBAAY,EAAK,IAAL,EAAW,CAAX,EAAc,IAAd,C;;;MAEhB,cAAO,C;MACP,YA
AO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EAAcJ,M;MAfP,WACW,eAAC,OAAI,KAAM,MAAN,OAAN,IAAC,WAAD
wB,KAAxB,GAAmC,aAAa,KAAb,EAAoB,SAApB,CAApC,uB;MAEX,WA7bgD,mBAAY,cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q/J2XJ,U+J1XQ,kB/J0XR,E+J1X6B,I/J0X7B,EAD+F,CAC/F,E+J1XgD,W/
J0XhD,E+J1XiE,I/J0XjE,C;;Q+JzXW,IxKtT6C,CAAC,cwKsT9C,C;U/JyXX,U+JxXQ,kB/JwXR,E+JxX6B,I/JwX7
B,E+JxXuD,C/JwXvD,E+JxXuE,W/JwXvE,E+JxXwF,kBAAY,O/JwXpG,C;UAAA,U+JvXQ,kB/JuXR,E+JvX6B,I
/JuX7B,E+JvXuD,kBAAY,OAAZ,GAAmB,WAAnB,I/JuXvD,E+JvX6F,C/JuX7F,E+JvX2G,I/JuX3G,C;;;M+JrXI,I
AAI,IAAK,OAAL,GAAY,SAAhB,C;QACI,KAAK,SAAL,IAAa,I;;MAIjB,OAAO,qD;K;mCAGX,Y;MAEI,OAAO
,qBAAQ,gBAAmB,SAAnB,OAAR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CAC1D,Y;MAA0C,qB;K;IAE
1C,gC;MAAA,oC;MACI,0BrHriBuC,E;MqHsiBvC,sBAAiC,U;MACjC,4BAAuC,E;K;yDAEvC,oC;MAEI,kBAAk
B,eAAe,eAAgB,CAA/B,B,K;MAClB,IAAI,eAAc,WAAd,QAA4B,CAA5B,C;QACI,cAAc,W;MAClB,IAAI,eAAc,U
AAd,QAA6B,CAAjC,C;QACI,cAAkB,UAAlB,GAAgC,UAAhC,GAAmD,U;MACvD,IAAI,cAAc,UAAd,QAAgC,CAAhC,C
AAhC,C;QACI,cAAc,mBAAY,KAAZ,C;MAElB,WAAW,IAAZ,E;;IAAf,4C;MAAA,2C;QAAA,0B;;MAAA,oC;K;qDAgBA,qB;MAEI,WAAvegD,mBAAY,cAAuenC,SAAvemC,IAAZ,C;MAAwehD,WAAe,kBAAa,cAAO,kBAAY,OAAnB,I;MAACnB,UAAD,IAAAA,EAAAA,CAAAA,EAAAA,CAAAA,EAAAA,C

B,IAAI,mB9K+qPD,YAAQ,C8K/qPX,C;QAA2B,sBAAc,qD;MAN7C,Y;K;IC5BJ,4B;MAMoB,Q;M/KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O+KlhqBiB,O/KkhqBjC,I;;M+KlhqBJ,aAAa,iB/KohqBN,G+KphqBM,C;MACb,wBAAgB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QACW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;MACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,U;QAAA,qBAAO,OAAP,K;;MAAP,OAAO,C+K7pPf,GAAe,cAAf,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,3B,IAAI,qBAAgB,aAAhB,iB,IAAiC,SAAK,OAAL,K,IAAjC,iC,SAAK,OAAL,K,IAAA,iC,SAAK,OAAL,K,IAAA,iC,SAAK,OAAL,K,IAAA

,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAElD,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,C;QAAoC,OAAO,I;MAC3C,C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;;IA5BrC,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IA+BA,iC;MAA8D,6BAAkB,SAAlB,lB,EAAoC,OAAO,C,KAApC,C;K;IAAqC,8C;MAAA,oB;QAAA,OAAA,WAAA,O;K;0CAAA,C,Y;MAAA,kC,OAAA,WAAA,qBAAA,Y;QAAA,iDAAA,C;K;IAAA

A3C,OAA1B,C;K;IAchC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;;;;wF2Gjb1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BlB,CAAU,GAAV,EAAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAAnE,C1GvBlF,C;;Q0GrMA,OAgCO,W;O;KAnDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QAClB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAAAnE,C1GvBlF,C;;M0GrKA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;MAAA,iE;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;U

K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MA
AhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sF4J5BjD,yB;MAAA,4
E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAY
A,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;
KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAnB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;
QACI,OAAO,SAAK,4BAAqB,GAArB,C;MAET,4B;M5KoTI,Q;MALX,YAAY,oB4K/Sa,G5K+Sb,C;MACZ,IAAI
,iBAAiB,CAAC,4B4KhTG,G5KgTH,CAAtB,C;Q4KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q5KoTlC,2BAAO,sE;;
M4KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADlC
,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OACyC,cAAT,SA
AK,IAAI,EAAY,YAAZ,C;;QADzC,OAEY,8BAA0B,SAA1B,EAAgC,YAAhC,C;K;;;;;;;IAc0B,4C;MAAC,wB;M
AAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;4CAChD,Y;
MA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;0FACf,Y;MAAQ,OAAA,QAAI,K;K;2
CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDAChD,iB;MAA
gE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MA+B,OAAA,QAAI,WAAI,GAAJ,C;K;0FACT,Y;MAAQ,OA
AA,QAAI,K;K;4FACH,Y;MAAQ,OAAA,QAAI,O;K;6FACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEvD,e;MAAmD,g
BAAJ,Q;MAAI,4B;M5K4PxC,Q;MALX,YAAY,oB4KvPyD,G5KuPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KxP+
C,G5KwP/C,CAAtB,C;QACI,2B4KzPwE,mB;;Q5K4PxE,2BAAO,sE;;M4K5PoC,+B;K;;IAGN,mD;MAAC,wB;M
AA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDAChD,Y;
MA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;k
DACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DAChD,iB;MA
AgE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MA+B,OAAA,QAAI,WAAI,GAAJ,C;K;iGACF,Y;MAAQ,O
AAA,QAAI,K;K;mGACH,Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;MAA
yC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yDACtC,
gB;MA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MAAI,4B;
M5KuOxC,Q;MALX,YAAY,oB4KlOyD,G5KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B4KnO+C,G5KmO/C,CAAt
B,C;QACI,2B4KpOwE,mB;;Q5KuOxE,2BAAO,sE;;M4KvOoC,+B;K;;I5KvFnD,oB;MAAA,wB;MACI,8C;K;gCA
EA,iB;MA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K
;iCAC/B,Y;MAAkC,W;K;2CAElC,e;MA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;mFACY,
Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+
B;QAAA,c;;MAAA,wB;K;IAoBA,oB;MAMuE,Q;MA7B,OA6B,uE;K;IAEvE,wB;MAAI,OAAI,KAAM,OAAN
,GAAa,CAAjB,GA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAlB,GAAwB,CAAxB,CAAN,C;K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4C,Q4K9P5C,C;8FAR4C

AY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAAZ,CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAArB,C;K;sFAElD,wC;MAUW,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEhG,qB;MAMgH,OAAA,iBAAQ,W;K;4FAExH,6C;Maq1BoB,Q;MAAA,Obh1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAgB,Obj1Be,Iai1B/B,Ebj1BsC,Sai1BZ,CAAe,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAAA,Obr0BT,iBaq0BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ,CAAJ,EAAyC,Obt0BC,Mas0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,C;QAAA,qBAAA,KAAA,C;QAAA,IAAA,KAAA,C;QAAA,IAAA,KAAA,C;QAAA,I

O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOwB,kBAAf,aAAL,SAAK,C;MAsCL,6B;MAtCA,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAnCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEpD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aAAlD,C;UADkD,OAC7C,C,U;aACL,C;UAFkD,gB;;;UAAA,OAG1C,C,S;;K;oF6KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,EAAgB,C;QAAO,OAAP,C;OAAhB,C;KAVpC,C;IAWA,sC;MAAA,8D;MAAA,8B;MAAA,s

,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGlD,+B;MAK+
C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;;IxKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;
MAAuC,8B;K;IAT3C,gF;IyKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sBA
AT,C;K;8FAErG,yB;MAAA,kD;MzKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;
O;MAT3C,8E;MyKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;
KAHlI,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC
1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHlI,C;IAgB0C,yB;K;+CAoBtC,
kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MAClD,OAAO,sBAAS,QAAS,WAAlB,e;K;+CAGX,kC;
MAQqD,6BAAS,QAAS,WAAlB,e;K;;;;;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC
5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,
K;eACA,C;YACI,IAAI,kCAAe,UAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;;YALvB,K;eAOA,C;Y
AAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;;YAC/B,MAAM,yB;;QAGlB,eAAQ,C;QACR,WAAW,4B;Q
ACX,gBAAW,I;QACX,IzH/FR,oBDgDQ,W0H+CY,kB1H/CZ,CChDR,C;;K;6CyHmGA,Y;MACU,IASe,I;MATrB
,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1
B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAY,I;UACZ,OAAO,M;;UAEH,MAAM,yB;;K;uDAItB,Y;MACI
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,
C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;;UAFwB,OAGhC,6BAAsB,uCAAoC,YAA
1D,C;;K;IAOqC,4E;MAAA,oB;QAAzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAY,K;MACZ
,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QAAzC,wCAAW,C;QAAX,OACA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAtC,c;K;2DAMX,kB;M1HjBO,Q;MADP,e0HoBI,M1HpBJ,C;MACO,Q0HmBH,M1HnBG,+D;M0HoBH,eAAQ,C;K
;kGAIR,Y;MAAQ,0C;K;;IzK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAAA,yB;MA
AA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2
C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALlE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8
B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC
;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;;IAHh
C,qC;MAAA,oC;QAAA,mB;;MAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;I
AgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;;kDAAA,Y;;;;;cACxF,eA
Ae,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,QAAW,O;oBAAA,2C;yBAAA,yB;gBAA
A,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;;;cAJJ,W;;cAAA,W;;;;;;;;;;;;;;;;
K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,
C;K;IAgBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EA
AG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8
CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;;MAEhD,OAAO,uBAAmB,SAAnB,gB,EAAyB,gBAAzB,
B,EAAiC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACZ,2B;MAAb,OAAa,cAAb,
C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QAAgB,KAAM,WAAI,IAAK,OAAT,C;QAAiB,KAAM,WAAI,IAAK,OAAT,C;;MAEvD,OAAO,+BAAS,uBAAS,+BAAT,C;K;IAGX,+B;MAAE,OAAA

A,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAArB,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAAsC,kBAAtC,EAAmD,QAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAZ,EAAyC,aAAS,OAAlD,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,z0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAApB,EAA4B,EAA4B,cAAU,OAAtC,C,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBAAe,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCAAe,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C,C;QACI,cAAc,aAAS,O;UACnB,uBAAuB,wCAAS,2CAAY,OAAZ,EAAqB,CAArB,C;UAAwB,uBAAuB,IAAI,gBAAiB,iBAAgB,C;QAAC,uBAAuB,IAAI,gBAAiB,iBAAgB,C;MAAC,uBAAuB,IAAI,gBAAiB,iBAAgB,C;IAAC,uBAAuB,IAAI,gBAAiB,iBAAgB,C;EAAC,uBAAuB,IAAI,gBAAiB,iBAAgB,C;AAAC,uBAAuB,IAAI,gBAAiB,iBAAgB,C;;;

ACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;;MAEX,OAAO,aAAS,O;K;iEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAlC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MAClE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAAd,C;QACI,WAAW,aAAO,O;QAClB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;QAEA,IAAI,mBAAa,CAAb,IAAkB,WAAI,GAAJ,CAAlB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,OAAO,M;;MAEX,IAAI,mBAAa,CAAb,IAAkB,WAAI,GAAJ,CAAlB,C;QACI,gBAAW,I;QACX,iBAAY,C;Q

AR,I;gBAAW,iB;;;gBAA3B,iB;;;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;;;cAEI,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IjL+LgD,CiL/L5C,iBjL+L6C,UiL/LjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAAa,C,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;;gBADJ,iB;;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAkCJ,W;;;;;;;;;;;;;;;K;IArCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAlB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAlB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,EAAmB,IAAnB,C;K;;IASR,wC;MAAqD,uB;MAApD,sB;MAAoD,uB;MAApD,sB;MzKrDxB,IAAI,EyKuDQ,cAAc,CzKvDtB,CAAJ,C;QACI,cyKsD2B,wE;QzKrD3B,MAAM,gCAAyB,OAAO,WAAjC,C;QAAyC

ACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;QACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,K;MACR,YAAY,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OAAO,KAAK,CAAZ,C;QACJ,IAAI,QAAQ,K

A,yB;MAAA,sC;MAAA,oC;MAAA,8BAQe,yB;QAxIf,8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG,cAAc,SAAiI8C,CAAjI9C,CAAAd,EAA2B,SAAiIoC,CAAjIpC,CAA3B,C;;YAAgIH,W;W;S;OADO,C;MARf,sC;QAAQI,sBAAW,4CAAX,C;O;KARJ,C;wGAAaA,yB;MAAA,oC;MAAQe,8F;QAAAA,uB;UACP,sBAAsB,qBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAlIG,UAAW,SAAQ,SAAkIyC,CAAlIzC,CAAR,EAAW,CAAX,C;;UAAiIId,W;S;O;MATR,kD;QAAQI,sBAAW,wDAAX,C;O;KARJ,C;kGAAaA,yB;MAAA,oC;MAAQe,8E;QAAAA,uB;UACP,sBAAsB,mBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;UAC5C,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,mBAAsB,SAAAQ,CAAR,EAAW,CAAX,C;YAAW,CAAX,C;YAAW,CAAX,C;Y

hB,C;QADA,OACuC,O;;QAEnC,kBAAkB,oBAAQ,yCAAR,C;QAClB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,C;CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAsB,OAAtB,CAAhB,EAAgD,WAAhD,C;;;K;8CAdxB,mB;MAKI,YAAY,mCAAhB,GAAuC,IAAvC,C;KAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,WAAX,4BAAR,C;K;;;;;;qDAAiCZ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAW,YAAX,GAAwB,CAAxB,GAAqB,0EAArB,G,GAAoC,OAApC,C;K;sDAExC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAW,YAAX,GAAwB,CAAxB,GAAqB,EAArB,G,GAAoC,mCAApC,GAAwD,I;K;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAAiC,e,wD;MAAjC,kC;MAAA,4BAAiC,I;K;;IAAjC,+C;MAAA

A,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;;UAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,0E;QAcI,wC;QAAS,2C;O;MAdb,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAmB,QAAnB,EAA6B,QAA7B,C;O;MAfvG,oG;MAAA,yC;QAcI,sDAA6B,YAA7B,C;O;KAdJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;;MAAA,yB;K;IAgDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAT,EAAiB,6BAAjB,C;QAAA,cAAA,EAAA,C;QAAA,cAAA,EAAA,C;QAAA,cAAA,EAAA

AAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGlD,0B;MAAA,8B;MAO2B,iB;MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;;IAHrC,iD;MAAA,gD;QAAA,+B;;MAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAElC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC1D,Y;MA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAc,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAEhF,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,EAAgB,KAAhB,C;K;yDAC7D,qC;MAAoD,OAAA,oBAAc,mBAAU,KAAV,EAAgB,KAAhB,EAAsB,KAAtB,C;K;wCAEtF,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAAqD,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACnE,uB;MAAmD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAEtE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAEhF,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,EAAgB,KAAhB,C;K;yDAC7D,qC;MAAoD,OAAA,oBAAc,mBAAU,KAAV,EAAgB,KAAhB,EAAsB,KAAtB,C;K;wCAEtF,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAAqD,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACnE,uB;MAAmD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAEtE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAW,IAAX,EAAiB,KAAjB,C;K;yCAEhF,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,EAAgB,KAAhB,C;K;yDAC7D,qC;MAAoD,OAAA,oBAAc,mBAAU,KAAV,EAAgB,KAAhB,EAAsB,KAAtB,C;K;wCAEtF,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAAqD,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACnE,uB;MAAmD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAEtE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDAClD,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBA

A,OAAO,K;K;IAIX,2C;MzLrHI,IAAI,EX2B8D,YoM0FD,KpM1FkB,KAAjB,EoM0FO,IpM1FsB,KAA7B,CoM0FD,IzLrH7D,CAAJ,C;QACI,cyLoH6E,+B;QzLnH7E,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;IyLoHd,4C;MzLtHI,IAAI,EKmC+D,aoLmFC,KpLnFiB,KAAlB,EoLmFS,IpLnFqB,KAA9B,CoLmFC,IzLtHhE,CAAJ,C;QACI,cyLqHgF,+B;QzLpHhF,MAAM,gCAAyB,OAAQ,WAAjC,C;;K;I0LpBc,6C;MAsCxB,oC;MA/BA,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,sB;M1LYA,IAAI,E0LLQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QAAf,GAAoB,QAArB,MAA2B,C1LKnC,CAAJ,C;QACI,c0LNwC,wD;Q1LOxC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MGoHV,iBAAc,CAAd,UuLxHW,EvLwHX,U;QuLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MAClB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,MAAsB,GAAtB,MAA8B,GAA9B,MAAsC,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,EAAkB,QAAlB,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;;IADJ,8C;MAAA,6C;QAAA,4B;;MAAA,sC;K;;IA7BA,gD;MAAA,sD;MACI,kCAAU,MAAV,I;MACA,yBAAK,KAAL,EAAY,KAAZ,EAAmB,KAAnB,EAAyB,KAAzB,EAAgC,MAAhC,EAAuC,MAAvC,EAA8C,MAAO,C;MACrD

U,OAAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBA
Ae,SAAR,OAAQ,CAAf,C;K;IlL7EhB,+B;MAY6B,kBAAlB,QAAQ,SAAR,EAAc,EAAd,C;MACH,IX0EE,WW1E
E,GAAK,CAAT,C;QAAY,MAAM,gCAAyB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAgBW,Q;MAAA,q
CAAiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAyB,8BAAO,SAAP,4CAA+C,KAAxE,C;;MAAxC,OAAO,I;K
;IAGX,qC;MAY6B,kBAAlB,QAAQ,SAAR,EAAc,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,
WAArB,GAA+B,I;K;IWhE1C,8C;MAgBI,WAAW,KAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAc,KAAd,C;M
AAP,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BA
AW,CAAf,C;QACI,OAAO,YAAM,SAAN,C;;MAEX,MAAM,gCAAyB,SAAM,SAAN,4BAAuB,C;K;IAGV,yC;M
AkBW,Q;MANP,IAAI,EAAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,oBAAiB,KAAjB,4CAAuB,C
C;;MAEV,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAyB,WAAQ,SAAR,mDAAoB,KAAjj
F,C;;MAEH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;
K;IAuFJ,8B;MAWsC,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEhF,gD;MAQoC
,0B;QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,O
AAO,K;MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAAuB,cAAN,KAAM,C;MAEhB,yBAAa,U;MAAb,U;QAA
2B,OFrMyB,oBEqMzB,SFrMyB,CAAY,cAAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAAfrB,
YAAY,CAAZ,C;;MEoNlD,W;K;IAGJ,gC;MAGyC,cAAA,sCAAK,cAAL,sCAAK,EAAoB,sCAAK,cAAzB,CAAR,
6B;K;ImL3OzC,6C;MAc6B,4B;QAAA,eAAuB,G;MAChD,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MA
KwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MjMGnF,IAAI,CmBwR+C,CAAC,Q8K1R5C,Y9K0R4C,
CnBxRpD,C;QACI,ciMHiC,wC;QjMIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;;MiMHV,cAAY,gB;MAEC,yBAAS,
mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,sBAAiD,SAAjD,CAAT,
gBAAgB,iBA1ET,OA0ES,C;M3Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,O2L9xDN,O3L8xDM,
W;kBAAb,OAAa,cAAb,C;QAAa,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q2L/sDl
B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C;UAC5C,a;;UAEA,4B;UA9E+B,u
B;;Y/KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAd,gE;cACI,I+KjHkD,CA
AI,aAAH,U/KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E+KjHqC,CAAG,C/KiHtD,C;gBACI,sBAAO,O;gBAAP,
wB;;;YAGR,sBAAO,E;;;U+KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;iBACjC,IAAK,a3LyxD0C,I2L
zxD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2B3L6xDmD,IOjmDsB,WoLxLI,0BAAuC,mBAAvC,IpLwLJ,C;;YoL5
LzE,2BAKY,I;;UAyER,iE9LJD,yB8LIC,4B3L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;;M2LpgDhF,OAiFK,S3Lo7CE,
W2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IA
EzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M3LurBL,kBAAS,gB;MA2FA,U;MAAA,S2
LhxBM,O3LgxBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb
2hB9B,C;UAAwB,WAAY,WAAI,OAAJ,C;;M2L9wBrD,kB3L+wBE,W;MAmrBA,oBAAM,iBAAa,qCAAwB,EA
AxB,CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QAzCT,aAAY,uBAAc,IAAd,E;;M2L5gD
hB,sBAAsB,CAGjB,oB3L0gDE,a2L1gDF,CAHiB,mBAGF,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,sBAAiD,SAAjD,CAAT,
AmB,OAAM,KAAzB,C;MAAT,IAAS,wBAAiD,kBAAjD,sBAAiD,SAAjD,CAAT,
gBAAgB,iBAAnB,CT,OAmCS,C;M3Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,S2LvvDN,O3LuvDM,W;MAAb,OAAa,cAAb,C;QAAa,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;Q2L/sDl
B,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,M2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,oBA
xCmG,Q3LuvDpD,M2LvvDoD,kBAwCnG,Y9LJD,yB8LIC,4B3L+sD+C,MA1RpB,U;UAA6C,+B;;;M2L79ChF,O
A0CK,S3Lo7CE,a2Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAAE
G,IAAG,QAAH,EAAG,CAAH,C;UAAE,IAAA,EAAG,OAAH,EAAG,GAAY,cAAO,OAAP,anB,C;YAAE,HAAZ,OAAGyC,c;;YAAH
C,OAIoB,E;;UAJpB,B,OAOY,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,C7LY,eAAA,SAAU,OAAV,EAA

OAAa,cAAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAmB,cAAnB,EAAmB,sBAAnB,U;U2L/sDlB,kB;U3Lq7C2B,c2Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q3LktDG,I2LltDH,C3Lw7CjB,G2Lv7C3B,I3Lu7C2B,G2Lr7C3B,sC3L+sD+C,I2L/sD/C,a9LJD,yB8LIC,4B3L+sD+C,IA1RpB,U;YAA6C,6B;;;Q2Lz7ChF,OAMK,S3Lo7CE,W2Lp7CF,EAAO,mBAAc,kBAAd,CAAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAAA,SAAK,gBAAO,GAAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,avHrU7B,W;QuHqUA,OvHpUO,SuHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAxB,mBAAc,cAAAd,C;QAA8B,avHhVrC,W;QuHgVA,OvH/UO,SuH+U+C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAAb,gB;QAAa,WAAA,KAAAb,M;QACI,yBAAO,IAAAP,P,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAAb,gB;QAAa,WAAA,KAAAb,M;QACI,yBAAO,IAAAP,P,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAAP,P,C;K;qFAEtE9D,4B;MAGkF,OAAA,yBAAO,kBAAAP,P,C;K;qFAEzF9D,4B;MAGkF,OAAA,yBAAO,kBAAAP,P,C;K;qFAEzF9D,4B;MAGkF,OAAA,yBAAO,kBAAAP,P,C;K;qFAEzF9D,4B;MAGkF,OAAA,yBAAO,kBAAAP,P,C;K;I/H/a9D,iC;MAAK0C,iCAAAqB,EAAArB,C;K;IAE1C,0C;MAAQmB,Q;MAAA,qBAAAL,SAAK,EAAAY,EAAY,KAAAZ,EAAK,C;MAAL,iB;QAAA2B,OAAO,I;;MAA5C5C,UAAU,I;MAAVC,WAAAA,IAAAA,MAAAA,sCAAAA,UAAAA,IAAAA,MAAAA,wBAAAA,IAAAA,MAAAA,gB

,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EAAmB,kBAAnB,C;cAAP,qB;;UAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,CAAQ,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,qB;;UAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAXhD,C;+EAaA,yB;MAAA,8B

,C;MACV,IAAI,UAAU,SAAK,OAAnB,C;QACI,OAAY,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;
MAEhB,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAd,I;MAAd,aAAU
,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,
Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EAAe,OAAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBA
AgB,SAAK,OAAL,KAAe,C;K;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,
yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qB
AAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C
,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,
uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAmC,S;K;6EAEvC,yB;MAAA,2C;
MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAmC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,I
AAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAAL,GAAc,cAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,
I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,KAAL,CAAQ,QAAQ,CA
AR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKlB,KAAM,aAAN,GAAA
qB,CAArB,INpKkB,C;K;IMsKhG,yC;MAGqE,qCAAY,KAAM,MAAlB,EAAyB,KAAM,aAAN,GAAqB,CAArB,I
AAzB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAmB,GAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB
,gB;MAAkB,OAAA,8BAAY,UAAZ,EAAwB,QAAxB,CAAkC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAY,KAAM,
MAAlB,EAAyB,KAAM,aAAN,GAAqB,CAArB,IAAzB,CAAiD,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAgC,S;
MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+
B,EM0M5B,KN1M4B,C;K;IM6MhG,wE;MAIqD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ
,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE
;MAIkD,qC;QAAA,wBAAgC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GA
AxB,GN5N4F,oBM4N/B,CAAQ,QAAR,CAAkB,IN5NqB,EM4NpB,GN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBA
AgC,S;MAChF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,CNrO+
B,EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,
KN9O4B,C;K;IMiPhG,4E;MAIyD,qC;QAAA,wBAAgC,S;MACrF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNhQ4F,oBMgQ/B,CNhQ+B,EMgQ5B,KNhQ4B,C;K;IMmQhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzQ4F,oBMyQ/B,CNzQ+B,EMyQ5B,KNzQ4B,C;K;IM4QhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/Q4F,oBM+Q/B,CN/Q+B,EM+Q5B,KN/Q4B,C;K;IMkRhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrR4F,oBMqR/B,CNrR+B,EMqR5B,KNrR4B,C;K;IMwRhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3R4F,oBM2R/B,CN3R+B,EM2R5B,KN3R4B,C;K;IM8RhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjS4F,oBMiS/B,CNjS+B,EMiS5B,KNjS4B,C;K;IMoShG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvS4F,oBMuS/B,CNvS+B,EMuS5B,KNvS4B,C;K;IM0ShG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7S4F,oBM6S/B,CN7S+B,EM6S5B,KN7S4B,C;K;IMgThG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnT4F,oBMmT/B,CNnT+B,EMmT5B,KNnT4B,C;K;IMsThG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzT4F,oBMyT/B,CNzT+B,EMyT5B,KNzT4B,C;K;IM4ThG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/T4F,oBM+T/B,CN/T+B,EM+T5B,KN/T4B,C;K;IMkUhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrU4F,oBMqU/B,CNrU+B,EMqU5B,KNrU4B,C;K;IMwUhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3U4F,oBM2U/B,CN3U+B,EM2U5B,KN3U4B,C;K;IM8UhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjV4F,oBMiV/B,CNjV+B,EMiV5B,KNjV4B,C;K;IMoVhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvV4F,oBMuV/B,CNvV+B,EMuV5B,KNvV4B,C;K;IM0VhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7V4F,oBM6V/B,CN7V+B,EM6V5B,KN7V4B,C;K;IMgWhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnW4F,oBMmW/B,CNnW+B,EMmW5B,KNnW4B,C;K;IMsWhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzW4F,oBMyW/B,CNzW+B,EMyW5B,KNzW4B,C;K;IM4WhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/W4F,oBM+W/B,CN/W+B,EM+W5B,KN/W4B,C;K;IMkXhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrX4F,oBMqX/B,CNrX+B,EMqX5B,KNrX4B,C;K;IMwXhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3X4F,oBM2X/B,CN3X+B,EM2X5B,KN3X4B,C;K;IM8XhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjY4F,oBMiY/B,CNjY+B,EMiY5B,KNjY4B,C;K;IMoYhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvY4F,oBMuY/B,CNvY+B,EMuY5B,KNvY4B,C;K;IM0YhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7Y4F,oBM6Y/B,CN7Y+B,EM6Y5B,KN7Y4B,C;K;IMgZhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnZ4F,oBMmZ/B,CNnZ+B,EMmZ5B,KNnZ4B,C;K;IMsZhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzZ4F,oBMyZ/B,CNzZ+B,EMyZ5B,KNzZ4B,C;K;IM4ZhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/Z4F,oBM+Z/B,CN/Z+B,EM+Z5B,KN/Z4B,C;K;IMkahG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrb4F,oBMqb/B,CNrb+B,EMqb5B,KNrb4B,C;K;IMwbhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3b4F,oBM2b/B,CN3b+B,EM2b5B,KN3b4B,C;K;IM8bhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjc4F,oBMic/B,CNjc+B,EMic5B,KNjc4B,C;K;IMoch,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvc4F,oBMuc/B,CNvc+B,EMuc5B,KNvc4B,C;K;IM0ch,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7c4F,oBM6c/B,CN7c+B,EM6c5B,KN7c4B,C;K;IMgdhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnd4F,oBMmd/B,CNnd+B,EMmd5B,KNnd4B,C;K;IMsdhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzd4F,oBMyd/B,CNzd+B,EMyd5B,KNzd4B,C;K;IM4dhG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/d4F,oBM+d/B,CN/d+B,EM+d5B,KN/d4B,C;K;IMkehG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNre4F,oBMqe/B,CNre+B,EMqe5B,KNre4B,C;K;IMwehG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3e4F,oBM2e/B,CN3e+B,EM2e5B,KN3e4B,C;K;IM8ehG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjf4F,oBMif/B,CNjf+B,EMif5B,KNjf4B,C;K;IMofhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvf4F,oBMuf/B,CNvf+B,EMuf5B,KNvf4B,C;K;IM0fhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7f4F,oBM6f/B,CN7f+B,EM6f5B,KN7f4B,C;K;IMggh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnf4F,oBMmf/B,CNnf+B,EMmf5B,KNnf4B,C;K;IMsfhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzf4F,oBMyf/B,CNzf+B,EMyf5B,KNzf4B,C;K;IM4fhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/f4F,oBM+f/B,CN/f+B,EM+f5B,KN/f4B,C;K;IMkghG,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrf4F,oBMqf/B,CNrf+B,EMqf5B,KNrf4B,C;K;IMwfhG,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3f4F,oBM2f/B,CN3f+B,EM2f5B,KN3f4B,C;K;IM8fhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjg4F,oBMig/B,CNjg+B,EMig5B,KNjg4B,C;K;IMogh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvg4F,oBMug/B,CNvg+B,EMug5B,KNvg4B,C;K;IM0gh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7g4F,oBM6g/B,CN7g+B,EM6g5B,KN7g4B,C;K;IMghh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnh4F,oBMmh/B,CNnh+B,EMmh5B,KNnh4B,C;K;IMsh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzh4F,oBMyh/B,CNzh+B,EMyh5B,KNzh4B,C;K;IM4hh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/h4F,oBM+h/B,CN/h+B,EM+h5B,KN/h4B,C;K;IMkih,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNri4F,oBMqi/B,CNri+B,EMqi5B,KNri4B,C;K;IMwih,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3i4F,oBM2i/B,CN3i+B,EM2i5B,KN3i4B,C;K;IM8ih,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjj4F,oBMij/B,CNjj+B,EMij5B,KNjj4B,C;K;IMoj,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvj4F,oBMuj/B,CNvj+B,EMuj5B,KNvj4B,C;K;IM0jh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7j4F,oBM6j/B,CN7j+B,EM6j5B,KN7j4B,C;K;IMgkh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnk4F,oBMmk/B,CNnk+B,EMmk5B,KNnk4B,C;K;IMsk,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzk4F,oBMyk/B,CNzk+B,EMyk5B,KNzk4B,C;K;IM4kh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/k4F,oBM+k/B,CN/k+B,EM+k5B,KN/k4B,C;K;IMklh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrl4F,oBMql/B,CNrl+B,EMql5B,KNrl4B,C;K;IMwlh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3l4F,oBM2l/B,CN3l+B,EM2l5B,KN3l4B,C;K;IM8lh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjm4F,oBMim/B,CNjm+B,EMim5B,KNjm4B,C;K;IMomh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvm4F,oBMum/B,CNvm+B,EMum5B,KNvm4B,C;K;IM0mh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7m4F,oBM6m/B,CN7m+B,EM6m5B,KN7m4B,C;K;IMgnh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnn4F,oBMmn/B,CNnn+B,EMmn5B,KNnn4B,C;K;IMsnh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzn4F,oBMyn/B,CNzn+B,EMyn5B,KNzn4B,C;K;IM4nh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/n4F,oBM+n/B,CN/n+B,EM+n5B,KN/n4B,C;K;IMkoh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNro4F,oBMqo/B,CNro+B,EMqo5B,KNro4B,C;K;IMwoh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3o4F,oBM2o/B,CN3o+B,EM2o5B,KN3o4B,C;K;IM8oh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjp4F,oBMip/B,CNjp+B,EMip5B,KNjp4B,C;K;IMop,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvp4F,oBMup/B,CNvp+B,EMup5B,KNvp4B,C;K;IM0p,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7p4F,oBM6p/B,CN7p+B,EM6p5B,KN7p4B,C;K;IMgqh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnq4F,oBMmq/B,CNnq+B,EMmq5B,KNnq4B,C;K;IMsqh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzq4F,oBMyq/B,CNzq+B,EMyq5B,KNzq4B,C;K;IM4qh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/q4F,oBM+q/B,CN/q+B,EM+q5B,KN/q4B,C;K;IMkrh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrr4F,oBMqr/B,CNrr+B,EMqr5B,KNrr4B,C;K;IMwrh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3r4F,oBM2r/B,CN3r+B,EM2r5B,KN3r4B,C;K;IM8rh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjs4F,oBMis/B,CNjs+B,EMis5B,KNjs4B,C;K;IMos,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvs4F,oBMus/B,CNvs+B,EMus5B,KNvs4B,C;K;IM0sh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7s4F,oBM6s/B,CN7s+B,EM6s5B,KN7s4B,C;K;IMgth,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnt4F,oBMmt/B,CNnt+B,EMmt5B,KNnt4B,C;K;IMst,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzt4F,oBMyt/B,CNzt+B,EMyt5B,KNzt4B,C;K;IM4th,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/t4F,oBM+t/B,CN/t+B,EM+t5B,KN/t4B,C;K;IMkuh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNru4F,oBMqu/B,CNru+B,EMqu5B,KNru4B,C;K;IMwuh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3u4F,oBM2u/B,CN3u+B,EM2u5B,KN3u4B,C;K;IM8uh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjv4F,oBMiv/B,CNjv+B,EMiv5B,KNjv4B,C;K;IMov,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvv4F,oBMuv/B,CNvv+B,EMuv5B,KNvv4B,C;K;IM0vh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7v4F,oBM6v/B,CN7v+B,EM6v5B,KN7v4B,C;K;IMgwh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNnw4F,oBMmw/B,CNnw+B,EMmw5B,KNnw4B,C;K;IMsw,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNzw4F,oBMyw/B,CNzw+B,EMyw5B,KNzw4B,C;K;IM4wh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN/w4F,oBM+w/B,CN/w+B,EM+w5B,KN/w4B,C;K;IMkxh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNrx4F,oBMqx/B,CNrx+B,EMqx5B,KNrx4B,C;K;IMwxh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN3x4F,oBM2x/B,CN3x+B,EM2x5B,KN3x4B,C;K;IM8xh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNjy4F,oBMiy/B,CNjy+B,EMiy5B,KNjy4B,C;K;IMoyh,8E;MAIyD,qC;QAAA,wBAAgC,S;MACzF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GNvy4F,oBMuy/B,CNvy+B,EMuy5B,KNvy4B,C;K;IM0yh,oE;MAIiD,qC;QAAA,wBAAgC,S;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qBAAxB,GAAwB,qBAAxB,GN7y4F,oBM6y/B,CN7y+B,EM6y5B,KN7y4B,C;K;IMgzh,yE;MAIsD,qC;QAAA,wBAAgC,S;MACtF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAApB,GAAwB,qB

C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;;MMgZ5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAnB,8BAAA,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;;MAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OAAP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,ONtawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INtawD,C;;MMwa5F,OAAO,S;K;IAGX,mD;MAKmF,oCAAkB,SAAlB,EAA6B,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAAkB,SAAlB,EAA6B,EAA6B,SAA7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAgC,S;MAClG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAA,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4JmD,WA5JnD,CAAgD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAgC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAgC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oF;MAIyE,qC;QAAA,wBAAgC,S;MACrG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sF;MAI2E,qC;QAAA,wBAAgC,S;MACvG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wF;MAI6E,qC;QAAA,wBAAgC,S;MACzG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0F;MAI+E,qC;QAAA,wBAAgC,S;MAC3G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4F;MAIiF,qC;QAAA,wBAAgC,S;MAC7G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8F;MAImF,qC;QAAA,wBAAgC,S;MAC/G,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gG;MAIqF,qC;QAAA,wBAAgC,S;MACjH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kG;MAIuF,qC;QAAA,wBAAgC,S;MACnH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oG;MAIyF,qC;QAAA,wBAAgC,S;MACrH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sG;MAI2F,qC;QAAA,wBAAgC,S;MACvH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wG;MAI6F,qC;QAAA,wBAAgC,S;MACzH,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0G;MAI+F,qC;QAAA,wBAAgC,S;MAC3H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4G;MAIiG,qC;QAAA,wBAAgC,S;MAC7H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8G;MAImG,qC;QAAA,wBAAgC,S;MAC/H,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gH;MAIqG,qC;QAAA,wBAAgC,S;MACjI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kH;MAIuG,qC;QAAA,wBAAgC,S;MACnI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oH;MAIyG,qC;QAAA,wBAAgC,S;MACrI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sH;MAI2G,qC;QAAA,wBAAgC,S;MACvI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wH;MAI6G,qC;QAAA,wBAAgC,S;MACzI,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0H;MAI+G,qC;QAAA,wBAAgC,S;MAC3I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4H;MAIiH,qC;QAAA,wBAAgC,S;MAC7I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8H;MAImH,qC;QAAA,wBAAgC,S;MAC/I,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gI;MAIqH,qC;QAAA,wBAAgC,S;MACjJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kI;MAIuH,qC;QAAA,wBAAgC,S;MACnJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oI;MAIyH,qC;QAAA,wBAAgC,S;MACrJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sI;MAI2H,qC;QAAA,wBAAgC,S;MACvJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wI;MAI6H,qC;QAAA,wBAAgC,S;MACzJ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0I;MAI+H,qC;QAAA,wBAAgC,S;MAC3J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4I;MAIiI,qC;QAAA,wBAAgC,S;MAC7J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8I;MAImI,qC;QAAA,wBAAgC,S;MAC/J,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gJ;MAIqI,qC;QAAA,wBAAgC,S;MACjK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kJ;MAIuI,qC;QAAA,wBAAgC,S;MACnK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oJ;MAIyI,qC;QAAA,wBAAgC,S;MACrK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sJ;MAI2I,qC;QAAA,wBAAgC,S;MACvK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wJ;MAI6I,qC;QAAA,wBAAgC,S;MACzK,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0J;MAI+I,qC;QAAA,wBAAgC,S;MAC3K,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4J;MAIiJ,qC;QAAA,wBAAgC,S;MAC7L,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8J;MAImJ,qC;QAAA,wBAAgC,S;MAC/L,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gK;MAIqJ,qC;QAAA,wBAAgC,S;MACjM,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kK;MAIuJ,qC;QAAA,wBAAgC,S;MACnM,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oK;MAIyJ,qC;QAAA,wBAAgC,S;MACrM,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sK;MAI2J,qC;QAAA,wBAAgC,S;MACvM,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wK;MAI6J,qC;QAAA,wBAAgC,S;MACzM,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0K;MAI+J,qC;QAAA,wBAAgC,S;MAC3M,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4K;MAIiK,qC;QAAA,wBAAgC,S;MAC7M,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8K;MAImK,qC;QAAA,wBAAgC,S;MAC/M,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gL;MAIqK,qC;QAAA,wBAAgC,S;MACjN,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kL;MAIuK,qC;QAAA,wBAAgC,S;MACnN,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oL;MAIyK,qC;QAAA,wBAAgC,S;MACrN,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sL;MAI2K,qC;QAAA,wBAAgC,S;MACvN,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wL;MAI6K,qC;QAAA,wBAAgC,S;MACzN,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0L;MAI+K,qC;QAAA,wBAAgC,S;MAC3N,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4L;MAIiL,qC;QAAA,wBAAgC,S;MAC7N,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8L;MAImL,qC;QAAA,wBAAgC,S;MAC/N,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gM;MAIqL,qC;QAAA,wBAAgC,S;MACjO,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kM;MAIuL,qC;QAAA,wBAAgC,S;MACnO,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oM;MAIyL,qC;QAAA,wBAAgC,S;MACrO,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sM;MAI2L,qC;QAAA,wBAAgC,S;MACvO,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wM;MAI6L,qC;QAAA,wBAAgC,S;MACzO,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0M;MAI+L,qC;QAAA,wBAAgC,S;MAC3O,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4M;MAIiM,qC;QAAA,wBAAgC,S;MAC7O,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8M;MAImM,qC;QAAA,wBAAgC,S;MAC/O,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gN;MAIqM,qC;QAAA,wBAAgC,S;MACjP,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kN;MAIuM,qC;QAAA,wBAAgC,S;MACnP,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oN;MAIyM,qC;QAAA,wBAAgC,S;MACrP,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sN;MAI2M,qC;QAAA,wBAAgC,S;MACvP,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wN;MAI6M,qC;QAAA,wBAAgC,S;MACzP,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0N;MAI+M,qC;QAAA,wBAAgC,S;MAC3P,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4N;MAIiN,qC;QAAA,wBAAgC,S;MAC7P,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,8N;MAImN,qC;QAAA,wBAAgC,S;MAC/P,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,gO;MAIqN,qC;QAAA,wBAAgC,S;MACjQ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,kO;MAIuN,qC;QAAA,wBAAgC,S;MACnQ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,oO;MAIyN,qC;QAAA,wBAAgC,S;MACrQ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,sO;MAI2N,qC;QAAA,wBAAgC,S;MACvQ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,wO;MAI6N,qC;QAAA,wBAAgC,S;MACzQ,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,0O;MAI+N,qC;QAAA,wBAAgC,S;MAC3Q,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAgD,W;;MAqKvE,W;K;IAGJ,4O;MAIiO,qC;QAAA,wBAAgC,S;MAC7Q,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAArKvB,U;QAqKM,OArKgB,aAAtB,+DAAA,EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,

AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MAChF,qBfjnBO,MAAO,KeinBa,SAAK,OfjnBlB,EeinB0B,KAAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAAA8B,UAA9B,CAAAr,C;QACI,a;;MAEJ,IAAS,mBAAL,CAAK,SAAK,EAAAmB,IAAI,CAAJ,IAAAnB,IAAA8B,CAAA,CAAA,EAAA,IAAA,CAAA,EAAA,IAAA,CAAA,EAAA,I

MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GNx3B4F,kBM23B1E,MN33B0E,EM23BlE,UN33BkE,C;K;IM83BhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAY,IAAZ,CAAf,EAAkC,UAAlC,CAAA,EAA8C,UAA9C,CADJ,GNp4BgG,sB8G3MM,oBxGklChF,IwGllCgF,C9G2MN,EMu4BpE,UNv4BoE,C;K;IM04BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,EAA/B,+B,UAA/B,E/B,EAAkD,IAAlD,CADJ,GNn5BgG,sBMs5B1E,MNt5B0E,EMs5BlE,UNt5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAW,yBAAX,EAAsB,UAAtB,EAAkC,UAAlC,EAA8C,CAA9C,EAAiD,GAAjD,EAAsD,CAAtD,EAAyD,EAAzD,EAA6D,CAA7D,EAAgE,GAAhE,EAAqE,CAArE,EAAwE,EAAxE,EAA4E,CAA5E,EAA+E,EAA/E,EAAmF,CAAnF,EAAsF,EAAtF,EAA0F,CAA1F,EAA6F,EAA7F,EAAiG,CAAjG,EAAoG,EAApG,EAAwG,CAAxG,EAA2G,EAA3G,EAA+G,CAA/G,EAAkH,EAAlH,EAAsH,CAAtH,EAAyH,EAAzH,EAA6H,CAA7H,EAAgI,EAAhI,EAAoI,CAApI,EAAuI,EAAvI,EAA2I,CAA3I,EAA8I,EAA9I,EAAkJ,CAAlJ,EAAqJ,EAArJ,EAAyJ,CAAzJ,EAA4J,EAA5J,EAAgK,CAAhK,EAAmK,EAAnK,EAAuK,CAAvK,EAA0K,EAA1K,EAA8K,CAA9K,EAAiL,EAAjL,EAAqL,CAArL,EAAwL,EAAxL,EAA4L,CAA5L,EAA+L,EAA/L,EAAmM,CAAnM,EAAsM,EAAtM,EAA0M,CAA1M,EAA6M,EAA7M,EAAiN,CAAjN,EAAoN,EAApN,EAAwN,CAAxN,EAA2N,EAA3N,EAA+N,CAA/N,EAAkO,EAAlO,EAAsO,CAAtO,EAAyO,EAAzO,EAA6O,CAA7O,EAAgP,EAAhP,EAAoP,CAApP,EAAuP,EAAvP,EAA2P,CAA3P,EAA8P,EAA9P,EAAkQ,CAAlQ,EAAqQ,EAArQ,EAAyQ,CAAzQ,EAA4Q,EAA5Q,EAAgR,CAAhR,EAAmR,EAAnR,EAAuR,CAAvR,EAA0R,EAA1R,EAA8R,CAA9R,EAAiS,EAAjS,EAAqS,CAArS,EAAwS,EAAxS,EAA4S,CAA5S,EAA+S,EAA/S,EAAmT,CAAnT,EAAsT,EAAtT,EAA0T,CAA1T,EAA6T,EAA7T,EAAiU,CAAjU,EAAoU,EAApU,EAAwU,CAAxU,EAA2U,EAA3U,EAA+U,CAA/U,EAAkV,EAAlV,EAAsV,CAAtV,EAAyV,EAAzV,EAA6V,CAA7V,EAAgW,EAAhW,EAAoW,CAApW,EAAuW,EAAvW,EAA2W,CAA3W,EAA8W,EAA9W,EAAkX,CAAlX,EAAqX,EAArX,EAAyX,CAAzX,EAA4X,EAA5X,EAAgY,CAAhY,EAAmY,EAAnY,EAAuY,CAAvY,EAA0Y,EAA1Y,EAA8Y,CAA9Y,EAAiZ,EAAjZ,EAAqZ,CAArZ,EAAwZ,EAAxZ,EAA4Z,CAA5Z,EAA+Z,EAA/Z,EAAma,CAAna,EAAsa,EAAta,EAA0a,CAA1a,EAA6a,EAA7a,EAAib,CAAjb,EAAob,EAApb,EAAwb,CAAxb,EAA2b,EAA3b,EAA+b,CAA/b,EAAkc,EAAlc,EAAsc,CAAtc,EAAyc,EAAzc,EAA6c,CAA7c,EAAgd,EAAhd,EAAod,CAApd,EAAud,EAAvd,EAA2d,CAA3d,EAA8d,EAA9d,EAAke,CAAle,EAAqe,EAAre,EAAye,CAAze,EAA4e,EAA5e,EAAgf,CAAhf,EAAmf,EAAnf,EAAuf,CAAvf,EAA0f,EAA1f,EAA8f,CAA9f,EAAigB,EAAjgB,EAAqgB,CAArgB,EAAwgB,EAAxgB,EAA4gB,CAA5gB,EAA+gB,EAA/gB,EAAmhB,CAAnhB,EAAshB,EAAthB,EAA0hB,CAA1hB,EAA6hB,EAA7hB,EAAiiB,CAAjiB,EAAoiB,EAApiB,EAAwiB,CAAxiB,EAA2iB,EAA3iB,EAA+iB,CAA/iB,EAAkjB,EAAljB,EAAsjB,CAAtjB,EAAyjB,EAAzjB,EAA6jB,CAA7jB,EAAgkB,EAAhkB,EAAokB,CAApkB,EAAukB,EAAvkB,EAA2kB,CAA3kB,EAA8kB,EAA9kB,EAAklB,CAAllB,EAAqlB,EAArlB,EAAylB,CAAzlB,EAA4lB,EAA5lB,EAAgmB,CAAhmB,EAAmmB,EAAnmB,EAAumB,CAAvmB,EAA0mB,EAA1mB,EAA8mB,CAA9mB,EAAinB,EAAjnB,EAAqnB,CAArnB,EAAwnB,EAAxnB,EAA4nB,CAA5nB,EAA+nB,EAA/nB,EAAmoB,CAAnoB,EAAsoB,EAAtoB,EAA0oB,CAA1oB,EAA6oB,EAA7oB,EAAipB,CAAjpB,EAAopB,EAAppB,EAAwpB,CAAxpB,EAA2pB,EAA3pB,EAA+pB,CAA/pB,EAAkqB,EAAlqB,EAAsqB,CAAtqB,EAAyqB,EAAzqB,EAA6qB,CAA7qB,EAAgrB,EAAhrB,EAAorB,CAAprB,EAAurB,EAAvrB,EAA2rB,CAA3rB,EAA8rB,EAA9rB,EAAksB,CAAlsB,EAAqsB,EAArsB,EAAysB,CAAzsB,EAA4sB,EAA5sB,EAAgtB,CAAhtB,EAAmtB,EAAntB,EAAutB,CAAvtB,EAA0tB,EAA1tB,EAA8tB,CAA9tB,EAAiuB,EAAjuB,EAAquB,CAAruB,EAAwuB,EAAxuB,EAA4uB,CAA5uB,EAA+uB,EAA/uB,EAAmvB,CAAnvB,EAAsvB,EAAtvB,EAA0vB,CAA1vB,EAA6vB,EAA7vB,EAAiwB,CAAjwB,EAAowB,EAApwB,EAAwwB,CAAxwB,EAA2wB,EAA3wB,EAA+wB,CAA/wB,EAAkxB,EAAlxB,EAAsxB,CAAtxB,EAAyxB,EAAzxB,EAA6xB,CAA7xB,EAAgyB,EAAhyB,EAAoyB,CAApyB,EAAuyB,EAAvyB,EAA2yB,CAA3yB,EAA8yB,EAA9yB,EAAkzB,CAAlzB,EAAqzB,EAArzB,EAAyzB,CAAzzB,EAA4zB,EAA5zB,EAAg0B,CAAh0B,EAAm0B,EAAn0B,EAAu0B,CAAv0B,EAA00B,EAA10B,EAA80B,CAA90B,EAAi1B,EAAj1B,EAAq1B,CAAr1B,EAAw1B,EAAx1B,EAA41B,CAA51B,EAA+1B,EAA/1B,EAAm2B,CAAn2B,EAAs2B,EAAt2B,EAA02B,CAA12B,EAA62B,EAA72B,EAAi3B,CAAj3B,EAAo3B,EAAp3B,EAAw3B,CAAx3B,EAA23B,EAA33B,EAA+3B,CAA/3B,EAAk4B,EAAl4B,EAAs4B,CAAt4B,EAAy4B,EAAz4B,EAA64B,CAA74B,EAAg5B,EAAh5B,EAAo5B,CAAp5B,EAAu5B,EAAv5B,EAA25B,CAA35B,EAA85B,EAA95B,EAAk6B,CAAl6B,EAAq6B,EAAr6B,EAAy6B,CAAz6B,EAA46B,EAA56B,EAAg7B,CAAh7B,EAAm7B,EAAn7B,EAAu7B,CAAv7B,EAA07B,EAA17B,EAA87B,CAA97B,EAAi8B,EAAj8B,EAAq8B,CAAr8B,EAAw8B,EAAx8B,EAA48B,CAA58B,EAA+8B,EAA/8B,EAAm9B,CAAn9B,EAAs9B,EAAt9B,EAA09B,CAA19B,EAA69B,EAA79B,EAAi+B,CAAj+B,EAAo+B,EAAp+B,EAAw+B,CAAx+B,EAA2+B,EAA3+B,EAA++B,CAA/+B,EAAk/B,EAAl/B,EAAs/B,CAAt/B,EAAy/B,EAAz/B,EAA6/B,CAA7/B,EAAggC,EAAhgC,EAAogC,CAApgC,EAAugC,EAAvgC,EAA2gC,CAA3gC,EAA8gC,EAA9gC,EAAkhC,CAAlhC,EAAqhC,EAArhC,EAAyhC,CAAzhC,EAA4hC,EAA5hC,EAAgiC,CAAhiC,EAAmiC,EAAniC,EAAuiC,CAAviC,EAA0iC,EAA1iC,EAA8iC,CAA9iC,EAAijC,EAAjjC,EAAqjC,CAArjC,EAAwjC,EAAxjC,EAA4jC,CAA5jC,EAA+jC,EAA/jC,EAAmkC,CAAnkC,EAAskC,EAAtkC,EAA0kC,CAA1kC,EAA6kC,EAA7kC,EAAilC,CAAjlC,EAAolC,EAAplC,EAAwlC,CAAxlC,EAA2lC,EAA3lC,EAA+lC,CAA/lC,EAAkmC,EAAlmC,EAAsmC,CAAtmC,EAAymC,EAAzmC,EAA6mC,CAA7mC,EAAgnC,EAAhnC,EAAonC,CAApnC,EAAunC,EAAvnC,EAA2nC,CAA3nC,EAA8nC,EAA9nC,EAAkoC,CAAloC,EAAqoC,EAAroC,EAAyoC,CAAzoC,EAA4oC,EAA5oC,EAAgpC,CAAhpC,EAAmpC,EAAnpC,EAAupC,CAAvpC,EAA0pC,EAA1pC,EAA8pC,CAA9pC,EAAiqC,EAAjqC,EAAqqC,CAArqC,EAAwqC,EAAxqC,EAA4qC,CAA5qC,EAA+qC,EAA/qC,EAAmrC,CAAnrC,EAAsrC,EAAtrC,EAA0rC,CAA1rC,EAA6rC,EAA7rC,EAAisC,CAAjsC,EAAosC,EAApsC,EAAwsC,CAAxsC,EAA2sC,EAA3sC,EAA+sC,CAA/sC,EAAktC,EAAltC,EAAstC,CAAttC,EAAytC,EAAztC,EAA6tC,CAA7tC,EAAguC,EAAhuC,EAAouC,CAApuC,EAAuuC,EAAvuC,EAA2uC,CAA3uC,EAA8uC,EAA9uC,EAAkvC,CAAlvC,EAAqvC,EAArvC,EAAyvC,CAAzvC,EAA4vC,EAA5vC,EAAgwC,CAAhwC,EAAmwC,EAAnwC,EAAuwC,CAAvwC,EAA0wC,EAA1wC,EAA8wC,CAA9wC,EAAixC,EAAjxC,EAAqxC,CAArxC,EAAwxC,EAAxxC,EAA4xC,CAA5xC,EAA+xC,EAA/xC,EAAmyC,CAAnyC,EAAsyC,EAAtyC,EAA0yC,CAA1yC,EAA6yC,EAA7yC,EAAizC,CAAjzC,EAAozC,EAApzC,EAAwzC,CAAxzC,EAA2zC,EAA3zC,EAA+zC,CAA/zC,EAAk0C,EAAl0C,EAAs0C,CAAt0C,EAAy0C,EAAz0C,EAA60C,CAA70C,EAAg1C,EAAh1C,EAAo1C,CAAp1C,EAAu1C,EAAv1C,EAA21C,CAA31C,EAA81C,EAA91C,EAAk2C,CAAl2C,EAAq2C,EAAr2C,EAAy2C,CAAz2C,EAA42C,EAA52C,EAAg3C,CAAh3C,EAAm3C,EAAn3C,EAAu3C,CAAv3C,EAA03C,EAA13C,EAA83C,CAA93C,EAAi4C,EAAj4C,EAAq4C,CAAr4C,EAAw4C,EAAx4C,EAA44C,CAA54C,EAA+4C,EAA/4C,EAAm5C,CAAn5C,EAAs5C,EAAt5C,EAA05C,CAA15C,EAA65C,EAA75C,EAAi6C,CAAj6C,EAAo6C,EAAp6C,EAAw6C,CAAx6C,EAA26C,EAA36C,EAA+6C,CAA/6C,EAAk7C,EAAl7C,EAAs7C,CAAt7C,EAAy7C,EAAz7C,EAA67C,CAA77C,EAAg8C,EAAh8C,EAAo8C,CAAp8C,EAAu8C,EAAv8C,EAA28C,CAA38C,EAA88C,EAA98C,EAAk9C,CAAl9C,EAAq9C,EAAr9C,EAAy9C,CAAz9C,EAA49C,EAA59C,EAAg+C,CAAh+C,EAAm+C,EAAn+C,EAAu+C,CAAv+C,EAA0+C,EAA1+C,EAA8+C,CAA9+C,EAAi/C,EAAj/C,EAAq/C,CAAr/C,EAAw/C,EAAx/C,EAA4/C,CAA5/C,EAA+/C,EAA/gD,EAAmhD,CAAnhD,EAAshD,EAAthD,EAA0hD,CAA1hD,EAA6hD,EAA7hD,EAAiiD,CAAjiD,EAAoiD,EAApiD,EAAwiD,CAAxiD,EAA2iD,EAA3iD,EAA+iD,CAA/iD,EAAkjD,EAAljD,EAAsjD,CAAtjD,EAAyjD,EAAzjD,EAA6jD,CAA7jD,EAAgkD,EAAhkD,EAAokD,CAApkD,EAAukD,EAAvkD,EAA2kD,CAA3kD,EAA8kD,EAA9kD,EAAklD,CAAllD,EAAqlD,EAArlD,EAAylD,CAAzlD,EAA4lD,EAA5lD,EAAgmD,CAAhmD,EAAmmD,EAAnmD,EAAumD,CAAvmD,EAA0mD,EAA1mD,EAA8mD,CAA9mD,EAAinD,EAAjnD,EAAqnD,CAArnD,EAAwnD,EAAxnD,EAA4nD,CAA5nD,EAA+nD,EAA/nD,EAAmoD,CAAnoD,EAAsoD,EAAtoD,EAA0oD,CAA1oD,EAA6oD,EAA7oD,EAAipD,CAAjpD,EAAopD,EAAppD,EAAwpD,CAAxpD,EAA2pD,EAA3pD,EAA+pD,CAA/pD,EAAkqD,EAAlqD,EAAsqD,CAAtqD,EAAyqD,EAAzqD,EAA6qD,CAA7qD,EAAgrD,EAAhrD,EAAorD,CAAprD,EAAurD,EAAvrD,EAA2rD,CAA3rD,EAA8rD,EAA9rD,EAAksD,CAAlsD,EAAqsD,EAArsD,EAAysD,CAAzsD,EAA4sD,EAA5sD,EAAgtD,CAAhtD,EAAmtD,EAAntD,EAAutD,CAAvtD,EAA0tD,EAA1tD,EAA8tD,CAA9tD,EAAiuD,EAAjuD,EAAquD,CAAruD,EAAwuD,EAAxuD,EAA4uD,CAA5uD,EAA+uD,EAA/uD,EAAmvD,CAAnvD,EAAsvD,EAAtvD,EAA0vD,CAA1vD,EAA6vD,EAA7vD,EAAiwD,CAAjwD,EAAowD,EAApwD,EAAwwD,CAAxwD,EAA2wD,EAA3wD,EAA+wD,CAA/wD,EAAkxD,EAAlxD,EAAsxD,CAAtxD,EAAyxD,EAAzxD,EAA6xD,CAA7xD,EAAgyD,EAAhyD,EAAoyD,CAApyD,EAAuyD,EAAvyD,EAA2yD,CAA3yD,EAA8yD,EAA9yD,EAAkzD,CAAlzD,EAAqzD,EAArzD,EAAyzD,CAAzzD,EAA4zD,EAA5zD,EAAg0D,CAAh0D,EAAm0D,EAAn0D,EAAu0D,CAAv0D,EAA00D,EAA10D,EAA80D,CAA90D,EAAi1D,EAAj1D,EAAq1D,CAAr1D,EAAw1D,EAAx1D,EAA41D,CAA51D,EAA+1D,EAA/1D,EAAm2D,CAAn2D,EAAs2D,EAAt2D,EAA02D,CAA12D,EAA62D,EAA72D,EAAi3D,CAAj3D,EAAo3D,EAAp3D,EAAw3D,CAAx3D,EAA23D,EAA33D,EAA+3D,CAA/3D,EAAk4D,EAAl4D,EAAs4D,CAAt4D,EAAy4D,EAAz4D,EAA64D,CAA74D,EAAg5D,EAAh5D,EAAo5D,CAAp5D,EAAu5D,EAAv5D,EAA25D,CAA35D,EAA85D,EAA95D,EAAk6D,CAAl6D,EAAq6D,EAAr6D,EAAy6D,CAAz6D,EAA46D,EAA56D,EAAg7D,CAAh7D,EAAm7D,EAAn7D,EAAu7D,CAAv7D,EAA07D,EAA17D,EAA87D,CAA97D,EAAi8D,EAAj8D,EAAq8D,CAAr8D,EAAw8D,EAAx8D,EAA48D,CAA58D,EAA+8D,EAA/8D,EAAm9D,CAAn9D,EAAs9D,EAAt9D,EAA09D,CAA19D,EAA69D,EAA79D,EAAi+D,CAAj+D,EAAo+D,EAAp+D,EAAw+D,CAAx+D,EAA2+D,EAA3+D,EAA++D,CAA/+D,EAAk/D,EAAl/D,EAAs/D,CAAt/D,EAAy/D,EAAz/D,EAA6/D,CAA7/D,EAAggE,EAAhgE,EAAogE,CAApgE,EAAugE,EAAvgE,EAA2gE,CAA3gE,EAA8gE,EAA9gE,EAAkhE,CAAlhE,EAAqhE,EAArhE,EAAyhE,CAAzhE,EAA4hE,EAA5hE,EAAgiE,CAAhiE,EAAmiE,EAAniE,EAAuiE,CAAviE,EAA0iE,EAA1iE,EAA8iE,CAA9iE,EAAijE,EAAjjE,EAAqjE,CAArjE,EAAwjE,EAAxjE,EAA4jE,CAA5jE,EAA+jE,EAA/jE,EAAmkE,CAAnkE,EAAskE,EAAtkE,EAA0kE,CAA1kE,EAA6kE,EAA7kE,EAAilE,CAAjlE,EAAolE,EAAplE,EAAwlE,CAAxlE,EAA2lE,EAA3lE,EAA+lE,CAA/lE,EAAkmE,EAAlmE,EAAsmE,CAAtmE,EAAymE,EAAzmE,EAA6mE,CAA7mE,EAAgnE,EAAhnE,EAAonE,CAApnE,EAAunE,EAAvnE,EAA2nE,CAA3nE,EAA8nE,EAA9nE,EAAkoE,CAAloE,EAAqoE,EAAroE,EAAyoE,CAAzoE,EAA4oE,EAA5oE,EAAgpE,CAAhpE,EAAmpE,EAAnpE,EAAupE,CAAvpE,EAA0pE,EAA1pE,EAA8pE,CAA9pE,EAAiqE,EAAjqE,EAAqqE,CAArqE,EAAwqE,EAAxqE,EAA4qE,CAA5qE,EAA+qE,EAA/qE,EAAmrE,CAAnrE,EAAsrE,EAAtrE,EAA0rE,CAA1rE,EAA6rE,EAA7rE,EAAisE,CAAjsE,EAAosE,EAApsE,EAAwsE,CAAxsE,EAA2sE,EAA3sE,EAA+sE,CAA/sE,EAAktE,EAAltE,EAAstE,CAAttE,EAAytE,EAAztE,EAA6tE,CAA7tE,EAAguE,EAAhuE,EAAouE,CAApuE,EAAuuE,EAAvuE,EAA2uE,CAA3uE,EAA8uE,EAA9uE,EAAkvE,CAAlvE,EAAqvE,EAArvE,EAAyvE,CAAzvE,EAA4vE,EAA5vE,EAAgwE,CAAhwE,EAAmwE,EAAnwE,EAAuwE,CAAvwE,EAA0wE,EAA1wE,EAA8wE,CAA9wE,EAAixE,EAAjxE,EAAqxE,CAArxE,EAAwxE,EAAxxE,EAA4xE,CAA5xE,EAA+xE,EAA/xE,EAAmyE,CAAnyE,EAAsyE,EAAtyE,EAA0yE,CAA1yE,EAA6yE,EAA7yE,EAAizE,CAAjzE,EAAozE,EAApzE,EAAwzE,CAAxzE,EAA2zE,EAA3zE,EAA+zE,CAA/zE,EAAk0E,EAAl0E,EAAs0E,CAAt0E,EAAy0E,EAAz0E,EAA60E,CAA70E,EAAg1E,EAAh1E,EAAo1E,CAAp1E,EAAu1E,EAAv1E,EAA21E,CAA31E,EAA81E,EAA91E,EAAk2E,CAAl2E,EAAq2E,EAAr2E,EAAy2E,CAAz2E,EAA42E,EAA52E,EAAg3E,CAAh3E,EAAm3E,EAAn3E,EAAu3E,CAAv3E,EAA03E,EAA13E,EAA83E,CAA93E,EAAi4E,EAAj4E,EAAq4E,CAAr4E,EAAw4E,EAAx4E,EAA44E,CAA54E,EAA+4E,EAA/4E,EAAm5E,CAAn5E,EAAs5E,EAAt5E,EAA05E,CAA15E,EAA65E,EAA75E,EAAi6E,CAAj6E,EAAo6E,EAAp6E,EAAw6E,CAAx6E,EAA26E,EAA36E,EAA+6E,CAA/6E,EAAk7E,EAAl7E,EAAs7E,CAAt7E,EAAy7E,EAAz7E,EAA67E,CAA77E,EAAg8E,EAAh8E,EAAo8E,CAAp8E,EAAu8E,EAAv8E,EAA28E,CAA38E,EAA88E,EAA98E,EAAk9E,CAAl9E,EAAq9E,EAAr9E,EAAy9E,CAAz9E,EAA49E,EAA59E,EAAg+E,CAAh+E,EAAm+E,EAAn+E,EAAu+E,CAAv+E,EAA0+E,EAA1+E,EAA8+E,CAA9+E,EAAi/E,EAAj/E,EAAq/E,CAAr/E,EAAw/E,EAAx/E,EAA4/E,CAA5/E,EAA+/E,EAA/gF,EAAmhF,CAAnhF,EAAshF,EAAthF,EAA0hF,CAA1hF,EAA6hF,EAA7hF,EAAiiF,CAAjiF,EAAoiF,EAApiF,EAAwiF,CAAxiF,EAA2iF,EAA3iF,EAA+iF,CAA/iF,EAAkjF,EAAljF,EAAsjF,CAAtjF,EAAyjF,EAAzjF,EAA6jF,CAA7jF,EAAgkF,EAAhkF,EAAokF,CAApkF,EAAukF,EAAvkF,EAA2kF,CAA3kF,EAA8kF,EAA9kF,EAAklF,CAAllF,EAAqlF,EAArlF,EAAylF,CAAzlF,EAA4lF,EAA5lF,EAAgmF,CAAhmF,EAAmmF,EAAnmF,EAAumF,CAAvmF,EAA0mF,EAA1mF,EAA8mF,CAA9mF,EAAinF,EAAjnF,EAAqnF,CAArnF,EAAwnF,EAAxnF,EAA4nF,CAA5nF,EAA+nF,EAA/nF,EAAmoF,CAAnoF,EAAsoF,EAAtoF,EAA0oF,CAA1oF,EAA6oF,EAA7oF,EAAipF,CAAjpF,EAAopF,EAAppF,EAAwpF,CAAxpF,EAA2pF,EAA3pF,EAA+pF,CAA/pF,EAAkqF,EAAlqF,EAAsqF,CAAtqF,EAAyqF,EAAzqF,EAA6qF,CAA7qF,EAAgrF,EAAhrF,EAAorF,CAAprF,EAAurF,EAAvrF,EAA2rF,CAA3rF,EAA8rF,EAA9rF,EAAksF,CAAlsF,EAAqsF,EAArsF,EAAysF,CAAzsF,EAA4sF,EAA5sF,EAAgtF,CAAhtF,EAAmtF,EAAntF,EAAutF,CAAvtF,EAA0tF,EAA1tF,EAA8tF,CAA9tF,EAAiuF,EAAjuF,EAAquF,CAAruF,EAAwuF,EAAxuF,EAA4uF,CAA5uF,EAA+uF,EAA/uF,EAAmvF,CAAnvF,EAAsvF,EAAtvF,EAA0vF,CAA1vF,EAA6vF,EAA7vF,EAAiwF,CAAjwF,EAAowF,EAApwF,EAAwwF,CAAxwF,EAA2wF,EAA3wF,EAA+wF,CAA/wF,EAAkxF,EAAlxF,EAAsxF,CAAtxF,EAAyxF,EAAzxF,EAA6xF,CAA7xF,EAAgyF,EAAhyF,EAAoyF,CAApyF,EAAuyF,EAAvyF,EAA2yF,CAA3yF,EAA8yF,EAA9yF,EAAkzF,CAAlzF,EAAqzF,EAArzF,EAAyzF,CAAzzF,EAA4zF,EAA5zF,EAAg0F,CAAh0F,EAAm0F,EAAn0F,EAAu0F,CAAv0F,EAA00F,EAA10F,EAA80F,CAA90F,EAAi1F,EAAj1F,EAAq1F,CAAr1F,EAAw1F,EAAx1F,EAA41F,CAA51F,EAA+1F,EAA/1F,EAAm2F,CAAn2F,EAAs2F,EAAt2F,EAA02F,CAA12F,EAA62F,EAA72F,EAAi3F,CAAj3F,EAAo3F,EAAp3F,EAAw3F,CAAx3F,EAA23F,EAA33F,EAA+3F,CAA/3F,EAAk4F,EAAl4F,EAAs4F,CAAt4F,EAAy4F,EAAz4F,EAA64F,CAA74F,EAAg5F,EAAh5F,EAAo5F,CAAp5F,EAAu5F,EAAv5F,EAA25F,CAA35F,EAA85F,EAA95F,EAAk6F,CAAl6F,EAAq6F,EAAr6F,EAAy6F,CAAz6F,EAA46F,EAA56F,EAAg7F,CAAh7F,EAAm7F,EAAn7F,EAAu7F,CAAv7F,EAA07F,EAA17F,EAA87F,CAA97F,EAAi8F,EAAj8F,EAAq8F,CAAr8F,EAAw8F,EAAx8F,EAA48F,CAA58F,EAA+8F,EAA/8F,EAAm9F,CAAn9F,EAAs9F,EAAt9F,EAA09F,CAA19F,EAA69F,EAA79F,EAAi+F,CAAj+F,EAAo+F,EAAp+F,EAAw+F,CAAx+F,EAA2+F,EAA3+F,EAA++F,CAA/+F,EAAk/F,EAAl/F,EAAs/F,CAAt/F,EAAy/F,EAAz/F,EAA6/F,CAA7/F,EAAggG,EAAhgG,EAAogG,CAApgG,EAAugG,EAAvgG,EAA2gG,CAA3gG,EAA8gG,EAA9gG,EAAkhG,CAAlhG,EAAqhG,EAArhG,EAAyhG,CAAzhG,EAA4hG,EAA5hG,EAAgiG,CAAhiG,EAAmiG,EAAniG,EAAuiG,CAAviG,EAA0iG,EAA1iG,EAA8iG,CAA9iG,EAAijG,EAAjjG,EAAqjG,CAArjG,EAAwjG,EAAxjG,EAA4jG,CAA5jG,EAA+jG,EAA/jG,EAAmkG,CAAnkG,EAAskG,EAAtkG,EAA0kG,CAA1kG,EAA6kG,EAA7kG,EAAilG,CAAjlG,EAAolG,EAAplG,EAAwlG,CAAxlG,EAA2lG,EAA3lG,EAA+lG,CAA/lG,EAAkmG,EAAlmG,EAAsmG,CAAtmG,EAAymG,EAAzmG,EAA6mG,CAA7mG,EAAgnG,EAAhnG,EAAonG,CAApnG,EAAunG,EAAvnG,EAA2nG,CAA3nG,EAA8nG,EAA9nG,EAAkoG,CAAloG,EAAqoG,EAAroG,EAAyoG,CAAzoG,EAA4oG,EAA5oG,EAAgpG,CAAhpG,EAAmpG,EAAnpG,EAAupG,CAAvpG,EAA0pG,EAA1pG,EAA8pG,CAA9pG,EAAiqG,EAAjqG,EAAqqG,CAArqG,EAAwqG,EAAxqG,EAA4qG,CAA5qG,EAA+qG,EAA/qG,EAAmrG,CAAnrG,EAAsrG,EAAtrG,EAA0rG,CAA1rG,EAA6rG,EAA7rG,EAAisG,CAAjsG,EAAosG,EAApsG,EAAwsG,CAAxsG,EAA2sG,EAA3sG,EAA+sG,CAA/sG,EAAktG,EAAltG,EAAstG,CAAttG,EAAytG,EAAztG,EAA6tG,CAA7tG,EAAguG,EAAhuG,EAAouG,CAApuG,EAAuuG,EAAvuG,EAA2uG,CAA3uG,EAA8uG,EAA9uG,EAAkvG,CAAlvG,EAAqvG,EAArvG,EAAyvG,CAAzvG,EAA4vG,EAA5vG,EAAgwG,CAAhwG,EAAmwG,EAAnwG,EAAuwG,CAAvwG,EAA0wG,EAA1wG,EAA8wG,CAA9wG,EAAixG,EAAjxG,EAAqxG,CAArxG,EAAwxG,EAAxxG,EAA4xG,CAA5xG,EAA+xG,EAA/xG,EAAmyG,CAAnyG,EAAsyG,EAAtyG,EAA0yG,CAA1yG,EAA6yG,EAA7yG,EAAizG,CAAjzG,EAAozG,EAApzG,EAAwzG,CAAxzG,EAA2zG,EAA3zG,EAA+zG,CAA/zG,EAAk0G,EAAl0G,EAAs0G,CAAt0G,EAAy0G,EAAz0G,EAA60G,CAA70G,EAAg1G,EAAh1G,EAAo1G,CAAp1G,EAAu1G,EAAv1G,EAA21G,CAA31G,EAA81G,EAA91G,EAAk2G,CAAl2G,EAAq2G,EAAr2G,EAAy2G,CAAz2G,EAA42G,EAA52G,EAAg3G,CAAh3G,EAAm3G,EAAn3G,EAAu3G,CAAv3G,EAA03G,EAA13G,EAA83G,CAA93G,EAAi4G,EAAj4G,EAAq4G,CAAr4G,EAAw4G,EAAx4G,EAA44G,CAA54G,EAA+4G,EAA/4G,EAAm5G,CAAn5G,EAAs5G,EAAt5G,EAA05G,CAA15G,EAA65G,EAA75G,EAAi6G,CAAj6G,EAAo6G,EAAp6G,EAAw6G,CAAx6G,EAA26G,EAA36G,EAA+6G,CAA/6G,EAAk7G,EAAl7G,EAAs7G,CAAt7G,EAAy7G,EAAz7G,EAA67G,CAA77G,EAAg8G,EAAh8G,EAAo8G,CAAp8G,EAAu8G,EAAv8G,EAA28G,CAA38G,EAA88G,EAA98G,EAAk9G,CAAl9G,EAAq9G,EAAr9G,EAAy9G,CAAz9G,EAA49G,EAA59G,EAAg+G,CAAh+G,EAAm+G,EAAn+G,EAAu+G,CAAv+G,EAA0+G,EAA1+G,EAA8+G,CAA9+G,EAAi/G,EAAj/G,EAAq/G,CAAr/G,EAAw/G,EAAx/G,EAA4/G,CAA5/G,EAA+/G,EAA/gH,EAAmhH,CAAnhH,EAAshH,EAAthH,EAA0hH,CAA1hH,EAA6hH,EAA7hH,EAAiiH,CAAjiH,EAAoiH,EAApiH,EAAwiH,CAAxiH,EAA2iH,EAA3iH,EAA+iH,CAA/iH,EAAkjH,EAAljH,EAAsjH,CAAtjH,EAAyjH,EAAzjH,EAA6jH,CAA7jH,EAAgkH,EAAhkH,EAAokH,CAApkH,EAAukH,EAAvkH,EAA2kH,CAA3kH,EAA8kH,EAA9kH,EAAklH,CAAllH,EAAqlH,EAArlH,EAAylH,CAAzlH,EAA4lH,EAA5lH,EAAgmH,CAAhmH,EAAmmH,EAAnmH,EAAumH,CAAvmH,EAA0mH,EAA1mH,EAA8mH,CAA9mH,EAAinH,EAAjnH,EAAqnH,CAArnH,EAAwnH,EAAxnH,EAA4nH,CAA5nH,EAA+nH,EAA/nH,EAAmoH,CAAnoH,EAAsoH,EAAtoH,EAA0oH,CAA1oH,EAA6oH,EAA7oH,EAAipH,CAAjpH,EAAopH,EAAppH,EAAwpH,CAAxpH,EAA2pH,EAA3pH,EAA+pH,CAA/pH,EAAkqH,EAAlqH,EAAsqH,CAAtqH,EAAyqH,EAAzqH,EAA6qH,CAA7qH,EAAgrH,EAAhrH,EAAorH,CAAprH,EAAurH,EAAvrH,EAA2rH,CAA3rH,EAA8rH,EAA9rH,EAAksH,CAAlsH,EAAqsH,EAArsH,EAAysH,CAAzsH,EAA4sH,EAA5sH,EAAgtH,CAAhtH,EAAmtH,EAAntH,EAAutH,CAAvtH,EAA0tH,EAA1tH,EAA8tH,CAA9tH,EAAiuH,EAAjuH,EAAquH,CAAruH,EAAwuH,EAAxuH,EAA4uH,CAA5uH,EAA+uH,EAA/uH,EAAmvH,CAAnvH,EAAsvH,EAAtvH,EAA0vH,CAA1vH,EAA6vH,EAA7vH,EAAiwH,CAAjwH,EAAowH,EAApwH,EAAwwH,CAAxwH,EAA2wH,EAA3wH,EAA+wH,CAA/wH,EAAkxH,EAAlxH,EAAsxH,CAAtxH,EAAyxH,EAAzxH,EAA6xH,CAA7xH,EAAgyH,EAAhyH,EAAoyH,CAApyH,EAAuyH,EAAvyH,EAA2yH,CAA3yH,EAA8yH,EAA9yH,EAAkzH,CAAlzH,EAAqzH,EAArzH,EAAyzH,CAAzzH,EAA4zH,EAA5zH,EAAg0H,CAAh0H,EAAm0H,EAAn0H,EAAu0H,CAAv0H,EAA00H,EAA10H,EAA80H,CAA90H,EAAi1H,EAAj1H,EAAq1H,CAAr1H,EAAw1H,EAAx1H,EAA41H,CAA51H,EAA+1H,EAA/1H,EAAm2H,CAAn2H,EAAs2H,EAAt2H,EAA02H,CAA12H,EAA62H,EAA72H,EAAi3H,CAAj3H,EAAo3H,EAAp3H,EAAw3H,CAAx3H,EAA23H,EAA33H,EAA+3H,CAA/3H,EAAk4H,EAAl4H,EAAs4H,CAAt4H,EAAy4H,EAAz4H,EAA64H,CAA74H,EAAg5H,EAAh5H,EAAo5H,CAAp5H,EAAu5H,EAAv5H,EAA25H,CAA35H,EAA85H,EAA95H,EAAk6H,CAAl6H,EAAq6H,EAAr6H,EAAy6H,CAAz6H,EAA46H,EAA56H,EAAg7H,CAAh7H,EAAm7H,EAAn7H,EAAu7H,CAAv7H,EAA07H,EAA17H,EAA87H,CAA97H,EAAi8H,EAAj8H,EAAq8H,CAAr8H,EAAw8H,EAAx8H,EAA48H,CAA58H,EAA+8H,EAA/8H,EAAm9H,CAAn9H,EAAs9H,EAAt9H,EAA09H,CAA19H,EAA69H,EAA79H,EAAi+H,CAAj+H,EAAo+H,EAAp+H,EAAw+H,CAAx+H,EAA2+H,EAA3+H,EAA++H,CAA/+H,EAAk/H,EAAl/H,EAAs/H,CAAt/H,EAAy/H,EAAz/H,EAA6/H,CAA7/H,EAAggI,EAAhgI,EAAogI,CAApgI,EAAugI,EAAvgI,EAA2gI,CAA3gI,EAA8gI,EAA9gI,EAAkhI,CAAlhI,EAAqhI,E

,WAl7BiF,8BAk7BnE,aAl7BmE,EAk7BpD,gBAl7BoD,CAAkC,WAk7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OAAA,KAAM,yBAAgB,SAAhB,EAAsB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAgB,MAAhB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAAe,C;K;IAqB/D,uD;MAQsB,QAAQ,MAAR,lB,IAAA,iCAAkB,yBAAgB,C;QAAhB,IAAA,KAAK,KAAL,EAAY,KAAZ,EAAmB,KAAnB,EAA0B,KAA1B,EAAiC,KAAjC,EAAwC,KAAxC,EAA+C,KAA/C,EAAsD,KAAtD,EAA6D,KAA7D,EAAoE,KAApE,EAA2E,KAA3E,EAAkF,KAAlF,EAAyF,KAAzF,EAAgG,KAAhG,EAAuG,KAAvG,EAA8G,KAA9G,EAAqH,KAArH,EAA4H,KAA5H,EAAmI,KAAnI,EAA0I,KAA1I,EAAiJ,KAAjJ,EAAwJ,KAAxJ,EAA+J,KAA/J,EAAsK,KAAtK,EAA6K,KAA7K,EAAoL,KAApL,EAA2L,KAA3L,EAAkM,KAAlM,EAAyM,KAAzM,EAAgN,KAAhN,EAAuN,KAAvN,EAA8N,KAA9N,EAAqO,KAArO,EAA4O,KAA5O,EAAmP,KAAnP,EAA0P,KAA1P,EAAiQ,KAAjQ,EAAwQ,KAAxQ,EAA+Q,KAA/Q,EAAsR,KAAtR,EAA6R,KAA7R,EAAoS,KAApS,EAA2S,KAA3S,EAAkT,KAAlT,EAAyT,KAAzT,EAAgU,KAAhU,EAAuU,KAAvU,EAA8U,KAA9U,EAAqV,KAArV,EAA4V,KAA5V,EAAmW,KAAnW,EAA0W,KAA1W,EAAiX,KAAjX,EAAwX,KAAxX,EAA+X,KAA/X,EAAsY,KAAtY,EAA6Y,KAA7Y,EAAoZ,KAApZ,EAA2Z,KAA3Z,EAAka,KAAla,EAAya,KAAza,EAAgb,KAAhb,EAAub,KAAvb,EAA8b,KAA9b,EAAqc,KAArc,EAA4c,KAA5c,EAAmd,KAAnd,EAA0d,KAA1d,EAAie,KAAje,EAAwe,KAAxe,EAA+e,KAA/e,EAAsf,KAAtf,EAA6f,KAA7f,EAAogB,KAApgB,EAA2gB,KAA3gB,EAAkhB,KAAlhB,EAAyhB,KAAzhB,EAAgiB,KAAhiB,EAAuiB,KAAviB,EAA8iB,KAA9iB,EAAqjB,KAArjB,EAA4jB,KAA5jB,EAAmkB,KAAnkB,EAA0kB,KAA1kB,EAAilB,KAAjlB,EAAwlB,KAAxlB,EAA+lB,KAA/lB,EAAsmB,KAAtmB,EAA6mB,KAA7mB,EAAonB,KAApnB,EAA2nB,KAA3nB,EAAkoB,KAAloB,EAAyoB,KAAzoB,EAAgpB,KAAhpB,EAAupB,KAAvpB,EAA8pB,KAA9pB,EAAqqB,KAArqB,EAA4qB,KAA5qB,EAAmrB,KAAnrB,EAA0rB,KAA1rB,EAAisB,KAAjsB,EAAwsB,KAAxsB,EAA+sB,KAA/sB,EAAstB,KAAttB,EAA6tB,KAA7tB,EAAouB,KAApuB,EAA2uB,KAA3uB,EAAkvB,KAAlvB,EAAywB,KAAzwB,EAAgxB,KAAhxB,EAAuxB,KAAvxB,EAA8xB,KAA9xB,EAAqyB,KAAryB,EAA4yB,KAA5yB,EAAmzB,KAAnzB,EAA0zB,KAA1zB,EAAi0B,KAAj0B,EAAw0B,KAAx0B,EAA+0B,KAA/0B,EAAs1B,KAAt1B,EAA61B,KAA71B,EAAo2B,KAAp2B,EAA22B,KAA32B,EAAk3B,KAAl3B,EAAy3B,KAAz3B,EAAg4B,KAAh4B,EAAu4B,KAAv4B,EAA84B,KAA94B,EAAq5B,KAAr5B,EAA45B,KAA55B,EAAm6B,KAAn6B,EAA06B,KAA16B,EAAi7B,KAAj7B,EAAw7B,KAAx7B,EAA+7B,KAA/7B,EAAs8B,KAAt8B,EAA68B,KAA78B,EAAo9B,KAAp9B,EAA29B,KAA39B,EAAk+B,KAAl+B,EAAy+B,KAAz+B,EAAg/B,KAAh/B,EAAu/B,KAAv/B,EAA8/B,KAA9/B,EAAqgC,KAArgC,EAA4gC,KAA5gC,EAAmhC,KAAnhC,EAA0hC,KAA1hC,EAAiiC,KAAjiC,EAAwiC,KAAxiC,EAA+iC,KAA/iC,EAAsjC,KAAtjC,EAA6jC,KAA7jC,EAAokC,KAApkC,EAA2kC,KAA3kC,EAAklC,KAAllC,EAAylC,KAAzlC,EAAgmC,KAAhmC,EAAumC,KAAvmC,EAA8mC,KAA9mC,EAAqnC,KAArnC,EAA4nC,KAA5nC,EAAmoC,KAAnoC,EAA0oC,KAA1oC,EAAipC,KAAjpC,EAAwpC,KAAxpC,EAA+pC,KAA/pC,EAAsqC,KAAtqC,EAA6qC,KAA7qC,EAAorC,KAAprC,EAA2rC,KAA3rC,EAAksC,KAAlsC,EAAysC,KAAzsC,EAAgtC,KAAhtC,EAAutC,KAAvtC,EAA8tC,KAA9tC,EAAquC,KAAruC,EAA4uC,KAA5uC,EAAmvC,KAAnvC,EAA0vC,KAA1vC,EAAiwC,KAAjwC,EAAwwC,KAAxwC,EAA+wC,KAA/wC,EAAsxC,KAAtxC,EAA6xC,KAA7xC,EAAoyC,KAApyC,EAA2yC,KAA3yC,EAAkzC,KAAlzC,EAAyzC,KAAzzC,EAAg0C,KAAh0C,EAAu0C,KAAv0C,EAA80C,KAA90C,EAAq1C,KAAr1C,EAA41C,KAA51C,EAAm2C,KAAn2C,EAA02C,KAA12C,EAAi3C,KAAj3C,EAAw3C,KAAx3C,EAA+3C,KAA/3C,EAAs4C,KAAt4C,EAA64C,KAA74C,EAAo5C,KAAp5C,EAA25C,KAA35C,EAAk6C,KAAl6C,EAAy6C,KAAz6C,EAAg7C,KAAh7C,EAAu7C,KAAv7C,EAA87C,KAA97C,EAAq8C,KAAr8C,EAA48C,KAA58C,EAAm9C,KAAn9C,EAA09C,KAA19C,EAAi+C,KAAj+C,EAAw+C,KAAx+C,EAA++C,KAA/+C,EAAs/C,KAAt/C,EAA6/C,KAA7/C,EAAogD,KAApgD,EAA2gD,KAA3gD,EAAkhD,KAAlhD,EAAyhD,KAAzhD,EAAgiD,KAAhiD,EAAuiD,KAAviD,EAA8iD,KAA9iD,EAAqjD,KAArjD,EAA4jD,KAA5jD,EAAmkD,KAAnkD,EAA0kD,KAA1kD,EAAilD,KAAjlD,EAAwlD,KAAxlD,EAA+lD,KAA/lD,EAAsmD,KAAtmD,EAA6mD,KAA7mD,EAAonD,KAApnD,EAA2nD,KAA3nD,EAAkoD,KAAloD,EAAyoD,KAAzoD,EAAgpD,KAAhpD,EAAupD,KAAvpD,EAA8pD,KAA9pD,EAAqqD,KAArqD,EAA4qD,KAA5qD,EAAmrD,KAAnrD,EAA0rD,KAA1rD,EAAisD,KAAjsD,EAAwsD,KAAxsD,EAA+sD,KAA/sD,EAAstD,KAAttD,EAA6tD,KAA7tD,EAAouD,KAApuD,EAA2uD,KAA3uD,EAAkvD,KAAlvD,EAAywD,KAAzwD,EAAgxD,KAAhxD,EAAuxD,KAAvxD,EAA8xD,KAA9xD,EAAqyD,KAAryD,EAA4yD,KAA5yD,EAAmzD,KAAnzD,EAA0zD,KAA1zD,EAAi0D,KAAj0D,EAAw0D,KAAx0D,EAA+0D,KAA/0D,EAAs1D,KAAt1D,EAA61D,KAA71D,EAAo2D,KAAp2D,EAA22D,KAA32D,EAAk3D,KAAl3D,EAAy3D,KAAz3D,EAAg4D,KAAh4D,EAAu4D,KAAv4D,EAA84D,KAA94D,EAAq5D,KAAr5D,EAA45D,KAA55D,EAAm6D,KAAn6D,EAA06D,KAA16D,EAAi7D,KAAj7D,EAAw7D,KAAx7D,EAA+7D,KAA/7D,EAAs8D,KAAt8D,EAA68D,KAA78D,EAAo9D,KAAp9D,EAA29D,KAA39D,EAAk+D,KAAl+D,EAAy+D,KAAz+D,EAAg/D,KAAh/D,EAAu/D,KAAv/D,EAA8/D,KAA9/D,EAAqgE,KAArgE,EAA4gE,KAA5gE,EAAmhE,KAAnhE,EAA0hE,KAA1hE,EAAiiE,KAAjiE,EAAwiE,KAAxiE,EAA+iE,KAA/iE,EAAsjE,KAAtjE,EAA6jE,KAA7jE,EAAokE,KAApkE,EAA2kE,KAA3kE,EAAklE,KAAllE,EAAylE,KAAzlE,EAAgmE,KAAhmE,EAAumE,KAAvmE,EAA8mE,KAA9mE,EAAqnE,KAArnE,EAA4nE,KAA5nE,EAAmoE,KAAnoE,EAA0oE,KAA1oE,EAAipE,KAAjpE,EAAwpE,KAAxpE,EAA+pE,KAA/pE,EAAsqE,KAAtqE,EAA6qE,KAA7qE,EAAorE,KAAprE,EAA2rE,KAA3rE,EAAksE,KAAlsE,EAAysE,KAAzsE,EAAgtE,KAAhtE,EAAutE,KAAvtE,EAA8tE,KAA9tE,EAAquE,KAAruE,EAA4uE,KAA5uE,EAAmvE,KAAnvE,EAA0vE,KAA1vE,EAAiwE,KAAjwE,EAAwwE,KAAxwE,EAA+wE,KAA/wE,EAAsxE,KAAtxE,EAA6xE,KAA7xE,EAAoyE,KAApyE,EAA2yE,KAA3yE,EAAkzE,KAAlzE,EAAyzE,KAAzzE,EAAg0E,KAAh0E,EAAu0E,KAAv0E,EAA80E,KAA90E,EAAq1E,KAAr1E,EAA41E,KAA51E,EAAm2E,KAAn2E,EAA02E,KAA12E,EAAi3E,KAAj3E,EAAw3E,KAAx3E,EAA+3E,KAA/3E,EAAs4E,KAAt4E,EAA64E,KAA74E,EAAo5E,KAAp5E,EAA25E,KAA35E,EAAk6E,KAAl6E,EAAy6E,KAAz6E,EAAg7E,KAAh7E,EAAu7E,KAAv7E,EAA87E,KAA97E,EAAq8E,KAAr8E,EAA48E,KAA58E,EAAm9E,KAAn9E,EAA09E,KAA19E,EAAi+E,KAAj+E,EAAw+E,KAAx+E,EAA++E,KAA/+E,EAAs/E,KAAt/E,EAA6/E,KAA7/E,EAAogF,KAApgF,EAA2gF,KAA3gF,EAAkhF,KAAlhF,EAAyhF,KAAzhF,EAAgiF,KAAhiF,EAAuiF,KAAviF,EAA8iF,KAA9iF,EAAqjF,KAArjF,EAA4jF,KAA5jF,EAAmkF,KAAnkF,EAA0kF,KAA1kF,EAAilF,KAAjlF,EAAwlF,KAAxlF,EAA+lF,KAA/lF,EAAsmF,KAAtmF,EAA6mF,KAA7mF,EAAonF,KAApnF,EAA2nF,KAA3nF,EAAkoF,KAAloF,EAAyoF,KAAzoF,EAAgpF,KAAhpF,EAAupF,KAAvpF,EAA8pF,KAA9pF,EAAqqF,KAArqF,EAA4qF,KAA5qF,EAAmrF,KAAnrF,EAA0rF,KAA1rF,EAAisF,KAAjsF,EAAwsF,KAAxsF,EAA+sF,KAA/sF,EAAstF,KAAttF,EAA6tF,KAA7tF,EAAouF,KAApuF,EAA2uF,KAA3uF,EAAkvF,KAAlvF,EAAywF,KAAzwF,EAAgxF,KAAhxF,EAAuxF,KAAvxF,EAA8xF,KAA9xF,EAAqyF,KAAryF,EAA4yF,KAA5yF,EAAmzF,KAAnzF,EAA0zF,KAA1zF,EAAi0F,KAAj0F,EAAw0F,KAAx0F,EAA+0F,KAA/0F,EAAs1F,KAAt1F,EAA61F,KAA71F,EAAo2F,KAAp2F,EAA22F,KAA32F,EAAk3F,KAAl3F,EAAy3F,KAAz3F,EAAg4F,KAAh4F,EAAu4F,KAAv4F,EAA84F,KAA94F,EAAq5F,KAAr5F,EAA45F,KAA55F,EAAm6F,KAAn6F,EAA06F,KAA16F,EAAi7F,KAAj7F,EAAw7F,KAAx7F,EAA+7F,KAA/7F,EAAs8F,KAAt8F,EAA68F,KAA78F,EAAo9F,KAAp9F,EAA29F,KAA39F,EAAk+F,KAAl+F,EAAy+F,KAAz+F,EAAg/F,KAAh/F,EAAu/F,KAAv/F,EAA8/F,KAA9/F,EAAqgG,KAArgG,EAA4gG,KAA5gG,EAAmhG,KAAnhG,EAA0hG,KAA1hG,EAAiiG,KAAjiG,EAAwiG,KAAxiG,EAA+iG,KAA/iG,EAAsjG,KAAtjG,EAA6jG,KAA7jG,EAAokG,KAApkG,EAA2kG,KAA3kG,EAAklG,KAAllG,EAAylG,KAAzlG,EAAgmG,KAAhmG,EAAumG,KAAvmG,EAA8mG,KAA9mG,EAAqnG,KAArnG,EAA4nG,KAA5nG,EAAmoG,KAAnoG,EAA0oG,KAA1oG,EAAipG,KAAjpG,EAAwpG,KAAxpG,EAA+pG,KAA/pG,EAAsqG,KAAtqG,EAA6qG,KAA7qG,EAAorG,KAAprG,EAA2rG,KAA3rG,EAAksG,KAAlsG,EAAysG,KAAzsG,EAAgtG,KAAhtG,EAAutG,KAAvtG,EAA8tG,KAA9tG,EAAquG,KAAruG,EAA4uG,KAA5uG,EAAmvG,KAAnvG,EAA0vG,KAA1vG,EAAiwG,KAAjwG,EAAwwG,KAAxwG,EAA+wG,KAA/wG,EAAsxG,KAAtxG,EAA6xG,KAA7xG,EAAoyG,KAApyG,EAA2yG,KAA3yG,EAAkzG,KAAlzG,EAAyzG,KAAzzG,EAAg0G,KAAh0G,EAAu0G,KAAv0G,EAA80G,KAA90G,EAAq1G,KAAr1G,EAA41G,KAA51G,EAAm2G,KAAn2G,EAA02G,KAA12G,EAAi3G,KAAj3G,EAAw3G,KAAx3G,EAA+3G,KAA/3G,EAAs4G,KAAt4G,EAA64G,KAA74G,EAAo5G,KAAp5G,EAA25G,KAA35G,EAAk6G,KAAl6G,EAAy6G,KAAz6G,EAAg7G,KAAh7G,EAAu7G,KAAv7G,EAA87G,KAA97G,EAAq8G,KAAr8G,EAA48G,KAA58G,EAAm9G,KAAn9G,EAA09G,KAA19G,EAAi+G,KAAj+G,EAAw+G,KAAx+G,EAA++G,KAA/+G,EAAs/G,KAAt/G,EAA6/G,KAA7/G,EAAogH,KAApgH,EAA2gH,KAA3gH,EAAkhH,KAAlhH,EAAyhH,KAAzhH,EAAgiH,KAAhiH,EAAuiH,KAAviH,EAA8iH,KAA9iH,EAAqjH,KAArjH,EAA4jH,KAA5jH,EAAmkH,KAAnkH,EAA0kH,KAA1kH,EAAilH,KAAjlH,EAAwlH,KAAxlH,EAA+lH,KAA/lH,EAAsmH,KAAtmH,EAA6mH,KAA7mH,EAAonH,KAApnH,EAA2nH,KAA3nH,EAAkoH,KAAloH,EAAyoH,KAAzoH,EAAgpH,KAAhpH,EAAupH,KAAvpH,EAA8pH,KAA9pH,EAAqqH,KAArqH,EAA4qH,KAA5qH,EAAmrH,KAAnrH,EAA0rH,KAA1rH,EAAisH,KAAjsH,EAAwsH,KAAxsH,EAA+sH,KAA/sH,EAAstH,KAAttH,EAA6tH,KAA7tH,EAAouH,KAApuH,EAA2uH,KAA3uH,EAAkvH,KAAlvH,EAAywH,KAAzwH,EAAgxH,KAAhxH,EAAuxH,KAAvxH,EAA8xH,KAA9xH,EAAqyH,KAAryH,EAA4yH,KAA5yH,EAAmzH,KAAnzH,EAA0zH,KAA1zH,EAAi0H,KAAj0H,EAAw0H,KAAx0H,EAA+0H,KAA/0H,EAAs1H,KAAt1H,EAA61H,KAA71H,EAAo2H,KAAp2H,EAA22H,KAA32H,EAAk3H,KAAl3H,EAAy3H,KAAz3H,EAAg4H,KAAh4H,EAAu4H,KAAv4H,EAA84H,KAA94H,EAAq5H,KAAr5H,EAA45H,KAA55H,EAAm6H,KAAn6H,EAA06H,KAA16H,EAAi7H,KAAj7H,EAAw7H,KAAx7H,EAA+7H,KAA/7H,EAAs8H,KAAt8H,EAA68H,KAA78H,EAAo9H,KAAp9H,EAA29H,KAA39H,EAAk+H,KAAl+H,EAAy+H,KAAz+H,EAAg/H,KAAh/H,EAAu/H,KAAv/H,EAA8/H,KAA9/H,EAAqgI,KAArgI,EAA4gI,KAA5gI,EAAmhI,KAAnhI,EAA0hI,KAA1hI,EAAiiI,KAAjiI,EAAwiI,KAAxiI,EAA+iI,KAA/iI,EAAsjI,KAAtjI,EAA6jI,KAA7jI,EAAokI,KAApkI,EAA2kI,KAA3kI,EAAklI,KAAllI,EAAylI,KAAzlI,EAAgmI,KAAhmI,EAAumI,KAAvmI,EAA8mI,KAA9mI,EAAqnI,KAArnI,EAA4nI,KAA5nI,EAAmoI,KAAnoI,EAA0oI,KAA1oI,EAAipI,KAAjpI,EAAwpI,KAAxpI,EAA+pI,KAA/pI,EAAsqI,KAAtqI,EAA6qI,KAA7qI,EAAorI,KAAprI,EAA2rI,KAA3rI,EAAksI,KAAlsI,EAAysI,KAAzsI,EAAgtI,KAAhtI,EAAutI,KAAvtI,EAA8tI,KAA9tI,EAAquI,KAAruI,EAA4uI,KAA5uI,EAAmvI,KAAnvI,EAA0vI,KAA1vI,EAAiwI,KAAjwI,EAAwwI,KAAxwI,EAA+wI,KAA/wI,EAAsxI,KAAtxI,EAA6xI,KAA7xI,EAAoyI,KAApyI,EAA2yI,KAA3yI,EAAkzI,KAAlzI,EAAyzI,KAAzzI,EAAg0I,KAAh0I,EAAu0I,KAAv0I,EAA80I,KAA90I,EAAq1I,KAAr1I,EAA41I,KAA51I,EAAm2I,KAAn2I,EAA02I,KAA12I,EAAi3I,KAAj3I,EAAw3I,KAAx3I,EAA+3I,KAA/3I,EAAs4I,KAAt4I,EAA64I,KAA74I,EAAo5I,KAAp5I,EAA25I,KAA35I,EAAk6I,KAAl6I,EAAy6I,KAAz6I,EAAg7I,KAAh7I,EAAu7I,KAAv7I,EAA87I,KAA97I,EAAq8I,KAAr8I,EAA48I,KAA58I,EAAm9I,KAAn9I,EAA09I,KAA19I,EAAi+I,KAAj+I,EAAw+I,KAAx+I,EAA++I,KAA/+I,EAAs/I,KAAt/I,EAA6/I,KAA7/I,EAAogJ,KAApgJ,EAA2gJ,KAA3gJ,EAAkhJ,KAAlhJ,EAAyhJ,KAAzhJ,EAAgiJ,KAAhiJ,EAAuiJ,KAAviJ,EAA8iJ,KAA9iJ,EAAqjJ,KAArjJ,EAA4jJ,KAA5jJ,EAAmkJ,KAAnkJ,EAA0kJ,KAA1kJ,EAAilJ,KAAjlJ,EAAwlJ,KAAxlJ,EAA+lJ,KAA/lJ,EAAsmJ,KAAtmJ,EAA6mJ,KAA7mJ,EAAonJ,KAApnJ,EAA2nJ,KAA3nJ,EAAkoJ,KAAloJ,EAAyoJ,KAAzoJ,EAAgpJ,KAAhpJ,EAAupJ,KAAvpJ,EAA8pJ,KAA9pJ,EAAqqJ,KAArqJ,EAA4qJ,KAA5qJ,EAAmrJ,KAAnrJ,EAA0rJ,KAA1rJ,EAAisJ,KAAjsJ,EAAwsJ,KAAxsJ,EAA+sJ,KAA/sJ,EAAstJ,KAAttJ,EAA6tJ,KAA7tJ,EAAouJ,KAApuJ,EAA2uJ,KAA3uJ,EAAkvJ,KAAlvJ,EAAywJ,KAAzwJ,EAAgxJ,KAAhxJ,EAAuxJ,KAAvxJ,EAA8xJ,KAA9xJ,EAAqyJ,KAAryJ,EAA4yJ,KAA5yJ,EAAmzJ,KAAnzJ,EAA0zJ,KAA1zJ,EAAi0J,KAAj0J,EAAw0J,KAAx0J,EAA+0J,KAA/0J,EAAs1J,KAAt1J,EAA61J,KAA71J,EAAo2J,KAAp2J,EAA22J,KAA32J,EAAk3J,KAAl3J,EAAy3J,KAAz3J,EAAg4J,KAAh4J,EAAu4J,KAAv4J,EAA84J,KAA94J,EAAq5J,KAAr5J,EAA45J,KAA55J,EAAm6J,KAAn6J,EAA06J,KAA16J,EAAi7J,KAAj7J,EAAw7J,KAAx7J,EAA+7J,KAA/7J,EAAs8J,KAAt8J,EAA68J,KAA78J,EAAo9J,KAAp9J,EAA29J,KAA39J,EAAk+J,KAAl+J,EAAy+J,KAAz+J,EAAg/J,KAAh/J,EAAu/J,KAAv/J,EAA8/J,KAA9/J,EAAqgK,KAArgK,EAA4gK,KAA5gK,EAAmhK,KAAnhK,EAA0hK,KAA1hK,EAAiiK,KAAjiK,EAAwiK,KAAxiK,EAA+iK,KAA/iK,EAAsjK,KAAtjK,EAA6jK,KAA7jK,EAAokK,KAApkK,EAA2kK,KAA3kK,EAAklK,KAAllK,EAAylK,KAAzlK,EAAgmK,KAAhmK,EAAumK,KAAvmK,EAA8mK,KAA9mK,EAAqnK,KAArnK,EAA4nK,KAA5nK,EAAmoK,KAAnoK,EAA0oK,KAA1oK,EAAipK,KAAjpK,EAAwpK,KAAxpK,EAA+pK,KAA/pK,EAAsqK,KAAtqK,EAA6qK,KAA7qK,EAAorK,KAAprK,EAA2rK,KAA3rK,EAAksK,KAAlsK,EAAysK,KAAzsK,EAAgtK,KAAhtK,EAAutK,KAAvtK,EAA8tK,KAA9tK,EAAquK,KAAruK,EAA4uK,KAA5uK,EAAmvK,KAAnvK,EAA0vK,KAA1vK,EAAiwK,KAAjwK,EAAwwK,KAAxwK,EAA+wK,KAA/wK,EAAsxK,KAAtxK,EAA6xK,KAA7xK,EAAoyK,KAApyK,EAA2yK,KAA3yK,EAAkzK,KAAlzK,EAAyzK,KAAzzK,EAAg0K,KAAh0K,EAAu0K,KAAv0K,EAA80K,KAA90K,EAAq1K,KAAr1K,EAA41K,KAA51K,EAAm2K,KAAn2K,EAA02K,KAA12K,EAAi3K,KAAj3K,EAAw3K,KAAx3K,EAA+3K,KAA/3K,EAAs4K,KAAt4K,EAA64K,KAA74K,EAAo5K,KAAp5K,EAA25K,KAA35K,EAAk6K,KAAl6K,EAAy6K,KAAz6K,EAAg7K,KAAh7K,EAAu7K,KAAv7K,EAA87K,KAA97K,EAAq8K,KAAr8K,EAA48K,KAA58K,EAAm9K,KAAn9K,EAA09K,KAA19K,EAAi+K,KAAj+K,EAAw+K,KAAx+K,EAA++K,KAA/+K,EAAs/K,KAAt/K,EAA6/K,KAA7/K,EAAogL,KAApgL,EAA2gL,KAA3gL,EAAkhL,KAAlhL,EAAyhL,KAAzhL,EAAgiL,KAAhiL,EAAuiL,KAAviL,EAA8iL,KAA9iL,EAAqjL,KAArjL,EAA4jL,KAA5jL,EAAmkL,KAAnkL,EAA0kL,KAA1kL,EAAilL,KAAjlL,EAAwlL,KAAxlL,EAA+lL,KAA/lL,EAAsmL,KAAtmL,EAA6mL,KAA7mL,EAAonL,KAApnL,EAA2nL,KAA3nL,EAAkoL,KAAloL,EAAyoL,KAAzoL,EAAgpL,KAAhpL,EAAupL,KAAvpL,EAA8pL,KAA9pL,EAAqqL,KAArqL,EAA4qL,KAA5qL,EAAmrL,KAAnrL,EAA0rL,KAA1rL,EAAisL,KAAjsL,EAAwsL,KAAxsL,EAA+sL,KAA/sL,EAAstL,KAAttL,EAA6tL,KAA7tL,EAAouL,KAApuL,EAA2uL,KAA3uL,EAAkvL,KAAlvL,EAAywL,KAAzwL,EAAgxL,KAAhxL,EAAuxL,KAAvxL,EAA8xL,KAA9xL,EAAqyL,KAAryL,EAA4yL,KAA5yL,EAAmzL,KAAnzL,EAA0zL,KAA1zL,EAAi0L,KAAj0L,EAAw0L,KAAx0L,EAA+0L,KAA/0L,EAAs1L,KAAt1L,EAA61L,KAA71L,EAAo2L,KAAp2L,EAA22L,KAA32L,EAAk3L,KAAl3L,EAAy3L,KAAz3L,EAAg4L,KAAh4L,EAAu4L,KAAv4L,EAA84L,KAA94L,EAAq5L,KAAr5L,EAA45L,KAA55L,EAAm6L,KAAn6L,EAA06L,KAA16L,EAAi7L,KAAj7L,EAAw7L,KAAx7L,EAA+7L,KAA/7L,EAAs8L,KAAt8L,EAA68L,KAA78L,EAAo9L,KAAp9L,EAA29L,KAA39L,EAAk+L,KAAl+L,EAAy+L,KAAz+L,EAAg/L,KAAh/L,EAAu/L,KAAv/L,EAA8/L,KAA9/L,EAAqgM,KAArgM,EAA4gM,KAA5gM,EAAmhM,KAAnhM,EAA0hM,KAA1hM,EAAiiM,KAAjiM,EAAwiM,KAAxiM,EAA+iM,KAA/iM,EAAsjM,KAAtjM,EAA6jM,KAA7jM,EAAokM,KAApkM,EAA2kM,KAA3kM,EAAklM,KAAllM,EAAylM,KAAzlM,EAAgmM,KAAhmM,EAAumM,KAAvmM,EAA8mM,KAA9mM,EAAqnM,KAArnM,EAA4nM,KAA5nM,EAAmoM,KAAnoM,EAA0oM,KAA1oM,EAAipM,KAAjpM,EAAwpM,KAAxpM,EAA+pM,KAA/pM,EAAsqM,KAAtqM,EAA6qM,KAA7qM,EAAorM,KAAprM,EAA2rM,KAA3rM,EAAksM,KAAlsM,EAAysM,KAAzsM,EAAgtM,KAAhtM,EAAutM,KAAvtM,EAA8tM,KAA9tM,EAAquM,KAAruM,EAA4uM,KAA5uM,EAAmvM,KAAnvM,EAA0vM,KAA1vM,EAAiwM,KAAjwM,EAAwwM,KAAxwM,EAA+wM,KAA/wM,EAAsxM,KAAtxM,EAA6xM,KAA7xM,EAAoyM,KAApyM,EAA2yM,KAA3yM,EAAkzM,KAAlzM,EAAyzM,KAAzzM,EAAg0M,KAAh0M,EAAu0M,KAAv0M,EAA80M,KAA90M,EAAq1M,KAAr1M,EAA41M,KAA51M,EAAm2M,KAAn2M,EAA02M,KAA12M,EAAi3M,KAAj3M,EAAw3M,KAAx3M,EAA+3M,KAA/3M,EAAs4M,KAAt4M,EAA64M,KAA74M,EAAo5M,KAAp5M,EAA25M,KAA35M,EAAk6M,KAAl6M,EAAy6M,KAAz6M,EAAg7M,KAAh7M,EAAu7M,KAAv7M,EAA87M,KAA97M,EAAq8M,KAAr8M,EAA48M,KAA58M,EAAm9M,KAAn9M,EAA09M,KAA19M,EAAi+M,KAAj+M,EAAw+M,KAAx+M,EAA++M,KAA/+M,EAAs/M,KAAt/M,EAA6/M,KAA7/M,EAAogN,KAApgN,EAA2gN,KAA3gN,EAAkhN,KAAlhN,EAAyhN,KAAzhN,EAAgiN,KAAhiN,EAAuiN,KAAviN,EAA8iN,KAA9iN,EAAqjN,KAArjN,EAA4jN,KAA5jN,EAAmkN,KAAnkN,EAA0kN,KAA1kN,EAAilN,KAAjlN,EAAwlN,KAAxlN,EAA+lN,KAA/lN,EAAsmN,KAAtmN,EAA6mN,KAA7mN,EAAonN,KAApnN,EAA2nN,KAA3nN,EAAkoN,KAAloN,EAAyoN,KAAzoN,EAAgpN,KAAhpN,EAAupN,KAAvpN,EAA8pN,KAA9pN,EAAqqN,KAArqN,EAA4qN,KAA5qN,EAAmrN,KAAnrN,EAA0rN,KAA1rN,EAAisN,KAAjsN,EAAwsN,KAAxsN,EAA+sN,KAA/sN,EAAstN,KAAttN,EAA6tN,KAA7tN,EAAouN,KAApuN,EAA2uN,KAA3uN,EAAkvN,KAAlvN,EAAywN,KAAzwN,EAAgxN,KAAhxN,EAAuxN,KAAvxN,EAA8xN,KAA9xN,EAAqyN,KAAryN,EAA4yN,KAA5yN,EAAmzN,KAAnzN,EAA0zN,KAA1zN,EAAi0N,KAAj0N,EAAw0N,KAAx0N,EAA+0N,KAA/0N,EAAs1N,KAAt1N,EAA61N,KAA71N,EAAo2N,KAAp2N,EAA22N,KAA32N,EAAk3N,KAAl3N,EAAy3N,KAAz3N,EAAg4N,KAAh4N,EAAu4N,KAAv4N,EAA84N,KAA94N,EAAq5N,KAAr5N,EAA45N,KAA55N,EAAm6N,KAAn6N,EAA06N,KAA16N,EAAi7N,KAAj7N,EAAw7N,KAAx7N,EAA+7N,KAA/7N,EAAs8N,KAAt8N,EAA68N,KAA78N,EAAo9N,KAAp9N,EAA29N,KAA39N,EAAk+N,KAAl+N,EAAy+N,KAAz+N,EAAg/N,KAAh/N,EAAu/N,KAAv/N,EAA8/N,KAA9/N,EAAqgO,KAArgO,EAA4gO,KAA5gO,EAAmhO,KAAnhO,EAA0hO,KAA1hO,EAAiiO,KAAjiO,EAAwiO,KAAxiO,EAA+iO,KAA/iO,EAAsjO,KAAtjO,EAA6jO,KAA7jO,EAAokO,KAApkO,EAA2kO,KAA3kO,EAAklO,KAAllO,EAAylO,KAAzlO,EAAgmO,KAAhmO,EAAumO,KAAvmO,EAA8mO,KAA9mO,EAAqnO,KAArnO,EAA4nO,KAA5nO,EAAmoO,KAAnoO,EAA0oO,KAA1oO,EAAipO,KAAjpO,EAAwpO,KAAxpO,EAA+pO,KAA/pO,EAAsqO,KAAtqO,EAA6qO,KAA7qO,EAAorO,KAAprO,EAA2rO,KAA3rO,EAAksO,KAAlsO,EAAysO,KAAzsO,EAAgtO,KAAhtO,EAAutO,KAAvtO,EAA8tO,KAA9tO,EAAquO,KAAruO,EAA4uO,KAA5uO,EAAmvO,KAAnvO,EAA0vO,KAA1vO,EAAiwO,KAAjwO,EAAwwO,KAAxwO,EAA+wO,KAA/wO,EAAsxO,KAAtxO,EAA6xO,KAA7xO,EAAoyO,KAApyO,EAA2yO,KAA3yO,EAAkzO,KAAlzO,EAAyzO,KAAzzO,EAAg0O,KAAh0O,EAAu0O,KAAv0O,EAA80O,KAA90O,EAAq1O,KAAr1O,EAA41O,KAA51O,EAAm2O,KAAn2O,EAA02O,KAA12O,EAAi3O,KAAj3O,EAAw3O,KAAx3O,EAA+3O,KAA/3O,EAAs4O,KAAt4O,EAA64O,KAA74O,EAAo5O,KAAp5O,EAA25O,KAA35O,EAAk6O,KAAl6O,EAAy6O,KAAz6O,EAAg7O,KAAh7O,EAAu7O,KAAv7O,EAA87O,KAA97O,EAAq8O,KAAr8O,EAA48O,KAA58O,EAAm9O,KAAn9O,EAA09O,KAA19O,EAAi+O,KAAj+O,EAAw+O,KAAx+O,EAA++O,KAA/+O,EAAs/O,KAAt/O,EAA6/O,KAA7/O,EAAogP,KAApgP,EAA2gP,KAA3gP,EAAkhP,KAAlhP,EAAyhP,KAAzhP,EAAgiP,KAAhiP,EAAuiP,KAAviP,EAA8iP,KAA9iP,EAAqjP,KAArjP,EAA4jP,KAA5jP,EAAmkP,KAAnkP,EAA0kP,KAA1kP,EAAilP,KAAjlP,EAAwlP,KAAxlP,EAA+lP,KAA/lP,EAAsmP,KAAtmP,EAA6mP,KAA7mP,EAAonP,KAApnP,EAA2nP,KAA3nP,EAAkoP,KAAloP,EAAyoP,KAAzoP,EAAgpP,KAAhpP,EAAupP,KAAvpP,EAA8pP,KAA9pP,EAAqqP,KAArqP,EAA4qP,KAA5qP,EAAmrP,KAAnrP,EAA0rP,KAA1rP,EAAisP,KAAjsP,EAAwsP,KAAxsP,EAA+sP,KAA/sP,EAAstP,KAAttP,EAA6tP,KAA7tP,EAAouP,KAApuP,EAA2uP,KAA3uP,EAAkvP,KAAlvP,EAAywP,KAAzwP,EAAgxP,KAAhxP,EAAuxP,KAAvxP,EAA8xP,KAA9xP,EAAqyP,KAAryP,EAA4yP,KAA5yP,EAAmzP,KAAnzP,EAA0zP,KAA1zP,EAAi0P,KAAj0P,EAAw0P,KAAx0P,EAA+0P,KAA/0P,EAAs1P,KAAt1P,EAA61P,KAA71P,EAAo2P,KAAp2P,EAA22P,KAA32P,EAAk3P,KAAl3P,EAAy3P,KAAz3P,EAAg4P,KAAh4P,EAAu4P,KAAv4P,EAA84P,KAA94P,EAAq5P,KAAr5P,EAA45P,KAA55P,EAAm6P,KAAn6P,EAA06P,KAA16P,EAAi7P,KAAj7P,EAAw7P,KAAx7P,EAA+7P,KAA/7P,EAAs8P,KAAt8P,EAA68P,KAA78P,EAAo9P,KAAp9P,EAA29P,KAA39P,EAAk+P,KAAl+P,EAAy+P,KAAz+P,EAAg/P,KAAh/P,EAAu/P,KAAv/P,EAA8/P,KAA9/P,EAAqgQ,KAArgQ,EAA4gQ,KAA5gQ,EAAmh

B;QAAQ,kD;O;KAAR,C;qIAKL,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,yC;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MASkD,OAAM,aAAN,KAAM,yC;K;wDAGxD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAElD,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAElD,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;MAK0C,OAAM,aAAN,KAAM,mC;K;iDAEhD,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGlD,iB;MAKwC,OAAM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAd,EAAiC,KAAjC,C,C;;QACF,+C;UACE,MAAM,6BAAyB,sCAAmC,KAAnC,OAAyB,EAAsE,CAAtE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAd,EAAiC,IAAjC,C,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAAyB,EAAwE,CAAxE,C;;UAHkC,O;;K;uDAMrD,iB;;QAWmD,OAC/C,cAAc,KAAd,EAAiC,KAAjC,C,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB;;QAK4D,OACxD,cAAc,KAAd,EAAiC,IAAjC,C,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;;IA/XhE,0C;MAAA,yC;QAAA,wB;;MAAA,kC;K;oCAwYA,Y;MAC6C,kBAAY,YAAD,aAAX,EAAzC,ZK,EAAS,QAAT,EAAmB,GAAnB,qB,CAAyB,Y1B,C;K;qCAE7B,iB;MAIE,QAAM,IAAN,EAAY,IAAZ,EAAkB,KAAlB,EAAyB,C;QAAzB,sB;OAAyB,O;MAAzB,kB;QAAyB,gB;OAAzB,O;MAAyB,kB;QAAzB,g

MAEI,kBAAkB,SAAM,IAAK,cAAX,EAAwB,KAAM,cAA9B,C;MAClB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAY,yCAAS,WArB,KAAiC,wBAAY,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAAlB,GAA6B,GAA6B,I;K;yCAExE,xE,iB;MACI,kBAAkB,IAAK,KAAL,EAAkB,KAAkB,KAAlB,kBAAkB,KAAM,WAAxB,xB,C;MAClB,IAAI,yBAAc,CAAd,IAAmB,CAAA,CAAnB,EAAuB,WAAY,QAAZ,EAAsB,GAAA,WAAtB,EAAwC,CAAxC,kBAAwC,MAAA,6B,C;QAGpD,IAAK,OAAO,IAAK,KAAL,EAAW,iBAAX,GAAgC,KAAM,WAAtC,EAAmD,CAAnD,kBAAmD,MAAA,6B,C;QAGv

AgE,UAAL,IAAK,C;K;qCAI3E,Y;M8HvmBuB,gBAAhB,sB;M9HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MAClB,yBAAO,IAAP,C;MAC4B,YAAd,kB;MAxWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAyD,0B;MAyW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;;MAEJ,eAAe,oB;MACf,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MAChD,iBAAiB,YAAW,CAAX,KAAiB,cAAc,QAA/B,B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,OAAP,CAAc,gBAAO,EAAP,C;;MAElB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;;MAEpB,IAAe,eAAe,CAAC,QAAD,IAAa,IAAb,eAAkC,CAAC,UAAD,IAAe,cAAc,QAA7B,CAAlC,CAAf,C;;MAEf,IAAI,eAAe,CAAC,QAAD,IAAa,IAAb,eAAkC,CAAC,UAAD,IAAe,cAAc,QAA7B,CAAlC,CAAf,C;;MAEpB

1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WAAU,OAAnB,I;YACqB,mBAAe,K;YAuChD,UAHgC,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAc,WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAxCoC,CAAM,kBAAK,GAAL,CAAN,mC;;;;cAwChB,iB;;YAxC7B,eAAe,KiB/nCiE,WjBmqClF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAlB,I;YACA,aAAW,wBAAwB,QAAAxB,C;YACX,IAAI,cAAY,IAAZ,IAAoB,2BAAY,MAAZ,MAAxB,C;cAA0C,MAAM,gCAAyB,yCAAzB,C;YAChD,aAAW,M;YACX,iBAAyB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CAAf,C;cACI,cAAY,WiBtoCtC,gE,WjBsoCsC5C,CiBtoCtC4C,EjBsoCzC,uiBtoCyC,C;cjBuoC5E,4BAAyB,aAAT,OAAN,OAAM,CAAS,EAAW,MAAX,CAAzB,C;cACA,4BAAmD,aAAX,SAA9B,WiB3oCmD,mC,WjB2oCnD,uC,WiB3oCmD,C;cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAyB,mCAAzB,C;;cAE1B,4BAA6B,aAAT,OAAN,OAAM,CAAS,EAAW,MAAX,CAA7B,C;;;;;MAKhB,OAAW,UAAJ,GAAI,iB,MAAJ,KAAI,IAAJ,GAAI,iBAAJ,KAAI,IAAJ,GAAI,iBAAJ,KAAI,IAAJ,GAAI,iB

CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAyB,CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAAY,QAAS,kBAAS,SAAT,C;QAErB,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MAVf,qB;K;0CAcJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAAA/C,qCAA1E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAjBA,OAkBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgB,gC,iB;K;sCARhC,Y;MAQ8B,oB;K;wCAR9C,2B;MAAA,sBAQgB,qCARhC,EAQ8B,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgB,iDARhC,EAQ8B,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgB,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgB,sCARhC,EAQ8B,4CAR9C,I;K;iGAAA,yB;MAAA,yC;MAgBgB,8C;MAAc,wB;QA6BtB,6BAAsB,iDAA+C,cAAA/C,qCAA1E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAjBA,OAkBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgB,gC,iB;K;sCARhC,Y;MAQ8B,oB;K;wCAR9C,2B;MAAA,sBAQgB,qCARhC,EAQ8B,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgB,iDARhC,EAQ8B,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgB,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgB,sCARhC,EAQ8B,4CAR9C,I;K;iGAAA,yB;MAAA,yC;MAgBgB,8C;MAAc,wB;QA6BtB,6B

a;;MAjF7C,OAkFO,C;K;kEAhFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,SAmFG,GAnFe,K;QAAvB,OAAgC,QAoFzB,KApFgB,KAoFX,GAAW,CAAC,CAAC,IApFF,KAoFC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAO,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,SAgEG,GAhEc,KAgEd,I;MACR,IAAI,CAjEC,SAiED,GAjEkB,KAiElB,IAAiB,CAAjB,IAAsB,eAjEJ,KAiEI,MAjErB,SAiEL,C;QAA6C,a;;MAjE7C,OAkEO,C;K;kEAhEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAjB,OAoEO,KApEU,KAoEL,GAAW,CAAC,CAAC,IApER,KAoEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAlD,IAAK,K;K;4EAlEX,yB;MAqIA,0B;MArIA,mC;QAIkB,oBAAA,C;QAqIL,QAAQ,gBArIe,KAqIf,C;QACR,IAAI,gBAtIe,mB,KAsInB,eAAiB,CAAjB,IAAsB,mBAtIH,KAsIG,GAAa,WAAb,CAA1B,C;UAA6C,W;;QAtI7C,OAuIO,C;O;KA3IX,C;kEAAA,4B;MAgJI,QAxIK,SAwIG,GAxIc,KAwId,IAAO,CAAP,IAAY,SAAZ,IAAyB,CAAzB,IAA8B,SAAS,CAAT,IAAc,CAAd,IAAmB,CAAnB,IAAwB,CAAxB,IAA6B,CAAC,CAAD,IAAM,CAAN,IAAW,CAAX,IAAgB,CAAhB,IAAqB

AaJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGpH7C,KpGoH6C,C;;QoGpH5D,OAaO,OAAsC,IAb9B,KAaR,GAAqD,C;O;KAvBhE,C;mEAYA,yB;MpGkH6C,iB;MoGlH7C,mC;QAUI,QAAQ,YAAO,K;QACJ,iBAAK,G;QAAL,S;UAAY,OpGuG0B,MAAW,MoGvGrC,CpGuGqC,CoGvGrC,KpGuG0B,MAAW,MoGvG3B,KpGuG2B,C;;QoGvG5D,OAAO,OAAsC,IAAI,KAA1C,GAAqD,C;O;KAXhE,C;4ECnTA,yB;MAAA,8B;MAAA,4B;QAOyC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/CuB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB,+B;M5MWA,IAAI,E4MViB,CAAT,sBAAY,GAAZ,KA4C,CAAT,sBAAY,GAAZ,C,MA+C+E,CAAT,sBAAY,GAAZ,GAAlF,C5MXA,F,C5MWA,C;;QACI,c4MVI,2E;Q5MWJ,MAAM,gCAAyB,OAAzB,QAAkC,WAAlC,C,C;;M4MTN,OAAO,CAAP,KAAO,KAAP,IAAO,EAAP,KAAO,IAAP,IAAO,EAAP,KAAO,IAAP,IAAO,EAAP,KAAO,I

wB;QAuBI,IAAI,CAbE,KAaN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KAzBd,C;sEAaA,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KAZd,C;kFAgBA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;UAiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAApB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;;O;KANvD,C;I8CnHiC,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAEY,2E;O;KAXhB,C;uCAcA,Y;MAQQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,U;;QADxB,OAEY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;;QADxB,OAEY,sBAAU,UAAV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,wB;QAAO,QAAO,I,EAAP,KAAO,UAAP,C;UAAO,OAAP,KAAO,C;;QAAP,O;O;KAAP,C;wHAAO

lBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAc,gBAAd,EAAsB,eAAtB,E;K;I7NlE1B,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;;IAnBtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BA2O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAEhF,iB;MAM2D,OAAa,0BAmOlC,SAAL,GAAiB,GAAnO,sB,EAAU,KAAoO,KAAL,GAAiB,KAApO,sB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAjB,sB,EAAU,KAAoB,KAAL,GAAiB,KAApB,sB,CC7PgB,MAAjB,sB,EDAe,KCAc,KAA7B,C;O;KDNlE,C;sGAEQA,yB;MA4PA,+B;MAAA,gD;MAAA,iB;MAAA,+B;MAAA,gD;MAAA,iB;MAAA,+B;MAAA,gD;MAAA,iB;MAA

oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HlB,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KAtMrC,C;0FASA,yB;MAmHA,6B;MCxKA,kD;MCwOJ,4B;MAAA,iC;MFnLI,wB;QAQ+C,OEsLR,gBAAY,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;KDwDpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBlES,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBlEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAQM0C,sBAAW,OAAL,SAAK,CAAL,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAQM0C,sBAAW,OAAL,SAAK,CAAL,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAQE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LvOX,G7LuOoB,KAAM,K6LvOV,MC7LuOhC,C;O;KAFnD,C;wFAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LrOX,G7LqOoB,KAAM,K6LrOV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LnOX,G7LmOoB,KAAM,K6LnOV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LjOX,G7LiOoB,KAAM,K6LjOV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhOX,G7LgOoB,KAAM,K6LhOV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlOX,G7LkOoB,KAAM,K6LlOV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpOX,G7LoOoB,KAAM,K6LpOV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtOX,G7LsOoB,KAAM,K6LtOV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxOX,G7LwOoB,KAAM,K6LxOV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1OX,G7L0OoB,KAAM,K6L1OV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5OX,G7L4OoB,KAAM,K6L5OV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9OX,G7L8OoB,KAAM,K6L9OV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhPX,G7LgPoB,KAAM,K6LhPV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlPX,G7LkPoB,KAAM,K6LlPV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpPX,G7LoPoB,KAAM,K6LpPV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtPX,G7LsPoB,KAAM,K6LtPV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxPX,G7LwPoB,KAAM,K6LxPV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1PX,G7L0PoB,KAAM,K6L1PV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5PX,G7L4PoB,KAAM,K6L5PV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9PX,G7L8PoB,KAAM,K6L9PV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhQX,G7LgQoB,KAAM,K6LhQV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlQX,G7LkQoB,KAAM,K6LlQV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpQX,G7LoQoB,KAAM,K6LpQV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtQX,G7LsQoB,KAAM,K6LtQV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxQX,G7LwQoB,KAAM,K6LxQV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1QX,G7L0QoB,KAAM,K6L1QV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5QX,G7L4QoB,KAAM,K6L5QV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9QX,G7L8QoB,KAAM,K6L9QV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhRX,G7LgRoB,KAAM,K6LhRV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlRX,G7LkRoB,KAAM,K6LlRV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpRX,G7LoRoB,KAAM,K6LpRV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtRX,G7LsRoB,KAAM,K6LtRV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxRX,G7LwRoB,KAAM,K6LxRV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1RX,G7L0RoB,KAAM,K6L1RV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5RX,G7L4RoB,KAAM,K6L5RV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9RX,G7L8RoB,KAAM,K6L9RV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhSX,G7LgSoB,KAAM,K6LhSV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlSX,G7LkSoB,KAAM,K6LlSV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpSX,G7LoSoB,KAAM,K6LpSV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtSX,G7LsSoB,KAAM,K6LtSV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxSX,G7LwSoB,KAAM,K6LxSV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1SX,G7L0SoB,KAAM,K6L1SV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5SX,G7L4SoB,KAAM,K6L5SV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9SX,G7L8SoB,KAAM,K6L9SV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhTX,G7LgToB,KAAM,K6LhTV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlTX,G7LkToB,KAAM,K6LlTV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpTX,G7LoToB,KAAM,K6LpTV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtTX,G7LsToB,KAAM,K6LtTV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxTX,G7LwToB,KAAM,K6LxTV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1TX,G7L0ToB,KAAM,K6L1TV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5TX,G7L4ToB,KAAM,K6L5TV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9TX,G7L8ToB,KAAM,K6L9TV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhUX,G7LgUoB,KAAM,K6LhUV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlUX,G7LkUoB,KAAM,K6LlUV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpUX,G7LoUoB,KAAM,K6LpUV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtUX,G7LsUoB,KAAM,K6LtUV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxUX,G7LwUoB,KAAM,K6LxUV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1UX,G7L0UoB,KAAM,K6L1UV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5UX,G7L4UoB,KAAM,K6L5UV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9UX,G7L8UoB,KAAM,K6L9UV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhVX,G7LgVoB,KAAM,K6LhVV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlVX,G7LkVoB,KAAM,K6LlVV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpVX,G7LoVoB,KAAM,K6LpVV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtVX,G7LsVoB,KAAM,K6LtVV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxVX,G7LwVoB,KAAM,K6LxVV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1VX,G7L0VoB,KAAM,K6L1VV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5VX,G7L4VoB,KAAM,K6L5VV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9VX,G7L8VoB,KAAM,K6L9VV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhWX,G7LgWoB,KAAM,K6LhWV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlWX,G7LkWoB,KAAM,K6LlWV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpWX,G7LoWoB,KAAM,K6LpWV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtWX,G7LsWoB,KAAM,K6LtWV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxWX,G7LwWoB,KAAM,K6LxWV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1WX,G7L0WoB,KAAM,K6L1WV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5WX,G7L4WoB,KAAM,K6L5WV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9WX,G7L8WoB,KAAM,K6L9WV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhXX,G7LgXoB,KAAM,K6LhXV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlXX,G7LkXoB,KAAM,K6LlXV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpXX,G7LoXoB,KAAM,K6LpXV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtXX,G7LsXoB,KAAM,K6LtXV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxXX,G7LwXoB,KAAM,K6LxXV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1XX,G7L0XoB,KAAM,K6L1XV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5XX,G7L4XoB,KAAM,K6L5XV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9XX,G7L8XoB,KAAM,K6L9XV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhYX,G7LgYoB,KAAM,K6LhYV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlYX,G7LkYoB,KAAM,K6LlYV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpYX,G7LoYoB,KAAM,K6LpYV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtYX,G7LsYoB,KAAM,K6LtYV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxYX,G7LwYoB,KAAM,K6LxYV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1YX,G7L0YoB,KAAM,K6L1YV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5YX,G7L4YoB,KAAM,K6L5YV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9YX,G7L8YoB,KAAM,K6L9YV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhZX,G7LgZoB,KAAM,K6LhZV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlZX,G7LkZoB,KAAM,K6LlZV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpZX,G7LoZoB,KAAM,K6LpZV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtZX,G7LsZoB,KAAM,K6LtZV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxZX,G7LwZoB,KAAM,K6LxZV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1ZX,G7L0ZoB,KAAM,K6L1ZV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5ZX,G7L4ZoB,KAAM,K6L5ZV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9ZX,G7L8ZoB,KAAM,K6L9ZV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhaX,G7LgaoB,KAAM,K6LhaV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlaX,G7LkaoB,KAAM,K6LlaV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpaX,G7LoaoB,KAAM,K6LpaV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtaX,G7LsaoB,KAAM,K6LtaV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxaX,G7LwaoB,KAAM,K6LxaV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1aX,G7L0aoB,KAAM,K6L1aV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5aX,G7L4aoB,KAAM,K6L5aV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9aX,G7L8aoB,KAAM,K6L9aV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhbX,G7LgboB,KAAM,K6LhbV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlbX,G7LkboB,KAAM,K6LlbV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpbX,G7LoboB,KAAM,K6LpbV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtbX,G7LsboB,KAAM,K6LtbV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxbX,G7LwboB,KAAM,K6LxbV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1bX,G7L0boB,KAAM,K6L1bV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5bX,G7L4boB,KAAM,K6L5bV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9bX,G7L8boB,KAAM,K6L9bV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhcX,G7LgcoB,KAAM,K6LhcV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LlcX,G7LkcoB,KAAM,K6LlcV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpcX,G7LocoB,KAAM,K6LpcV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtcX,G7LscoB,KAAM,K6LtcV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxcX,G7LwcoB,KAAM,K6LxcV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1cX,G7L0coB,KAAM,K6L1cV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6L5cX,G7L4coB,KAAM,K6L5cV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L9cX,G7L8coB,KAAM,K6L9cV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LhdX,G7LgdoB,KAAM,K6LhdV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LldX,G7LkdoB,KAAM,K6LldV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LpdX,G7LodoB,KAAM,K6LpdV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6LtdX,G7LsdoB,KAAM,K6LtdV,MC7LuOhC,C;O;KAFlD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEmD,sB6LvOvC,gBC7LuO1B,IAAK,K6LxdX,G7LwdoB,KAAM,K6LxdV,MC7LuOhC,C;O;KAFnD,C;0FAIA,yB;MAAA,+B;M6LxOJ,0B;M7LwOI,wB;QAEkD,sB6LvOtC,gBC7LuO1B,IAAK,K6L1dX,G7L0doB,KAAM,K6L1dV,MC7LuO

AS6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CA
AL,iBAAN,CgBnRgD,MAAlB,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD0OA,6B;MC1OA,wB;
QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX
,IAAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CC4O5
C,cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAA
A,wB;QAEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,s
B;MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,M
AAK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAA
K,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,
C;4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDlOgC,KCkOtB,
KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK
,IAAK,KAAK,GAAM,KAAM,KAAZ,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAlPA,
wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO
,KAAZ,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAA
K,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;
MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCkN9C,cDrNgC,KCqNtB,KAAL
,GAAiB,KAAtB,CDlN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAe,YAAV
,IAAK,KAAK,EAAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MAr
OA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,Cg B5O8B,MAAK,UhBAK,Kg
BAO,KAAZ,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,cAAW,WAAW,
IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD9L
A,4C;MAHA,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECqMjB,cDxM4B,KCwMlB,KAAL,GAAiB,KAAtB,CDrMiB
,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFA
GA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL,
SAAK,CAAL,CAAN,CgB/N/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,wB;QAEqD,
OAMD,cAAW,WAAW,IAAX,EC4KjB,cC5K2B,KD4KjB,KAAL,GAAiB,GAAtB,CCtKiB,C;O;KARpD,C;wFAGA,yB;
MCmKA,6B;MDhKA,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC0KjB,cD7K4B,KC6KlB,KAAL,GAAiB,KAAtB,CDvKiB
,C;O;KALpD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAG
A,yB;MA2MA,kBAS6D,sB;MAT7D,+B;MA3MA,wB;QAEsD,OgBAA,YhBkNjB,eAAW,oBAAL,SAAK,CAAL,CAAN,
CgBlN/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDyKA,6B;MC3JA,wB;QAEqD,OAMD,cAAW,
WAAW,IAAX,EC+JjB,cC/J2B,KD+JjB,KAAL,GAAiB,GAAtB,CCzJiB,C;O;KARpD,C;wFAGA,yB;MCsJA,6B;MDnJ
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC6JjB,cDhK4B,KCgKlB,KAAL,GAAiB,KAAtB,CD1JiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
8MA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBqNjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBrN/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD4KA,6B;MC9JA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECkKjB,cClK2B,KDkKjB,KAAL,GAAiB,GAAtB,CC5JiB,C;O;KARpD,C;wFAGA,yB;MCyJA,6B;MDtJ
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECgKjB,cDnK4B,KCmKlB,KAAL,GAAiB,KAAtB,CD7JiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
iNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBwNjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBxN/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD+KA,6B;MCjKA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECqKjB,cCrK2B,KDqKjB,KAAL,GAAiB,GAAtB,CC/JiB,C;O;KARpD,C;wFAGA,yB;MC4JA,6B;MDzJ
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECmKjB,cDtK4B,KCsKlB,KAAL,GAAiB,KAAtB,CDhKiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
oNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB2NjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB3N/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDkLA,6B;MCpKA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECwKjB,cCxK2B,KDwKjB,KAAL,GAAiB,GAAtB,CClKiB,C;O;KARpD,C;wFAGA,yB;MC+JA,6B;MD5J
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECsKjB,cDzK4B,KCyKlB,KAAL,GAAiB,KAAtB,CDnKiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
uNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB8NjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB9N/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDqLA,6B;MCvKA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC2KjB,cC3K2B,KD2KjB,KAAL,GAAiB,GAAtB,CCrKiB,C;O;KARpD,C;wFAGA,yB;MCkKA,6B;MD/J
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECyKjB,cD5K4B,KC4KlB,KAAL,GAAiB,KAAtB,CDtKiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
0NA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBiOjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBjO/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDwLA,6B;MC1KA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC8KjB,cC9K2B,KD8KjB,KAAL,GAAiB,GAAtB,CCxKiB,C;O;KARpD,C;wFAGA,yB;MCqKA,6B;MDlK
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC4KjB,cD/K4B,KC+KlB,KAAL,GAAiB,KAAtB,CDzKiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
6NA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBoOjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBpO/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD2LA,6B;MC7KA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECiLjB,cCjL2B,KDiLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KARpD,C;wFAGA,yB;MCwKA,6B;MDrK
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC+KjB,cDlL4B,KCkLlB,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
gOA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBuOjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBvO/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD8LA,6B;MChLA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECoLjB,cCpL2B,KDoLjB,KAAL,GAAiB,GAAtB,CC9KiB,C;O;KARpD,C;wFAGA,yB;MC2KA,6B;MDxK
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECkLjB,cDrL4B,KCqLlB,KAAL,GAAiB,KAAtB,CD/KiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
mOA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB0OjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB1O/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDiMA,6B;MCnLA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECuLjB,cCvL2B,KDuLjB,KAAL,GAAiB,GAAtB,CCjLiB,C;O;KARpD,C;wFAGA,yB;MC8KA,6B;MD3K
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECqLjB,cDxL4B,KCwLlB,KAAL,GAAiB,KAAtB,CDlLiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
sOA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB6OjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB7O/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDoMA,6B;MCtLA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC0LjB,cC1L2B,KD0LjB,KAAL,GAAiB,GAAtB,CCpLiB,C;O;KARpD,C;wFAGA,yB;MCiLA,6B;MD9K
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECwLjB,cD3L4B,KC2LlB,KAAL,GAAiB,KAAtB,CDrLiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
yOA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBgPjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBhP/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDuMA,6B;MCzLA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC6LjB,cC7L2B,KD6LjB,KAAL,GAiB,GAAtB,CCvLiB,C;O;KARpD,C;wFAGA,yB;MCoLA,6B;MDjL
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC2LjB,cD9L4B,KC8LlB,KAAL,GAAiB,KAAtB,CDxLiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
4OA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBmPjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBnP/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD0MA,6B;MC5LA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECgMjB,cChM2B,KDgMjB,KAAL,GAAiB,GAAtB,CC1LiB,C;O;KARpD,C;wFAGA,yB;MCuLA,6B;MDpL
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC8LjB,cDjM4B,KCiMlB,KAAL,GAAiB,KAAtB,CD3LiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
+OA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBsPjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBtP/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD6MA,6B;MC/LA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECmMjB,cCnM2B,KDmMjB,KAAL,GAiB,GAAtB,CC7LiB,C;O;KARpD,C;wFAGA,yB;MC0LA,6B;MDvL
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECiMjB,cDpM4B,KCoMlB,KAAL,GAAiB,KAAtB,CD9LiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
kPA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhByPjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBzP/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDgNA,6B;MClMA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECsMjB,cCtM2B,KDsMjB,KAAL,GAiB,GAAtB,CChMiB,C;O;KARpD,C;wFAGA,yB;MC6LA,6B;MD1L
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECoMjB,cDvM4B,KCuMlB,KAAL,GAAiB,KAAtB,CDjMiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
qPA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB4PjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB5P/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDmNA,6B;MCrMA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECyMjB,cCzM2B,KDyMjB,KAAL,GAiB,GAAtB,CCnMiB,C;O;KARpD,C;wFAGA,yB;MCgMA,6B;MD7L
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECuMjB,cD1M4B,KC0MlB,KAAL,GAAiB,KAAtB,CDpMiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
wPA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+PjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB/P/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsNA,6B;MCxMA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC4MjB,cC5M2B,KD4MjB,KAAL,GAiB,GAAtB,CCtMiB,C;O;KARpD,C;wFAGA,yB;MCmMA,6B;MDhM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC0MjB,cD7M4B,KC6MlB,KAAL,GAAiB,KAAtB,CDvMiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
2PA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBkQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBlQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDyNA,6B;MC3MA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC+MjB,cC/M2B,KD+MjB,KAAL,GAiB,GAAtB,CCzMiB,C;O;KARpD,C;wFAGA,yB;MCsMA,6B;MDnM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC6MjB,cDhN4B,KCgNlB,KAAL,GAAiB,KAAtB,CD1MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
8PA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBqQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBrQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD4NA,6B;MC9MA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECkNjB,cClN2B,KDkNjB,KAAL,GAiB,GAAtB,CC5MiB,C;O;KARpD,C;wFAGA,yB;MCyMA,6B;MDtM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC8MjB,cDjN4B,KCiNlB,KAAL,GAAiB,KAAtB,CD3MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
+PA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBsQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBtQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD6NA,6B;MC/MA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECmNjB,cCnN2B,KDmNjB,KAAL,GAiB,GAAtB,CC7MiB,C;O;KARpD,C;wFAGA,yB;MC0MA,6B;MDvM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC+MjB,cDlN4B,KCkNlB,KAAL,GAAiB,KAAtB,CD5MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
gQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBuQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBvQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD8NA,6B;MChNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECoNjB,cCpN2B,KDoNjB,KAAL,GAiB,GAAtB,CC9MiB,C;O;KARpD,C;wFAGA,yB;MC2MA,6B;MDxM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECgNjB,cDnN4B,KCmNlB,KAAL,GAAiB,KAAtB,CD7MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
iQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBwQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBxQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD+NA,6B;MCjNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECqNjB,cCrN2B,KDqNjB,KAAL,GAiB,GAAtB,CC/MiB,C;O;KARpD,C;wFAGA,yB;MC4MA,6B;MDzM
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECiNjB,cDpN4B,KCoNlB,KAAL,GAAiB,KAAtB,CD9MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
kQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhByQjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBzQ/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDgOA,6B;MClNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECsNjB,cCtN2B,KDsNjB,KAAL,GAiB,GAAtB,CChNiB,C;O;KARpD,C;wFAGA,yB;MC6MA,6B;MD1M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECkNjB,cDrN4B,KCqNlB,KAAL,GAAiB,KAAtB,CD/MiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
mQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB0QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB1Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDiOA,6B;MCnNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECuNjB,cCvN2B,KDuNjB,KAAL,GAiB,GAAtB,CCjNiB,C;O;KARpD,C;wFAGA,yB;MC8MA,6B;MD3M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECmNjB,cDtN4B,KCsNlB,KAAL,GAAiB,KAAtB,CDhNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
oQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB2QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB3Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDkOA,6B;MCpNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECwNjB,cCxN2B,KDwNjB,KAAL,GAiB,GAAtB,CClNiB,C;O;KARpD,C;wFAGA,yB;MC+MA,6B;MD5M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECoNjB,cDvN4B,KCuNlB,KAAL,GAAiB,KAAtB,CDjNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
qQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB4QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB5Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDmOA,6B;MCrNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECyNjB,cCzN2B,KDyNjB,KAAL,GAiB,GAAtB,CCnNiB,C;O;KARpD,C;wFAGA,yB;MCgNA,6B;MD7M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECqNjB,cDxN4B,KCwNlB,KAAL,GAAiB,KAAtB,CDlNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
sQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB6QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB7Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDoOA,6B;MCtNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC0NjB,cC1N2B,KD0NjB,KAAL,GAiB,GAAtB,CCpNiB,C;O;KARpD,C;wFAGA,yB;MCiNA,6B;MD9M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECsNjB,cDzN4B,KCyNlB,KAAL,GAAiB,KAAtB,CDnNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
uQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB8QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB9Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDqOA,6B;MCvNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC2NjB,cC3N2B,KD2NjB,KAAL,GAiB,GAAtB,CCrNiB,C;O;KARpD,C;wFAGA,yB;MCkNA,6B;MD/M
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECuNjB,cD1N4B,KC0NlB,KAAL,GAAiB,KAAtB,CDpNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
wQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+QjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgB/Q/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsOA,6B;MCxNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC4NjB,cC5N2B,KD4NjB,KAAL,GAiB,GAAtB,CCtNiB,C;O;KARpD,C;wFAGA,yB;MCmNA,6B;MDhN
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,ECwNjB,cD3N4B,KC2NlB,KAAL,GAAiB,KAAtB,CDrNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
yQA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBgRjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBhR/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDuOA,6B;MCzNA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC6NjB,cC7N2B,KD6NjB,KAAL,GAiB,GAAtB,CCvNiB,C;O;KARpD,C;wFAGA,yB;MCoNA,6B;MDjN
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC2NjB,cD9N4B,KC8NlB,KAAL,GAAiB,KAAtB,CDxNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
0QA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBiRjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBjR/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDwOA,6B;MC1NA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC8NjB,cC9N2B,KD8NjB,KAAL,GAiB,GAAtB,CCxNiB,C;O;KARpD,C;wFAGA,yB;MCqNA,6B;MDlN
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC4NjB,cD/N4B,KC+NlB,KAAL,GAAiB,KAAtB,CDzNiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
2QA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBkRjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBlR/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDyOA,6B;MC3NA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,EC+NjB,cC/N2B,KD+NjB,KAAL,GAiB,GAAtB,CCzNiB,C;O;KARpD,C;wFAGA,yB;MCsNA,6B;MDnN
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC6NjB,cDhO4B,KCgOlB,KAAL,GAAiB,KAAtB,CD1NiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
4QA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhBmRjB,eAAW,oBAAL,SAAK,CAAL,CA
N,CgBnR/B,NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MD0OA,6B;MC5NA,wB;QAEqD,OAMD,cAAW
,WAAW,IAAX,ECgOjB,cChO2B,KDgOjB,KAAL,GAiB,GAAtB,CC1NiB,C;O;KARpD,C;wFAGA,yB;MCuNA,6B;MDpN
A,wB;QAEsD,OAGF,cAAW,WAAW,IAAX,EC8NjB,cDjO4B,KCiOlB,KAAL,GAAiB,KAAtB,CD3NiB,C;O;KALp
D,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MA
6QA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBA

AM,KAAzB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDI,mB;QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KCnErC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB;QASuC,OCiDA,gBAAY,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,mB;QAQqC,OAOE,aAAa,SAAb,C;O;KAfvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;O;KANvC,C;8EAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAAqB,e,W;K;;;;;8EAUhD,Y;MAAyC,c;MAG2D,qD;MAH3D,a;K;4EAIzC,iB;MAAA,2IAG2D,oCAH3D,G;K;sEAIA,yB;MAAA,6B;MAAA,4B;QAAwC,qBAAU,SAAV,SAAU,C;O;KAAlD,C;wEAUA,yB;MAAA,6B;MAAA,4B;QAAwC,qBAAU,SAAV,SAAU,C;O;KAAlD,C;wEAUA,yB;MAAA,6B;MAAA,4B;QAAwC,qBAAU,SAAV,SAAU,C;O;KAAlD,C;wEAUA,yB;MAAA,6B;MAAA,4B;QAAwC,qBAAU,SAAV,SAAU,C;O;KAAlD,C;wEAUA,yB;MAAA,gD;MAAA,4B;QAAwC,sBAAW,SAAX,SAAW,C;O;KAAn

DF,K7NxDmB,KAAjB,E6NwDO,I7NxDsB,KAA7B,C6NwDF,K;MAChE,c7N2RmC,S6N3RhB,I7N2RgB,C;M6N1RnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAElC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UACc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,c7NlD6C,S6NkD7C,W7NlDuD,KAAK,G6NkDpD,W7NlD+D,KAAX,IAAf,C;;M6NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;I9M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IAnBtC,uC;MAAA,sC;QAAA,qB;;MAAA,+B;K;sGAsBA,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAyBS,aAAa,IAAK,KAAlB,EAA8B,CjB+P5F,5D,eAAW,oBiBxRyB,KjBwRwB,R9B,KAAK,CAAL,CAAO,UAAP,CiB/P4C,P4D,MAA9B,C;O;KA/BnE,BnE,C;sGAkCA,Y;MAAA,+B;MAAA,+B;Mf8QA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MAxBA,wB;QAM0D,OAiCQ,aAAa,IAAK,KAAlB,EAA8B,CAAgB,Q5D,OAAW,oBAAe,yBAAf,CAAX,C,eAAW,oBAAe,oBAAf,CAAX,C,eAAW,oBAAe,oBAAf,CAAX,C,eAAW,oBAAe,o

AsCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAY,IAAZ,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MAtDA,8C;MAsDA,wB;QAMkD,OA1DI,YAAY,IAAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,EjB8KjB,eAAW,oBiBvME,KjBuIX,KAAK,CAAL,UAAN,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBlNtC,C;0FASA,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAY,QelPE,eAAe,IAAf,Ef+KjB,eAAW,oBe/NE,KhB+Nb,KAAK,CAAL,YAAN,Ce/NiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/KA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBvQkB,eAAe,IAAf,EhBkLjB,eAAW,oBgBzOE,KhBzBb,KAAK,CAAL,iBAAN,CgBlNiB,CAgMnB,KhBuEW,SAAX,C;O;KgBtPtNpC,C;0FASA,yB;MAhEA,oD;MAgFA,wB;QAQ6C,OAlES,eAAe,IAAf,EAkEL,KAlEK,C;O;KA0DtD,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAQE+D,2BAAWA,IAAX,EAAiB,KAAjB,EAAwB,KAAxB,C;O;KAAF,C;0FAUA,yB;MAAA,+B;MAAA,2B;QAOoD,oBAAM,oBAAM,6BAAN,EAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,oBAAM,6BAAN,EAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,wB;QAQEmD,sBAAM,oBAAM,IAAN,EAAN,C;O;KAAF,C;0FAUA,yB;MAAA,+B;MAAA,wB;QAQEkD,sBAAM,oBAAM,IAAN,EAAN,C;O;KAAF,C;0FAUA,yB;MAAA,+B;MAAA,wB;QAQEmD,sBAAM,oBAAM,IAAN,EAAN,C;O;KAAF,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAMiC,sBAAM,SAAK,MAAX,C;O;KANjC

BAAa,KAAM,UAAnB,KAChB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADgB,CAAxB
,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,M/M0QK,CArCkB,U+MrOjB,U/MqO4B,KAAL,KAAo
B,CAVzB,U+M3NP,U/M2Na,yB+M3NH,E/M2NG,CAAN,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+M1QV,Q
/M0QK,CArCkB,U+MrOoB,S/MqOT,KAAL,KAAoB,CAVzB,U+M3N6B,S/M2NvB,yB+M3NgC,E/M2NhC,CAA
N,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+M1QV,I;K;sCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5
C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAlC,C;K;;;IAFnC,4C;MAAA,2C;
QAAA,0B;;MAAA,oC;K;;IAYJ,qD;MA4CI,wC;MAtCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAAyB,wBAAzB,C;M
ACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGyB,4BAA0B,KAA1
B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAiD,oCAAyB,UAAzB,EAAgC,SAAhC
,EAAsC,SAAtC,C;K;yCAEjD,Y;MAMqC,OAAI,uBAAO,CAAX,G/Mf8B,a+MehB,U/MfkC,KAAlB,E+MeR,S/Mf
sC,KAA9B,C+MehB,IAAd,G/Mf8B,a+MeE,U/MfgB,KAAlB,E+MeU,S/MfoB,KAA9B,C+MeE,I;K;wCAErE,iB;
MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAnB,KACtB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,
KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;MACI,OAAI,cAAJ,GAAe,
e,EAAf,GAAwB,OAAM,M/MkND,CArCkB,U+M7KX,U/M6KsB,KAAL,KAAoB,CAVzB,U+MnKD,U/MmKO,y
B+MnKG,E/MmKH,CAAN,CAUyB,MAApB,CAAN,CAqClB,MAAK,Q+MlNJ,Q/MkND,CArCkB,U+M7K0B,S/
M6Kf,KAAL,KAAoB,CAVzB,U+MnKmC,S/MmK7B,yB+MnKsC,E/MmKtC,CAAN,CAUyB,MAApB,CAAN,C
AqClB,MAAK,Q+MlNJ,IAAN,SAAqF,cAAU,6BAAU,EAAV,CAAV,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAkC,
OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAwB,GAAgB,D,UAAF,2BAAU,C,2B,c
AA6B,SAAD,aAA5B,W;K;IAEhF,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAAuC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;;MAAA,0C;K;;IAoBkC,qD;MA0C0C,wB;MAC5E,5E,sBAA2B,I;M
AC3B,iBAAmC,kBAAO,CAA1C,G/MhDmE,a+MgDtB,K/MhDwC,KAAlB,E+MgDb,I/MhD2C,KAA9B,C+MgDt
B,KAA7C,G/MhDmE,a+MgDH,K/MhDqB,KAAlB,E+MgDM,I/MhDwB,KAA9B,C+MgDH,K;MAChE,c/M0SsC,
U+M1SnB,I/M0SmB,C;M+MzStC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAEl
C,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3
B,iBAAU,K;;QAEV,c/M/C+C,U+M+C/C,W/M/C0D,KAAK,K+M+CvD,W/M/CkE,KAAX,CAAhB,C;;M+MiDn
D,OAAO,K;K;;wEC7Hf,yB;MAAA,8C;MAAA,uB;QAAoI,IAAO,MAAM,CAAN,EAAS,CAAT,EAAY,C;O;KAPxJ,C;wE
AUA,yB;MAAA,8C;MAAA,uB;QAAoI,IAAO,MAAM,CAAN,EAAS,CAAT,EAAY,C;O;KAPxJ,C;wEAUA,yB;MAAA,8
C;MAAA,uB;QAAoI,IAAO,MAAM,CAAN,EAAS,CAAT,EAAY,C;O;KAPxJ,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAAoI,IAAO,MAAM,CAAN,EAAS,CAAT,EAAY,C;O;KAPxJ,C;oFC7BA,yB;MAAA,gD;MAAA,4B;MAAA,gC;MAAA,
I,OAAO,MAAM,CAAN,EAAS,CAAT,EAAY,C;O;KAPxJ,C;oFCAA,yB;MAAA,gD;MAAA,4B;MAAA,gC;MAAA,uB;
hB,ciO/RgB,C;O;KANrD,C;oGAQA,yB;M/MwCA,iB;M+MxCA,GxCA,4B;QAMqD,O/MwCM,C;MAAO,OlH+O7B,ckH/O
6B,C;O;K+G9ClE,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAQ,sBjO+QzB,CiO/QyB,C;O;KAN9D,C;8FA
QA,yB;MAAA,0D;MjOwWA,6B;MiOxWA,4B;QAOmD,OjO2WZ,ciO3WoB,kBjOsQtB,ciOtQsB,CjO2WpB,C;O;
KiOlXvC,C;4FASA,yB;MAAA,wD;MjO+VA,6B;MiO/VA,4B;QAOkD,OjOkWX,ciOlWmB,iBjO6PrB,ciO7PqB,C
jOkWnB,C;O;KiOzWvC,C;gFASA,yB;MAAA,4C;MjOsVA,6B;MiOtVA,sC;QAayD,OjOmVlB,ciOnV0B,WjO8O
5B,ciO9O4B,EAAW,QAAX,CjOmV1B,C;O;KiOhWvC,C;kFAgBA,yB;MAAA,8C;MjOsUA,6B;MiOtUA,sC;QAa
0D,OjOmUnB,ciOnU2B,YjO8N7B,ciO9N6B,EAAY,QAAZ,CjOmU3B,C;O;KiOhVvC,C;oFAgBA,yB;MAAA,gD;
MAAA,4B;QAM8C,OAAS,ajNgOhB,ciNhOgB,C;O;KANvD,C;oGAQA,yB;MAAA,gE;MAAA,4B;QAMsD,OAAS,qBjNwNxB,ciNxNwB,C;O;KAN/D,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAS,sBjNgNzB,ciNhNyB,
C;O;KANhE,C;8FAQA,yB;MAAA,0D;MjN6SA,+B;MiN7SA,4B;QAOoD,OjNgXT,eiNhXS,oBjN2RpB,iBjN3RoB,CjNgXT
B,CjNgTpB,C;O;KiNvT1C,C;4FASA,yB;MAAA,wD;MjNoSA,+B;MiNpSA,4B;QAOoD,OjNuWT,eiNvWS,oBjNkRpB,iBjNlRoB,CjNuWT
8LtB,ciN9LsB,CjNuSnB,C;O;KiN9S1C,C;+EASA,yB;MAAA,4C;MjN2RA,+B;MiN3RA,sC;QAa2D,OjNwRjB,ei
NxR0B,WjN+K7B,ciN/K6B,EAAW,QAAX,CjNwR1B,C;O;KiNrS1C,C;iFAeA,yB;M/MgEA,iB;M+MhEA,4C;MlG4MA,+B;Mi
N5QA,sC;QAa4D,OjNyQlB,ekGzMuB,WlGgG1B,ckGhG0B,EAAW,C+GhEK,Q/MgEL,IAAX,ClGyMvB,C;O;Ki
NtR1C,C;oFAeA,yB;MlOwJI,6B;MkO1SJ,gD;MAkJA,4B;QAM8C,OAlJO,ajO+RhB,CDcE,cAAU,cAAL,GAAiB,
GAAtB,CCdF,MiO/RgB,C;O;KA4IrD,C;oGAQA,yB;M/MgCA,iB;M+MhCA,G1GA,4B;QAMqD,O/MgCM,C;MAAO,OnHuM3B,c2N1Ge,GAAY,GxG7FA,CwG6Fb,GAA6C,EAA7C,I;O;KOOrD,C;sGAQA,yB;MPbA,kE;MOaA,4B;QAMuD,OAAS,sBjNuNkB,CiNvNlB,C;O;KANhE,C;8FAQA,yB;MAAA,0D;MlO+LA,6B;MkO/LA,4B;QAOoD,OlOkQT,eiNlQS,oBjNuNpB,iBjNvNoB,CjNkQT
B,CjNuNpB,C;O;KiNlO1C,C;4FASA,yB;MAAA,wD;MlO4LA,6B;MkO5LA,4B;QAOoD,OlO+PT,eiN/PS,oBjNsNpB,iBjNtNoB,CjN+P

MzC,C;4FASA,yB;MAAA,wD;MlOsLA,0B;MAAA,+B;MkOtLA,4B;QAOoD,OlO0LX,eAAW,OkO1LQ,iBlOuFl
B,cAAL,GAAiB,GkOvFM,ClO0LR,CAAX,C;O;KkOjMzC,C;gFAUA,yB;MAAA,4C;MlOqJA,+B;MkOrJA,sC;Q
Aa2D,OlOkJjB,ekOlJ0B,WlOmD7B,ckOnD6B,EAAW,QAAX,ClOkJ1B,C;O;KkO/J1C,C;kFAeA,yB;MAAA,8C;
MlOsIA,+B;MkOtIA,sC;QAa4D,OlOmIlB,ekOnI2B,YlOoC9B,ckOpC8B,EAAY,QAAZ,ClOmI3B,C;O;KkOhJ1C,
C;oFAeA,yB;MhOgFI,6B;MgO3SJ,gD;MA2NA,4B;QAM+C,OA3NM,ajO+RhB,CCeE,cAAU,cAAL,GAAiB,KA
AtB,CDfF,MiO/RgB,C;O;KAqNrD,C;oGAQA,yB;M/GnLA,iB;M+GmLA,4B;QAMuD,O/GnLI,MAAO,OjHkNzB,
cyN3CpC,GAAY,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KOMJ,C;sGAQA,yB;MPZA,kE;MOYA,4B;QAMw
D,OPZoB,sBzNmCnC,cyNnCe,GAAW,KAAS,C;O;KOM5E,C;8FAQA,yB;MAAA,0D;MhOuHA,4B;MAAA,iC;M
gOvHA,4B;QAOuD,OhO2HZ,gBAAY,QgO3HQ,kBhOwBrB,cAAL,GAAiB,KgOxBS,ChO2HR,CAAZ,C;O;KgOl
I3C,C;4FASA,yB;MAAA,wD;MhO8GA,4B;MAAA,iC;MgO9GA,4B;QAOsD,OhOkHX,gBAAY,QgOlHO,iBhOep
B,cAAL,GAAiB,KgOfQ,ChOkHP,CAAZ,C;O;KgOzH3C,C;gFAUA,yB;MAAA,4C;MhOyFA,iC;MgOzFA,sC;QA
a6D,OhOsFhB,gBgOtF0B,WhOX9B,cgOW8B,EAAW,QAAX,ChOsF1B,C;O;KgOnG7C,C;kFAeA,yB;MAAA,8C;
MhO0EA,iC;MgO1EA,sC;QAa8D,OhOuEjB,gBgOvE2B,YhO1B/B,cgO0B+B,EAAY,QAAZ,ChOuE3B,C;O;KgO
pF7C,C;ICtRA,qC;MAEI,SlOuIoD,ckOvI3C,ClOuI2C,EkOvIvC,ClOuIuC,C;MkOtIpD,SlOsIoD,ckOtI3C,ClOsI2C,
EkOtIvC,ClOsIuC,C;MkOrIpD,OlOmDkE,YkOnDvD,ElOmDwE,KAAjB,EkOnDjD,ElOmD8E,KAA7B,CkOnDv
D,KAAX,GlOkFsD,SkOlFjC,ElOkF2C,KAAK,GkOlF3C,ElOkFuD,KAAZ,IAAf,CkOlFtD,GlOqEqD,SAAU,CAaT
,SkOlFpB,ElOkF8B,KAAK,GkOlF9B,ElOkF0C,KAAZ,IAAf,CAbS,MAAK,GkOrExB,ClOqEmC,KAAX,IAAf,C;
K;IkOlEzD,qC;MACI,SlNwIsD,ekNxI7C,ClNwI6C,EkNxIzC,ClNwIyC,C;MkNvItD,SlNuIsD,ekNvI7C,ClNuI6C,E
kNvIzC,ClNuIyC,C;MkNtItD,OlNqDmE,akNrDxD,ElNqD0E,KAAlB,EkNrDlD,ElNqDgF,KAA9B,CkNrDxD,KA
AX,GlN+EwD,UkN/EnC,ElN+E8C,KAAK,UkN/E9C,ElN+E0D,KAAZ,CAAhB,CkN/ExD,GlNkEuD,UAAW,CAa
V,UkN/EtB,ElN+EiC,KAAK,UkN/EjC,ElN+E6C,KAAZ,CAAhB,CAbU,MAAK,KkNlE3B,ClNkEsC,KAAX,CAA
hB,C;K;IkN/D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OlOwBZ,YkOvBlD,KlOuBmE,KAAjB,EkOvBzC,GlOuB
sE,KAA7B,CkOvBlD,KAD8D,GAChD,GADgD,GlOuDxB,SkOtDf,GlOsDyB,KAAK,GkOtDxB,mBAAiB,GAAjB
,EAAsB,KAAtB,ElO2WV,SkO3WuC,IlO2WvC,CkO3WU,ClOsDoC,KAAZ,IAAf,C;akOrDtD,WAAO,CAAP,C;Q
AF8E,OlOwBZ,YkOtBlD,KlOsBmE,KAAjB,EkOtBzC,GlOsBsE,KAA7B,CkOtBlD,KAF8D,GAEhD,GAFgD,GlO
0CzB,SkOxCd,GlOwCwB,KAAK,GkOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,ElO0WV,SkO1WwC,CAAC,IA
AD,IlO0WxC,CkO1WU,ClOwCkC,KAAX,IAAf,C;;QkOvC7C,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;MAmBI,
sBAAO,CAAP,C;QADkF,OlNQf,akNPnD,KlNOqE,KAAlB,EkNP1C,GlNOwE,KAA9B,CkNPnD,KADkE,GACp
D,GADoD,GlNkC1B,UkNjCjB,GlNiC4B,KAAK,UkNjC3B,mBAAiB,GAAjB,EAAsB,KAAtB,ElNkWP,UkNlWo
C,IlNkWpC,CkNlWO,ClNiCuC,KAAZ,CAAhB,C;akNhCxD,sBAAO,CAAP,C;QAFkF,OlNQf,akNNnD,KlNMqE,
KAAlB,EkNN1C,GlNMwE,KAA9B,CkNNnD,KAFkE,GAEpD,GAFoD,GlNqB3B,UkNnBhB,GlNmB2B,KAAK,
KkNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,ElNiWP,UkNjWsC,IAAD,alNiWrC,CkNjWO,ClNmBqC,KAAX,C
AAhB,C;;QkNlB/C,MAAa,gCAAyB,eAAzB,C;K;IjOlDC,sB;MAEtB,8B;MAFyD,gB;K;IAEzD,4B;MAAA,gC;M
ACI,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;I
AnBtC,wC;MAAA,uC;QAAA,sB;;MAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB
,EAAU,KF4O3C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApOqB,E
AAU,KAoOrD,KAAL,GAAiB,KApO+B,C;K;wGAEjF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,Y
AAiB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAjB,ECAe,KDAc,KAA7B,C;O;KCNlE,C;wGAQA,yB
;MA6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,
CAAL,YAAN,CehQgD,MAAlB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2PA,6B;MA3PA,8B;QAAE
sD,ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OgD,MAAjB,CAAiB,KAAlB,GAAkB,KAAlB,GAAkB,CD2O5C,cEjPsC,KFiP5B,K
AAL,GAAiB,GAAtB,CAAsB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwPA,6B;MAxPA,8B;QAAE
uD,ODGF,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OgD,MAAjB,CAAiB,KAAlB,GAAkB,KAAlB,GAAkB,CC4O5C,cA/OuC,KA+O7B,K
AAL,GAAiB,GAAtB,CAAsB,CD5OgD,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAwPA,6B;MAxPA,8B;QAAE
uD,ODMA,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5OgD,MAAjB,CAAiB,KAAlB,GAAkB,KAAlB,GAAkB,CC4O5C,cA/OuC,KA+O7B,K
AAL,GAAiB,GAAtB,CAAsB,CD5OgD,MAAX,IAAf,C;O;KCFrD,C;8FAGA,yB;MAwPA,6B;MAxPA,8B;QAAE
uD,ODA

L,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAY,CC+N9C,cAlOyC,KAkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CetO8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,OeAA,eAAW,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,EAAY,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAiB,KAAtB,CDjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,OeAA,eAAW,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,EAAY,CCkN9C,cArNyC,KAqN/B,KAAL,GAAiB,KAAtB,CDlN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,OeAA,eAAW,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDlN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAkMA,+B;MAlMA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoLA,6B;MAlLA,wB;QAEuD,OeAA,eAAW,CCqN7B,cAAU,SAAL,GAAiB,KAAtB,CDrN6B,MAAK,EAAY,CDoNjD,cEzNwC,KFyNjC,KAAL,GAAiB,KAAtB,CDpNiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAiLA,6B;MAjLA,wB;QAEwD,OeAA,eAAW,CCqN7B,cAAU,SAAL,GAAiB,KAAtB,CDrN6B,MAAK,EAAY,CCqNjD,cAvNyC,KAuNlC,KAAL,GAAiB,KAAtB,CDrNiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAsKA,6B;MAtKA,wB;QAEsD,OeAA,eAAW,CCqN7B,cAAU,SAAL,GAAiB,KAAtB,CDrN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA6JA,+B;MA7JA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA+IA,6B;MA7IA,wB;QAEuD,OeAA,eAAW,CCwN7B,cAAU,SAAL,GAAiB,KAAtB,CDxN6B,MAAK,EAAY,CDuNjD,cE5NwC,KF4NjC,KAAL,GAAiB,KAAtB,CDvNiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEwD,OeAA,eAAW,CCwN7B,cAAU,SAAL,GAAiB,KAAtB,CDxN6B,MAAK,EAAY,CCwNjD,cA1NyC,KA0NlC,KAAL,GAAiB,KAAtB,CDxNiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAiIA,6B;MAjIA,wB;QAEsD,OeAA,eAAW,CCwN7B,cAAU,SAAL,GAAiB,KAAtB,CDxN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAwHA,+B;MAxHA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA0GA,6B;MAxGA,wB;QAEuD,OeAA,eAAW,CC2N7B,cAAU,SAAL,GAAiB,KAAtB,CD3N6B,MAAK,EAAY,CD0NjD,cE/NwC,KF+NjC,KAAL,GAAiB,KAAtB,CD1NiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAuGA,6B;MAvGA,wB;QAEwD,OeAA,eAAW,CC2N7B,cAAU,SAAL,GAAiB,KAAtB,CD3N6B,MAAK,EAAY,CC2NjD,cA7NyC,KA6NlC,KAAL,GAAiB,KAAtB,CD3NiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA4FA,6B;MA5FA,wB;QAEsD,OeAA,eAAW,CC2N7B,cAAU,SAAL,GAAiB,KAAtB,CD3N6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAmFA,+B;MAnFA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAqEA,6B;MAnEA,wB;QAEuD,OeAA,eAAW,CC8N7B,cAAU,SAAL,GAAiB,KAAtB,CD9N6B,MAAK,EAAY,CD6NjD,cElOwC,KFkOjC,KAAL,GAAiB,KAAtB,CD7NiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAkEA,6B;MAlEA,wB;QAEwD,OeAA,eAAW,CC8N7B,cAAU,SAAL,GAAiB,KAAtB,CD9N6B,MAAK,EAAY,CC8NjD,cAhOyC,KAgOlC,KAAL,GAAiB,KAAtB,CD9NiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAuDA,6B;MAvDA,wB;QAEsD,OeAA,eAAW,CC8N7B,cAAU,SAAL,GAAiB,KAAtB,CD9N6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA8CA,+B;MA9CA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAgCA,6B;MA9BA,wB;QAEuD,OeAA,eAAW,CCiO7B,cAAU,SAAL,GAAiB,KAAtB,CDjO6B,MAAK,EAAY,CDgOjD,cERwC,KFQjC,KAAL,GAAiB,KAAtB,CDhOiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA6BA,6B;MA7BA,wB;QAEwD,OeAA,eAAW,CCiO7B,cAAU,SAAL,GAAiB,KAAtB,CDjO6B,MAAK,EAAY,CCiOjD,cAnOyC,KAmOlC,KAAL,GAAiB,KAAtB,CDjOiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAkBA,6B;MAlBA,wB;QAEsD,OeAA,eAAW,CCiO7B,cAAU,SAAL,GAAiB,KAAtB,CDjO6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAyBA,+B;MAzBA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA2AA,6B;MAzAA,wB;QAEuD,OeAA,eAAW,CCoO7B,cAAU,SAAL,GAAiB,KAAtB,CDpO6B,MAAK,EAAY,CDmOjD,cEXwC,KFWjC,KAAL,GAAiB,KAAtB,CDnOiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAwAA,6B;MAxAA,wB;QAEwD,OeAA,eAAW,CCoO7B,cAAU,SAAL,GAAiB,KAAtB,CDpO6B,MAAK,EAAY,CCoOjD,cAtOyC,KAsOlC,KAAL,GAiB,KAAtB,CDpOiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAaA,6B;MAbA,wB;QAEsD,OeAA,eAAW,CCoO7B,cAAU,SAAL,GAAiB,KAAtB,CDpO6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAoBA,+B;MApBA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAsBA,6B;MApBA,wB;QAEuD,OeAA,eAAW,CCuO7B,cAAU,SAAL,GAAiB,KAAtB,CDvO6B,MAAK,EAAY,CDsOjD,cEdwC,KFcjC,KAAL,GAAiB,KAAtB,CDtOiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAmBA,6B;MAnBA,wB;QAEwD,OeAA,eAAW,CCuO7B,cAAU,SAAL,GAAiB,KAAtB,CDvO6B,MAAK,EAAY,CCuOjD,cAzOyC,KAyOlC,KAAL,GAiB,KAAtB,CDvOiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAwBA,6B;MAxBA,wB;QAEsD,OeAA,eAAW,CCuO7B,cAAU,SAAL,GAAiB,KAAtB,CDvO6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA+BA,+B;MA/BA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAiCA,6B;MA/BA,wB;QAEuD,OeAA,eAAW,CC0O7B,cAAU,SAAL,GAAiB,KAAtB,CD1O6B,MAAK,EAAY,CDyOjD,cEjBwC,KFiBjC,KAAL,GAAiB,KAAtB,CDzOiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA8BA,6B;MA9BA,wB;QAEwD,OeAA,eAAW,CC0O7B,cAAU,SAAL,GAAiB,KAAtB,CD1O6B,MAAK,EAAY,CC0OjD,cAhPyC,KAgPlC,KAAL,GAiB,KAAtB,CD1OiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA2BA,6B;MA3BA,wB;QAEsD,OeAA,eAAW,CC0O7B,cAAU,SAAL,GAAiB,KAAtB,CD1O6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAkCA,+B;MAlCA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoCA,6B;MAlCA,wB;QAEuD,OeAA,eAAW,CC6O7B,cAAU,SAAL,GAAiB,KAAtB,CD7O6B,MAAK,EAAY,CD4OjD,cEpBwC,KFoBjC,KAAL,GAAiB,KAAtB,CD5OiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAiCA,6B;MAjCA,wB;QAEwD,OeAA,eAAW,CC6O7B,cAAU,SAAL,GAAiB,KAAtB,CD7O6B,MAAK,EAAY,CC6OjD,cAnPyC,KAmPlC,KAAL,GAiB,KAAtB,CD7OiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA8BA,6B;MA9BA,wB;QAEsD,OeAA,eAAW,CC6O7B,cAAU,SAAL,GAAiB,KAAtB,CD7O6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAqCA,+B;MArCA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAuCA,6B;MArCA,wB;QAEuD,OeAA,eAAW,CCgP7B,cAAU,SAAL,GAAiB,KAAtB,CDhP6B,MAAK,EAAY,CD+OjD,cEvBwC,KFuBjC,KAAL,GAAiB,KAAtB,CD/OiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAoCA,6B;MApCA,wB;QAEwD,OeAA,eAAW,CCgP7B,cAAU,SAAL,GAAiB,KAAtB,CDhP6B,MAAK,EAAY,CCgPjD,cAtPyC,KAsPlC,KAAL,GAiB,KAAtB,CDhPiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAiCA,6B;MAjCA,wB;QAEsD,OeAA,eAAW,CCgP7B,cAAU,SAAL,GAAiB,KAAtB,CDhP6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAwCA,+B;MAxCA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA0CA,6B;MAxCA,wB;QAEuD,OeAA,eAAW,CCmP7B,cAAU,SAAL,GAAiB,KAAtB,CDnP6B,MAAK,EAAY,CDkPjD,cE1BwC,KF0BjC,KAAL,GAAiB,KAAtB,CDlPiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAuCA,6B;MAvCA,wB;QAEwD,OeAA,eAAW,CCmP7B,cAAU,SAAL,GAAiB,KAAtB,CDnP6B,MAAK,EAAY,CCmPjD,cAzPyC,KAyPlC,KAAL,GAiB,KAAtB,CDnPiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAoCA,6B;MApCA,wB;QAEsD,OeAA,eAAW,CCmP7B,cAAU,SAAL,GAAiB,KAAtB,CDnP6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA2CA,+B;MA3CA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA6CA,6B;MA3CA,wB;QAEuD,OeAA,eAAW,CCsP7B,cAAU,SAAL,GAAiB,KAAtB,CDtP6B,MAAK,EAAY,CDqPjD,cE7BwC,KF6BjC,KAAL,GAAiB,KAAtB,CDrPiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA0CA,6B;MA1CA,wB;QAEwD,OeAA,eAAW,CCsP7B,cAAU,SAAL,GAAiB,KAAtB,CDtP6B,MAAK,EAAY,CCsPjD,cA5PyC,KA4PlC,KAAL,GAiB,KAAtB,CDtPiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAuCA,6B;MAvCA,wB;QAEsD,OeAA,eAAW,CCsP7B,cAAU,SAAL,GAAiB,KAAtB,CDtP6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA8CA,+B;MA9CA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAgDA,6B;MA9CA,wB;QAEuD,OeAA,eAAW,CCyP7B,cAAU,SAAL,GAAiB,KAAtB,CDzP6B,MAAK,EAAY,CDwPjD,cEhCwC,KFgCjC,KAAL,GAAiB,KAAtB,CDxPiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA6CA,6B;MA7CA,wB;QAEwD,OeAA,eAAW,CCyP7B,cAAU,SAAL,GAAiB,KAAtB,CDzP6B,MAAK,EAAY,CCyPjD,cA/PyC,KA+PlC,KAAL,GAiB,KAAtB,CDzPiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA0CA,6B;MA1CA,wB;QAEsD,OeAA,eAAW,CCyP7B,cAAU,SAAL,GAAiB,KAAtB,CDzP6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAiDA,+B;MAjDA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAmDA,6B;MAjDA,wB;QAEuD,OeAA,eAAW,CC4P7B,cAAU,SAAL,GAAiB,KAAtB,CD5P6B,MAAK,EAAY,CD2PjD,cEnCwC,KFmCjC,KAAL,GAAiB,KAAtB,CD3PiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAgDA,6B;MAhDA,wB;QAEwD,OeAA,eAAW,CC4P7B,cAAU,SAAL,GAAiB,KAAtB,CD5P6B,MAAK,EAAY,CC4PjD,cAlQyC,KAkQlC,KAAL,GAiB,KAAtB,CD5PiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA6CA,6B;MA7CA,wB;QAEsD,OeAA,eAAW,CC4P7B,cAAU,SAAL,GAAiB,KAAtB,CD5P6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAoDA,+B;MApDA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAsDA,6B;MApDA,wB;QAEuD,OeAA,eAAW,CC+P7B,cAAU,SAAL,GAAiB,KAAtB,CD/P6B,MAAK,EAAY,CD8PjD,cEtCwC,KFsCjC,KAAL,GAAiB,KAAtB,CD9PiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAmDA,6B;MAnDA,wB;QAEwD,OeAA,eAAW,CC+P7B,cAAU,SAAL,GAAiB,KAAtB,CD/P6B,MAAK,EAAY,CC+PjD,cArQyC,KAqQlC,KAAL,GAiB,KAAtB,CD/PiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAgDA,6B;MAhDA,wB;QAEsD,OeAA,eAAW,CC+P7B,cAAU,SAAL,GAAiB,KAAtB,CD/P6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAuDA,+B;MAvDA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAyDA,6B;MAvDA,wB;QAEuD,OeAA,eAAW,CCkQ7B,cAAU,SAAL,GAAiB,KAAtB,CDlQ6B,MAAK,EAAY,CDiQjD,cEzCwC,KFyCjC,KAAL,GAAiB,KAAtB,CDjQiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAsDA,6B;MAtDA,wB;QAEwD,OeAA,eAAW,CCkQ7B,cAAU,SAAL,GAAiB,KAAtB,CDlQ6B,MAAK,EAAY,CCkQjD,cAxQyC,KAwQlC,KAAL,GAiB,KAAtB,CDlQiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAmDA,6B;MAnDA,wB;QAEsD,OeAA,eAAW,CCkQ7B,cAAU,SAAL,GAAiB,KAAtB,CDlQ6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA0DA,+B;MA1DA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA4DA,6B;MA1DA,wB;QAEuD,OeAA,eAAW,CCqQ7B,cAAU,SAAL,GAAiB,KAAtB,CDrQ6B,MAAK,EAAY,CDoQjD,cE5CwC,KF4CjC,KAAL,GAAiB,KAAtB,CDpQiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAyDA,6B;MAzDA,wB;QAEwD,OeAA,eAAW,CCqQ7B,cAAU,SAAL,GAAiB,KAAtB,CDrQ6B,MAAK,EAAY,CCqQjD,cA3QyC,KA2QlC,KAAL,GAiB,KAAtB,CDrQiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAsDA,6B;MAtDA,wB;QAEsD,OeAA,eAAW,CCqQ7B,cAAU,SAAL,GAAiB,KAAtB,CDrQ6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA6DA,+B;MA7DA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA+DA,6B;MA7DA,wB;QAEuD,OeAA,eAAW,CCwQ7B,cAAU,SAAL,GAAiB,KAAtB,CDxQ6B,MAAK,EAAY,CDuQjD,cE/CwC,KF+CjC,KAAL,GAAiB,KAAtB,CDvQiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA4DA,6B;MA5DA,wB;QAEwD,OeAA,eAAW,CCwQ7B,cAAU,SAAL,GAAiB,KAAtB,CDxQ6B,MAAK,EAAY,CCwQjD,cA9QyC,KA8QlC,KAAL,GAiB,KAAtB,CDxQiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAyDA,6B;MAzDA,wB;QAEsD,OeAA,eAAW,CCwQ7B,cAAU,SAAL,GAAiB,KAAtB,CDxQ6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAgEA,+B;MAhEA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAkEA,6B;MAhEA,wB;QAEuD,OeAA,eAAW,CC2Q7B,cAAU,SAAL,GAAiB,KAAtB,CD3Q6B,MAAK,EAAY,CD0QjD,cElDwC,KFkDjC,KAAL,GAAiB,KAAtB,CD1QiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA+DA,6B;MA/DA,wB;QAEwD,OeAA,eAAW,CC2Q7B,cAAU,SAAL,GAAiB,KAAtB,CD3Q6B,MAAK,EAAY,CC2QjD,cAjRyC,KAiRlC,KAAL,GAiB,KAAtB,CD3QiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA4DA,6B;MA5DA,wB;QAEsD,OeAA,eAAW,CC2Q7B,cAAU,SAAL,GAAiB,KAAtB,CD3Q6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAmEA,+B;MAnEA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAqEA,6B;MAnEA,wB;QAEuD,OeAA,eAAW,CC8Q7B,cAAU,SAAL,GAAiB,KAAtB,CD9Q6B,MAAK,EAAY,CD6QjD,cERwC,KFQjC,KAAL,GAAiB,KAAtB,CD7QiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAkEA,6B;MAlEA,wB;QAEwD,OeAA,eAAW,CC8Q7B,cAAU,SAAL,GAAiB,KAAtB,CD9Q6B,MAAK,EAAY,CC8QjD,cApRyC,KAoRlC,KAAL,GAiB,KAAtB,CD9QiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA+DA,6B;MA/DA,wB;QAEsD,OeAA,eAAW,CC8Q7B,cAAU,SAAL,GAAiB,KAAtB,CD9Q6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAsEA,+B;MAtEA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAwEA,6B;MAtEA,wB;QAEuD,OeAA,eAAW,CCiR7B,cAAU,SAAL,GAAiB,KAAtB,CDjR6B,MAAK,EAAY,CDgRjD,cERwC,KFQjC,KAAL,GAAiB,KAAtB,CDhRiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAqEA,6B;MArEA,wB;QAEwD,OeAA,eAAW,CCiR7B,cAAU,SAAL,GAAiB,KAAtB,CDjR6B,MAAK,EAAY,CCiRjD,cAvRyC,KAuRlC,KAAL,GAiB,KAAtB,CDjRiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAkEA,6B;MAlEA,wB;QAEsD,OeAA,eAAW,CCiR7B,cAAU,SAAL,GAAiB,KAAtB,CDjR6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAyEA,+B;MAzEA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA2EA,6B;MAzEA,wB;QAEuD,OeAA,eAAW,CCoR7B,cAAU,SAAL,GAAiB,KAAtB,CDpR6B,MAAK,EAAY,CDmRjD,cEXwC,KFWjC,KAAL,GAAiB,KAAtB,CDnRiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAwEA,6B;MAxEA,wB;QAEwD,OeAA,eAAW,CCoR7B,cAAU,SAAL,GAAiB,KAAtB,CDpR6B,MAAK,EAAY,CCoRjD,cA1RyC,KA0RlC,KAAL,GAiB,KAAtB,CDpRiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAqEA,6B;MArEA,wB;QAEsD,OeAA,eAAW,CCoR7B,cAAU,SAAL,GAAiB,KAAtB,CDpR6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA4EA,+B;MA5EA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA8EA,6B;MA5EA,wB;QAEuD,OeAA,eAAW,CCuR7B,cAAU,SAAL,GAAiB,KAAtB,CDvR6B,MAAK,EAAY,CDsRjD,cEdwC,KFcjC,KAAL,GAAiB,KAAtB,CDtRiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA2EA,6B;MA3EA,wB;QAEwD,OeAA,eAAW,CCuR7B,cAAU,SAAL,GAAiB,KAAtB,CDvR6B,MAAK,EAAY,CCuRjD,cA7RyC,KA6RlC,KAAL,GAiB,KAAtB,CDvRiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAwEA,6B;MAxEA,wB;QAEsD,OeAA,eAAW,CCuR7B,cAAU,SAAL,GAAiB,KAAtB,CDvR6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA+EA,+B;MA/EA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAiFA,6B;MA/EA,wB;QAEuD,OeAA,eAAW,CC0R7B,cAAU,SAAL,GAAiB,KAAtB,CD1R6B,MAAK,EAAY,CDyRjD,cEjBwC,KFiBjC,KAAL,GAAiB,KAAtB,CDzRiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MA8EA,6B;MA9EA,wB;QAEwD,OeAA,eAAW,CC0R7B,cAAU,SAAL,GAAiB,KAAtB,CD1R6B,MAAK,EAAY,CC0RjD,cAhSyC,KAgSlC,KAAL,GAiB,KAAtB,CD1RiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA2EA,6B;MA3EA,wB;QAEsD,OeAA,eAAW,CC0R7B,cAAU,SAAL,GAAiB,KAAtB,CD1R6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAkFA,+B;MAlFA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoFA,6B;MAlFA,wB;QAEuD,OeAA,eAAW,CC6R7B,cAAU,SAAL,GAAiB,KAAtB,CD7R6B,MAAK,EAAY,CD4RjD,cEpBwC,KFoBjC,KAAL,GAAiB,KAAtB,CD5RiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAiFA,6B;MAjFA,wB;QAEwD,OeAA,eAAW,CC6R7B,cAAU,SAAL,GAAiB,KAAtB,CD7R6B,MAAK,EAAY,CC6RjD,cAnSyC,KAmSlC,KAAL,GAiB,KAAtB,CD7RiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MA8EA,6B;MA9EA,wB;QAEsD,OeAA,eAAW,CC6R7B,cAAU,SAAL,GAAiB,KAAtB,CD7R6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAqFA,+B;MArFA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAuFA,6B;MArFA,wB;QAEuD,OeAA,eAAW,CCgS7B,cAAU,SAAL,GAAiB,KAAtB,CDhS6B,MAAK,EAAY,CD+RjD,cEvBwC,KFuBjC,KAAL,GAAiB,KAAtB,CD/RiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAoFA,6B;MApFA,wB;QAEwD,OeAA,eAAW,CCgS7B,cAAU,SAAL,GAAiB,KAAtB,CDhS6B,MAAK,EAAY,CCgSjD,cAtSyC,KAsSlC,KAAL,GAiB,KAAtB,CDhSiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAiFA,6B;MAjFA,wB;QAEsD,OeAA,eAAW,CCgS7B,cAAU,SAAL,GAAiB,KAAtB,CDhS6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MAwFA,+B;MAxFA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA0FA,6B;MAxFA,wB;QAEuD,OeAA,eAAW,CCmS7B,cAAU,SAAL,GAAiB,KAAtB,CDnS6B,MAAK,EAAY,CDkSjD,cE1BwC,KF0BjC,KAAL,GAAiB,KAAtB,CDlSiD,MAAZ,CAAf,C;O;KCRtD,C;4FAGA,yB;MAuFA,6B;MAvFA,wB;QAEwD,OeAA,eAAW,CCmS7B,cAAU,SAAL,GAAiB,KAAtB,CDnS6B,MAAK,EAAY,CCmSjD,cAzSyC,KAySlC,KAAL,GAiB,KAAtB,CDnSiD,MAAZ,CAAf,C;O;KCLtD,C;4FAGA,yB;MAoFA,6B;MApFA,wB;QAEsD,OeAA,eAAW,CCmS7B,cAAU,SAAL,GAAiB,KAAtB,CDnS6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;4FAGA,yB;MA2FA,+B;MA3FA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MA6FA,6B;MA3FA,wB;QAEuD,OeAA,eAAW,CCsS7B,cAAU,SAAL,GAAiB,KAAtB,CDtS6B,MAAK,EAAY,CDqSjD,cE7BwC,KF6BjC,KAAL,GAAiB,KAA

Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFAClD,yB;MAAA,aASqD,0B;MATrD,mB;QAS
mC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OFiEE,
eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASm
C,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC
,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDl
D,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DlD,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;;;;;
gCA3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAA
A,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SA
AP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;K
AX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;Ii
C/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,aAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MA
OI,aAAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,Y
AAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gD
ACvC,Y;MA0D,Q;MA9B,IAAI,eAAQ,YAAM,OAAlB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2
BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,
0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNlB,C;K;gDAGnB,oB;M
ACY,Q;MA2B,gBAA3B,gE;MA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;U
AAP,e;;QACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAA
wB,oBAAR,YAAQ,EjB0nDhC,OhBx6CA,KiClNgC,C;;UjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;;QA
C/C,aAAO,I;;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,
qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;;;qCAPJ,Y;MAAA,OAAqB,sDALrB,M;K;qCAAA,Y;
MAAA,c;MAAqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAAqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAAwB,C
,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAY,gCAAW,IAA
X,GAAiB,kBAAjB,EAAiB,2BAAjB,OjCsIS,WiCtIT,C;K;IAhEX,uC;MAAA,oB;MAAA,CAAA,oBAAA,C;MAAA,
OAAA,IAAA,CAAA,CAAA,C

,EmOmHvD,MnOnHmE,KAAZ,CAAf,C;QmOqHlD,mBAAmB,M;QACnB,SnOhJiD,SmOgJjD,MnOhJ2D,KAAK,GAAW,CAkU5C,SmOlLrB,KnOkLqB,CAlU4C,MAAX,IAAf,C;QmOiJjD,InOnK8D,YmOmK1D,MnOnK2E,KAAjB,EmOmKjD,YnOnK8E,KAA7B,CmOmK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,B,C;K;IAE5C,2C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MAClB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAY,EAAhB,B,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,anN0IqC,UAAW,oBmN1InC,KnN0ImC,CAAX,C;MmNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,KAAR,CAAQ,EAAR,qBAAK,CAAL,CAAQ,EAAR,iBAAiB,KAAjB,B,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,QAAQ,CAAR,C;UAAW,InN5M+D,amN4M3D,MnN5M6E,KAAlB,EmN4MlD,cnN5MgF,KAA9B,CmN4M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAlB,QAAkC,C;YAAC,YAAI,iBnN1J0C,YmN0J9C,zB,KnN1JyB,EmN0JjB,MnN1JiB,iB,C;YmN4J1C,InNhNuD,amNgNnD,MnNhNqE,KAAlB,EmNgNlD,cnNhNwE,KAA9B,CmNgNlD,IAAJ,C;cACI,cACI,OAAO,I;;;YAGX,OAAO,I;;;QAIf,SnNjLoD,UnNiLpD,MnNjL+D,KAAK,UnNiLpE,MnNjL+F,KAAK,UnNiLpG,MnNjL+H,KAAK,UnNiLpI,MnNjLuJ,KAAK,UnNiL5J,MnNjLuK,KAAK,UnNiL5K,MnNjLuL,KAAK,UnNiL5L,MnNjLuM,KAAK,UnNiL5M,MnNjLuN,KAAK,UnNiL5N,MnNjLuO,KAAK,UnNiL5O,MnNjLuP,KAAK,UnNiL5P,MnNjLuQ,KAAK,UnNiL5Q,MnNjLuR,KAAK,UnNiL5R,MnNjLuS,KAAK,UnNiL5S,MnNjLuT,KAAK,UnNiL5T,MnNjLuU,KAAK,UnNiL5U,MnNjLuV,KAAK,UnNiL5V,MnNjLuW,KAAK,UnNiL5W,MnNjLuX,KAAK,UnNiL5X,MnNjLuY,KAAK,UnNiL5Y,MnNjLuZ,KAAK,UnNiL5Z,MnNjLua,KAAK,UnNiLpb,MnNjLuc,KAAK,UnNiL5c,MnNjLud,KAAK,UnNiL5d,MnNjLue,KAAK,UnNiL5e,MnNjLuf,KAAK,UnNiL5f,MnNjLug,KAAK,UnNiL5g,MnNjLuh,KAAK,UnNiL5h,MnNjLui,KAAK,UnNiL5i,MnNjLuj,KAAK,UnNiL5j,MnNjLuk,KAAK,UnNiL5k,MnNjLul,KAAK,UnNiL5l,MnNjLum,KAAK,UnNiL5m,MnNjLun,KAAK,UnNiL5n,MnNjLuo,KAAK,UnNiL5o,MnNjLup,KAAK,UnNiL5p,MnNjLuq,KAAK,UnNiL5q,MnNjLur,KAAK,UnNiL5r,MnNjLus,KAAK,UnNiL5s,MnNjLut,KAAK,UnNiL5t,MnNjLuu,KAAK,UnNiL5u,MnNjLuv,KAAK,UnNiL5v,MnNjLuw,KAAK,UnNiL5w,MnNjLux,KAAK,UnNiL5x,MnNjLuy,KAAK,UnNiL5y,MnNjLuz,KAAK,UnNiL5z,MnNjLu0,KAAK,UnNiL50,MnNjLu1,KAAK,UnNiL51,MnNjLu2,KAAK,UnNiL52,MnNjLu3,KAAK,UnNiL53,MnNjLu4,KAAK,UnNiL54,MnNjLu5,KAAK,UnNiL55,MnNjLu6,KAAK,UnNiL56,MnNjLu7,KAAK,UnNiL57,MnNjLu8,KAAK,UnNiL58,MnNjLu9,KAAK,UnNiL59,MnNjLu+,KAAK,UnNiL5+,MnNjLu/,KAAK,UnNiL5/,MnNjLuggB,KAAK,UnNiL5gB,MnNjLuhB,KAAK,UnNiL5hB,MnNjLuiB,KAAK,UnNiL5iB,MnNjLujB,KAAK,UnNiL5jB,MnNjLukB,KAAK,UnNiL5kB,MnNjLulB,KAAK,UnNiL5lB,MnNjLumB,KAAK,UnNiL5mB,MnNjLunB,KAAK,UnNiL5nB,MnNjLuoB,KAAK,UnNiL5oB,MnNjLupB,KAAK,UnNiL5pB,MnNjLuqB,KAAK,UnNiL5qB,MnNjLurB,KAAK,UnNiL5rB,MnNjLusB,KAAK,UnNiL5sB,MnNjLutB,KAAK,UnNiL5tB,MnNjLuuB,KAAK,UnNiL5uB,MnNjLuvB,KAAK,UnNiL5vB,MnNjLuwB,KAAK,UnNiL5wB,MnNjLuxB,KAAK,UnNiL5xB,MnNjLuyB,KAAK,UnNiL5yB,MnNjLuzB,KAAK,UnNiL5zB,MnNjLu0B,KAAK,UnNiL50B,MnNjLu1B,KAAK,UnNiL51B,MnNjLu2B,KAAK,UnNiL52B,MnNjLu3B,KAAK,UnNiL53B,MnNjLu4B,KAAK,UnNiL54B,MnNjLu5B,KAAK,UnNiL55B,MnNjLu6B,KAAK,UnNiL56B,MnNjLu7B,KAAK,UnNiL57B,MnNjLu8B,KAAK,UnNiL58B,MnNjLu9B,KAAK,UnNiL59B,MnNjLu+B,KAAK,UnNiL5+B,MnNjLu/B,KAAK,UnNiL5/B,MnNjLuhC,KAAK,UnNiL5hC,MnNjLuiC,KAAK,UnNiL5iC,MnNjLujC,KAAK,UnNiL5jC,MnNjLukC,KAAK,UnNiL5kC,MnNjLulC,KAAK,UnNiL5lC,MnNjLumC,KAAK,UnNiL5mC,MnNjLunC,KAAK,UnNiL5nC,MnNjLuoC,KAAK,UnNiL5oC,MnNjLupC,KAAK,UnNiL5pC,MnNjLuqC,KAAK,UnNiL5qC,MnNjLurC,KAAK,UnNiL5rC,MnNjLusC,KAAK,UnNiL5sC,MnNjLutC,KAAK,UnNiL5tC,MnNjLuuC,KAAK,UnNiL5uC,MnNjLuvC,KAAK,UnNiL5vC,MnNjLuwC,KAAK,UnNiL5wC,MnNjLuxC,KAAK,UnNiL5xC,MnNjLuyC,KAAK,UnNiL5yC,MnNjLuzC,KAAK,UnNiL5zC,MnNjLu0C,KAAK,UnNiL50C,MnNjLu1C,KAAK,UnNiL51C,MnNjLu2C,KAAK,UnNiL52C,MnNjLu3C,KAAK,UnNiL53C,MnNjLu4C,KAAK,UnNiL54C,MnNjLu5C,KAAK,UnNiL55C,MnNjLu6C,KAAK,UnNiL56C,MnNjLu7C,KAAK,UnNiL57C,MnNjLu8C,KAAK,UnNiL58C,MnNjLu9C,KAAK,UnNiL59C,MnNjLu+C,KAAK,UnNiL5+C,MnNjLu/C,KAAK,UnNiL5/C,MnNjLuhD,KAAK,UnNiL5hD,MnNjLuiD,KAAK,UnNiL5iD,MnNjLujD,KAAK,UnNiL5jD,MnNjLukD,KAAK,UnNiL5kD,MnNjLulD,KAAK,UnNiL5lD,MnNjLumD,KAAK,UnNiL5mD,MnNjLunD,KAAK,UnNiL5nD,MnNjLuoD,KAAK,UnNiL5oD,MnNjLupD,KAAK,UnNiL5pD,MnNjLuqD,KAAK,UnNiL5qD,MnNjLurD,KAAK,UnNiL5rD,MnNjLusD,KAAK,UnNiL5sD,MnNjLutD,KAAK,UnNiL5tD,MnNjLuuD,KAAK,UnNiL5uD,MnNjLuvD,KAAK,UnNiL5vD,MnNjLuwD,KAAK,UnNiL5wD,MnNjLuxD,KAAK,UnNiL5xD,MnNjLuyD,KAAK,UnNiL5yD,MnNjLuzD,KAAK,UnNiL5zD,MnNjLu0D,KAAK,UnNiL50D,MnNjLu1D,KAAK,UnNiL51D,MnNjLu2D,KAAK,UnNiL52D,MnNjLu3D,KAAK,UnNiL53D,MnNjLu4D,KAAK,UnNiL54D,MnNjLu5D,KAAK,UnNiL55D,MnNjLu6D,KAAK,UnNiL56D,MnNjLu7D,KAAK,UnNiL57D,MnNjLu8D,KAAK,UnNiL58D,MnNjLu9D,KAAK,UnNiL59D,MnNjLu+D,KAAK,UnNiL5+D,MnNjLu/D,KAAK,UnNiL5/D,MnNjLuhE,KAAK,UnNiL5hE,MnNjLuiE,KAAK,UnNiL5iE,MnNjLujE,KAAK,UnNiL5jE,MnNjLukE,KAAK,UnNiL5kE,MnNjLulE,KAAK,UnNiL5lE,MnNjLumE,KAAK,UnNiL5mE,MnNjLunE,KAAK,UnNiL5nE,MnNjLuoE,KAAK,UnNiL5oE,MnNjLupE,KAAK,UnNiL5pE,MnNjLuqE,KAAK,UnNiL5qE,MnNjLurE,KAAK,UnNiL5rE,MnNjLusE,KAAK,UnNiL5sE,MnNjLutE,KAAK,UnNiL5tE,MnNjLuuE,KAAK,UnNiL5uE,MnNjLuvE,KAAK,UnNiL5vE,MnNjLuwE,KAAK,UnNiL5wE,MnNjLuxE,KAAK,UnNiL5xE,MnNjLuyE,KAAK,UnNiL5yE,MnNjLuzE,KAAK,UnNiL5zE,MnNjLu0E,KAAK,UnNiL50E,MnNjLu1E,KAAK,UnNiL51E,MnNjLu2E,KAAK,UnNiL52E,MnNjLu3E,KAAK,UnNiL53E,MnNjLu4E,KAAK,UnNiL54E,MnNjLu5E,KAAK,UnNiL55E,MnNjLu6E,KAAK,UnNiL56E,MnNjLu7E,KAAK,UnNiL57E,MnNjLu8E,KAAK,UnNiL58E,MnNjLu9E,KAAK,UnNiL59E,MnNjLu+E,KAAK,UnNiL5+E,MnNjLu/E,KAAK,UnNiL5/E,MnNjLuhF,KAAK,UnNiL5hF,MnNjLuiF,KAAK,UnNiL5iF,MnNjLujF,KAAK,UnNiL5jF,MnNjLukF,KAAK,UnNiL5kF,MnNjLulF,KAAK,UnNiL5lF,MnNjLumF,KAAK,UnNiL5mF,MnNjLunF,KAAK,UnNiL5nF,MnNjLuoF,KAAK,UnNiL5oF,MnNjLupF,KAAK,UnNiL5pF,MnNjLuqF,KAAK,UnNiL5qF,MnNjLurF,KAAK,UnNiL5rF,MnNjLusF,KAAK,UnNiL5sF,MnNjLutF,KAAK,UnNiL5tF,MnNjLuuF,KAAK,UnNiL5uF,MnNjLuvF,KAAK,UnNiL5vF,MnNjLuwF,KAAK,UnNiL5wF,MnNjLuxF,KAAK,UnNiL5xF,MnNjLuyF,KAAK,UnNiL5yF,MnNjLuzF,KAAK,UnNiL5zF,MnNjLu0F,KAAK,UnNiL50F,MnNjLu1F,KAAK,UnNiL51F,MnNjLu2F,KAAK,UnNiL52F,MnNjLu3F,KAAK,UnNiL53F,MnNjLu4F,KAAK,UnNiL54F,MnNjLu5F,KAAK,UnNiL55F,MnNjLu6F,KAAK,UnNiL56F,MnNjLu7F,KAAK,UnNiL57F,MnNjLu8F,KAAK,UnNiL58F,MnNjLu9F,KAAK,UnNiL59F,MnNjLu+F,KAAK,UnNiL5+F,MnNjLu/F,KAAK,UnNiL5/F,MnNjLuhG,KAAK,UnNiL5hG,MnNjLuiG,KAAK,UnNiL5iG,MnNjLujG,KAAK,UnNiL5jG,MnNjLukG,KAAK,UnNiL5kG,MnNjLulG,KAAK,UnNiL5lG,MnNjLumG,KAAK,UnNiL5mG,MnNjLunG,KAAK,UnNiL5nG,MnNjLuoG,KAAK,UnNiL5oG,MnNjLupG,KAAK,UnNiL5pG,MnNjLuqG,KAAK,UnNiL5qG,MnNjLurG,KAAK,UnNiL5rG,MnNjLusG,KAAK,UnNiL5sG,MnNjLutG,KAAK,UnNiL5tG,MnNjLuuG,KAAK,UnNiL5uG,MnNjLuvG,KAAK,UnNiL5vG,MnNjLuwG,KAAK,UnNiL5wG,MnNjLuxG,KAAK,UnNiL5xG,MnNjLuyG,KAAK,UnNiL5yG,MnNjLuzG,KAAK,UnNiL5zG,MnNjLu0G,KAAK,UnNiL50G,MnNjLu1G,KAAK,UnNiL51G,MnNjLu2G,KAAK,UnNiL52G,MnNjLu3G,KAAK,UnNiL53G,MnNjLu4G,KAAK,UnNiL54G,MnNjLu5G,KAAK,UnNiL55G,MnNjLu6G,KAAK,UnNiL56G,MnNjLu7G,KAAK,UnNiL57G,MnNjLu8G,KAAK,UnNiL58G,MnNjLu9G,KAAK,UnNiL59G,MnNjLu+G,KAAK,UnNiL5+G,MnNjLu/G,KAAK,UnNiL5/G,MnNjLuhH,KAAK,UnNiL5hH,MnNjLuiH,KAAK,UnNiL5iH,MnNjLujH,KAAK,UnNiL5jH,MnNjLukH,KAAK,UnNiL5kH,MnNjLulH,KAAK,UnNiL5lH,MnNjLumH,KAAK,UnNiL5mH,MnNjLunH,KAAK,UnNiL5nH,MnNjLuoH,KAAK,UnNiL5oH,MnNjLupH,KAAK,UnNiL5pH,MnNjLuqH,KAAK,UnNiL5qH,MnNjLurH,KAAK,UnNiL5rH,MnNjLusH,KAAK,UnNiL5sH,MnNjLutH,KAAK,UnNiL5tH,MnNjLuuH,KAAK,UnNiL5uH,MnNjLuvH,KAAK,UnNiL5vH,MnNjLuwH,KAAK,UnNiL5wH,MnNjLuxH,KAAK,UnNiL5xH,MnNjLuyH,KAAK,UnNiL5yH,MnNjLuzH,KAAK,UnNiL5zH,MnNjLu0H,KAAK,UnNiL50H,MnNjLu1H,KAAK,UnNiL51H,MnNjLu2H,KAAK,UnNiL52H,MnNjLu3H,KAAK,UnNiL53H,MnNjLu4H,KAAK,UnNiL54H,MnNjLu5H,KAAK,UnNiL55H,MnNjLu6H,KAAK,UnNiL56H,MnNjLu7H,KAAK,UnNiL57H,MnNjLu8H,KAAK,UnNiL58H,MnNjLu9H,KAAK,UnNiL59H,MnNjLu+H,KAAK,UnNiL5+H,MnNjLu/H,KAAK,UnNiL5/H,MnNjLuhI,KAAK,UnNiL5hI,MnNjLuiI,KAAK,UnNiL5iI,MnNjLujI,KAAK,UnNiL5jI,MnNjLukI,KAAK,UnNiL5kI,MnNjLulI,KAAK,UnNiL5lI,MnNjLumI,KAAK,UnNiL5mI,MnNjLunI,KAAK,UnNiL5nI,MnNjLuoI,KAAK,UnNiL5oI,MnNjLupI,KAAK,UnNiL5pI,MnNjLuqI,KAAK,UnNiL5qI,MnNjLurI,KAAK,UnNiL5rI,MnNjLusI,KAAK,UnNiL5sI,MnNjLutI,KAAK,UnNiL5tI,MnNjLuuI,KAAK,UnNiL5uI,MnNjLuvI,KAAK,UnNiL5vI,MnNjLuwI,KAAK,UnNiL5wI,MnNjLuxI,KAAK,UnNiL5xI,MnNjLuyI,KAAK,UnNiL5yI,MnNjLuzI,KAAK,UnNiL5zI,MnNjLu0I,KAAK,UnNiL50I,MnNjLu1I,KAAK,UnNiL51I,MnNjLu2I,KAAK,UnNiL52I,MnNjLu3I,KAAK,UnNiL53I,MnNjLu4I,KAAK,UnNiL54I,MnNjLu5I,KAAK,UnNiL55I,MnNjLu6I,KAAK,UnNiL56I,MnNjLu7I,KAAK,UnNiL57I,MnNjLu8I,KAAK,UnNiL58I,MnNjLu9I,KAAK,UnNiL59I,MnNjLu+I,KAAK,UnNiL5+I,MnNjLu/I,KAAK,UnNiL5/I,MnNjLuhJ,KAAK,UnNiL5hJ,MnNjLuiJ,KAAK,UnNiL5iJ,MnNjLujJ,KAAK,UnNiL5jJ,MnNjLukJ,KAAK,UnNiL5kJ,MnNjLulJ,KAAK,UnNiL5lJ,MnNjLumJ,KAAK,UnNiL5mJ,MnNjLunJ,KAAK,UnNiL5nJ,MnNjLuoJ,KAAK,UnNiL5oJ,MnNjLupJ,KAAK,UnNiL5pJ,MnNjLuqJ,KAAK,UnNiL5qJ,MnNjLurJ,KAAK,UnNiL5rJ,MnNjLusJ,KAAK,UnNiL5sJ,MnNjLutJ,KAAK,UnNiL5tJ,MnNjLuuJ,KAAK,UnNiL5uJ,MnNjLuvJ,KAAK,UnNiL5vJ,MnNjLuwJ,KAAK,UnNiL5wJ,MnNjLuxJ,KAAK,UnNiL5xJ,MnNjLuyJ,KAAK,UnNiL5yJ,MnNjLuzJ,KAAK,UnNiL5zJ,MnNjLu0J,KAAK,UnNiL50J,MnNjLu1J,KAAK,UnNiL51J,MnNjLu2J,KAAK,UnNiL52J,MnNjLu3J,KAAK,UnNiL53J,MnNjLu4J,KAAK,UnNiL54J,MnNjLu5J,KAAK,UnNiL55J,MnNjLu6J,KAAK,UnNiL56J,MnNjLu7J,KAAK,UnNiL57J,MnNjLu8J,KAAK,UnNiL58J,MnNjLu9J,KAAK,UnNiL59J,MnNjLu+J,KAAK,UnNiL5+J,MnNjLu/J,KAAK,UnNiL5/J,MnNjLuhK,KAAK,UnNiL5hK,MnNjLuiK,KAAK,UnNiL5iK,MnNjLujK,KAAK,UnNiL5jK,MnNjLukK,KAAK,UnNiL5kK,MnNjLulK,KAAK,UnNiL5lK,MnNjLumK,KAAK,UnNiL5mK,MnNjLunK,KAAK,UnNiL5nK,MnNjLuoK,KAAK,UnNiL5oK,MnNjLupK,KAAK,UnNiL5pK,MnNjLuqK,KAAK,UnNiL5qK,MnNjLurK,KAAK,UnNiL5rK,MnNjLusK,KAAK,UnNiL5sK,MnNjLutK,KAAK,UnNiL5tK,MnNjLuuK,KAAK,UnNiL5uK,MnNjLuvK,KAAK,UnNiL5vK,MnNjLuwK,KAAK,UnNiL5wK,MnNjLuxK,KAAK,UnNiL5xK,MnNjLuyK,KAAK,UnNiL5yK,MnNjLuzK,KAAK,UnNiL5zK,MnNjLu0K,KAAK,UnNiL50K,MnNjLu1K,KAAK,UnNiL51K,MnNjLu2K,KAAK,UnNiL52K,MnNjLu3K,KAAK,UnNiL53K,MnNjLu4K,KAAK,UnNiL54K,MnNjLu5K,KAAK,UnNiL55K,MnNjLu6K,KAAK,UnNiL56K,MnNjLu7K,KAAK,UnNiL57K,MnNjLu8K,KAAK,UnNiL58K,MnNjLu9K,KAAK,UnNiL59K,MnNjLu+K,KAAK,UnNiL5+K,MnNjLu/K,KAAK,UnNiL5/K,MnNjLuhL,KAAK,UnNiL5hL,MnNjLuiL,KAAK,UnNiL5iL,MnNjLujL,KAAK,UnNiL5jL,MnNjLukL,KAAK,UnNiL5kL,MnNjLullL,KAAK,UnNiL5lL,MnNjLumL,KAAK,UnNiL5mL,MnNjLunL,KAAK,UnNiL5nL,MnNjLuoL,KAAK,UnNiL5oL,MnNjLupL,KAAK,UnNiL5pL,MnNjLuqL,KAAK,UnNiL5qL,MnNjLurL,KAAK,UnNiL5rL,MnNjLusL,KAAK,UnNiL5sL,MnNjLutL,KAAK,UnNiL5tL,MnNjLuuL,KAAK,UnNiL5uL,MnNjLuvL,KAAK,UnNiL5vL,MnNjLuwL,KAAK,UnNiL5wL,MnNjLuxL,KAAK,UnNiL5xL,MnNjLuyL,KAAK,UnNiL5yL,MnNjLuzL,KAAK,UnNiL5zL,MnNjLu0L,KAAK,UnNiL50L,MnNjLu1L,KAAK,UnNiL51L,MnNjLu2L,KAAK,UnNiL52L,MnNjLu3L,KAAK,UnNiL53L,MnNjLu4L,KAAK,UnNiL54L,MnNjLu5L,KAAK,UnNiL55L,MnNjLu6L,KAAK,UnNiL56L,MnNjLu7L,KAAK,UnNiL57L,MnNjLu8L,KAAK,UnNiL58L,MnNjLu9L,KAAK,UnNiL59L,MnNjLu+L,KAAK,UnNiL5+L,MnNjLu/L,KAAK,UnNiL5/L,MnNjLuhM,KAAK,UnNiL5hM,MnNjLuiM,KAAK,UnNiL5iM,MnNjLujM,KAAK,UnNiL5jM,MnNjLukM,KAAK,UnNiL5kM,MnNjLulM,KAAK,UnNiL5lM,MnNjLumM,KAAK,UnNiL5mM,MnNjLunM,KAAK,UnNiL5nM,MnNjLuoM,KAAK,UnNiL5oM,MnNjLupM,KAAK,UnNiL5pM,MnNjLuqM,KAAK,UnNiL5qM,MnNjLurM,KAAK,UnNiL5rM,MnNjLusM,KAAK,UnNiL5sM,MnNjLutM,KAAK,UnNiL5tM,MnNjLuuM,KAAK,UnNiL5uM,MnNjLuvM,KAAK,UnNiL5vM,MnNjLuwM,KAAK,UnNiL5wM,MnNjLuxM,KAAK,UnNiL5xM,MnNjLuyM,KAAK,UnNiL5yM,MnNjLuzM,KAAK,UnNiL5zM,MnNjLu0M,KAAK,UnNiL50M,MnNjLu1M,KAAK,UnNiL51M,MnNjLu2M,KAAK,UnNiL52M,MnNjLu3M,KAAK,UnNiL53M,MnNjLu4M,KAAK,UnNiL54M,MnNjLu5M,KAAK,UnNiL55M,MnNjLu6M,KAAK,UnNiL56M,MnNjLu7M,KAAK,UnNiL57M,MnNjLu8M,KAAK,UnNiL58M,MnNjLu9M,KAAK,UnNiL59M,MnNjLu+M,KAAK,UnNiL5+M,MnNjLu/M,KAAK,UnNiL5/M,MnNjLuhN,KAAK,UnNiL5hN,MnNjLuiN,KAAK,UnNiL5iN,MnNjLujN,KAAK,UnNiL5jN,MnNjLukN,KAAK,UnNiL5kN,MnNjLulN,KAAK,UnNiL5lN,MnNjLumN,KAAK,UnNiL5mN,MnNjLunN,KAAK,UnNiL5nN,MnNjLuoN,KAAK,UnNiL5oN,MnNjLupN,KAAK,UnNiL5pN,MnNjLuqN,KAAK,UnNiL5qN,MnNjLurN,KAAK,UnNiL5rN,MnNjLusN,KAAK,UnNiL5sN,MnNjLutN,KAAK,UnNiL5tN,MnNjLuuN,KAAK,UnNiL5uN,MnNjLuvN,KAAK,UnNiL5vN,MnNjLuwN,KAAK,UnNiL5wN,MnNjLuxN,KAAK,UnNiL5xN,MnNjLuyN,KAAK,UnNiL5yN,MnNjLuzN,KAAK,UnNiL5zN,MnNjLu0N,KAAK,UnNiL50N,MnNjLu1N,KAAK,UnNiL51N,MnNjLu2N,KAAK,UnNiL52N,MnNjLu3N,KAAK,UnNiL53N,MnNjLu4N,KAAK,UnNiL54N,MnNjLu5N,KAAK,UnNiL55N,MnNjLu6N,KAAK,UnNiL56N,MnNjLu7N,KAAK,UnNiL57N,MnNjLu8N,KAAK,UnNiL58N,MnNjLu9N,KAAK,UnNiL59N,MnNjLu+N,KAAK,UnNiL5+N,MnNjLu/N,KAAK,UnNiL5/N,MnNjLuhO,KAAK,UnNiL5hO,MnNjLuiO,KAAK,UnNiL5iO,MnNjLujO,KAAK,UnNiL5jO,MnNjLukO,KAAK,UnNiL5kO,MnNjLulO,KAAK,UnNiL5lO,MnNjLumO,KAAK,UnNiL5mO,MnNjLunO,KAAK,UnNiL5nO,MnNjLuoO,KAAK,UnNiL5oO,MnNjLupO,KAAK,UnNiL5pO,MnNjLuqO,KAAK,UnNiL5qO,MnNjLurO,KAAK,UnNiL5rO,MnNjLusO,KAAK,UnNiL5sO,MnNjLutO,KAAK,UnNiL5tO,MnNjLuuO,KAAK,UnNiL5uO,MnNjLuvO,KAAK,UnNiL5vO,MnNjLuwO,KAAK,UnNiL5wO,MnNjLuxO,KAAK,UnNiL5xO,MnNjLuyO,KAAK,UnNiL5yO,MnNjLuzO,KAAK,UnNiL5zO,MnNjLu0O,KAAK,UnNiL50O,MnNjLu1O,KAAK,UnNiL51O,MnNjLu2O,KAAK,UnNiL52O,MnNjLu3O,KAAK,UnNiL53O,MnNjLu4O,KAAK,UnNiL54O,MnNjLu5O,KAAK,UnNiL55O,MnNjLu6O,KAAK,UnNiL56O,MnNjLu7O,KAAK,UnNiL57O,MnNjLu8O,KAAK,UnNiL58O,MnNjLu9O,KAAK,UnNiL59O,MnNjLu+O,KAAK,UnNiL5+O,MnNjLu/O,KAAK,UnNiL5/O,MnNjLuhP,KAAK,UnNiL5hP,MnNjLuiP,KAAK,UnNiL5iP,MnNjLujP,KAAK,UnNiL5jP,MnNjLukP,KAAK,UnNiL5kP,MnNjLulP,KAAK,UnNiL5lP,MnNjLumP,KAAK,UnNiL5mP,MnNjLunP,KAAK,UnNiL5nP,MnNjLuoP,KAAK,UnNiL5oP,MnNjLupP,KAAK,UnNiL5pP,MnNjLuqP,KAAK,UnNiL5qP,MnNjLurP,KAAK,UnNiL5rP,MnNjLusP,KAAK,UnNiL5sP,MnNjLutP,KAAK,UnNiL5tP,MnNjLuuP,KAAK,UnNiL5uP,MnNjLuvP,KAAK,UnNiL5vP,MnNjLuwP,KAAK,UnNiL5wP,MnNjLuxP,KAAK,UnNiL5xP,MnNjLuyP,KAAK,UnNiL5yP,MnNjLuzP,KAAK,UnNiL5zP,MnNjLu0P,KAAK,UnNiL50P,MnNjLu1P,KAAK,UnNiL51P,MnNjLu2P,KAAK,UnNiL52P,MnNjLu3P,KAAK,UnNiL53P,MnNjLu4P,KAAK,UnNiL54P,MnNjLu5P,KAAK,UnNiL55P,MnNjLu6P,KAAK,UnNiL56P,MnNjLu7P,KAAK,UnNiL57P,MnNjLu8P,KAAK,UnNiL58P,MnNjLu9P,KAAK,UnNiL59P,MnNjLu+P,KAAK,UnNiL5+P,MnNjLu/P,KAAK,UnNiL5/P,MnNjLuhQ,KAAK,UnNiL5hQ,MnNjLuiQ,KAAK,UnNiL5iQ,MnNjLujQ,KAAK,UnNiL5jQ,MnNjLukQ,KAAK,UnNiL5kQ,MnNjLulQ,KAAK,UnNiL5lQ,MnNjLumQ,KAAK,UnNiL5mQ,MnNjLunQ,KAAK,UnNiL5nQ,MnNjLuoQ,KAAK,UnNiL5oQ,MnNjLupQ,KAAK,UnNiL5pQ,MnNjLuqQ,KAAK,UnNiL5qQ,MnNjLurQ,KAAK,UnNiL5rQ,MnNjLusQ,KAAK,UnNiL5sQ,MnNjLutQ,KAAK,UnNiL5tQ,MnNjLuuQ,KAAK,UnNiL5uQ,MnNjLuvQ,KAAK,UnNiL5vQ,MnNjLuwQ,KAAK,UnNiL5wQ,MnNjLuxQ,KAAK,UnNiL5xQ,MnNjLuyQ,KAAK,UnNiL5yQ,MnNjLuzQ,KAAK,UnNiL5zQ,MnNjLu0Q,KAAK,UnNiL50Q,MnNjLu1Q,KAAK,UnNiL51Q,MnNjLu2Q,KAAK,UnNiL52Q,MnNjLu3Q,KAAK,UnNiL53Q,MnNjLu4Q,KAAK,UnNiL54Q,MnNjLu5Q,KAAK,UnNiL55Q,MnNjLu6Q,KAAK,UnNiL56Q,MnNjLu7Q,KAAK,UnNiL57Q,MnNjLu8Q,KAAK,UnNiL58Q,MnNjLu9Q,KAAK,UnNiL59Q,MnNjLu+Q,KAAK,UnNiL5+Q,MnNjLu/Q,KAAK,UnNiL5/Q,MnNjLuhR,KAAK,UnNiL5hR,MnNjLuiR,KAAK,UnNiL5iR,MnNjLujR,KAAK,UnNiL5jR,MnNjLukR,KAAK,UnNiL5kR,MnNjLulR,KAAK,UnNiL5lR,MnNjLumR,KAAK,UnNiL5mR,MnNjLunR,KAAK,UnNiL5nR,MnNjLuoR,KAAK,UnNiL5oR,MnNjLupR,KAAK,UnNiL5pR,MnNjLuqR,KAAK,UnNiL5qR,MnNjLurR,KAAK,UnNiL5rR,MnNjLusR,KAAK,UnNiL5sR,MnNjLutR,KAAK,UnNiL5tR,MnNjLuuR,KAAK,UnNiL5uR,MnNjLuvR,KAAK,UnNiL5vR,MnNjLuwR,KAAK,UnNiL5wR,MnNjLuxR,KAAK,UnNiL5xR,MnNjLuyR,KAAK,UnNiL5yR,MnNjLuzR,KAAK,UnNiL5zR,MnNjLu0R,KAAK,UnNiL50R,MnNjLu1R,KAAK,UnNiL51R,MnNjLu2R,KAAK,UnNiL52R,MnNjLu3R,KAAK,UnNiL53R,MnNjLu4R,KAAK,UnNiL54R,MnNjLu5R,KAAK,UnNiL55R,MnNjLu6R,KAAK,UnNiL56R,MnNjLu7R,KAAK,UnNiL57R,MnNjLu8R,KAAK,UnNiL58R,MnNjLu9R,KAAK,UnNiL59R,MnNjLu+R,KAAK,UnNiL5+R,MnNjLu/R,KAAK,UnNiL5/R,MnNjLuhS,KAAK,UnNiL5hS,MnNjLuiS,KAAK,UnNiL5iS,MnNjLujS,KAAK,UnNiL5jS,MnNjLukS,KAAK,UnNiL5kS,MnNjLulS,KAAK,UnNiL5lS,MnNjLumS,KAAK,UnNiL5mS,MnNjLunS,KAAK,UnNiL5nS,MnNjLuoS,KAAK,UnNiL5oS,MnNjLupS,KAAK,UnNiL5pS,MnNjLuqS,KAAK,UnNiL5qS,MnNjLurS,KAAK,UnNiL5rS,MnNjLusS,KAAK,UnNiL5sS,MnNjLutS,KAAK,UnNiL5tS,MnNjLuuS,KAAK,UnNiL5uS,MnNjLuvS,KAAK,UnNiL5vS,MnNjLuwS,KAAK,UnNiL5wS,MnNjLuxS,KAAK,UnNiL5xS,MnNjLuyS,KAAK,UnNiL5yS,MnNjLuzS,KAAK,UnNiL5zS,MnNjLu0S,KAAK,UnNiL50S,MnNjLu1S,KAAK,UnNiL51S,MnNjLu2S,KAAK,UnNiL52S,MnNjLu3S,KAAK,UnNiL53S,MnNjLu4S,KAAK,UnNiL54S,MnNjLu5S,KAAK,UnNiL55S,MnNjLu6S,KAAK,UnNiL56S,MnNjLu7S,KAAK,UnNiL57S,MnNjLu8S,KAAK,UnNiL58S,MnNjLu9S,KAAK,UnNiL59S,MnNjLu+S,KAAK,UnNiL5+S,MnNjLu/S,KAAK,UnNiL5/S,MnNjLuhT,KAAK,UnNiL5hT,MnNjLuiT,KAAK,UnNiL5iT,MnNjLujT,KAAK,UnNiL5jT,MnNjLukT,KAAK,UnNiL5kT,MnNjLulT,KAAK,UnNiL5lT,MnNjLumT,KAAK,UnNiL5mT,MnNjLunT,KAAK,UnNiL5nT,MnNjLuoT,KAAK,UnNiL5oT,MnNjLupT,KAAK,UnNiL5pT,MnNjLuqT,KAAK,UnNiL5qT,MnNjLurT,KAAK,UnNiL5rT,MnNjLusT,KAAK,UnNiL5sT,MnNjLutT,KAAK,UnNiL5tT,MnNjLuuT,KAAK,UnNiL5uT,MnNjLuvT,KAAK,UnNiL5vT,MnNjLuwT,KAAK,UnNiL5wT,MnNjLuxT,KAAK,UnNiL5xT,MnNjLuyT,KAAK,UnNiL5yT,MnNjLuzT,KAAK,UnNiL5zT,MnNjLu0T,KAAK,UnNiL50T,MnNjLu1T,KAAK,UnNiL51T,MnNjLu2T,KAAK,UnNiL52T,MnNjLu3T,KAAK,UnNiL53T,MnNjLu4T,KAAK,UnNiL54T,MnNjLu5T,KAAK,UnNiL55T,MnNjLu6T,KAAK,UnNiL56T,MnNjLu7T,KAAK,UnNiL57T,MnNjLu8T,KAAK,UnNiL58T,MnNjLu9T,KAAK,UnNiL59T,MnNjLu+T,KAAK,UnNiL5+T,MnNjLu/T,KAAK,UnNiL5/T,MnNjLuhU,KAAK,UnNiL5hU,MnNjLuiU,KAAK,UnNiL5iU,MnNjLujU,KAAK,UnNiL5jU,MnNjLukU,KAAK,UnNiL5kU,MnNjLulU,KAAK,UnNiL5lU,MnNjLumU,KAAK,UnNiL5mU,MnNjLunU,KAAK,UnNiL5nU,MnNjLuoU,KAAK,UnNiL5oU,MnNjLupU,KAAK,UnNiL5pU,MnNjLuqU,KAAK,UnNiL5qU,MnNjLurU,KAAK,UnNiL5rU,MnNjLusU,KAAK,UnNiL5sU,MnNjLutU,KAAK,UnNiL5tU,MnNjLuuU,KAAK,UnNiL5uU,MnNjLuvU,KAAK,UnNiL5vU,MnNjLuwU,KAAK,UnNiL5wU,MnNjLuxU,KAAK,UnNiL5xU,MnNjLuyU,KAAK,UnNiL5yU,MnNjLuzU,KAAK,UnNiL5zU,MnNjLu0U,KAAK,UnNiL50U,MnNjLu1U,KAAK,UnNiL51U,Mn

;;;

direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.63 libpng 1.6.38

1.63.1 Available under license :

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind,
express or implied. In no event shall the author or contributors
be held liable for any damages arising in any way from the use of
this software.

The contents of this file are DUAL-LICENSED. You may modify and/or
redistribute this software according to the terms of one of the
following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute
it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright
   notice, disclaimer, and this list of conditions.
2. Redistributions in binary
form must reproduce the above copyright
   notice, disclaimer, and this list of conditions in the documenta-
   tion and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this
   software must display the following acknowledgment:

      This product includes software developed by Greg Roelofs
      and contributors for the book, "PNG: The Definitive Guide,"
      published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation,
Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

---

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or
implied, including but not limited to the warranties of merchantability,
fitness for a particular purpose and noninfringement. In no event shall the
authors or copyright holders be liable for any claim, damages or other
liability,
whether in an action of contract, tort or otherwise, arising from,
out of or in connection with the software or the use or other dealings in the
software.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to

using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which
gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work
are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution
and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source
code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing
or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the
GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is
 what you want to do, use the GNU Library General
Public License instead of this License.
COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
===

PNG Reference Library License version 2
----

* Copyright (c) 1995-2022 The PNG Reference Library Authors.
* Copyright (c) 2018-2022 Cosmin Truta.
* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
* Copyright (c) 1996-1997 Andreas Dilger.
* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement. In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of such damage.

Permission is hereby granted
 to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software. If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are

Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer
 and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

  Simon-Pierre Cadieux
  Eric S. Raymond
  Mans Rullgard
  Cosmin Truta
  Gilles Vollant
  James Yu
  Mandar Sahastrabuddhe
  Google Inc.
  Vadim Barkov

and with the following additions to the disclaimer:

  There is no warranty against interference with your enjoyment of
  the library or against infringement. There is no warranty that our
  efforts or the library will fulfill any of your particular purposes
  or needs. This library is provided with all faults, and the entire
  risk of satisfactory quality, performance, accuracy, and effort is
  with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000 Glenn Randers-Pehrson,
 are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

  Tom Lane
  Glenn Randers-Pehrson
  Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

  John Bowler
  Kevin Bracey

Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from
any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

1.64 jackson-datatype-jdk8 2.14.0

1.64.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.65 jackson-annotations 2.14.0

1.65.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.66 jackson-datatype-jsr310 2.14.0

1.66.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0

1.67 zlib 1.2.13-r1

1.67.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

1.68 jackson-databind 2.14.1

1.68.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.69 swagger-annotations 2.2.7

1.69.1 Available under license :

Swagger Core - ${pom.name}
Copyright (c) 2015. SmartBear Software Inc.
Swagger Core - ${pom.name} is licensed under Apache 2.0 license.
Copy of the Apache 2.0 license can be found in `LICENSE` file.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright (c) 2015. SmartBear Software Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.70 jctools-core 4.0.1

1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Bnd-LastModified: 1662622707903
Build-Jdk-Spec: 11
Bundle-Description: Java Concurrency Tools Core Library
Bundle-License: http://www.apache.org/licenses/LICENSE-2.0.txt
Bundle-ManifestVersion: 2
Bundle-Name: Java Concurrency Tools Core Library
Bundle-SymbolicName: org.jctools.core
Bundle-Version: 4.0.1
Created-By: Apache Maven Bundle Plugin 5.1.6
Export-Package: org.jctools.maps;version="4.0.1",org.jctools.util;uses
:="sun.misc";version="4.0.1",org.jctools.queues;version="4.0.1",org.j
ctools.queues.atomic;uses:="org.jctools.queues";version="4.0.1",org.j
ctools.queues.unpadded;uses:="org.jctools.queues";version="4.0.1",org
.jctools.counters;version="4.0.1"
Import-Package: sun.misc;resolution:=optional
Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"
Tool: Bnd-6.2.0.202202251641

Found in path(s):
* /opt/cola/permits/1500645298_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/MANIFEST.MF
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1500645298_1670406227.9308958/0/jctools-core-4-0-1-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

1.71 slf4j 1.6.6

1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2004-2011 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*
*/

Found in path(s):
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/IMarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MarkerIgnoringBase.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/SubstituteLoggerFactory.java

* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/LoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticLoggerBinder.java
*
 /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPMDCAdapter.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMDCBinder.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarkerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LocationAwareLogger.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/FormattingTuple.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/MarkerFactoryBinder.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/MessageFormatter.java
*
 /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NamedLoggerBase.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/spi/LoggerFactoryBinder.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/MDC.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/Util.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLogger.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/ILoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Logger.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/NOPLoggerFactory.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/helpers/BasicMarker.java
*
 /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/Marker.java
* /opt/cola/permits/1512417657_1673636624.6005318/0/slf4j-api-1-6-6-sources-jar/org/slf4j/impl/StaticMarkerBinder.java

1.72 netty-codec-http 4.1.87.Final

1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Adaptation of https://bjoern.hoehrmann.de/utf-8/decoder/dfa/

*
* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to
 deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpStatusClass.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpChunkedInput.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java

*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfig.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cors/CorsHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionStatus.java

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/FullHttpMessage.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpContent.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpResponseEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpServerCodec.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpResponse.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpMessage.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpObjectAggregator.java

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspMethods.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpRequestEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpContentEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/SpdySession.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpObjectEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/Attribute.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/QueryStringDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpResponseDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/LastHttpContent.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpContentCompressor.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpResponseStatus.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
*
/opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/TooLongHttpContentException.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/TooLongHttpHeaderException.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/TooLongHttpLineException.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-

jar/io/netty/handler/codec/http/HttpHeaderValidationUtil.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
 in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
*
 /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions
 in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java
* /opt/cola/permits/1536390085_1674051825.4218893/0/netty-codec-http-4-1-87-final-sources-jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java

1.73 netty 4.1.87.Final

1.73.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License
* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this

dedication to be an overt act of relinquishment in perpetuity
of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.
Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not
use this file except in compliance with the License. You may obtain a copy of
the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations under
the License.
Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"
Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
copyright notice, this list of conditions and the
following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the
 following disclaimer in the documentation and/or other
 materials provided with the distribution.

* Neither the name of the Webbit nor the names of
 its contributors may be used to endorse or promote products
 derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

 * https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

 https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
 product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

 * LICENSE:
   * license/LICENSE.jsr166y.txt (Public Domain)
 * HOMEPAGE:
   * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
   * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based
WebSocket and HTTP server, which can be obtained at:

 * LICENSE:
   * license/LICENSE.webbit.txt (BSD License)
 * HOMEPAGE:
   * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging
facade for Java,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

 * NOTICE:
   * license/NOTICE.harmony.txt
 * LICENSE:
   * license/LICENSE.harmony.txt (Apache License 2.0)
 * HOMEPAGE:

* https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

* LICENSE:
  * license/LICENSE.jbzip2.txt (MIT License)
* HOMEPAGE:
  * https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of
a constant-size alphabet written by Yuta Mori. It can be obtained at:

* LICENSE:
  * license/LICENSE.libdivsufsort.txt (MIT
License)
* HOMEPAGE:
  * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM,
which can be obtained at:

* LICENSE:
  * license/LICENSE.jctools.txt (ASL2 License)
* HOMEPAGE:
  * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in
pure Java, which can be obtained at:

* LICENSE:
  * license/LICENSE.jzlib.txt (BSD style License)
* HOMEPAGE:
  * http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and
decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

* LICENSE:
  * license/LICENSE.compress-lzf.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression
and decompression library written by Adrien Grand. It can be obtained at:

* LICENSE:

* license/LICENSE.lz4.txt
(Apache License 2.0)
* HOMEPAGE:
* https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression
and decompression library, which can be obtained at:

* LICENSE:
* license/LICENSE.lzma-java.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression
and decompression library, which can be obtained at:

* LICENSE:
* license/LICENSE.zstd-jni.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

* LICENSE:
* license/LICENSE.jfastlz.txt (MIT License)
* HOMEPAGE:
* https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange
format, which can be obtained at:

* LICENSE:
* license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
* https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
* license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
* https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced

by Google Inc, which can be obtained at:

 * LICENSE:
   * license/LICENSE.snappy.txt (New BSD License)
 * HOMEPAGE:
   * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java
serialization API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jboss-remoting/jboss-marshalling

This product
 optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.caliper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-logging.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which
can be obtained at:

 * LICENSE:
   * license/LICENSE.log4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance
non-blocking XML processor, which can be obtained at:

 * LICENSE:
   * license/LICENSE.aalto-xml.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

* LICENSE:
  * license/LICENSE.hpack.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

* LICENSE:
  * license/LICENSE.hyper-hpack.txt (MIT License)
* HOMEPAGE:
  * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

* LICENSE:
  * license/LICENSE.nghttp2-hpack.txt (MIT License)
* HOMEPAGE:
  * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-lang.txt (Apache License
2.0)
* HOMEPAGE:
  * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

* LICENSE:
  * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
  * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
 * HOMEPAGE:
  * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

 * LICENSE:
  * license/LICENSE.brotli4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/hyperxpro/Brotli4j
Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
 IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be

* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.74 netty-transport-native-unix-common 4.1.87.Final

1.74.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License
* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be

freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.
Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not
use this file except in compliance with the License. You may obtain a copy of
the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations under
the License.
Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
copyright notice, this list of conditions and the
following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the
following disclaimer in the documentation and/or other
materials provided with the distribution.

* Neither the name of the Webbit nor the names of
its contributors may be used to endorse or promote products

derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

* https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

 * LICENSE:
   * license/LICENSE.jsr166y.txt (Public Domain)
 * HOMEPAGE:
   * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
   * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based
WebSocket and HTTP server, which can be obtained at:

 * LICENSE:
   * license/LICENSE.webbit.txt (BSD License)
 * HOMEPAGE:
   * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging
facade for Java,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

 * NOTICE:
   * license/NOTICE.harmony.txt
 * LICENSE:
   * license/LICENSE.harmony.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

 * LICENSE:
   * license/LICENSE.jbzip2.txt (MIT License)
 * HOMEPAGE:

* https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of
a constant-size alphabet written by Yuta Mori. It can be obtained at:

* LICENSE:
  * license/LICENSE.libdivsufsort.txt (MIT
License)
* HOMEPAGE:
  * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM,
which can be obtained at:

* LICENSE:
  * license/LICENSE.jctools.txt (ASL2 License)
* HOMEPAGE:
  * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in
pure Java, which can be obtained at:

* LICENSE:
  * license/LICENSE.jzlib.txt (BSD style License)
* HOMEPAGE:
  * http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and
decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

* LICENSE:
  * license/LICENSE.compress-lzf.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression
and decompression library written by Adrien Grand. It can be obtained at:

* LICENSE:
  * license/LICENSE.lz4.txt
(Apache License 2.0)
* HOMEPAGE:
  * https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression
and decompression library, which can be obtained at:

* LICENSE:
  * license/LICENSE.lzma-java.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression
and decompression library, which can be obtained at:

* LICENSE:
  * license/LICENSE.zstd-jni.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

* LICENSE:
  * license/LICENSE.jfastlz.txt (MIT License)
* HOMEPAGE:
  * https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange
format, which can be obtained at:

* LICENSE:
  * license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
  * license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
  * https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced
by Google Inc, which can be obtained at:

* LICENSE:
  * license/LICENSE.snappy.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java

serialization API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jboss-remoting/jboss-marshalling

This product
 optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.caliper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-logging.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which
can be obtained at:

 * LICENSE:
   * license/LICENSE.log4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance
non-blocking XML processor, which can be obtained at:

 * LICENSE:
   * license/LICENSE.aalto-xml.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
 Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hpack.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hyper-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

 * LICENSE:
   * license/LICENSE.nghttp2-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-lang.txt (Apache License
2.0)
 * HOMEPAGE:
   * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

 * LICENSE:
   * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
   * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
 * HOMEPAGE:
   * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

* LICENSE:
* license/LICENSE.brotli4j.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/hyperxpro/Brotli4j

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.75 netty-transport 4.1.87.Final

1.75.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License
* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of

the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations under
the License.
Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.
The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
copyright notice, this list of conditions and the
following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the
following disclaimer in the documentation and/or other
materials provided with the distribution.

* Neither the name of the Webbit nor the names of
its contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

* https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

* LICENSE:
  * license/LICENSE.jsr166y.txt (Public Domain)
* HOMEPAGE:
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
  * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain

Base64 Encoder and Decoder, which can be obtained at:

 * LICENSE:
   * license/LICENSE.base64.txt (Public Domain)
 * HOMEPAGE:
   * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based
WebSocket and HTTP server, which can be obtained at:

 * LICENSE:
   * license/LICENSE.webbit.txt (BSD License)
 * HOMEPAGE:
   * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging
facade for Java,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

 * NOTICE:
   * license/NOTICE.harmony.txt
 * LICENSE:
   * license/LICENSE.harmony.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

 * LICENSE:
   * license/LICENSE.jbzip2.txt (MIT License)
 * HOMEPAGE:
   * https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of
a constant-size alphabet written by Yuta Mori. It can be obtained at:

 * LICENSE:
   * license/LICENSE.libdivsufsort.txt (MIT

License)
 * HOMEPAGE:
   * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jctools.txt (ASL2 License)
 * HOMEPAGE:
   * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

 * LICENSE:
   * license/LICENSE.jzlib.txt (BSD style License)
 * HOMEPAGE:
   * http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

 * LICENSE:
   * license/LICENSE.compress-lzf.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

 * LICENSE:
   * license/LICENSE.lz4.txt
(Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

 * LICENSE:
   * license/LICENSE.lzma-java.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

* LICENSE:
  * license/LICENSE.zstd-jni.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

* LICENSE:
  * license/LICENSE.jfastlz.txt (MIT License)
* HOMEPAGE:
  * https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange
format, which can be obtained at:

* LICENSE:
  * license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
  * license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
  * https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced
by Google Inc, which can be obtained at:

* LICENSE:
  * license/LICENSE.snappy.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java
serialization API, which can be obtained at:

* LICENSE:
  * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/jboss-remoting/jboss-marshalling

This product

optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.caliper.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-logging.txt (Apache License 2.0)
* HOMEPAGE:
  * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which
can be obtained at:

* LICENSE:
  * license/LICENSE.log4j.txt (Apache License 2.0)
* HOMEPAGE:
  * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance
non-blocking XML processor, which can be obtained at:

* LICENSE:
  * license/LICENSE.aalto-xml.txt (Apache License 2.0)
* HOMEPAGE:
  * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

* LICENSE:
  * license/LICENSE.hpack.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

* LICENSE:
  * license/LICENSE.hyper-hpack.txt (MIT License)
* HOMEPAGE:
  * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

 * LICENSE:
   * license/LICENSE.nghttp2-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-lang.txt (Apache License
2.0)
 * HOMEPAGE:
   * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

 * LICENSE:
   * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
   * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
 * HOMEPAGE:
   * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

 * LICENSE:
   * license/LICENSE.brotli4j.txt (Apache License 2.0)
 * HOMEPAGE:
    * https://github.com/hyperxpro/Brotli4j
Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.76 netty-resolver 4.1.87.Final

1.76.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License

* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,
* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is

described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.
The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
 copyright notice, this list of conditions and the
 following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the
 following disclaimer in the documentation and/or other
 materials provided with the distribution.

* Neither the name of the Webbit nor the names of
 its contributors may be used to endorse or promote products
 derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT

OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

* https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

* LICENSE:
  * license/LICENSE.jsr166y.txt (Public Domain)
* HOMEPAGE:
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
  * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

* LICENSE:
  * license/LICENSE.base64.txt (Public Domain)
* HOMEPAGE:
  * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based

WebSocket and HTTP server, which can be obtained at:

 * LICENSE:
   * license/LICENSE.webbit.txt (BSD License)
 * HOMEPAGE:
   * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging
facade for Java,
 which can be obtained at:

 * LICENSE:
   * license/LICENSE.slf4j.txt (MIT License)
 * HOMEPAGE:
   * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

 * NOTICE:
   * license/NOTICE.harmony.txt
 * LICENSE:
   * license/LICENSE.harmony.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

 * LICENSE:
   * license/LICENSE.jbzip2.txt (MIT License)
 * HOMEPAGE:
   * https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of
a constant-size alphabet written by Yuta Mori. It can be obtained at:

 * LICENSE:
   * license/LICENSE.libdivsufsort.txt (MIT
 License)
 * HOMEPAGE:
   * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM,
which can be obtained at:

 * LICENSE:

  * license/LICENSE.jctools.txt (ASL2 License)
 * HOMEPAGE:
  * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in
pure Java, which can be obtained at:

 * LICENSE:
  * license/LICENSE.jzlib.txt (BSD style License)
 * HOMEPAGE:
  * http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and
decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

 * LICENSE:
  * license/LICENSE.compress-lzf.txt (Apache License 2.0)
 * HOMEPAGE:
  * https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression
and decompression library written by Adrien Grand. It can be obtained at:

 * LICENSE:
  * license/LICENSE.lz4.txt
(Apache License 2.0)
 * HOMEPAGE:
  * https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression
and decompression library, which can be obtained at:

 * LICENSE:
  * license/LICENSE.lzma-java.txt (Apache License 2.0)
 * HOMEPAGE:
  * https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression
and decompression library, which can be obtained at:

 * LICENSE:
  * license/LICENSE.zstd-jni.txt (Apache License 2.0)
 * HOMEPAGE:
  * https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

* LICENSE:
  * license/LICENSE.jfastlz.txt (MIT License)
* HOMEPAGE:
  * https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange
format, which can be obtained at:

* LICENSE:
  * license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
  * license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
  * https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced
by Google Inc, which can be obtained at:

* LICENSE:
  * license/LICENSE.snappy.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java
serialization API, which can be obtained at:

* LICENSE:
  * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/jboss-remoting/jboss-marshalling

This product
optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.caliper.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-logging.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

 * LICENSE:
   * license/LICENSE.log4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

 * LICENSE:
   * license/LICENSE.aalto-xml.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
 Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hpack.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hyper-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

 * LICENSE:
   * license/LICENSE.nghttp2-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-lang.txt (Apache License
 2.0)
 * HOMEPAGE:
   * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

 * LICENSE:
   * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
   * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
 * HOMEPAGE:
   * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

 * LICENSE:
   * license/LICENSE.brotli4j.txt (Apache License 2.0)
 * HOMEPAGE:
    * https://github.com/hyperxpro/Brotli4j
Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.77 netty-codec 4.1.87.Final

1.77.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
/*
* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.
*
* @APPLE_LICENSE_HEADER_START@
*
* This file contains Original Code and/or Modifications of Original Code
* as defined in and that are subject to the Apple Public Source License
* Version 2.0 (the 'License'). You may not use this file except in
* compliance with the License. Please obtain a copy of the License at
* https://www.opensource.apple.com/apsl/ and read it before using this
* file.
*
* The Original Code and all software distributed under the License are
* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER
* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,

* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.
* Please see the License for the specific language governing rights and
* limitations under the License.
*
* @APPLE_LICENSE_HEADER_END@
*/

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity
of all present
and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.
Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate

of all present
and future rights under copyright law, whether vested or contingent, in the
Work. Dedicator understands that such relinquishment of all rights includes
the relinquishment of all rights to enforce (by lawsuit or otherwise) those
copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be
freely reproduced, distributed, transmitted, used, modified, built upon, or
otherwise exploited by anyone for any purpose, commercial or non-commercial,
and in any way, including by methods that have not yet been invented or
conceived.
The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.
(https://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
This copy of Aalto XML processor is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivate works.

You may obtain a copy of the License at:

https://www.apache.org/licenses/

A copy is also included with both the the downloadable source code package
and jar that contains class bytecodes, as file "ASL 2.0". In both cases,
that file should be located next to this file: in source distribution
the location should be "release-notes/asl"; and in jar "META-INF/"

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Protocol Buffers - Google's data interchange format
Copyright 2013 Google Inc. All rights reserved.
https://developers.google.com/protocol-buffers/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.
(BSD License: https://www.opensource.org/licenses/bsd-license)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors
All rights reserved.

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above
 copyright notice, this list of conditions and the
 following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the
 following disclaimer in the documentation and/or other
 materials provided with the distribution.

* Neither the name of the Webbit nor the names of
 its contributors may be used to endorse or promote products
 derived from this software without specific prior written
 permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The Netty Project
==========

Please visit the Netty web site for more information:

* https://netty.io/

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in
the 'license' directory of the distribution file, for the license terms of the
components that this product depends on.

This
product contains the extensions to Java Collections Framework which has
been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

* LICENSE:
  * license/LICENSE.jsr166y.txt (Public Domain)
* HOMEPAGE:
  * http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/
  * http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jbosscache/experimental/jsr166/

This product contains a modified version of Robert Harder's Public Domain
Base64 Encoder and Decoder, which can be obtained at:

* LICENSE:
  * license/LICENSE.base64.txt (Public Domain)
* HOMEPAGE:
  * http://iharder.sourceforge.net/current/java/base64/

This product contains a modified portion of 'Webbit', an event based
WebSocket and HTTP server, which can be obtained at:

* LICENSE:
  * license/LICENSE.webbit.txt (BSD License)
* HOMEPAGE:
  * https://github.com/joewalnes/webbit

This product contains a modified portion of 'SLF4J', a simple logging

facade for Java,
which can be obtained at:

* LICENSE:
  * license/LICENSE.slf4j.txt (MIT License)
* HOMEPAGE:
  * https://www.slf4j.org/

This product contains a modified portion of 'Apache Harmony', an open source
Java SE, which can be obtained at:

* NOTICE:
  * license/NOTICE.harmony.txt
* LICENSE:
  * license/LICENSE.harmony.txt (Apache License 2.0)
* HOMEPAGE:
  * https://archive.apache.org/dist/harmony/

This product contains a modified portion of 'jbzip2', a Java bzip2 compression
and decompression library written by Matthew J. Francis. It can be obtained at:

* LICENSE:
  * license/LICENSE.jbzip2.txt (MIT License)
* HOMEPAGE:
  * https://code.google.com/p/jbzip2/

This product contains a modified portion of 'libdivsufsort', a C API library to construct
the suffix array and the Burrows-Wheeler transformed string for any input string of
a constant-size alphabet written by Yuta Mori. It can be obtained at:

* LICENSE:
  * license/LICENSE.libdivsufsort.txt (MIT
License)
* HOMEPAGE:
  * https://github.com/y-256/libdivsufsort

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM,
which can be obtained at:

* LICENSE:
  * license/LICENSE.jctools.txt (ASL2 License)
* HOMEPAGE:
  * https://github.com/JCTools/JCTools

This product optionally depends on 'JZlib', a re-implementation of zlib in
pure Java, which can be obtained at:

* LICENSE:

* license/LICENSE.jzlib.txt (BSD style License)
* HOMEPAGE:
* http://www.jcraft.com/jzlib/

This product optionally depends on 'Compress-LZF', a Java library for encoding and
decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

* LICENSE:
* license/LICENSE.compress-lzf.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/ning/compress

This product optionally depends on 'lz4', a LZ4 Java compression
and decompression library written by Adrien Grand. It can be obtained at:

* LICENSE:
* license/LICENSE.lz4.txt
(Apache License 2.0)
* HOMEPAGE:
* https://github.com/jpountz/lz4-java

This product optionally depends on 'lzma-java', a LZMA Java compression
and decompression library, which can be obtained at:

* LICENSE:
* license/LICENSE.lzma-java.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/jponge/lzma-java

This product optionally depends on 'zstd-jni', a zstd-jni Java compression
and decompression library, which can be obtained at:

* LICENSE:
* license/LICENSE.zstd-jni.txt (Apache License 2.0)
* HOMEPAGE:
* https://github.com/luben/zstd-jni

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression
and decompression library written by William Kinney. It can be obtained at:

* LICENSE:
* license/LICENSE.jfastlz.txt (MIT License)
* HOMEPAGE:
* https://code.google.com/p/jfastlz/

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data
interchange

format, which can be obtained at:

* LICENSE:
  * license/LICENSE.protobuf.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/protobuf

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate
a temporary self-signed X.509 certificate when the JVM does not provide the
equivalent functionality. It can be obtained at:

* LICENSE:
  * license/LICENSE.bouncycastle.txt (MIT License)
* HOMEPAGE:
  * https://www.bouncycastle.org/

This product optionally depends on 'Snappy', a compression library produced
by Google Inc, which can be obtained at:

* LICENSE:
  * license/LICENSE.snappy.txt (New BSD License)
* HOMEPAGE:
  * https://github.com/google/snappy

This product optionally depends on 'JBoss Marshalling', an alternative Java
serialization API, which can be obtained at:

* LICENSE:
  * license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/jboss-remoting/jboss-marshalling

This product
optionally depends on 'Caliper', Google's micro-
benchmarking framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.caliper.txt (Apache License 2.0)
* HOMEPAGE:
  * https://github.com/google/caliper

This product optionally depends on 'Apache Commons Logging', a logging
framework, which can be obtained at:

* LICENSE:
  * license/LICENSE.commons-logging.txt (Apache License 2.0)
* HOMEPAGE:
  * https://commons.apache.org/logging/

This product optionally depends on 'Apache Log4J', a logging framework, which
can be obtained at:

 * LICENSE:
   * license/LICENSE.log4j.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://logging.apache.org/log4j/

This product optionally depends on 'Aalto XML', an ultra-high performance
non-blocking XML processor, which can be obtained at:

 * LICENSE:
   * license/LICENSE.aalto-xml.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://wiki.fasterxml.com/AaltoHome

This product contains a modified version of 'HPACK', a
 Java implementation of
the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hpack.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/twitter/hpack

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

 * LICENSE:
   * license/LICENSE.hyper-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/python-hyper/hpack/

This product contains a modified version of 'HPACK', a Java implementation of
the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

 * LICENSE:
   * license/LICENSE.nghttp2-hpack.txt (MIT License)
 * HOMEPAGE:
   * https://github.com/nghttp2/nghttp2/

This product contains a modified portion of 'Apache Commons Lang', a Java library
provides utilities for the java.lang API, which can be obtained at:

 * LICENSE:
   * license/LICENSE.commons-lang.txt (Apache License

2.0)
 * HOMEPAGE:
   * https://commons.apache.org/proper/commons-lang/

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

 * LICENSE:
   * license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
 * HOMEPAGE:
   * https://github.com/takari/maven-wrapper

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.
This private header is also used by Apple's open source
mDNSResponder (https://opensource.apple.com/tarballs/mDNSResponder/).

* LICENSE:
   * license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
 * HOMEPAGE:
   * https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h

This product optionally depends on 'Brotli4j', Brotli compression and
decompression for Java., which can be obtained at:

 * LICENSE:
   * license/LICENSE.brotli4j.txt (Apache License 2.0)
 * HOMEPAGE:
    * https://github.com/hyperxpro/Brotli4j
Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR
IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
/*
* Copyright (c) 2004-2007 QOS.ch
* All rights reserved.
*
* Permission is hereby granted, free of charge, to any person obtaining
* a copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
* LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
*/
Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).
Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the distribution.

3. The names of the authors may not be used to endorse or promote products

derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE
BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.78 netty-codec-socks 4.1.87.Final

1.78.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java

* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/SocksVersion.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/package-info.java
*

/opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/package-info.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
*
/opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
*
/opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5Message.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/package-info.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java

* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
* /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java
*
 /opt/cola/permits/1536390135_1674051140.9550533/0/netty-codec-socks-4-1-87-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java

1.79 netty-handler 4.1.87.Final

1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/logging/ByteBufFormat.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java

*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslClosedEngineException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/address/ResolveAddressHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/
// Try the OpenJDK's proprietary implementation.

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/TCPPacket.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/PcapWriter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/UDPPacket.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/pcap/IPPacket.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/IpFilterRule.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkSslClientContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PemReader.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSsl.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/IpFilterRuleType.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JettyNpnSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSessionContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java
*

/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkSslContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslUtils.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslClientContext.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslEngineMap.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkSslServerContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolConfig.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslServerContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/Java7SslParametersUtils.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/CipherSuiteFilter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-

jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSessionStats.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/CipherSuiteConverter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/LazyX509Certificate.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/UniqueIpFilter.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslProvider.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/flow/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/flush/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PemValue.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PemEncoded.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-

jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/PseudoRandomFunction.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/address/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslMasterKeyHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/address/DynamicAddressConnectHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/BouncyCastlePemReader.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSessionCache.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslProtocols.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/GroupsConverter.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java

* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslContextOption.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSessionId.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslClientSessionCache.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/BouncyCastle.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslContextOption.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/Ciphers.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/AsyncRunnable.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/traffic/TrafficCounter.java
No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,

version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/META-INF/native-image/io.netty/netty-handler/native-image.properties
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ClientAuth.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslContextBuilder.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNames.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java
No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/META-INF/maven/io.netty/netty-handler/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/TimeoutException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/WriteTimeoutHandler.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/NotSslRecordException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/ReadTimeoutException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/logging/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedNioStream.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/util/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/logging/LoggingHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/package-info.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedNioFile.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/IdleState.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedStream.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/IdleStateHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java
*
/opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/timeout/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/logging/LogLevel.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedFile.java

* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/stream/ChunkedInput.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/Conscrypt.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java
*
 /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/SslClientHelloHandler.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1536390298_1674051205.1081247/0/netty-handler-4-1-87-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java

1.80 netty-handler-proxy 4.1.87.Final

1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~   https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*   https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java
*
 /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1536390291_1674051203.4603605/0/netty-handler-proxy-4-1-87-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java

1.81 error_prone_annotations 2.14.0

1.81.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--
 Copyright 2015 The Error Prone Authors.

 Licensed under the Apache License, Version 2.0 (the "License");
 you may not use this file except in compliance with the License.
 You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
-->

Found in path(s):
* /opt/cola/permits/1572889848_1677106670.9361875/0/error-prone-annotations-2-14-0-3-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.82 proto-google-common-protos 2.9.0

1.82.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
// agreement (which includes confidentiality provisions). These features may

Found in path(s):
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/launch_stage.proto
No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/usage.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/endpoint.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/service.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/consumer.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/distribution.proto

* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/error_reason.proto
*
 /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/context.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/date.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/quota.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/field_behavior.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/httpbody.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/routing.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/system_parameter.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/datetime.proto
*
 /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/color.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/billing.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/logging/type/log_severity.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/decimal.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/config_change.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/latlng.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/metric.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/control.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/money.proto
*
 /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/month.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/logging.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/client.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/log.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-

jar/google/type/timeofday.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/geo/type/viewport.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/status.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/fraction.proto
*
/opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/documentation.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/interval.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/postal_address.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/logging/type/http_request.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/dayofweek.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/source_info.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/label.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/quaternion.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/error_details.proto
*
/opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/backend.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/expr.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/annotations.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/longrunning/operations.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/code.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/calendar_period.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/phone_number.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/resource.proto
*
/opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/http.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/cloud/extended_operations.proto

* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/rpc/context/attribute_context.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/monitored_resource.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/auth.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/visibility.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/api/monitoring.proto
* /opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/type/localized_text.proto
*
/opt/cola/permits/1572890195_1677106955.5681205/0/proto-google-common-protos-2-9-0-1-jar/google/cloud/audit/audit_log.proto

1.83 commons-fileupload 1.5

1.83.1 Available under license :

Apache Commons FileUpload
Copyright 2002-2023 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,
incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.84 micronaut-grpc-client-runtime 3.5.0

1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1574852437_1677313788.4012222/0/micronaut-grpc-client-runtime-3-5-0-jar/META-INF/native-image/io.micronaut.grpc/micronaut-grpc-client-runtime/native-image.properties
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1574852437_1677313788.4012222/0/micronaut-grpc-client-runtime-3-5-0-jar/META-INF/maven/io.micronaut.grpc/micronaut-grpc-client-runtime/pom.xml

1.85 micronaut-grpc-opentracing 3.5.0

1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2019 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-jar/io/micronaut/grpc/server/tracing/GrpcServerTracingInterceptorConfiguration.java
* /opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-

jar/io/micronaut/grpc/server/tracing/GrpcServerTracingInterceptorFactory.java
*
/opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-jar/io/micronaut/grpc/client/tracing/package-info.java
* /opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-jar/io/micronaut/grpc/server/tracing/package-info.java
* /opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-jar/io/micronaut/grpc/client/tracing/GrpcClientTracingInterceptorFactory.java
* /opt/cola/permits/1574852407_1677244440.626722/0/micronaut-grpc-opentracing-3-5-0-sources-jar/io/micronaut/grpc/client/tracing/GrpcClientTracingInterceptorConfiguration.java

1.86 micronaut-grpc-annotation 3.5.0

1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2019 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1574852639_1677312778.3005788/0/micronaut-grpc-annotation-3-5-0-sources-jar/io/micronaut/grpc/annotation/GrpcChannel.java
* /opt/cola/permits/1574852639_1677312778.3005788/0/micronaut-grpc-annotation-3-5-0-sources-jar/io/micronaut/grpc/annotation/GrpcService.java

1.87 snake-yaml 2.0

1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

/**
* Copyright (c) 2008, SnakeYAML
*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/ScalarEvent.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/emitter/EmitterState.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/StreamStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/AliasToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ImplicitTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/UriEncoder.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserException.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeTuple.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/BeanAccess.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/Mark.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/EnumUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/TypeDescription.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/SimpleKey.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/BaseConstructor.java
*
 /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertyUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Tag.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java
*

/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MissingProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/Event.java
*
/opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentType.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/GenericProperty.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
* A Base64 encoder/decoder.
*
* <p>
* This class is used to encode and decode data in Base64 format as described in RFC 1521.
*
* <p>
* Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.
* source-code.biz/base64coder/java</a><br>
* Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>
* Multi-licensed: EPL / LGPL / GPL / AL / BSD.
*/
```

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java

1.88 opentelemetry-proto 0.11.0

1.88.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.89 protobuf-java 3.22.2

1.89.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapEntry.java

* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/TextFormatParseLocation.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BufferAllocator.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/FieldInfo.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ByteOutput.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MutabilityOracle.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RpcController.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/GeneratedMessageInfoFactory.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BinaryWriter.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/SchemaUtil.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapFieldLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Service.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-

jar/com/google/protobuf/Protobuf.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageInfo.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionSchemaFull.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ManifestSchemaFactory.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/LongArrayList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/NewInstanceSchemaLite.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionSchemas.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapEntryLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/NewInstanceSchemaFull.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Writer.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapFieldSchemaLite.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CompileTimeConstant.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ByteBufferWriter.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapFieldSchema.java

* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/LazyStringArrayList.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnknownFieldSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/FieldType.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/GeneratedMessage.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/TextFormatParseInfoTree.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RawMessageInfo.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapFieldSchemas.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/JavaType.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CodedOutputStreamWriter.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ProtobufArrayList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CanIgnoreReturnValue.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageLiteOrBuilder.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/FieldSet.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-

jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Extension.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ListFieldSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/TypeRegistry.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnknownFieldSetSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageOrBuilder.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ServiceException.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapFieldSchemaFull.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnknownFieldSetLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnsafeUtil.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MapField.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CodedInputStreamReader.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RpcUtil.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/StructuralMessageInfo.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BooleanArrayList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/IntArrayList.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ProtocolStringList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnsafeByteOperations.java

* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Android.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Reader.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/AllocatedBuffer.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ExperimentalApi.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageSetSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/InlineMe.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Message.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/OneofInfo.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Descriptors.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/TextFormatEscaper.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BinaryReader.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/FloatArrayList.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/SchemaFactory.java
*
 /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/BlockingService.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-

jar/com/google/protobuf/ExtensionSchemaLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/ArrayDecoders.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Schema.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/Java8Compatibility.java
*
/opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/GeneratedMessageV3.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CheckReturnValue.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/CodedInputStream.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1614739947_1680235541.8595586/0/protobuf-java-3-22-2-sources-jar/com/google/protobuf/AbstractProtobufList.java

1.90 micronaut-inject 3.8.7

1.90.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896222_1681459394.2492418/0/micronaut-inject-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-inject/pom.xml
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896222_1681459394.2492418/0/micronaut-inject-3-8-7-jar/META-INF/native-image/io.micronaut/micronaut-inject/native-image.properties

1.91 micronaut-json-core 3.8.7

1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/JsonStreamConfig.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/bind/JsonBeanPropertyBinderExceptionHandler.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonArray.java
*
/opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/JsonConfiguration.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonString.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonNode.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/convert/JsonConverterRegistrar.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/JsonMapper.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonNumber.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonNull.java
*
/opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/JsonFeatures.java

* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonContainer.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonBoolean.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonObject.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/tree/JsonScalar.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/codec/JsonMediaTypeCodec.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/convert/JsonNodeConvertibleValues.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/bind/JsonBeanPropertyBinder.java
*
 /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/JsonObjectSerializer.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/codec/MapperMediaTypeCodec.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/bind/package-info.java
* /opt/cola/permits/1638896089_1681459408.2938023/0/micronaut-json-core-3-8-7-sources-jar/io/micronaut/json/codec/JsonStreamMediaTypeCodec.java

1.92 micronaut-runtime 3.8.7

1.92.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896134_1681459425.8110023/0/micronaut-runtime-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-runtime/pom.xml
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896134_1681459425.8110023/0/micronaut-runtime-3-8-7-jar/META-INF/native-image/io.micronaut/micronaut-runtime/native-image.properties

1.93 micronaut-http-client 3.8.7

1.93.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896293_1681459424.0469186/0/micronaut-http-client-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-http-client/pom.xml

1.94 micronaut-http-server-netty 3.8.7

1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/binders/InputStreamBodyBinder.java
*
 /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/AbstractBufferingHttpContentProcessor.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ConstantElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestMethodElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/binders/NettyBinderRegistrar.java
*
 /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/encoders/HttpResponseEncoder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/RoutingInBoundHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpCompressionStrategy.java
*
 /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ByteBufDelegate.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpDataReference.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DelegateHttpMessage.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessor.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-

jar/io/micronaut/http/server/netty/jackson/JsonViewServerFilter.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/decoders/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketUpgradeHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeadersElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServerInstance.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/MicronautHttpPostMultipartRequestDecoder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/IdentityWrapper.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/files/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLogFormatParser.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/files/NettyStreamedFileCustomizableResponseType.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/decoders/HttpRequestDecoder.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpContentProcessorResolver.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/async/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyHttpRequest.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElementBuilder.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/configuration/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/async/ContextCompletionAwareSubscriber.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-

jar/io/micronaut/http/server/netty/websocket/NettyServerWebSocketHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalIpElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DefaultHttpCompressionStrategy.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyRequestArgumentSatisfier.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/AbstractHttpContentProcessor.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/jackson/JsonContentProcessor.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/converters/NettyConverters.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteHostElement.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ResponseCodeElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/DefaultCustomizableResponseTypeHandlerRegistry.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookieElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpContentProcessor.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseType.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/NettyCompletedFileUpload.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AbstractHttpMessageLogElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/files/FileTypeHandler.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/NettyFileCustomizableResponseType.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-

jar/io/micronaut/http/server/netty/jackson/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyHttpResponseFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DelegateHttpResponse.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/ServerSslBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/encoders/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LogElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewCodecResolver.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/NettyPartData.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalPortElement.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/ChannelOutboundHandlerFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/websocket/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/FormDataHttpContentProcessor.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/NettyStreamingFileUpload.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestProtocolElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElement.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/MultipartBodyArgumentBinder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/HeaderElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/HttpRequestCertificateHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/binders/PublisherBodyBinder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/files/FileTypeHandlerConfiguration.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/NettyCustomizableResponseTypeHandlerRegistry.java

*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/files/NettySystemFileCustomizableResponseType.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/NettyFileUploadInputStream.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DefaultHttpContentProcessorResolver.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestUriElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/SmartHttpContentCompressor.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/multipart/NettyCompletedAttribute.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/jackson/JsonViewMediaTypeCodecFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/DateTimeElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/LocalHostElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DelegateStreamedHttpResponse.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpContentSubscriberFactory.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RequestLineElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/BytesSentElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/binders/CompletableFutureBodyBinder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/binders/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/jackson/JsonHttpContentSubscriberFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/CookiesElement.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/RemoteIpElement.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/converters/package-info.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/FormDataHttpContentSubscriberFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/ElapseTimeElementBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/package-info.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServerFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DelegateNettyEmbeddedServices.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ServerAttributeKeys.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/types/stream/NettyStreamedCustomizableResponseType.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpToHttpsRedirectHandler.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServer.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyEmbeddedServices.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/DefaultNettyEmbeddedServerFactory.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/NotImplementedElementBuilder.java
*
/opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/StreamTypeHandler.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyServerCustomizer.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/HttpAccessLogHandler.java
*
 /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/CertificateProvidedSslBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/NettyHttpServer.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/configuration/NettyHttpServerConfiguration.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/BuildSelfSignedCondition.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/SslEnabledCondition.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/handler/accesslog/element/AccessLog.java
*
 /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/HttpPipelineBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/ssl/SelfSignedSslBuilder.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/converters/NettyConvertersSpi.java
* /opt/cola/permits/1638896119_1681459387.841254/0/micronaut-http-server-netty-3-8-7-sources-jar/io/micronaut/http/server/netty/CompositeNettyServerCustomizer.java

1.95 micronaut-aop 3.8.7

1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):

* /opt/cola/permits/1638896142_1681459439.352847/0/micronaut-aop-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-aop/pom.xml

1.96 micronaut-jackson-core 3.8.7

1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896051_1681819737.443773/0/micronaut-jackson-core-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-jackson-core/pom.xml
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896051_1681819737.443773/0/micronaut-jackson-core-3-8-7-jar/META-INF/native-image/io.micronaut/micronaut-jackson-core/native-image.properties

1.97 micronaut-buffer-netty 3.8.7

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896240_1681459415.019914/0/micronaut-buffer-netty-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-buffer-netty/pom.xml

1.98 micronaut-http-server 3.8.7

1.98.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/CoroutineHelper.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/RouteExecutor.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessor.java
*
 /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/ErrorContext.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/Error.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/ErrorResponseProcessor.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/DefaultErrorContext.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/ExecutableRouteInfo.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/HttpLocalizedMessageSource.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/response/HateoasErrorResponseProcessorReplacement.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/binding/RequestArgumentSatisfier.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/UnsatisfiedRouteHandler.java
*
 /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/UnsatisfiedArgumentHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/files/StreamedFile.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/files/FileCustomizableResponseType.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/HttpFixedLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/cors/CorsOriginConverter.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/cors/CorsUtil.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/multipart/package-info.java
*
 /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/HttpAbstractLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/ProxyHeaderParser.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-

jar/io/micronaut/http/server/codec/TextStreamCodec.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/HttpLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/codec/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/DuplicateRouteHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/cors/package-info.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/CustomizableResponseTypeException.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/DefaultHttpClientAddressResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/cors/CorsFilter.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/HttpHostResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/ContentLengthExceededHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/HttpServerConfiguration.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/HttpServerException.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/files/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/HttpStatusHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/files/SystemFile.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/context/ServerRequestContextInvocationInstrumenter.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/ServerStartupException.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/binding/BasicAuthArgumentBinder.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/multipart/MultipartBody.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/CookieLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/InternalServerException.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/HttpLocaleResolutionConfiguration.java

* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/package-info.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/ExceptionHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/URISyntaxHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/CompositeHttpLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/binding/LocaleArgumentBinder.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/HttpClientAddressResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/DefaultHttpHostResolver.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/context/ServerRequestContextInstrumentation.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/binding/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/ConversionErrorHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/package-info.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/websocket/ServerWebSocketProcessor.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/exceptions/JsonExceptionHandler.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/package-info.java
*
/opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/cors/CorsOriginConfiguration.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/types/CustomizableResponseType.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/util/locale/RequestLocaleResolver.java
* /opt/cola/permits/1638896264_1681459392.7072437/0/micronaut-http-server-3-8-7-sources-jar/io/micronaut/http/server/context/package-info.java

1.99 micronaut-websocket 3.8.7

1.99.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896190_1681459406.7503161/0/micronaut-websocket-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-websocket/pom.xml

1.100 micronaut-jackson-databind 3.8.7

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896308_1681459430.734724/0/micronaut-jackson-databind-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-jackson-databind/pom.xml

1.101 micronaut-management 3.8.7

1.101.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896230_1681819595.051338/0/micronaut-management-3-8-7-jar/META-INF/native-image/io.micronaut.management/micronaut-management/native-image.properties
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896230_1681819595.051338/0/micronaut-management-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-management/pom.xml

1.102 micronaut-http-client-core 3.8.7

1.102.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/AnnotatedClientArgumentRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/AbstractRoundRobinLoadBalancer.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/configuration/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ReactiveClientResultTransformer.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/HttpClientResponseException.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/annotation/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/TypedClientArgumentRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/HttpClientErrorDecoder.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/HttpClientIntroductionAdvice.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/EmptyResponseException.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/BytePart.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/HttpClient.java

* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/MultipartBody.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/DiscoveryClientRoundRobinLoadBalancer.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/ContentLengthExceededException.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/InputStreamPart.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/Part.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/configuration/DefaultClientVersioningConfiguration.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/LoadBalancerResolver.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/HttpClientBinderRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ServiceHttpClientCondition.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/ServiceInstanceListLoadBalancerFactory.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/AnnotatedClientRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/DiscoveryClientLoadBalancerFactory.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/AbstractFilePart.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/StreamingHttpClientRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/DefaultHttpClientBinderRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/ClientArgumentRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/MultipartDataFactory.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/annotation/Client.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ServiceHttpClientConfiguration.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/ClientRequestUriContext.java

* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/StreamingHttpClient.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/FixedLoadBalancer.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/BlockingHttpClient.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/filter/ClientFilterResolutionContext.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/NoHostException.java
*
 /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ServiceHttpClientFactory.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ProxyHttpClient.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/ServiceInstanceListRoundRobinLoadBalancer.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/sse/SseClient.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/HttpClientException.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/DefaultLoadBalancerResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/filters/ClientServerRequestTracingPublisher.java
*
 /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/configuration/ClientVersioningConfiguration.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/StringPart.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/HttpClientRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/exceptions/ReadTimeoutException.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/filter/DefaultHttpClientFilterResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/FilePart.java
*
 /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/configuration/NamedClientVersioningConfiguration.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ProxyHttpClientRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/loadbalance/LoadBalancerConverters.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/HttpClientConfiguration.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-

jar/io/micronaut/http/client/LoadBalancer.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/filters/package-info.java
*
 /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/DefaultHttpClientConfiguration.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/filters/ClientServerContextFilter.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/interceptor/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/sse/SseClientRegistry.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/multipart/package-info.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/ClientRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/StreamingHttpClientFactory.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/binders/HeaderClientRequestBinder.java
*
 /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/StreamingHttpClientFactoryResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/binders/AttributeClientRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/binders/QueryValueClientArgumentRequestBinder.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/bind/binders/VersionClientRequestBinder.java

* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/sse/SseClientFactoryResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/HttpClientFactory.java
*
/opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ProxyHttpClientFactoryResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/sse/package-info.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ProxyHttpClientFactory.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/HttpClientFactoryResolver.java
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/sse/SseClientFactory.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2022 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896198_1681819737.5057142/0/micronaut-http-client-core-3-8-7-sources-jar/io/micronaut/http/client/ProxyRequestOptions.java

1.103 micronaut-core-reactive 3.8.7

1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896097_1681459433.696153/0/micronaut-core-reactive-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-core-reactive/pom.xml

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896097_1681459433.696153/0/micronaut-core-reactive-3-8-7-jar/META-INF/native-image/io.micronaut/micronaut-core-reactive/native-image.properties

1.104 micronaut-router 3.8.7

1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2020 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/AnnotatedMethodRouteBuilder.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/RouteVersionFilter.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/ResourceRoute.java
*
/opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/RequestVersionResolver.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/AbstractRouteMatch.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/qualifier/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-

jar/io/micronaut/web/router/RouteBuilder.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/AnnotatedFilterRouteBuilder.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/UriRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedCookieValueRouteException.java
*
/opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/HeaderVersionResolver.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/RouteMatch.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/RoutesVersioningConfiguration.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/MethodBasedRouteMatch.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/package-info.java
*
/opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/FilterRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/DefaultUriRouteMatch.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/ConfigurationDefaultVersionProvider.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/RouteMatchUtils.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/DefaultRouteBuilder.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/UriRouteMatch.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/ErrorRouteMatch.java
*
/opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/RouteInfo.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/filter/RouteMatchFilter.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/filter/FilteredRouter.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/naming/ConfigurableUriNamingStrategy.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/resource/StaticResourceConfiguration.java

* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/BeanDefinitionFilterRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/Route.java
*
 /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/resource/StaticResourceResolver.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/DefaultRouter.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/StatusRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/GroovyRouteBuilder.groovy
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedHeaderRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/StatusRouteMatch.java
*
 /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedBodyRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/DuplicateRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/resource/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/DefaultVersionProvider.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/HeaderVersionResolverConfiguration.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/ParameterVersionResolver.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/DefaultFilterRoute.java
*
 /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedRequestAttributeRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/naming/package-info.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/VersionResolver.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/UnresolvedArgument.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/VersionRouteMatchFilter.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-

jar/io/micronaut/web/router/BasicObjectRouteMatch.java
*
 /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/resolution/ParameterVersionResolverConfiguration.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPartRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedPathVariableRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/Router.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/naming/HyphenatedUriNamingStrategy.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/MethodBasedRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/version/VersionAwareRouterListener.java
*
 /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/qualifier/ConsumesMediaTypeQualifier.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/NullArgument.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/RoutingException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/exceptions/UnsatisfiedQueryValueRouteException.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/ErrorRoute.java
* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/qualifier/ProducesMediaTypeQualifier.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017-2021 original authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638896206_1681459432.1518633/0/micronaut-router-3-8-7-sources-jar/io/micronaut/web/router/resource/StaticResourceResolverFactory.java

1.105 micronaut-validation 3.8.7

1.105.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896059_1681459417.20264/0/micronaut-validation-3-8-7-jar/META-INF/native-image/io.micronaut.validation/micronaut-validation/native-image.properties
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896059_1681459417.20264/0/micronaut-validation-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-validation/pom.xml

1.106 micronaut-http-netty 3.8.7

1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896176_1681459401.642087/0/micronaut-http-netty-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-http-netty/pom.xml

1.107 micronaut-http 3.8.7

1.107.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1638896238_1681459436.296813/0/micronaut-http-3-8-7-jar/META-INF/native-image/io.micronaut.http/micronaut-http/native-image.properties
No license file was found, but licenses were detected in source scan.

```
# This file maps Internet media types to unique file extension(s).
# Although created for httpd, this file is used by many software systems
# and has been placed in the public domain for unlimited redisribution.
#
# The table below contains both registered and (common) unregistered types.
# A type that has no unique extension can be ignored -- they are listed
# here to guide configurations toward known types and to make it easier to
# identify "new" types.  File extensions are also commonly used to indicate
# content languages and encodings, so choose them carefully.
#
# Internet media types should be registered as described in RFC 4288.
# The registry is at <https://www.iana.org/assignments/media-types/>.
#
# https://svn.apache.org/viewvc/httpd/httpd/trunk/docs/conf/mime.types?revision=1810121&view=co
#
# MIME type (lowercased)   Extensions
# ======================================== ==========
# application/1d-interleaved-parityfec
#
 application/3gpdash-qoe-report+xml
# application/3gpp-ims+xml
# application/a2l
# application/activemessage
# application/alto-costmap+json
# application/alto-costmapfilter+json
# application/alto-directory+json
# application/alto-endpointcost+json
# application/alto-endpointcostparams+json
# application/alto-endpointprop+json
# application/alto-endpointpropparams+json
# application/alto-error+json
# application/alto-networkmap+json
# application/alto-networkmapfilter+json
# application/aml
application/andrew-inset   ez
# application/applefile
application/applixware    aw
# application/atf
# application/atfx
application/atom+xml    atom
application/atomcat+xml    atomcat
# application/atomdeleted+xml
# application/atomicmail
```

application/atomsvc+xml atomsvc
application/atxml
application/auth-policy+xml
application/bacnet-xdd+zip
application/batch-smtp
application/beep+xml
application/calendar+json
application/calendar+xml
application/call-completion
#
application/cals-1840
application/cbor
application/ccmp+xml
application/ccxml+xml ccxml
application/cdfx+xml
application/cdmi-capability cdmia
application/cdmi-container cdmic
application/cdmi-domain cdmid
application/cdmi-object cdmio
application/cdmi-queue cdmiq
application/cdni
application/cea
application/cea-2018+xml
application/cellml+xml
application/cfw
application/cms
application/cnrp+xml
application/coap-group+json
application/commonground
application/conference-info+xml
application/cpl+xml
application/csrattrs
application/csta+xml
application/cstadata+xml
application/csvm+json
application/cu-seeme cu
application/cybercash
application/dash+xml
application/dashdelta
application/davmount+xml davmount
application/dca-rft
application/dcd
application/dec-dx
application/dialog-info+xml
application/dicom
application/dii
application/dit
application/dns

application/docbook+xml dbk
application/dskpp+xml
application/dssc+der dssc
application/dssc+xml xdssc
#
application/dvcs
application/ecmascript ecma
application/edi-consent
application/edi-x12
application/edifact
application/efi
application/emergencycalldata.comment+xml
application/emergencycalldata.deviceinfo+xml
application/emergencycalldata.providerinfo+xml
application/emergencycalldata.serviceinfo+xml
application/emergencycalldata.subscriberinfo+xml
application/emma+xml emma
application/emotionml+xml
application/encaprtp
application/epp+xml
application/epub+zip epub
application/eshop
application/example
application/exi exi
application/fastinfoset
application/fastsoap
application/fdt+xml
application/fits
application/font-tdpfr pfr
application/framework-attributes+xml
application/geo+json
application/gml+xml gml
application/gpx+xml gpx
application/gxf gxf
application/gzip
application/h224
application/held+xml
application/http
application/hyperstudio stk
#
application/ibe-key-request+xml
application/ibe-pkg-reply+xml
application/ibe-pp-data
application/iges
application/im-iscomposing+xml
application/index
application/index.cmd
application/index.obj

```
# application/index.response
# application/index.vnd
application/inkml+xml    ink inkml
# application/iotp
application/ipfix    ipfix
# application/ipp
# application/isup
# application/its+xml
application/java-archive   jar
application/java-serialized-object  ser
application/java-vm    class
application/javascript    js
application/javascript    mjs
# application/jose
# application/jose+json
# application/jrd+json
application/json    json
# application/json-patch+json
# application/json-seq
application/jsonml+json    jsonml
# application/jwk+json
# application/jwk-set+json
# application/jwt
# application/kpml-request+xml
# application/kpml-response+xml
# application/ld+json
# application/lgr+xml
# application/link-format
# application/load-control+xml
application/lost+xml    lostxml
#
 application/lostsync+xml
# application/lxf
application/mac-binhex40   hqx
application/mac-compactpro   cpt
# application/macwriteii
application/mads+xml    mads
application/marc    mrc
application/marcxml+xml    mrcx
application/mathematica    ma nb mb
application/mathml+xml    mathml
# application/mathml-content+xml
# application/mathml-presentation+xml
# application/mbms-associated-procedure-description+xml
# application/mbms-deregister+xml
# application/mbms-envelope+xml
# application/mbms-msk+xml
# application/mbms-msk-response+xml
```

```
# application/mbms-protection-description+xml
# application/mbms-reception-report+xml
# application/mbms-register+xml
# application/mbms-register-response+xml
# application/mbms-schedule+xml
# application/mbms-user-service-description+xml
application/mbox    mbox
# application/media-policy-dataset+xml
# application/media_control+xml
application/mediaservercontrol+xml  mscml
# application/merge-patch+json
application/metalink+xml   metalink
application/metalink4+xml   meta4
application/mets+xml    mets
#
 application/mf4
# application/mikey
application/mods+xml    mods
# application/moss-keys
# application/moss-signature
# application/mosskey-data
# application/mosskey-request
application/mp21    m21 mp21
application/mp4     mp4s
# application/mpeg4-generic
# application/mpeg4-iod
# application/mpeg4-iod-xmt
# application/mrb-consumer+xml
# application/mrb-publish+xml
# application/msc-ivr+xml
# application/msc-mixer+xml
application/msword    doc dot
application/mxf     mxf
# application/nasdata
# application/news-checkgroups
# application/news-groupinfo
# application/news-transmission
# application/nlsml+xml
# application/nss
# application/ocsp-request
# application/ocsp-response
application/octet-stream bin dms lrf mar so dist distz pkg bpk dump elc deploy
application/oda     oda
# application/odx
application/oebps-package+xml   opf
application/ogg     ogx
application/omdoc+xml    omdoc
application/onenote    onetoc
```

onetoc2 onetmp onepkg
application/oxps oxps
application/p2p-overlay+xml
application/parityfec
application/patch-ops-error+xml xer
application/pdf pdf
application/pdx
application/pgp-encrypted pgp
application/pgp-keys
application/pgp-signature asc sig
application/pics-rules prf
application/pidf+xml
application/pidf-diff+xml
application/pkcs10 p10
application/pkcs12
application/pkcs7-mime p7m p7c
application/pkcs7-signature p7s
application/pkcs8 p8
application/pkix-attr-cert ac
application/pkix-cert cer
application/pkix-crl crl
application/pkix-pkipath pkipath
application/pkixcmp pki
application/pls+xml pls
application/poc-settings+xml
application/postscript ai eps ps
application/ppsp-tracker+json
application/problem+json
application/problem+xml
application/provenance+xml
application/prs.alvestrand.titrax-sheet
application/prs.cww cww
application/prs.hpub+zip
application/prs.nprend
application/prs.plucker
#
application/prs.rdf-xml-crypt
application/prs.xsf+xml
application/pskc+xml pskcxml
application/qsig
application/raptorfec
application/rdap+json
application/rdf+xml rdf
application/reginfo+xml rif
application/relax-ng-compact-syntax rnc
application/remote-printing
application/reputon+json
application/resource-lists+xml rl

application/resource-lists-diff+xml rld
application/rfc+xml
application/riscos
application/rlmi+xml
application/rls-services+xml rs
application/rpki-ghostbusters gbr
application/rpki-manifest mft
application/rpki-roa roa
application/rpki-updown
application/rsd+xml rsd
application/rss+xml rss
application/rtf rtf
application/rtploopback
application/rtx
application/samlassertion+xml
application/samlmetadata+xml
application/sbml+xml sbml
application/scaip+xml
application/scim+json
application/scvp-cv-request scq
application/scvp-cv-response scs
application/scvp-vp-request spq
application/scvp-vp-response spp
application/sdp sdp
#
application/sep+xml
application/sep-exi
application/session-info
application/set-payment
application/set-payment-initiation setpay
application/set-registration
application/set-registration-initiation setreg
application/sgml
application/sgml-open-catalog
application/shf+xml shf
application/sieve
application/simple-filter+xml
application/simple-message-summary
application/simplesymbolcontainer
application/slate
application/smil
application/smil+xml smi smil
application/smpte336m
application/soap+fastinfoset
application/soap+xml
application/sparql-query rq
application/sparql-results+xml srx
application/spirits-event+xml

```
# application/sql
application/srgs    gram
application/srgs+xml    grxml
application/sru+xml    sru
application/ssdl+xml    ssdl
application/ssml+xml    ssml
# application/tamp-apex-update
# application/tamp-apex-update-confirm
# application/tamp-community-update
# application/tamp-community-update-confirm
#
 application/tamp-error
# application/tamp-sequence-adjust
# application/tamp-sequence-adjust-confirm
# application/tamp-status-query
# application/tamp-status-response
# application/tamp-update
# application/tamp-update-confirm
application/tei+xml    tei teicorpus
application/thraud+xml    tfi
# application/timestamp-query
# application/timestamp-reply
application/timestamped-data   tsd
# application/ttml+xml
# application/tve-trigger
# application/ulpfec
# application/urc-grpsheet+xml
# application/urc-ressheet+xml
# application/urc-targetdesc+xml
# application/urc-uisocketdesc+xml
# application/vcard+json
# application/vcard+xml
# application/vemmi
# application/vividence.scriptfile
# application/vnd.3gpp-prose+xml
# application/vnd.3gpp-prose-pc3ch+xml
# application/vnd.3gpp.access-transfer-events+xml
# application/vnd.3gpp.bsf+xml
# application/vnd.3gpp.mid-call+xml
application/vnd.3gpp.pic-bw-large  plb
application/vnd.3gpp.pic-bw-small  psb
application/vnd.3gpp.pic-bw-var   pvb
#
 application/vnd.3gpp.sms
# application/vnd.3gpp.sms+xml
# application/vnd.3gpp.srvcc-ext+xml
# application/vnd.3gpp.srvcc-info+xml
# application/vnd.3gpp.state-and-event-info+xml
```

```
# application/vnd.3gpp.ussd+xml
# application/vnd.3gpp2.bcmcsinfo+xml
# application/vnd.3gpp2.sms
application/vnd.3gpp2.tcap   tcap
# application/vnd.3lightssoftware.imagescal
application/vnd.3m.post-it-notes  pwn
application/vnd.accpac.simply.aso  aso
application/vnd.accpac.simply.imp  imp
application/vnd.acucobol   acu
application/vnd.acucorp    atc acutc
application/vnd.adobe.air-application-installer-package+zip air
# application/vnd.adobe.flash.movie
application/vnd.adobe.formscentral.fcdt  fcdt
application/vnd.adobe.fxp   fxp fxpl
# application/vnd.adobe.partial-upload
application/vnd.adobe.xdp+xml   xdp
application/vnd.adobe.xfdf   xfdf
# application/vnd.aether.imp
# application/vnd.ah-barcode
application/vnd.ahead.space   ahead
application/vnd.airzip.filesecure.azf  azf
application/vnd.airzip.filesecure.azs  azs
application/vnd.amazon.ebook   azw
#
 application/vnd.amazon.mobi8-ebook
application/vnd.americandynamics.acc  acc
application/vnd.amiga.ami   ami
# application/vnd.amundsen.maze+xml
application/vnd.android.package-archive  apk
# application/vnd.anki
application/vnd.anser-web-certificate-issue-initiation cii
application/vnd.anser-web-funds-transfer-initiation fti
application/vnd.antix.game-component  atx
# application/vnd.apache.thrift.binary
# application/vnd.apache.thrift.compact
# application/vnd.apache.thrift.json
# application/vnd.api+json
application/vnd.apple.installer+xml  mpkg
application/vnd.apple.mpegurl   m3u8
# application/vnd.arastra.swi
application/vnd.aristanetworks.swi  swi
# application/vnd.artsquare
application/vnd.astraea-software.iota  iota
application/vnd.audiograph   aep
# application/vnd.autopackage
# application/vnd.avistar+xml
# application/vnd.balsamiq.bmml+xml
# application/vnd.balsamiq.bmpr
```

```
# application/vnd.bekitzur-stech+json
# application/vnd.biopax.rdf+xml
application/vnd.blueice.multipass  mpm
#
 application/vnd.bluetooth.ep.oob
# application/vnd.bluetooth.le.oob
application/vnd.bmi    bmi
application/vnd.businessobjects   rep
# application/vnd.cab-jscript
# application/vnd.canon-cpdl
# application/vnd.canon-lips
# application/vnd.cendio.thinlinc.clientconf
# application/vnd.century-systems.tcp_stream
application/vnd.chemdraw+xml   cdxml
# application/vnd.chess-pgn
application/vnd.chipnuts.karaoke-mmd  mmd
application/vnd.cinderella   cdy
# application/vnd.cirpack.isdn-ext
# application/vnd.citationstyles.style+xml
application/vnd.claymore   cla
application/vnd.cloanto.rp9   rp9
application/vnd.clonk.c4group   c4g c4d c4f c4p c4u
application/vnd.cluetrust.cartomobile-config  c11amc
application/vnd.cluetrust.cartomobile-config-pkg c11amz
# application/vnd.coffeescript
# application/vnd.collection+json
# application/vnd.collection.doc+json
# application/vnd.collection.next+json
# application/vnd.comicbook+zip
#
 application/vnd.commerce-battelle
application/vnd.commonspace   csp
application/vnd.contact.cmsg   cdbcmsg
# application/vnd.coreos.ignition+json
application/vnd.cosmocaller   cmc
application/vnd.crick.clicker   clkx
application/vnd.crick.clicker.keyboard  clkk
application/vnd.crick.clicker.palette  clkp
application/vnd.crick.clicker.template  clkt
application/vnd.crick.clicker.wordbank  clkw
application/vnd.criticaltools.wbs+xml  wbs
application/vnd.ctc-posml   pml
# application/vnd.ctct.ws+xml
# application/vnd.cups-pdf
# application/vnd.cups-postscript
application/vnd.cups-ppd   ppd
# application/vnd.cups-raster
# application/vnd.cups-raw
```

```
# application/vnd.curl
application/vnd.curl.car   car
application/vnd.curl.pcurl   pcurl
# application/vnd.cyan.dean.root+xml
# application/vnd.cybank
application/vnd.dart    dart
application/vnd.data-vision.rdz   rdz
# application/vnd.debian.binary-package
application/vnd.dece.data   uvf uvvf uvd uvvd
application/vnd.dece.ttml+xml   uvt uvvt
application/vnd.dece.unspecified  uvx
 uvvx
application/vnd.dece.zip   uvz uvvz
application/vnd.denovo.fcselayout-link  fe_launch
# application/vnd.desmume.movie
# application/vnd.dir-bi.plate-dl-nosuffix
# application/vnd.dm.delegation+xml
application/vnd.dna    dna
# application/vnd.document+json
application/vnd.dolby.mlp   mlp
# application/vnd.dolby.mobile.1
# application/vnd.dolby.mobile.2
# application/vnd.doremir.scorecloud-binary-document
application/vnd.dpgraph    dpg
application/vnd.dreamfactory   dfac
# application/vnd.drive+json
application/vnd.ds-keypoint   kpxx
# application/vnd.dtg.local
# application/vnd.dtg.local.flash
# application/vnd.dtg.local.html
application/vnd.dvb.ait    ait
# application/vnd.dvb.dvbj
# application/vnd.dvb.esgcontainer
# application/vnd.dvb.ipdcdftnotifaccess
# application/vnd.dvb.ipdcesgaccess
# application/vnd.dvb.ipdcesgaccess2
# application/vnd.dvb.ipdcesgpdd
# application/vnd.dvb.ipdcroaming
# application/vnd.dvb.iptv.alfec-base
# application/vnd.dvb.iptv.alfec-enhancement
#
 application/vnd.dvb.notif-aggregate-root+xml
# application/vnd.dvb.notif-container+xml
# application/vnd.dvb.notif-generic+xml
# application/vnd.dvb.notif-ia-msglist+xml
# application/vnd.dvb.notif-ia-registration-request+xml
# application/vnd.dvb.notif-ia-registration-response+xml
# application/vnd.dvb.notif-init+xml
```

```
# application/vnd.dvb.pfr
application/vnd.dvb.service   svc
# application/vnd.dxr
application/vnd.dynageo    geo
# application/vnd.dzr
# application/vnd.easykaraoke.cdgdownload
# application/vnd.ecdis-update
application/vnd.ecowin.chart   mag
# application/vnd.ecowin.filerequest
# application/vnd.ecowin.fileupdate
# application/vnd.ecowin.series
# application/vnd.ecowin.seriesrequest
# application/vnd.ecowin.seriesupdate
# application/vnd.emclient.accessrequest+xml
application/vnd.enliven    nml
# application/vnd.enphase.envoy
# application/vnd.eprints.data+xml
application/vnd.epson.esf   esf
application/vnd.epson.msf   msf
application/vnd.epson.quickanime  qam
application/vnd.epson.salt   slt
application/vnd.epson.ssf   ssf
#
 application/vnd.ericsson.quickcall
application/vnd.eszigno3+xml   es3 et3
# application/vnd.etsi.aoc+xml
# application/vnd.etsi.asic-e+zip
# application/vnd.etsi.asic-s+zip
# application/vnd.etsi.cug+xml
# application/vnd.etsi.iptvcommand+xml
# application/vnd.etsi.iptvdiscovery+xml
# application/vnd.etsi.iptvprofile+xml
# application/vnd.etsi.iptvsad-bc+xml
# application/vnd.etsi.iptvsad-cod+xml
# application/vnd.etsi.iptvsad-npvr+xml
# application/vnd.etsi.iptvservice+xml
# application/vnd.etsi.iptvsync+xml
# application/vnd.etsi.iptvueprofile+xml
# application/vnd.etsi.mcid+xml
# application/vnd.etsi.mheg5
# application/vnd.etsi.overload-control-policy-dataset+xml
# application/vnd.etsi.pstn+xml
# application/vnd.etsi.sci+xml
# application/vnd.etsi.simservs+xml
# application/vnd.etsi.timestamp-token
# application/vnd.etsi.tsl+xml
# application/vnd.etsi.tsl.der
# application/vnd.eudora.data
```

```
application/vnd.ezpix-album   ez2
application/vnd.ezpix-package   ez3
#
 application/vnd.f-secure.mobile
# application/vnd.fastcopy-disk-image
application/vnd.fdf    fdf
application/vnd.fdsn.mseed   mseed
application/vnd.fdsn.seed   seed dataless
# application/vnd.ffsns
# application/vnd.filmit.zfc
# application/vnd.fints
# application/vnd.firemonkeys.cloudcell
application/vnd.flographit   gph
application/vnd.fluxtime.clip   ftc
# application/vnd.font-fontforge-sfd
application/vnd.framemaker   fm frame maker book
application/vnd.frogans.fnc   fnc
application/vnd.frogans.ltf   ltf
application/vnd.fsc.weblaunch   fsc
application/vnd.fujitsu.oasys   oas
application/vnd.fujitsu.oasys2   oa2
application/vnd.fujitsu.oasys3   oa3
application/vnd.fujitsu.oasysgp   fg5
application/vnd.fujitsu.oasysprs  bh2
# application/vnd.fujixerox.art-ex
# application/vnd.fujixerox.art4
application/vnd.fujixerox.ddd   ddd
application/vnd.fujixerox.docuworks  xdw
application/vnd.fujixerox.docuworks.binder xbd
# application/vnd.fujixerox.docuworks.container
#
 application/vnd.fujixerox.hbpl
# application/vnd.fut-misnet
application/vnd.fuzzysheet   fzs
application/vnd.genomatix.tuxedo  txd
# application/vnd.geo+json
# application/vnd.geocube+xml
application/vnd.geogebra.file   ggb
application/vnd.geogebra.tool   ggt
application/vnd.geometry-explorer  gex gre
application/vnd.geonext    gxt
application/vnd.geoplan    g2w
application/vnd.geospace   g3w
# application/vnd.gerber
# application/vnd.globalplatform.card-content-mgt
# application/vnd.globalplatform.card-content-mgt-response
application/vnd.gmx    gmx
application/vnd.google-earth.kml+xml  kml
```

application/vnd.google-earth.kmz kmz
application/vnd.gov.sk.e-form+xml
application/vnd.gov.sk.e-form+zip
application/vnd.gov.sk.xmldatacontainer+xml
application/vnd.grafeq gqf gqs
application/vnd.gridmp
application/vnd.groove-account gac
application/vnd.groove-help ghf
application/vnd.groove-identity-message gim
application/vnd.groove-injector grv
application/vnd.groove-tool-message gtm
application/vnd.groove-tool-template tpl
application/vnd.groove-vcard vcg
#
application/vnd.hal+json
application/vnd.hal+xml hal
application/vnd.handheld-entertainment+xml zmm
application/vnd.hbci hbci
application/vnd.hcl-bireports
application/vnd.hdt
application/vnd.heroku+json
application/vnd.hhe.lesson-player les
application/vnd.hp-hpgl hpgl
application/vnd.hp-hpid hpid
application/vnd.hp-hps hps
application/vnd.hp-jlyt jlt
application/vnd.hp-pcl pcl
application/vnd.hp-pclxl pclxl
application/vnd.httphone
application/vnd.hydrostatix.sof-data sfd-hdstx
application/vnd.hyperdrive+json
application/vnd.hzn-3d-crossword
application/vnd.ibm.afplinedata
application/vnd.ibm.electronic-media
application/vnd.ibm.minipay mpy
application/vnd.ibm.modcap afp listafp list3820
application/vnd.ibm.rights-management irm
application/vnd.ibm.secure-container sc
application/vnd.iccprofile icc icm
#
application/vnd.ieee.1905
application/vnd.igloader igl
application/vnd.immervision-ivp ivp
application/vnd.immervision-ivu ivu
application/vnd.ims.imsccv1p1
application/vnd.ims.imsccv1p2
application/vnd.ims.imsccv1p3
application/vnd.ims.lis.v2.result+json

```
# application/vnd.ims.lti.v2.toolconsumerprofile+json
# application/vnd.ims.lti.v2.toolproxy+json
# application/vnd.ims.lti.v2.toolproxy.id+json
# application/vnd.ims.lti.v2.toolsettings+json
# application/vnd.ims.lti.v2.toolsettings.simple+json
# application/vnd.informedcontrol.rms+xml
# application/vnd.informix-visionary
# application/vnd.infotech.project
# application/vnd.infotech.project+xml
# application/vnd.innopath.wamp.notification
application/vnd.insors.igm   igm
application/vnd.intercon.formnet  xpw xpx
application/vnd.intergeo   i2g
# application/vnd.intertrust.digibox
# application/vnd.intertrust.nncp
application/vnd.intu.qbo   qbo
application/vnd.intu.qfx   qfx
# application/vnd.iptc.g2.catalogitem+xml
# application/vnd.iptc.g2.conceptitem+xml
#
 application/vnd.iptc.g2.knowledgeitem+xml
# application/vnd.iptc.g2.newsitem+xml
# application/vnd.iptc.g2.newsmessage+xml
# application/vnd.iptc.g2.packageitem+xml
# application/vnd.iptc.g2.planningitem+xml
application/vnd.ipunplugged.rcprofile  rcprofile
application/vnd.irepository.package+xml  irp
application/vnd.is-xpr    xpr
application/vnd.isac.fcs   fcs
application/vnd.jam    jam
# application/vnd.japannet-directory-service
# application/vnd.japannet-jpnstore-wakeup
# application/vnd.japannet-payment-wakeup
# application/vnd.japannet-registration
# application/vnd.japannet-registration-wakeup
# application/vnd.japannet-setstore-wakeup
# application/vnd.japannet-verification
# application/vnd.japannet-verification-wakeup
application/vnd.jcp.javame.midlet-rms  rms
application/vnd.jisp    jisp
application/vnd.joost.joda-archive  joda
# application/vnd.jsk.isdn-ngn
application/vnd.kahootz    ktz ktr
application/vnd.kde.karbon   karbon
application/vnd.kde.kchart   chrt
application/vnd.kde.kformula   kfo
application/vnd.kde.kivio   flw
application/vnd.kde.kontour   kon
```

application/vnd.kde.kpresenter kpr
kpt
application/vnd.kde.kspread ksp
application/vnd.kde.kword kwd kwt
application/vnd.kenameaapp htke
application/vnd.kidspiration kia
application/vnd.kinar kne knp
application/vnd.koan skp skd skt skm
application/vnd.kodak-descriptor sse
application/vnd.las.las+xml lasxml
application/vnd.liberty-request+xml
application/vnd.llamagraphics.life-balance.desktop lbd
application/vnd.llamagraphics.life-balance.exchange+xml lbe
application/vnd.lotus-1-2-3 123
application/vnd.lotus-approach apr
application/vnd.lotus-freelance pre
application/vnd.lotus-notes nsf
application/vnd.lotus-organizer org
application/vnd.lotus-screencam scm
application/vnd.lotus-wordpro lwp
application/vnd.macports.portpkg portpkg
application/vnd.mapbox-vector-tile
application/vnd.marlin.drm.actiontoken+xml
application/vnd.marlin.drm.conftoken+xml
#
application/vnd.marlin.drm.license+xml
application/vnd.marlin.drm.mdcf
application/vnd.mason+json
application/vnd.maxmind.maxmind-db
application/vnd.mcd mcd
application/vnd.medcalcdata mc1
application/vnd.mediastation.cdkey cdkey
application/vnd.meridian-slingshot
application/vnd.mfer mwf
application/vnd.mfmp mfm
application/vnd.micro+json
application/vnd.micrografx.flo flo
application/vnd.micrografx.igx igx
application/vnd.microsoft.portable-executable
application/vnd.miele+json
application/vnd.mif mif
application/vnd.minisoft-hp3000-save
application/vnd.mitsubishi.misty-guard.trustweb
application/vnd.mobius.daf daf
application/vnd.mobius.dis dis
application/vnd.mobius.mbk mbk
application/vnd.mobius.mqy mqy
application/vnd.mobius.msl msl

application/vnd.mobius.plc plc
application/vnd.mobius.txf txf
application/vnd.mophun.application mpn
application/vnd.mophun.certificate mpc
application/vnd.motorola.flexsuite
#
application/vnd.motorola.flexsuite.adsi
application/vnd.motorola.flexsuite.fis
application/vnd.motorola.flexsuite.gotap
application/vnd.motorola.flexsuite.kmr
application/vnd.motorola.flexsuite.ttc
application/vnd.motorola.flexsuite.wem
application/vnd.motorola.iprm
application/vnd.mozilla.xul+xml xul
application/vnd.ms-3mfdocument
application/vnd.ms-artgalry cil
application/vnd.ms-asf
application/vnd.ms-cab-compressed cab
application/vnd.ms-color.iccprofile
application/vnd.ms-excel xls xlm xla xlc xlt xlw
application/vnd.ms-excel.addin.macroenabled.12 xlam
application/vnd.ms-excel.sheet.binary.macroenabled.12 xlsb
application/vnd.ms-excel.sheet.macroenabled.12 xlsm
application/vnd.ms-excel.template.macroenabled.12 xltm
application/vnd.ms-fontobject eot
application/vnd.ms-htmlhelp chm
application/vnd.ms-ims ims
application/vnd.ms-lrm lrm
application/vnd.ms-office.activex+xml
application/vnd.ms-officetheme thmx
application/vnd.ms-opentype
#
application/vnd.ms-package.obfuscated-opentype
application/vnd.ms-pki.seccat cat
application/vnd.ms-pki.stl stl
application/vnd.ms-playready.initiator+xml
application/vnd.ms-powerpoint ppt pps pot
application/vnd.ms-powerpoint.addin.macroenabled.12 ppam
application/vnd.ms-powerpoint.presentation.macroenabled.12 pptm
application/vnd.ms-powerpoint.slide.macroenabled.12 sldm
application/vnd.ms-powerpoint.slideshow.macroenabled.12 ppsm
application/vnd.ms-powerpoint.template.macroenabled.12 potm
application/vnd.ms-printdevicecapabilities+xml
application/vnd.ms-printing.printticket+xml
application/vnd.ms-printschematicket+xml
application/vnd.ms-project mpp mpt
application/vnd.ms-tnef
application/vnd.ms-windows.devicepairing

```
# application/vnd.ms-windows.nwprinting.oob
# application/vnd.ms-windows.printerpairing
# application/vnd.ms-windows.wsd.oob
# application/vnd.ms-wmdrm.lic-chlg-req
# application/vnd.ms-wmdrm.lic-resp
# application/vnd.ms-wmdrm.meter-chlg-req
#
 application/vnd.ms-wmdrm.meter-resp
application/vnd.ms-word.document.macroenabled.12 docm
application/vnd.ms-word.template.macroenabled.12 dotm
application/vnd.ms-works   wps wks wcm wdb
application/vnd.ms-wpl    wpl
application/vnd.ms-xpsdocument   xps
# application/vnd.msa-disk-image
application/vnd.mseq    mseq
# application/vnd.msign
# application/vnd.multiad.creator
# application/vnd.multiad.creator.cif
# application/vnd.music-niff
application/vnd.musician   mus
application/vnd.muvee.style   msty
application/vnd.mynfc    taglet
# application/vnd.ncd.control
# application/vnd.ncd.reference
# application/vnd.nervana
# application/vnd.netfpx
application/vnd.neurolanguage.nlu  nlu
# application/vnd.nintendo.nitro.rom
# application/vnd.nintendo.snes.rom
application/vnd.nitf    ntf nitf
application/vnd.noblenet-directory  nnd
application/vnd.noblenet-sealer   nns
application/vnd.noblenet-web   nnw
# application/vnd.nokia.catalogs
# application/vnd.nokia.conml+wbxml
# application/vnd.nokia.conml+xml
#
 application/vnd.nokia.iptv.config+xml
# application/vnd.nokia.isds-radio-presets
# application/vnd.nokia.landmark+wbxml
# application/vnd.nokia.landmark+xml
# application/vnd.nokia.landmarkcollection+xml
# application/vnd.nokia.n-gage.ac+xml
application/vnd.nokia.n-gage.data  ngdat
application/vnd.nokia.n-gage.symbian.install n-gage
# application/vnd.nokia.ncd
# application/vnd.nokia.pcd+wbxml
# application/vnd.nokia.pcd+xml
```

application/vnd.nokia.radio-preset rpst
application/vnd.nokia.radio-presets rpss
application/vnd.novadigm.edm edm
application/vnd.novadigm.edx edx
application/vnd.novadigm.ext ext
application/vnd.ntt-local.content-share
application/vnd.ntt-local.file-transfer
application/vnd.ntt-local.ogw_remote-access
application/vnd.ntt-local.sip-ta_remote
application/vnd.ntt-local.sip-ta_tcp_stream
application/vnd.oasis.opendocument.chart odc
application/vnd.oasis.opendocument.chart-template otc
application/vnd.oasis.opendocument.database odb
application/vnd.oasis.opendocument.formula odf
application/vnd.oasis.opendocument.formula-template odft
application/vnd.oasis.opendocument.graphics odg
application/vnd.oasis.opendocument.graphics-template otg
application/vnd.oasis.opendocument.image odi
application/vnd.oasis.opendocument.image-template oti
application/vnd.oasis.opendocument.presentation odp
application/vnd.oasis.opendocument.presentation-template otp
application/vnd.oasis.opendocument.spreadsheet ods
application/vnd.oasis.opendocument.spreadsheet-template ots
application/vnd.oasis.opendocument.text odt
application/vnd.oasis.opendocument.text-master odm
application/vnd.oasis.opendocument.text-template ott
application/vnd.oasis.opendocument.text-web oth
#
 application/vnd.obn
application/vnd.oftn.l10n+json
application/vnd.oipf.contentaccessdownload+xml
application/vnd.oipf.contentaccessstreaming+xml
application/vnd.oipf.cspg-hexbinary
application/vnd.oipf.dae.svg+xml
application/vnd.oipf.dae.xhtml+xml
#
 application/vnd.oipf.mippvcontrolmessage+xml
application/vnd.oipf.pae.gem
application/vnd.oipf.spdiscovery+xml
application/vnd.oipf.spdlist+xml
application/vnd.oipf.ueprofile+xml
application/vnd.oipf.userprofile+xml
application/vnd.olpc-sugar xo
application/vnd.oma-scws-config
application/vnd.oma-scws-http-request
application/vnd.oma-scws-http-response
application/vnd.oma.bcast.associated-procedure-parameter+xml
application/vnd.oma.bcast.drm-trigger+xml

application/vnd.oma.bcast.imd+xml
application/vnd.oma.bcast.ltkm
application/vnd.oma.bcast.notification+xml
application/vnd.oma.bcast.provisioningtrigger
application/vnd.oma.bcast.sgboot
application/vnd.oma.bcast.sgdd+xml
application/vnd.oma.bcast.sgdu
application/vnd.oma.bcast.simple-symbol-container
application/vnd.oma.bcast.smartcard-trigger+xml
application/vnd.oma.bcast.sprov+xml
application/vnd.oma.bcast.stkm
application/vnd.oma.cab-address-book+xml
application/vnd.oma.cab-feature-handler+xml
#
application/vnd.oma.cab-pcc+xml
application/vnd.oma.cab-subs-invite+xml
application/vnd.oma.cab-user-prefs+xml
application/vnd.oma.dcd
application/vnd.oma.dcdc
application/vnd.oma.dd2+xml dd2
application/vnd.oma.drm.risd+xml
application/vnd.oma.group-usage-list+xml
application/vnd.oma.lwm2m+json
application/vnd.oma.lwm2m+tlv
application/vnd.oma.pal+xml
application/vnd.oma.poc.detailed-progress-report+xml
application/vnd.oma.poc.final-report+xml
application/vnd.oma.poc.groups+xml
application/vnd.oma.poc.invocation-descriptor+xml
application/vnd.oma.poc.optimized-progress-report+xml
application/vnd.oma.push
application/vnd.oma.scidm.messages+xml
application/vnd.oma.xcap-directory+xml
application/vnd.omads-email+xml
application/vnd.omads-file+xml
application/vnd.omads-folder+xml
application/vnd.omaloc-supl-init
application/vnd.onepager
application/vnd.openblox.game+xml
application/vnd.openblox.game-binary
application/vnd.openeye.oeb
application/vnd.openofficeorg.extension oxt
#
application/vnd.openxmlformats-officedocument.custom-properties+xml
application/vnd.openxmlformats-officedocument.customxmlproperties+xml
application/vnd.openxmlformats-officedocument.drawing+xml
application/vnd.openxmlformats-officedocument.drawingml.chart+xml
application/vnd.openxmlformats-officedocument.drawingml.chartshapes+xml

application/vnd.openxmlformats-officedocument.drawingml.diagramcolors+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramdata+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramlayout+xml
application/vnd.openxmlformats-officedocument.drawingml.diagramstyle+xml
application/vnd.openxmlformats-officedocument.extended-properties+xml
application/vnd.openxmlformats-officedocument.presentationml.commentauthors+xml
application/vnd.openxmlformats-officedocument.presentationml.comments+xml
application/vnd.openxmlformats-officedocument.presentationml.handoutmaster+xml
#
application/vnd.openxmlformats-officedocument.presentationml.notesmaster+xml
application/vnd.openxmlformats-officedocument.presentationml.notesslide+xml
application/vnd.openxmlformats-officedocument.presentationml.presentation pptx
application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml
application/vnd.openxmlformats-officedocument.presentationml.presprops+xml
application/vnd.openxmlformats-officedocument.presentationml.slide sldx
application/vnd.openxmlformats-officedocument.presentationml.slide+xml
application/vnd.openxmlformats-officedocument.presentationml.slidelayout+xml
application/vnd.openxmlformats-officedocument.presentationml.slidemaster+xml
application/vnd.openxmlformats-officedocument.presentationml.slideshow ppsx
application/vnd.openxmlformats-officedocument.presentationml.slideshow.main+xml
application/vnd.openxmlformats-officedocument.presentationml.slideupdateinfo+xml
application/vnd.openxmlformats-officedocument.presentationml.tablestyles+xml
#
application/vnd.openxmlformats-officedocument.presentationml.tags+xml
application/vnd.openxmlformats-officedocument.presentationml.template potx
application/vnd.openxmlformats-officedocument.presentationml.template.main+xml
application/vnd.openxmlformats-officedocument.presentationml.viewprops+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.calcchain+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.chartsheet+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.comments+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.connections+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.dialogsheet+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.externallink+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcachedefinition+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivotcacherecords+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.pivottable+xml
#
application/vnd.openxmlformats-officedocument.spreadsheetml.querytable+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.revisionheaders+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.revisionlog+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sharedstrings+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet xlsx
application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.sheetmetadata+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.styles+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.table+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.tablesinglecells+xml
application/vnd.openxmlformats-officedocument.spreadsheetml.template xltx

```
# application/vnd.openxmlformats-officedocument.spreadsheetml.template.main+xml
# application/vnd.openxmlformats-officedocument.spreadsheetml.usernames+xml
#
 application/vnd.openxmlformats-officedocument.spreadsheetml.volatiledependencies+xml
# application/vnd.openxmlformats-officedocument.spreadsheetml.worksheet+xml
# application/vnd.openxmlformats-officedocument.theme+xml
# application/vnd.openxmlformats-officedocument.themeoverride+xml
# application/vnd.openxmlformats-officedocument.vmldrawing
# application/vnd.openxmlformats-officedocument.wordprocessingml.comments+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.document docx
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.glossary+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.document.main+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.endnotes+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.fonttable+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.footer+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.footnotes+xml
#
 application/vnd.openxmlformats-officedocument.wordprocessingml.numbering+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.settings+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.styles+xml
application/vnd.openxmlformats-officedocument.wordprocessingml.template dotx
# application/vnd.openxmlformats-officedocument.wordprocessingml.template.main+xml
# application/vnd.openxmlformats-officedocument.wordprocessingml.websettings+xml
# application/vnd.openxmlformats-package.core-properties+xml
# application/vnd.openxmlformats-package.digital-signature-xmlsignature+xml
# application/vnd.openxmlformats-package.relationships+xml
# application/vnd.oracle.resource+json
# application/vnd.orange.indata
# application/vnd.osa.netdeploy
application/vnd.osgeo.mapguide.package  mgp
# application/vnd.osgi.bundle
application/vnd.osgi.dp    dp
application/vnd.osgi.subsystem   esa
# application/vnd.otps.ct-kip+xml
# application/vnd.oxli.countgraph
#
 application/vnd.pagerduty+json
application/vnd.palm    pdb pqa oprc
# application/vnd.panoply
# application/vnd.paos.xml
application/vnd.pawaafile   paw
# application/vnd.pcos
application/vnd.pg.format   str
application/vnd.pg.osasli   ei6
# application/vnd.piaccess.application-licence
application/vnd.picsel    efif
application/vnd.pmi.widget   wg
# application/vnd.poc.group-advertisement+xml
```

application/vnd.pocketlearn plf
application/vnd.powerbuilder6 pbd
application/vnd.powerbuilder6-s
application/vnd.powerbuilder7
application/vnd.powerbuilder7-s
application/vnd.powerbuilder75
application/vnd.powerbuilder75-s
application/vnd.preminet
application/vnd.previewsystems.box box
application/vnd.proteus.magazine mgz
application/vnd.publishare-delta-tree qps
application/vnd.pvi.ptid1 ptid
application/vnd.pwg-multiplexed
application/vnd.pwg-xhtml-print+xml
application/vnd.qualcomm.brew-app-res
application/vnd.quarantainenet
application/vnd.quark.quarkxpress qxd
qxt qwd qwt qxl qxb
application/vnd.quobject-quoxdocument
application/vnd.radisys.moml+xml
application/vnd.radisys.msml+xml
application/vnd.radisys.msml-audit+xml
application/vnd.radisys.msml-audit-conf+xml
application/vnd.radisys.msml-audit-conn+xml
application/vnd.radisys.msml-audit-dialog+xml
application/vnd.radisys.msml-audit-stream+xml
application/vnd.radisys.msml-conf+xml
application/vnd.radisys.msml-dialog+xml
application/vnd.radisys.msml-dialog-base+xml
application/vnd.radisys.msml-dialog-fax-detect+xml
application/vnd.radisys.msml-dialog-fax-sendrecv+xml
application/vnd.radisys.msml-dialog-group+xml
application/vnd.radisys.msml-dialog-speech+xml
application/vnd.radisys.msml-dialog-transform+xml
application/vnd.rainstor.data
application/vnd.rapid
application/vnd.rar
application/vnd.realvnc.bed bed
application/vnd.recordare.musicxml mxl
application/vnd.recordare.musicxml+xml musicxml
application/vnd.renlearn.rlprint
application/vnd.rig.cryptonote cryptonote
application/vnd.rim.cod cod
application/vnd.rn-realmedia rm
application/vnd.rn-realmedia-vbr rmvb
application/vnd.route66.link66+xml link66
#

application/vnd.rs-274x
application/vnd.ruckus.download
application/vnd.s3sms
application/vnd.sailingtracker.track st
application/vnd.sbm.cid
application/vnd.sbm.mid2
application/vnd.scribus
application/vnd.sealed.3df
application/vnd.sealed.csf
application/vnd.sealed.doc
application/vnd.sealed.eml
application/vnd.sealed.mht
application/vnd.sealed.net
application/vnd.sealed.ppt
application/vnd.sealed.tiff
application/vnd.sealed.xls
application/vnd.sealedmedia.softseal.html
application/vnd.sealedmedia.softseal.pdf
application/vnd.seemail see
application/vnd.sema sema
application/vnd.semd semd
application/vnd.semf semf
application/vnd.shana.informed.formdata ifm
application/vnd.shana.informed.formtemplate itp
application/vnd.shana.informed.interchange iif
application/vnd.shana.informed.package ipk
application/vnd.simtech-mindmapper twd
twds
application/vnd.siren+json
application/vnd.smaf mmf
application/vnd.smart.notebook
application/vnd.smart.teacher teacher
application/vnd.software602.filler.form+xml
application/vnd.software602.filler.form-xml-zip
application/vnd.solent.sdkm+xml sdkm sdkd
application/vnd.spotfire.dxp dxp
application/vnd.spotfire.sfs sfs
application/vnd.sss-cod
application/vnd.sss-dtf
application/vnd.sss-ntf
application/vnd.stardivision.calc sdc
application/vnd.stardivision.draw sda
application/vnd.stardivision.impress sdd
application/vnd.stardivision.math smf
application/vnd.stardivision.writer sdw vor
application/vnd.stardivision.writer-global sgl
application/vnd.stepmania.package smzip
application/vnd.stepmania.stepchart sm

```
# application/vnd.street-stream
# application/vnd.sun.wadl+xml
application/vnd.sun.xml.calc   sxc
application/vnd.sun.xml.calc.template  stc
application/vnd.sun.xml.draw   sxd
application/vnd.sun.xml.draw.template  std
application/vnd.sun.xml.impress   sxi
application/vnd.sun.xml.impress.template sti
application/vnd.sun.xml.math   sxm
application/vnd.sun.xml.writer   sxw
application/vnd.sun.xml.writer.global  sxg
application/vnd.sun.xml.writer.template  stw
application/vnd.sus-calendar   sus
 susp
application/vnd.svd    svd
# application/vnd.swiftview-ics
application/vnd.symbian.install   sis sisx
application/vnd.syncml+xml   xsm
application/vnd.syncml.dm+wbxml   bdm
application/vnd.syncml.dm+xml   xdm
# application/vnd.syncml.dm.notification
# application/vnd.syncml.dmddf+wbxml
# application/vnd.syncml.dmddf+xml
# application/vnd.syncml.dmtnds+wbxml
# application/vnd.syncml.dmtnds+xml
# application/vnd.syncml.ds.notification
application/vnd.tao.intent-module-archive tao
application/vnd.tcpdump.pcap   pcap cap dmp
# application/vnd.tmd.mediaflex.api+xml
# application/vnd.tml
application/vnd.tmobile-livetv   tmo
application/vnd.trid.tpt   tpt
application/vnd.triscape.mxs   mxs
application/vnd.trueapp    tra
#
 application/vnd.truedoc
# application/vnd.ubisoft.webplayer
application/vnd.ufdl    ufd ufdl
application/vnd.uiq.theme   utz
application/vnd.umajin    umj
application/vnd.unity    unityweb
application/vnd.uoml+xml   uoml
# application/vnd.uplanet.alert
# application/vnd.uplanet.alert-wbxml
# application/vnd.uplanet.bearer-choice
# application/vnd.uplanet.bearer-choice-wbxml
# application/vnd.uplanet.cacheop
# application/vnd.uplanet.cacheop-wbxml
```

```
# application/vnd.uplanet.channel
# application/vnd.uplanet.channel-wbxml
# application/vnd.uplanet.list
# application/vnd.uplanet.list-wbxml
# application/vnd.uplanet.listcmd
# application/vnd.uplanet.listcmd-wbxml
# application/vnd.uplanet.signal
# application/vnd.uri-map
# application/vnd.valve.source.material
application/vnd.vcx    vcx
# application/vnd.vd-study
# application/vnd.vectorworks
# application/vnd.vel+json
# application/vnd.verimatrix.vcas
# application/vnd.vidsoft.vidconference
application/vnd.visio    vsd
 vst vss vsw
application/vnd.visionary   vis
# application/vnd.vividence.scriptfile
application/vnd.vsf    vsf
# application/vnd.wap.sic
# application/vnd.wap.slc
application/vnd.wap.wbxml   wbxml
application/vnd.wap.wmlc   wmlc
application/vnd.wap.wmlscriptc   wmlsc
application/vnd.webturbo   wtb
# application/vnd.wfa.p2p
# application/vnd.wfa.wsc
# application/vnd.windows.devicepairing
# application/vnd.wmc
# application/vnd.wmf.bootstrap
# application/vnd.wolfram.mathematica
# application/vnd.wolfram.mathematica.package
application/vnd.wolfram.player   nbp
application/vnd.wordperfect   wpd
application/vnd.wqd    wqd
# application/vnd.wrq-hp3000-labelled
application/vnd.wt.stf    stf
# application/vnd.wv.csp+wbxml
# application/vnd.wv.csp+xml
# application/vnd.wv.ssp+xml
# application/vnd.xacml+json
application/vnd.xara    xar
application/vnd.xfdl    xfdl
# application/vnd.xfdl.webform
# application/vnd.xmi+xml
# application/vnd.xmpie.cpkg
#
```

application/vnd.xmpie.dpkg
application/vnd.xmpie.plan
application/vnd.xmpie.ppkg
application/vnd.xmpie.xlim
application/vnd.yamaha.hv-dic hvd
application/vnd.yamaha.hv-script hvs
application/vnd.yamaha.hv-voice hvp
application/vnd.yamaha.openscoreformat osf
application/vnd.yamaha.openscoreformat.osfpvg+xml osfpvg
application/vnd.yamaha.remote-setup
application/vnd.yamaha.smaf-audio saf
application/vnd.yamaha.smaf-phrase spf
application/vnd.yamaha.through-ngn
application/vnd.yamaha.tunnel-udpencap
application/vnd.yaoweme
application/vnd.yellowriver-custom-menu cmp
application/vnd.zul zir zirz
application/vnd.zzazz.deck+xml zaz
application/voicexml+xml vxml
application/vq-rtcpxr
application/watcherinfo+xml
application/whoispp-query
application/whoispp-response
application/widget wgt
application/winhlp hlp
application/wita
application/wordperfect5.1
application/wsdl+xml wsdl
application/wspolicy+xml wspolicy
application/x-7z-compressed 7z
application/x-abiword abw
application/x-ace-compressed ace
#
application/x-amf
application/x-apple-diskimage dmg
application/x-authorware-bin aab x32 u32 vox
application/x-authorware-map aam
application/x-authorware-seg aas
application/x-bcpio bcpio
application/x-bittorrent torrent
application/x-blorb blb blorb
application/x-bzip bz
application/x-bzip2 bz2 boz
application/x-cbr cbr cba cbt cbz cb7
application/x-cdlink vcd
application/x-cfs-compressed cfs
application/x-chat chat
application/x-chess-pgn pgn

```
# application/x-compress
application/x-conference   nsc
application/x-cpio    cpio
application/x-csh    csh
application/x-debian-package   deb udeb
application/x-dgc-compressed   dgc
application/x-director   dir dcr dxr cst cct cxt w3d fgd swa
application/x-doom    wad
application/x-dtbncx+xml   ncx
application/x-dtbook+xml   dtb
application/x-dtbresource+xml   res
application/x-dvi    dvi
application/x-envoy    evy
application/x-eva    eva
application/x-font-bdf    bdf
#
 application/x-font-dos
# application/x-font-framemaker
application/x-font-ghostscript   gsf
# application/x-font-libgrx
application/x-font-linux-psf   psf
application/x-font-pcf    pcf
application/x-font-snf    snf
# application/x-font-speedo
# application/x-font-sunos-news
application/x-font-type1   pfa pfb pfm afm
# application/x-font-vfont
application/x-freearc    arc
application/x-futuresplash   spl
application/x-gca-compressed   gca
application/x-glulx    ulx
application/x-gnumeric    gnumeric
application/x-gramps-xml   gramps
application/x-gtar    gtar
# application/x-gzip
application/x-hdf    hdf
application/x-install-instructions  install
application/x-iso9660-image   iso
application/x-java-jnlp-file   jnlp
application/x-latex    latex
application/x-lzh-compressed   lzh lha
application/x-mie    mie
application/x-mobipocket-ebook   prc mobi
application/x-ms-application   application
application/x-ms-shortcut   lnk
application/x-ms-wmd    wmd
application/x-ms-wmz    wmz
application/x-ms-xbap    xbap
```

application/x-msaccess mdb
application/x-msbinder obd
application/x-mscardfile crd
application/x-msclip clp
application/x-msdownload exe
dll com bat msi
application/x-msmediaview mvb m13 m14
application/x-msmetafile wmf wmz emf emz
application/x-msmoney mny
application/x-mspublisher pub
application/x-msschedule scd
application/x-msterminal trm
application/x-mswrite wri
application/x-netcdf nc cdf
application/x-nzb nzb
application/x-pkcs12 p12 pfx
application/x-pkcs7-certificates p7b spc
application/x-pkcs7-certreqresp p7r
application/x-rar-compressed rar
application/x-research-info-systems ris
application/x-sh sh
application/x-shar shar
application/x-shockwave-flash swf
application/x-silverlight-app xap
application/x-sql sql
application/x-stuffit sit
application/x-stuffitx sitx
application/x-subrip srt
application/x-sv4cpio sv4cpio
application/x-sv4crc sv4crc
application/x-t3vm-image t3
application/x-tads gam
application/x-tar tar
application/x-tcl tcl
application/x-tex tex
application/x-tex-tfm tfm
application/x-texinfo texinfo
texi
application/x-tgif obj
application/x-ustar ustar
application/x-wais-source src
application/x-www-form-urlencoded
application/x-x509-ca-cert der crt
application/x-xfig fig
application/x-xliff+xml xlf
application/x-xpinstall xpi
application/x-xz xz
application/x-zmachine z1 z2 z3 z4 z5 z6 z7 z8

```
# application/x400-bp
# application/xacml+xml
application/xaml+xml    xaml
# application/xcap-att+xml
# application/xcap-caps+xml
application/xcap-diff+xml   xdf
# application/xcap-el+xml
# application/xcap-error+xml
# application/xcap-ns+xml
# application/xcon-conference-info+xml
# application/xcon-conference-info-diff+xml
application/xenc+xml    xenc
application/xhtml+xml    xhtml xht
# application/xhtml-voice+xml
application/xml     xml xsl
application/xml-dtd    dtd
#
 application/xml-external-parsed-entity
# application/xml-patch+xml
# application/xmpp+xml
application/xop+xml    xop
application/xproc+xml    xpl
application/xslt+xml    xslt
application/xspf+xml    xspf
application/xv+xml    mxml xhvml xvml xvm
application/yang    yang
application/yin+xml    yin
application/zip     zip
# application/zlib
# audio/1d-interleaved-parityfec
# audio/32kadpcm
# audio/3gpp
# audio/3gpp2
# audio/ac3
audio/adpcm     adp
# audio/amr
# audio/amr-wb
# audio/amr-wb+
# audio/aptx
# audio/asc
# audio/atrac-advanced-lossless
# audio/atrac-x
# audio/atrac3
audio/basic     au snd
# audio/bv16
# audio/bv32
# audio/clearmode
# audio/cn
```

audio/dat12
audio/dls
audio/dsr-es201108
audio/dsr-es202050
audio/dsr-es202211
audio/dsr-es202212
audio/dv
audio/dvi4
audio/eac3
audio/encaprtp
audio/evrc
audio/evrc-qcp
audio/evrc0
audio/evrc1
audio/evrcb
audio/evrcb0
audio/evrcb1
audio/evrcnw
audio/evrcnw0
audio/evrcnw1
audio/evrcwb
audio/evrcwb0
#
audio/evrcwb1
audio/evs
audio/example
audio/fwdred
audio/g711-0
audio/g719
audio/g722
audio/g7221
audio/g723
audio/g726-16
audio/g726-24
audio/g726-32
audio/g726-40
audio/g728
audio/g729
audio/g7291
audio/g729d
audio/g729e
audio/gsm
audio/gsm-efr
audio/gsm-hr-08
audio/ilbc
audio/ip-mr_v2.5
audio/isac
audio/l16

```
# audio/l20
# audio/l24
# audio/l8
# audio/lpc
audio/midi     mid midi kar rmi
# audio/mobile-xmf
audio/mp4     m4a mp4a
# audio/mp4a-latm
# audio/mpa
# audio/mpa-robust
audio/mpeg     mpga mp2 mp2a mp3 m2a m3a
# audio/mpeg4-generic
# audio/musepack
audio/ogg     oga ogg spx
# audio/opus
# audio/parityfec
# audio/pcma
# audio/pcma-wb
# audio/pcmu
# audio/pcmu-wb
# audio/prs.sid
# audio/qcelp
# audio/raptorfec
# audio/red
# audio/rtp-enc-aescm128
# audio/rtp-midi
# audio/rtploopback
# audio/rtx
audio/s3m     s3m
audio/silk     sil
# audio/smv
# audio/smv-qcp
# audio/smv0
# audio/sp-midi
# audio/speex
# audio/t140c
# audio/t38
#
 audio/telephone-event
# audio/tone
# audio/uemclip
# audio/ulpfec
# audio/vdvi
# audio/vmr-wb
# audio/vnd.3gpp.iufp
# audio/vnd.4sb
# audio/vnd.audiokoz
# audio/vnd.celp
```

```
# audio/vnd.cisco.nse
# audio/vnd.cmles.radio-events
# audio/vnd.cns.anp1
# audio/vnd.cns.inf1
audio/vnd.dece.audio    uva uvva
audio/vnd.digital-winds    eol
# audio/vnd.dlna.adts
# audio/vnd.dolby.heaac.1
# audio/vnd.dolby.heaac.2
# audio/vnd.dolby.mlp
# audio/vnd.dolby.mps
# audio/vnd.dolby.pl2
# audio/vnd.dolby.pl2x
# audio/vnd.dolby.pl2z
# audio/vnd.dolby.pulse.1
audio/vnd.dra     dra
audio/vnd.dts     dts
audio/vnd.dts.hd    dtshd
# audio/vnd.dvb.file
# audio/vnd.everad.plj
# audio/vnd.hns.audio
audio/vnd.lucent.voice    lvp
audio/vnd.ms-playready.media.pya  pya
# audio/vnd.nokia.mobile-xmf
# audio/vnd.nortel.vbk
audio/vnd.nuera.ecelp4800   ecelp4800
audio/vnd.nuera.ecelp7470   ecelp7470
audio/vnd.nuera.ecelp9600   ecelp9600
# audio/vnd.octel.sbc
# audio/vnd.qcelp
# audio/vnd.rhetorex.32kadpcm
audio/vnd.rip     rip
#
 audio/vnd.sealedmedia.softseal.mpeg
# audio/vnd.vmx.cvsd
# audio/vorbis
# audio/vorbis-config
audio/webm     weba
audio/x-aac     aac
audio/x-aiff     aif aiff aifc
audio/x-caf     caf
audio/x-flac     flac
audio/x-matroska    mka
audio/x-mpegurl     m3u
audio/x-ms-wax     wax
audio/x-ms-wma     wma
audio/x-pn-realaudio    ram ra
audio/x-pn-realaudio-plugin   rmp
```

```
# audio/x-tta
audio/x-wav	wav
audio/xm	xm
chemical/x-cdx	cdx
chemical/x-cif	cif
chemical/x-cmdf	cmdf
chemical/x-cml	cml
chemical/x-csml	csml
# chemical/x-pdb
chemical/x-xyz	xyz
font/collection	ttc
font/otf	otf
# font/sfnt
font/ttf	ttf
font/woff	woff
font/woff2	woff2
image/bmp	bmp
image/cgm	cgm
# image/dicom-rle
# image/emf
# image/example
# image/fits
image/g3fax	g3
image/gif	gif
image/ief	ief
# image/jls
# image/jp2
image/jpeg	jpeg jpg jpe
# image/jpm
# image/jpx
image/ktx	ktx
# image/naplps
image/png	png
image/prs.btif	btif
# image/prs.pti
#
 image/pwg-raster
image/sgi	sgi
image/svg+xml	svg svgz
# image/t38
image/tiff	tiff tif
# image/tiff-fx
image/vnd.adobe.photoshop	psd
# image/vnd.airzip.accelerator.azv
# image/vnd.cns.inf2
image/vnd.dece.graphic	uvi uvvi uvg uvvg
image/vnd.djvu	djvu djv
image/vnd.dvb.subtitle	sub
```

image/vnd.dwg dwg
image/vnd.dxf dxf
image/vnd.fastbidsheet fbs
image/vnd.fpx fpx
image/vnd.fst fst
image/vnd.fujixerox.edmics-mmr mmr
image/vnd.fujixerox.edmics-rlc rlc
image/vnd.globalgraphics.pgb
image/vnd.microsoft.icon
image/vnd.mix
image/vnd.mozilla.apng
image/vnd.ms-modi mdi
image/vnd.ms-photo wdp
image/vnd.net-fpx npx
image/vnd.radiance
image/vnd.sealed.png
image/vnd.sealedmedia.softseal.gif
image/vnd.sealedmedia.softseal.jpg
image/vnd.svf
image/vnd.tencent.tap
image/vnd.valve.source.texture
image/vnd.wap.wbmp wbmp
image/vnd.xiff xif
image/vnd.zbrush.pcx
image/webp webp
image/wmf
image/x-3ds 3ds
image/x-cmu-raster ras
image/x-cmx cmx
image/x-freehand fh
fhc fh4 fh5 fh7
image/x-icon ico
image/x-mrsid-image sid
image/x-pcx pcx
image/x-pict pic pct
image/x-portable-anymap pnm
image/x-portable-bitmap pbm
image/x-portable-graymap pgm
image/x-portable-pixmap ppm
image/x-rgb rgb
image/x-tga tga
image/x-xbitmap xbm
image/x-xpixmap xpm
image/x-xwindowdump xwd
message/cpim
message/delivery-status
message/disposition-notification
message/example

```
# message/external-body
# message/feedback-report
# message/global
# message/global-delivery-status
# message/global-disposition-notification
# message/global-headers
# message/http
# message/imdn+xml
# message/news
# message/partial
message/rfc822	eml mime
# message/s-http
# message/sip
# message/sipfrag
# message/tracking-status
# message/vnd.si.simp
# message/vnd.wfa.wsc
# model/example
# model/gltf+json
model/iges	igs iges
model/mesh	msh mesh silo
model/vnd.collada+xml	dae
model/vnd.dwf	dwf
#
 model/vnd.flatland.3dml
model/vnd.gdl	gdl
# model/vnd.gs-gdl
# model/vnd.gs.gdl
model/vnd.gtw	gtw
# model/vnd.moml+xml
model/vnd.mts	mts
# model/vnd.opengex
# model/vnd.parasolid.transmit.binary
# model/vnd.parasolid.transmit.text
# model/vnd.rosette.annotated-data-model
# model/vnd.valve.source.compiled-map
model/vnd.vtu	vtu
model/vrml	wrl vrml
model/x3d+binary	x3db x3dbz
# model/x3d+fastinfoset
model/x3d+vrml	x3dv x3dvz
model/x3d+xml	x3d x3dz
# model/x3d-vrml
# multipart/alternative
# multipart/appledouble
# multipart/byteranges
# multipart/digest
# multipart/encrypted
```

```
# multipart/example
# multipart/form-data
# multipart/header-set
# multipart/mixed
# multipart/parallel
# multipart/related
# multipart/report
# multipart/signed
# multipart/voice-message
# multipart/x-mixed-replace
# text/1d-interleaved-parityfec
text/cache-manifest    appcache
text/calendar     ics ifb
text/css     css
text/csv     csv
# text/csv-schema
#
 text/directory
# text/dns
# text/ecmascript
# text/encaprtp
# text/enriched
# text/example
# text/fwdred
# text/grammar-ref-list
text/html     html htm
# text/javascript
# text/jcr-cnd
# text/markdown
# text/mizar
text/n3      n3
# text/parameters
# text/parityfec
text/plain     txt text conf def list log in
# text/provenance-notation
# text/prs.fallenstein.rst
text/prs.lines.tag    dsc
# text/prs.prop.logic
# text/raptorfec
# text/red
# text/rfc822-headers
text/richtext     rtx
# text/rtf
# text/rtp-enc-aescm128
# text/rtploopback
# text/rtx
text/sgml     sgml sgm
# text/t140
```

text/tab-separated-values tsv
text/troff t tr roff man me ms
text/turtle ttl
text/ulpfec
text/uri-list uri uris urls
text/vcard vcard
text/vnd.a
text/vnd.abc
text/vnd.curl curl
text/vnd.curl.dcurl dcurl
text/vnd.curl.mcurl mcurl
text/vnd.curl.scurl scurl
text/vnd.debian.copyright
text/vnd.dmclientscript
text/vnd.dvb.subtitle sub
text/vnd.esmertec.theme-descriptor
text/vnd.fly fly
text/vnd.fmi.flexstor flx
text/vnd.graphviz gv
text/vnd.in3d.3dml 3dml
text/vnd.in3d.spot spot
#
text/vnd.iptc.newsml
text/vnd.iptc.nitf
text/vnd.latex-z
text/vnd.motorola.reflex
text/vnd.ms-mediapackage
text/vnd.net2phone.commcenter.command
text/vnd.radisys.msml-basic-layout
text/vnd.si.uricatalogue
text/vnd.sun.j2me.app-descriptor jad
text/vnd.trolltech.linguist
text/vnd.wap.si
text/vnd.wap.sl
text/vnd.wap.wml wml
text/vnd.wap.wmlscript wmls
text/x-asm s asm
text/x-c c cc cxx cpp h hh dic
text/x-fortran f for f77 f90
text/x-java-source java
text/x-nfo nfo
text/x-opml opml
text/x-pascal p pas
text/x-setext etx
text/x-sfv sfv
text/x-uuencode uu
text/x-vcalendar vcs
text/x-vcard vcf

```
# text/xml
# text/xml-external-parsed-entity
# video/1d-interleaved-parityfec
video/3gpp	3gp
# video/3gpp-tt
video/3gpp2	3g2
# video/bmpeg
# video/bt656
# video/celb
# video/dv
# video/encaprtp
# video/example
video/h261	h261
video/h263	h263
#
 video/h263-1998
# video/h263-2000
video/h264	h264
# video/h264-rcdo
# video/h264-svc
# video/h265
# video/iso.segment
video/jpeg	jpgv
# video/jpeg2000
video/jpm	jpm jpgm
video/mj2	mj2 mjp2
# video/mp1s
# video/mp2p
# video/mp2t
video/mp4	mp4 mp4v mpg4
# video/mp4v-es
video/mpeg	mpeg mpg mpe m1v m2v
# video/mpeg4-generic
# video/mpv
# video/nv
video/ogg	ogv
# video/parityfec
# video/pointer
video/quicktime	qt mov
# video/raptorfec
# video/raw
# video/rtp-enc-aescm128
# video/rtploopback
# video/rtx
# video/smpte292m
# video/ulpfec
# video/vc1
# video/vnd.cctv
```

video/vnd.dece.hd uvh uvvh
video/vnd.dece.mobile uvm uvvm
video/vnd.dece.mp4
video/vnd.dece.pd uvp uvvp
video/vnd.dece.sd uvs uvvs
video/vnd.dece.video uvv uvvv
video/vnd.directv.mpeg
video/vnd.directv.mpeg-tts
video/vnd.dlna.mpeg-tts
video/vnd.dvb.file dvb
video/vnd.fvt fvt
video/vnd.hns.video
video/vnd.iptvforum.1dparityfec-1010
#
video/vnd.iptvforum.1dparityfec-2005
video/vnd.iptvforum.2dparityfec-1010
video/vnd.iptvforum.2dparityfec-2005
video/vnd.iptvforum.ttsavc
video/vnd.iptvforum.ttsmpeg2
video/vnd.motorola.video
video/vnd.motorola.videop
video/vnd.mpegurl mxu m4u
video/vnd.ms-playready.media.pyv pyv
video/vnd.nokia.interleaved-multimedia
video/vnd.nokia.videovoip
video/vnd.objectvideo
video/vnd.radgamettools.bink
video/vnd.radgamettools.smacker
video/vnd.sealed.mpeg1
video/vnd.sealed.mpeg4
video/vnd.sealed.swf
video/vnd.sealedmedia.softseal.mov
video/vnd.uvvu.mp4 uvu uvvu
video/vnd.vivo viv
video/vp8
video/webm webm
video/x-f4v f4v
video/x-fli fli
video/x-flv flv
video/x-m4v m4v
video/x-matroska mkv mk3d mks
video/x-mng mng
video/x-ms-asf asf asx
video/x-ms-vob vob
video/x-ms-wm wm
video/x-ms-wmv wmv
video/x-ms-wmx wmx
video/x-ms-wvx wvx

video/x-msvideo avi
video/x-sgi-movie movie
video/x-smv smv
x-conference/x-cooltalk ice

Found
in path(s):
* /opt/cola/permits/1638896238_1681459436.296813/0/micronaut-http-3-8-7-jar/META-INF/http/mime.types
No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896238_1681459436.296813/0/micronaut-http-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-http/pom.xml

1.108 micronaut-context 3.8.7

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>

Found in path(s):
* /opt/cola/permits/1638896073_1681819737.5329874/0/micronaut-context-3-8-7-jar/META-INF/maven/io.micronaut/micronaut-context/pom.xml

1.109 micronaut-core 3.8.7

1.109.1 Available under license :

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.110 openjdk-jre 11.0.19u7

1.110.1 Available under license :

This package was debianized by Sam Hartman <hartmans@permabit.com> on
Thu, 19 Oct 2000 16:05:06 -0400.

It was downloaded from:

<http://web.mit.edu/kerberos/>

Upstream Maintainers:

MIT Kerberos Team <krbdev@mit.edu>

Copyright:

Copyright (C) 1985-2018 by the Massachusetts Institute of Technology.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Downloading of this software may constitute an export of cryptographic

software from the United States of America that is subject to the
United States Export Administration Regulations (EAR), 15 CFR 730-774.
Additional laws or regulations may apply. It is the responsibility of
the person or entity contemplating export to comply with all
applicable export laws and regulations, including obtaining any
required license from the
U.S. government.

The U.S. government prohibits export of encryption source code to
certain countries and individuals, including, but not limited to, the
countries of Cuba, Iran, North Korea, Sudan, Syria, and residents and
nationals of those countries.

Documentation components of this software distribution are licensed
under a Creative Commons Attribution-ShareAlike 3.0 Unported License.
(http://creativecommons.org/licenses/by-sa/3.0/)

Individual source code files are copyright MIT, Cygnus Support,
Novell, OpenVision Technologies, Oracle, Red Hat, Sun Microsystems,
FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira,
and Zephyr are trademarks of the Massachusetts Institute of Technology
(MIT). No commercial use of these trademarks may be made without
prior written permission of MIT.

"Commercial use" means use of a name in a product or other for-profit
manner. It does NOT prevent a commercial firm from referring to the
MIT trademarks
in order to convey information (although in doing so,
recognition of their trademark status should be given).

==========

The following copyright and permission notice applies to the
OpenVision Kerberos Administration system located in "kadmin/create",
"kadmin/dbutil", "kadmin/passwd", "kadmin/server", "lib/kadm5", and
portions of "lib/rpc":

Copyright, OpenVision Technologies, Inc., 1993-1996, All Rights
Reserved

WARNING: Retrieving the OpenVision Kerberos Administration system
source code, as described below, indicates your acceptance of the
following terms. If you do not agree to the following terms, do
not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code

compiled from it, with or without modification, but this Source
Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY,
INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES
OF MERCHANTABILITY OR
FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER
EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY
FOR ANY LOST PROFITS, LOSS OF DATA OR COSTS OF PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING,
WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE
CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY
OTHER REASON.

OpenVision retains all copyrights in the donated Source Code.
OpenVision also retains copyright to derivative works of the Source
Code, whether created by OpenVision or by a third party. The
OpenVision copyright notice must be preserved if derivative works
are made based on the donated Source Code.

OpenVision Technologies, Inc. has donated this Kerberos
Administration system to MIT for inclusion in the standard Kerberos
5 distribution. This donation underscores
our commitment to
continuing Kerberos technology development and our gratitude for
the valuable work which has been performed by MIT and the Kerberos
community.

==========

Portions contributed by Matt Crawford "crawdad@fnal.gov" were work
performed at Fermi National Accelerator Laboratory, which is
operated by Universities Research Association, Inc., under contract
DE-AC02-76CHO3000 with the U.S. Department of Energy.

==========

Portions of "src/lib/crypto" have the following copyright:

Copyright (C) 1998 by the FundsXpress, INC.

All rights reserved.

Export of this software from the United States of America may
require a specific license from the United States Government.
It is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT,

permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of FundsXpress. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. FundsXpress makes no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

==========

The implementation of the AES encryption algorithm in
"src/lib/crypto/builtin/aes"
has the following copyright:

Copyright (C) 2001, Dr Brian Gladman "brg@gladman.uk.net", Worcester, UK.
All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and
binary form is allowed (with or without changes) provided that:

1. distributions of this source code include the above copyright
   notice, this list of conditions and the following disclaimer;

2. distributions in binary form include the above copyright notice,
   this list of conditions and the following disclaimer in the
   documentation and/or other associated materials;

3. the copyright holder's name is not used to endorse products
   built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explcit or implied
warranties in respect of any properties, including, but not limited
to, correctness and fitness for purpose.

==========

Portions

contributed by Red Hat, including the pre-authentication plug-in framework and the NSS crypto implementation, contain the following copyright:

Copyright (C) 2006 Red Hat, Inc.
Portions copyright (C) 2006 Massachusetts Institute of Technology
All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Red Hat, Inc., nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The bundled verto source code is subject to the following license:

Copyright 2011 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without

restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========

The MS-KKDCP client implementation has the following copyright:

Copyright 2013,2014 Red Hat, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The implementations of GSSAPI mechglue in GSSAPI-SPNEGO in
"src/lib/gssapi", including the following files:

lib/gssapi/generic/gssapi_err_generic.et
lib/gssapi/mechglue/g_accept_sec_context.c
lib/gssapi/mechglue/g_acquire_cred.c
lib/gssapi/mechglue/g_canon_name.c
lib/gssapi/mechglue/g_compare_name.c
lib/gssapi/mechglue/g_context_time.c
lib/gssapi/mechglue/g_delete_sec_context.c
lib/gssapi/mechglue/g_dsp_name.c
lib/gssapi/mechglue/g_dsp_status.c
lib/gssapi/mechglue/g_dup_name.c
lib/gssapi/mechglue/g_exp_sec_context.c
lib/gssapi/mechglue/g_export_name.c
lib/gssapi/mechglue/g_glue.c
lib/gssapi/mechglue/g_imp_name.c
lib/gssapi/mechglue/g_imp_sec_context.c
lib/gssapi/mechglue/g_init_sec_context.c
lib/gssapi/mechglue/g_initialize.c
lib/gssapi/mechglue/g_inquire_context.c
lib/gssapi/mechglue/g_inquire_cred.c
lib/gssapi/mechglue/g_inquire_names.c
lib/gssapi/mechglue/g_process_context.c
lib/gssapi/mechglue/g_rel_buffer.c
lib/gssapi/mechglue/g_rel_cred.c
lib/gssapi/mechglue/g_rel_name.c
lib/gssapi/mechglue/g_rel_oid_set.c
lib/gssapi/mechglue/g_seal.c
lib/gssapi/mechglue/g_sign.c
lib/gssapi/mechglue/g_store_cred.c
lib/gssapi/mechglue/g_unseal.c
lib/gssapi/mechglue/g_userok.c
lib/gssapi/mechglue/g_utils.c
lib/gssapi/mechglue/g_verify.c
lib/gssapi/mechglue/gssd_pname_to_uid.c
lib/gssapi/mechglue/mglueP.h
lib/gssapi/mechglue/oid_ops.c
lib/gssapi/spnego/gssapiP_spnego.h
lib/gssapi/spnego/spnego_mech.c

and the initial implementation of incremental propagation, including
the following new or changed files:

include/iprop_hdr.h
kadmin/server/ipropd_svc.c
lib/kdb/iprop.x
lib/kdb/kdb_convert.c
lib/kdb/kdb_log.c
lib/kdb/kdb_log.h
lib/krb5/error_tables/kdb5_err.et
slave/kpropd_rpc.c
slave/kproplog.c

are subject to the following license:

Copyright (C) 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use, copy,
modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is
furnished to do so, subject
to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

==========

Kerberos V5 includes documentation and software developed at the
University of California at Berkeley, which includes this copyright
notice:

Copyright (C) 1983 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary
forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of the University nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==========

Portions contributed by Novell, Inc., including the LDAP database
backend, are subject to the following license:

Copyright (C) 2004-2005, Novell, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions
in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in
  the documentation and/or other materials provided with the
  distribution.

* The copyright holder's name is not used to endorse or promote
products derived from this software without specific prior
written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

Portions funded by Sandia National Laboratory and developed by the
University of Michigan's Center for Information Technology
Integration, including the PKINIT implementation, are subject to the
following license:

COPYRIGHT (C) 2006-2007
THE REGENTS OF THE UNIVERSITY OF MICHIGAN
ALL RIGHTS RESERVED

Permission is granted to use, copy, create derivative works and
redistribute this software and such derivative works for any
purpose, so long as the name of The University of Michigan is not
used in any advertising or publicity pertaining to the use of
distribution of this software without specific, written prior
authorization. If the above copyright notice or any other
identification of the University of Michigan is included
in any
copy of any portion of this software, then the disclaimer below
must also be included.

THIS SOFTWARE IS PROVIDED AS IS, WITHOUT REPRESENTATION FROM THE
UNIVERSITY OF MICHIGAN AS TO ITS FITNESS FOR ANY PURPOSE, AND
WITHOUT WARRANTY BY THE UNIVERSITY OF MICHIGAN OF ANY KIND, EITHER
EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
THE REGENTS OF THE UNIVERSITY OF MICHIGAN SHALL NOT BE LIABLE FOR
ANY DAMAGES, INCLUDING SPECIAL, INDIRECT, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES, WITH RESPECT TO ANY CLAIM ARISING OUT OF OR
IN CONNECTION WITH THE USE OF THE SOFTWARE, EVEN IF IT HAS BEEN OR
IS HEREAFTER ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

==========

The pkcs11.h file included in the PKINIT code has the following
license:

Copyright 2006 g10 Code GmbH
Copyright 2006 Andreas Jellinghaus

This file is
free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without even
the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE.

==========

Portions contributed by Apple Inc. are subject to the following
license:

Copyright 2004-2008 Apple Inc. All Rights Reserved.

Export of this software from the United States of America may
require a specific license from the United States Government.
It is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose
and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of Apple Inc. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. Apple Inc. makes no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED

WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

==========

The implementations of UTF-8 string handling in src/util/support and
src/lib/krb5/unicode are subject to the following copyright and
permission notice:

The OpenLDAP Public License

Version 2.8, 17 August 2003

Redistribution and use of this software and associated
documentation ("Software"), with or without modification, are
permitted provided that the following conditions are met:

1. Redistributions in source form must retain copyright statements
and notices,

2. Redistributions in binary form must reproduce applicable
copyright statements and notices, this list of conditions, and
the following disclaimer in the documentation and/or other
materials provided with the distribution, and

3. Redistributions must contain a verbatim copy of this document.

The OpenLDAP Foundation may revise this license from time to time.
Each revision is distinguished by a version number. You may use
this Software under terms of this license revision or under the
terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS
CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED
WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE OPENLDAP FOUNDATION, ITS
CONTRIBUTORS, OR THE AUTHOR(S) OR OWNER(S) OF THE SOFTWARE BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

The names of the authors and copyright holders must not be used in

advertising or otherwise to promote the sale, use or other dealing
in this Software without specific, written prior permission. Title
to copyright in this Software shall at all times
remain with
copyright holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City,
California, USA. All Rights Reserved. Permission to copy and
distribute verbatim copies of this document is granted.

==========

Marked test programs in src/lib/krb5/krb have the following copyright:

Copyright (C) 2006 Kungliga Tekniska Hgskola
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer
in the documentation and/or other materials provided
with the distribution.

3. Neither the name of KTH nor the names of its contributors may be
used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED

OF THE POSSIBILITY OF
SUCH DAMAGE.

==========

The KCM Mach RPC definition file used on OS X has the following
copyright:

Copyright (C) 2009 Kungliga Tekniska Hgskola
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Portions Copyright (C) 2009 Apple Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. Neither the name of the Institute nor the names of its
contributors may
be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==========

Portions of the RPC implementation

in src/lib/rpc and
src/include/gssrpc have the following copyright and permission notice:

Copyright (C) 2010, Oracle America, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. Neither the name of the "Oracle America, Inc." nor the names of
its contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

Copyright (C) 2006,2007,2009 NTT (Nippon Telegraph and Telephone
Corporation). All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following
conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer as
   the first lines of this file unmodified.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

THIS SOFTWARE IS PROVIDED BY NTT "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL NTT BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

Copyright 2000 by Carnegie Mellon University

All Rights Reserved

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that copyright notice and this permission
notice appear in supporting documentation, and that the name of
Carnegie Mellon University not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission.

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY
BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

==========

Copyright (C) 2002 Naval Research Laboratory (NRL/CCS)

Permission to use, copy, modify and distribute this software and
its documentation is hereby granted, provided that both the
copyright notice and this permission notice appear in all copies of
the software, derivative works or modified versions, and any
portions thereof.

NRL ALLOWS FREE USE OF THIS SOFTWARE IN ITS "AS IS" CONDITION AND
DISCLAIMS ANY LIABILITY OF ANY KIND FOR ANY DAMAGES WHATSOEVER
RESULTING FROM THE USE OF THIS SOFTWARE.

==========

Portions extracted from Internet
RFCs have the following copyright
notice:

Copyright (C) The Internet Society (2006).

This document is subject to the rights, licenses and restrictions
contained in BCP 78, and except as set forth therein, the authors
retain all their rights.

This document and the information contained herein are provided on
an "AS IS" basis and THE CONTRIBUTOR, THE ORGANIZATION HE/SHE
REPRESENTS OR IS SPONSORED BY (IF ANY), THE INTERNET SOCIETY AND
THE INTERNET ENGINEERING TASK FORCE DISCLAIM ALL WARRANTIES,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT
THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR
ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A
PARTICULAR PURPOSE.

==========

Copyright (C) 1991, 1992, 1994 by Cygnus Support.

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without
fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that copyright notice and this permission
notice appear in supporting documentation. Cygnus Support makes no
representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied
warranty.

==========

Copyright (C) 2006 Secure Endpoints Inc.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use, copy,
modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

==========

Portions of the implementation of the Fortuna-like PRNG are subject to
the following notice:

Copyright (C) 2005 Marko Kreen
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 1994 by the University of Southern California

EXPORT OF THIS SOFTWARE from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to copy, modify, and distribute this software and its documentation in source and binary forms is hereby granted, provided that any documentation or other materials related to such distribution or use acknowledge that the software was developed by the University of Southern California.

DISCLAIMER OF WARRANTY. THIS SOFTWARE IS PROVIDED "AS IS". The University of Southern California MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. By way of example, but not limitation, the University of Southern California MAKES NO

REPRESENTATIONS OR WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. The University of Southern California shall not be held liable for any liability nor for any direct, indirect, or consequential damages with respect to any claim by the user or distributor of the ksu software.

==========

Copyright (C) 1995
The President and Fellows of Harvard University

This code is derived from software contributed to Harvard by Jeremy Rassen.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or
other materials provided
with the distribution.

3. All advertising materials mentioning features or use of this
software must display the following acknowledgement:

This product includes software developed by the University of
California, Berkeley and its contributors.

4. Neither the name of the University nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==========

Copyright (C) 2008 by the Massachusetts Institute of Technology.
Copyright 1995 by Richard P. Basch. All Rights Reserved.
Copyright 1995 by Lehman Brothers, Inc. All Rights Reserved.

Export of this software from the United States of America may
require a specific license from the United States Government. It
is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that
the above copyright
notice appear in all copies and that both that copyright notice and

this permission notice appear in supporting documentation, and that
the name of Richard P. Basch, Lehman Brothers and M.I.T. not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission. Richard P.
Basch, Lehman Brothers and M.I.T. make no representations about the
suitability of this software for any purpose. It is provided "as
is" without express or implied warranty.

==========

The following notice applies to "src/lib/krb5/krb/strptime.c" and
"src/include/k5-queue.h".

Copyright (C) 1997, 1998 The NetBSD Foundation, Inc.
All rights reserved.

This code was contributed to The NetBSD Foundation by Klaus Klein.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following
conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. All advertising materials mentioning features or use of this
software must display the following acknowledgement:

This product includes software developed by the NetBSD
Foundation, Inc. and its contributors.

4. Neither the name of The NetBSD Foundation nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The following notice applies to Unicode library files in "src/lib/krb5/unicode":

Copyright 1997, 1998, 1999 Computing Research Labs,
New Mexico State University

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========

The following notice applies to "src/util/support/strlcpy.c":

Copyright (C) 1998 Todd C. Miller "Todd.Miller@courtesan.com"

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE
AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

==========

The following notice
applies to "src/util/profile/argv_parse.c" and
"src/util/profile/argv_parse.h":

Copyright 1999 by Theodore Ts'o.

Permission to use, copy, modify, and distribute this software for
any purpose with or without fee is hereby granted, provided that
the above copyright notice and this permission notice appear in all
copies. THE SOFTWARE IS PROVIDED "AS IS" AND THEODORE TS'O (THE
AUTHOR) DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN
NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER
RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. (Isn't
it sick that the U.S. culture of lawsuit-happy lawyers requires
this kind of disclaimer?)

==========

The
following notice applies to SWIG-generated code in
"src/util/profile/profile_tcl.c":

Copyright (C) 1999-2000, The University of Chicago

This file may be freely redistributed without license or fee
provided this copyright message remains intact.

==========

The following notice applies to portiions of "src/lib/rpc" and
"src/include/gssrpc":

Copyright (C) 2000 The Regents of the University of Michigan. All

rights reserved.

Copyright (C) 2000 Dug Song "dugsong@UMICH.EDU". All rights reserved, all wrongs reversed.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

Implementations of the MD4 algorithm are subject to the following notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD4 Message Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided

that such works are identified as "derived from the RSA Data Security, Inc. MD4 Message Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

==========

Implementations of the MD5 algorithm are subject to the following notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message- Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for
any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

==========

The following notice applies to "src/lib/crypto/crypto_tests/t_mddriver.c":

Copyright (C) 1990-2, RSA Data Security, Inc. Created 1990. All rights reserved.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this

software for any particular purpose. It is provided "as is" without
express or implied warranty of any kind.

These notices must be retained in any copies of any part of this
documentation and/or software.

==========

Portions of "src/lib/krb5" are subject to the following notice:

Copyright (C) 1994 CyberSAFE Corporation.
Copyright 1990,1991,2007,2008
by the Massachusetts Institute of Technology.
All Rights Reserved.

Export of this software from the United States of America may
require a specific license from the United States Government. It
is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of M.I.T. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. Furthermore if you modify this software
you must label your software as modified software and not
distribute it in such a fashion that it might
be confused with the
original M.I.T. software. Neither M.I.T., the Open Computing
Security Group, nor CyberSAFE Corporation make any representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

==========

Portions contributed by PADL Software are subject to the following
license:

Copyright (c) 2011, PADL Software Pty Ltd. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the
distribution.

3. Neither the name of PADL Software nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY PADL SOFTWARE AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL PADL SOFTWARE
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==========

The
bundled libev source code is subject to the following license:

All files in libev are Copyright (C)2007,2008,2009 Marc Alexander
Lehmann.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the
terms of the GNU General Public License ("GPL") version 2 or any
later version, in which case the provisions of the GPL are
applicable instead of the above. If you wish to allow the use of
your version of this package only under the terms of the GPL and
not to allow others to use your version of this file under the BSD
license, indicate your decision by deleting the provisions above

and replace them with the notice and other provisions required by
the GPL in this and the other files of this package. If you do not
delete the provisions above, a recipient may use your version of
this file under either the BSD or the GPL.

On Debian systems, the complete text of the GNU General Public License
version 2 can be found in `/usr/share/common-licenses/GPL-2'.

==========

Files copied from the Intel AESNI Sample Library are subject to the
following license:

Copyright (C) 2010, Intel Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice,
this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

* Neither the name of Intel Corporation nor the names of its
contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The following notice applies to
"src/ccapi/common/win/OldCC/autolock.hxx":

Copyright (C) 1998 by Danilo Almeida. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==========

The Debian Packaging is licensed under the same terms as MIT Kerberos.
Copyright (c) The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT
SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
```

directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libseccomp
Source: https://sourceforge.net/projects/libseccomp/

Files: *
Copyright: 2012 Paul Moore <pmoore@redhat.com>
2012 Ashley Lai <adlai@us.ibm.com>
2012 Corey Bryant <coreyb@linux.vnet.ibm.com>
2012 Eduardo Otubo <otubo@linux.vnet.ibm.com>
2012 Eric Paris <eparis@redhat.com>
License: LGPL-2.1

Files: tests/22-sim-basic_chains_array.tests
Copyright: 2013 Vitaly Shukela <vi0oss@gmail.com>
License: LGPL-2.1

Files: src/hash.*
Copyright: 2006 Bob Jenkins <bob_jenkins@burtleburtle.net>
License: LGPL-2.1

Files: debian/*
Copyright: 2012 Kees Cook <kees@debian.org>
License: LGPL-2.1

License: LGPL-2.1
This library is free software; you can redistribute it and/or modify it
under the terms of version 2.1 of the GNU Lesser General Public License as
published by the Free Software Foundation.
.
This library is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even
 the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE.  See the GNU Lesser General Public License
for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this library; if not, see <http://www.gnu.org/licenses>.
.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2.1".
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libfido2
```

Upstream-Contact: Yubico Open Source Maintainers <ossmaint@yubico.com>
Source: https://github.com/yubico/libfido2

Files: *
Copyright: 2018-2019 Yubico AB <ossmaint@yubico.com>
License: BSD-2-clause

Files: debian/*
Copyright: 2018-2019 Yubico AB <ossmaint@yubico.com>
2020 nicoo <nicoo@debian.org>
License: BSD-2-clause

Files: openbsd-compat/strlcpy.c openbsd-compat/strlcat.c
Copyright: 1998 Todd C. Miller <Todd.Miller@courtesan.com>
License: ISC

Files: openbsd-compat/timingsafe_bcmp.c
Copyright: 2010 Damien Miller
License: ISC

Files:
openbsd-compat/bsd-getpagesize.c
openbsd-compat/err.h
openbsd-compat/explicit_bzero.c
openbsd-compat/explicit_bzero_win32.c
openbsd-compat/types.h
Copyright: Public domain
License: public-domain

Files: openbsd-compat/recallocarray.c
Copyright: 2008, 2017 Otto Moerbeek <otto@drijf.net>
License: ISC

Files: openbsd-compat/readpassphrase.h
Copyright:
2000, 2002 Todd C. Miller <Todd.Miller@courtesan.com>
License: ISC

Files: openbsd-compat/readpassphrase.c
Copyright: 2000-2002, 2007, 2010 Todd C. Miller <Todd.Miller@courtesan.com>
License: ISC

Files: openbsd-compat/getopt.h
Copyright: 2000 The NetBSD Foundation, Inc. All rights reserved.
License: BSD-2-clause

Files: openbsd-compat/getopt_long.c
Copyright: 2002 Todd C. Miller <Todd.Miller@courtesan.com>

2000 The NetBSD Foundation, Inc. All rights reserved.
License: ISC and BSD-2-clause

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation
and/or other materials provided with the
distribution.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: public-domain
Public domain.

License: ISC
Permission to use, copy, modify, and distribute this software for any
purpose with or without
fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
This is the Debian prepackaged version of "unzip", Info-Zip's fast,
portable, zipfile decompression utility.

This package is currently maintained by Santiago Vila <sanvila@debian.org>

and built from sources obtained from:

ftp://ftp.info-zip.org/pub/infozip/src/unzip60.tgz

The changes were fairly minimal, and consisted solely of adding
various debian/* files to the distribution, plus several miscellaneous
fixes as reflected in the Debian changelog.

Copyright and license:

This is version 2009-Jan-02 of the Info-ZIP license.
The definitive version of this document should be available at
ftp://ftp.info-zip.org/pub/infozip/license.html indefinitely and
a copy at http://www.info-zip.org/pub/infozip/license.html.

Copyright (c) 1990-2009 Info-ZIP. All rights reserved.

For the purposes of this copyright and license, "Info-ZIP" is defined as
the following set of individuals:

Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel Dubois,
Jean-loup Gailly, Hunter Goatley, Ed
Gordon, Ian Gorman, Chris Herborth,
Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz,
David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko,
Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs,
Kai Uwe Rommel, Steve Salisbury, Dave Smith, Steven M. Schweda,
Christian Spieler, Cosmin Truta, Antoine Verheijen, Paul von Behren,
Rich Wales, Mike White.

This software is provided "as is," without warranty of any kind, express
or implied. In no event shall Info-ZIP or its contributors be held liable
for any direct, indirect, incidental, special or consequential damages
arising out of the use of or inability to use this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the above disclaimer and the following restrictions:

1. Redistributions of source code (in whole or in part) must retain

the above copyright notice, definition, disclaimer, and this list
of conditions.

2. Redistributions in binary form (compiled executables and libraries)
must reproduce the above copyright notice, definition, disclaimer,
and this list of conditions in documentation and/or other materials

provided with the distribution. Additional documentation is not needed
for executables where a command line license option provides these and
a note regarding this option is in the executable's startup banner. The
sole exception to this condition is redistribution of a standard
UnZipSFX binary (including SFXWiz) as part of a self-extracting archive;
that is permitted without inclusion of this license, as long as the
normal SFX banner has not been removed from the binary or disabled.

3. Altered versions--including, but not limited to, ports to new operating
systems, existing ports with new graphical interfaces, versions
with
modified or added functionality, and dynamic, shared, or static library
versions not from Info-ZIP--must be plainly marked as such and must not
be misrepresented as being the original source or, if binaries,
compiled from the original source. Such altered versions also must not
be misrepresented as being Info-ZIP releases--including, but not
limited to, labeling of the altered versions with the names "Info-ZIP"
(or any variation thereof, including, but not limited to, different
capitalizations), "Pocket UnZip," "WiZ" or "MacZip" without the
explicit permission of Info-ZIP. Such altered versions are further
prohibited from misrepresentative use of the Zip-Bugs or Info-ZIP
e-mail addresses or the Info-ZIP URL(s), such as to imply Info-ZIP
will provide support for the altered versions.

4. Info-ZIP retains the right to use the names "Info-ZIP," "Zip," "UnZip,"
"UnZipSFX," "WiZ," "Pocket
UnZip," "Pocket Zip," and "MacZip" for its
own source and binary releases.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: xxhash
Source: https://github.com/Cyan4973/xxHash
Comment: The library files `xxhash.c` and `xxhash.h` are BSD licensed.
The utility `xxhsum` is GPL licensed.

Files: *
Copyright: 2012-2014 Yann Collet
License: BSD-2-clause

Files: xxhsum.c
Copyright: 2012-2014 Yann Collet
License: GPL-2

Files: debian/*
Copyright: 2018 Norbert Preining
License: GPL-2

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:
.
* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.
.
* Redistributions in binary form must reproduce the above copyright notice, this
  list of conditions and the following disclaimer in the documentation and/or
  other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY
 THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
 This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
The full text of the GPLv can be found in
/usr/share/common-licenses/GPL-2
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: GnuPG - The GNU Privacy Guard (modern version)
Upstream-Contact: GnuPG development mailing list <gnupg-devel@gnupg.org>
Source: https://gnupg.org/download/

Files: *
Copyright: 1992, 1995-2020, Free Software Foundation, Inc
License: GPL-3+

Files: agent/command.c

agent/command-ssh.c
agent/gpg-agent.c
common/homedir.c
common/sysutils.c
g10/mainproc.c
Copyright: 1998-2007, 2009, 2012, Free Software Foundation, Inc
2013, Werner Koch
License: GPL-3+

Files: autogen.sh
Copyright: 2003, g10 Code GmbH
License: permissive

Files: common/gc-opt-flags.h
common/i18n.h
tools/clean-sat.c
tools/no-libgcrypt.c
Copyright: 1998-2001, 2003, 2004, 2006, 2007 Free Software Foundation, Inc
License: permissive

Files: common/localename.c
Copyright: 1985, 1989-1993, 1995-2003, 2007, 2008 Free Software Foundation, Inc.
License: LGPL-2.1+

Files: dirmngr/dns.c
dirmngr/dns.h
Copyright: 2008-2010, 2012-2016 William
Ahern
License: Expat

Files: doc/yat2m.c
scd/app-geldkarte.c
Copyright: 2004, 2005, g10 Code GmbH
2006, 2008, 2009, 2011, Free Software Foundation, Inc
License: GPL-3+

Files: scd/ccid-driver.h
scd/ccid-driver.c
Copyright: 2003-2007, Free Software Foundation, Inc
License: GPL-3+ or BSD-3-clause

Files: tools/rfc822parse.c
tools/rfc822parse.h
Copyright: 1999-2000, Werner Koch, Duesseldorf
2003-2004, g10 Code GmbH
License: LGPL-3+

Files: tools/sockprox.c

Copyright: 2007, g10 Code GmbH
License: GPL-3+

Files: doc/OpenPGP
Copyright: 1998-2013 Free Software Foundation, Inc.
1997, 1998, 2013 Werner Koch
1998 The Internet Society
License: RFC-Reference

Files: tests/gpgscm/*
Copyright: 2000, Dimitrios Souflis
2016, Justus Winter, Werner Koch
License: TinySCHEME

Files: debian/*
Copyright: 1998-2020 Debian GnuPG packagers, including
Eric Dorland <eric@debian.org>
Daniel Kahn Gillmor <dkg@fifthhorseman.net>
NIIBE Yutaka <gniibe@fsij.org>
License: GPL-3+

Files:
debian/org.gnupg.scdaemon.metainfo.xml
Copyright: 2017 Daniel Kahn Gillmor <dkg@fifthhorseman.net>
Comment: This file is licensed permissively for the sake of AppStream
License: CC0-1.0

License: TinySCHEME
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
.
Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: permissive
This file is free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.
.
This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without
 even
the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE.

License: RFC-Reference
doc/OpenPGP merely cites and references IETF Draft
draft-ietf-openpgp-formats-07.txt. This is believed to be fair use;
but if not, it's covered by the source document's license under
the 'comment on' clause. The license statement follows.
.
This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it
or assist in its implementation may be prepared, copied, published
and distributed, in whole or in part, without restriction of any
kind, provided that the above copyright notice and this paragraph
are included on all such copies and derivative works. However, this
document itself may not be modified in any way, such as by removing
the copyright notice or references to the Internet Society or other
Internet organizations, except as needed for the purpose of
developing Internet standards in
 which case the procedures for
copyrights defined in the Internet Standards process must be
followed, or as required to translate it into languages other than
English.
.
The limited permissions granted above are perpetual and will not be
revoked by the Internet Society or its successors or assigns.

License: GPL-3+
GnuPG is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.
.
GnuPG is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU General Public
License
 version 3 can be found in the file
`/usr/share/common-licenses/GPL-3'.

License: LGPL-3+
This program is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 3 of
the License, or (at your option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <https://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU Lesser General Public
License version 3 can be found in the file
`/usr/share/common-licenses/LGPL-3'.

License: LGPL-2.1+
This program is free software; you can redistribute it and/or modify it
under the
 terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <https://www.gnu.org/licenses/>.

.
On Debian systems, the full text of the GNU Lesser General Public
License version 2.1 can be found in the file
`/usr/share/common-licenses/LGPL-2.1'.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice
 in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.
.
THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING
 NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN

NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: CC0-1.0
To the extent possible under law, the author(s) have dedicated all
copyright and related and neighboring rights to this software to the public
domain worldwide. This software is distributed without any warranty.
.
On Debian systems, the complete text of the CC0 license, version 1.0,
can be found in /usr/share/common-licenses/CC0-1.0.
This package was written by Peter Tobias <tobias@et-inf.fho-emden.de>
on Thu, 16 Jan 1997 01:00:34 +0100.

License:

Copyright (C) 2009 Michael Meskes <meskes@debian.org>
Copyright (C) 2004-2005 Graham Wilson <graham@debian.org>
Copyright (C) 1997 Bernd Eckenfels
Copyright (C) 1997 Peter Tobias <tobias@et-inf.fho-emden.de>
Copyright (C) 1996 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 of the License.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston,
MA 02110-1301 USA

On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 file.
This is the Debian prepackaged version of the GNU C Library version 2.23.

It was put together by the GNU Libc Maintainers <debian-glibc@lists.debian.org>
from <https://sourceware.org/git/glibc.git>

* Most of the GNU C library is under the following copyright:

Copyright (C) 1991-2015 Free Software Foundation, Inc.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, write to the Free
Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301 USA

On Debian systems, the complete text of the GNU Library
General Public License can be found in `/usr/share/common-licenses/LGPL-2.1'.

* The utilities associated with GNU C library is under the following
copyright:

Copyright (C) 1991-2015 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published
by the Free Software Foundation; version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

On Debian systems, the complete text of the GNU Library
General Public License can be found in `/usr/share/common-licenses/GPL-2'.

* All code incorporated from 4.4 BSD is distributed under the following
license:

Copyright (C) 1991 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. [This condition was removed.]
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

* The DNS resolver code, taken from BIND 4.9.5, is copyrighted both by
UC Berkeley and by
Digital Equipment Corporation. The DEC portions
are under the following license:

Portions Copyright (C) 1993 by Digital Equipment Corporation.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies, and
that the name of Digital Equipment Corporation not be used in
advertising or publicity pertaining to distribution of the document or
software without specific, written prior permission.

THE SOFTWARE IS PROVIDED ``AS IS'' AND DIGITAL EQUIPMENT CORP.
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,

NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

* The ISC portions are under the following license:

Portions Copyright (c) 1996-1999 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

* The Sun RPC support (from rpcsrc-4.0) is covered by the following license:

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of the "Oracle America, Inc." nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The following CMU license covers some of the support code for Mach,
derived from Mach 3.0:

Mach Operating System
Copyright (C) 1991,1990,1989 Carnegie Mellon University
All Rights Reserved.

Permission to use, copy, modify and
distribute this software and its
documentation is hereby granted, provided that both the copyright
notice and this permission notice appear in all copies of the
software, derivative works or modified versions, and any portions
thereof, and that both notices appear in supporting documentation.

CARNEGIE MELLON ALLOWS FREE USE OF THIS SOFTWARE IN ITS ``AS IS''
CONDITION. CARNEGIE MELLON DISCLAIMS ANY LIABILITY OF ANY KIND FOR
ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

Carnegie Mellon requests users of this software to return to

Software Distribution Coordinator
School of Computer Science
Carnegie Mellon University
Pittsburgh PA 15213-3890

or Software.Distribution@CS.CMU.EDU any improvements or
extensions that they make and grant Carnegie Mellon the rights to
redistribute these changes.

* The file if_ppp.h is under the following CMU license:

Redistribution and use in source and binary forms,
with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CARNEGIE MELLON UNIVERSITY AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE UNIVERSITY OR CONTRIBUTORS
BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The following license covers the files from Intel's "Highly Optimized
Mathematical Functions for Itanium" collection:

Intel License Agreement

Copyright (c) 2000, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* The name of Intel Corporation may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT,

STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright
(C) by Craig Metz and are distributed under the following license:

/* The Inner Net License, Version 2.00

The author(s) grant permission for redistribution and use in source and
binary forms, with or without modification, of the software and documentation
provided that the following conditions are met:

0. If you receive a version of the software that is specifically labelled
as not being for redistribution (check the version message and/or README),
you are not permitted to redistribute that version of the software in any
way or form.
1. All terms of the all other applicable copyrights and licenses must be
followed.
2. Redistributions of source code must retain the authors' copyright
notice(s), this list of conditions, and the following disclaimer.
3. Redistributions in binary form must reproduce the authors' copyright
notice(s), this list of conditions, and the following disclaimer in the
documentation and/or other materials provided with the distribution.
4. [The copyright holder has authorized the removal of this clause.]
5. Neither the name(s) of the author(s) nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ITS AUTHORS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

If these license terms cause you a real problem, contact the author. */

* The file sunrpc/des_impl.c is copyright Eric Young:

Copyright (C) 1992 Eric Young
Collected from libdes and modified for SECURE RPC by Martin Kuck 1994
This file is distributed under the terms of the GNU Lesser General

Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <http://www.gnu.org/licenses/> to obtain a copy.

* The libidn code is copyright Simon Josefsson, with portions copyright
The Internet Society, Tom Tromey
and Red Hat, Inc.:

Copyright (C) 2002, 2003, 2004, 2011 Simon Josefsson

This file is part of GNU Libidn.

GNU Libidn is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

GNU Libidn is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with GNU Libidn; if not, see <http://www.gnu.org/licenses/>.

* The following notice applies to portions of libidn/nfkc.c:

This file contains functions from GLIB, including gutf8.c and
gunidecomp.c, all licensed under LGPL and copyright hold by:

Copyright (C)
1999, 2000 Tom Tromey
Copyright 2000 Red Hat, Inc.

* The following applies to portions of libidn/punycode.c and
libidn/punycode.h:

This file is derived from RFC 3492bis written by Adam M. Costello.

Disclaimer and license: Regarding this entire document or any
portion of it (including the pseudocode and C code), the author
makes no guarantees and is not responsible for any damage resulting
from its use. The author grants irrevocable permission to anyone
to use, modify, and distribute it in any way that does not diminish
the rights of anyone else to use, modify, and distribute it,
provided that redistributed derivative works do not contain
misleading author or version information. Derivative works need
not be licensed under similar terms.

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise
explain it
or assist in its implementation may be prepared, copied, published
and distributed, in whole or in part, without restriction of any
kind, provided that the above copyright notice and this paragraph are
included on all such copies and derivative works. However, this
document itself may not be modified in any way, such as by removing
the copyright notice or references to the Internet Society or other
Internet organizations, except as needed for the purpose of
developing Internet standards in which case the procedures for
copyrights defined in the Internet Standards process must be
followed, or as required to translate it into languages other than
English.

The limited permissions granted above are perpetual and will not be
revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an
"AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING
TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION
HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

* The file inet/rcmd.c is under a UCB copyright and the following:

Copyright (C) 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors

may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* The file posix/runtests.c is copyright Tom Lord:

Copyright 1995 by Tom Lord

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of the copyright holder not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

Tom Lord DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL TOM LORD BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*

The posix/rxspencer tests are copyright Henry Spencer:

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved. This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by

explicit claim or by omission. Since few users ever read sources,
credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
misrepresented as being the original software. Since few users
ever read sources, credits must
appear in the documentation.

4. This notice may not be removed or altered.

* The file posix/PCRE.tests is copyright University of Cambridge:

Copyright (c) 1997-2003 University of Cambridge

Permission is granted to anyone to use this software for any purpose on any
computer system, and to redistribute it freely, subject to the following
restrictions:

1. This software is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

2. The origin of this software must not be misrepresented, either by
explicit claim or by omission. In practice, this means that if you use
PCRE in software that you distribute to others, commercially or
otherwise, you must put a sentence like this

Regular expression support is provided by the PCRE library package,
which is open source software, written by Philip Hazel, and
copyright
by the University of Cambridge, England.

somewhere reasonably visible in your documentation and in any relevant
files or online help data or similar. A reference to the ftp site for
the source, that is, to

ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/

should also be given in the documentation. However, this condition is not
intended to apply to whole chains of software. If package A includes PCRE,
it must acknowledge it, but if package B is software that includes package
A, the condition is not imposed on package B (unless it uses PCRE
independently).

3. Altered versions must be plainly marked as such, and must not be
misrepresented as being the original software.

4. If PCRE is embedded in any software that is released under the GNU

General Purpose Licence (GPL), or Lesser General Purpose Licence (LGPL),
then the terms of that licence shall supersede any condition
above with
which it is incompatible.

* Files from Sun fdlibm are copyright Sun Microsystems, Inc.:

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

* Part of stdio-common/tst-printf.c is copyright C E Chew:

(C) Copyright C E Chew

Feel free to copy, use and distribute this software provided:

1. you do not pretend that you wrote it
2. you leave this copyright notice intact.

* Various long double libm functions are copyright Stephen L. Moshier:

Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License,
or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, see
<http://www.gnu.org/licenses/>. */
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libssh2
Upstream-Contact: Daniel Stenberg <daniel@haxx.se>
Source: https://libssh2.org/

Files: *
Copyright: (c) 2004-2007 Sara Golemon <sarag@libssh2.org>

(c) 2005,2006 Mikhail Gusarov <dottedmag@dottedmag.net>
(c) 2006-2007 The Written Word, Inc.
(c) 2007 Eli Fant <elifantu@mail.ru>
(c) 2009 Daniel Stenberg
(C) 2008, 2009 Simon Josefsson
License: BSD3

Files: debian/*
Copyright: 2007-2018 Mikhail Gusarov <dottedmag@debian.org>
2020 Nicolas Mora <babelouest@debian.org>
License: BSD3

License: BSD3
* Redistribution and use in source and binary forms,
* with or without modification, are permitted provided
* that the following conditions are met:
*
* Redistributions of source code must retain the above
* copyright notice, this list of conditions and the
* following disclaimer.
*
* Redistributions in binary form must reproduce
the above
* copyright notice, this list of conditions and the following
* disclaimer in the documentation and/or other materials
* provided with the distribution.
*
* Neither the name of the copyright holder nor the names
* of any other contributors may be used to endorse or
* promote products derived from this software without
* specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
* CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
* INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
* CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
* SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* OF SUCH DAMAGE.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *
Copyright: 2013 System Administrator <root@localhost.localdomain>
License: ...

This is the Debian GNU/Linux packaged version of the GNU core
utilities.

This package is maintained by Michael Stone <mstone@debian.org> and
built from sources obtained from:
 ftp://ftp.gnu.org/gnu/coreutils/coreutils-8.24.tar.xz

This debian package was first created by Michael Stone <mstone@debian.org>,
from coreutils 4.5.1.

Changes:
* added Debian GNU/Linux package maintenance system files
* at times, bug fixes awaiting inclusion in the upstream source

Authors
=======

See the file AUTHORS.

Copyright Holders and License
=============================

lib/fts.c

 Copyright (C) 2004, 2005, 2006, 2007, 2008 Free Software Foundation, Inc.

 This program is free software: you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation; either version 3 of the License, or
 (at your option) any later version.

 This program is distributed in the hope that it will be useful,
 but WITHOUT
ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU General Public License for more details.

 You should have received a copy of the GNU General Public License
 along with this program. If not, see <http://www.gnu.org/licenses/>. */

/*-
* Copyright (c) 1990, 1993, 1994
*   The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 4. Neither the name of the University nor the names of its
 contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/

lib/fts_.h

 Copyright (C) 2004, 2005, 2006, 2007 Free Software Foundation,
 Inc.

 This program is free software: you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation; either version 3 of the License, or
 (at your option) any later version.

 This program is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU General Public License for more details.

 You should have received a copy of the GNU General Public License
 along with this program. If not, see <http://www.gnu.org/licenses/>. */

/*
* Copyright (c) 1989, 1993
*   The Regents of the University of California. All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*
 notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 4. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

lib/rand-isaac.[ch]

 Copyright (C) 1999-2006 Free Software Foundation, Inc.
 Copyright (C) 1997, 1998, 1999 Colin Plumb.

 This program is free software: you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation, either version 3 of the License, or
 (at your option) any later version.

 This program is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU General Public License for more details.

 You should have received a copy of the GNU General Public License
 along with this program.
 If not, see <http://www.gnu.org/licenses/>.

lib/inet_ntop.c

Copyright (C) 2005, 2006 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. */

/*
* Copyright (c) 1996-1999 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose
with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.
*/

m4/autobuild.m4
---
dnl Copyright (C) 2004, 2006, 2007 Free Software Foundation, Inc.
dnl This file is free software; the Free Software Foundation
dnl gives unlimited permission to copy and/or distribute it,
dnl with or without modifications, as long as this notice is preserved.

dnl From Simon Josefsson

src/cut.c

Copyright (C) 1997-2007 Free Software Foundation, Inc.
Copyright (C) 1984 David M. Ihnat

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>. */

src/dircolors.c

Copyright (C) 1996-2007 Free Software Foundation, Inc.
Copyright (C) 1994, 1995, 1997, 1998, 1999, 2000 H. Peter Anvin

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>. */

src/paste.c

Copyright (C) 1997-2005 Free Software Foundation, Inc.
Copyright (C) 1984 David M. Ihnat

This program is free software: you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that
it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>. */

src/shred.c

Copyright (C) 1999-2007 Free Software Foundation, Inc.
Copyright (C) 1997, 1998, 1999 Colin Plumb.

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received
a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

doc/coreutils.texi (The GNU Coreutils Manual)

Copyright @copyright{} 1994-1996, 2000-2008 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.2 or
any later version published by the Free Software Foundation; with no
Invariant Sections, with no Front-Cover Texts, and with no Back-Cover
Texts. A copy of the license is included in the section entitled ``GNU
Free Documentation License".

all other files

Copyright (C) 1984-2008 Free Software Foundation, Inc.

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any
later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

On Debian systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-3'.
This is the Debian GNU/Linux prepackaged version of the EXT2 file
system utilities (e2fsck, mke2fs, etc.). The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
Copyright (c) 2001 Alcove <http://www.alcove.com/>
Copyright (c) 1997 Klee Dienes
Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, are made available under
the GNU General Public License version 2, with the exception of the
lib/ext2fs and lib/e2p libraries, which are made available under the
GNU Library General Public License Version 2, the lib/uuid library
which is made available under a BSD-style license and the lib/et and
lib/ss libraries
which are made available under an MIT-style license.

Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2'. The complete text of the GNU Library General Public License can be found in '/usr/share/common-licenses/LGPL-2'.

The license used for lib/et and lib/ss libraries is:

Copyright 1987 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software and its documentation for any purpose is hereby granted, provided that the names of M.I.T. and the M.I.T. S.I.P.B. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. M.I.T. and the M.I.T. S.I.P.B. make no representations about the suitability of this
software for any purpose. It is provided "as is" without express or implied warranty.

The license used for lib/uuid is:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.
Thai Dictionary

Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>
This is the Debian GNU/Linux prepackaged version of GNU tar. GNU
tar, heavily based on John Gilmore's public domain version of tar,
was originally written by Graham Todd. It is now maintained by
Paul Eggert <eggert@twinsun.com>.

This package is maintained for Debian by Janos Lenart <ocsi@debian.org>, and
was built from the sources found at:

ftp://ftp.gnu.org/gnu/tar/

More recently, I'm directly using the upstream source repository at

http://git.savannah.gnu.org/cgit/tar.git

GNU tar is

Copyright (C) 1988, 1992, 1993, 1994, 1995, 1996, 1997, 1999, 2000,
2001, 2003, 2004, 2005, 2006, 2007 Free Software Foundation, Inc.

This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 3, or (at your option) any later
version.

On Debian GNU/Linux systems, the complete text of the GNU General Public
License version 3 can be found in /usr/share/common-licenses/GPL-3.

The
Debian packaging is

Copyright (C) 2006, 2007 Bdale Garbee <bdale@gag.com>

This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 2, or (at your option) any later
version.

On Debian GNU/Linux systems, the complete text of the GNU General Public
License version 2 can be found in /usr/share/common-licenses/GPL-2.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: mpdecimal
Source: http://www.bytereef.org/mpdecimal/download.html

Files: *
Copyright: Copyright (c) 2008-2020 Stefan Krah. All rights reserved.
License: BSD
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files: debian/*
Copyright: 2012-2021 Matthias Klose <doko@debian.org>
License: GPL-2+
This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
 PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>
.
On Debian systems, the complete text of the GNU General
Public License version 2 can be found in "/usr/share/common-licenses/GPL-2".
ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
 not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
 to this package which may subsequently be redistributed
and/or involve the use of third party software.
This is Debian GNU's GnuPG keyrings of archive keys.

This package was originally put together by Michael Vogt
<mvo@debian.org>

The keys in the keyrings don't fall under any copyright. Everything
else in the package is covered by the GNU GPL.

Debian support files Copyright (C) 2006 Michael Vogt <mvo@debian.org>
based on the debian-keyring package maintained by James Troup

Debian support files for debian-archive-keyring are free software; you
can redistribute them and/or modify them under the terms of the GNU
General Public License as published by the Free Software Foundation;
either version 2, or (at your option) any later version.

Debian support files for debian-archive-keyring are distributed in the
hope that they will be useful, but WITHOUT ANY WARRANTY; without even
the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License with
your Debian
 system, in /usr/share/common-licenses/GPL, or with the
Debian GNU debian-archive-keyring source package as the file COPYING.
If not, write to the Free Software Foundation, Inc., 51 Franklin Street,
Fifth Floor, Boston, MA 02110-1301 USA.
OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [http://www.oasis-open.org/policies-guidelines/ipr]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any
document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations
of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode

of the OASIS Technical Committee that produced this OASIS Standards
Final Deliverable. OASIS may include such claims on its website, but
disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any
intellectual property or other rights that might be claimed to pertain
to the implementation or use of the technology
described in this OASIS
Standards Final Deliverable or the extent to which any license under
such rights might or might not be available; neither does it represent
that it has made any effort to identify any such rights. Information on
OASIS' procedures with respect to rights in any document or deliverable
produced by an OASIS Technical Committee can be found on the OASIS
website. Copies of claims of rights made available for publication and
any assurances of licenses to be made available, or the result of an
attempt made to obtain a general license or permission for the use of
such proprietary rights by implementers or users of this OASIS Standards
Final Deliverable, can be obtained from the OASIS TC Administrator.
OASIS makes no representation that any information or list of
intellectual property rights will at any time be complete, or that any
claims in such list are, in fact, Essential Claims.]

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: sqlite3
Source: https://www.sqlite.org/cgi/src/dir?ci=trunk

Files: *
Copyright: D. Richard Hipp <drh@hwaci.com>
License: public-domain
The files listed have been put on the public domain by the sqlite3
contributors.

Files: debian/*
Copyright: 2006- Laszlo Boszormenyi (GCS) <gcs@debian.org>,
2005-2006 Tomas Fasth <tomfa@debian.org>,
2001-2005 Andreas Rottmann <rotty@debian.org>
License: GPL-2+
This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 as published
by the Free Software Foundation.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.
.
You should have received a copy of the GNU General Public License along

with this
 package; if not, write to the Free Software Foundation, Inc.,
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
.
On Debian systems, the full text of the GNU General Public License
version 2 can be found in the file `/usr/share/common-licenses/GPL-2'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *
Copyright: 2013 Michael Stapelberg
License: BSD-3-clause

Files: debian/*
Copyright: 2013 Michael Stapelberg <stapelberg@debian.org>
License: BSD-3-clause

Files: script/service man8/service.rst
Copyright: 2006 Red Hat, Inc
2008 Canonical Ltd
License: GPL-2+

Files: script/invoke-rc.d man8/invoke-rc.d.rst
Copyright: 2000,2001 Henrique de Moraes Holschuh <hmh@debian.org>
License: GPL-2+

Files: script/update-rc.d man8/update-rc.d.rst
Copyright: 1997-2005 Miquel van Smoorenburg <miquels@cistron.nl>
Members of the pkg-sysvinit project
License: GPL-2+

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied
 warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU General Public License
version 2 can be found in /usr/share/common-licenses/GPL-2.

License: BSD-3-clause
Copyright 2013 Michael Stapelberg
All rights reserved.
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
.
   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
.
   * Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the

   documentation and/or other materials provided with the distribution.
.
   * Neither the name of Michael Stapelberg nor the
     names of contributors may be used to endorse or promote products
     derived from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY Michael Stapelberg "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL Michael Stapelberg BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
 DAMAGE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: ncurses
Upstream-Contact: bug-ncurses@gnu.org
                  Thomas Dickey <dickey@his.com>
Source: https://invisible-mirror.net/archives/ncurses/

Files: *
Copyright: 1998-2017,2018 Free Software Foundation, Inc.
           1996-2019,2020 Thomas E. Dickey
           2001 Pradeep Padala
License: MIT/X11

Files: install-sh
Copyright: 1994 X Consortium
License: X11

Files: progs/tset.c ncurses/tinfo/read_termcap.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California
License: BSD-3-clause

License: MIT/X11
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, distribute with modifications, sublicense, and/or sell
copies of the Software, and to permit
persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the
sale, use or other dealings in this Software without prior written
authorization.

License: X11
Permission is hereby granted, free of charge, to any person obtaining
a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.

Except as contained in this notice,
the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: procps-ng
Source: https://gitlab.com/procps-ng/procps

Files: *
Copyright: 1998-2004 Albert Cahalan
1991 Tony Rems <rembo@unisoft.com>
1993 Larry Greenfield
1996 Charles Blake
1999 Mike Coleman <mkc@acm.org>
2004 Nicholas Miell
2003 Chris Rivera
2003 Robert Love <rml@tech9.net>
2008 Morty Abzug
2009 Jarrod Lowe <procps@rrod.net>
1992 Branko Lankester
???? David Engel <david@ods.com>

1992-1998 Michael K. Johnson <johnsonm@sunsite.unc.edu>
2012 Craig Small <csmall@enc.com.au>
1995 Martin Schulze <joey@infodrom.north.de>
License: LGPL-2.1+

Files: top/*
Copyright: 2002-2014 James C. Warner
License: LGPL-2.0+

Files: pgrep.*
Copyright: 2000 Kjetil Torgrim Homme <kjetilho@ifi.uio.no>
2002,2006 Albert Cahalan
2012 Roberto Polli
<rpolli@babel.it>
License: GPL-2.0+

Files: pidof.*
Copyright: 2013 Jaromir Capik <jcapik@redhat.com>
License: GPL-2.0+

Files: free.*
Copyright: 2011 Sami Kerola <kerolasa@iki.fi>
2002-2003 Robert Love <rml@tech9.net>
1992 Brian Edmonds
1992 Rafal Maszkowski
2004 Albert Cahalan
License: GPL-2.0+

Files: sysctl.*
Copyright: 1999 George Staikos
License: GPL-2.0+

Files: debian/*
Copyright: 1997-2015 Craig Small <csmall@debian.org>
1996-1997 Helmut Geyer <Helmut.Geyer@iwr.uni-heidelberg.de>
License: GPL-2.0+

License: GPL-2.0+
This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the
GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>
.
On Debian systems, the complete text of the GNU General
Public License version 2 can be found in "/usr/share/common-licenses/GPL-2".

License: LGPL-2.0+
This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
 .
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-2.1+
This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-2.1".
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
```

http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS

NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

```
This package was debianized by Matthias Klose <doko@debian.org>
on Mon, 10 Mar 2008 05:46:40 +0000.

It was downloaded from ftp://sourceware.org/pub/libffi/

Upstream Authors:

  Anthony Green <green@redhat.com>
  GCC developers
  See the README and below in the list of copyright holders for a more
  complete list.

Copyright:
  Copyright (c) 1996-2011 Red Hat, Inc.
  Copyright (C) 1996-2011 Anthony Green
  Copyright (C) 1996-2010 Free Software Foundation, Inc
  Copyright (c) 2003, 2004, 2006, 2007, 2008 Kaz Kojima
  Copyright (c) 2010, 2011, Plausible Labs Cooperative , Inc.
  Copyright (c) 2010 CodeSourcery
  Copyright (c) 1998 Andreas Schwab
  Copyright (c) 2000 Hewlett Packard Company
  Copyright (c) 2009 Bradley Smith
  Copyright (c) 2008 David Daney
  Copyright (c) 2004 Simon Posnjak
  Copyright (c) 2005 Axis Communications AB
  Copyright (c) 1998 Cygnus Solutions
  Copyright (c) 2004 Renesas Technology
  Copyright (c) 2002, 2007  Bo Thorsen
 <bo@suse.de>
  Copyright (c) 2002 Ranjit Mathew
  Copyright (c) 2002 Roger Sayle
  Copyright (c) 2000, 2007 Software AG
  Copyright (c) 2003 Jakub Jelinek
  Copyright (c) 2000, 2001 John Hornkvist
  Copyright (c) 1998 Geoffrey Keating
  Copyright (c) 2008 Bjrn Knig
```

License:

libffi - Copyright (c) 1996-2010 Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE
IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Documentation:
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 2, or (at your option) any
later version. A copy of the license is included in the
section entitled ``GNU General Public License''.

doc/*:
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU General Public License as published by the
Free Software
Foundation; either version 2, or (at your option) any
later version. A copy of the license is included in the
section entitled ``GNU General Public License''.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL'.

The Debian packaging is (C) 2008, 2011 Matthias Klose <doko@debian.org>
and is licensed under the GPL, see `/usr/share/common-licenses/GPL'.
This is the Debian GNU/Linux prepackaged version of the Python programming
language. Python was written by Guido van Rossum <guido@cwi.nl> and others.

This package was put together by Klee Dienes <klee@debian.org> from sources from ftp.python.org:/pub/python, based on the Debianization by the previous maintainers Bernd S. Brentrup <bsb@uni-muenster.de> and Bruce Perens.

Current maintainer is Matthias Klose <doko@debian.org> until the final 2.3 version is released.

Copyright notice (as found in LICENSE in the original source).

A. HISTORY OF THE SOFTWARE

==========

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National
Research Initiatives (CNRI, see http://www.cnri.reston.va.us) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see http://www.zope.com). In 2001, the Python Software Foundation (PSF, see http://www.python.org/psf/) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no

2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1

is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS
FOR ACCESSING OR OTHERWISE USING PYTHON
==========

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
---

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Python Software Foundation; All Rights Reserved" are retained in Python alone or
in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate

upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions
of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE,
OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT
FOR PYTHON 1.6.1
---

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement,
Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make

the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION
OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed
under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to
 use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

py3compile, py3clean and debpython module:
==
Copyright
 2010-2013 Piotr Oarowski <piotr@debian.org>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
 OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: https://salsa.debian.org/debian/media-types

Files: *
Copyright: public-domain
License: ad-hoc
This package contains public information compiled from around the 'net and
many people.
GIFLIB v5.2.1

GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997  Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
 TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.


https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT
## libpng v1.6.37

### libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=========================================

PNG Reference Library License version 2
---------------------------------------

* Copyright (c) 1995-2019 The PNG Reference Library Authors.
```

* Copyright (c) 2018-2019 Cosmin Truta.
* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
* Copyright (c) 1996-1997 Andreas Dilger.
* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement. In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of
 such damage.

Permission is hereby granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software. If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and
 are distributed according to the same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

   Simon-Pierre Cadieux
   Eric S. Raymond
   Mans Rullgard
   Cosmin Truta
   Gilles Vollant
   James Yu

Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"

is defined
as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.

3. This Copyright
notice may not be removed or altered from any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libnsl
Upstream-Contact: Thorsten Kukuk <kukuk@thkukuk.de>
Source: https://github.com/thkukuk/libnsl

Files: debian/*
Copyright: 2020, Aurelien Jarno
License: LGPL-2.1+

Files: AUTHORS

configure.ac
config.h.in
libnsl.pc.in
Makefile.am
NEWS
README
src/Makefile.am
src/do_ypcall.c
src/internal.h
src/libnsl.map
src/nisplus/nis_error.c
src/taddr2host.c
src/taddr2ipstr.c
src/taddr2port.c
src/yp_first.c
src/yp_get_default_domain.c
src/yp_maplist.c
src/yp_master.c
src/yp_match.c
src/yp_next.c
src/yp_order.c
src/ypbinderr_string.c
src/yperr_string.c
src/ypprot_err.c

Copyright: 2014, 2015, 2017-2018, Thorsten Kukuk

License: LGPL-2.1

Files: src/libc-lock.h
src/nisplus/nis_add.c
src/nisplus/nis_addmember.c
src/nisplus/nis_call.c
src/nisplus/nis_callback.c
src/nisplus/nis_checkpoint.c
src/nisplus/nis_clone_dir.c
src/nisplus/nis_clone_obj.c
src/nisplus/nis_clone_res.c
src/nisplus/nis_creategroup.c
src/nisplus/nis_defaults.c
src/nisplus/nis_destroygroup.c
src/nisplus/nis_domain_of.c
src/nisplus/nis_domain_of_r.c
src/nisplus/nis_file.c
src/nisplus/nis_findserv.c
src/nisplus/nis_free.c
src/nisplus/nis_getservlist.c
src/nisplus/nis_hash.c
src/nisplus/nis_intern.h
src/nisplus/nis_ismember.c

src/nisplus/nis_local_names.c
src/nisplus/nis_lookup.c
src/nisplus/nis_mkdir.c
src/nisplus/nis_modify.c
src/nisplus/nis_ping.c
src/nisplus/nis_print.c
src/nisplus/nis_print_group_entry.c
src/nisplus/nis_remove.c
src/nisplus/nis_removemember.c
src/nisplus/nis_rmdir.c
src/nisplus/nis_server.c
src/nisplus/nis_subr.c
src/nisplus/nis_table.c
src/nisplus/nis_util.c
src/nisplus/nis_verifygroup.c
src/nisplus/nis_xdr.c
src/nisplus/nis_xdr.h
src/rpcsvc/nislib.h
src/rpcsvc/ypclnt.h
Copyright: 1996-2015, Free Software Foundation, Inc.
License: LGPL-2.1+

Files: src/rpcsvc/nis_callback.h
src/rpcsvc/nis_callback.x
src/rpcsvc/nis_object.x
src/rpcsvc/nis_tags.h
src/rpcsvc/nis.h
src/rpcsvc/nis.x
src/rpcsvc/yp.h
src/rpcsvc/yp.x
src/rpcsvc/yp_prot.h
src/rpcsvc/yppasswd.h
src/rpcsvc/yppasswd.x
src/rpcsvc/ypupd.h
src/yp_xdr.c
Copyright: 2010, Oracle America, Inc.
License: BSD-3-clause

Files: INSTALL
Copyright: 1994-1996, 1999-2002, 2004-2016 Free Software Foundation, Inc.
License: permissive-fsf

Files: Makefile.in
src/Makefile.in
Copyright: 1994-2020 Free Software Foundation, Inc.
License: permissive-makefile-in

Files: aclocal.m4

Copyright: 1996-2017 Free Software Foundation, Inc.
License:
 permissive-autoconf-m4-no-warranty

Files: config.sub
    config.guess
Copyright: 1992-2018 Free Software Foundation, Inc.
License: GPL-3+-autoconf-exception

Files: configure
Copyright: 1992-1996, 1998-2012 Free Software Foundation, Inc.
License: permissive-configure

Files: compile
    depcomp
    missing
    test-driver
Copyright: 1999-2017 Free Software Foundation, Inc.
License: GPL-2+-autoconf-exception

Files: install-sh
Copyright: 1994 X Consortium
License: MIT

Files: ltmain.sh
Copyright: 1996-2015 Free Software Foundation, Inc.
License: GPL-2+-libtool-exception

Files: config.rpath
    m4/gettext.m4
    m4/host-cpu-c-abi.m4
    m4/iconv.m4
    m4/intlmacosx.m4
    m4/lib-ld.m4
    m4/lib-link.m4
    m4/lib-prefix.m4
    m4/libtool.m4
    m4/ltoptions.m4
    m4/ltsugar.m4
    m4/ltversion.m4
    m4/lt~obsolete.m4
    m4/nls.m4
    m4/po.m4
    m4/progtest.m4
Copyright: 1995-2020 Free Software Foundation, Inc.
License:
 permissive-autoconf-m4

Files: ABOUT-NLS
po/Makefile.in.in
po/Makevars
po/POTFILES.in
po/Rules-quot
po/boldquot.sed
po/en@boldquot.header
po/en@quot.header
po/insert-header.sin
po/libnsl.pot
po/quot.sed
po/remove-potcdate.sin
po/stamp-po
Copyright: 1995-1997, 2000-2007, 2009-2010 Ulrich Drepper
License: permissive-fsf

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.
* Neither the name of the "Oracle America, Inc."
nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2+-autoconf-exception
This

program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
As a special exception to the GNU General Public License, if you
distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that program.
.
On Debian systems, the complete text of the GNU General Public License
version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License:
GPL-2+-libtool-exception
GNU Libtool is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
As a special exception to the GNU General Public License,
if you distribute this file as part of a program or library that
is built using GNU Libtool, you may include this file under the
same distribution terms that you use for the rest of that program.
.
GNU Libtool is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU General Public
License
version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License: GPL-3+-autoconf-exception
This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.
.
As a special exception to the GNU General Public License, if you
distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that
program.
  This Exception is an additional permission under section 7
of the GNU General Public License, version 3 ("GPLv3").
.
On Debian systems, the complete text of the GNU General Public License
Version 3 can be found in `/usr/share/common-licenses/GPL-3'.

License: LGPL-2.1
This library is free software: you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public License
in version 2.1 as published by the Free Software Foundation.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in "/usr/share/common-licenses/LGPL-2.1".

License:
 LGPL-2.1+
The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
.
The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, see
<http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in "/usr/share/common-licenses/LGPL-2.1".

License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
 deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote
 the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

License: permissive-autoconf-m4
This file is free software; the Free Software Foundation gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.

License: permissive-autoconf-m4-no-warranty
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.

License: permissive-configure
This configure script is free software; the Free Software Foundation
gives unlimited permission to copy, distribute and modify it.

License: permissive-fsf
Copying and distribution of
 this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved. This file is offered as-is,
without any warranty.

License: permissive-makefile-in
This Makefile.in is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.
This is Debian GNU/Linux's prepackaged version of the shadow utilities.

It was downloaded from: <ftp://ftp.pld.org.pl/software/shadow/>.
As of May 2007, this site is no longer available.

Copyright:

Parts of this software are copyright 1988 - 1994, Julianne Frances Haugh.
All rights reserved.

Parts of this software are copyright 1997 - 2001, Marek Michakiewicz.
All rights reserved.

Parts of this software are copyright 2001 - 2004, Andrzej Krzysztofowicz
All rights reserved.

Parts of this software are copyright 2000 - 2007, Tomasz Koczko.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation

and/or other materials provided with the distribution.
3. Neither the name of Julianne F. Haugh nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY JULIE HAUGH AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL JULIE HAUGH OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

This source
code is currently archived on ftp.uu.net in the
comp.sources.misc portion of the USENET archives. You may also contact
the author, Julianne F. Haugh, at jockgrrl@ix.netcom.com if you have
any questions regarding this package.

THIS SOFTWARE IS BEING DISTRIBUTED AS-IS. THE AUTHORS DISCLAIM ALL
LIABILITY FOR ANY CONSEQUENCES OF USE. THE USER IS SOLELY RESPONSIBLE
FOR THE MAINTENANCE OF THIS SOFTWARE PACKAGE. THE AUTHORS ARE UNDER NO
OBLIGATION TO PROVIDE MODIFICATIONS OR IMPROVEMENTS. THE USER IS
ENCOURAGED TO TAKE ANY AND ALL STEPS NEEDED TO PROTECT AGAINST ACCIDENTAL
LOSS OF INFORMATION OR MACHINE RESOURCES.

Special thanks are due to Chip Rosenthal for his fine testing efforts;
to Steve Simmons for his work in porting this code to BSD; and to Bill
Kennedy for his contributions of LaserJet printer time and energies.
Also, thanks for Dennis L. Mumaugh for the initial shadow password
information and to Tony Walton (olapw@olgb1.oliv.co.uk) for the System
V Release 4 changes. Effort
in porting to SunOS has been contributed
by Dr. Michael Newberry (miken@cs.adfa.oz.au) and Micheal J. Miller, Jr.
(mke@kaberd.rain.com). Effort in porting to AT&T UNIX System V Release
4 has been provided by Andrew Herbert (andrew@werple.pub.uu.oz.au).
Special thanks to Marek Michalkiewicz (marekm@i17linuxb.ists.pwr.wroc.pl)
for taking over the Linux port of this software.

Source files: login_access.c, login_desrpc.c, login_krb.c are derived
from the logdaemon-5.0 package, which is under the following license:

/**
* Copyright 1995 by Wietse Venema. All rights reserved. Individual files

* may be covered by other copyrights (as noted in the file itself.)
*
* This material was originally written and compiled by Wietse Venema at
* Eindhoven University of Technology, The Netherlands, in 1990, 1991,
* 1992, 1993, 1994 and 1995.
*
* Redistribution and use in source and binary forms are permitted
* provided that this
 entire copyright notice is duplicated in all such
* copies.
*
* This software is provided "as is" and without any expressed or implied
* warranties, including, without limitation, the implied warranties of
* merchantibility and fitness for any particular purpose.
**/

Some parts substantially in src/su.c derived from an ancestor of
su for GNU. Run a shell with substitute user and group IDs.
Copyright (C) 1992-2003 Free Software Foundation, Inc.

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2, or (at your option)
  any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more
 details.

  On Debian GNU/Linux systems, the complete text of the GNU General Public
  License can be found in '/usr/share/common-licenses/GPL-2'
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: ucf
Upstream-Contact: Manoj Srivastava <srivasta@debian.org>
Source: https://anonscm.debian.org/users/srivasta/debian/ucf.git
Copyright: 2002, 2003, 2003, 2004, 2005, 2006, 2015 Manoj Srivastava <srivasta@debian.org>
License: GPL-2

Files: *
Copyright: 2002, 2003, 2003, 2004, 2005, 2006, 2015 Manoj Srivastava <srivasta@debian.org>
License: GPL-2

Files: debian/po/ca.po
Copyright: 2004 Aleix Badia i Bosch <abadia@ica.es>
        2008, 2009, 2010 Jordi Mallach <jordi@debian.org>
License: GPL-2

Files: debian/po/cs.po
Copyright: 2014 Miroslav Kure <kurem@debian.cz>
License: GPL-2

Files: debian/po/da.po
Copyright: 2005, 2007 Claus Hindsgaul <claus.hindsgaul@gmail.com>
2010, 2014, 2018 Joe Hansen <joedalton2@yahoo.dk>
License: GPL-2

Files: debian/po/de.po
Copyright: 2004-2009 Erik Schanze <eriks@debian.org>
2014, 2018 Holger Wansing <linux@wansing-online.de>
License: GPL-2

Files:
debian/po/es.po
Copyright: 2004 Lucas Wall <kthulhu@usa.net>
2007, 2010 Javier Fernandez-Sanguino <jfs@debian.org>
2014,2018 Matas Bellone <matiasbellone+debian@gmail.com>
License: GPL-2

Files: debian/po/eu.po
Copyright: 2007, 2009 Piarres Beobide <pi@beobide.net>, 2007, 2009
2009, 2014 Iaki Larraaga Murgoitio <dooteo@zundan.com>
License: GPL-2

Files: debian/po/fi.po
Copyright: 2009, 2014 Esko Arajrvi <edu@iki.fi>
License: GPL-2

Files: debian/po/fr.po
Copyright: 2007 Eric Madesclair <eric-m@wanadoo.fr>
2009, 2014 Christian Perrier <bubulle@debian.org>
2018 Jean-Pierre Giraud <jean-pierregiraud@neuf.fr>
License: GPL-2

Files: debian/po/gl.po
Copyright: 2006, 2007 Jacobo Tarrio <jtarrio@debian.org>
2009 Marce Villarino <mvillarino@gmail.com>
License: GPL-2

Files: debian/po/it.po
Copyright: 2005-2010 Luca Bruno <lucab@debian.org>
License: GPL-2

Files: debian/po/ja.po
Copyright: 2018 Kenshi Muto <kmuto@debian.org>

License: GPL-2

Files:
 debian/po/nl.po
Copyright: 2006 Kurt De Bree <kdebree@telenet.be>
        2011 Jeroen Schot <schot@a-eskwadraat.nl>
    2016 Frans Spiesschaert <Frans.Spiesschaert@yucom.be>
License: GPL-2

Files: debian/po/pl.po
Copyright: 2007 Wojciech Zarba <wojtekz@comp.waw.pl>
        2012, 2014 Micha Kuach <michal.kulach@gmail.com>
License: GPL-2

Files: debian/po/pt_BR.po
Copyright: 2010 Flamarion Jorge <jorge.flamarion@gmail.com>
        2014-2018 Adriano Rafael Gomes <adrianorg@debian.org>
License: GPL-2

Files: debian/po/pt.po
Copyright: 2007 Bruno Queiros <brunomiguelqueiros@sapo.pt>
        2010-2018 Amrico Monteiro <a_monteiro@gmx.com>
License: GPL-2

Files: debian/po/ru.po
Copyright: 2006, 2007 Yuri Kozlov <kozlov.y@gmail.com>
        2009, 2014, 2018 Yuri Kozlov <yuray@komyakino.ru>
License: GPL-2

Files: debian/po/sk.po
Copyright: 2011, 2014 Slavko <linux@slavino.sk>
License: GPL-2

Files: debian/po/sv.po
Copyright: 2007 Daniel Nylander <po@danielnylander.se>

    2009, 2014 Martin Bagge <brother@bsnet.se>
License: GPL-2

Files: debian/po/vi.po
Copyright: 2005-2009 Clytie Siddall <clytie@riverland.net.au>
License: GPL-2

License: GPL-2
  ucf is Copyright (C) 2002, 2003, 2003, 2004, 2005, 2006 Manoj
  Srivastava <srivasta@debian.org>
  .
  This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.
.
A copy of the GNU General Public License is also available at
<URL:http://www.gnu.org/copyleft/gpl.html>.
You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St, Fifth Floor, Boston, MA 02110-1301 USA
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: util-linux
Upstream-Contact: util-linux@vger.kernel.org
Source: https://www.kernel.org/pub/linux/utils/util-linux/

Files: *
Copyright: Michal Luscon <mluscon@redhat.com>
        1986 Gary S. Brown
        1990 Gordon Irlam (gordoni@cs.ua.oz.au)
        1991, 1992 Linus Torvalds
        1991-2004 Miquel van Smoorenburg
        1992 A. V. Le Blanc (LeBlanc@mcc.ac.uk)
        1992-1997 Michael K. Johnson, johnsonm@redhat.com
        1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002,
            2003, 2004, 2005, 2008 Theodore Ts'o <tytso@mit.edu>
        1994 Kevin E. Martin (martin@cs.unc.edu)
        1994 Salvatore Valente <svalente@mit.edu>
        1994,1996 Alessandro Rubini (rubini@ipvvis.unipv.it)
        1994-2005 Jeff Tranter (tranter@pobox.com)
        1995, 1999, 2000 Andries E. Brouwer <aeb@cwi.nl>
        1997-2005 Frodo Looijaard
 <frodo@frodo.looijaard.name>
        1998 Danek Duvall <duvall@alumni.princeton.edu>
        1999 Andreas Dilger
        1999-2002 Transmeta Corporation
        1999, 2000, 2002-2009, 2010, 2011, 2012, 2014 Red Hat, Inc.
        2000 Werner Almesberger
        2004-2006 Michael Holzt, kju -at- fqdn.org
        2005 Adrian Bunk
        2007-2020 Karel Zak <kzak@redhat.com>
        2007, 2011, 2012, 2016 SuSE LINUX Products GmbH
        2008 Cai Qian <qcai@redhat.com>

2008 Hayden A. James (hayden.james@gmail.com)
2008 James Youngman <jay@gnu.org>
2008 Roy Peled, the.roy.peled -at- gmail.com
2009 Mikhail Gusarov <dottedmag@dottedmag.net>
2010, 2011, 2012 Davidlohr Bueso <dave@gnu.org>
2010 Jason Borden <jborden@bluehost.com>A
2010 Hajime Taira <htaira@redhat.com>
2010 Masatake Yamato <yamato@redhat.com>
2011 IBM Corp.
2012 Andy Lutomirski <luto@amacapital.net>
2012 Lennart Poettering
2012 Sami Kerola <kerolasa@iki.fi>
2012 Cody Maloney <cmaloney@theoreticalchaos.com>
2012 Werner Fink <werner@suse.de>
2013,2014 Ondrej Oprala <ooprala@redhat.com>
License: GPL-2+

Files: schedutils/ionice.c
Copyright: 2005 Jens Axboe <jens@axboe.dk>
License: GPL-2

Files: schedutils/chrt.c
schedutils/taskset.c
Copyright: 2004 Robert Love <rml@tech9.net>
2010 Karel Zak <kzak@redhat.com>
License: GPL-2

Files: disk-utils/raw.c
Copyright: 1999, 2000, Red Hat Software
License: GPL-2

Files: sys-utils/nsenter.c
Copyright: 2012-2013 Eric Biederman <ebiederm@xmission.com>
License: GPL-2

Files: disk-utils/mkfs.minix.c
disk-utils/mkswap.c
Copyright: 1991, 1992 Linus Torvalds
License: GPL-2

Files: lib/at.c
lib/blkdev.c
lib/loopdev.c
lib/sysfs.c
lib/ttyutils.c
lib/xgetpass.c
misc-utils/mcookie.c
sys-utils/setsid.c

text-utils/line.c
Copyright:
n/a
License: public-domain

Files: login-utils/vipw.c
misc-utils/cal.c
misc-utils/kill.c
misc-utils/logger.c
misc-utils/look.c
misc-utils/whereis.c
sys-utils/renice.c
term-utils/mesg.c
term-utils/script.c
term-utils/ttymsg.c
term-utils/wall.c
term-utils/write.c
text-utils/col.c
text-utils/colcrt.c
text-utils/colrm.c
text-utils/column.c
text-utils/hexdump.c
text-utils/hexdump.h
text-utils/hexdump-conv.c
text-utils/hexdump-display.c
text-utils/hexdump-parse.c
text-utils/rev.c
text-utils/ul.c
Copyright: 1980, 1983, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994
The Regents of the University of California
2014 Sami Kerola <kerolasa@iki.fi>
2014 Karel Zak <kzak@redhat.com>
License: BSD-4-clause

Files: text-utils/tailf.c
Copyright: 1996, 2003 Rickard E. Faith (faith@acm.org)
License:
MIT

Files: sys-utils/flock.c
Copyright: 2003-2005 H. Peter Anvin
License: MIT

Files: text-utils/pg.c
Copyright: 2000-2001 Gunnar Ritter
License: BSD-2-clause

Files: login-utils/last-deprecated.c

Copyright: 1987 Regents of the University of California
License: BSD-2-clause

Files: login-utils/login.c
Copyright: 1980, 1987, 1988 The Regents of the University of California.
2011 Karel Zak <kzak@redhat.com>
License: BSD-2-clause

Files: login-utils/logindefs.c
Copyright: 2003, 2004, 2005 Thorsten Kukuk
License: BSD-3-clause

Files: libuuid/*
libuuid/src/*
libuuid/man/*
Copyright: 1996, 1997, 1998, 1999, 2007 Theodore Ts'o.
1999 Andreas Dilger (adilger@enel.ucalgary.ca)
License: BSD-3-clause

Files: lib/procutils.c
include/xalloc.h
Copyright: 2010, 2011 Davidlohr Bueso <dave@gnu.org>
License: LGPL-2+

Files: */colors.*
Copyright: 2012 Ondrej Oprala <ooprala@redhat.com>
2012-2014 Karel Zak <kzak@redhat.com>
License: LGPL-2+

Files: login-utils/setpwnam.h
login-utils/setpwnam.c
Copyright: 1994 Martin Schulze <joey@infodrom.north.de>
1994 Salvatore Valente <svalente@mit.edu>
License: LGPL-2+

Files: libfdisk/*
libfdisk/src/*
Copyright: 2007-2013 Karel Zak <kzak@redhat.com>
2012 Davidlohr Bueso <dave@gnu.org>
License: LGPL-2.1+

Files: lib/cpuset.c
/match.
lib/canonicalize.c
include/at.h
Copyright: 2008-2009, 2010, 2011, 2012 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+

Files: */mbsalign.*
Copyright: 2009-2010 Free Software Foundation, Inc.
2010-2013 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+

Files: */readutmp.*
Copyright: 1992-2007, 2009-2014 Free Software Foundation, Inc.
License: GPL-3+

Files: */timeutils.*
Copyright: 2010 Lennart Poettering
License: LGPL-2.1+

Files: include/list.h
Copyright: 2008 Karel Zak <kzak@redhat.com>
1999-2008 by Theodore Ts'o
License: LGPL

Files: libblkid/*
libblkid/src/*
libblkid/samples/*
libblkid/src/partitions/*
libblkid/src/superblocks/*
libblkid/src/topology/*
Copyright: 1999, 2001 Andries Brouwer
1995, 1995, 1996, 1997, 1999, 2000, 2001, 2002, 2003, 2004
Theodore Ts'o.
2001 Andreas Dilger (adilger@turbolinux.com)
2004-2008 Kay Sievers <kay.sievers@vrfy.org>
2008-2013 Karel Zak <kzak@redhat.com>
2009 Bastian Friedrich <bastian.friedrich@collax.com>
2009 Corentin Chary <corentincj@iksaif.net>
2009 Mike Hommey <mh@glandium.org>
2009 Red Hat, Inc.
2009-2010 Andreas Dilger <adilger@sun.com>
2010 Andrew Nayenko <resver@gmail.com>
2010 Jeroen Oortwijn <oortwijn@gmail.com>
2010 Jiro SEKIBA <jir@unicus.jp>
2011 Philipp Marek <philipp.marek@linbit.com>
2012 Milan Broz <mbroz@redhat.com>
2013 Alejandro Martinez Ruiz <alex@nowcomputing.com>
2013 Eric Sandeen <sandeen@redhat.com>
2013 Rolf Fokkens <rolf@fokkens.nl>
2013 Zeeshan Ali (Khattak) <zeeshanak@gnome.org>
License: LGPL-2.1+

Files: include/cpuset.h
lib/randutils.c

Copyright: *unknown*
License: LGPL

Files: misc-utils/blkid.c
Copyright: 2001 Andreas Dilger
License: LGPL

Files: libmount/*
 libmount/src/*
Copyright: 2008-2012 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+

Files: libmount/python/*
Copyright: 2013, Red Hat, Inc.
License: LGPL-3+

Files: libsmartcols/*
Copyright: 2009-2014 Karel Zak <kzak@redhat.com>
 2014 Ondrej Oprala <ooprala@redhat.com>
License: LGPL-2.1+

Files: debian/*
Copyright: Guy Maor <maor@debian.org>
 Sean 'Shaleh' Perry <shaleh@debian.org>
 Adrian Bunk <bunk@stusta.de>
 LaMont Jones <lamont@debian.org>
 1996-2003 Martin Mitchell (martin@debian.org)
 2008-2012 Frank Lichtenheld (djpig@debian.org)
 2014 Andreas
 Henriksson <andreas@fatal.se>
 2017-2020 Michael Biebl <biebl@debian.org>
 2019 Petter Reinholdtsen <pere@debian.org>
 2017-2020 Chris Hofstaedtler <zeha@debian.org>
License: GPL-2+

Files: debian/po/*
Copyright: Aiet Kolkhi <aietkolkhi@gmail.com>
 Anton Gladky <gladky.anton@gmail.com>
 Arief S F (arief@gurame.fisika.ui.ac.id>
 Armin Beirovi <armin@linux.org.ba>
 astur <malditoastur@gmail.com>
 Axel Bojer <axelb@skolelinux.no>
 Bart Cornelis <cobaco@skolelinux.no>
 Bartosz Feski <fenio@o2.pl>
 Basil Shubin <bashu@surgut.ru>
 Baurzhan Muftakhidinov <baurthefirst@gmail.com>
 Bjorn Steensrud <bjornst@powertech.no>
 Claus Hindsgaul <claus_h@image.dk>

Clytie Siddall <clytie@riverland.net.au>

Dafydd Tomos <l10n@da.fydd.org>
Damyan Ivanov <dam@modsoftsys.com>
Daniel Franganillo <dfranganillo@gmail.com>
Daniel Nylander <po@danielnylander.se>
Danishka Navin <danishka@gmail.com>
Dauren Sarsenov <daur88@inbox.ru>
Dominik Zablotny <dominz@wp.pl>
Dr.T.Vasudevan <agnihot3@gmail.com>
Eddy Petrisor <eddy.petrisor@gmail.com>
Eder L. Marques <frolic@debian-ce.org>
Elian Myftiu <elian.myftiu@gmail.com>
Emmanuel Galatoulas <galas@tee.gr>
Esko Arajrvi <edu@iki.fi>
Frank Lichtenheld <djpig@debian.org>
Frdric Bothamy <frederic.bothamy@free.fr>
Gabor Burjan <buga@buvoshetes.hu>
George Papamichelakis <george@step.gr>
Hans Fredrik Nordhaug
<hans@nordhaug.priv.no>
Hvard Korsvoll <korsvoll@gmail.com>
Hideki Yamane <henrich@samba.gr.jp>
Hleb Rubanau <g.rubanau@gmail.com>
I Gede Wijaya S <gwijayas@yahoo.com>
Ivan Masr <helix84@centrum.sk>
Jacobo Tarrio <jtarrio@debian.org>
Jamil Ahmed <jamil@ankur.org.bd>
Janos Guljas <janos@resenje.org>
Jordi Mallach <jordi@debian.org>
Josip Rodin <joy+ditrans@linux.hr>
Karolina Kalic <karolina@resenje.org>
Kartik Mistry <kartik.mistry@gmail.com>
Kstutis Bilinas <kebil@kaunas.init.lt>
Kevin Scannell <kscanne@gmail.com>
Khoem Sokhem <khoemsokhem@khmeros.info>
Klaus Ade Johnstad <klaus@skolelinux.no>
Knut Yrvin <knuty@skolelinux.no>

Konstantinos Margaritis <markos@debian.org>
Kostas Papadimas <pkst@gnome.org>
Kumar Appaiah <a.kumar@alumni.iitm.ac.in>
Lior Kaplan <kaplan@debian.org>
Luiz Portella <lfpor@lujz.org>
Mallikarjuna <Mallikarjunasj@gmail.com>
Mert Dirik <mertdirik@gmail.com>
Milo Casagrande <milo@ubuntu.com>
Ming Hua <minghua@ubuntu.com>

Miroslav Kure <kurem@debian.cz>
Mouhamadou Mamoune Mbacke <mouhamadoumamoune@gmail.com>
Nabin Gautam <nabin@mpp.org.np>
Ossama M. Khayat <okhayat@yahoo.com>
Ovidiu Damian <deelerious@gmail.com>
Parlin Imanuel Toh <parlin_i@yahoo.com>
Pavel Piatruk <berserker@neolocation.com>
Piarres Beobide <pi@beobide.net>
Praveen|
A| <pravi.a@gmail.com>
Rdolfs Mazurs <rudolfs.mazurs@gmail.com>
Sahran <Sahran.ug@gmail.com>
Sampada Nakhare <sampadanakhare@gmail.com>
Setyo Nugroho <setyo@gmx.net>
Simo Pedro Cardoso <pthell@gmail.com>
Stefano Melchior <stefano.melchior@openlabs.it>
Sunjae Park <darehanl@gmail.com>
Sveinn Felli <sveinki@nett.is>
Tetralet <tetralet@gmail.com>
Theppitak Karoonboonyanan <thep@linux.thai.net>
Tshewang Norbu <bumthap2006@hotmail.com>
Vahid Ghaderi <vahid_male1384@yahoo.com>
Vanja Cvelbar <cvelbar@gmail.com>
Veeven <veeven@gmail.com>
Vikram Vincent <vincentvikram@gmail.com>
Yoppy Hidayanto <yoppy.hidayanto@gmail.com>
License: GPL-2+

License: public-domain
The files tagged with this license contains the following paragraphs:
.
No copyright is claimed. This code is in the public domain; do with
it what you wish.
.
Written by Karel Zak <kzak@redhat.com>

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, v2, as
published by the Free Software Foundation
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along

with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the complete text of the GNU General Public
License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License:
 GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the complete text of the GNU General Public
License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License: GPL-3+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
 the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU General Public
License version 3 can be found in `/usr/share/common-licenses/GPL-3'.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice,
this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
.
1) Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
.
2) Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
.
3) Neither the name of the ORGANIZATION nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

License: BSD-4-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice,
this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software

without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: LGPL
This file may be redistributed under the terms of the
GNU Lesser General Public License.

.

On Debian systems, the complete text of the GNU Lesser General Public
License can be found in /usr/share/common-licenses/LGPL.

License: LGPL-2+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.

.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the
GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

.

The complete text of the GNU Lesser General Public License
can be found in /usr/share/common-licenses/LGPL-2 file.

License: LGPL-2.1+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1, or (at your option)
any later version.

.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License along
with this program; if not, write to the Free Software Foundation,
Inc.,
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: LGPL-3+
This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 3 of the License, or (at your option) any later version.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-3".

License:
 MIT
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files
(the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software,
and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
```

of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by
the Library is deemed a mode
of using an interface provided by the Library.
```

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,
data structure
layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the

Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that
displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible
with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is

necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the

Library.
This package was debianized by Christoph Martin martin@uni-mainz.de on
Fri, 22 Nov 1996 21:29:51 +0100.

Copyright (c) 1998-2004 The OpenSSL Project
Copyright (c) 1995-1998 Eric A. Young, Tim J. Hudson

The upstream sources were obtained from https://www.openssl.org/

LICENSE ISSUES
==========

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts. Actually both licenses are BSD-style
Open Source licenses. In case of any license issues related to OpenSSL
please contact openssl-core@openssl.org.

OpenSSL License

/* ==
* Copyright (c) 1998-2004 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions
of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in
*   the documentation and/or other materials provided with the
*   distribution.
*
* 3. All advertising materials mentioning features or use of this
*   software must display the following acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For written permission, please contact
*   openssl-core@openssl.org.
*

* 5. Products derived from this software may not be called "OpenSSL"
*   nor may "OpenSSL" appear in their names without
 prior written
*   permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF
 THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* ==
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to. The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code. The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the

holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
 *   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE,
 DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Files-Excluded-regen-configure: bin/*
Upstream-Name: perl

Source: http://www.perl.com/CPAN/src/5.0/
Comment:
This package was initially debianized by Brendan O'Dea <bod@debian.org>
on Thu, 17 Aug 2000 16:10:54 +1000. The packaging has since been modified
by various others, including Dominic Hargreaves <dom@earth.li> and Niko
Tyni <ntyni@debian.org>.
.
Upstream Authors:
.
  Larry Wall et. al. (see /usr/share/doc/perl/AUTHORS).
.
Last checked against: Perl 5.32.1

Files: *
Copyright:
Perl is Copyright (C) 1987-2021 by Larry Wall and others. All rights reserved.
License: GPL-1+ or Artistic
Comment:
  This program is free software; you can redistribute it and/or modify
  it under the terms of either:
.
  a) the GNU General Public License as published by the Free Software
    Foundation; either version 1, or (at your option) any later
    version, or
.
  b) the "Artistic License" which comes
 with Perl.

The directories ext/, dist/, and cpan/ contain separate distributions
that have been bundled with the Perl core. The copyright and license
status of these have been detailed separately below.
.
It is assumed that all the other files are part of Perl and share the
above copyright and license information unless explicitly specified
differently. Only the exceptions have been detailed below.
.
As a small portion of the files are indeed licensed differently from
the above, all the other licenses have been collected and/or duplicated
at the end of this file to facilitate review.

Files: perlio.c
Copyright:
Copyright (c) 1996-2006, Nick Ing-Simmons
Copyright (c) 2006, 2007, 2008 Larry Wall and others
License: GPL-1+ or Artistic
Comment:
This file is a part of Perl itself, licensed as above.

Files: malloc.c
Copyright:
Modifications Copyright Ilya Zakharevich 1996-99.
License: GPL-1+ or Artistic
Comment:
This file is a part
 of Perl itself, licensed as above.

Files: mro_core.c
Copyright:
Copyright (c) 2007 Brandon L Black
Copyright (c) 2007, 2008 Larry Wall and others
License: GPL-1+ or Artistic
Comment:
This file is a part of Perl itself, licensed as above.

Files: perl.c
Copyright:
Copyright 1987-2018, Larry Wall
MS-DOS port Copyright (c) 1989, 1990, Diomidis Spinellis
OS/2 port Copyright (c) 1990, 1991, Raymond Chen, Kai Uwe Rommel
Version 5 port Copyright (c) 1994-2002, Andreas Kaiser, Ilya Zakharevich
License: GPL-1+ or Artistic
Comment:
This file is a part of Perl itself, licensed as above.

These copyright notices are embedded in the code, and possibly apply
to other files as well.

Files: time64.c
Copyright:
Copyright (c) 2007-2008 Michael G Schwern
.
This software originally derived from Paul Sheer's pivotal_gmtime_r.c.
License: Expat

Files:
regcomp.c
regexec.c
Copyright:
Copyright (c) 1986 by University of Toronto.
Written by Henry Spencer.
  Not derived from licensed software.
.
Alterations to Henry's code are...
Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999,
  2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008
  by Larry Wall and others

.
NOTE: this is derived from Henry Spencer's regexp code, and should not
confused with the original package (see point 3 below). Thanks, Henry!
License: REGCOMP, and GPL-1+ or Artistic
Comment:

The "alterations to Henry's code" have the following license information:
.
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: perly.h
Copyright:
Copyright (C) 1984, 1989-1990, 2000-2015, 2018-2019 Free Software Foundation, Inc.
License: GPL-3+-WITH-BISON-EXCEPTION

Files: mkppport
Copyright:
Copyright 2006 by Marcus Holland-Moritz <mhx@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you may
redistribute it
and/or modify it under the same terms as Perl itself.

Files: ebcdic_tables.h
Copyright:
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
License: Expat

Files:
inline.h
perl.h
Copyright:
Copyright (C) 1993-2012 by Larry Wall and others
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
License: GPL-1+ or Artistic
Comment:
These files contains tables and code adapted from
https://bjoern.hoehrmann.de/utf-8/decoder/dfa/, which requires this
copyright notice:
.
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Files: lib/unicore/*.txt
Copyright:
1991-2016 Unicode, Inc.
License: Unicode

Comment:
The license is given as
.
For terms of use, see http://www.unicode.org/terms_of_use.html
.
See the end of this file for the full text of this license as downloaded
from the above URL on Tue, 26 Apr 2011 14:41:24 +0300.

Files: lib/deprecate.pm
Copyright:
Copyright (C) 2009, 2011
License: GPL-1+ or Artistic
Comment:
This
library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself, either Perl version 5.10.0 or,
at your option, any later version of Perl 5 you may have available.

Files: lib/B/Deparse.pm
Copyright:
Copyright (c) 1998-2000, 2002, 2003, 2004, 2005, 2006 Stephen McCamant.
All rights reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software; you can redistribute and/or modify
it under the same terms as Perl itself.

Files: dist/FindBin/lib/FindBin.pm
Copyright:
Copyright (c) 1995 Graham Barr & Nick Ing-Simmons. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: symbian/*
Copyright:
Copyright (c) Nokia 2004-2005. All rights reserved.
License: GPL-1+ or Artistic
Comment:
All files are licensed under the same terms as Perl itself.

Files: symbian/PerlUiS90.rss
Copyright:
Copyright (c) 2006 Alexander
Smishlajev. All rights reserved.
License: GPL-1+ or Artistic
Comment:

The PerlUi class is licensed under the same terms as Perl itself.

Files: README.symbian
Copyright:
Copyright (c) 2004-2005 Nokia. All rights reserved.
Copyright (c) 2006-2007 Jarkko Hietaniemi.
License: GPL-1+ or Artistic
Comment:
The Symbian port is licensed under the same terms as Perl itself.

Files: t/op/split_unicode.t
Copyright:
Copyright (c) 1991-2006 Unicode, Inc.
License: GPL-1+ or Artistic, and Unicode
Comment:

The test data was extracted from the Unicode Character Database.
.
It is assumed that the test code is licensed under the same terms
as Perl.

Files: regen/ebcdic.pl
Copyright:
Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
License: Expat
Comment:
* Some of the tables are adapted from
* https://bjoern.hoehrmann.de/utf-8/decoder/dfa/

Files: regen/reentr.pl
Copyright: Copyright (c) 2002,2003 Jarkko Hietaniemi
License: GPL-1+
 or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files:
Porting/checkansi.pl
Porting/valgrindpp.pl
Copyright:
Copyright 2003, 2007 by Marcus Holland-Moritz <mhx@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it
and/or modify it under the same terms as Perl itself.

Files: Porting/config_h.pl

Copyright:
Copyright (C) 2005-2012 by H.Merijn Brand (m)'12 [22-09-2012]
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: Porting/git-deltatool
Copyright:
This software is copyright (c) 2010 by David Golden.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under the same
terms as the Perl 5 programming language system itself.

Files: NetWare/*
Copyright:
Copyright (C) 2000-01, 2002 Novell, Inc. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files:
vms/vms.c
vms/vmsish.h
Copyright:
Copyright (C) 1993-2015 by Charles Bailey and others.
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: win32/fcrypt.c
Copyright:
Copyright (C) 1993 Eric Young - see README for more details
License: GPL-1+ or Artistic
Comment:
This file is a part of Perl itself, licensed as above.

Files:
dist/autouse/*
dist/base/*
dist/constant/*
dist/Devel-SelfStubber/*
dist/Dumpvalue/*
dist/Env/*
cpan/ExtUtils-Manifest/*

dist/I18N-Collate/*
dist/Safe/*
ext/Fcntl/*
ext/FileCache/*
ext/GDBM_File/*
ext/IPC-Open3/*
ext/NDBM_File/*
ext/ODBM_File/*
ext/Opcode/*
ext/PerlIO-encoding/*
ext/PerlIO-scalar/*
ext/PerlIO-via/*
ext/POSIX/*
ext/re/*
cpan/Socket/*
ext/Sys-Hostname/*
ext/Tie-Hash-NamedCapture/*
ext/Tie-Memoize/*
ext/VMS-DCLsym/*
ext/VMS-Stdio/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:

There is no copyright or license information in these distributions.
It is assumed that they are licensed under the same terms as Perl itself.

Files: cpan/Archive-Tar/*
Copyright: 2002 - 2009 Jos Boumans <kane@cpan.org>. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you may redistribute and/or modify
it under the same terms as Perl itself.

Files:
cpan/AutoLoader/*
dist/SelfLoader/*
Copyright: This package has the same copyright and license as the perl core:
Copyright (C) 1993, 1994, 1995, 1996, 1997, 1998, 1999,
2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2011, 2012
by Larry Wall and others
.
All rights reserved.
License: GPL-1+ or Artistic
Comment:
This package has the same copyright and license as the perl core.

Files: cpan/autodie/*

Copyright: 2008-2009, Paul Fenwick <pjf@perltraining.com.au>
License: GPL-1+ or Artistic
Comment:
This module is free software, you may distribute it under the
same terms as Perl itself.

Files:
cpan/autodie/lib/autodie/exception/system.pm
cpan/autodie/lib/autodie/exception.pm
Copyright: 2008-2009, Paul Fenwick <pjf@perltraining.com.au>
License: GPL-1+ or Artistic
Comment:
This is free software. You may modify and/or redistribute this
code under the same terms as Perl 5.10 itself, or, at your option,
any later version of Perl 5.

Files:
cpan/autodie/lib/autodie/Scope/GuardStack.pm
cpan/autodie/lib/autodie/Util.pm
Copyright: Copyright 2013-2014, Niels Thykier <niels@thykier.net>
License: GPL-1+ or Artistic
Comment:
This module is free software. You may distribute it under the
same terms as Perl itself.

Files: cpan/Compress-Raw-Bzip2/*
Copyright: Copyright (c) 2005-2019
 Paul Marquess. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or modify it under the same terms as Perl itself.

Files: cpan/Compress-Raw-Bzip2/bzip2-src/*
Copyright: Copyright(C) 1996-2019 Julian Seward. All rights reserved
Comment:
---
cpan/Compress-Raw-Bzip2/bzip2-src/README states:
 Note that the files bzip2.c, bzip2recover.c, bzlib.c & decompress.c
 have been modified to allow them to build with a C++ compiler.
 The file bzip2-src/bzip2-cpp.patch contains the patch
 that was used to modify the original source.
but the patch has apparently been filtered out when including the software
into the Perl core distribution.
License: BZIP

Files: cpan/Compress-Raw-Zlib/*
Copyright: Copyright (c) 2005-2019 Paul Marquess. All rights reserved.

License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or modify it under the same terms as
Perl itself.

Files: cpan/Compress-Raw-Zlib/zlib-src/*
Copyright:
Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler
License: ZLIB

Files: cpan/Config-Perl-V/*
Copyright:
Copyright (C) 2009-2019 H.Merijn Brand
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/CPAN/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files:
cpan/CPAN/lib/App/Cpan.pm
cpan/CPAN/scripts/cpan
Copyright: (c) 2001-2018, brian d foy, All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
You may redistribute this under the same terms as Perl itself.

Files: cpan/CPAN-Meta/*
Copyright:
This software is copyright (c) 2010 by David Golden, Ricardo Signes,
Adam Kennedy and Contributors.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or
modify it under
the same terms as the Perl 5 programming language system itself.

Files:
cpan/CPAN-Meta/lib/CPAN/Meta/History/Meta_1_0.pod
cpan/CPAN-Meta/lib/CPAN/Meta/History/Meta_1_1.pod
cpan/CPAN-Meta/lib/CPAN/Meta/History/Meta_1_2.pod

cpan/CPAN-Meta/lib/CPAN/Meta/History/Meta_1_3.pod
cpan/CPAN-Meta/lib/CPAN/Meta/History/Meta_1_4.pod
Copyright: Ken Williams
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/CPAN-Meta-Requirements/*
Copyright:
This software is copyright (c) 2010 by David Golden and Ricardo Signes.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/CPAN-Meta-YAML/*
Copyright:
This software is copyright (c) 2010 by Adam Kennedy.
License: GPL-1+ or Artistic
Comment:
This is free software; you
can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/DB_File/*
Copyright: Copyright (c) 1995-2020 Paul Marquess. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: dist/Devel-PPPort/*
Copyright:
Version 3.x, Copyright (C) 2004-2013, Marcus Holland-Moritz.
Copyright (C) 2018, The perl5 porters
Version 2.x, Copyright (C) 2001, Paul Marquess.
Version 1.x, Copyright (C) 1999, Kenneth Albanowski.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files:
dist/Devel-PPPort/parts/inc/mess
dist/Devel-PPPort/parts/inc/01_test
Copyright:
Copyright (C) 2017, 2019 Pali <pali@cpan.org>

License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify
it under the same terms as Perl itself.

Files: cpan/Digest/*
Copyright:
Copyright 1998-2006 Gisle Aas.
Copyright 1995,1996 Neil Winton.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Digest-MD5/*
Copyright:
Copyright 1998-2003 Gisle Aas.
Copyright 1995-1996 Neil Winton.
Copyright 1990-1992 RSA Data Security, Inc.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Digest-SHA/*
Copyright:
Copyright (C) 2003-2018 Mark Shelor, All Rights Reserved
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/Encode/*
Copyright: Copyright 2002-2014 Dan Kogai <dankogai@cpan.org>
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute
it and/or modify
it under the same terms as Perl itself.

Files: cpan/Encode/bin/encguess
Copyright: 2015 Michael LaGrasta and Dan Kogai
License: Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the terms of the the Artistic License (2.0).

Files: dist/encoding-warnings/*
Copyright:
Copyright 2004, 2005, 2006, 2007 by Audrey Tang <cpan@audreyt.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: dist/Exporter/lib/Exporter.pm
Copyright: unknown
License: GPL-1+ or Artistic
Comment:
This library is free software. You can redistribute it
and/or modify it under the same terms as Perl itself.

Files: dist/Tie-File/*
Copyright:
Tie::File version 0.97 is copyright (C) 2003 Mark Jason Dominus.
License: GPL-2+ or Artistic
Comment:
This library is free software; you may redistribute it and/or modify
it under the same terms as Perl itself.
.
These terms are your choice of any of (1) the Perl Artistic Licence,
or (2) version 2 of the GNU General Public License as published by the
Free Software Foundation, or (3) any later version of the GNU General
Public License.

Files: cpan/experimental/*
Copyright:
This software is copyright (c) 2013 by Leon Timmermans.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/ExtUtils-Constant/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:

There are no copyright or license notices in this distribution. It
is assumed that the copyright and license of Perl itself applies here
as well.
.
This is supported by the README of the separate CPAN distribution at
<https://metacpan.org/release/ExtUtils-Constant>, which states:

.
You may distribute this work under the terms of either the GNU General
Public License or the Artistic License, as specified in perl's README
file.
.
Copyright 2001, 2002, 2005 Nicholas Clark

Files: cpan/ExtUtils-MakeMaker/lib/ExtUtils/MakeMaker/Locale.pm
Copyright: 2010 Gisle Aas <gisle@aas.no>
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/ExtUtils-Manifest/lib/ExtUtils/Manifest.pm
Copyright: 1996- by Andreas Koenig
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files:
cpan/File-Fetch/*
cpan/IPC-Cmd/*
cpan/Module-Load/*
cpan/Module-Load-Conditional/*
cpan/Module-Loaded/*
cpan/Params-Check/*
Copyright:
There are no copyright notices in these distributions.
Their author is Jos Boumans <kane@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This library is free software; you may redistribute and/or modify it
under the same terms as Perl
itself.

Files: cpan/File-Path/*
Copyright:
This module is copyright (C) Charles Bailey, Tim Bunce, David Landgren,
James Keenan, and Richard Elberger 1995-2018. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/File-Temp/*
Copyright:

This software is copyright (c) 2013 by Tim Jenness and the UK Particle
Physics and Astronomy Research Council.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/Filter-Util-Call/*
Copyright:
Copyright (c) 1995-2011 Paul Marquess. All rights reserved.
Copyright (c) 2011-2014 Reini Urban. All rights reserved.
Copyright (c) 2014-2017 cPanel Inc. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same
 terms as Perl itself.

Files: cpan/Getopt-Long/*
Copyright:
Module Getopt::Long is Copyright 1990,2015 by Johan Vromans.
License: GPL-2+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the terms of the Perl Artistic License or the
GNU General Public License as published by the Free Software
Foundation; either version 2 of the License, or (at your option) any
later version.

Files: cpan/HTTP-Tiny/*
Copyright:
This software is copyright (c) 2018 by Christian Hansen.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/IO-Compress/*
Copyright:
Copyright (c) 1995-2019 Paul Marquess. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or modify it under the same terms as Perl itself.

Files: cpan/IO-Zlib/*
Copyright:
Copyright (c)

1998-2004 Tom Hughes <tom@compton.nu>. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute
it and/or modify it under the same terms as Perl itself.

Files: cpan/IPC-SysV/*
Copyright:
Version 2.x, Copyright (C) 2007-2010, Marcus Holland-Moritz.
Version 1.x, Copyright (c) 1997, Graham Barr.
Version 1.x, Copyright (c) 1999, Graham Barr.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/JSON-PP/*
Copyright:
Copyright 2007-2016 by Makamaka Hannyaharamitu
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/libnet/*
Copyright:
(C) 1995-2006 Graham Barr. All rights reserved.
(C) 2013-2016 Steve Hay. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it
and/or modify
it under the same terms as Perl itself.

Files: cpan/libnet/Makefile.PL
Copyright:
Copyright (C) 2014 Steve Hay. All rights reserved.
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public License
or the Artistic License, as specified in the LICENCE file.

Files: cpan/Scalar-List-Utils/*
Copyright:
Copyright (c) 1997-2009 Graham Barr <gbarr@pobox.com>. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or

modify it under the same terms as Perl itself.

Files: cpan/Scalar-List-Utils/lib/Scalar/Util.pm
Copyright:
Copyright (c) 1997-2007 Graham Barr <gbarr@pobox.com>. All rights reserved.
Copyright (c) 1999 Tuomas J. Lukka <lukka@iki.fi>. All rights reserved.
Copyright (C) 2004, 2008 Matthijs van Duin. All rights reserved.
Copyright (C) 2014 cPanel Inc. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you
 can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Scalar-List-Utils/lib/Sub/Util.pm
Copyright: (c) 2014 Paul Evans <leonerd@leonerd.org.uk>. All rights reserved
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Locale-Maketext-Simple/*
Copyright:
Copyright 2003, 2004, 2005, 2006 by Audrey Tang <cpan@audreyt.org>
License: Expat or GPL-1+ or Artistic
Comment:
This software is released under the MIT license cited below. Additionally,
when this software is distributed with Perl Kit, Version 5, you may also
redistribute it and/or modify it under the same terms as Perl itself.

Files:
cpan/Locale-Maketext-Simple/t/po_with_i_default/i_default.po
cpan/Locale-Maketext-Simple/t/po_with_i_default/fr.po
cpan/Locale-Maketext-Simple/t/po_with_i_default/en.po
cpan/Locale-Maketext-Simple/t/po_without_i_default/en.po
cpan/Locale-Maketext-Simple/t/po_without_i_default/fr.po
Copyright:
 Copyright (C) All Perl Hackers everywhere
Ton Voon <ton.voon@opsera.com>, 2009.
License: Expat or GPL-1+ or Artistic
Comment:

It is assumed that these translations are licensed under the same terms as
the rest of the Locale-Maketext-Simple distribution.

Files: cpan/Math-Complex/*
Copyright: unknown
License: GPL-1+ or Artistic

Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/Memoize/*
Copyright:
Copyright 1998, 1999, 2000, 2001, 2012 M-J. Dominus.
License: GPL-1+ or Artistic
Comment:
This library is free software; you may redistribute it and/or modify
it under the same terms as Perl itself.
.
You may copy and distribute this program under the same terms as
Perl itself. If in doubt, write to mjd-perl-memoize+@plover.com for
a license.

Files: cpan/MIME-Base64/*
Copyright:
Copyright 1995-2004,2010 Gisle Aas <gisle@ActiveState.com>
License:
 GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/MIME-Base64/Base64.xs
Copyright:
Copyright 1997-2004 Gisle Aas
Copyright (c) 1991 Bell Communications Research, Inc. (Bellcore)
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.
.
The tables and some of the code that used to be here was borrowed from
metamail, which comes with this message:
.
 Copyright (c) 1991 Bell Communications Research, Inc. (Bellcore)
.
 Permission to use, copy, modify, and distribute this material
 for any purpose and without fee is hereby granted, provided
 that the above copyright notice and this permission notice
 appear in all copies, and that the name of Bellcore not be
 used in advertising or publicity pertaining to this
 material without the specific, prior written permission
  of an authorized representative of Bellcore. BELLCORE
 MAKES NO REPRESENTATIONS ABOUT THE ACCURACY OR SUITABILITY
 OF THIS MATERIAL FOR ANY PURPOSE. IT IS PROVIDED "AS IS",

WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES.

Files: cpan/Module-Metadata/*
Copyright:
Copyright (c) 2001-2011 Ken Williams. All rights reserved.
Copyright (c) 2010-2011 Matt Trout and David Golden. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/NEXT/*
Copyright:
Copyright (c) 2000-2001, Damian Conway. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software. It may be used, redistributed
and/or modified under the same terms as Perl itself.

Files: cpan/parent/*
Copyright:
Copyright (c) 2007-2017 Max Maischein <corion@cpan.org>
License: GPL-1+ or Artistic
Comment:
This module is released under the same terms as Perl itself.

Files:
cpan/PerlIO-via-QuotedPrint/*
Copyright:
Copyright (c) 2002-2004,2012 Elizabeth Mattijsen. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: cpan/Perl-OSType/*
Copyright:
This software is copyright (c) 2016 by David Golden.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/Pod-Checker/*
Copyright:
Copyright (C) 1994-2000 by Bradford Appleton. All rights reserved.
License: GPL-1+ or Artistic
Comment:

This file is part of "PodParser". PodParser is free software;
you can redistribute it and/or modify it under the same terms
as Perl itself.

Files: cpan/Pod-Escapes/*
Copyright:
Copyright (c) 2001-2004 Sean M. Burke. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute
 it and/or modify
it under the same terms as Perl itself.

Files: cpan/podlators/*
Copyright:
Copyright 1999-2001, 2008, 2010, 2012, 2014-2016, 2018-2019 Russ Allbery <rra@cpan.org>
Substantial contributions by Sean Burke <sburke@cpan.org>
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/podlators/lib/Pod/Text/Overstrike.pm
Copyright:
Copyright 2000 by Joe Smith <Joe.Smith@inwap.com>.
Copyright 1999, 2001, 2004, 2006, 2008, 2009, 2018-2019 Russ Allbery <rra@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify it
under the same terms as Perl itself.

Files:
cpan/podlators/t/data/snippets/README
cpan/podlators/t/data/basic.cap
cpan/podlators/t/data/basic.clr
cpan/podlators/t/data/basic.man
cpan/podlators/t/data/basic.ovr
cpan/podlators/t/data/basic.pod
cpan/podlators/t/data/basic.txt
Copyright:
Copyright
 2001-2018 Russ Allbery <rra@cpan.org>
License: RRA-KEEP-THIS-NOTICE
Comment:
The license text can be found at the end of this file.

Files:
cpan/podlators/t/docs/pod-spelling.t

cpan/podlators/t/docs/pod.t
cpan/podlators/t/docs/synopsis.t
cpan/podlators/t/lib/Test/RRA.pm
cpan/podlators/t/lib/Test/RRA/Config.pm
cpan/podlators/t/style/minimum-version.t
cpan/podlators/t/style/module-version.t
cpan/podlators/t/style/strict.t
Copyright:
Copyright 2012-2014 The Board of Trustees of the Leland Stanford Junior University
Copyright 2014-2016, 2019 Russ Allbery <eagle@eyrie.org>
License: Expat

Files:
cpan/podlators/t/lib/Test/RRA/ModuleVersion.pm
cpan/podlators/t/docs/spdx-license.t
cpan/podlators/t/style/obsolete-strings.t
Copyright: Copyright 2016, 2018-2019 Russ Allbery <eagle@eyrie.org>
License: Expat

Files: cpan/podlators/t/man/no-encode.t
Copyright:
Copyright 2016 Niko Tyni <ntyni@iki.fi>
Copyright 2016, 2018-2019 Russ Allbery <rra@cpan.org>
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Pod-Simple/*
Copyright:
Copyright (c) 2002-2004 Sean M. Burke. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Pod-Simple/lib/Pod/Simple/XHTML.pm
Copyright:
Copyright (c) 2003-2005 Allison Randal.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files:
cpan/Pod-Simple/t/perlfaq.pod
cpan/Pod-Simple/t/perlfaqo.txt
Copyright:

Copyright (c) 1997-1999 Tom Christiansen and Nathan Torkington.
All rights reserved.
License: GPL-1+ or Artistic
Comment:

This document is part of the perlfaq distribution. A newer version
of it is also included in pod/perlfaq3.pod.
.
The license notice
 in the document is:
.
 When included as an integrated part of the Standard Distribution
 of Perl or of its documentation (printed or otherwise), this works is
 covered under Perl's Artistic License. For separate distributions of
 all or part of this FAQ outside of that, see L<perlfaq>.
.
 Irrespective of its distribution, all code examples here are in the public
 domain. You are permitted and encouraged to use this code and any
 derivatives thereof in your own programs for fun or for profit as you
 see fit. A simple comment in the code giving credit to the FAQ would
 be courteous but is not required.
.
The corresponding license in pod/perlfaq.pod is:
.
 This document is available under the same terms as Perl itself. Code
 examples in all the perlfaq documents are in the public domain. Use
 them as you see fit (and at your own risk with no warranty from anyone).

Files: cpan/Pod-Usage/*
Copyright:
Copyright (C) 1996-2000 by Bradford Appleton. All rights reserved.
 Copyright (c) 2001-2016 by Marek Rouchal.
License: GPL-1+ or Artistic
Comment:
This file is part of "Pod-Usage". Pod-Usage is free software;
you can redistribute it and/or modify it under the same terms
as Perl itself.

Files: cpan/Pod-Usage/t/inc/Pod/PlainText.pm
Copyright:
Copyright 1999-2000 by Russ Allbery <rra@stanford.edu>
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Sys-Syslog/*
Copyright:

Copyright (C) 1990-2012 by Larry Wall and others.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Sys-Syslog/fallback/syslog.h
Copyright:
Copyright (c) 1982, 1986, 1988, 1993
    The Regents of the University of California. All rights reserved.
License: BSD-3-clause-with-weird-numbering

Files: cpan/Term-ANSIColor/*
Copyright:
Copyright 1996 Zenin
Copyright
 1996-1998, 2000-2002, 2005-2006, 2008-2018, 2020 Russ Allbery <rra@cpan.org>
Copyright 2012 Kurt Starsinic <kstarsinic@gmail.com>
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify
it under the same terms as Perl itself.

Files:
cpan/Term-ANSIColor/t/lib/Test/RRA.pm
Copyright:
Copyright 2016, 2018-2019 Russ Allbery <eagle@eyrie.org>
Copyright 2013, 2014 The Board of Trustees of the Leland Stanford Junior University
License: Expat

Files:
cpan/Term-ANSIColor/t/lib/Test/RRA/Config.pm
Copyright:
Copyright 2015, 2016, 2019 Russ Allbery <eagle@eyrie.org>
Copyright 2013-2014 The Board of Trustees of the Leland Stanford Junior University
License: Expat

Files: cpan/Term-Cap/*
Copyright: 1995-2015 (c) perl5 porters.
License: GPL-1+ or Artistic
Comment:
This software is free software and can be modified and distributed under
the same terms as Perl itself.

Files: cpan/Test-Harness/*
Copyright:
Copyright (c) 2007-2011, Andy Armstrong

<andy@hexten.net>. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Test-Harness/lib/TAP/Parser.pm
Copyright:
Copyright 2006-2008 Curtis "Ovid" Poe, all rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Test-Harness/lib/TAP/Parser/YAMLish/Reader.pm
Copyright:
Copyright 2007-2011 Andy Armstrong.
Portions copyright 2006-2008 Adam Kennedy.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: cpan/Test-Simple/*
Copyright:
Copyright 2001-2008 by Michael G Schwern <schwern@pobox.com>.
Copyright 2019 Chad Granum <exodist@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or
modify it under the same terms as Perl itself.

Files: cpan/Test-Simple/lib/Test/Builder.pm
Copyright:
Copyright 2002-2008 by chromatic <chromatic@wgz.org> and
Michael G Schwern E<schwern@pobox.com>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Test-Simple/lib/Test/Builder/Tester/Color.pm
Copyright:
Copyright Mark Fowler <mark@twoshortplanks.com> 2002.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it

and/or modify it under the same terms as Perl itself.

Files: cpan/Test-Simple/lib/Test/Builder/Tester.pm
Copyright:
Copyright Mark Fowler <mark@twoshortplanks.com> 2002, 2004.
.
Some code taken from Test::More and Test::Catch, written by by
Michael G Schwern <schwern@pobox.com>. Hence, those parts
Copyright Michael G Schwern 2001. Used and distributed with
permission.
.
This module is copyright
2005 Fergal Daly <fergal@esatclear.ie>, some parts
are based on other people's work.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or modify it under the same terms as Perl itself.

Files: cpan/Test-Simple/lib/Test/Tutorial.pod
Copyright:
Copyright 2001 by Michael G Schwern <schwern@pobox.com>.
License: GPL-1+ or Artistic
Comment:
This documentation is free; you can redistribute it and/or modify it
under the same terms as Perl itself.
.
Irrespective of its distribution, all code examples in these files
are hereby placed into the public domain. You are permitted and
encouraged to use this code in your own programs for fun
or for profit as you see fit. A simple comment in the code giving
credit would be courteous but is not required.

Files: cpan/Test-Simple/lib/Test/Builder/IO/Scalar.pm
Copyright:
Copyright (c) 1996 by Eryq. All rights reserved.
Copyright (c) 1999,2001 by ZeeGee Software Inc. All rights reserved.
License:
GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it
and/or modify it under the same terms as Perl itself.

Files: cpan/Test-Simple/lib/Test/Tester/CaptureRunner.pm
Copyright: Copyright 2003 by Fergal Daly <fergal@esatclear.ie>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it

and/or modify it under the same terms as Perl itself.

Files:
cpan/Test-Simple/lib/Test/use/ok.pm
cpan/Test-Simple/lib/ok.pm
Copyright: none
To the extent possible under law, has waived all copyright and related
or neighboring rights to L<Test-use-ok>
License: CC0-1.0
Comment:

The file links to http://creativecommons.org/publicdomain/zero/1.0/
and the full license text as retrieved from there can be found at the
end of this file.

Files: cpan/Text-Balanced/*
Copyright:
Copyright 1997 - 2001 Damian Conway. All Rights Reserved.
Some (minor) parts copyright 2009 Adam Kennedy.
License:
 GPL-1+ or Artistic
Comment:
This module is free software. It may be used, redistributed and/or
modified under the same terms as Perl itself.

Files: cpan/Text-ParseWords/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:

There are no copyright notices this distribution.
.
This library is free software; you may redistribute and/or modify it
under the same terms as Perl itself.

Files: cpan/Text-Tabs/*
Copyright:
Copyright (C) 1996-2009 David Muir Sharnoff.
Copyright (C) 2005 Aristotle Pagaltzis
Copyright (C) 2012-2013 Google, Inc.
License: TEXT-TABS

Files:
cpan/bignum/*
cpan/Tie-RefHash/*
cpan/Win32API-File/*
cpan/ExtUtils-Install/*
cpan/Math-BigInt/*

cpan/Math-BigInt-FastCalc/*
cpan/Math-BigRat/*
dist/Thread-Queue/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify
it under the same terms as Perl itself.

These distributions include no copyright notices but have
the same explicit licensing information.

Files: cpan/Time-Local/*
Copyright:
Copyright (c) 1997 - 2018 by Graham Barr & Dave Rolsky.
License: GPL-1+ or Artistic
Comment:
This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: cpan/Time-Piece/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:
This module is free software, you may distribute it under the same
terms as Perl.

Files: cpan/Time-Piece/Piece.xs
Copyright:
strptime copied from freebsd with the following copyright:
Copyright (c) 1994 Powerdog Industries. All rights reserved.
License: GPL-1+ or Artistic, and BSD-4-clause-POWERDOG
Comment:

The strptime function is licensed under the BSD-like license included
below. It is assumed that the other parts are licensed under the same
terms as the rest of the distribution.

Files:
cpan/Unicode-Collate/*
Copyright:
This module is Copyright(C) 2001-2018, SADAHIRO Tomoyuki. Japan. All
rights reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Unicode-Collate/Collate/allkeys.txt
Copyright:
Copyright (c) 2017 Unicode, Inc.
License: Unicode
Comment:
For terms of use, see http://www.unicode.org/terms_of_use.html
---
See below for the full text of this license as downloaded from the above URL
on Tue, 26 Apr 2011 14:41:24 +0300.

Files: dist/Unicode-Normalize/*
Copyright:
Copyright(C) 2001-2012, SADAHIRO Tomoyuki. Japan. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: cpan/Win32/*
Copyright: (c) 1995 Microsoft Corporation. All rights reserved.
License: GPL-1+ or Artistic
Comment:

There are no copyright notices or license information in this distribution,
but the README file of the separate CPAN distribution at
<https://fastapi.metacpan.org/source/JDB/Win32-0.52/README> states:
.
This module is free software; you may redistribute it and/or modify it
under the same terms as Perl itself.
.
The "Perl for Win32" source code was licensed under the same terms
as Perl itself and contained this copyright notice:
.
(c) 1995 Microsoft Corporation. All rights reserved.
Developed by ActiveWare Internet Corp.

Files: dist/Attribute-Handlers/*
Copyright:
Copyright (c) 2001-2009, Damian Conway. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software. It may be used, redistributed
and/or modified under the same terms as Perl itself.

Files: dist/Carp/*
Copyright:
Copyright (c) 1994-2013 Larry Wall
Copyright (c) 2011, 2012, 2013 Andrew Main (Zefram) <zefram@fysh.org>

License: GPL-1+
 or Artistic
Comment:
This module is free software. It may be used, redistributed
and/or modified under the same terms as Perl itself.

Files: dist/Data-Dumper/*
Copyright:
Copyright (c) 1996-2019 Gurusamy Sarathy. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: dist/ExtUtils-CBuilder/*
Copyright:
Copyright (c) 2003-2005 Ken Williams. All rights reserved.
Copyright (c) 2012-2020 Ken Williams. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: dist/ExtUtils-ParseXS/*
Copyright:
Copyright 2002-2012 by Ken Williams, David Golden and other contributors.
All rights reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.
.
Based on
 the ExtUtils::xsubpp code by Larry Wall and the Perl 5
Porters, which was released under the same license terms.

Files: dist/Filter-Simple/*
Copyright:
Copyright (c) 2000-2008, Damian Conway. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software. It may be used, redistributed
and/or modified under the same terms as Perl itself.

Files: dist/if/*
Copyright: This software is copyright (c) 2002 by Ilya Zakharevich.
License: GPL-1+ or Artistic
Comment:

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Files: dist/I18N-LangTags/*
Copyright:
Copyright 1998+, Sean M. Burke <sburke@cpan.org>, all rights
reserved.
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: dist/I18N-LangTags/lib/I18N/LangTags/List.pm
Copyright:
Copyright (c) 2001+ Sean M. Burke. All rights
 reserved.
License: GPL-1+ or Artistic
Comment:
You can redistribute and/or modify this document under the same terms
as Perl itself.

Files: dist/IO/*
Copyright:
Copyright (c) 1996-2003 Graham Barr <gbarr@pobox.com>. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: dist/IO/lib/IO/Socket.pm
Copyright:
Copyright (c) 1997-8 Graham Barr <gbarr@pobox.com>. All rights reserved.
Copyright 2001, Lincoln Stein <lstein@cshl.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.
.
The atmark() implementation: Copyright 2001, Lincoln Stein <lstein@cshl.org>.
This module is distributed under the same terms as Perl itself.
Feel free to use, modify and redistribute it as long as you retain
the correct attribution.

Files: dist/lib/*
Copyright: as above for 'Files: *'
License:
 GPL-1+ or Artistic
Comment:

This package has the same copyright and license as the perl core.

Files: dist/Locale-Maketext/*
Copyright:
Copyright 1999-2004, Sean M. Burke <sburke@cpan.org>, all rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: dist/Locale-Maketext/lib/Locale/Maketext/TPJ13.pod
Copyright: 1999 The Perl Journal.
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: dist/Module-CoreList/*
Copyright:
Copyright (C) 2002-2009 Richard Clamp. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you may redistribute it and/or modify
it under the same terms as Perl itself.

Files: dist/Module-CoreList/corelist
Copyright:
Copyright (c) 2002-2007 by D.H. aka PodMaster
License: GPL-1+ or Artistic
Comment:
This program is distributed under the same
 terms as perl itself.

Files: dist/Module-CoreList/lib/Module/CoreList/Utils.pm
Copyright:
Copyright (C) 2013 Chris Williams. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This module is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: dist/Net-Ping/*
Copyright:
Copyright (c) 2017-2018, Reini Urban. All rights reserved.
Copyright (c) 2016, cPanel Inc. All rights reserved.
Copyright (c) 2012, Steve Peters. All rights reserved.
Copyright (c) 2002-2003, Rob Brown. All rights reserved.
Copyright (c) 2001, Colin McMillen. All rights reserved.
License: GPL-1+ or Artistic

Comment:
This program is free software; you may redistribute it and/or
modify it under the same terms as Perl itself.

Files: dist/PathTools/*
Copyright:
Copyright (c) 2004 by the Perl 5 Porters. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms
 as Perl itself.

Files: dist/PathTools/Cwd.xs
Copyright:
Copyright (c) 2004 by the Perl 5 Porters. All rights reserved.
Copyright (c) 2003 Constantin S. Svintsoff <kostik@iclub.nsu.ru>
License: GPL-1+ or Artistic, and BSD-3-clause-GENERIC
Comment:

The main license applies to most of the code:
.
 This program is free software; you can redistribute it and/or modify
 it under the same terms as Perl itself.
.
but portions of it have been taken from a BSD variant and are licensed
under the terms of the "BSD-3-clause-GENERIC" license included in this file.
.
dist/PathTools/Cwd.pm states:
.
 Portions of the C code in this library are copyright (c) 1994 by the
 Regents of the University of California. All rights reserved. The
 license on this code is compatible with the licensing of the rest of
 the distribution - please see the source code in F<Cwd.xs> for the
 details.
.
but, as discussed in
 http://rt.cpan.org/Public/Bug/Display.html?id=64116
 this is outdated and dist/PathTools/Cwd.xs itself contains the correct
information.

Files: cpan/Pod-Perldoc/*
Copyright:
Copyright (c) 2002-2007 Sean M. Burke.
Copyright (c) 2011 Mark Allen. All rights reserved.
Copyright (c) 2011 brian d foy. All rights reserved.
Copyright (c) 2017 Mark Allen.
License: GPL-1+ or Artistic

Comment:
This library is free software; you can redistribute it and/or modify it
under the same terms as Perl itself.

Files: dist/Storable/*
Copyright:
Copyright (c) 1995-2001, Raphael Manfredi
Copyright (c) 2002-2014 by the Perl 5 Porters
Copyright (c) 2016,2017 cPanel Inc
Copyright (c) 2017, Reini Urban
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl 5 itself.

Files: dist/Storable/t/forgive.t
Copyright:
Copyright (c) 1995-2000, Raphael Manfredi
(C) Copyright 1997, Universitat Dortmund, all rights reserved.
License: GPL-1+ or Artistic
Comment:
You may redistribute only under the same terms as Perl 5, as specified
in the README file that comes with the distribution.

Files:
dist/Storable/t/attach_errors.t
dist/Storable/t/attach_singleton.t
dist/Storable/t/circular_hook.t
Copyright:
Copyright 2005, Adam Kennedy.
License: GPL-1+ or Artistic
Comment:
You may redistribute only under the same terms as Perl 5, as specified
in the README file that comes with the distribution.

Files:
dist/Storable/t/code.t
dist/Storable/t/sig_die.t
Copyright:
Copyright (c) 2002 Slaven Rezic
License: GPL-1+ or Artistic
Comment:
You may redistribute only under the same terms as Perl 5, as specified
in the README file that comes with the distribution.

Files: dist/threads/*
Copyright: unknown
License: GPL-1+ or Artistic

Comment:
threads is released under the same license as Perl.

Files: dist/threads-shared/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:
threads::shared is released under the same license as Perl.

Files:
dist/threads-shared/shared.xs
Copyright:
Copyright (c) 2001-2002, 2006 Larry Wall
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: dist/Test/*
Copyright:
Copyright (c) 1998-2000 Joshua Nathaniel Pritikin.
Copyright (c) 2001-2002 Michael G. Schwern.
Copyright (c) 2002-2004 Sean M. Burke.
License: GPL-1+ or Artistic
Comment:
This package is free software and is provided "as is" without express
or implied warranty. It may be used, redistributed and/or modified
under the same terms as Perl itself.

Files: dist/Time-HiRes/*
Copyright:
Copyright (c) 1996-2002 Douglas E. Wegscheid. All rights reserved.
Copyright (c) 2002-2010 Jarkko Hietaniemi.
Copyright (c) 2011, 2012, 2013 Andrew Main (Zefram) <zefram@fysh.org>
All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under
the same terms as Perl itself.

Files: dist/XSLoader/*
Copyright:
Copyright (C) 1990-2011 by Larry Wall and others.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: ext/attributes/*
Copyright:
Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008
by Larry Wall and others
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files:
ext/Amiga-ARexx/*
ext/Amiga-Exec/*
Copyright:
Copyright (C) 2013 by Andy Broad.
License: GPL-1+ or Artistic
Comment:
There is no license information included. It is assumed that this
distribution is licensed under the same terms as Perl itself.

Files: ext/B/*
Copyright:
Copyright (c) 1996, 1997, 1998 Malcolm Beattie
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General
Public
License or the Artistic License, as specified in the README file.

Files: ext/B/B/Concise.pm
Copyright:
Copyright (C) 2000-2003 Stephen McCamant. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute and/or modify it
under the same terms as Perl itself.

Files: ext/Devel-Peek/*
Copyright:
Copyright (c) 1995-98 Ilya Zakharevich. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: ext/DynaLoader/*
Copyright: unknown
License: GPL-1+ or Artistic

Comment:

There is no license information included that clearly applies to the
whole of this distribution. It is assumed that it is licensed under
the same terms as Perl itself.

Files: ext/DynaLoader/dl_aix.xs
Copyright:
This is an unpublished work copyright (c) 1992 Helios Software GmbH
3000 Hannover 1, Germany
License:
GPL-1+ or Artistic
Comment:

It is assumed that this file is licensed under the same terms as Perl itself.

Files: ext/DynaLoader/dl_freemint.xs
Copyright:
based upon the file "dl.c", which is Copyright (c) 1994, Larry Wall
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: ext/DynaLoader/dl_symbian.xs
Copyright: 2004, Nokia
License: GPL-1+ or Artistic
Comment:

The license in the file is specified as
.
License: Artistic/GPL

Files: ext/Errno/*
Copyright:
Copyright (c) 1997-8 Graham Barr. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: ext/File-Glob/*
Copyright: unknown
License: Artistic
Comment:
The Perl interface was written
by Nathan Torkington <gnat@frii.com>,
and is released under the artistic license. Further modifications

were made by Greg Bacon <gbacon@cs.uah.edu>, Gurusamy Sarathy
<gsar@activestate.com>, and Thomas Wegner <wegner_thomas@yahoo.com>.

Files:
ext/File-Glob/bsd_glob.c
ext/File-Glob/bsd_glob.h
Copyright:
Copyright (c) 1989, 1993
The Regents of the University of California. All rights reserved.
.
This code is derived from software contributed to Berkeley by
Guido van Rossum.
License: BSD-3-clause

Files: ext/Hash-Util/*
Copyright: unknown
License: GPL-1+ or Artistic
Comment:

There is no license information in this distribution.
It is assumed that it is licensed under the same terms as Perl itself.

Files: ext/Hash-Util/lib/Hash/Util.pm
Copyright:
hv_store() is from Array::RefElem, Copyright 2000 Gisle Aas.
License: GPL-1+ or Artistic
Comment:

As above, it is assumed that this file is licensed
 under the same terms
as Perl itself.
.
The copyright and license information of Array::RefElem, as fetched from
<https://fastapi.metacpan.org/source/GAAS/Array-RefElem-1.00/README>, is as
follows:
.
 Copyright 2000 Gisle Aas <gisle@aas.no>
.
 This library is free software; you can redistribute it and/or
 modify it under the same terms as Perl itself.

Files: ext/Hash-Util-FieldHash/*
Copyright:
Copyright (C) 2006-2007 by (Anno Siegel)
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself, either Perl version 5.8.7 or,

at your option, any later version of Perl 5 you may have available.

Files: ext/I18N-Langinfo/*
Copyright:
Copyright 2001 by Jarkko Hietaniemi
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files: ext/mro/*
Copyright:
Copyright (c) 2007 Brandon L Black
Copyright
(c) 2008,2009 Larry Wall and others
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: ext/Pod-Html/*
Copyright: unknown
License: Artistic
Comment:
This program is distributed under the Artistic License.

Files: ext/SDBM_File/*
Copyright: none
License: SDBM-PUBLIC-DOMAIN

Files: ext/Win32CORE/*
Copyright:
Copyright (C) 2007 by Larry Wall and others
License: GPL-1+ or Artistic
Comment:
You may distribute under the terms of either the GNU General Public
License or the Artistic License, as specified in the README file.

Files: ext/XS-APItest/*
Copyright:
Copyright (C) 2002,2004 Tim Jenness, Christian Soeller, Hugo van der Sanden.
All Rights Reserved.
.
Copyright (C) 2009 Andrew Main (Zefram) <zefram@fysh.org>
License: GPL-1+ or Artistic
Comment:
This library is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files:
ext/XS-Typemap/*
Copyright:
Copyright (C) 2001 Tim Jenness All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify
it under the same terms as Perl itself.

Files:
pod/perldebtut.pod
pod/perlperf.pod
Copyright:
Richard Foley <richard.foley@rfi.net> Copyright (c) 2000
License: GPL-1+ or Artistic
Comment:

These files are a part of Perl itself, licensed as above.

Files: pod/perlembed.pod
Copyright:
Copyright (C) 1995, 1996, 1997, 1998 Doug MacEachern and Jon Orwant. All
Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: pod/perlexperiment.pod
Copyright:
Copyright 2010, brian d foy <brian.d.foy@gmail.com>
License: GPL-1+ or Artistic
Comment:
You can use and redistribute this document under the same terms as Perl
itself.

Files:
cpan/perlfaq/lib/perlfaq*.pod
Copyright:
Copyright
(c) 1997-2010 Tom Christiansen, Nathan Torkington, and
other authors as noted. All rights reserved.
License: GPL-1+ or Artistic
Comment:
This documentation is free; you can redistribute it and/or modify it
under the same terms as Perl itself.
.
Irrespective of its distribution, all code examples here are in the public

domain. You are permitted and encouraged to use this code and any
derivatives thereof in your own programs for fun or for profit as you
see fit. A simple comment in the code giving credit to the FAQ would
be courteous but is not required.

Files: cpan/perlfaq/lib/perlfaq.pod
Copyright:
Tom Christiansen wrote the original version of this document.
brian d foy <bdfoy@cpan.org> wrote this version. See the
individual perlfaq documents for additional copyright information.
License: GPL-1+ or Artistic
Comment:
This document is available under the same terms as Perl itself. Code
examples in all the perlfaq documents are in the public domain. Use
them as you
see fit (and at your own risk with no warranty from anyone).

Files:
pod/perlfilter.pod
pod/perlthrtut.pod
Copyright:
copyright 1998 The Perl Journal
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: cpan/perlfaq/lib/perlglossary.pod
Copyright:
Based on the Glossary of I<Programming Perl>, Fourth Edition,
by Tom Christiansen, brian d foy, Larry Wall, & Jon Orwant.
Copyright (c) 2000, 1996, 1991, 2012 O'Reilly Media, Inc.
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: pod/perlmodinstall.pod
Copyright:
Copyright (C) 1998, 2002, 2003 Jon Orwant. All Rights Reserved.
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: pod/perlpodstyle.pod
Copyright:
Copyright 1999, 2000, 2001, 2004, 2006, 2008, 2010, 2015, 2018 Russ Allbery
<rra@cpan.org>
License: RRA-KEEP-THIS-NOTICE
Comment:

The
license text can be found at the end of this file.

Files: pod/perlreapi.pod
Copyright:
Copyright 2006 Yves Orton and 2007 var Arnfjr Bjarmason.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or modify it under
the same terms as Perl itself.

Files: pod/perlreftut.pod
Copyright:
Copyright 1998 The Perl Journal.
License: GPL-1+ or Artistic
Comment:
This documentation is free; you can redistribute it and/or modify it
under the same terms as Perl itself.
.
Irrespective of its distribution, all code examples in these files are
hereby placed into the public domain. You are permitted and
encouraged to use this code in your own programs for fun or for profit
as you see fit. A simple comment in the code giving credit would be
courteous but is not required.

Files:
pod/perlrequick.pod
pod/perlretut.pod
Copyright:
Copyright (c) 2000 Mark Kvale
All rights reserved.
License: GPL-1+ or Artistic
Comment:
This document may be distributed
under the same terms as Perl itself.

Files: pod/perlunicook.pod
Copyright:
Copyright (c) 2012 Tom Christiansen
License: GPL-1+ or Artistic
Comment:
This document may be distributed under the same terms as Perl itself.

Files: pod/perluniintro.pod
Copyright:
Copyright 2001-2011 Jarkko Hietaniemi <jhi@iki.fi>
License: GPL-1+ or Artistic
Comment:

This document may be distributed under the same terms as Perl itself.

Files:
Copying
pod/perlgpl.pod
Copyright:
 Copyright (C) 1989 Free Software Foundation, Inc.
 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
License: DONT-CHANGE-THE-GPL

Files: t/io/shm.t
Copyright:
Copyright (C) 1999, Graham Barr <gbarr@pobox.com>.
Copyright (C) 2007-2010, Marcus Holland-Moritz <mhx@cpan.org>.
License: GPL-1+ or Artistic
Comment:
This program is free software; you can redistribute it and/or
modify it under the same terms as Perl itself.

Files: regen-configure/*
Copyright:
Copyright (c) 1996-1998, Andy Dougherty
Copyright
 (c) 1999-2011, H.Merijn Brand
License: GPL-1+ or Artistic or Artistic-dist
Comment:
This directory is a snapshot of the upstream metaconfig repository,
containing code originally forked from 'dist' upstream by Larry
Wall and Raphael Manfredi. The 'dist/' subdirectory is unmodified
upstream code, but the other subdirectories contain mixed code.
Some units are dual licensed and some are specifically Artistic-only.
.
The bin/ subdirectory is being filtered from the upstream snapshot
(with the Files-Excluded mechanism at the top of this copyright file)
because it contains files generated from dist sources. The Debian
package build uses the tools from the separate 'dist' package.
.
From regen-configure/U/README:
.
You may distribute the files contained in this distribution
under the terms of either
.
  a) the "Artistic License" which comes with Perl, or
.
  b) the "Artistic License" which comes with dist, or
.
  c) the GNU General Public License as published

by the Free
Software Foundation; either version 1, or (at your option) any
later version (see the file "Copying" that comes with the
Perl distribution).
.
The full text of the "Artistic License" which comes with dist
differs slightly from the one that is in /usr/share/common-licenses
on Debian systems, and can be found later in this file under the
"Artistic-dist" tag.

Files: regen-configure/dist/*
Copyright:
Copyright (c) 1991-1997, 2004-2006, 2012 Raphael Manfredi
Copyright (c) 1996,1998 Andy Dougherty
Copyright (c) 1996, Cygnus Support
Copyright (c) 1996, Spider Boardman
Copyright (c) 1996, Sven Verdoolaege
Copyright (c) 1997, Chip Salzenberg
Copyright (c) 1998 Andy Dougherty
Copyright (c) 1999-2001 Jarkko Hietaniemi
License: Artistic-dist
Comment:
This subdirectory contains unmodified 'dist' code that is
licensed under the modified Artistic license detailed below
under the "Artistic-dist" tag. The different files have
separate copyright notices, collected
above.

Files: regen-configure/U/*
Copyright:
Copyright (c) 1991-1997, 2004-2006, Raphael Manfredi
Copyright (c) 1996-2010, Andy Dougherty
Copyright (c) 1996, Sven Verdoolaege
Copyright (c) 1998-2016 Jarkko Hietaniemi
Copyright (c) 2004-2018 H.Merijn Brand
Copyright (c) 2006-2006, H.Merijn Brand & Nicholas Clark
Copyright (c) 2011, H.Merijn Brand & Tony Cook
Copyright (c) 2014-2014, Karl Williamson & H.Merijn Brand
Copyright (c) 2016 H.Merijn Brand & Todd Rinaldo
Copyright (c) 2016 Tony Cook
Copyright (c) 2017, Lukas Mai
Copyright (c) 2017 Dagfinn Ilmari Mannsker
Copyright (c) 2017-2019, Karl Williamson
License: Artistic or GPL-1+ or Artistic-dist
Comment:
From regen-configure/U/README:
.
The units in the "modified" directory have been derived from units

associated with the metaconfig program of Raphael Manfredi's "dist"
distribution. These units list Raphael Manfredi as the Copyright holder.
dist is distributed under a modified version of the Perl Artistic
License.
Clause 7 of this modified license as contained in dist-3.0-pl60 provides:
.
7. You may reuse parts of this Package in your own programs, provided
that you explicitly state where you got them from, in the source code
(and, left to your courtesy, in the documentation), duplicating
all the associated copyright notices and disclaimers. Besides
your changes, if any, must be clearly marked as such. Parts reused
that way will no longer fall under this license if, and only if,
the name of your program(s) have no immediate connection with the
name of the Package itself or its associated programs. You may then
apply whatever restrictions you wish on the reused parts or choose
to place them in the Public Domain--this will apply only within the
context of your package.
.
In accordance with this clause, the versions of these units
contained here are made available under the same terms as the
rest of the units.
.
It is assumed that the
above relicensing also applies to all files in
the other subdirectories that are declared to be licensed under the
same modified Artistic license.
.
The modified license can be found later in this file under the
"Artistic-dist" tag.

Files: utf8.c
Copyright:
Portions Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
License: GPL-1+ or Artistic, and Expat
Comment:
This program is free software; you can redistribute it and/or modify
it under the terms of either:
.
a) the GNU General Public License as published by the Free Software
Foundation; either version 1, or (at your option) any later
version, or
.
b) the "Artistic License" which comes with Perl.

Files: debian/*
Copyright:
Portions of the Debian packaging are
Copyright 2008-2011 Niko Tyni <ntyni@debian.org>

Copyright 2011 Dominic Hargreaves <dom@earth.li>
The other people listed in debian/changelog are most probably
copyright holders too, but they have not included explicit
copyright
or licensing information.
License: GPL-1+ or Artistic
Comment:

The portions by Niko Tyni and Dominic Hargreaves may be redistributed
and/or modified under the same terms as Perl itself. It is assumed that
other contributors have placed their contributions under a compatible
license.

License: LGPL-2.1
On Debian GNU/Linux systems, the complete text of the LGPL 2.1
license can be found in `/usr/share/common-licenses/LGPL-2.1'.

License: GPL-1+
On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-1'.

License: GPL-2+
On Debian GNU/Linux systems, the complete text of version 2 of
the GNU General Public License can be found in
`/usr/share/common-licenses/GPL-2'.

License: Artistic
On Debian GNU/Linux systems, the complete text of the
Artistic Licence can be found in `/usr/share/common-licenses/Artistic'.

License: Artistic-2
Copyright (c) 2000-2006,
The Perl Foundation.
.
Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.
.
Preamble
.
This license establishes the terms under which a given free software
Package may be copied, modified, distributed, and/or redistributed.
The intent is that the Copyright Holder maintains some artistic
control over the development of that Package while still keeping the
Package available as open source and free software.
.
You are always permitted to make arrangements wholly outside of this
license directly with the Copyright Holder of a given Package. If the
terms of this license do not permit the full use that you propose to

make of the Package, you should contact the Copyright Holder and seek a different licensing arrangement.

.

Definitions

.

"Copyright Holder" means the individual(s) or organization(s) named in the copyright notice for the entire Package.

.

"Contributor" means any party that has contributed code or other material to the Package, in accordance with the Copyright Holder's procedures.

.

"You" and "your" means any person who would like to copy, distribute, or modify the Package.

.

"Package" means the collection of files distributed by the Copyright Holder, and derivatives of that collection and/or of those files. A given Package may consist of either the Standard Version, or a Modified Version.

.

"Distribute" means providing a copy of the Package or making it accessible to anyone else, or in the case of a company or organization, to others outside of your company or organization.

.

"Distributor Fee" means any fee that you charge for Distributing this Package or providing support for this Package to another party. It does not mean licensing fees.

.

"Standard Version" refers to the Package if it has not been modified, or has been modified only in ways explicitly requested by the Copyright Holder.

.

"Modified Version" means the Package, if it has been changed, and such changes were not explicitly requested by the Copyright Holder.

.

"Original License" means this Artistic License as Distributed with the Standard Version of the Package, in its current version or as it may be modified by The Perl Foundation in the future.

.

"Source" form means the source code, documentation source, and configuration files for the Package.

.

"Compiled" form means the compiled bytecode, object code, binary, or any other form resulting from mechanical transformation or translation of the Source form.

.

Permission for Use and Modification Without Distribution

.

(1) You are permitted to use the Standard Version and create and use Modified Versions for any purpose without restriction, provided that you do not Distribute the Modified Version.

.

Permissions for Redistribution of the Standard Version

.

(2) You may Distribute verbatim copies of the Source form of the Standard Version of this Package in any medium without restriction, either

gratis or for a Distributor Fee, provided that you duplicate all of the original copyright notices and associated disclaimers. At your discretion, such verbatim copies may or may not include a Compiled form of the Package.

.

(3) You may apply any bug fixes, portability changes, and other modifications made available from the Copyright Holder. The resulting Package will still be considered the Standard Version, and as such will be subject to the Original License.

.

Distribution of Modified Versions of the Package as Source

.

(4) You may Distribute your Modified Version as Source (either gratis or for a Distributor Fee, and with or without a Compiled form of the Modified Version) provided that you clearly document how it differs from the Standard Version, including, but not limited to, documenting any non-standard features, executables, or modules, and provided that you do at least ONE of the following:

.

(a) make the Modified Version available to the Copyright Holder of the

Standard Version, under the Original License, so that the Copyright Holder may include your modifications in the Standard Version. (b) ensure that installation of your Modified Version does not prevent the user installing or running the Standard Version. In addition, the Modified Version must bear a name that is different from the name of the Standard Version. (c) allow anyone who receives a copy of the Modified Version to make the Source form of the Modified Version available to others under (i) the Original License or (ii) a license that permits the licensee to freely copy, modify and redistribute the Modified Version using the same licensing terms that apply to the copy that the licensee received, and requires that the Source form of the Modified Version, and of any works derived from it, be made freely available in that license fees are prohibited but Distributor Fees are allowed.

.

Distribution of Compiled Forms of the Standard Version or Modified

Versions
without the Source
.
(5) You may Distribute Compiled forms of the Standard Version without the Source, provided that you include complete instructions on how to get the Source of the Standard Version. Such instructions must be valid at the time of your distribution. If these instructions, at any time while you are carrying out such distribution, become invalid, you must provide new instructions on demand or cease further distribution. If you provide valid instructions or cease distribution within thirty days after you become aware that the instructions are invalid, then you do not forfeit any of your rights under this license.
.
(6) You may Distribute a Modified Version in Compiled form without the Source, provided that you comply with Section 4 with respect to the Source of the Modified Version.
.
Aggregating or Linking the Package
.
(7) You may aggregate the Package (either the Standard Version or Modified Version) with other packages and Distribute the resulting aggregation provided that you do not charge a licensing fee for the Package. Distributor Fees are permitted, and licensing fees for other components in the aggregation are permitted. The terms of this license apply to the use and Distribution of the Standard or Modified Versions as included in the aggregation.
.
(8) You are permitted to link Modified and Standard Versions with other works, to embed the Package in a larger work of your own, or to build stand-alone binary or bytecode versions of applications that include the Package, and Distribute the result without restriction, provided the result does not expose a direct interface to the Package.
.
Items That are Not Considered Part of a Modified Version
.
(9) Works (including, but not limited to, modules and scripts) that merely extend or make use of the Package, do not, by themselves, cause the Package to be a Modified Version. In addition, such works are not considered parts of the Package itself, and are not subject
to the
terms of this license.
.
General Provisions
.
(10) Any use, modification, and distribution of the Standard or Modified Versions is governed by this Artistic License. By using, modifying or distributing the Package, you accept this license. Do not use, modify, or distribute the Package, if you do not accept this

license.

.

(11) If your Modified Version has been derived from a Modified Version
made by someone other than you, you are nevertheless required to
ensure that your Modified Version complies with the requirements of
this license.

.

(12) This license does not grant you the right to use any trademark,
service mark, tradename, or logo of the Copyright Holder.

.

(13) This license includes the non-exclusive, worldwide,
free-of-charge patent license to make, have made, use, offer to sell,
sell, import and otherwise transfer the Package with respect to any
patent claims licensable by the Copyright Holder that are necessarily
infringed by the Package.

If you institute patent litigation
(including a cross-claim or counterclaim) against any party alleging
that the Package constitutes direct or contributory patent
infringement, then this Artistic License to you shall terminate on the
date that such litigation is filed.

.

(14) Disclaimer of Warranty: THE PACKAGE IS PROVIDED BY THE COPYRIGHT
HOLDER AND CONTRIBUTORS "AS IS' AND WITHOUT ANY EXPRESS OR IMPLIED
WARRANTIES. THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE, OR NON-INFRINGEMENT ARE DISCLAIMED TO THE EXTENT
PERMITTED BY YOUR LOCAL LAW. UNLESS REQUIRED BY LAW, NO COPYRIGHT
HOLDER OR CONTRIBUTOR WILL BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING IN ANY WAY OUT OF THE USE
OF THE PACKAGE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BZIP

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

.

1.

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

.

2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.

.

3. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.

.

4. The name of the author may not be used to endorse or promote

products derived from this software without specific prior written
permission.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.5 of 10 December 2007

License: ZLIB

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

.

1. The origin of this software must not be misrepresented; you must not
claim that you
wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

License: BSD-3-clause-with-weird-numbering
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
4. Neither the name of the University
nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-4-clause-POWERDOG
Redistribution and use in source and binary forms,
with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer
   in the documentation and/or other materials provided with the
   distribution.
3. All advertising materials mentioning features or use of this
   software must display the following acknowledgement:

This product includes software developed by Powerdog Industries.
4. The name of Powerdog Industries may not be used to endorse or
promote products derived from this software without specific prior
written permission.

.

THIS SOFTWARE IS PROVIDED BY POWERDOG INDUSTRIES ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE POWERDOG INDUSTRIES BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Unicode
EXHIBIT 1
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

.

Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
and http://www.unicode.org/cldr/data/ . Unicode Data Files
do not include PDF online code charts under the directory
http://www.unicode.org/Public/. Software includes any
source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
and http://www.unicode.org/cldr/data/.

.

NOTICE TO USER: Carefully read the following legal agreement. BY
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE
INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND
CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD,
INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

.

COPYRIGHT AND PERMISSION NOTICE

.

Copyright 1991-2011 Unicode, Inc. All rights
reserved. Distributed under the Terms of Use in
http://www.unicode.org/copyright.html.

.

Permission is hereby granted, free of charge, to any person
obtaining a copy of the Unicode data files and any associated
documentation (the "Data Files") or Unicode software and any
associated documentation (the

"Software") to deal in the Data Files
or Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute,
and/or sell copies of the Data Files or Software, and to permit
persons to whom the Data Files or Software are furnished to do so,
provided that (a) the above copyright notice(s) and this permission
notice appear with all copies of the Data Files or Software,
(b) both the above copyright notice(s) and this permission notice
appear in associated documentation, and (c) there is clear notice
in each modified Data File or in the Software as well as in the
documentation associated with the Data File(s) or Software that
the data or software has been modified.

.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE
FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES,
OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without
prior written authorization of the copyright holder.

License: BSD-3-clause-GENERIC
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice,
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: REGCOMP
Permission is granted to anyone to use this software for any
purpose on any computer system, and to redistribute it freely,
subject to the following restrictions:
.
1. The author is not responsible for the consequences of use of
   this software, no matter how awful, even if they arise
   from defects in it.
.

2. The origin of this software must not be misrepresented, either
   by explicit claim or by omission.
.
3. Altered versions must be plainly marked as such, and must not

be misrepresented as being the original software.

License: TEXT-TABS
This module may be modified, used, copied, and redistributed at your own risk.
.
Although allowed by the preceding license, please do not publicly
redistribute modified versions of this code with the name "Text::Tabs"
unless it passes the unmodified Text::Tabs test suite.

License: DONT-CHANGE-THE-GPL
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

License: SDBM-PUBLIC-DOMAIN
From ext/SDBM_File/sdbm/README:
.
The entire sdbm library package, as authored by me, Ozan S. Yigit,
is hereby placed in the public domain. As such, the author is not
responsible for the consequences of use of this software, no
matter how awful, even if they arise
from defects in it. There is no
expressed or implied warranty for the sdbm library.
.
Since the sdbm library package is in the public domain, this original
release or any additional public-domain releases of the modified
original cannot possibly (by definition) be withheld from you. Also
by definition, You (singular) have all the rights to this code
(including the right to sell without permission, the right to
hoard[3] and the right to do other icky things as you see fit)
but those rights are also granted to everyone else.
.
Please note that all previous distributions of this software
contained a copyright (which is now dropped) to protect its origins
and its current public domain status against any possible claims
and/or challenges.

License: GPL-3+-WITH-BISON-EXCEPTION
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation,
either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
As a special exception, you may create a larger work that contains
part or all of the Bison parser skeleton and distribute that work
under terms of your choice, so long as that work isn't itself a
parser generator using the skeleton or a modified version thereof
as a parser skeleton. Alternatively, if you modify or redistribute
the parser skeleton itself, you may (at your option) remove this
special exception, which will cause the skeleton and the resulting
Bison output files to be licensed under the GNU General Public
License
 without this special exception.
.
This special exception was added by the Free Software Foundation in
version 2.2 of Bison.

License: HSIEH-DERIVATIVE
The derivative content includes raw computer source code, ideas,
opinions, and excerpts whose original source is covered under another
license and transformations of such derivatives. Note that mere excerpts
by themselves (with the exception of raw source code) are not considered
derivative works under this license. Use and redistribution is limited
to the following conditions:
.
  One may not create a derivative work which, in any way, violates the
  Paul Hsieh exposition license described above on the original content.
.
  One may not apply a license to a derivative work that precludes
  anyone else from using and redistributing derivative content.
.
  One may not attribute any derivative content to authors not involved
  in the creation of the content, though an attribution to the author
  is not necessary.

License:
 HSIEH-BSD
Copyright (c) 2010, Paul Hsieh
All rights reserved.
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
   Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
.
   Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

.

Neither my name, Paul Hsieh, nor the names of any other contributors
to the code use may not be used to endorse or promote products
derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: CC0-1.0
Statatement of Purpose

.

The laws of most jurisdictions throughout the world automatically confer
exclusive Copyright and Related Rights (defined below) upon the creator
and subsequent owner(s) (each and all, an "owner") of an original work
of authorship and/or a database (each, a "Work").

.

Certain owners wish to permanently relinquish those rights to a Work
for the purpose of contributing to
a commons of creative, cultural and
scientific works ("Commons") that the public can reliably and without
fear of later claims of infringement build upon, modify, incorporate in
other works, reuse and redistribute as freely as possible in any form
whatsoever and for any purposes, including without limitation commercial
purposes. These owners may contribute to the Commons to promote the ideal
of a free culture and the further production of creative, cultural and
scientific works, or to gain reputation or greater distribution for
their Work in part through the use and efforts of others.

.

For these and/or other purposes and motivations, and without any
expectation of additional consideration or compensation, the person
associating CC0 with a Work (the "Affirmer"), to the extent that
he or she is an owner of Copyright and Related Rights in the Work,
voluntarily elects to apply CC0 to the Work and publicly distribute
the Work under its terms, with knowledge of his or her Copyright
and
Related Rights in the Work and the meaning and intended legal effect

of CC0 on those rights.

.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

.

the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;

.

moral rights retained by the original author(s) and/or performer(s);

.

publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;

.

rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;

.

rights protecting the extraction, dissemination, use and reuse of data in a Work;

.

database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996

on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

.

other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's

express Statement of Purpose.

.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and
Related Rights in the Work (i)
in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

.

4. Limitations and Disclaimers.

.

No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

.

Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

.

Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the
Work.

.

Affirmer understands and acknowledges that Creative Commons is not
a party to this document and has no duty or obligation with respect
to this CC0 or use of the Work.
Comment:
This license text was retrieved from
<http://creativecommons.org/publicdomain/zero/1.0/>
on Fri, 05 Feb 2016 20:30:28 +0200

License: RRA-KEEP-THIS-NOTICE
Copying and distribution of this file, with or without modification, are
permitted in any medium without royalty provided the copyright notice and
this notice are preserved. This file is offered as-is, without any
warranty.

License: Artistic-dist
The "Artistic License"
.
Preamble
.
The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the Package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less
customary fashion, plus the right to make
reasonable modifications.
.
It also grants you the rights to reuse parts of a Package in your own
programs without transferring this License to those programs, provided
that you meet some reasonable requirements.
.
Definitions:
.
"Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files
created through textual modification.
.
"Standard Version" refers to such a Package if it has not been
modified, or has been modified in accordance with the wishes
of the Copyright Holder as specified below.
.
"Copyright Holder" is whoever is named in the copyright or
copyrights for the package.
.
"You" is you, if you're thinking about copying or distributing
this Package.
.
"Reasonable copying fee" is whatever you can justify on the

basis of media cost, duplication charges,
time of people involved,
and so on. (You will not be required to justify it to the
Copyright Holder, but only to the computing community at large
as a market that must bear the fee.)

.

"Freely Available" means that no fee is charged for the item
itself, though there may be fees involved in handling the item.
It also means that recipients of the item may redistribute it
under the same conditions they received it.

.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

.

3. You may otherwise modify your copy of this Package in any way,
provided
that you insert a prominent notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

.

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or
an equivalent medium, or placing the modifications on a major archive
site such as uunet.uu.net, or by allowing the Copyright Holder to include
your modifications in the Standard Version of the Package.

.

b) use the modified Package only within your corporation or organization.

.

c) rename any non-standard executables so the names do not conflict
with standard executables, which must also be provided, and provide
a separate manual page for each non-standard executable that clearly
documents how it differs from the Standard Version.

.

d) make other distribution arrangements with the Copyright Holder.

.

4. You may distribute
the programs of this Package in object code or
executable form, provided that you do at least ONE of the following:

.

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where
to get the Standard Version.

.

b) accompany the distribution with the machine-readable source of
the Package with your modifications.

.

c) give non-standard executables non-standard names, and clearly
document the differences in manual pages (or equivalent), together
with instructions on where to get the Standard Version.

.

d) make other distribution arrangements with the Copyright Holder.

.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial)
programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

.

7. You may reuse parts of this Package in your own programs, provided that you explicitly state where you got them from, in the source code
(and, left
to your courtesy, in the documentation), duplicating all the associated copyright notices and disclaimers. Besides your changes, if any, must be clearly marked as such. Parts reused that way will no longer fall under this license if, and only if, the name of your program(s) have no immediate connection with the name of the Package itself or its associated programs. You may then apply whatever restrictions you wish on the reused parts or choose to place them in the Public Domain--this will apply only within the context of your package.

.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

.

The End

Comment:
This license was copied
from the upstream 'dist' repository,
https://github.com/rmanfredi/dist.git
at Sun, 15 Oct 2017 13:07:36 +0300.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: dash
Upstream-Contact: dash@vger.kernel.org
Source: http://gondor.apana.org.au/~herbert/dash/

Files: *
Copyright:
1989-1994 The Regents of the University of California. All rights reserved.
1997 Christos Zoulas. All rights reserved.
1997-2018 Herbert Xu <herbert@gondor.apana.org.au>. All rights reserved.
Comment:
This code is derived from software contributed to Berkeley by Kenneth Almquist.
License: BSD-3-Clause

Files: Makefile.in
Copyright: 1994-2011, Free Software Foundation, Inc.
License: FSFULLR

Files: aclocal.m4
Copyright: 1996-2011, Free Software Foundation, Inc.
License: FSFULLR

Files: configure
Copyright: 1992-1996, 1998-2012, Free Software Foundation, Inc.
License: FSFUL

Files: debian/*
Copyright:
1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, Herbert Xu <herbert@debian.org>
2004, 2005, 2006, 2007, 2008, 2009, 2010, 2012, 2014, Gerrit Pape <pape@smarden.org>
2009, Luk Claes
<luk@debian.org>
2010, 2011, Jonathan Nieder <jrnieder@gmail.com>
2010, Adam D. Barratt <adam@adam-barratt.org.uk>
2010, Christian Perrier <bubulle@debian.org>
2013, Michael Gilbert <mgilbert@debian.org>
2016, Helmut Grohne <helmut@subdivi.de>
2016, Mattia Rizzolo <mattia@debian.org>
2016, Niels Thykier <niels@thykier.net>
2017, Adam Borowski <kilobyte@angband.pl>
2017, Ximin Luo <infinity0@debian.org>

2018, 2019, Andrej Shadura <andrewsh@debian.org>
License: BSD-3-clause

Files: debian/po/bg.po
Copyright: 2008, 2009, Damyan Ivanov <dmn@debian.org>
License: BSD-3-clause

Files: debian/po/eu.po
Copyright:
2008, Xabier Bilbao <xabidu@gmail.com>
2008, 2010, Iaki Larraaga Murgoitio <dooteo@euskalgnu.org>
License: BSD-3-clause

Files: debian/po/tr.po
Copyright: 2008, 2011, Mert Dirik <mertdirik@gmail.com>
License: BSD-3-clause

Files: debian/po/da.po
Copyright:
2004, Claus Hindsgaul <claus_h@image.dk>
2006, Claus Hindsgaul <claus.hindsgaul@gmail.com>
2010, Joe Hansen <joedalton2@yahoo.dk>
License:
BSD-3-clause

Files: debian/po/de.po
Copyright: 2006-2009, Helge Kreutzmann <debian@helgefjell.de>
License: BSD-3-clause

Files: debian/po/es.po
Copyright:
2008, 2009, Software in the Public Interest
2008, Fernando Cerezal Lpez <kryptos21@gmail.com>
2009, Francisco Javier Cuadrado <fcocuadrado@gmail.com>
License: BSD-3-clause

Files: debian/po/fr.po
Copyright: 2009, Julien Patriarca <patriarcaj@gmail.com>
License: BSD-3-clause

Files: debian/po/nl.po
Copyright:
2008, Thijs Kinkhorst <thijs@debian.org>
2010, Eric Spreen <erispre@gmail.com>
License: BSD-3-clause

Files: debian/po/pt.po
Copyright:

2008, Andr Lus Lopes <andrelop@debian.org>
2008-2010, Adriano Rafael Gomes <adrianorg@gmail.com>
License: BSD-3-clause

Files: debian/po/pt_BR.po
Copyright:
2008, Andr Lus Lopes <andrelop@debian.org>
2008-2010, Adriano Rafael Gomes <adrianorg@gmail.com>
License: BSD-3-clause

Files: debian/po/sk.po
Copyright:
2011, Slavko <linux@slavino.sk>
License: BSD-3-clause

Files:
debian/po/ro.po
Copyright:
2008, Eddy Petrior <eddy.petrisor@gmail.com>
2012, Andrei Popescu <andreimpopescu@gmail.com
License: BSD-3-clause

Files: debian/po/sr.po
Copyright:
2011, Zlatan Todori <zlatan.todoric@gmail.com>
License: BSD-3-clause

Files: debian/po/sv.po
Copyright:
2008, Martin gren <martin.agren@gmail.com>
2009, Martin Bagge <brother@bsnet.se>
License: BSD-3-clause

Files: debian/po/vi.po
Copyright:
2005-2010, Clytie Siddall <clytie@riverland.net.au>
2010, Free Software Foundation, Inc.
License: BSD-3-clause

Files: install-sh
Copyright: 1994, X Consortium
License: Expat

Files:
depcomp
missing
Copyright: 1999, 2000, 20032012, Free Software Foundation, Inc.
License: GPL-2+ or BSD-3-clause

Files: src/bltin/test.c
Copyright: Erik Baalbergen, Eric Gisin, Arnold Robbins, J.T. Conklin
License: public-domain

Files: src/*
Copyright: 1997-2005, 2007, Herbert Xu <herbert@gondor.apana.org.au>.
1989, 1991, 1993, 1995, The Regents of the University of California.
License:
BSD-3-clause

Files: src/Makefile.in
Copyright: 1994-2011, Free Software
License: FSFULLR

Files: src/mksignames.c
Copyright: 1992, 1996, 1997, 1999, 2000, 2002-2012, Free Software Foundation, Inc.
Comment: This file is not directly linked with dash. However, its output is.
License: GPL-2+

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written
permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: FSFUL
This configure script is free software; the Free Software Foundation

gives unlimited permission to copy, distribute and modify it.

License: FSFULLR
This file is free software; the Free Software Foundation
gives
 unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
 OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.
.
FSF changes to this file are in the public domain.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT

ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU General Public License
version 2 can be found in /usr/share/common-licenses/GPL-2.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: keyutils
Upstream-Contact: David Howells <dhowells@redhat.com>
Source: http://people.redhat.com/~dhowells/keyutils/

Files: *
Copyright: 2005-2018, Red Hat <http://www.redhat.com/>
License: GPL-2+

Files: keyutils.*
Copyright: 2005-2018, Red Hat <http://www.redhat.com/>
License: LGPL-2+

Files: debian/*
Copyright: 2006-2013, Daniel Baumann <mail@daniel-baumann.ch>
2013, Luk Claes <luk@debian.org>
2014-2019, Christian Kastner <ckk@debian.org>
License: LGPL-2+

License: GPL-2+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
The complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 file.

License: LGPL-2+

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
The complete
text of the GNU Lesser General Public License
can be found in /usr/share/common-licenses/LGPL-2 file.
This is Debian GNU/Linux's prepackaged version of the FSF's GNU
Readline library.

This package was put together by Matthias Klose <doko@debian.org>, derived
from the bash package by Guy Maor <maor@debian.org>, from the GNU sources at

ftp.gnu.org:/pub/gnu/readline/readline-6.0.tar.gz.

Upstream Authors:

Chet Ramey <chet.ramey@case.edu>
Jeff Solomon <jsolomon@stanford.edu> (examples/excallback.c)
Harold Levy <Harold.Levy@synopsys.com> (examples/rl-fgets.c)
Juergen Weigert <jnweiger@immd4.informatik.uni-erlangen.de> (examples/rlfe)
Michael Schroeder <mlschroe@immd4.informatik.uni-erlangen.de> (examples/rlfe)
Oliver Laumann (examples/rlfe)

Copyright:

Copyright (C) 1987-2009 Free Software Foundation, Inc.
Copyright (C) 1999 Jeff Solomon (examples/excallback.c)
Copyright (C) 2003-2004 Harold Levy (examples/rl-fgets.c)
Copyright (C) 1993-2002 Juergen Weigert (examples/rlfe)
Copyright (C) 1993-2002 Michael Schroeder (examples/rlfe)
Copyright
(C) 1987 Oliver Laumann (examples/rlfe)

License:

Readline is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or

(at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with Readline. If not, see <http://www.gnu.org/licenses/>.

examples/rl-fgets.c: GPL v2 or later.
examples/rlfe: GPL v2 or later.

On Debian systems, the complete text of the GNU General Public License
can be found in `/usr/share/common-licenses/GPL-3'.

The documentation files doc/*.texi and derived .info, .html, .ps and .pdf
files are:

Copyright
(C) 1988-2015 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this
document under the terms of the GNU Free Documentation License,
Version 1.3 or any later version published by the Free Software
Foundation; with no Invariant Sections, no Front-Cover Texts, and
no Back-Cover Texts. A copy of the license is included in the
section entitled "GNU Free Documentation License".

On Debian systems, the complete text of the GNU Free Documentation License
can be found in `/usr/share/common-licenses/GFDL'.

The Debian packaging is:

Copyright (C) 1999-2009 Matthias Klose <doko@debian.org>

and is licensed under the GPL version 3,
see `/usr/share/common-licenses/GPL-3'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: p11-kit
Source: https://p11-glue.github.io/p11-glue/p11-kit.html

Files: *
Copyright: 2011 Collabora Ltd.
2004, 2005, 2007, 2008, 2012, 2013 Stefan Walter
2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019 Red Hat, Inc.
2012, 2013 Redhat Inc.
License: BSD-3-Clause

Files: common/pkcs11.h
Copyright: 2006, 2007 g10 Code GmbH
2006 Andreas Jellinghaus
Copyright 2017 Red Hat, Inc.
License: permissive-like-automake-output
This file is free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.
.
This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without even
the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. */

Files: common/vsock.c common/vsock.h
Copyright:
2020 Amazon.com, Inc. or its affiliates.
License: BSD-3-Clause

Files: p11-kit/server.c
common/unix-peer.h
Copyright: 2014 Red Hat Inc.
License: BSD-3-Clause
Comment: make_private_security_descriptor() and the helper functions were
* copied from putty/windows/winsecur.c in the PuTTY source code as of
* git commit 12bd5a6c722152aa27f24598785593e72b3284ea.
*
* PuTTY is copyright 1997-2017 Simon Tatham.
*
* Portions copyright Robert de Bath, Joris van Rantwijk, Delian
* Delchev, Andreas Schultz, Jeroen Massar, Wez Furlong, Nicolas Barry,
* Justin Bradford, Ben Harris, Malcolm Smith, Ahmad Khalifa, Markus
* Kuhn, Colin Watson, Christopher Staite, and CORE SDI S.A.
*
* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation files
* (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge,
* publish, distribute, sublicense, and/or
sell copies of the Software,
* and to permit persons to whom the Software is furnished to do so,
* subject to the following conditions:
*
* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

Files: trust/digest.c common/hash.c
Copyright: 2004, 2005, 2007, 2011 Internet Systems Consortium, Inc. ("ISC")
2000, 2001, 2003 Internet Software Consortium.
License: ISC
Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND ISC DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL ISC BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

Files: trust/base64.c trust/base64.h
Copyright: 1996, 1998 by Internet Software Consortium
Portions Copyright (c) 1995 by International Business Machines, Inc.
License: ISC+IBM
Copyright (c) 1996, 1998 by Internet Software Consortium.
.
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.
.
.
Portions Copyright (c) 1995 by International Business Machines, Inc.
.
International Business Machines, Inc. (hereinafter called IBM) grants
permission under its copyrights to use, copy, modify, and distribute this
Software with or without fee, provided that the above copyright notice and
all paragraphs of this notice appear in all copies, and that the name of IBM
not be used in connection with the marketing of any product incorporating
the Software or modifications thereof, without specific, written prior
permission.

.
To the extent it has a right to do so, IBM grants an immunity from suit
under its patents, if any, for the use, sale or manufacture of products to
the extent that such products are used for performing Domain Name System
dynamic updates in TCP/IP networks by means of the Software. No immunity is
granted for
 any product per se or for any other function of any product.
.
THE SOFTWARE IS PROVIDED "AS IS", AND IBM DISCLAIMS ALL WARRANTIES,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE. IN NO EVENT SHALL IBM BE LIABLE FOR ANY SPECIAL,
DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE, EVEN
IF IBM IS APPRISED OF THE POSSIBILITY OF SUCH DAMAGES.

Files: common/compat.c
Copyright: Copyright (c) 2011 Collabora Ltd.
Portions of this file are covered by the following copyright:
Copyright (c) 2001 Mike Barcroft <mike@FreeBSD.org>
Copyright (c) 1990, 1993
Copyright (c) 1987, 1993
    The Regents of the University of California.
Comment: This code is derived from software contributed to Berkeley by
Chris Torek.
License: BSD-3-Clause

Files: common/unix-peer.c
Copyright: 2013 Nikos Mavrogiannopoulos
License: BSD-3-Clause

Files: common/frob-getprogname.c
Copyright:
 2020 Red Hat Inc.
License: BSD-3-Clause

Files: p11-kit/mock-module-ep8.c
Copyright: 2012 Stefan Walter
2020 Red Hat, Inc.
License: BSD-3-Clause

Files: debian/*
Copyright: 2011 Chris Coulson <chris.coulson@canonical.com>
       2011-2020 Andreas Metzler <ametzler@debian.org>
License: BSD-3-Clause

Files: po/de.po
Copyright: 2011 Chris Leick
Comment: This file is distributed under the same license as the
debian files of the p11-kit package.
License: BSD-3-Clause

Files: po/fi.po
Copyright: 2012 Rosetta Contributors and Canonical Ltd 2012
Eerik Uusi-Illikainen https://launchpad.net/~ekiuusi-4, 2012
Timo Jyrinki <timo.jyrinki@iki.fi>, 2012
License: same-as-rest-of-p11kit
This file is distributed under the same license as the p11-kit
package.

License: BSD-3-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above
 copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
JLine v3.20.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Pako v1.0

Pako License
<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any
source distribution.

</pre>
This is the Debian package for libsepol, and it is built from sources
obtained from http://userspace.selinuxproject.org/releases/current/devel/

This package was debianized by Russell Coker <russell@coker.com.au> on
Fri, 20 Aug 2004 17:26:18 +1000.

libsepol is
Copyright (C) 2003, 2004 Stephen Smalley <sds@epoch.ncsc.mil>
Copyright (C) 2003-2007 Red Hat, Inc.
Copyright (C) 2004, 2005 Trusted Computer Solutions, Inc.
Copyright (C) 2003-2008 Tresys Technology, LLC

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian GNU/Linux systems, the complete text of the Lesser GNU General
Public License can be found in `/usr/share/common-licenses/LGPL'.

This package is maintained by Manoj Srivastava <srivasta@debian.org>.

The Debian specific changes are 2005-2008, Manoj Srivastava
<srivasta@debian.org>, and distributed under the terms of the GNU
General Public License, version 2.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.

A copy of the GNU General Public License is also available at
<URL:http://www.gnu.org/copyleft/gpl.html>. You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St, Fifth Floor, Boston, MA 02110-1301 USA

Manoj Srivastava
<srivasta@debian.org>
arch-tag: d4250e44-a0e0-4ee0-adb9-2bd74f6eeb27
Apt is copyright 1997, 1998, 1999 Jason Gunthorpe and others.
Apt is currently developed by APT Development Team <deity@lists.debian.org>.

License: GPLv2+

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

See /usr/share/common-licenses/GPL-2, or
<http://www.gnu.org/copyleft/gpl.txt> for the terms of the latest version
of the
GNU General Public License.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Libidn2
Upstream-Contact: Simon Josefsson <simon@josefsson.org>
Source: https://www.gnu.org/software/libidn/#libidn2

Files: *
Copyright: Copyright (C) 2011-2014 Simon Josefsson
License: GPL-3+

Files: *.c *.h
Copyright: Copyright (C) 2011-2014 Simon Josefsson
License: LGPL-3+ or GPL-2+

Files: build-aux/* lib/* GNUmakefile maint.mk
Copyright: Copyright (C) 2001-2011 Free Software Foundation, Inc.
License: GPL-3+

Files: doc/gdoc
Copyright: Copyright (c) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011 Simon Josefsson
Copyright (c) 2001, 2002 Nikos Mavrogiannopoulos
Copyright (c) 1998 Michael Zucchi
License: GPL-3+

Files: lib/IdnaMappingTable.txt lib/DerivedNormalizationProps.txt tests/IdnaTest.txt
Copyright: Copyright (c) 1991-2010 Unicode, Inc.
License: Unicode

License: GPL-3+
This program is free software: you can redistribute it and/or modify
it under the terms
of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License

along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian GNU/Linux systems, the complete text of the GNU General Public
License version 3 can be found in /usr/share/common-licenses/GPL-3.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will
 be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian GNU/Linux systems, the complete text of the GNU General Public
License version 2 can be found in /usr/share/common-licenses/GPL-2.

License: LGPL-3+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published
by the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have
 received a copy of the GNU Lesser General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian GNU/Linux systems, the complete text of the GNU Lesser General
Public License version 3 can be found in /usr/share/common-licenses/LGPL-3.

License: Unicode
For terms of use, see http://www.unicode.org/terms_of_use.html
Copyright 1991-2011 Unicode, Inc. All rights reserved. Distributed
under the Terms of Use in http://www.unicode.org/copyright.html.
.
Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation

(the "Data Files") or Unicode software and any associated
documentation (the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of the
Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished
to do so, provided that (a) the above
copyright notice(s) and this permission notice appear with all copies
of the Data Files or Software, (b) both the above copyright notice(s)
and this permission notice appear in associated documentation, and
(c) there is clear notice in each modified Data File or in the
Software as well as in the documentation associated with the Data
File(s) or Software that the data or software has been modified.
.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY
CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY
DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THE DATA FILES OR SOFTWARE.
.
Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.
This package was debianized by Colin Walters <walters@debian.org> on
Sun, 13 Oct 2002 15:01:50 -0400

It was downloaded from http://www.fontconfig.org/

Upstream Author: Keith Packard

Copyright:

Copyright 2001,2003 Keith Packard

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of Keith Packard not be used in
advertising or publicity pertaining to distribution of the software without
specific, written prior permission. Keith Packard makes no

representations about the suitability of this software for any purpose. It
is provided "as is" without express or implied warranty.

KEITH PACKARD DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO
EVENT SHALL
 KEITH PACKARD BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.
Double-conversion v1.1.5

Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

jQuery UI v1.12.1

jQuery UI License
```
Copyright jQuery Foundation and other contributors, https://jquery.org/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery-ui

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
 WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample
code is defined as all source code contained within the demos directory.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.
```

```
## JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3
license.

### The MIT License
```
```
Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS
 OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
```
```

### GPL version 3
```
```
                    GNU GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                            Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works.  By contrast,
```

the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its
users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must
pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such
abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the
GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making
available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A
"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means
all
the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that

same work.

2. Basic Permissions.

All rights granted
under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under
your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users,
your or third parties' legal rights to forbid circumvention of
technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other

parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer
product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source
conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and

adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some

trade names, trademarks, or service marks; or

f) Requiring indemnification
of licensors and authors of that
material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files,
a statement of the
additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover,
your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other
than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under
the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent
license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that
obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING

BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

```
```

This is the Debian GNU/Linux package debianutils.

It is an original Debian package. Programs in it were maintained by Guy Maor <maor@debian.org>, and are now maintained by Clint Adams <schizo@debian.org>.

All its programs except savelog, and which may be redistributed under the terms of the GNU GPL, Version 2 or later, found on Debian systems in the file /usr/share/common-licenses/GPL-2.

which is in the public domain.

savelog may be redistributed under the following terms: (The rest of this file consists of savelog's distribution terms.)

#ident "@(#)smail:RELEASE-3_2:COPYING,v 1.2 1996/06/14 18:59:10 woods Exp"

SMAIL GENERAL PUBLIC LICENSE
(Clarified 11 Feb 1988)

Copyright (C) 1988 Landon Curt Noll & Ronald S. Karr
Copyright (C) 1992 Ronald S. Karr
Copyleft (GNU) 1988 Landon Curt Noll & Ronald S. Karr

Everyone is permitted to copy and distribute verbatim copies of this license, but changing it is not allowed. You can also use this wording to make the terms for other programs.

The license agreements of most software companies keep you at the mercy of those companies. By contrast, our general public license is

intended to give everyone the right to share SMAIL. To make sure that you get the rights we want you to have, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. Hence this license agreement.

Specifically, we want to make sure that you have the right to give away copies of SMAIL, that you receive source code or else can get it if you want it, that you can change SMAIL or use pieces of it in new free programs, and that you know you can do these things.

To make sure that everyone has such rights, we have to forbid you to deprive anyone else of these rights. For example, if you distribute copies of SMAIL, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

Also, for our own protection, we must make certain that everyone finds out that there is no warranty for SMAIL. If SMAIL is modified by someone else and passed on, we want its recipients to know that what they have is not what we distributed, so that any problems introduced by others will not reflect on our reputation.

Therefore we (Landon Curt Noll and Ronald S. Karr) make the following terms which say what you must do to be allowed to distribute or change SMAIL.

COPYING POLICIES

1. You may copy and distribute verbatim copies of SMAIL source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy a valid copyright notice "Copyright (C) 1988 Landon Curt Noll & Ronald S. Karr" (or with whatever year is appropriate); keep intact the notices on all files that refer to this License Agreement and to the absence of any warranty; and give any other recipients of the SMAIL program a copy of this License Agreement along with the program. You may charge a distribution fee for the physical act of transferring a copy.

2. You may modify your copy or copies of SMAIL or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains or is a derivative of SMAIL or any part thereof, to be licensed at no charge to all third parties on terms identical to those contained in this License Agreement (except that you may choose to grant more extensive warranty protection to some or all third parties, at your option).

c) You may charge a distribution fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another unrelated program with this program (or its derivative) on a volume of a storage or distribution medium does not bring the other program under the scope of these terms.

3. You may copy and distribute SMAIL (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal shipping charge) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for non-commercial distribution and only if you received the program in object code or executable form alone.)

For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs.

4. You may not copy, sublicense, distribute or transfer SMAIL except as expressly provided under this License Agreement. Any attempt otherwise to copy, sublicense, distribute or transfer SMAIL is void and your rights to use the program under this License agreement shall be automatically terminated. However, parties who have received computer software programs from you with this License Agreement will not have their licenses terminated so long as such parties remain in full compliance.

5. If you wish to incorporate parts of SMAIL into other free programs whose distribution conditions are different, write to Landon Curt Noll & Ronald S. Karr via the Free Software Foundation at 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA. We have not yet worked out a simple rule that can be stated here, but we will often permit this. We will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software.

Your comments and suggestions about our licensing policies and our software are welcome! This contract was based on the contract made by the Free Software Foundation. Please contact the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA, or call (617) 542-5942 for details on copylefted material in general.

NO WARRANTY

BECAUSE SMAIL IS LICENSED FREE OF CHARGE, WE PROVIDE ABSOLUTELY NO WARRANTY, TO THE EXTENT PERMITTED BY APPLICABLE STATE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING, LANDON CURT NOLL & RONALD S. KARR AND/OR OTHER PARTIES PROVIDE SMAIL "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF SMAIL IS WITH YOU. SHOULD SMAIL PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL LANDON CURT NOLL & RONALD S. KARR AND/OR ANY OTHER PARTY WHO MAY MODIFY AND REDISTRIBUTE SMAIL AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY LOST PROFITS, LOST MONIES, OR OTHER SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS) SMAIL, EVEN IF YOU HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY ANY OTHER PARTY.

This is Debian GNU/Linux's prepackaged version of the FSF's GNU Bash, the Bourne Again SHell.

This package was put together by Matthias Klose <doko@debian.org>, from the following sources:

bash: ftp.gnu.org:/pub/gnu/bash/bash-4.3.tar.gz

Bash homepage: http://tiswww.case.edu/php/chet/bash/bashtop.html

Copyright (C) 1987-2014 Free Software Foundation, Inc.

Bash is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

Bash is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

You should have received a copy of the GNU General Public License
along with Bash. If not, see <http://www.gnu.org/licenses/>.
On Debian systems, the complete text of the GNU General Public
License
can be found in `/usr/share/common-licenses/GPL-3'.

The Free Software Foundation has exempted Bash from the requirement of
Paragraph 2c of the General Public License. This is to say, there is
no requirement for Bash to print a notice when it is started
interactively in the usual way. We made this exception because users
and standards expect shells not to print such messages. This
exception applies to any program that serves as a shell and that is
based primarily on Bash as opposed to other GNU software.

Files with other copyright statement than: Copyright FSF, License GPL
---

doc/FAQ ("the Bash FAQ")

This document is Copyright 1995-2005 by Chester Ramey.

Permission is hereby granted, without written agreement and
without license or royalty fees, to use, copy, and distribute
this document for any purpose, provided that the above copyright
notice appears in all copies of this document and that the
contents of this document remain unaltered.

doc/bashref.texi ("Bash Reference Manual"):

Copyright (c) 1988-2014 Free Software Foundation, Inc.

Permission is granted to make and distribute verbatim copies of
this manual provided the copyright notice and this permission notice
are preserved on all copies.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License".

lib/readline/doc/rlman.texi (part of the GNU Readline Library manual)

Copyright (c) 1988-2014 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free
Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License".

lib/readline/doc/rltech.texi (part of the GNU Readline Library manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.

Permission is granted to make and distribute verbatim copies of
this manual provided the copyright notice and this permission notice
pare preserved on all copies.

Permission is granted to process this file through TeX and print the
results, provided the printed document carries copying permission
notice identical to this one except for the removal of this paragraph
(this paragraph not being relevant to the printed manual).

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided that the entire
resulting derived work is distributed under the terms of a permission
notice identical
to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions,
except that this permission notice may be stated in a translation approved
by the Foundation.

lib/readline/doc/rluser.texi (part of the GNU Readline Library manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.

Authored by Brian Fox and Chet Ramey.

Permission is granted to process this file through Tex and print the
results, provided the printed document carries copying permission notice
identical to this one except for the removal of this paragraph (this
paragraph not being relevant to the printed manual).

Permission is granted to make and distribute verbatim copies of this manual
provided the copyright notice and this permission notice are preserved on
all copies.

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided also
that the
GNU Copyright statement is available to the distributee, and provided that
the entire resulting derived work is distributed under the terms of a
permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions.

readline/doc/history.texi (GNU History Library Manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.
Authored by Brian Fox and Chet Ramey.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License".

readline/doc/{hstech,hsuser}.texi (GNU History Library Manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.
Authored by Brian Fox and Chet Ramey.

Permission is granted to make and distribute verbatim copies of this manual
provided the copyright notice and this permission notice are preserved on
all copies.

Permission is granted to process this file through Tex and print the
results, provided the printed document carries copying permission notice
identical to this one except for the removal of this paragraph (this
paragraph not being relevant to the printed manual).

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided also that the
GNU Copyright statement is available to the distributee, and provided that
the entire resulting derived work is distributed under the terms of a
permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions.

lib/sh/inet_aton.c:

* Copyright (c) 1983,
 1990, 1993
*   The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
 *   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.
* -
* Portions Copyright (c) 1993 by Digital Equipment Corporation.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee
is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies, and that
* the name of Digital Equipment Corporation not be used in advertising or
* publicity pertaining to distribution of the document or software without
* specific, written prior permission.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND DIGITAL EQUIPMENT CORP. DISCLAIMS ALL
* WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL DIGITAL EQUIPMENT
* CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

support/man2html.c

* This program was written by Richard Verhoeven (NL:5482ZX35)
* at the Eindhoven University of Technology. Email: rcb5@win.tue.nl
*
* Permission is granted to distribute, modify and use this program as long
* as this comment is not removed or changed.
*
* THIS IS A MODIFIED VERSION. IT WAS MODIFIED BY chet@po.cwru.edu FOR
* USE BY BASH.
This package was debianized by J.H.M. Dassen (Ray) jdassen@debian.org on
Wed, 23 Sep 1998 20:29:32 +0200.

It was downloaded from ftp://ftp.kernel.org/pub/linux/libs/pam/pre/

Copyright (C) 1994, 1995, 1996 Olaf Kirch, <okir@monad.swb.de>
Copyright (C) 1995 Wietse Venema
Copyright (C) 1995, 2001-2008 Red Hat, Inc.
Copyright (C) 1996-1999, 2000-2003, 2005 Andrew G. Morgan <morgan@kernel.org>
Copyright (C) 1996, 1997, 1999 Cristian Gafton <gafton@redhat.com>
Copyright (C) 1996, 1999 Theodore Ts'o
Copyright (C) 1996 Alexander O. Yuriev
Copyright (C) 1996 Elliot Lee
Copyright (C) 1997 Philip W. Dalrymple <pwd@mdtsoft.com>
Copyright (C) 1999 Jan Rkorajski
Copyright (C) 1999 Ben Collins <bcollins@debian.org>

Copyright (C) 2000-2001, 2003, 2005, 2007 Steve Langasek
Copyright (C) 2003, 2005 IBM Corporation
Copyright (C) 2003, 2006 SuSE Linux AG.
Copyright (C) 2003 Nalin Dahyabhai <nalin@redhat.com>
Copyright (C) 2005-2008 Thorsten Kukuk <kukuk@thkukuk.de>
Copyright (C) 2005 Darren Tucker

Unless
otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this Linux-PAM release
may be distributed:

Redistribution and use in source and binary forms of Linux-PAM, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
notice, and this entire permission notice in its entirety,
including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
copyright notices, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. The name of any author may not be used to endorse or promote
products derived from this software without their specific prior
written permission.

ALTERNATIVELY, this product may be distributed under
the terms of the
GNU General Public License, in which case the provisions of the GNU
GPL are required INSTEAD OF the above restrictions. (This clause is
necessary due to a potential conflict between the GNU GPL and the
restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

On
 Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
Apache Serf
Copyright 2015 The Apache Software Foundation

This product includes software developed by many people, and distributed
under Contributor License Agreements to The Apache Software Foundation
(http://www.apache.org/). See the revision logs for an exact contribution
history.
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: DejaVu fonts
Upstream-Author: Stepan Roh <src@users.sourceforge.net> (original author),
                 see /usr/share/doc/fonts-dejavu-core/AUTHORS for full list
Source: https://dejavu-fonts.github.io/

Files: *
Copyright: Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved.
Bitstream Vera is a trademark of Bitstream, Inc.
DejaVu changes are in public domain.
License: bitstream-vera
Permission is hereby granted, free of charge, to any person obtaining a copy
of the fonts accompanying this license ("Fonts") and associated
documentation files (the "Font Software"), to reproduce and distribute the
Font Software, including without limitation the rights to use, copy, merge,
publish, distribute, and/or sell copies of the Font Software, and to permit
persons to whom the Font Software is furnished to do so, subject to the
following conditions:
.
The above copyright and trademark notices
 and this permission notice shall
be included in all copies of one or more of the Font Software typefaces.
.
The Font Software may be modified, altered, or added to, and in particular
the designs of glyphs or characters in the Fonts may be modified and
additional glyphs or characters may be added to the Fonts, only if the fonts
are renamed to names not containing either the words "Bitstream" or the word
"Vera".
.

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT.

IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts at gnome dot org.

Files: debian/*

Copyright: (C) 2005-2006 Peter Cernak <pce@users.sourceforge.net>

(C) 2006-2011 Davide Viti <zinosat@tiscali.it>

(C) 2011-2013 Christian Perrier <bubulle@debian.org>

(C) 2013 Fabian Greffrath <fabian+debian@greffrath.com>

License:

GPL-2+

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
/usr/share/common-licenses/GPL-2'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: editline
Upstream-Contact: Jess Thrysoee <jess@thrysoee.dk>

Files:
*
Copyright:
Copyright (c) 1992, 1993
    The Regents of the University of California. All rights reserved.
.
This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.
License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote
 products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Zstd
Source: https://github.com/facebook/zstd
Files-Excluded: appveyor.yml
                build/*
                programs/windres/*
                .travis.yml

.buckversion
.buckconfig
.circleci/*
.cirrus.yml

Files: *
Copyright: 2013-2018, Yann Collet
2016, Przemyslaw Skibinski
2016-2018, Facebook, Inc.
License: BSD-3-clause and GPL-2
Comment: Starting from 1.3.1 zstd's patent claim is removed
see: https://github.com/facebook/zstd/pull/801

Files: zlibWrapper/examples/*.c
Copyright: 1995-2006, 2011 Jean-loup Gailly
License: zlib

Files: zlibWrapper/gz*.c
Copyright: (C) 2004, 2005, 2010, 2011, 2012, 2013 Mark Adler
License: zlib

License: zlib
This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.
.
Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:
.
1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgement in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Files: lib/dictBuilder/divsufsort.*
Copyright: 2003-2008, Yuta Mori
License: Expat

Files: examples/*
Copyright: 2016-present, Yann Collet, Facebook, Inc.
License: BSD-3-clause and GPL-2

Files: debian/*
Copyright: 2015-2016 Kevin Murray <spam@kdmurray.id.au>

License: Expat

License: Expat
Permission is hereby granted, free of charge, to
any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

License:
GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, v2, as
published by the Free Software Foundation
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the complete text of the GNU General Public
License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
    * Redistributions of source code must retain the above
copyright
      notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of cereal nor the
names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RANDOLPH VOORHIES OR SHANE GRANT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: base-passwd
Upstream-Contact: Colin Watson <cjwatson@debian.org>

Files: *
Copyright: Copyright 1999-2002 Wichert Akkerman <wichert@deephackmode.org>
Copyright 2002, 2003, 2004 Colin Watson <cjwatson@debian.org>
License: GPL-2

Files:
passwd.master
group.master
License: public-domain
Copyright: PD; Originally written by Ian Murdock <imurdock@debian.org> and
Bruce Perens <bruce@pixar.com>.

Files: doc/*
Copyright: Copyright 2001, 2002 Joey Hess
Copyright 2002, 2003, 2004, 2005, 2007 Colin Watson
Copyright 2007 David Mandelberg
License: GPL-2

License: GPL-2
On Debian and Debian-based systems, a copy of the GNU General Public
License version 2 is available in /usr/share/common-licenses/GPL-2.
This package was debianized by Ivo Timmermans <ivo@debian.org> on
Fri, 3 Aug 2001 10:00:42 +0200.
It was later taken over by Matthias Urlichs <smurf@debian.org> and is now
maintained by Andreas Metzler <ametzler@debian.org> Eric Dorland
<eric@debian.org>, James Westby <jw+debian@jameswestby.net>

It was downloaded from https://www.gnupg.org/ftp/gcrypt/gnutls/

Upstream Authors (from AUTHORS file):

The authors list is autogenerated from the git history; sorted by number of commits

Nikos Mavrogiannopoulos <nmav at gnutls.org>
Simon Josefsson <jas at josefsson.org>
Daiki Ueno <ueno at gnu.org>
Dmitry Baryshkov <dbaryshkov at gmail.com>
Tim Rhsen <tim.ruehsen at gmx.de>
Ludovic Courts <ludo at gnu.org>
Timo Schulz <twoaday at gnutls.org>
Jonathan Bastien-Filiatrault <joe at x2a.org>
Alon Bar-Lev <alon.barlev at gmail.com>
Andreas Metzler <ametzler at debian.org>
Tom Vrancken <dev at tomvrancken.nl>
Martin Storsjo <martin at martin.st>
Tim Kosse <tim.kosse
at filezilla-project.org>
Simo Sorce <simo at redhat.com>
Daniel Kahn Gillmor <dkg at fifthhorseman.net>
Fabian Keil <fk at fabiankeil.de>
Fabio Fiorina <fiorinaf at gnutls.org>
Stef Walter <stefw at redhat.com>
Anderson Toshiyuki Sasaki <ansasaki at redhat.com>
Armin Burgmeier <armin at arbur.net>
Andrew McDonald <admcd at gnutls.org>
Alex Gaynor <alex.gaynor at gmail.com>
Fiona Klute <fiona.klute at gmx.de>
Martin Ukrop <mukrop at redhat.com>
Jaak Ristioja <jaak.ristioja at cyber.ee>
Attila Molnar <attilamolnar at hush.com>
Hugo Beauze-Luyssen <hugo at beauzee.fr>
Stefan Berger <stefanb at linux.ibm.com>
Jakub Jelen <jjelen at redhat.com>
Martin Sucha <anty.sk+git at gmail.com>
Steve Lhomme <robux4 at ycbcr.xyz>
Ander Juaristi <a at juaristi.eus>
David Woodhouse <dwmw2 at infradead.org>
Jan Vcelak <jan.vcelak at nic.cz>
Kevin Cernekee <cernekee at gmail.com>
Nikolay Sivov <nsivov at codeweavers.com>
Sahana Prasad <sahana at redhat.com>
Michael Catanzaro <mcatanzaro at gnome.org>
Daniel

Lenski <dlenski at gmail.com>
JonasZhou <JonasZhou at zhaoxin.com>
Stefan Srensen <stefan.sorensen at spectralink.com>
Adam Sampson <ats at offog.org>
Alfredo Pironti <alfredo at pironti.eu>
Brad Hards <bradh at frogmouth.net>
Dimitri John Ledkov <xnox at ubuntu.com>
Michael Weiser <michael.weiser at gmx.de>
Patrick Pelletier <code at funwithsoftware.org>
Rolf Eike Beer <eike at sf-mail.de>
Sjoerd Simons <sjoerd.simons at collabora.co.uk>
Stefan Bhler <stbuehler at web.de>
Thomas Klute <thomas2.klute at uni-dortmund.de>
Wolfgang Meyer zu Bergsten <w.bergsten at sirrix.com>
Andreas Metzler <gitlab at bebt.de>
Christian Grothoff <christian at grothoff.org>
Daniel P. Berrange <berrange at redhat.com>
Gustavo Zacarias <gustavo at zacarias.com.ar>
James Bottomley <James.Bottomley at HansenPartnership.com>
Ji Klime <jklimes at redhat.com>
Karsten Ohme <k_o_ at users.sourceforge.net>
Kurt Roeckx <kurt at roeckx.be>
Peter Wu <peter at lekensteyn.nl>
Thierry Quemerais <tquemerais at awox.com>
Tom
Carroll <incentivedesign at gmail.com>
Vitezslav Cizek <vcizek at suse.com>
Alessandro Ghedini <alessandro at ghedini.me>
Alex Monk <krenair at gmail.com>
Bernhard M. Wiedemann <bwiedemann at suse.de>
David Caldwell <david at porkrind.org>
Diego Elio Petten <flameeyes at flameeyes.eu>
Elta Koepp <alexi_2019 at protonmail.com>
Fabrice Fontaine <fontaine.fabrice at gmail.com>
Giuseppe Scrivano <gscrivano at gnu.org>
Hubert Kario <hkario at redhat.com>
Ilya Tumaykin <itumaykin at gmail.com>
Karl Tarbe <karl.tarbe at cyber.ee>
Ke Zhao <kzhao at redhat.com>
Mark Brand <mabrand at mabrand.nl>
Matthias-Christian Ott <ott at mirix.org>
Maya Rashish <coypu at sdf.org>
Michael Catanzaro <mcatanzaro at igalia.com>
Micha Grny <mgorny at gentoo.org>
Petr Psa <petr.pisar at atlas.cz>
Pierre Ossman <ossman at cendio.se>
Roman Bogorodskiy <bogorodskiy at gmail.com>
Steffen Jaeckel <jaeckel-floss at eyet-services.de>

Stephan Mueller <smueller at chronox.de>
Steve Dispensa <dispensa at phonefactor.com>
nia
<nia at NetBSD.org>
raspa0 <raspa0 at protonmail.com>
Airtower <fiona.klute at gmx.de>
Alban Crequy <alban.crequy at collabora.co.uk>
Albrecht Dre <albrecht.dress at arcor.de>
Aleksei Nikiforov <darktemplar at basealt.ru>
Alexander Kanavin <alex.kanavin at gmail.com>
Alexander Sosedkin <asosedkin at redhat.com>
Alexandre Bique <bique.alexandre at gmail.com>
Anderson Sasaki <ansasaki at redhat.com>
Andreas Schneider <asn at samba.org>
Andreas Schwab <schwab at suse.de>
Avinash Sonawane <rootkea at gmail.com>
Bas van Schaik <gitlab.com at s.traiectum.net>
Bjoern Jacke <bjacke at samba.org>
Bjrn Jacke <bjacke at samba.org>
Bjrn Christensen <bhc at insight.dk>
Carolin Latze <latze at angry-red-pla.net>
Chen Hongzhi <hongzhi.chen at me.com>
Chris Barry <chris at barry.im>
Colin Walters <walters at verbum.org>
Dan Fandrich <dan at coneharvesters.com>
Daniel Schaefer <git at danielschaefer.me>
David Walker <david.walker at vcatechnology.com>
David Weber <dave at veryflatcat.com>
Dmitriy
Tsvettsikh <dmitrycvet at gmail.com>
Dosenpfand <m at sad.bz>
Edward Stangler <estangler at bradmark.com>
Elias Pipping <pipping at exherbo.org>
Elta Koepp <elta_koepp at gmail.com>
Evgeny Grin <k2k at narod.ru>
Frank Morgner <morgner at informatik.hu-berlin.de>
Gnther Deschner <gd at samba.org>
Hani Benhabiles <kroosec at gmail.com>
Hans Leidekker <hans at codeweavers.com>
Ilya V. Matveychikov <i.matveychikov at securitycode.ru>
Jared Wong <jaredlwong at gmail.com>
Jason Spafford <nullprogrammer at gmail.com>
Jay Foad <jay.foad at gmail.com>
Jeffrey Walton <noloader at gmail.com>
Jens Lechtenboerger <jens.lechtenboerger at fsfe.org>
Jussi Kukkonen <jussi.kukkonen at intel.com>
Kenneth J. Miller <ken at miller.ec>
KrenzelokFrantisek <krenzelok.frantisek at gmail.com>

Lei Maohui <leimaohui at cn.fujitsu.com>
Lili Quan <13132239506 at 163.com>
Lucas Fisher <lucas.fisher at gmail.com>
Ludwig Nussel <ludwig.nussel at suse.de>
Luis G.F <luisgf at gmail.com>
Luke Dashjr <luke-jr+git
at utopios.org>
Maciej S. Szmigiero <mail at maciej.szmigiero.name>
Maks Naumov <maksqwe1 at ukr.net>
Marcin Cielak <saper at saper.info>
Marcus Meissner <meissner at suse.de>
Marga Manterola <marga at google.com>
Marius Bakke <mbakke at fastmail.com>
Marti Raudsepp <marti at juffo.org>
Matt Turner <mattst88 at gmail.com>
Matt Whitlock <matt at whitlock.name>
Micah Anderson <micah at riseup.net>
Miroslav Lichvar <mlichvar at redhat.com>
Nick Alcock <nick.alcock at oracle.com>
Nicolas Dufresne <nicolas.dufresne at collabora.com>
Nils Maier <maierman at web.de>
Norbert Pocs <npocs at redhat.com>
Olga <olyasib12 at gmail.com>
Ondrej Moris <omoris at redhat.com>
Petr Pavlu <petr.pavlu at suse.com>
Philippe Proulx <eeppeliteloop at gmail.com>
Philippe Widmer <pw at earthwave.ch>
R. Andrew Bailey <bailey at akamai.com>
Raj Raman <rajramanca at gmail.com>
Remi Olivier <remi_8 at hotmail.com>
Rical Jasan <ricaljasan at pacific.net>
Ricardo M. Correia <rcorreia at wizy.org>
Rickard Bellgrim <rickard
at opendnssec.org>
Robert Scheck <robert at fedoraproject.org>
Roberto Newmon <robertonewmon at fake-box.com>
Ross Nicholson <phunkyfish at gmail.com>
Rowan Thorpe <rowan at rowanthorpe.com>
SUMIT AGGARWAL <aggarwal.s at samsung.com>
Sadie Powell <sadie at witchery.services>
Sahana Prasad <sahana.prasad07 at gmail.com>
Saurav Babu <saurav.babu at samsung.com>
Sebastian Drge <sebastian at centricular.com>
Simon Arlott <sa.me.uk>
Stanislav Zidek <szidek at redhat.com>
Thomas Klausner <wiz at NetBSD.org>
Tobias Polzer <tobias.polzer at fau.de>
Tomas Hoger <thoger at redhat.com>

Tomas Mraz <tmraz at fedoraproject.org>
Tristan Matthews <le.businessman at gmail.com>
Werner Koch <wk at gnupg.org>
Yuriy M. Kaminskiy <yumkam at gmail.com>
ihsinme <ihsinme at gmail.com>
rrivers2 <5981058-rrivers2 at users.noreply.gitlab.com>
sskaje <sskaje at gmail.com>
ukasz Stelmach <stlman at poczta.fm>

The translators list is autogenerated from po file history

Anders Jonsson
Benno Schulenberg
Felipe
Castro
Francisco Javier Serrador
Jakub Bogusz
Jorma Karvonen
Milo Casagrande
Mingye Wang (Arthur2e5)
Petr Pisar
Rafael Fontenelle
Roland Illig
Sharuzzaman Ahmat Raslan
Stphane Aulery
Trn Ngc Qun
Yuri Chornoivan

License: The main library is licensed under GNU Lesser
General Public License (LGPL) version 2.1+, Gnutls Extra (which is currently
just the openssl wrapper library), build system, testsuite and commandline
utilities are licenced under the GNU General Public License version 3+. The
Guile bindings use the same license as the respective underlying library,
i.e. LGPLv2.1+ for the main library and GPLv3+ for Gnutls extra.

However to be able to use and link against libgnutls a program needs to be
available under a license compatible with LGPLv3+ or GPLv2+ since GnuTLS
requires nettle which requires GMP. GMP (>= 6.0.0) is dual licensed
LGPLv3+ or GPLv2+. Starting with 3.5.7 libunistring is needed, too. It also
is dual licensed LGPLv3+ or GPLv2+
(libunistring 0.9.7 and above, earlier
version were LGPLv3+ only.)

Copyright:

```
/* -*- c -*-
* Copyright (C) 2000-2019 Free Software Foundation, Inc.
*
* Author: Nikos Mavrogiannopoulos
*
* This file is part of GnuTLS.
*
* The GnuTLS is free software; you can redistribute it and/or
* modify it under the terms of the GNU Lesser General Public License
* as published by the Free Software Foundation; either version 2.1 of
* the License, or (at your option) any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public License
* along with this program.  If not, see <http://www.gnu.org/licenses/>
*
*/
```

```
/*
* Copyright (C) 2004-2015 Free Software Foundation,
 Inc.
* Copyright (c) 2002 Andrew McDonald <andrew@mcdonald.org.uk>
*
* This file is part of GnuTLS-EXTRA.
*
* GnuTLS-extra is free software: you can redistribute it and/or modify
* it under the terms of the GNU General Public License as published by
* the Free Software Foundation, either version 3 of the License, or
* (at your option) any later version.
*
* GnuTLS-extra is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program.  If not, see <http://www.gnu.org/licenses/>.
*/
```

The documentation is distributed under the terms of the GNU Free Documentation License (FDL):

Copyright (C) 2001-2021 Free Software Foundation, Inc.

Copyright (C) 2001-2021 Nikos Mavrogiannopoulos

Permission is granted to copy, distribute and/or modify this
document under the terms of the GNU Free Documentation License,
Version 1.3 or any later version published by the Free Software
Foundation; with no Invariant Sections, no Front-Cover Texts, and
no Back-Cover Texts. A copy of the license is included in the
section entitled "GNU Free Documentation License".

From December 2012 onwards FSF is not the sole copyright holder of GnuTLS anymore (See <http://article.gmane.org/gmane.network.gnutls.general/3026>), the headers currently also list these authors/copyright holders::

* Nikos Mavrogiannopoulos
* KU Leuven
* INRIA Paris-Rocquencourt
* Lucas Fisher
* Sean Buckheister
* Frank Morgner
* Bardenheuer GmbH, Munich and Bundesdruckerei GmbH, Berlin
* Adam Sampson
* Christian Grothoff
* Andrew McDonald <andrew@mcdonald.org.uk
* Red Hat
* Paul Sheer
* Dyalog Ltd.
* Tim Rhsen
* Red Hat, Inc.
* Thomas Klute
* Dmitry Eremin-Solenikov
* ARPA2 project
* Hugo Beauze-Luyssen

On Debian GNU/Linux systems, the complete text of the latest version of the GNU Lesser General Public License can be found in `/usr/share/common-licenses/LGPL' v3 of the license in `/usr/share/common-licenses/LGPL-3'; the GNU General Public License can be found in `/usr/share/common-licenses/GPL' (version 3 in /usr/share/common-licenses/GPL-3) The GNU Free Documentation License is available under /usr/share/common-licenses/GFDL-1.3.

==========

Excerpt from upstream's README:

LICENSING
=========

Since GnuTLS version 3.1.10, the core library has been released under
the GNU Lesser General Public License (LGPL) version 2.1 or later.

Note, however, that version 6.0.0 and later of the gmplib library used
by GnuTLS are distributed under a LGPLv3+ or GPLv2+ dual license, and
as such binaries of this library need to adhere to either LGPLv3+ or
GPLv2+ license.

The GNU LGPL
 applies to the main GnuTLS library, while the
included applications as well as gnutls-openssl
library are under the GNU GPL version 3. The gnutls library is
located in the lib/ and libdane/ directories, while the applications
in src/ and, the gnutls-openssl library is at extra/.

For any copyright year range specified as YYYY-ZZZZ in this package
note that the range specifies every single year in that closed interval.
==========
==========

Non FSF code

==========

lib/accelerated/x86 contains code by Andy Polyakov <appro@openssl.org>,
copyright is not assigned to the FSF. The code is licensed under the
CRYPTOGAMS license.

Copyright (c) 2011-2016, Andy Polyakov by <appro@openssl.org>
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
#
#
    * Redistributions of source code must retain copyright notices,
this list of conditions and the following disclaimer.
#

```
#     * Redistributions in binary form must reproduce the above
#       copyright notice, this list of conditions and the following
#       disclaimer in the documentation and/or other materials
#       provided with the distribution.
#
#     * Neither the name of the Andy Polyakov nor the names of its
#       copyright holder and contributors may be used to endorse or
#       promote products derived from this software without specific
#       prior written permission.
#
# ALTERNATIVELY, provided that this notice is retained in full, this
# product may be distributed under the terms of the GNU General Public
# License (GPL), in which case the provisions of the GPL apply INSTEAD OF
# those given above.
#
# THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
# "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# LIMITED TO, THE IMPLIED
 WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
# A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
# OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
# SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
# LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
# DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
# THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
# (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
# OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
---------------------

==========================================

lib/extras/randomart.*


Upstream Authors: Markus Friedl
                  Alexander von Gernler

Copyright:
* Copyright (c) 2000, 2001 Markus Friedl.  All rights reserved.
* Copyright (c) 2008 Alexander von Gernler.  All rights reserved.
License:
* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
```

* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==========

lib/accelerated/x86/elf/aes-ssse3-x86.s
lib/accelerated/x86/macosx/aes-ssse3-x86.s

Upstream Authors: Mike Hamburg (Stanford University)

Copyright:
* Mike Hamburg (Stanford University), 2009.
License:
Public domain.

==========

lib/system/inet_pton.c

Upstream Authors: Internet Software Consortium

Copyright/License:
* Copyright (c) 1996,1999 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING
ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

==========

lib/extras/hex.*
Author: Rusty Russell <rusty@rustcorp.com.au>
Comment: http://ccodearchive.net/info/str/hex.html
License: CC0 license
Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related
Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
moral rights retained by the original author(s) and/or performer(s);
publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
rights protecting the extraction, dissemination, use and reuse of data in a Work;
database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any
national implementation thereof, including any amended or successor version of such directive); and
other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future

medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer
makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided
by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or
otherwise affected by this document.

Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or
use of the Work.

==========

doc/examples/tlsproxy/
Copyright: Copyright (c) 2016 Wrymouth Innovation Ltd
License: Expat
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the

Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==========

Files: tests/pkcs11/pkcs11-mock.*
Copyright: 2011-2016 The Pkcs11Interop Project
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
X-Comment: Written originally for the Pkcs11Interop project by:
Jaroslav IMRICH <jimrich@jimrich.sk>
License: Apache-2.0
On Debian systems the complete text of the license can be found in
/usr/share/common-licenses/Apache-2.0

==========

lib/unistring/*
Author: Bruno Haible <bruno@clisp.org>
Copyright (C) 2009-2020 Free Software Foundation, Inc.
Comment: Debian package is built against libunistring-dev package.
License: LGPLv3+_or_GPLv2+

Files: fuzz/gnutls_base64_decoder_fuzzer.c
fuzz/gnutls_base64_encoder_fuzzer.c
fuzz/gnutls_ocsp_req_parser_fuzzer.c
fuzz/gnutls_ocsp_resp_parser_fuzzer.c fuzz/gnutls_server_fuzzer.c
fuzz/gnutls_set_trust_file_fuzzer.c fuzz/gnutls_handshake_server_fuzzer.c

Copyright: 2017 Red Hat, Inc.
License: Apache-2.0
On Debian systems the complete text of the license can be found in
/usr/share/common-licenses/Apache-2.0

fuzz/gnutls_dn_parser_fuzzer.c fuzz/gnutls_idna_parser_fuzzer.c
fuzz/gnutls_pkcs12_key_parser_fuzzer.c fuzz/gnutls_pkcs8_key_parser_fuzzer.c
fuzz/gnutls_reverse_idna_parser_fuzzer.c
Copyright 2016 Nikos Mavrogiannopoulos
Comment:
On Debian systems the complete license text is available in
/usr/share/common-licenses/Apache-2.0
License
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

fuzz/gnutls_pkcs7_parser_fuzzer.c fuzz/gnutls_private_key_parser_fuzzer.c
fuzz/gnutls_x509_parser_fuzzer.c
Copyright 2016 Google Inc.
Comment: On Debian systems the complete license text is available in
/usr/share/common-licenses/Apache-2.0
License
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Files: fuzz/gnutls_client_fuzzer.c fuzz/gnutls_handshake_client_fuzzer.c
Copyright: 2016 Google Inc.
2017 Red Hat, Inc.

Comment: On Debian systems the complete license text is available in
/usr/share/common-licenses/Apache-2.0
License: Apache-2.0
On Debian systems the complete text of the license can be found in
/usr/share/common-licenses/Apache-2.0

Files: fuzz/main.c
Copyright: 2017 Tim Ruehsen
License: Expat
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this
software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.

Files: fuzz/mem.h
fuzz/psk.h fuzz/srp.h fuzz/certs.h
fuzz/gnutls_psk_server_fuzzer.c
fuzz/gnutls_psk_client_fuzzer.c fuzz/gnutls_srp_client_fuzzer.c
fuzz/gnutls_srp_server_fuzzer.c
fuzz/handshake.h
Copyright: 2017 Nikos Mavrogiannopoulos
License: Expat
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR
A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.

Files: fuzz/gnutls_client_rawpk_fuzzer.c fuzz/gnutls_server_rawpk_fuzzer.c
Copyright: 2017 Nikos Mavrogiannopoulos
2019 Tom Vrancken (dev@tomvrancken.nl)
License: Expat
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall
be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.

Files: fuzz/gnutls_x509_crq_parser_fuzzer.c
Copyright: 2020 Dmitry Baryshkov
License: LGPLv2.1+

Files: lib/nettle/backport/block-internal.h
Copyright: 2011 Katholieke Universiteit Leuven
2011, 2013, 2018 Niels Mller
2018 Red Hat, Inc.
2019 Dmitry Eremin-Solenikov
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/acpkm.c lib/nettle/gost/acpkm.h
Copyright: 2018 Dmitry Eremin-Solenikov
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/cmac-kuznyechik.c
lib/nettle/gost/cmac-magma.c
lib/nettle/gost/magma.c
Copyright: 2017 Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
License: Expat
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: lib/nettle/int/drbg-aes.h lib/nettle/int/dsa-fips.h
lib/nettle/int/dsa-keygen-fips186.c lib/nettle/int/dsa-validate.c
lib/nettle/int/provable-prime.c
Copyright: 2013 Red Hat | Copyright 2013, 2014 Red Hat
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/int/drbg-aes-self-test.c lib/nettle/gost/cmac.h
Copyright: 2013 2017 Red Hat
2008 Free Software Foundation, Inc.
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/int/rsa-keygen-fips186.c
Copyright: 2002 Niels Mller
2014 Red Hat
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/bignum-le.c lib/nettle/gost/bignum-le.h
Copyright: 2001 Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/write-le32.c
Copyright: 2001, 2011 Niels Mller

License: LGPLv3+_or_GPLv2+

Files: lib/nettle/int/block8.h
Copyright: 2005, 2014 Niels Mller
License:
LGPLv3+_or_GPLv2+

Files: lib/nettle/int/mpn-base256.c
lib/nettle/int/mpn-base256.h
Copyright: 2013 Niels Mller
2013 Red Hat
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/gost28147.h
Copyright: 2015 Dmitry Eremin-Solenikov
2012 Nikos Mavrogiannopoulos, Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/streebog-meta.c
Copyright: 2012 Nikos Mavrogiannopoulos, Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/hmac-gost.h
Copyright: 2001, 2002 Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/hmac-streebog.c
Copyright: 2016 Dmitry Eremin-Solenikov
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/nettle-write.h
Copyright: 2010 Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/streebog.c
Copyright: 2013-2015 Dmitry Eremin-Solenikov
Comment: Based on my code in libgcrypt.
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/streebog.h
Copyright: 2015 Dmitry Eremin-Solenikov
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/kuznyechik.c
lib/nettle/gost/kuznyechik.h
lib/nettle/gost/magma.h
Copyright: 2017 Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/gostdsa2.h
Copyright: 2015 Dmity Eremin-Solenikov
2013 Niels Mller
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/gostdsa-mask.c
Copyright: 2018 Dmitry Eremin-Solenikov
License: LGPLv3+_or_GPLv2+

Files: lib/nettle/gost/gost-wrap.c
Copyright: 2015, 2016 Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
2009-2012 Aleksey Kravchenko <rhash.admin@gmail.com>
License: LGPLv3+_or_GPLv2+
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,
* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following
 conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
* OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: lib/nettle/gost/gost28147.c
Copyright: 2015-2015 Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
Copyright: 2009-2012 Aleksey Kravchenko <rhash.admin@gmail.com>
License:
based on Russian standard GOST 28147-89
* For English description, check RFC 5830.
* S-Boxes are expanded from the tables defined in RFC4357:
*   https://tools.ietf.org/html/rfc4357
 *
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the
* "Software"), to deal in the Software without restriction, including
* without limitation the rights to use, copy, modify, merge, publish,

* distribute, sublicense, and/or sell copies of the Software, and to
* permit persons to whom the Software is furnished to do so, subject to
* the following conditions:
*
* The above copyright notice and this permission notice shall be included
* in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
* OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
* IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
* CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
* TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
* SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: lib/nettle/rnd-fuzzer.c
Copyright 2017 Red Hat
Copyright 1995-2017 Free Software Foundation, Inc.
License
* This file is part of the GNU C Library.
* Contributed by Ulrich Drepper <drepper@gnu.ai.mit.edu>, August 1995.
*
* This file is part of GnuTLS.
*
* Libgcrypt is free software; you can redistribute it and/or modify
* it under the terms of the GNU Lesser General Public License as
* published by the Free Software Foundation; either version 2.1 of
* the License, or (at your option) any later version.
*
* Libgcrypt is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this program; if not, see <http://www.gnu.org/licenses/>.

Files:
lib/name_val_array.h
License: LGPLv3+_or_GPLv2+
Copyright: 2011-2019 Free Software Foundation, Inc.
2019 Red Hat, Inc

License: LGPLv3+_or_GPLv2+
* This program is free software: you can redistribute it and/or
* modify it under the terms of either:
*

*   * the GNU Lesser General Public License as published by the Free
*   Software Foundation; either version 3 of the License, or (at your
*   option) any later version.
*
* or
*
*   * the GNU General Public License as published by the Free
*   Software Foundation; either version 2 of the License, or (at your
*   option) any later version.
*
* or both in parallel, as here.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
* General Public License for more details.
*
* You should have received copies of the GNU General Public License
 and
* the GNU Lesser General Public License along with this program. If
* not, see http://www.gnu.org/licenses/.

Files: tests/no-extensions.c tests/system-override-curves.sh
tests/system-override-hash.c tests/resume-lifetime.c
tests/system-override-kx.sh tests/system-override-profiles.sh
tests/system-override-sig.c tests/system-override-sig-hash.sh
tests/system-override-tls.sh tests/system-override-versions.sh
tests/iov.c tests/tls13-without-timeout-func.c
tests/cert-tests/certtool-crl-decoding.sh
tests/cert-tests/certtool-long-cn.sh tests/cert-tests/certtool-long-oids.sh
tests/cert-tests/certtool-subca.sh tests/cert-tests/certtool-utf8.sh
tests/cert-tests/crq.sh tests/cert-tests/inhibit-anypolicy.sh
tests/cert-tests/pkcs12-utf8.s tests/cert-tests/pkcs7-broken-sigs.sh
tests/cert-tests/pkcs7-constraints2.sh tests/cert-tests/pkcs7-constraints.sh
tests/cert-tests/pkcs7-eddsa.sh tests/cert-tests/privkey-import.sh
tests/cert-tests/provable-dh-default.sh tests/cert-tests/provable-dh.sh
 tests/ocsp-tests/ocsp-load-chain.sh
tests/ocsp-tests/ocsp-must-staple-connection.sh
tests/ocsp-tests/ocsptool.sh
tests/tls13/hello_retry_request_resume.c
License: GPLv3+
Copyright: 2014-2020 Red Hat, Inc

Files: tests/server-weak-keys.sh tests/cert-tests/alt-chain.sh
tests/cert-tests/cert-critical.sh tests/cert-tests/certtool-ecdsa.sh
tests/cert-tests/certtool-eddsa.sh tests/cert-tests/certtool-rsa-pss.sh
tests/cert-tests/certtool-verify-profiles.sh tests/cert-tests/crl.sh
tests/cert-tests/illegal-rsa.sh tests/cert-tests/invalid-sig.sh

tests/cert-tests/pkcs7-cat.sh tests/cert-tests/pkcs8.sh
tests/cert-tests/provable-privkey-dsa2048.sh
tests/cert-tests/provable-privkey-gen-default.sh
tests/cert-tests/provable-privkey-rsa2048.sh
tests/cert-tests/provable-privkey.sh tests/ocsp-tests/ocsp-test.sh
License: GPLv3+
Copyright: 2014-2018 Nikos Mavrogiannopoulos

Files: tests/openconnect-dtls12.c tests/system-override-invalid.sh
tests/system-override-sig-hash.sh
tests/cert-tests/x509-duplicate-ext.sh
License: GPLv3+
Copyright: 2019 Nikos Mavrogiannopoulos

Files: tests/rfc7633-ok.c
License: GPLv3+
Copyright: 2016-2019 Tim Kosse
2019 Nikos Mavrogiannopoulos

Files: tests/rfc7633-missing.c
License: GPLv3+
Copyright: 2016 Tim Kosse

Files: tests/sign-verify-data-newapi.c tests/cert-tests/cert-non-digits-time.sh
tests/cert-tests/reject-invalid-time.sh
tests/cert-tests/tolerate-invalid-time.sh
tests/gnutls-ids.c tests/cert-tests/cert-sanity.sh
tests/cert-tests/cert-time.sh tests/pkcs11/list-objects.c
tests/cert-tests/smime.sh tests/cert-tests/tlsfeature-test.sh
tests/dtls/dtls-resume.sh
License: GPLv3+
Copyright: 2016-2017 Red Hat, Inc.

Files: tests/kdf-api.c lib/fipshmac.c
License: LGPLv2.1+
Copyright: 2020 Red Hat, Inc.

Files: tests/missingissuer_aia.c tests/missingissuer.c
License: GPLv3+
Copyright: 2008-2014 Free Software Foundation, Inc.

Files: tests/test-chains-issuer-aia.h tests/test-chains-issuer.h
tests/cert-tests/key-invalid.sh
tests/cert-tests/md5-test.sh
tests/cert-tests/pkcs12-encode.sh
License: GPLv3+
Copyright: 2004-2016 Free Software Foundation, Inc.
2016 2017 Red Hat, Inc.

Files: tests/set_x509_ocsp_multi_cli.c tests/handshake-write.c
License: GPLv3+
Copyright: 2020 Red Hat, Inc.

Files: tests/status-request-revoked.c tests/cert-tests/certtool.sh
tests/cert-tests/pkcs7.sh
License: GPLv3+
Copyright: 2014-2018 Nikos Mavrogiannopoulos
2018 2020 Red Hat, Inc.

Files: tests/resume-with-record-size-limit.c
License: GPLv3+
Copyright: 2004-2016 Free Software Foundation, Inc.
2013 Adam Sampson <ats@offog.org>
2016-2019 Red Hat, Inc.

Files: tests/cipher-alignment.c
License: GPLv3+
Copyright: 2004-2015 Free Software Foundation, Inc.
2013 Adam Sampson <ats@offog.org>
2015 Red Hat, Inc

Files: tests/x509-server-verify.c tests/cert-tests/krb5-test.sh
tests/cert-tests/name-constraints.sh tests/cert-tests/othername-test.sh
License: GPLv3+
Copyright: 2015 Red Hat, Inc.
2019 Nikos Mavrogiannopoulos

Files:
tests/tls13/key_update_multiple.c tests/sign-verify-deterministic.c
License: GPLv3+
Copyright: 2017-2019 Red Hat, Inc.

Files: tests/tls13/no-auto-send-ticket.c
License: GPLv3+
Copyright: 2017-2020 Red Hat, Inc.

Files: tests/sign-verify-newapi.c
License: GPLv3+
Copyright: 2004-2012 Free Software Foundation, Inc.
2017-2019 Red Hat, Inc.

Files: tests/buffer.c
License: GPLv3+
Copyright: 2019 Tim Rhsen

Files: tests/gnutls-cli-rawpk.sh

License: GPLv3+
Copyright: 2019 Tom Vrancken (dev@tomvrancken.nl)

Files: tests/system-override-default-priority-string.sh
License: GPLv3+
Copyright: 2019 Canonical, Ltd.

Files: tests/x509cert-dntypes.c
License: GPLv3+
Copyright: 2020 Pierre Ossman for Cendio AB

Files: fuzz/gnutls_ext_raw_parse_fuzzer.c tests/keylog-func.c
License: LGPLv2.1+
Copyright: 2019 Red Hat, Inc.

Files: tests/pskself2.c
Copyright: 2004-2012 Free Software Foundation, Inc.
2013 Adam Sampson <ats@offog.org>
2019 Free Software Foundation, Inc.
License: GPLv3+

Files: tests/cert-tests/pkcs12-gost.sh
Copyright:
2018 Dmitry Eremin-Solenikov
2016 Red Hat, Inc.
License: GPLv3+

Files: tests/cert-tests/pkcs7-list-sign.sh
Copyright: 2017 Karl Tarbe
License: GPLv3+

Files: tests/cert-tests/pkcs8-gost.sh
Copyright: 2018 Dmitry Eremin-Solenikov
2004-2006, 2010, 2012 Free Software Foundation, Inc.
License: GPLv3+

Files: tests/id-on-xmppAddr.c
Copyright: 2021 Steffen Jaeckel
License: GPLv3+

Files: tests/ocsp-tests/ocsp-tls-connection.sh
Copyright: 2016 Thomas Klute
License: GPLv3+

Files: lib/inih/*
Copyright: 2009-2019, Ben Hoyt
License: BSD-3-Clause

All rights reserved.
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions
and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of Ben Hoyt nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY BEN HOYT "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL BEN HOYT BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY
OF SUCH DAMAGE.
Comment: https://github.com/benhoyt/inih
~
PC/SC Lite v1.8.26

PC/SC Lite License
<pre>

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with
explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: curl
Source: http://curl.haxx.se

Files: *
Copyright: 1996-2015, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/vtls/sectransp.*
Copyright: 2012-2014, Nick Zitzmann <nickzman@gmail.com>
2012-2019, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/curl_rtmp.*
Copyright: 2010, Howard Chu <hyc@highlandsun.com>
License: curl

Files: lib/vtls/schannel.*
Copyright: 2012-2014, Marc Hoersken <info@marc-hoersken.de>
2012, Mark Salisbury <mark.salisbury@hp.com>
2012-2015, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/inet_pton.c
lib/inet_ntop.c
Copyright: 1996-2001 Internet Software Consortium
License: ISC

Files: lib/krb5.c
Copyright: 2004-2015 Daniel Stenberg
1995-1999 Kungliga Tekniska Hgskolan
License: BSD-3-Clause

Files: lib/md4.c
Copyright: 2001, Solar Designer <solar@openwall.com>
License: public-domain

Files: lib/openldap.*
Copyright: 2011-2015, Daniel Stenberg
<daniel@haxx.se>
2010, Howard Chu <hyc@openldap.org>
License: curl

Files: lib/vtls/mbedtls.*
Copyright: 2010-2011, Hoi-Ho Chan <hoiho.chan@gmail.com>
2012-2020, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/socks_gssapi.c
lib/socks_sspi.*
Copyright: 2009, 2011, Markus Moeller, <markus_moeller@compuserve.com>
2012-2015, Daniel Stenberg, <daniel@haxx.se>
License: curl

Files: tests/certs/scripts/genroot.sh
tests/certs/scripts/genserv.sh
Copyright: 2000-2009, EdelWeb for EdelKey and OpenEvidence
License: curl

Files: tests/server/tftpd.c
Copyright: 1983 Regents of the University of California
License: BSD-4-Clause

Files: tests/server/fake_ntlm.c
Copyright: 2010, Mandy Wu <mandy.wu@intel.com>
2011-2013, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: docs/examples/fopen.c
Copyright: 2003, Simtec Electronics
License: BSD-3-Clause

Files: docs/examples/rtsp.c
Copyright: 2011, Jim Hollinger
License: BSD-3-Clause

Files: docs/examples/curlgtk.c
Copyright: 2003, The
OpenEvidence Project
License: curl

Files: docs/examples/curlx.c
Copyright: 2003, The OpenEvidence Project
License: other
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions, the following disclaimer,
   and the original OpenSSL and SSLeay Licences below.
.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions, the following disclaimer
   and the original OpenSSL and SSLeay Licences below in
   the documentation and/or other materials provided with the
   distribution.
.
3. All advertising materials mentioning features or use of this
   software must display the following acknowledgments:
   "This product includes software developed by the Openevidence Project
   for use in the OpenEvidence Toolkit. (http://www.openevidence.org/)"
    This product includes software developed by the OpenSSL Project
   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
   This product includes cryptographic software written by Eric Young
   (eay@cryptsoft.com). This product includes software written by Tim
   Hudson (tjh@cryptsoft.com)."
.
4. The names "OpenEvidence Toolkit" and "OpenEvidence Project" must not be
   used to endorse or promote products derived from this software without
   prior written permission. For written permission, please contact
   openevidence-core@openevidence.org.
.
5. Products derived from this software may not be called "OpenEvidence"
   nor may "OpenEvidence" appear in their names without prior written
   permission of the OpenEvidence Project.
.
6. Redistributions of any form whatsoever must retain the following
   acknowledgments:
   "This product includes software developed by the OpenEvidence Project
   for use in the OpenEvidence Toolkit (http://www.openevidence.org/)
    This product includes software developed by the OpenSSL Project
   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
   This product includes cryptographic software written by Eric Young
   (eay@cryptsoft.com). This product includes software written by Tim
   Hudson (tjh@cryptsoft.com)."
.
THIS SOFTWARE IS PROVIDED BY THE OpenEvidence PROJECT ``AS IS'' AND ANY

EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenEvidence PROJECT OR
ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF
 THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Files: src/macos/src/macos_main.cpp
Copyright: 2001, Eric Lavigne
License: other
Permission is granted to anyone to use this software for any purpose on any computer system, and to redistribute it freely, subject to the following restrictions: - The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from defects in it. - The origin of this software must not be misrepresented, either by explicit claim or by omission. - You are allowed to distributed modified copies of the software, in source and binary form, provided they are marked plainly as altered versions, and are not misrepresented as being the original software.

Files: debian/*
Copyright: 2000-2010, Domenico Andreoli <cavok@debian.org>
2010-2011, Ramakrishnan Muthukrishnan <rkrishnan@debian.org>
2011, Alessandro Ghedini <ghedo@debian.org>
License: curl

License: curl
All rights reserved.
.
Permission to use, copy, modify, and distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright
notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization of the copyright holder.

License: BSD-3-Clause
Redistribution and use in source
and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
3. Neither the name of the Institute nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-4-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
3. Neither the name of the Institute nor the names
of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
4. Neither the name of the <organization> nor the

names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: ISC
Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
jopt-simple v5.0.4

MIT License
<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*
Copyright:
Copyright 2004-2006, 2008-2021 Guillem Jover <guillem@hadrons.org>
License: BSD-3-clause

Files:
man/arc4random.3bsd
man/tree.3bsd
Copyright:
Copyright 1997 Niels Provos <provos@physnet.uni-hamburg.de>
All rights reserved.
License: BSD-4-clause-Niels-Provos
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:
    This product includes
 software developed by Niels Provos.
4. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
man/getprogname.3bsd
Copyright:
Copyright 2001 Christopher G. Demetriou
All rights
reserved.
License: BSD-4-clause-Christopher-G-Demetriou
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed for the
NetBSD Project. See http://www.netbsd.org/ for
information about NetBSD.
4. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED
BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
include/bsd/err.h
include/bsd/stdlib.h
include/bsd/sys/param.h
include/bsd/unistd.h
src/bsd_getopt.c
src/err.c
src/fgetln.c
src/progname.c
Copyright:
Copyright 2005, 2008-2012, 2019 Guillem Jover <guillem@hadrons.org>
Copyright 2005 Hector Garcia Alvarez

Copyright 2005 Aurelien Jarno
Copyright
 2006 Robert Millan
Copyright 2018 Facebook, Inc.
License: BSD-3-clause

Files:
include/bsd/netinet/ip_icmp.h
include/bsd/sys/bitstring.h
include/bsd/sys/queue.h
include/bsd/sys/time.h
include/bsd/timeconv.h
include/bsd/vis.h
man/bitstring.3bsd
man/errc.3bsd
man/explicit_bzero.3bsd
man/fgetln.3bsd
man/fgetwln.3bsd
man/fpurge.3bsd
man/funopen.3bsd
man/getbsize.3bsd
man/heapsort.3bsd
man/nlist.3bsd
man/pwcache.3bsd
man/queue.3bsd
man/radixsort.3bsd
man/reallocarray.3bsd
man/reallocf.3bsd
man/setmode.3bsd
man/strmode.3bsd
man/strnstr.3bsd
man/strtoi.3bsd
man/strtou.3bsd
man/unvis.3bsd
man/vis.3bsd
man/wcslcpy.3bsd
src/getbsize.c
src/heapsort.c
src/merge.c
src/nlist.c
src/pwcache.c
src/radixsort.c
src/setmode.c
src/strmode.c
src/strnstr.c
src/strtoi.c
src/strtou.c
src/unvis.c

Copyright:
Copyright 1980, 1982, 1986, 1989-1994
   The Regents of the University of California. All rights reserved.
Copyright 1992 Keith Muller.
Copyright
 2001 Mike Barcroft <mike@FreeBSD.org>
.
Some code is derived from software contributed to Berkeley by
the American National Standards Committee X3, on Information
Processing Systems.
.
Some code is derived from software contributed to Berkeley by
Peter McIlroy.
.
Some code is derived from software contributed to Berkeley by
Ronnie Kon at Mindcraft Inc., Kevin Lew and Elmer Yglesias.
.
Some code is derived from software contributed to Berkeley by
Dave Borman at Cray Research, Inc.
.
Some code is derived from software contributed to Berkeley by
Paul Vixie.
.
Some code is derived from software contributed to Berkeley by
Chris Torek.
.
Copyright UNIX System Laboratories, Inc.
All or some portions of this file are derived from material licensed
to the University of California by American Telephone and Telegraph
Co. or Unix System Laboratories, Inc. and are reproduced herein with
the permission of UNIX System Laboratories, Inc.
License: BSD-3-clause-Regents

Files:
 src/vis.c
Copyright:
Copyright 1989, 1993
   The Regents of the University of California. All rights reserved.
.
Copyright 1999, 2005 The NetBSD Foundation, Inc.
All rights reserved.
License: BSD-3-clause-Regents and BSD-2-clause-NetBSD

Files:
include/bsd/libutil.h
Copyright:
Copyright 1996 Peter Wemm <peter@FreeBSD.org>.
All rights reserved.

Copyright 2002 Networks Associates Technology, Inc.
All rights reserved.
License: BSD-3-clause-author

Files:
man/timeradd.3bsd
Copyright:
Copyright 2009 Jukka Ruohonen <jruohonen@iki.fi>
Copyright 1999 Kelly Yancey <kbyanc@posi.net>
All rights reserved.
License: BSD-3-clause-John-Birrell
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of any co-contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY JOHN BIRRELL AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
 IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files:
man/setproctitle.3bsd
Copyright:
Copyright 1995 Peter Wemm <peter@FreeBSD.org>
All rights reserved.
License: BSD-5-clause-Peter-Wemm
Redistribution and use in source and binary forms, with or without
modification, is permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice immediately at the beginning of the file, without modification,
   this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. This work was done expressly for inclusion into FreeBSD. Other use
   is permitted provided this notation is included.
4. Absolutely no warranty of function or purpose is made by the author
    Peter Wemm.
5. Modifications may be freely made to this file providing the above
   conditions are met.

Files:
include/bsd/stringlist.h
man/fmtcheck.3bsd
man/humanize_number.3bsd
man/stringlist.3bsd
man/timeval.3bsd
src/fmtcheck.c
src/humanize_number.c
src/stringlist.c
src/strtonum.c
Copyright:
Copyright 1994, 1997-2000, 2002, 2008, 2010, 2014
    The NetBSD Foundation, Inc.
Copyright 2013 John-Mark Gurney <jmg@FreeBSD.org>
All rights reserved.
.
Some code was contributed to The NetBSD Foundation by Allen Briggs.
.
Some code was contributed to The NetBSD Foundation by Luke Mewburn.
.
Some code is derived from software contributed to The NetBSD Foundation
by Jason R. Thorpe of the Numerical Aerospace Simulation Facility,
NASA Ames Research Center, by Luke Mewburn and by Tomas Svensson.
.
Some code is derived from software contributed to The NetBSD Foundation
by Julio M. Merino Vidal, developed as part of Google's Summer of Code
2005 program.
.
Some
 code is derived from software contributed to The NetBSD Foundation
by Christos Zoulas.
.
Some code is derived from software contributed to The NetBSD Foundation
by Jukka Ruohonen.
License: BSD-2-clause-NetBSD

Files:
include/bsd/sys/endian.h

man/byteorder.3bsd
man/closefrom.3bsd
man/expand_number.3bsd
man/flopen.3bsd
man/getpeereid.3bsd
man/pidfile.3bsd
src/expand_number.c
src/pidfile.c
src/reallocf.c
src/timeconv.c
Copyright:
Copyright 1998, M. Warner Losh <imp@freebsd.org>
All rights reserved.
.
Copyright 2001 Dima Dorfman.
All rights reserved.
.
Copyright 2001 FreeBSD Inc.
All rights reserved.
.
Copyright 2002 Thomas Moestl <tmm@FreeBSD.org>
All rights reserved.
.
Copyright 2002 Mike Barcroft <mike@FreeBSD.org>
All rights reserved.
.
Copyright 2005 Pawel Jakub Dawidek <pjd@FreeBSD.org>
All rights reserved.
.
Copyright 2005 Colin Percival
All rights reserved.
.
Copyright 2007 Eric Anderson <anderson@FreeBSD.org>
Copyright 2007 Pawel Jakub
 Dawidek <pjd@FreeBSD.org>
All rights reserved.
.
Copyright 2007 Dag-Erling Codan Smrgrav
All rights reserved.
.
Copyright 2009 Advanced Computing Technologies LLC
Written by: John H. Baldwin <jhb@FreeBSD.org>
All rights reserved.
.
Copyright 2011 Guillem Jover <guillem@hadrons.org>
License: BSD-2-clause

Files:

src/flopen.c
Copyright:
Copyright 2007-2009 Dag-Erling Codan Smrgrav
All rights reserved.
License: BSD-2-clause-verbatim
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer
   in this position and unchanged.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE
 IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files:
include/bsd/sys/tree.h
man/fparseln.3bsd
src/fparseln.c
Copyright:
Copyright 1997 Christos Zoulas.
All rights reserved.
.
Copyright 2002 Niels Provos <provos@citi.umich.edu>
All rights reserved.
License: BSD-2-clause-author

Files:
include/bsd/readpassphrase.h
 man/readpassphrase.3bsd
man/strlcpy.3bsd
man/strtonum.3bsd
src/arc4random.c
src/arc4random_linux.h
src/arc4random_openbsd.h

src/arc4random_uniform.c
src/arc4random_unix.h
src/arc4random_win.h
src/closefrom.c
src/freezero.c
src/getentropy_aix.c
src/getentropy_bsd.c
src/getentropy_hpux.c
src/getentropy_hurd.c
src/getentropy_linux.c
src/getentropy_osx.c
src/getentropy_solaris.c
src/getentropy_win.c
src/readpassphrase.c
src/reallocarray.c
src/recallocarray.c
src/strlcat.c
src/strlcpy.c
Copyright:
Copyright 2004 Ted Unangst and Todd Miller
All rights reserved.
.
Copyright 1996 David Mazieres <dm@uun.org>
Copyright 1998, 2000-2002, 2004-2005, 2007, 2010, 2012-2015
Todd C. Miller <Todd.Miller@courtesan.com>
Copyright 2004 Ted Unangst
Copyright 2008 Damien Miller <djm@openbsd.org>
Copyright 2008, 2010-2011, 2016-2017 Otto Moerbeek <otto@drijf.net>
Copyright 2013 Markus Friedl <markus@openbsd.org>
Copyright 2014 Bob Beck <beck@obtuse.com>
Copyright 2014 Brent Cook <bcook@openbsd.org>
Copyright 2014 Pawel Jakub Dawidek <pjd@FreeBSD.org>
Copyright 2014 Theo de Raadt <deraadt@openbsd.org>
Copyright 2015 Michael Felt <aixtools@gmail.com>
Copyright 2015 Guillem Jover <guillem@hadrons.org>
License: ISC
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:
src/inet_net_pton.c
Copyright:
Copyright 1996 by Internet Software Consortium.
License: ISC-Original
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

Files:
src/setproctitle.c
Copyright:
Copyright 2010 William Ahern
Copyright 2012 Guillem Jover <guillem@hadrons.org>
License: Expat
Permission is hereby
granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS
IN THE SOFTWARE.

Files:
src/explicit_bzero.c
src/chacha_private.h

Copyright:
None
License: public-domain
Public domain.

Files:
man/mdX.3bsd
Copyright:
None
License: Beerware
"THE BEER-WARE LICENSE" (Revision 42):
<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you
can do whatever you want with this stuff. If we meet some day, and you think
this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

License: BSD-3-clause-Regents
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the
name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-3-clause-author
Redistribution and use in source and
binary forms, with or without
modification, is permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific
prior written permission.

.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-NetBSD
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions
   and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-author
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS;
 OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: systemd
Upstream-Contact: systemd-devel@lists.freedesktop.org
Source: https://www.freedesktop.org/wiki/Software/systemd/

Files: *
Copyright: 2008-2015 Kay Sievers <kay@vrfy.org>
2010-2015 Lennart Poettering
2012-2015 Zbigniew Jdrzejewski-Szmek <zbyszek@in.waw.pl>
2013-2015 Tom Gundersen <teg@jklm.no>
2013-2015 Daniel Mack
2010-2015 Harald Hoyer
2013-2015 David Herrmann
2013, 2014 Thomas H.P. Andersen
2013, 2014 Daniel Buch
2014 Susant Sahani
2009-2015 Intel Corporation
2000, 2005 Red Hat, Inc.
2009 Alan Jenkins <alan-jenkins@tuffmail.co.uk>
2010 ProFUSION embedded systems
2010 Maarten Lankhorst
1995-2004 Miquel van Smoorenburg
1999 Tom Tromey
2011 Michal Schmidt
2012 B. Poettering
2012 Holger
Hans Peter Freyther
2012 Dan Walsh
2012 Roberto Sassu
2013 David Strauss
2013 Marius Vollmer
2013 Jan Janssen
2013 Simon Peeters

License: LGPL-2.1+

Files: src/basic/siphash24.h
 src/basic/siphash24.c
Copyright: 2012 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>
 2012 Daniel J. Bernstein <djb@cr.yp.to>
License: CC0-1.0

Files: src/basic/ioprio.h
Copyright: Jens Axboe <axboe@suse.de>
License: GPL-2

Files: src/shared/linux/*
 src/basic/linux/*
Copyright: 2004-2009 Red Hat, Inc.
 2011-2014 PLUMgrid
 2001-2003 Sistina Software (UK) Limited.
 2008 Ian Kent <raven@themaw.net>
 1998 David S. Miller >davem@redhat.com>
 2001 Jeff Garzik <jgarzik@pobox.com>
 2006-2010 Johannes Berg <johannes@sipsolutions.net
 2008 Michael Wu <flamingice@sourmilk.net>
 2008 Luis Carlos Cobo <luisca@cozybit.com>
 2008 Michael
Buesch <m@bues.ch>
 2008, 2009 Luis R. Rodriguez <lrodriguez@atheros.com>
 2008 Jouni Malinen <jouni.malinen@atheros.com>
 2008 Colin McCabe <colin@cozybit.com>
 2018-2019 Intel Corporation
 2007 Oracle.
 2009 Wolfgang Grandegger <wg@grandegger.com>
 1999 Thomas Davis <tadavis@lbl.gov>
 2015 Sabrina Dubroca <sd@queasysnail.net>
 1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>
 2015-2019 Jason A. Donenfeld <Jason@zx2c4.com>
License: GPL-2 with Linux-syscall-note exception

Files: src/basic/sparse-endian.h
Copyright: 2012 Josh Triplett <josh@joshtriplett.org>
License: Expat

Files: src/journal/lookup3.c
 src/journal/lookup3.h
Copyright: none
License: public-domain
You can use this free for any purpose. It's in the public domain. It has no
warranty.

Files: src/udev/ata_id/ata_id.c
src/udev/cdrom_id/cdrom_id.c
src/udev/mtd_probe/mtd_probe.c
src/udev/mtd_probe/mtd_probe.h
src/udev/mtd_probe/probe_smartmedia.c
src/udev/scsi_id/scsi.h
src/udev/scsi_id/scsi_id.c
src/udev/scsi_id/scsi_id.h
src/udev/scsi_id/scsi_serial.c
src/udev/udevadm.c
src/udev/udevadm-control.c
src/udev/udevadm.h
src/udev/udevadm-info.c
src/udev/udevadm-monitor.c
src/udev/udevadm-settle.c
src/udev/udevadm-test-builtin.c
src/udev/udevadm-test.c
src/udev/udevadm-trigger.c
src/udev/udevadm-util.c
src/udev/udevadm-util.h
src/udev/udev-builtin-blkid.c
src/udev/udev-builtin.h
src/udev/udev-builtin-input_id.c
src/udev/udev-builtin-kmod.c
src/udev/udev-builtin-path_id.c
src/udev/udev-builtin-uaccess.c
src/udev/udev-builtin-usb_id.c
src/udev/udev-ctrl.h
src/udev/udevd.c
src/udev/udev-event.c
src/udev/udev-event.h
src/udev/udev-node.c
src/udev/udev-node.h
src/udev/udev-rules.c

src/udev/udev-rules.h
src/udev/udev-watch.c
src/udev/udev-watch.h
src/udev/v4l_id/v4l_id.c
Copyright: 2003-2012 Kay Sievers <kay@vrfy.org>
2003-2004 Greg Kroah-Hartman <greg@kroah.com>
2004 Chris Friesen <chris_friesen@sympatico.ca>
2004, 2009, 2010 David Zeuthen <david@fubar.dk>
2005, 2006 SUSE Linux Products GmbH
2003 IBM Corp.
2007 Hannes Reinecke <hare@suse.de>
2009 Canonical Ltd.
2009 Scott James Remnant <scott@netsplit.com>

2009 Martin Pitt <martin.pitt@ubuntu.com>
2009 Piter Punk <piterpunk@slackware.com>
2009, 2010 Lennart Poettering
2009 Filippo Argiolas <filippo.argiolas@gmail.com>
2010 Maxim Levitsky
2011 ProFUSION embedded systems
2011 Karel Zak <kzak@redhat.com>
2014 Zbigniew Jdrzejewski-Szmek <zbyszek@in.waw.pl>
2014 David Herrmann <dh.herrmann@gmail.com>

2014 Carlos Garnacho <carlosg@gnome.org>
License: GPL-2+

Files: src/udev/scsi_id/*
Copyright: 2003 IBM Corp.
License: GPL-2+

Files: debian/*
Copyright: 2010-2013 Tollef Fog Heen <tfheen@debian.org>
2013-2018 Michael Biebl <biebl@debian.org>
2013 Michael Stapelberg <stapelberg@debian.org>
License: LGPL-2.1+

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 of the License.
.
This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin
 St, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian and systems the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2`

License: GPL-2 with Linux-syscall-note exception
NOTE! This copyright does *not* cover user programs that use kernel services
by normal system calls - this is merely considered normal use of the kernel,
and does *not* fall under the heading of "derived work". Also note that the
GPL below is copyrighted by the Free Software Foundation, but the instance of
code that it refers to (the Linux kernel) is copyrighted by me and others who
actually wrote it.
.
Also note that the only valid version of the GPL as far as the kernel is
concerned is _this_ particular version of the license (ie v2, not v2.2 or v3.x
or whatever), unless explicitly otherwise stated.
.
Linus Torvalds
.
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public
 License as published by
the Free Software Foundation; version 2 of the License.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian and systems the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2`

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but
 WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU General Public License
version 2 can be found in /usr/share/common-licenses/GPL-2.

License: LGPL-2.1+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License
 for more details.
.
You should have received a copy of the GNU Lesser General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: CC0-1.0
To the extent possible under law, the author(s) have dedicated all copyright
and related and neighboring rights to this software to the public domain
worldwide. This software is distributed without any warranty.
.
You should have received a copy of the CC0 Public Domain Dedication along with
this software. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.
.
On Debian systems, the complete text of the CC0 1.0 Universal license can be
found in /usr/share/common-licenses/CC0-1.0.
DOM Level 3 Core Specification v1.0

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31

2002. This version removes the copyright ownership notice such that this
license can be used with materials other than those owned by the W3C, reflects
that ERCIM is now a host of the W3C, includes references to this specific
dated version of the license, and removes the ambiguous grant of "use".
Otherwise, this version is the same as the previous version and is written so
as to preserve the Free Software Foundation's assessment of GPL compatibility
and OSI's certification under the Open Source Definition. Please see our
Copyright FAQ for common questions about using materials from our site,
including specific terms and conditions for packages like libwww, Amaya, and
Jigsaw. Other questions about this notice can be directed to
site-policy@w3.org.

</pre>
This is the Debian prepackaged version of the GNU diffutils package.
GNU `diff' was written by Mike Haertel, David Hayes, Richard Stallman,
Len Tower, and Paul Eggert. Wayne Davison designed and implemented
the unified output format. GNU `diff3' was written by Randy Smith.
GNU `sdiff' was written by Thomas Lord.  GNU `cmp' was written by
Torbjorn Granlund and David MacKenzie.

The source for this release was obtained from

https://ftp.gnu.org/gnu/diffutils/diffutils-3.7.tar.xz

Program copyright and license:
==========

Copyright (C) 1988-1996, 1998, 2001-2002, 2004, 2006-2007, 2009-2013, 2015-2018
Free Software Foundation, Inc.

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY;
without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

On Debian systems, the complete text of the GNU General Public License
may be found in `/usr/share/common-licenses/GPL'.

Manual copyright and license:
==========

Copyright (C) 1992-1994, 1998, 2001-2002, 2004, 2006, 2009-2018 Free
Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

On Debian systems, the complete text of the GNU Free Documentation
License may be found in `/usr/share/common-licenses/GFDL'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *
Copyright: 1999-2010 Joey Hess <joeyh@debian.org>
2003 Tomohiro KUBOTA <kubota@debian.org>
2004-2010 Colin Watson <cjwatson@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Passthrough.pm
Copyright: 2000 Randolph Chung <tausq@debian.org>
2000-2010 Joey Hess <joeyh@debian.org>
2005-2010 Colin Watson <cjwatson@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Qt* Debconf/Element/Qt*
Copyright: 2003 Peter Rockai <mornfall@logisys.dyndns.org>
2003-2010 Colin Watson <cjwatson@debian.org>
2010 Sune Vuorela <sune@debian.org>
2011 Modestas Vainius <modax@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Kde.pm
Copyright: 2011 Modestas Vainius <modax@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Gnome.pm
Copyright: Eric Gillespie <epg@debian.org>
License: BSD-2-clause

Files: Debconf/DbDriver/LDAP.pm
Copyright:
Matthew Palmer <mjp16@ieee.uow.edu.au>
License: BSD-2-clause

Files: debconf.py
Copyright: 2002 Moshe Zadka <m@moshez.org>
2005 Canonical Ltd.
2005-2010 Colin Watson <cjwatson@debian.org>

License: BSD-2-clause

Files: debconf-show
Copyright: 2001-2010 Joey Hess <joeyh@debian.org>
2003 Sylvain Ferriol <sylvain.ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-get-selections debconf-set-selections
Copyright: 2003 Petter Reinholdtsen <pere@hungry.com>
License: BSD-2-clause

Files: Test/*
Copyright: 2005 Sylvain Ferriol <Sylvain.Ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-apt-progress
Copyright: 2005-2010 Colin Watson <cjwatson@debian.org>
2005-2010 Joey Hess <joeyh@debian.org>
License: BSD-2-clause

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the
above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: nghttp2
Upstream-Contact: Tatsuhiro Tsujikawa <t-tujikawa@users.sourceforge.net>
Source: https://github.com/tatsuhiro-t/nghttp2

Files: *
Copyright: 2012, 2013, 2014 Tatsuhiro Tsujikawa
License: Expat

Files: third-party/http-parser/http_parser.h
Copyright: Joyent, Inc. and other Node contributors. All rights reserved.
License: Expat

Files: third-party/http-parser/http_parser.c
Copyright: 2002-2013 Igor Sysoev
    2011-2013 Nginx, Inc.
License: MIT
Comment: Based on src/http/ngx_http_parse.c from NGINX copyright Igor Sysoev.
Additional changes are licensed under the same terms as NGINX and
copyright Joyent, Inc. and other Node contributors. All rights reserved.

Files: third-party/mruby/*
Copyright: 2015 mruby developers
License: MIT
Comment: This code is not used by the Debian package, but is kept nevertheless.

Files: tests/nghttp2_npn_test.*
Copyright: 2012, Twist Inc.
License: Expat

Files:
 m4/ax_cxx_compile_stdcxx_11.m4
Copyright: 2008, Benjamin Kosnik <bkoz@redhat.com>,
    2012, Zack Weinberg <zackw@panix.com>,
    2013, Roy Stogner <roystgnr@ices.utexas.edu>
License: all-permissive

Files: m4/ax_python_devel.m4
Copyright: 2009 Sebastian Huber <sebastian-huber@web.de>,
    2009 Alan W. Irwin,
    2009 Rafael Laboissiere <rafael@laboissiere.net>,
    2009 Andrew Collier,
    2009 Matteo Settenvini <matteo@member.fsf.org>,
    2009 Horst Knorr <hk_classes@knoda.org>,
    2013 Daniel Mullner <muellner@math.stanford.edu>
License: GPL-3+ with autoconf exception

Files: doc/_themes/sphinx_rtd_theme/*
Copyright: 2013 Dave Snider
License: MIT

Files: doc/_themes/sphinx_rtd_theme/layout_old.html doc/_themes/sphinx_rtd_theme/search.html
Copyright: 2007-2013 by the Sphinx team

License: BSD-2-clause
Comment: License details from https://bitbucket.org/birkenfeld/sphinx/src file LICENSE

Files: doc/_themes/sphinx_rtd_theme/static/fonts/FontAwesome.otf
Copyright:
Dave Gandy
License: SIL-OFL-1.1
Comment: Font Awesome by Dave Gandy - http://fontawesome.io

License: Expat
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: GPL-3+ with autoconf exception
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation, either version 3 of the License, or (at your
option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General
Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program. If not, see <http://www.gnu.org/licenses/>.
.
As a special exception, the respective Autoconf Macro's copyright owner
gives unlimited
permission to copy, distribute and modify the configure
scripts that are the output of Autoconf when processing the Macro. You
need not follow the terms of the GNU General Public License when using
or distributing such scripts, even though portions of the text of the
Macro appear in them. The GNU General Public License (GPL) does govern
all other use of the material that constitutes the Autoconf Macro.
.
This special exception to the GPL applies to versions of the Autoconf
Macro released by the Autoconf Archive. When you make and distribute a
modified version of the Autoconf Macro, you may extend this special
exception to the GPL to apply to your modified version as well.
.
On Debian systems, the full text of the GNU General Public
License version 3 can be found in the file
`/usr/share/common-licenses/GPL-3'.

License: all-permissive
Copying and distribution of this file, with or without modification, are
permitted in any medium without royalty provided the copyright
notice
and this notice are preserved. This file is offered as-is, without any
warranty.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.
.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: SIL-OFL-1.1
SIL Open Font License 1.1
.
License details from http://fortawesome.github.io/Font-Awesome/
.
This Font Software is licensed under the SIL Open Font License, Version 1.1.
This license is copied below, and is also available with a FAQ at:
http://scripts.sil.org/OFL
.

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

.
PREAMBLE
The goals of the Open Font License (OFL) are to stimulate worldwide
development of collaborative font projects, to support the font
creation
efforts of academic and linguistic communities, and to provide a free and
open framework in which fonts may be shared and improved in partnership
with others.
.
The OFL allows the licensed fonts to be used, studied, modified and
redistributed freely as long as they are not sold by themselves. The
fonts, including any derivative works, can be bundled, embedded,
redistributed and/or sold with any software provided that any reserved
names are not used by derivative works. The fonts and derivatives,
however, cannot be released under any other type of license. The
requirement for fonts to remain under this license does not apply
to any document created using the fonts or their derivatives.

.

DEFINITIONS

"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.

.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

.

"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).

.

"Modified Version" refers to any derivative made by adding to, deleting, or substituting -- in part or in whole -- any of the components of the Original Version, by changing formats or by porting the Font Software to a new environment.

.

"Author" refers to any designer, engineer, programmer, technical writer or other person who contributed to the Font Software.

.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining a copy of the Font Software, to use, study, copy, merge, embed, modify, redistribute, and sell modified and unmodified copies of the Font Software, subject to the following conditions:

.

1) Neither the Font Software nor any of its individual components, in Original or Modified Versions, may be sold by itself.

.

2) Original or Modified Versions of the Font Software may be bundled,
redistributed and/or sold with any software, provided that each copy contains the above copyright notice and this license. These can be included either as stand-alone text files, human-readable headers or in the appropriate machine-readable metadata fields within text or binary files as long as those fields can be easily viewed by the user.

.

3) No Modified Version of the Font Software may use the Reserved Font Name(s) unless explicit written permission is granted by the corresponding Copyright Holder. This restriction only applies to the primary font name as presented to the users.

.

4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font Software shall not be used to promote, endorse or advertise any Modified Version, except to acknowledge the contribution(s) of the Copyright Holder(s) and the Author(s) or with their explicit written permission.

.

5) The Font Software, modified or unmodified, in part or in whole,
must be distributed entirely
under this license, and must not be
distributed under any other license. The requirement for fonts to
remain under this license does not apply to any document created
using the Font Software.
.
TERMINATION
This license becomes null and void if any of the above conditions are
not met.
.
DISCLAIMER
THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT
OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE
COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL
DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM
OTHER DEALINGS IN THE FONT SOFTWARE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: https://metacpan.org/release/Error
Upstream-Contact: Shlomi Fish <shlomif@iglu.org.il>
Upstream-Name: Error

Files: *
Copyright: 1997-1998, Graham Barr <gbarr@pobox.com>
2020, Shlomi Fish https://www.shlomifish.org/
License: Artistic or GPL-1+
Comment:
Based on my original Error.pm, and Exceptions.pm by Peter Seibel
<peter@weblogic.com> and adapted by Jesse Glick <jglick@sig.bsh.com>.
#
but modified ***significantly***

Files: lib/Error/Simple.pm
Copyright: 2006, Shlomi Fish <shlomif@iglu.org.il>
License: MIT/X11

Files: debian/*
Copyright: 1999, 2000, 2001, 2002, 2003, Paolo Molaro <lupus@debian.org>
2003, 2004, 2005, Luk Claes <luk@debian.org>
2003, Ardo van Rangelrooij <ardo@debian.org>
2005, 2007, Clint Burfoot <clint@burfoot.info>
2013, CSILLAG Tamas <cstamas@cstamas.hu>
2015-2020, gregor herrmann <gregoa@debian.org>
License: Artistic or GPL-1+

License: Artistic
This program is free
software; you can redistribute it and/or modify
it under the terms of the Artistic License, which comes with Perl.
.
On Debian systems, the complete text of the Artistic License can be
found in `/usr/share/common-licenses/Artistic'.

License: GPL-1+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.
.
On Debian systems, the complete text of version 1 of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-1'.

License: MIT/X11
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons
to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X
CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute

the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections
1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through

you,
 then the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply and
the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or
other property right claims or to contest validity of any such claims; this
section has the sole purpose of protecting the integrity of the free software
distribution system, which is implemented by public license practices. Many
people have made generous contributions to the wide range of software
distributed through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing to
distribute software through any other system and a licensee cannot impose that
choice.

This section is intended to make
 thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain
countries either by patents or by copyrighted interfaces, the original
copyright holder who places the Program under this License may add an explicit
geographical distribution limitation excluding those countries, so that
distribution is permitted only in or among countries not thus excluded. In
such case, this License incorporates the limitation as if written in the body
of this License.

9. The Free Software Foundation may publish revised and/or new versions of the
General Public License from time to time. Such new versions will be similar in
spirit to the present version, but may differ in detail to address new problems
or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any later
version", you have the option of following the
 terms and conditions either of
that version or of any later version published by the Free Software Foundation.
If the Program does not specify a version number of this License, you may
choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs
whose distribution conditions are different, write to the author to ask for
permission. For software which is copyrighted by the Free Software Foundation,
write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status of

all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following

clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module
which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.
This is the Debian prepackaged version of the Time Zone and Daylight
Saving Time Data.

It was downloaded from https://www.iana.org/time-zones

Upstream Author: The Internet Assigned Numbers Authority (IANA)
Commentary should be addressed to tz@iana.org

Copyright: This database is in the public domain.
GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some

specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain

designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary
General Public License
treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification
follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below,
refers to any such software library or work
which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if
its contents constitute a work based
on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you
also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small

inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library
and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

d) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the source code distributed need not include anything that is normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable
runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined
library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but
may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software
generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE

LIBRARY
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
This package was created by Peter Tobias tobias@et-inf.fho-emden.de on
Wed, 24 Aug 1994 21:33:28 +0200 and maintained by Anthony Towns
<ajt@debian.org> until 2001.
It is currently maintained by Marco d'Itri <md@linux.it>.

Copyright 1994-2010 Peter Tobias, Anthony Towns and Marco d'Itri

The programs in this package are distributed under the terms of the GNU
General Public License, version 2 as distributed by the Free Software
Foundation. On Debian systems, a copy of this license may be found in
/usr/share/common-licenses/GPL-2.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The
"System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally
available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered
by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you

with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;
section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as
long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in
the same way through the same place at no
further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source
as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above
requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright
holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights
granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,
or
that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you
have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.
Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where
the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to
 do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY
 AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Format: http://svn.debian.org/wsvn/dep/web/deps/dep5.mdwn?op=file&rev=202
Upstream-Name: libunistring
Upstream-Contact: Bruno Haible <bruno@clisp.org>
Source: http://ftp.gnu.org/gnu/libunistring/

Files: *

Copyright: 1995-2017 Free Software Foundation, Inc.
License: LGPL-3+ or GPL-2+

Files: gnulib-m4/* m4/*.m4
Copyright: 1995-2017 Free Software Foundation, Inc.
License: FreeSoftware
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.

Files: m4/init-package-version.m4
 build-aux/ltmain.sh
Copyright: 1992-2009, Free Software Foundation, Inc.
License: GPL-2+ with distribution exception
This file is free software, distributed under the terms of the GNU
General Public License. As a special exception to the GNU General
Public License, this file may be distributed as part of a program
that contains a configuration script generated by Autoconf, under
the same distribution terms as the rest of that program.

Files: doc/*
Copyright: 2001-2017 Free Software Foundation, Inc.
License: GPL-3+ or GFDL-1.2+

Files: tests/* woe32dll/* autogen.sh
Copyright: 1990-2017 Free Software Foundation, Inc.
License: GPL-3+

Files: build-aux/*
Copyright: 1995-2017 Free Software Foundation, Inc.
License: GPL-2+

Files: build-aux/texi2html
Copyright: 1999-2005 Patrice Dumas <dumas@centre-cired.fr>,
 1999-2005 Derek Price <derek@ximbiot.com>,
 1999-2005 Adrian Aichner <adrian@xemacs.org>
License: GPL-2+

Files: build-aux/install-sh
Copyright: 1994, X Consortium
License: MIT

Files: debian/*
Copyright: 2009-2011 Andreas Rottmann <rotty@debian.org>
 2017-2020 Jrg Frings-Frst <debian@jff.email>
License: GPL-3+

License: LGPL-3+

This program is free software: you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as published
by the Free Software Foundation; either version 3 of the License,
 or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems the full text of the GNU Lesser General Public
License version 3 can be found in the file
`/usr/share/common-licenses/LGPL-3'.

License: GPL-3+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY
 or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems the full text of the GNU General Public License
version 3 can be found in the file
`/usr/share/common-licenses/GPL-3'.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
 Foundation, Inc., 51 Franklin Street, Fifth Floor,
Boston, MA 02110-1301, USA.
.
On Debian systems the full text of the GNU General Public License
version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

License: GFDL-1.2+
This manual is covered by the GNU FDL. Permission is granted to
copy, distribute and/or modify this document under the terms of the
GNU Free Documentation License (FDL), either version 1.2 of the
License, or (at your option) any later version published by the Free
Software Foundation (FSF); with no Invariant Sections, with no
Front-Cover Text, and with no Back-Cover Texts.
.
On Debian systems the full text of the GNU Free Documentation License
version 1.2 can be found in the file
`/usr/share/common-licenses/GFDL-1.2'.

License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without
 limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software
 without prior written authorization from the X Consor-
tium.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: bzip2
Source: http://www.bzip.org/

Files: *
Copyright: 1996-2010 Julian R Seward <jseward@bzip.org>
License: BSD-variant
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
.
2. The origin of this software must not be misrepresented; you must
   not claim that you wrote the original software. If you use this
   software in a product, an acknowledgment in the product
   documentation would be appreciated but is not required.
.
3. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.
.
4. The name of the author may not be used to endorse or promote
   products derived from this software without
 specific prior written
   permission.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: debian/*
Copyright: 2018 Nicolas Boulenguez <nicolas.boulenguez@free.fr>
   2012-2015 Santiago Ruano Rincn <santiago@debian.org>
        2014   Canonical Ltd.
        2004-2011 Anibal Monsalve Salazar <anibal@debian.org>

       1999-2002 Philippe Troin <phil@fifi.org>
        1997-1999 Anthony Fok <foka@debian.org>
License: GPL-2
The full text of the GNU General Public License version 2
can be found in /usr/share/common-licenses/GPL-2.

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
   http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

  Oracle America, Inc.
  Attn: Associate General Counsel,
  Development and Engineering Legal
  500 Oracle Parkway, 10th Floor
  Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must

be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public
License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs
enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the
Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in
the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary
GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source
code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to
produce a
work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work

that
uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary
libraries that do not normally
accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined

library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent

license would not permit royalty-free redistribution
of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through
any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free

programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE
WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
This is the Debian GNU/Linux prepackaged version of the Debian Base System
Miscellaneous files. These files were written by Ian Murdock
<imurdock@debian.org> and Bruce Perens <bruce@pixar.com>.

This package was first put together by Bruce Perens <Bruce@Pixar.com>,
from his own sources.

The GNU Public Licenses in /usr/share/common-licenses were taken from
ftp.gnu.org and are copyrighted by the Free Software Foundation, Inc.

The Artistic License in /usr/share/common-licenses is the one coming
from Perl and its SPDX name is "Artistic License 1.0 (Perl)".

Copyright (C) 1995-2011 Software in the Public Interest.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY
 or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
This package was downloaded from:

  <http://www.openldap.org/>

The upstream distribution has been repackaged to remove the RFCs and
Internet-Drafts included in the upstream distribution, since the Internet
Society license does not meet the Debian Free Software Guidelines. The
schema files that contain verbatim text from RFCs or Internet-Drafts have
similarly been removed and are replaced during the package build with
versions stripped of the literal RFC or Internet-Draft text.

Copyright:

Copyright 1998-2016 The OpenLDAP Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted only as authorized by the OpenLDAP
Public License.

A copy of this license is available in the file LICENSE in the
top-level directory of the distribution or, alternatively, at
<http://www.OpenLDAP.org/license.html>.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Individual files and/or contributed packages may be copyright
 by
other parties and/or subject to additional restrictions.

This work is derived from the University of Michigan LDAP v3.3
distribution. Information concerning this software is available
at <http://www.umich.edu/~dirsvcs/ldap/ldap.html>.

This work also contains materials derived from public sources.

Additional information about OpenLDAP can be obtained at
<http://www.openldap.org/>.

The OpenLDAP Public License
Version 2.8, 17 August 2003

Redistribution and use of this software and associated documentation
("Software"), with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions in source form must retain copyright statements
and notices,

2. Redistributions in binary form must reproduce applicable copyright
statements and notices, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution, and

3. Redistributions must contain a verbatim
copy of this document.

The OpenLDAP Foundation may revise this license from time to time.
Each revision is distinguished by a version number. You may use
this Software under terms of this license revision or under the
terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS
CONTRIBUTORS ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE OPENLDAP FOUNDATION, ITS CONTRIBUTORS, OR THE AUTHOR(S)
OR OWNER(S) OF THE SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The names of the authors and copyright holders must not be used in
advertising or otherwise to promote the sale, use or other dealing

in this Software without specific, written prior permission. Title
to copyright in this Software shall at all times remain with copyright
holders.

Noted above is that various files can be copyrighted individually.
The licenses found in the OpenLDAP tree are as follows:

CRL

Copyright 1999 Computing Research Labs, New Mexico State University
#
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is
 furnished to do so, subject to the following conditions:
#
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
#
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

FSF

Copyright (C) 1994, 1995-8, 1999, 2001 Free Software Foundation, Inc.
This Makefile.in is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications,
 as long as this notice is preserved.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.

HC

---

* Permission is granted to anyone to use this software for any purpose
* on any computer system, and to alter it and redistribute it, subject
* to the following restrictions:
*
* 1. The author is not responsible for the consequences of use of this
*   software, no matter how awful, even if they arise from flaws in it.
*
* 2. The origin of this software must not be misrepresented, either by
*   explicit claim or by omission. Since few users ever read sources,
*   credits should appear in the documentation.
*
* 3. Altered versions must be plainly marked as such, and must not be
*   misrepresented as being the original software. Since few
 users
*   ever read sources, credits should appear in the
*   documentation.
*
* 4. This notice may not be removed or altered.

IBM

---

* Portions Copyright (c) 1995 by International Business Machines, Inc.
*
* International Business Machines, Inc. (hereinafter called IBM) grants
* permission under its copyrights to use, copy, modify, and distribute this
* Software with or without fee, provided that the above copyright notice and
* all paragraphs of this notice appear in all copies, and that the name of IBM
* not be used in connection with the marketing of any product incorporating
* the Software or modifications thereof, without specific, written prior
* permission.
*
* To the extent it has a right to do so, IBM grants an immunity from suit
* under its patents, if any, for the use, sale or manufacture of products to
* the extent that such products are used for performing Domain Name System
* dynamic
 updates in TCP/IP networks by means of the Software. No immunity is
* granted for any product per se or for any other function of any product.
*
* THE SOFTWARE IS PROVIDED "AS IS", AND IBM DISCLAIMS ALL WARRANTIES,
* INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE. IN NO EVENT SHALL IBM BE LIABLE FOR ANY SPECIAL,

* DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE, EVEN
* IF IBM IS APPRISED OF THE POSSIBILITY OF SUCH DAMAGES.

IS

Full Copyright Statement
#
Copyright (C) The Internet Society (1999). All Rights Reserved.
#
This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it
or assist in its implementation may be prepared, copied, published
and distributed,
in whole or in part, without restriction of any
kind, provided that the above copyright notice and this paragraph are
included on all such copies and derivative works. However, this
document itself may not be modified in any way, such as by removing
the copyright notice or references to the Internet Society or other
Internet organizations, except as needed for the purpose of
developing Internet standards in which case the procedures for
copyrights defined in the Internet Standards process must be
followed, or as required to translate it into languages other than
English.
#
The limited permissions granted above are perpetual and will not be
revoked by the Internet Society or its successors or assigns.
#
This document and the information contained herein is provided on an
"AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING
TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
#
BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION
HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

This license was present in the copies of several schema files and one
LDIF file as distributed upstream. The relevant content has been removed
except where it is purely functional (descriptions of an LDAP schema).
The copyright notice has been retained with a clarifying comment. The
provisions in the above license that prohibit modification therefore
should no longer apply to any files distributed with the Debian package.

Several files in libraries/libldap also reference this license as the
copyright on ABNF sequences embedded as comments in those files. These

too are purely functional interface specifications distributed as part of
the LDAP protocol standard and do not contain creative work such as
free-form text.

ISC

---
 * Copyright (c) 1996, 1998 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

JC

---
* This software is not subject to any license of Silicon Graphics
* Inc. or Purdue University.
 *
* Redistribution and use in source and binary forms are permitted
* without restriction or fee of any kind as long as this notice
* is preserved.

The following is additional information from Juan C. Gomez on how
this license is to be interpreted:

Local-Date: Fri, 06 Jun 2003 13:18:52 -0400
Date: Fri, 6 Jun 2003 10:18:52 -0700
From: Juan Gomez <juang@us.ibm.com>
To: Stephen Frost <sfrost@debian.org>
X-Mailer: Lotus Notes Release 5.0.2a (Intl) 23 November 1999
Subject: Re: Juan C. Gomez license in OpenLDAP Source

Stephen,

"There is no restriction on modifications and derived works" on the work I

did for the openldap server as long as this is consistent with the openldap
license. Please forward this email to Kurt so he does the appropriate
changes to the files to reflect this.

Regards, Juan

MA
---
* Copyright
 (c) 2000, Mark Adamson, Carnegie Mellon. All rights reserved.
* This software is not subject to any license of Carnegie Mellon University.
*
* Redistribution and use in source and binary forms are permitted without
* restriction or fee of any kind as long as this notice is preserved.
*
* The name "Carnegie Mellon" must not be used to endorse or promote
* products derived from this software without prior written permission.

The following is additional information from Mark Adamson on how this license
is to be interpreted:

Local-Date: Thu, 05 Jun 2003 16:53:32 -0400
Date: Thu, 5 Jun 2003 16:53:32 -0400 (EDT)
From: Mark Adamson <adamson@andrew.cmu.edu>
To: Stephen Frost <sfrost@debian.org>
Subject: Re: Mark Adamson license in OpenLDAP source

Hi Stephen,

 I don't see how this conflicts with the Debian FSG. The first statement
in the copyright pertaining to CMU say only that we don't license out the
software. The second mention denies the right to say things like,
"Now!
 Powered by software from Carnegie Mellon!" There is no restriction
on modifications and derived works.

-Mark

MIT

Copyright 1991 by the Massachusetts Institute of Technology
#

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of M.I.T. not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission. M.I.T. makes no representations about the
suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

OL2

Copyright 1999-2001 The OpenLDAP Foundation,
Redwood City,
California, USA. All Rights Reserved. Permission to copy and
distribute verbatim copies of this document is granted.

PM

---

* Copyright (C) 2000 Pierangelo Masarati, <ando@sys-net.it>
* All rights reserved.
*
* Permission is granted to anyone to use this software for any purpose
* on any computer system, and to alter it and redistribute it, subject
* to the following restrictions:
*
* 1. The author is not responsible for the consequences of use of this
* software, no matter how awful, even if they arise from flaws in it.
*
* 2. The origin of this software must not be misrepresented, either by
* explicit claim or by omission. Since few users ever read sources,
* credits should appear in the documentation.
*
* 3. Altered versions must be plainly marked as such, and must not be
* misrepresented as being the original software. Since few users
* ever read sources, credits should
appear in the documentation.
*
* 4. This notice may not be removed or altered.
*

PM2

---

* Redistribution and use in source and binary forms are permitted only
* as authorized by the OpenLDAP Public License. A copy of this
* license is available at http://www.OpenLDAP.org/license.html or
* in file LICENSE in the top-level directory of the distribution.

UoC

---

* Redistribution and use in source and binary forms are permitted
* provided that the above copyright notice and this paragraph are
* duplicated in all such forms and that any documentation,
* advertising materials, and other materials related to such
* distribution and use acknowledge that the software was developed
* by the University of California, Berkeley. The name of the
* University may not be used to endorse or promote products derived
* from this software without specific
 prior written permission.
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
* WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

NOTE: The Regents have since retroactively removed the advertising
clause from above.

UoC2

---

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must
 display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.

*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING
 NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

NOTE: The Regents have since retroactively removed the advertising
clause from above.
See:
ftp://ftp.cs.berkeley.edu/pub/4bsd/README.Impt.License.Change

---

UoM
---
* Redistribution and use in source and binary forms are permitted
* provided that this notice is preserved and that due credit is given
* to the University of Michigan at Ann Arbor. The name of the University
* may not be used to endorse or promote products derived from this
* software without specific prior written permission. This software
* is provided ``as is'' without express or implied warranty.

After discussing this license with the OpenLDAP Foundation we received
clarification on it:
---

 * To: Stephen Frost <sfrost@snowman.net>
 * Subject: Re: OpenLDAP Licenseing issues
 * From: "Kurt D. Zeilenga" <Kurt@OpenLDAP.org>
  * Date: Wed, 28 May 2003 10:55:44 -0700
 * Cc: Steve Langasek <vorlon@netexpress.net>,debian-legal@lists.debian.org, openldap-devel@OpenLDAP.org
 * In-reply-to: <20030528162613.GB8524@ns.snowman.net>
 * Message-id: <5.2.0.9.0.20030528094229.02924780@127.0.0.1>
 * Old-return-path: <Kurt@OpenLDAP.org>

Steven,

The OpenLDAP Foundation believes it the Regents' statement grants a
license to redistribute derived works and is confident that the University,

who is quite aware of our actions (as they actively participate in them),
does not consider our actions to infringe on their rights. You are
welcomed to your opinions. I suggest, however, that before you rely
on your or other people's opinions (including ours), that you consult
with a lawyer familiar with applicable law and the particulars of your
situation.

The Foundation sees no reason for it to expend its limited resources
seeking clarifications which it believes are unnecessary. You are,
of course, welcomed to
 expend time and energy seeking clarifications
you think are necessary. I suggest you contact University's general
counsel office (http://www.umich.edu/~vpgc/).

Regards, Kurt

Harfbuzz v2.8

Harfbuzz License

https://github.com/harfbuzz/harfbuzz/blob/master/COPYING

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012,2013,2014,2015,2016,2017,2018,2019,2020 Google, Inc.
Copyright 2018,2019,2020 Ebrahim Byagowi
Copyright 2019,2020 Facebook, Inc.
Copyright 2012 Mozilla Foundation
Copyright 2011 Codethink Limited
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)
Copyright 2009 Keith Stribley
Copyright 2009 Martin Hosken and SIL International
Copyright 2007 Chris Wilson
Copyright 2006 Behdad Esfahbod
Copyright 2005 David Turner
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted,
 without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this

software and its documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one
exception is licensed with a slightly
 different MIT variant:
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>
xwd v1.0.7

xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its

documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>
CUP Parser Generator for Java v 0.11b

CUP Parser Generator License
<pre>

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits,
whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.

</pre>

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: utf8proc
Source: https://github.com/JuliaStrings/utf8proc

Files: *
Copyright: 2009, 2013 Public Software Group e. V., Berlin, Germany
2014-2018 Steven G. Johnson, Jiahao Chen, Tony Kelman,
Jonas Fonseca, and other contributors
License: Expat

Files: data/data_generator.rb
Copyright: 2009 Public Software Group e. V., Berlin, Germany
2018 Steven G. Johnson, Tony Kelman, Keno Fischer,
Benito van der Zander, Michal Meyer, and other contributors
1991-2007 Unicode, Inc.
License: Expat and Unicode

Files: utf8proc_data.c
Copyright: 1991-2007 Unicode, Inc.
License: Unicode

Files: debian/*
Copyright: 2015-2016 Peter Colberg <peter@colberg.org>
2017-2018 Graham Inggs <ginggs@debian.org>
2019-2020 Mo Zhou <lumin@debian.org>
License: Expat

License: Expat
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: Unicode

Permission
is hereby granted, free of charge, to any person obtaining a
copy of the Unicode data files and any associated documentation (the "Data
Files") or Unicode software and any associated documentation (the
"Software") to deal in the Data Files or Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, and/or sell copies of the Data Files or Software, and
to permit persons to whom the Data Files or Software are furnished to do
so, provided that (a) the above copyright notice(s) and this permission
notice appear with all copies of the Data Files or Software, (b) both the
above copyright notice(s) and this permission notice appear in associated
documentation, and (c) there is clear notice in each modified Data File or
in the Software as well as in the documentation associated with the Data
File(s) or Software that the data or software has been modified.
.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF
THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS
INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR
CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.
.
Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior written
authorization of the copyright holder.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: GNU Gzip
Upstream-Contact: http://www.gnu.org/software/gzip/
Source: https://ftp.gnu.org/gnu/gzip

Files: *
Copyright: 1999-2016 Free Software Foundation, Inc.
        1992-1993 Jean-loup Gailly and Mark Adler
License: GPL-3+

Files: debian/*
Copyright: 1995-2017 Bdale Garbee <bdale@gag.com>
License: GPL-3+

Files: doc/* NEWS README
Copyright: 1999-2016 Free Software Foundation, Inc. http://fsf.org/
        1992-1993 Jean-loup Gailly
License: GFDL-1.3+-no-invariant

Files: gzip.1 zless.1
Copyright: 1998-2016 Free Software Foundation, Inc.
1992-1993 Jean-loup Gailly
License: FSF-manpages

License: GPL-3+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.
.
This program is distributed in the hope that it will
be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-3'.

License: GFDL-1.3+-no-invariant
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, with no Front-Cover Texts, and with no Back-Cover
Texts.
.
On Debian GNU/Linux systems, the complete text of the GNU Free Documentation
License can be found in `/usr/share/common-licenses/GFDL-3'.

License: FSF-manpages
Permission is granted to make and distribute
verbatim copies of
this manual provided the copyright notice and this permission notice
are preserved on all copies.
.
Permission is granted to process this file through troff and print the
results, provided the printed document carries copying permission
notice identical to this one except for the removal of this paragraph
(this paragraph not being relevant to the printed manual).
.
Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided that the entire
resulting derived work is distributed under the terms of a permission

notice identical to this one.
.
Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions,
except that this permission notice may be stated in a translation approved
by the Foundation.
This package was debianized by
Christian Schwarz <schwarz@monet.m.isar.de> on Mon, 18 Nov 1996 00:59:57 +0100
J. Ramos Goncalves <ramos@debian.org> on Thu, 13 Feb 1997 23:15:18 +0000
Nicols Lichtmaier <nick@debian.org> on Sat, 18 Oct 1997 21:23:12 -0300
Nol Kthe <noel@debian.org> on Mon, 18 Feb 2002 09:53:00 +0100

It was downloaded from ftp://ftp.gnu.org/gnu/wget/
Homepage: http://www.gnu.org/directory/wget.html
http://www.gnu.org/software/wget/wget.html

Upstream Author: Giuseppe Scrivano <gscrivano@gnu.org>

Copyright: (C) 2007 Free Software Foundation, Inc.

Released under the terms of the GPL; see
/usr/share/common-licenses/GPL-3.

"In addition, as a special exception, the Free Software Foundation
gives permission to link the code of its release of Wget with the
OpenSSL project's "OpenSSL" library (or with modified versions of it
that use the same license as the "OpenSSL" library), and distribute
the linked executables. You must obey the GNU General Public License
in all respects
for all of the code used other than "OpenSSL". If you
modify this file, you may extend this exception to your version of the
file, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version."

The wget(1) manpage and the wget info page are distributed under the
terms of the GNU Free Documentation License ; see
/usr/share/common-licenses/GFDL-1.2
This package was debianized by Thom May <thom@debian.org> on
Wed, 17 Nov 2004 11:27:14 -0800

It was downloaded from http://httpd.apache.org/download.cgi

Upstream Authors: The Apache Software Foundation - http://apr.apache.org/

Copyright:

Licensed to the Apache Software Foundation (ASF) under one or more contributor
license agreements. The ASF licenses this work to You under the Apache License,

Version 2.0 (the "License"); you may not use this work except in compliance
with the License. You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

On a Debian system, the license can be found at
/usr/share/common-licenses/Apache-2.0 .

APACHE PORTABLE RUNTIME SUBCOMPONENTS:

The Apache Portable Runtime includes a number of subcomponents with
separate copyright notices and license terms. Your use of the source
code for the these subcomponents is subject to the terms and
conditions of the following licenses.

From strings/apr_fnmatch.c, include/apr_fnmatch.h,
 misc/unix/getopt.c,
file_io/unix/mktemp.c, strings/apr_strings.c:

/*
* Copyright (c) 1987, 1993, 1994
*   The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of
 its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

From network_io/unix/inet_ntop.c, network_io/unix/inet_pton.c:

/* Copyright (c)
 1996 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

From dso/aix/dso.c:

* Based on libdl (dlfcn.c/dlfcn.h) which is
* Copyright (c) 1992,1993,1995,1996,1997,1988
* Jens-Uwe Mager, Helios Software GmbH, Hannover, Germany.
*
* Not derived
 from licensed software.
*
* Permission is granted to freely use, copy, modify, and redistribute
* this software, provided that the author is not construed to be liable
* for any results of using the software, alterations are clearly marked
* as such, and this notice is not modified.

From strings/apr_strnatcmp.c, include/apr_strings.h:

 strnatcmp.c -- Perform 'natural order' comparisons of strings in C.
 Copyright (C) 2000 by Martin Pool <mbp@humbug.org.au>

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it

freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

From test/CuTest.c, test/CuTest.h:

* Copyright (c) 2002-2006 Asim Jalis
*
* This library is released under the zlib/libpng license as described at
*
* http://www.opensource.org/licenses/zlib-license.html
*
* Here is the statement of the license:
*
* This software is provided 'as-is', without any express or implied warranty.
* In no event will the authors be held liable for any damages arising from
* the use of this software.
*
* Permission is granted to anyone to use this software for any purpose,
* including commercial applications, and to alter it and redistribute it
* freely, subject to the following restrictions:
*
* 1. The origin of
this software must not be misrepresented; you must not
* claim that you wrote the original software. If you use this software in a
* product, an acknowledgment in the product documentation would be
* appreciated but is not required.
*
* 2. Altered source versions must be plainly marked as such, and must not be
* misrepresented as being the original software.
*
* 3. This notice may not be removed or altered from any source distribution.
It was downloaded from ftp://ftp.gnu.org/gnu/findutils

Debian maintainer history: The original package was put together by
Ian Murdock <imurdock@debian.org>, afterwards Kevin Dalley
<kevind@rahul.net> took over. 2003-07 Andreas Metzler
<ametzler@debian.org> followed.

Upstream Authors:
* GNU find was written by Eric Decker <cire@cisco.com>,

with enhancements by David MacKenzie <djm@gnu.org>,
Jay Plett <jay@silence.princeton.nj.us>,
and Tim Wood <axolotl!tim@toad.com>.
The idea for -print0 and xargs -0 came from
Dan Bernstein <brnstnd@kramden.acf.nyu.edu>.
Improvements have been made by James Youngman <jay@gnu.org>.

* GNU xargs
was originally written by Mike Rendell, with enhancements by David
MacKenzie. Modifications by James Youngman Dmitry V. Levin

* GNU locate and its associated utilities were originally
written by James Woods, with enhancements by David MacKenzie, James Youngman
and Bas van Gompel.

Upstream's AUTHORS lists these major contributors:
Eric B. Decker
Michael Rendell
David
J. MacKenzie
Jim Meyering
Tim Wood
Kevin Dalley <kevind@rahul.net>
Paul Eggert <eggert@cs.ucla.edu>
James Youngman <jay@gnu.org>
Jay Plett
Paul Sheer
Dmitry V. Levin
Bas van Gompel
Eric Blake <ebb9@byu.net>
Andreas Metzler
Kamil Dudka <kdudka@redhat.com>
Bernhard Voelker <mail@bernhard-voelker.de>

Current upstream maintainer is James Youngman <jay@gnu.org>.

Copyright (C) 1990-2021 Free Software Foundation, Inc.

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the
GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License version 3 can be found in `/usr/share/common-licenses/GPL-3'.

==========
DOCUMENTATION

Copyright (C) 1994-2021 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this
document under the terms of the GNU Free Documentation License,
Version 1.3 or any later version published by the Free Software
Foundation; with no Invariant Sections, no Front-Cover Texts, and
no Back-Cover Texts. A copy of the license is included in the
section entitled "GNU Free Documentation License".

On Debian GNU/Linux systems, the complete text of the GNU Free Documentation
License, Version 1.3 can be found in `/usr/share/common-licenses/GFDL-1.3'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: nPth
Upstream-Contact: Werner Koch <wk@gnupg.org>
Source: ftp://ftp.gnupg.org/gcrypt/npth/

Files: *
Copyright: Copyright (C) 2011, 2012, 2015, 2017 g10 Code GmbH
License: LGPL-2.1+

Files: debian/*
Copyright: 2017 Eric Dorland <eric@debian.org>
License: LGPL-2.1+

License: LGPL-2.1+
nPth is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.
.
nPth is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See

the GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <https://www.gnu.org/licenses/>.
 .
On Debian systems, the full text of the GNU Lesser General Public
License version 2.1 can be found in the file
`/usr/share/common-licenses/LGPL-2.1'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: serf
Source: https://serf.apache.org/

Files: *
Copyright: serf contributors
License: Apache

Files: debian/*
Copyright: help by the contributors mentioned in debian/changelog
License: Apache

Files: test/CuTest*
Copyright: 2003 Asim Jalis
License: Zlib

License: Apache
Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
.
  http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND,
 either express or implied. See the License for the
specific language governing permissions and limitations
under the License.
.
On Debian systems, the complete text of the Apache version 2.0 license can be
found in `/usr/share/common-licenses/Apache-2.0'.

License: Zlib
Copyright (c) 2003 Asim Jalis

.
This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any
damages arising from the use of this software.
.
Permission is granted to anyone to use this software for any
purpose, including commercial applications, and to alter it and
redistribute it freely, subject to the following restrictions:
.
1. The origin of this software must not be misrepresented; you
must not claim that you wrote the original software. If you use
this software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
.
2. Altered source versions must be plainly marked as such,
 and
must not be misrepresented as being the original software.
.
3. This notice may not be removed or altered from any source
distribution.
This is the Debian GNU/Linux prepackaged version of libxcrypt.

It has been packaged by Marco d'Itri <md@linux.it>.

Original sources were obtained from:
https://github.com/besser82/libxcrypt

On Debian systems the complete text of the licenses can be found in
/usr/share/common-licenses/ .

Detailed copyright and licensing information for libxcrypt

The overall license for libxcrypt is the GNU Lesser General Public
License, version 2.1 (or, at your option, any later version); see
the file COPYING.LIB for the full terms of this license.

Many individual files are under other licenses. This file provides an
inventory of the copyright holders and licenses of all files in the
source tree. For specific licensing terms consult the files themselves.

* Copyright Thorsten Kukuk, Bjrn Esser, Zack Weinberg; LGPL (v2.1 or later):
  crypt.c, crypt-static.c, crypt-gensalt-static.c, crypt-port.h

* Copyright Free Software Foundation, Inc.; LGPL (v2.1 or later):
  crypt.h, crypt-obsolete.h, crypt-md5.c,
   test-badsalt.c, test-crypt-nonnull.c

* Copyright David Burren et al.; 3-clause BSD:
  alg-des.h, alg-des.c, alg-des-tables.c,
  crypt-des.c, crypt-des-obsolete.c, gen-des-tables.c

* Public domain, written by Ulrich Drepper et al.:
  crypt-sha256.c, crypt-sha512.c

* Public domain, written by Solar Designer et al.:
  alg-md4.h, alg-md4.c, alg-md5.h, alg-md5.c,
  crypt-bcrypt.c, crypt-gensalt.c, test-crypt-bcrypt.c

* Copyright Solar Designer, Colin Percival; 0-clause BSD:
  alg-yescrypt-common.c, alg-yescrypt-platform.c

* Copyright Solar Designer, Colin Percival; 2-clause BSD:
  alg-sha256.c, alg-sha256.h, alg-yescrypt.h, alg-yescrypt-opt.c,
  alg-yescrypt-sysendian.h

* Copyright Colin Percival; 2-clause BSD:
  alg-sha512.h, alg-sha512.c

* Copyright Alexey Degtyarev; 2-clause BSD:
  alg-gost3411-2012-const.h, alg-gost3411-2012-core.c,
  alg-gost3411-2012-core.h, alg-gost3411-2012-precalc.h,
  alg-gost3411-2012-ref.h

* Copyright Vitaly Chikunov, Bjrn
 Esser; 0-clause BSD:
  alg-gost3411-2012-hmac.c, alg-gost3411-2012-hmac.h,
  crypt-gost-yescrypt.c, test-alg-gost3411-2012.c,
  test-alg-gost3411-2012-hmac.c, test-crypt-gost-yescrypt.c,
  test-crypt-scrypt.c

* Copyright Alexander Peslyak; 0-clause BSD:
  test-alg-yescrypt.c

* Copyright Alexander Peslyak, Bjrn Esser; 0-clause BSD:
  crypt-scrypt.c

* Copyright Bjrn Esser; 0-clause BSD:
  crypt-common.c, test-checksalt.c, test-compile-strong-alias.c,
  test-gensalt-nthash.c, test-short-outbuf.c, test-special-char-salt.c

* Copyright Michael Bretterklieber, Bjrn Esser et al.; 2-clause BSD:
  crypt-nthash.c

* Copyright Zack Weinberg; 2-clause BSD:
  crypt-sunmd5.c

* Public domain, written by Steve Reid et al.:
  alg-sha1.c, alg-sha1.h, test-alg-sha1.c

* Copyright Juniper Networks, Inc.; 3-clause BSD:
  crypt-pbkdf1-sha1.c, crypt-pbkdf1-sha1.c

* Copyright Bjrn Esser; 2-clause BSD:
  alg-hmac-sha1.c, alg-hmac-sha1.h, test-alg-hmac-sha1.c

* Public domain, written
 by Zack Weinberg et al.:
  byteorder.h, randombytes.c, test-byteorder.c
  test-alg-pbkdf-hmac-sha256.c
  test-badsetting.c, test-crypt-badargs.c, test-getrandom-fallbacks.c,
  test-getrandom-interface.c, test-symbols-compat.sh,
  test-symbols-renames.sh, test-symbols-static.sh,
  build-aux/gen-crypt-h, build-aux/gen-crypt-symbol-vers-h,
  build-aux/gen-libcrypt-map, build-aux/skip-if-exec-format-error,
  build-aux/zw_alignment.m4, build-aux/zw_static_assert.m4,
  build-aux/zw_endianness.m4, build-aux/zw_ld_wrap.m4

* Copyright Zack Weinberg and Free Software Foundation, Inc;
  GPL (v3 or later), with Autoconf exception:
  build-aux/zw_automodern.m4, build-aux/zw_simple_warnings.m4

* Copyright <vt at altlinux.org>; 0-clause BSD:
  crypt-yescrypt.c, test-crypt-yescrypt.c

* Copyright Kevin Cernekee; FSF All Permissive License:
  build-aux/ax_check_vscript.m4

* Copyright Maarten Bosmans; FSF All Permissive License:
  build-aux/ax_append_compile_flags.m4

* Copyright
 Guido U. Draheim, Maarten Bosmans;
  FSF All Permissive License:
  build-aux/ax_append_flag.m4, build-aux/ax_check_compile_flag.m4

* Copyright Mike Frysinger; FSF All Permissive License:
  build-aux/ax_require_defined.m4

* Copyright Scott James Remnant, Dan Nicholson;
  GPL (v2 or later), with Autoconf exception:
  build-aux/pkg_installdir_compat.m4

* Copyright Tim Toolan; FSF All Permissive License:

build-aux/ax_compare_version.m4

* Copyright Philip Withnall; FSF All Permissive License:
build-aux/ax_valgrind_check.m4

* Copyright Steven G. Johnson, Daniel Richard G.;
GPL (v3 or later), with Autoconf exception:
build-aux/ax_pthread.m4

* Copyright Francesco Salvestrini; FSF All Permissive License:
build-aux/ax_prog_python_version.m4

* Copyright Andrew Collier; FSF All Permissive License:
build-aux/ax_python_module.m4

* Copyright holders unknown, no statement of license (all of these
files are part of the testsuite and do not contribute to the
installed library or its headers):
test-alg-des.c, test-alg-md4.c (adaption of test-alg-md5.c),
test-alg-md5.c, test-alg-sha256.c, test-alg-sha512.c, test-crypt-des.c,
test-crypt-md5.c, test-crypt-sha256.c, test-crypt-sha512.c,
test-des-cases.h, test-des-obsolete{,_r}.c, test-gensalt.c,
test-crypt-nthash.c (adaption of test-crypt-des.c),
test-crypt-sunmd5.c (adaption of test-crypt-des.c),
test-crypt-pbkdf1-sha1.c (adaption of test-crypt-des.c)

* The NEWS file formerly contained the following copyright assertions:

Copyright 2002, 2003, 2004 SuSE Linux AG, Germany
Copyright 2005, 2008, 2009 2011 SUSE LINUX Products GmbH, Germany
Copyright 2015 Bjrn Esser

These were meant to apply to the library as a whole rather than
specific files or portions of files.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: zlib
Upstream-Contact: zlib@gzip.org
Source: http://zlib.net/
Comment: This is the pre-packaged Debian Linux version of the zlib compression
library. It was packaged by Michael Alan Dorman <mdorman@debian.org>
from sources originally retrieved from ftp.uu.net in the directory
/pub/archiving/zip/zlib as the file zlib-1.0.4.tar.gz.
.
The deflate format used by zlib was defined by Phil Katz. The deflate
and zlib specifications were written by Peter Deutsch. Thanks to all the
people who reported problems and suggested various improvements in zlib;
they are too numerous to cite here.
Files-Excluded:

contrib/ada
contrib/amd64
contrib/asm686
contrib/blast
contrib/delphi
contrib/dotzlib
contrib/gcc_gvmat64
contrib/infback9
contrib/inflate86
contrib/iostream
contrib/iostream2
contrib/iostream3
contrib/masmx64
contrib/masmx86
contrib/pascal
contrib/puff
contrib/testzlib
contrib/untgz
contrib/vstudio
doc/rfc1950.txt
doc/rfc1951.txt
doc/rfc1952.txt

Files: *
Copyright: 1995-2013 Jean-loup Gailly and Mark Adler
License: Zlib

Files: amiga/Makefile.pup
Copyright: 1998 by Andreas R. Kleinert
License: Zlib

Files: contrib/minizip/*
Copyright: 1998-2010 Gilles Vollant
2007-2008 Even Rouault
2009-2010 Mathias Svensson
License: Zlib

Files: debian/*
Copyright: 2000-2017 Mark Brown
License: Zlib

License: Zlib
This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.
.
Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it

freely, subject to the following restrictions:
.
1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment
 in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.
.
Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
.
If you use the zlib library in a product, we would appreciate *not* receiving
lengthy legal documents to sign. The sources are provided for free but without
warranty of any kind. The library has been entirely written by Jean-loup
Gailly and Mark Adler; it does not include third-party code.
.
If you redistribute modified sources, we would appreciate that you include in
the file ChangeLog history information documenting your changes. Please read
the FAQ for more information on the distribution of modified source versions.
This package was first put together by Ian Murdock
<imurdock@debian.org> and was maintained by Steve Phillips
<sjp@cvfn.org> from sources written for the Debian Project by Ian
Murdock, Ted Hajek <tedhajek@boombox.micro.umn.edu>, and Sven Rudolph
<sr1@inf.tu-dresden.de>.

Since Nov 27 1996, it was maintained by Guy Maor <maor@debian.org>. He
rewrote most of it.

Since May 20 2000, it is maintained by Roland Bauerschmidt
<rb@debian.org>.

Since March 24 2004, it is maintained by Roland Bauerschmidt
<rb@debian.org>, and co-maintained by Marc Haber
<mh+debian-packages@zugschlus.de>

Since 23 Oct 2005, it has been maintained by Joerg Hoh <joerg@joerghoh.de>

Since June 2006, it has been maintained by Stephen Gran <sgran@debian.org>

deluser is Copyright (C) 2000 Roland Bauerschmidt <rb@debian.org>
and based on the source code of adduser.

adduser is Copyright (C) 1997, 1998, 1999 Guy Maor <maor@debian.org>.
adduser is Copyright (C) 1995 Ted Hajek <tedhajek@boombox.micro.umn.edu>
with portions

Copyright (C) 1994 Debian Association, Inc.

The examples directory has been contributed by John Zaitseff, and is
GPL V2 as well.

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the
Free Software Foundation, Inc.,
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: dpkg

Files: *
Copyright:
Copyright 1994 Ian Murdock <imurdock@debian.org>
Copyright 1994 Matt Welsh <mdw@sunsite.unc.edu>
Copyright 1994 Carl Streeter <streeter@cae.wisc.edu>
Copyright 1994-1999, 2007-2008 Ian Jackson <ijackson@chiark.greenend.org.uk>
Copyright 1995 Bruce Perens <bruce@pixar.com>
Copyright 1995-1996 Erick Branderhorst <branderhorst@heel.fgg.eur.nl>
Copyright 1996 Michael Shields <shields@crosslink.net>
Copyright 1996 Klee Dienes <klee@debian.org>
Copyright 1996 Kim-Minh Kaplan <kkaplan@cdfhp3.in2p3.fr>
Copyright 1996-1998 Miquel van Smoorenburg <miquels@cistron.nl>
Copyright 1997-1998 Charles Briscoe-Smith <cpbs@debian.org>
Copyright 1997-1998 Juho Vuori <javuori@cc.helsinki.fi>
Copyright 1998 Koichi Sekido <sekido@mbox.kyoto-inet.or.jp>
Copyright 1998 Jim Van Zandt <jrv@vanzandt.mv.com>
Copyright 1998 Juan Cespedes <cespedes@debian.org>
Copyright 1998
Nils Rennebarth <nils@debian.org>
Copyright 1998 Heiko Schlittermann <hs@schlittermann.de>
Copyright 1998-1999, 2001, 2003, 2006 Martin Schulze <joey@infodrom.org>
Copyright 1999 Roderick Shertler <roderick@argon.org>
Copyright 1999 Ben Collins <bcollins@debian.org>

Copyright 1999 Richard Kettlewell <rjk@sfere.greenend.org.uk>
Copyright 1999-2001 Marcus Brinkmann <brinkmd@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 2001, 2007, 2010 Joey Hess <joeyh@debian.org>
Copyright 2004-2005, 2007-2008, 2010 Canonical Ltd.
Copyright 2004-2005 Scott James Remnant <scott@netsplit.com>
Copyright 2006-2008 Frank Lichtenheld <djpig@debian.org>
Copyright 2006-2021 Guillem Jover <guillem@debian.org>
Copyright 2007-2012, 2014, 2016 Raphal Hertzog <hertzog@debian.org>
Copyright 2007 Nicolas Franois <nicolas.francois@centraliens.net>
Copyright 2007 Don Armstrong <don@donarmstrong.com>
Copyright 2007 Colin Watson <cjwatson@debian.org>
Copyright 2007, 2008 Tollef Fog Heen <tfheen@err.no>
Copyright 2007-2010 Canonical Ltd.
Copyright 2008 James Westby <jw+debian@jameswestby.net>
Copyright 2008 Zack Weinberg <zackw@panix.com>
Copyright 2008 Pierre Habouzit <madcoder@debian.org>
Copyright 2009 Romain Francoise <rfrancoise@debian.org>
Copyright 2009-2010 Modestas Vainius <modax@debian.org>
Copyright 2009-2011 Kees Cook <kees@debian.org>
Copyright 2010 Charles Plessy <plessy@debian.org>
Copyright 2010 Oxan van Leeuwen <oxan@oxanvanleeuwen.nl>
Copyright 2010 Russ Allbery <rra@debian.org>
Copyright 2011 Linaro Limited
Copyright 2011 Matt Kraai <kraai@ftbfs.org>
Copyright 2014 Bill Allombert <ballombe@debian.org>
Copyright 2014-2015 Jrmy Bobbio <lunar@debian.org>
Copyright 2020 Helmut Grohne <helmut@subdivi.de>
License: GPL-2+

Files:
lib/compat/getopt*
lib/compat/gettext.h
lib/compat/obstack.*
lib/compat/strnlen.c
Copyright:
Copyright 1987-2006 Free Software Foundation, Inc.
License: GPL-2+

Files:
dselect/methods/Dselect/Ftp.pm
dselect/methods/ftp/*
Copyright:
Copyright 1996 Andy Guy <awpguy@acs.ucalgary.ca>
Copyright 1998 Martin Schulze <joey@infodrom.org>
Copyright 1999-2001, 2005-2006, 2009 Raphal Hertzog <hertzog@debian.org>
License: GPL-2

Files:
scripts/Dpkg/Gettext.pm
Copyright:
Copyright 2000 Joey Hess <joeyh@debian.org>
Copyright 2007, 2009-2010, 2012-2015 Guillem Jover <guillem@debian.org>
License: BSD-2-clause

Files:
utils/start-stop-daemon.c
Copyright:
Copyright 1999 Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>
Copyright 1999 Christian Schwarz <schwarz@monet.m.isar.de>
Copyright 1999 Klee Dienes <klee@debian.org>
Copyright 1999 Ben Collins <bcollins@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 2000-2003 Adam Heath <doogie@debian.org>
Copyright 2001 Sontri Tomo Huynh <huynh.29@osu.edu>
Copyright 2001 Andreas Schuldei <andreas@schuldei.org>
Copyright 2001 Ian Jackson <ijackson@chiark.greenend.org.uk>
Copyright 2004-2005 Scott James Remnant <keybuk@debian.org>
Copyright 2006-2014 Guillem Jover <guillem@debian.org>
Copyright 2008 Samuel Thibault <samuel.thibault@ens-lyon.org>
Copyright 2008 Andreas Phlsson <andreas.pahlsson@xcerion.com>
Copyright 2009 Chris Coulson <chrisccoulson@googlemail.com>
Copyright 2012 Carsten Hey <carsten@debian.org>
Copyright 2014 Nir Soffer <nirs@hyperms.com>
License: public-domain-s-s-d
Written by Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>,
public domain. Based conceptually on start-stop-daemon.pl, by Ian
Jackson <ijackson@gnu.ai.mit.edu>. May be used and distributed
freely for any purpose. Changes by Christian Schwarz
<schwarz@monet.m.isar.de>, to make output conform to the Debian
Console Message Standard, also placed in public domain. Minor
changes by Klee Dienes <klee@debian.org>, also placed in the Public
Domain.
.
Changes by Ben Collins <bcollins@debian.org>, added --chuid, --background
and --make-pidfile options, placed in public domain as well.

Files: lib/compat/md5.*
Copyright:
Copyright 1993 Colin Plumb
License: public-domain-md5
This code implements the MD5 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.
.

Equivalent code is available from RSA Data Security, Inc.
This code has been tested against that, and is equivalent,
except that you don't need to include two pages of legalese
with every copy.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS
 FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 or in the dpkg source
as the file COPYING.

License: GPL-2
This is free software; you can redistribute it and/or modify
it under the terms of version 2 of the GNU General Public
License version 2 as published by the Free Software Foundation.
.
This is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.

License: BSD-2-clause
 Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS'' AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
This is the Debian package for libsemanage, and it is built from sources
obtained from: http://www.nsa.gov/selinux/code/download5.cfm.

libsemanage is Copyright 2004-2007 Tresys Technology, LLC
Copyright 2005 Red Hat, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1

On Debian GNU/Linux systems,
the complete text of the Lesser GNU General
Public License can be found in `/usr/share/common-licenses/LGPL'.

This package is maintained by Manoj Srivastava <srivasta@debian.org>.

The Debian specific changes are 2005-2009, Manoj Srivastava
<srivasta@debian.org>, and distributed under the terms of the GNU
General Public License, version 2.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.

A copy of the GNU General Public License is also available at
<URL:http://www.gnu.org/copyleft/gpl.html>. You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St, Fifth Floor, Boston, MA 02110-1301, USA.

Manoj Srivastava <srivasta@debian.org>
arch-tag: d4250e44-a0e0-4ee0-adb9-2bd74f6eeb27
Apache Santuario v2.3.0

Apache Santuario Notice
<pre>

Apache Santuario - XML Security for Java
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity
authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that
do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from
the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not
grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless
required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on
behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except
in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
This package was put together by Klee Dienes <klee@debian.org> from
sources from ftp.python.org:/pub/python, based on the Debianization by
the previous maintainers Bernd S. Brentrup <bsb@uni-muenster.de> and

Bruce Perens. Current maintainer is Matthias Klose <doko@debian.org>.

It was downloaded from http://python.org/

Copyright:

Upstream Author: Guido van Rossum <guido@cwi.nl> and others.

License:

The following text includes the Python license and licenses and
acknowledgements for incorporated software. The licenses can be read
in the HTML and texinfo versions of the documentation as well, after
installing the pythonx.y-doc package. Licenses for files not licensed
under the Python Licenses are found at the end of this file.

Python License
==============

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called
ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see http://www.zope.com). In 2001, the Python Software
Foundation (PSF, see http://www.python.org/psf/) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member of
the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the

various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
==========

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
---

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to
Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee,
or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software,
alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License
Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

---

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Licenses and Acknowledgements for Incorporated Software
==========

Mersenne Twister

The `_random' module includes code based on a download from `http://www.math.keio.ac.jp/~matumoto/MT2002/emt19937ar.html'. The following are the verbatim comments from the original code:

A C-program for MT19937, with initialization improved 2002/1/26.
Coded by Takuji Nishimura and Makoto Matsumoto.

Before using, initialize the state by using init_genrand(seed)
or init_by_array(init_key, key_length).

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Any feedback is very welcome.
http://www.math.keio.ac.jp/matumoto/emt.html
email: matumoto@math.keio.ac.jp

Sockets

The `socket' module uses the functions, `getaddrinfo', and `getnameinfo',
which are coded in separate source files from the WIDE Project, `http://www.wide.ad.jp/about/index.html'.

Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND GAI_ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR GAI_ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON GAI_ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN GAI_ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Floating point exception control

The source for the `fpectl' module includes the following notice:

```
  ----------------------------------------------------------------------
 /                    Copyright (c) 1996.                               \
|         The Regents of the University of California.                  |
|                    All rights reserved.                               |
|                                                                       |
|  Permission to use, copy, modify, and distribute this software for    |
|  any purpose without fee is hereby granted, provided that this en-    |
|  tire notice is included in all copies of any software which is or    |
|  includes  a  copy  or  modification  of  this software and in all    |
|  copies of the supporting documentation for such software.            |
|                                                                       |
|  This  work was produced at the University of California, Lawrence    |
|  Livermore National Laboratory under  contract  no.  W-7405-ENG-48    |
|  between  the  U.S.  Department  of  Energy and The Regents of the    |
|  University of California for the operation
of UC LLNL.              |
|                                                                       |
|                         DISCLAIMER                                    |
|                                                                       |
|  This  software was prepared as an account of work sponsored by an    |
|  agency of the United States Government. Neither the United States    |
|  Government  nor the University of California nor any of their em-    |
|  ployees, makes any warranty, express or implied, or  assumes  any    |
|  liability  or  responsibility  for the accuracy, completeness, or    |
|  usefulness of any information,  apparatus,  product,  or  process    |
|  disclosed,   or  represents  that  its  use  would  not  infringe    |
|  privately-owned rights. Reference herein to any specific  commer-    |
|  cial  products,  process,  or  service  by trade name, trademark,    |
|  manufacturer, or otherwise, does not  necessarily
 constitute  or    |
|  imply  its endorsement, recommendation, or favoring by the United    |
|  States Government or the University of California. The views  and    |
|  opinions  of authors expressed herein do not necessarily state or    |
|  reflect those of the United States Government or  the  University    |
|  of  California,  and shall not be used for advertising or product    |
 \  endorsement purposes.                                              /
  ----------------------------------------------------------------------
```

Cookie management

The `Cookie' module contains the following notice:

```
    Copyright 2000 by Timothy O'Malley <timo@alum.mit.edu>
```

All Rights Reserved

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that
copyright notice and this permission
notice appear in supporting documentation, and that the name of
Timothy O'Malley not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.

Timothy O'Malley DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS
SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL Timothy O'Malley BE LIABLE FOR
ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

Execution tracing

The `trace' module contains the following notice:

portions copyright 2001, Autonomous Zones Industries, Inc., all rights...
err... reserved and offered to the public under the
terms of the
Python 2.2 license.
Author: Zooko O'Whielacronx
http://zooko.com/
mailto:zooko@zooko.com

Copyright 2000, Mojam Media, Inc., all rights reserved.
Author: Skip Montanaro

Copyright 1999, Bioreason, Inc., all rights reserved.
Author: Andrew Dalke

Copyright 1995-1997, Automatrix, Inc., all rights reserved.
Author: Skip Montanaro

Copyright 1991-1995, Stichting Mathematisch Centrum, all rights reserved.

Permission to use, copy, modify, and distribute this Python software and

its associated documentation for any purpose without fee is hereby
granted, provided that the above copyright notice appears in all copies,
and that both that copyright notice and this permission notice appear in
supporting documentation, and that the name of neither Automatrix,
Bioreason or Mojam Media be used in advertising or publicity pertaining
to distribution of the software without specific,
written prior
permission.

UUencode and UUdecode functions

The `uu' module contains the following notice:

Copyright 1994 by Lance Ellinghouse
Cathedral City, California Republic, United States of America.
All Rights Reserved
Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Lance Ellinghouse
not be used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
LANCE ELLINGHOUSE DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL LANCE ELLINGHOUSE
CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Modified by Jack Jansen, CWI, July 1995:
- Use binascii module to do the actual line-by-line conversion
between ascii and binary. This results in a 1000-fold speedup. The C
version is still 5 times faster, though.
- Arguments more compliant with python standard

XML Remote Procedure Calls

The `xmlrpclib' module contains the following notice:

The XML-RPC client interface is

Copyright (c) 1999-2002 by Secret Labs AB
Copyright (c) 1999-2002 by Fredrik Lundh

By obtaining, using, and/or copying this software and/or its
associated documentation, you agree that you have read, understood,
and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and
its associated documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice appears in
all copies, and that both that copyright notice and this permission
notice appear in supporting documentation, and that the name of
Secret Labs AB or the author not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.

SECRET LABS AB AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD
TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANT-
ABILITY AND FITNESS. IN NO EVENT SHALL SECRET LABS AB OR THE AUTHOR
BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY
DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE
OF THIS SOFTWARE.

Licenses for Software linked to
==========

Note that the choice of GPL compatibility outlined above doesn't extend
to modules linked to particular libraries, since they change the
effective License of the module binary.

GNU Readline

The 'readline' module makes use of GNU Readline.

The GNU Readline Library is free software; you can redistribute it
and/or modify it under the terms of the GNU General Public License as
published by the Free Software Foundation; either version 2, or (at
your option) any later version.

On Debian systems, you can find the complete statement in
/usr/share/doc/readline-common/copyright'. A copy of the GNU General
Public License is available in /usr/share/common-licenses/GPL-2'.

OpenSSL

The '_ssl' module makes use of OpenSSL.

The
OpenSSL toolkit stays under a dual license, i.e. both the
conditions of the OpenSSL License and the original SSLeay license
apply to the toolkit. Actually both licenses are BSD-style Open
Source licenses. Note that both licenses are incompatible with
the GPL.

On Debian systems, you can find the complete license text in
/usr/share/doc/openssl/copyright'.

Files with other licenses than the Python License

Files: Include/dynamic_annotations.h
Files: Python/dynamic_annotations.c
Copyright: (c) 2008-2009, Google Inc.
License: Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or
promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: Include/unicodeobject.h
Copyright: (c) Corporation for National Research Initiatives.

Copyright: (c) 1999 by Secret Labs AB.
Copyright:
(c) 1999 by Fredrik Lundh.
License: By obtaining, using, and/or copying this software and/or its
associated documentation, you agree that you have read, understood,
and will comply with the following terms and conditions:

Permission to use, copy, modify, and distribute this software and its
associated documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appears in all
copies, and that both that copyright notice and this permission notice
appear in supporting documentation, and that the name of Secret Labs
AB or the author not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

SECRET LABS AB AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS. IN NO EVENT SHALL SECRET LABS AB OR THE AUTHOR BE LIABLE FOR
ANY SPECIAL, INDIRECT OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: Lib/logging/*
Copyright: 2001-2010 by Vinay Sajip. All Rights Reserved.
License: Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Vinay Sajip
not be used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL
DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: Lib/multiprocessing/*
Files: Modules/_multiprocessing/*
Copyright: (c) 2006-2008, R Oudkerk. All rights reserved.
License: Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of author nor the names of any contributors may be
   used to endorse or promote products derived from this software
    without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files: Lib/sqlite3/*
Files: Modules/_sqlite/*
Copyright: (C) 2004-2005 Gerhard Hring <gh@ghaering.de>
License: This software is provided 'as-is', without any express or implied
warranty. In no event
 will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Files: Lib/async*
Copyright: Copyright 1996 by Sam Rushing
License: Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in

all
copies and that both that copyright notice and this permission
notice appear in supporting documentation, and that the name of Sam
Rushing not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

SAM RUSHING DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN
NO EVENT SHALL SAM RUSHING BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: Lib/tarfile.py
Copyright: (C) 2002 Lars Gustaebel <lars@gustaebel.de>
License: Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software
without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Files: Lib/turtle.py
Copyright: (C) 2006 - 2010 Gregor Lingl
License:
This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it

freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

is copyright Gregor Lingl and licensed under a BSD-like license

Files: Modules/_ctypes/libffi/*
Copyright: Copyright (C) 1996-2011 Red Hat, Inc and others.
  Copyright
 (C) 1996-2011 Anthony Green
  Copyright (C) 1996-2010 Free Software Foundation, Inc
  Copyright (c) 2003, 2004, 2006, 2007, 2008 Kaz Kojima
  Copyright (c) 2010, 2011, Plausible Labs Cooperative , Inc.
  Copyright (c) 2010 CodeSourcery
  Copyright (c) 1998 Andreas Schwab
  Copyright (c) 2000 Hewlett Packard Company
  Copyright (c) 2009 Bradley Smith
  Copyright (c) 2008 David Daney
  Copyright (c) 2004 Simon Posnjak
  Copyright (c) 2005 Axis Communications AB
  Copyright (c) 1998 Cygnus Solutions
  Copyright (c) 2004 Renesas Technology
  Copyright (c) 2002, 2007 Bo Thorsen <bo@suse.de>
  Copyright (c) 2002 Ranjit Mathew
  Copyright (c) 2002 Roger Sayle
  Copyright (c) 2000, 2007 Software AG
  Copyright (c) 2003 Jakub Jelinek
  Copyright (c) 2000, 2001 John Hornkvist
  Copyright (c) 1998 Geoffrey Keating
  Copyright (c) 2008 Bjrn Knig

License: Permission is hereby granted, free of charge, to any person obtaining
  a copy of this software
 and associated documentation files (the
  ``Software''), to deal in the Software without restriction, including
  without limitation the rights to use, copy, modify, merge, publish,
  distribute, sublicense, and/or sell copies of the Software, and to
  permit persons to whom the Software is furnished to do so, subject to
  the following conditions:

  The above copyright notice and this permission notice shall be included
  in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Documentation:
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version. A copy of the license is included in the section entitled ``GNU General Public License''.

Files: Modules/_gestalt.c
Copyright: 1991-1997 by Stichting Mathematisch Centrum, Amsterdam.
License: Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the names of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS
SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: Modules/syslogmodule.c
Copyright: 1994 by Lance Ellinghouse
License: Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Lance Ellinghouse not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

LANCE ELLINGHOUSE DISCLAIMS ALL WARRANTIES

WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL LANCE ELLINGHOUSE BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: Modules/zlib/*
Copyright: (C) 1995-2010 Jean-loup Gailly and Mark Adler
License: This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software.
If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

If you use the zlib library in a product, we would appreciate *not* receiving
lengthy legal documents to sign. The sources are provided for free but without
warranty of any kind. The library has been entirely written by Jean-loup
Gailly and Mark Adler; it does not include third-party code.

Files: Modules/expat/*
Copyright: Copyright (c) 1998, 1999, 2000 Thai Open Source Software Center Ltd
and Clark Cooper
Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Expat maintainers
License: Permission is hereby granted, free of charge, to any person
obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files:
Modules/_decimal/libmpdec/*
Copyright: Copyright (c) 2008-2012 Stefan Krah. All rights reserved.
License: Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
,
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files: Misc/python-mode.el
Copyright: Copyright (C) 1992,1993,1994 Tim Peters
License: This software is provided as-is, without express or implied
warranty. Permission to use, copy, modify, distribute or sell this
software, without fee, for any purpose and by any individual or
organization, is hereby granted, provided that the above copyright
notice and this paragraph appear in all copies.

Files: Python/dtoa.c
Copyright: (c) 1991, 2000, 2001 by Lucent Technologies.

License: Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included
in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT MAKES ANY
REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

Files: Python/getopt.c
Copyright: 1992-1994, David Gottner
License: Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice, this permission notice and
the following disclaimer notice appear unmodified in all copies.

I DISCLAIM ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL I
BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES
OR ANY
DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA, OR PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: PC/_subprocess.c
Copyright: Copyright (c) 2004 by Fredrik Lundh <fredrik@pythonware.com>
Copyright (c) 2004 by Secret Labs AB, http://www.pythonware.com
Copyright (c) 2004 by Peter Astrand <astrand@lysator.liu.se>
License:
* Permission to use, copy, modify, and distribute this software and
* its associated documentation for any purpose and without fee is
* hereby granted, provided that the above copyright notice appears in
* all copies, and that both that copyright notice and this permission
* notice appear in supporting documentation, and that the name of the
* authors not be used in advertising or publicity pertaining to
* distribution of the software without specific, written prior
* permission.
*
* THE AUTHORS DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE,
* INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS.
* IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY SPECIAL, INDIRECT OR
* CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
* OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
* NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION

* WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: PC/winsound.c
Copyright: Copyright (c) 1999 Toby Dickenson
License: * Permission to use this software in any way is granted without
* fee, provided that the copyright notice above appears in all
* copies. This software is provided "as is" without any warranty.
*/

/* Modified by Guido van Rossum */
/* Beep added by Mark Hammond */
/* Win9X Beep and platform identification added by Uncle Timmy */

Files: Tools/pybench/*
Copyright: (c), 1997-2006, Marc-Andre Lemburg (mal@lemburg.com)
 (c), 2000-2006, eGenix.com Software GmbH (info@egenix.com)
License: Permission
 to use, copy, modify, and distribute this software and its
 documentation for any purpose and without fee or royalty is hereby
 granted, provided that the above copyright notice appear in all copies
 and that both that copyright notice and this permission notice appear
 in supporting documentation or portions thereof, including
 modifications, that you make.

 THE AUTHOR MARC-ANDRE LEMBURG DISCLAIMS ALL WARRANTIES WITH REGARD TO
 THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
 FITNESS, IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL,
 INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
 FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
 NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
 WITH THE USE OR PERFORMANCE OF THIS SOFTWARE !
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: gdbm
Upstream-Contact: bug-gdbm@gnu.org
Source: https://www.gnu.org.ua/software/gdbm/download.html

Files: *
Copyright: 1990-2020 Free Software Foundation, Inc.
License: GPL-3+

Files: tests/*
Copyright: 2011, 2016-2020 Free Software Foundation, Inc.
License: GPL-2+

Files: git2chg.awk
Copyright: 2007, 2009-2014 Sergey Poznyakoff
License: GPL-3+

Files: debian/*
Copyright: 1995 Ray Dassen.
1996,1997 Mark Eichin
1996,1997 Christoph Lameter.
1998-2006 James Troup.
2016 Dmitry Bogatov <KAction@gnu.org>
License: GPL-3+

Files: doc/*
Copyright: 1989-1999, 2007-2011, 2013, 2016-2020 Free Software Foundation, Inc.
License: GFDL-NIV-1.3+

License: GPL-3+
This program is free software; you can redistribute it and/or
modify it under the terms of the GNU General Public License
as published by the Free Software Foundation; either version 3
of the License,
or (at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian system, copy of GNU Lesser General Public License version 3
is also located at `/usr/share/common-licenses/GPL-3'

License: GPL-2+
This program is free software; you can redistribute it and/or
modify it under the terms of the GNU General Public License
as published by the Free Software Foundation; either version 2
of the License, or (at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian system, copy of GNU Lesser General Public License version 2
is also located at `/usr/share/common-licenses/GPL-2'

License: GFDL-NIV-1.3+
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover texts, and no Back-Cover texts.
A copy of the license is included in the section entitled ``GNU Free
Documentation License".
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: OpenSSH
Upstream-Contact: openssh-unix-dev@mindrot.org
Source: http://www.openssh.com/portable.html
Comment:
The overall licence of the OpenSSH upstream code amounts to BSD-3-clause or
various less restrictive licences, with the additional restrictions that
derived versions must be clearly marked as such and that if derived works
are incompatible with the RFC-specified protocol then they must be called
by a name other than "ssh" or "Secure Shell".

Files: *
Copyright:
1995 Tatu Ylonen <ylo@cs.hut.fi>, Espoo, Finland
Markus Friedl
Theo de Raadt
Niels Provos
Dug Song
Aaron Campbell
Damien Miller
Kevin Steves
Daniel Kouril
Wesley Griffin
Per Allansson
Nils Nordman
Simon Wilkinson
Ben Lindstrom
Tim Rice
Andre Lucas
Chris Adams
Corinna Vinschen
Cray Inc.
Denis Parker
Gert Doering
Jakob Schlyter
Jason Downs
Juha Yrjl
Michael Stone
Networks Associates Technology, Inc.
Solar

Designer
Todd C. Miller
Wayne Schroeder
William Jones
Darren Tucker
Sun Microsystems
The SCO Group
Daniel Walsh
Red Hat, Inc
Simon Vallet / Genoscope
Internet Software Consortium
Reyk Floeter
Chad Mynhier
License: OpenSSH
Tatu Ylonen's original licence is as follows (excluding some terms about
third-party code which are no longer relevant; see the LICENCE file for
details):
.
As far as I am concerned, the code I have written for this software
can be used freely for any purpose. Any derived versions of this
software must be clearly marked as such, and if the derived work is
incompatible with the protocol description in the RFC file, it must be
called by a name other than "ssh" or "Secure Shell".
.
Note that any information and cryptographic algorithms used in this
software are publicly available on the Internet and at any major
bookstore, scientific library, and patent office worldwide. More
information can be found e.g. at "http://www.cs.hut.fi/crypto".
.
The legal status of this program is some combination of all these
permissions and restrictions. Use only at your own responsibility.
You will be responsible for any legal consequences yourself; I am not
making any claims whether possessing or using this is legal or not in
your country, and I am not taking any responsibility on your behalf.
.
Most remaining components of the software are provided under a standard
2-term BSD licence:
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE

IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

Some code is licensed under an ISC-style license, to the following
copyright holders:

.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission
notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND TODD C. MILLER DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL TODD C. MILLER BE LIABLE
FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files: ssh-keyscan.*
Copyright: 1995, 1996 David Mazieres <dm@lcs.mit.edu>
License: Mazieres-BSD-style
Modification and redistribution in source and binary forms is
permitted provided that due credit is given to the author and the
OpenBSD project by leaving this copyright notice intact.

Files: rijndael.*
License: public-domain
This code is from a reference implementation of the Rijndael cipher which
has been dedicated to the public domain.

.

@version
3.0 (December 2000)

.

Optimised ANSI C code for the Rijndael cipher (now AES)

.

@author Vincent Rijmen <vincent.rijmen@esat.kuleuven.ac.be>
@author Antoon Bosselaers <antoon.bosselaers@esat.kuleuven.ac.be>
@author Paulo Barreto <paulo.barreto@terra.com.br>

.

This code is hereby placed in the public domain.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS "AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: loginrec.c openbsd-compat/* scp.c
Copyright:
1983, 1995-1997 Eric P. Allman
1999 Aaron Campbell
1993 by Digital Equipment Corporation
2000 Andre Lucas
1999-2010 Damien Miller
1997-2010 Todd C. Miller
1995, 1996, 1998, 1999, 2008 Theo de Raadt
2003 Constantin S. Svintsoff <kostik@iclub.nsu.ru>
1980, 1983, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995 The Regents of the University of California
License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither
the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: md5crypt.*
Copyright: Poul-Henning Kamp
License:
Beer-ware
"THE BEER-WARE LICENSE" (Revision 42):
<phk@login.dknet.dk> wrote this file. As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

Files: openbsd-compat/bsd-snprintf.c
Copyright: 1995 Patrick Powell
License: Powell-BSD-style
This code is based on code written by Patrick Powell (papowell@astart.com) It may be used for any purpose as long as this notice remains intact on all source code distributions

Files: openbsd-compat/sigact.*
Copyright: 1998, 2000 Free Software Foundation, Inc.
License: Expat-with-advertising-restriction
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications,
sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: debian/*
Copyright:
Matthew Vernon, Colin Watson
License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA,
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This is the Debian GNU/Linux prepackaged version of the GNU compiler
collection, containing Ada, C, C++, D, Fortran 95, Go, Objective-C,
Objective-C++, and Modula-2 compilers, documentation, and support
libraries. In addition, Debian provides the gm2 compiler, either in
the same source package, or built from a separate same source package.
Packaging is done by the Debian GCC Maintainers
<debian-gcc@lists.debian.org>, with sources obtained from:

ftp://gcc.gnu.org/pub/gcc/releases/ (for full releases)
svn://gcc.gnu.org/svn/gcc/ (for prereleases)
ftp://sourceware.org/pub/newlib/ (for newlib)
git://git.savannah.gnu.org/gm2.git (for Modula-2)

The current gcc-9 source package is taken from the SVN gcc-9-branch.

Changes: See changelog.Debian.gz

Debian splits the GNU Compiler Collection into packages for each language,
library, and documentation as follows:

Language Compiler package Library package Documentation

Ada

gnat-9 libgnat-9 gnat-9-doc
BRIG gccbrig-9 libhsail-rt0
C gcc-9 gcc-9-doc
C++ g++-9 libstdc++6 libstdc++6-9-doc
D gdc-9
Fortran 95 gfortran-9 libgfortran3 gfortran-9-doc
Go gccgo-9 libgo0
Objective C gobjc-9 libobjc2
Objective C++ gobjc++-9
Modula-2 gm2-9 libgm2

For some language run-time libraries, Debian provides source files, development files, debugging symbols and libraries containing position-independent code in separate packages:

Language	Sources	Development	Debugging	Position-Independent
C++		libstdc++6-9-dbg		libstdc++6-9-pic
D	libphobos-9-dev			

Additional packages include:

All languages:
libgcc1, libgcc2, libgcc4
GCC intrinsics (platform-dependent)
gcc-9-base Base files common to all compilers
gcc-9-soft-float Software floating point (ARM only)
gcc-9-source The sources with patches

Ada:
libgnatvsn-dev, libgnatvsn9 GNAT version library

C:
cpp-9, cpp-9-doc GNU C Preprocessor
libssp0-dev, libssp0 GCC stack smashing protection library
libquadmath0 Math routines for the __float128 type
fixincludes Fix non-ANSI header files

C, C++ and Fortran 95:
libgomp1-dev, libgomp1 GCC OpenMP (GOMP) support library
libitm1-dev, libitm1 GNU Transactional Memory Library

Biarch support: On some 64-bit platforms which can also run 32-bit code, Debian provides additional packages containing 32-bit versions of some libraries. These packages have names beginning with 'lib32' instead of 'lib', for example lib32stdc++6. Similarly, on some 32-bit platforms which can also run 64-bit code, Debian provides

additional packages with names
beginning with 'lib64' instead of 'lib'. These packages contain 64-bit versions of the libraries. (At this time, not all platforms and not all libraries support biarch.) The license terms for these lib32 or lib64 packages are identical to the ones for the lib packages.

COPYRIGHT STATEMENTS AND LICENSING TERMS

GCC is Copyright (C) 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019 Free Software Foundation, Inc.

GCC is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GCC is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the GNU General Public License
for more details.

Files that have exception clauses are licensed under the terms of the GNU General Public License; either version 3, or (at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General Public License is in `/usr/share/common-licenses/GPL', version 3 of this license in `/usr/share/common-licenses/GPL-3'.

The following runtime libraries are licensed under the terms of the GNU General Public License (v3 or later) with version 3.1 of the GCC Runtime Library Exception (included in this file):

- libgcc (libgcc/, gcc/libgcc2.[ch], gcc/unwind*, gcc/gthr*, gcc/coretypes.h, gcc/crtstuff.c, gcc/defaults.h, gcc/dwarf2.h, gcc/emults.c, gcc/gbl-ctors.h, gcc/gcov-io.h, gcc/libgcov.c, gcc/tsystem.h, gcc/typeclass.h).
- libatomic
- libdecnumber
- libgomp
- libitm
- libssp
- libstdc++-v3

- libobjc
- libgfortran
- The libgnat-9 Ada support library and libgnatvsn library.
- Various config files
 in gcc/config/ used in runtime libraries.
- libvtv

The libbacktrace library is licensed under the following terms:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

(1) Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

(2) Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

(3) The name of the author may not be used to
endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
 IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The libsanitizer libraries (libasan, liblsan, libtsan, libubsan) are
licensed under the following terms:

Copyright (c) 2009-2014 by the LLVM contributors.

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The libffi library is licensed under the following terms:

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software''), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial
portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The documentation is licensed under the GNU Free Documentation License (v1.2).
On Debian GNU/Linux systems, the complete text of this license is in
`/usr/share/common-licenses/GFDL-1.2'.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an

additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of
non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version) of
the
GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord with
the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual
target processor architecture, in executable form or suitable for
input to an assembler, loader, linker and/or execution
phase. Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or used
for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in
non-intermediate languages designed for human-written code, and/or in
Java Virtual Machine byte code, into Target Code. Thus, for example,
use of source code generators and preprocessors need not be considered
part of the Compilation Process, since the Compilation Process can be
understood
as starting with the output of the generators or
preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or
with other GPL-compatible software, or if it is done without using any
work based on GCC. For example, using non-GPL-compatible Software to

optimize any GCC intermediate representations would not qualify as an
Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by
combining the Runtime Library with Independent Modules, even if such
propagation would otherwise violate the terms of GPLv3, provided that
all Target Code was generated by Eligible Compilation Processes. You
may then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of
the license of GCC.

libquadmath/*.[hc]:

Copyright (C) 2010 Free Software Foundation, Inc.
Written by Francois-Xavier Coudert <fxcoudert@gcc.gnu.org>
Written by Tobias Burnus <burnus@net-b.de>

This file is part of the libiberty library.
Libiberty is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

Libiberty is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

libquadmath/math:

atanq.c, expm1q.c, j0q.c, j1q.c, log1pq.c, logq.c:
Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

coshq.c, erfq.c, jnq.c, lgammaq.c, powq.c, roundq.c:
Changes for 128-bit __float128 are
Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
and are incorporated herein by permission of the author. The author
reserves the right to distribute this material elsewhere under different
copying permissions. These modifications are distributed here under
the following terms:

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

ldexpq.c:
* Conversion to long double by Ulrich Drepper,
* Cygnus Support, drepper@cygnus.com.

cosq_kernel.c, expq.c, sincos_table.c, sincosq.c, sincosq_kernel.c,
sinq_kernel.c, truncq.c:
Copyright (C) 1997, 1999 Free Software Foundation, Inc.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

isinfq.c:
* Written by J.T. Conklin <jtc@netbsd.org>.
* Change for long double by Jakub Jelinek <jj@ultra.linux.cz>
* Public domain.

llroundq.c, lroundq.c, tgammaq.c:
Copyright (C) 1997, 1999, 2002, 2004 Free Software Foundation, Inc.

This file is part of the GNU C Library.
Contributed by Ulrich Drepper <drepper@cygnus.com>, 1997 and
Jakub Jelinek <jj@ultra.linux.cz>, 1999.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser
General Public License for more details.

log10q.c:
Cephes Math Library Release 2.2: January, 1991
Copyright 1984, 1991 by Stephen L. Moshier
Adapted for glibc November, 2001

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

remaining files:

* Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
*
* Developed at SunPro, a Sun Microsystems, Inc. business.
* Permission to use, copy, modify, and distribute this
* software is freely granted, provided that this notice
* is preserved.

gcc/go/gofrontend,
libgo:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

D:
gdc-9 GNU D Compiler
libphobos-9-dev D standard runtime library

The D source package is made up of the following components.

The D front-end for GCC:
- d/*

Copyright (C) 2004-2007 David Friedman
Modified by Vincenzo Ampolo, Michael Parrot, Iain Buclaw, (C) 2009, 2010

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2
of the License, or
(at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', version 2 of this
license in `/usr/share/common-licenses/GPL-2'.

The DMD Compiler implementation of the D programming language:
- d/dmd/*

Copyright (c) 1999-2010 by Digital Mars
All Rights Reserved
written by Walter Bright
http://www.digitalmars.com
License for redistribution is by either the Artistic License or
the GNU General Public License (v1).

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', the Artistic
license in `/usr/share/common-licenses/Artistic'.

The Zlib data compression library:
- d/phobos/etc/c/zlib/*

(C) 1995-2004 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this
software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The Phobos standard runtime library:
- d/phobos/*

Unless otherwise marked within the file, each file in the source
is under the following licenses:

Copyright (C) 2004-2005 by Digital Mars, www.digitalmars.com
Written by Walter Bright

This software is provided 'as-is', without any express or implied

warranty. In no event
will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, in both source and binary form, subject to the following
restrictions:

o The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
o Altered source versions must be plainly marked as such, and must not
be misrepresented as being the original software.
o This notice may not be removed or altered from any source
distribution.

By plainly marking modifications, something along the lines of adding to each
file that has been changed a "Modified by Foo Bar" line
underneath the "Written by" line would be adequate.

The libhsail-rt library is licensed under
the following terms:

Copyright (C) 2015-2017 Free Software Foundation, Inc.
Contributed by Pekka Jaaskelainen <pekka.jaaskelainen@parmance.com>
for General Processor Tech.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files
(the "Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

libhsail-rt/rt/fp16.c is licensed under the following terms:

Copyright (C) 2008-2017 Free Software Foundation, Inc.
Contributed by CodeSourcery.

This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 3, or (at your option) any
later version.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

Under Section 7 of GPL version 3, you are granted additional
permissions described in the GCC Runtime
Library Exception, version
3.1, as published by the Free Software Foundation.

You should have received a copy of the GNU General Public License and
a copy of the GCC Runtime Library Exception along with this program;
see the files COPYING3 and COPYING.RUNTIME respectively. If not, see
<http://www.gnu.org/licenses/>.

gcc/gm2:
Copyright (C) 2007-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

gcc/gm2/**/*.texi:
Copyright (C) 2000, 2001, 2002, 2003,
2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2012, 2013 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document

under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

gcc/gm2/gm2-coroutines:
Copyright (C) 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/ulm-lib-gm2:
Copyright
(C) 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

This file was originally part of the University of Ulm library

Ulm's Modula-2 Library
Copyright (C) 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993,
1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005
by University of Ulm, SAI, D-89069 Ulm, Germany

gcc/gm2/ulm-lib-gm2/std/M2RTS.mod:
gcc/gm2/ulm-lib-gm2/std/Storage.mod:
gcc/gm2/ulm-lib-gm2/std/RTExceptions.mod:

Copyright (C) 2005, 2006, 2007, 2008, 2009, 2010 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation;
either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

./gm2-libs/cbuiltin.def:
./gm2-libs/MathLib0.def:
./gm2-libs/SYSTEM.def:
./gm2-libs/sckt.def:
./gm2-libs/Indexing.def:
./gm2-libs/Builtins.mod:
./gm2-libs/SFIO.mod:
./gm2-libs/MathLib0.mod:
./gm2-libs/gdbif.mod:
./gm2-libs/M2EXCEPTION.mod:
./gm2-libs/SFIO.def:
./gm2-libs/StringConvert.mod:
./gm2-libs/StringConvert.def:
./gm2-libs/config-host.in:
./gm2-libs/Indexing.mod:
./gm2-libs/errno.def:

Copyright
 (C) 2001-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius.mulley@southwales.ac.uk>.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

./gm2-libs/M2EXCEPTION.def:
Library module defined by the International Standard
Information
 technology - programming languages
BS ISO/IEC 10514-1:1996E Part 1: Modula-2, Base Language.

Copyright ISO/IEC (International Organization for Standardization
and International Electrotechnical Commission) 1996, 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

gcc/gm2/gm2-libiberty/:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
        Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

gcc/gm2/gm2-libs-iso/:
This has a mix of licenses, both LGPL-2.1 and GPL-3.0, plus the apparently
unmodified
 definition modules from ISO/IEC.

gcc/gm2/gm2-libs-iso/*.def:

Library module defined by the International Standard
Information technology - programming languages
BS ISO/IEC 10514-1:1996E Part 1: Modula-2, Base Language.

Copyright ISO/IEC (International Organization for Standardization
and International Electrotechnical Commission) 1996, 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

gcc/gm2/gm2-libs-iso/*.def:

Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.

gcc/gm2/gm2-libs-iso/*.def:
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either

version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs-iso/*.mod:

Copyright (C) 2012 Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

gcc/gm2/gm2-libs-iso/*.mod:

Copyright (C) 2009, 2010 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but
 WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs-min/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-3.0

gcc/gm2/gm2-libs-pim/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

gcc/gm2/gm2-libs-ch/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

gcc/gm2/examples:
Copyright (C) 2005-2015 Free Software Foundation, Inc.
Mix of LGPL-2.1 and GPL-3.0.

gcc/gm2/images:
GPL-3+

gcc/gm2/el/gm2-mode.el:
;; Everyone is granted permission to copy, modify and redistribute
;; GNU Emacs, but only under the conditions described in the
;; GNU Emacs General Public License. A copy of this license is
;; supposed to have been given to you along with GNU Emacs so you
;; can know your rights and responsibilities. It should be in a
;; file named COPYING.
 Among other things, the copyright notice
;; and this notice must be preserved on all copies.

gcc/gm2/mc-boot/:
Copyright (C) 2001-2018 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.
Mix of GPL-3 and LGPL-2.1.

gcc/testsuite/gm2/:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
Mix of GPL-2+ and GPL-3+

libgm2:

libgm2/libiso/:
Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

libgm2/libpim/:
Copyright (C) 2005-2014 Free Software Foundation, Inc.
Mix of
 LGPL-2.1, LGPL-3 and GPL-3.

libgm2/liblog/:

Copyright (C) 2005-2018 Free Software Foundation, Inc.
Mix of LGPL-2.1 and LGPL-3.

libgm2/libpth/:
Copyright: (C) 1999-2006 Ralf S. Engelschall <rse@gnu.org>
License: LGPL-2.1+
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

libgm2/libulm/:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by
the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

libgm2/libcor/:
Copyright (C) 2005-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

libgm2/libmin/:
Copyright (C) 2010, 2011, 2012, 2013 Free Software Foundation, Inc.

GNU Modula-2
is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

libgm2/p2c/:
Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See
the
GNU General Public License for more details.

newlib-X.Y.Z/:

Upstream Authors:
newlib@sources.redhat.com
Jeff Johnston <jjohnstn@redhat.com>
Tom Fitzsimmons <fitzsim@redhat.com>

The newlib subdirectory is a collection of software from several sources.
Each file may have its own copyright/license that is embedded in the source
file.

This list documents those licenses which are more restrictive than
a BSD-like license or require the copyright notice
to be duplicated in documentation and/or other materials associated with
the distribution. Certain licenses documented here only apply to
specific targets. Certain clauses only apply if you are building the
code as part of your binary.

Note that this list may omit certain licenses that
only pertain to the copying/modifying of the individual source code.
If you are distributing the source code, then you do not need to
worry about these omitted licenses, so long as you do not modify the

copyright information already in place.

Parts
of this work are licensed under the terms of the GNU General
Public License. On Debian systems, the complete text of this license
can be found in /usr/share/common-licenses/GPL.

Parts of this work are licensed under the terms of the GNU Library
General Public License. On Debian systems, the complete text of this
license be found in /usr/share/common-licenses/LGPL.

(1) University of California, Berkeley

[1a]

Copyright (c) 1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that any documentation,
and other materials related to such distribution and use
acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED
``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1b]

Copyright (c) 1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that any documentation,
advertising materials, and other materials related to such
distribution and use acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1c]

Copyright (c) 1981, 1983, 1986, 1988,
1989, 1991, 1992, 1993, 1994
The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS
SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1d]

Copyright (c) 1988, 1990, 1993 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions
of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1e]

Copyright (c) 1982, 1986, 1989, 1991, 1993, 1994
The Regents of the University of California. All rights reserved.
(c) UNIX System Laboratories, Inc.
All or some portions of this file are derived from material licensed
to the University of California by American Telephone and Telegraph
Co. or Unix System Laboratories, Inc. and are reproduced herein with
the permission of UNIX System Laboratories, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce
the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO,
 PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1f]

Copyright (c) 1987, 1988, 2000 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that: (1) source distributions retain this entire copyright
notice and comment, and (2) distributions including binaries display
the following acknowledgement: ``This product includes software
developed by the University of California, Berkeley and its contributors"
in the documentation or other materials provided with the distribution
and in all advertising materials mentioning features or use of this
software. Neither the name of the University nor the names of its
contributors may
 be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Please note that in some of the above alternate licenses, there is a
statement regarding that acknowledgement must be made in any
advertising materials for products using the code. This restriction
no longer applies due to the following license change:

 ftp://ftp.cs.berkeley.edu/pub/4bsd/README.Impt.License.Change

In some cases the defunct clause has been removed in modified newlib code and
in some cases, the clause has been left as-is.
---

(2) Cygwin (cygwin targets only)

Copyright 2001 Red Hat, Inc.

This software is a copyrighted work licensed under the

terms of the
Cygwin license. Please consult the file "CYGWIN_LICENSE" for
details.

(3) David M. Gay at AT&T

The author of this software is David M. Gay.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY
REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(4) Advanced Micro Devices

Copyright 1989, 1990 Advanced Micro Devices, Inc.

This software is the property of Advanced Micro Devices, Inc (AMD) which
specifically grants the user the right to modify, use and distribute this
software
provided this notice is not removed or altered. All other rights
are reserved by AMD.

AMD MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS
SOFTWARE. IN NO EVENT SHALL AMD BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL
DAMAGES IN CONNECTION WITH OR ARISING FROM THE FURNISHING, PERFORMANCE, OR
USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the 29K Technical Support Center at
800-29-29-AMD (800-292-9263) in the USA, or 0800-89-1131 in the UK, or
0031-11-1129 in Japan, toll free. The direct dial number is 512-462-4118.

Advanced Micro Devices, Inc.
29K Support Products
Mail Stop 573
5900 E. Ben White Blvd.
Austin, TX 78741
800-292-9263

(5) C.W. Sandmann

Copyright (C) 1993 C.W. Sandmann

This file may be freely distributed as long as the author's name remains.

(6) Eric Backus

(C) Copyright 1992 Eric Backus

This software may be used freely so long as this copyright notice
is
left intact. There is no warrantee on this software.

(7) Sun Microsystems

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

(8) Hewlett Packard

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(9) Hans-Peter Nilsson

Copyright
(C) 2001 Hans-Peter Nilsson

Permission to use, copy, modify, and distribute this software is
freely granted, provided that the above copyright notice, this notice
and the following disclaimer are preserved with no changes.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

(10) Stephane Carrez (m68hc11-elf/m68hc12-elf targets only)

Copyright (C) 1999, 2000, 2001, 2002 Stephane Carrez (stcarrez@nerim.fr)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the
licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(11) Christopher G. Demetriou

Copyright (c) 2001 Christopher G. Demetriou
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(12) SuperH, Inc.

Copyright 2002 SuperH, Inc. All rights reserved

This software is the property of SuperH, Inc (SuperH) which specifically
grants the user the right to modify, use and distribute this software
provided this notice is not removed or altered. All other rights are
reserved by SuperH.

SUPERH MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO
THIS SOFTWARE. IN NO EVENT SHALL SUPERH BE LIABLE FOR
INDIRECT, SPECIAL,
INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM
THE FURNISHING, PERFORMANCE, OR USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the SuperH Support Center via
e-mail at softwaresupport@superh.com .

SuperH, Inc.
405 River Oaks Parkway
San Jose
CA 95134
USA

(13) Royal Institute of Technology

Copyright (c) 1999 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided
with the distribution.

3. Neither the name of KTH nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(14) Alexey Zelkin

Copyright (c) 2000, 2001 Alexey Zelkin
<phantom@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA,
OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(15) Andrey A. Chernov

Copyright (C) 1997 by Andrey A. Chernov, Moscow, Russia.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(16) FreeBSD

Copyright (c) 1997-2002 FreeBSD Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(17) S. L. Moshier

Author: S. L. Moshier.

Copyright (c) 1984,2000 S.L. Moshier

Permission to use, copy, modify,
and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, THE AUTHOR MAKES NO REPRESENTATION
OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS
SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(18) Citrus Project

Copyright (c)1999 Citrus Project,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the
following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(19) Todd C. Miller

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>
All rights reserved.

Redistribution and use in source and binary forms, with
or without
modification, are permitted provided that the following conditions

are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(20) DJ Delorie (i386)

Copyright (C) 1991 DJ Delorie
All rights reserved.

Redistribution and use in source and binary forms is permitted
provided that the above copyright notice and following paragraph are
duplicated in all such forms.

This file is distributed WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

(21) Free Software Foundation LGPL License (*-linux* targets only)

Copyright (C) 1990-1999, 2000, 2001
Free Software Foundation, Inc.
This file is part of the GNU C Library.
Contributed by Mark Kettenis <kettenis@phys.uva.nl>, 1997.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the
GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with the GNU C Library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

(22) Xavier Leroy LGPL License (i[3456]86-*-linux* targets only)

Copyright (C) 1996 Xavier Leroy (Xavier.Leroy@inria.fr)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

(23) Intel (i960)

Copyright (c) 1993 Intel Corporation

Intel hereby grants you permission to copy, modify, and distribute this software and its documentation. Intel grants this permission provided that the above copyright notice appears in all copies and that both the copyright notice and this permission notice appear in supporting documentation. In addition, Intel grants this permission provided that you prominently mark as "not part of the original" any modifications made to this software or documentation, and that the name of Intel Corporation not be used in advertising or publicity pertaining to distribution of the software or the documentation without specific, written prior permission.

Intel Corporation provides this AS IS, WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Intel makes no guarantee or representations regarding the use of, or the results of the use of, the software and documentation in terms of correctness, accuracy, reliability, currentness, or otherwise; and you rely on the software, documentation and results solely at your own risk.

IN NO EVENT SHALL INTEL BE LIABLE FOR ANY LOSS OF USE, LOSS OF BUSINESS,

LOSS OF PROFITS, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND. IN NO EVENT SHALL INTEL'S TOTAL LIABILITY EXCEED THE SUM PAID TO INTEL FOR THE PRODUCT LICENSED HEREUNDER.

(24) Hewlett-Packard (hppa targets only)

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
permission to use, copy, modify, and distribute this
file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(25) Henry Spencer (only *-linux targets)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software
must not be misrepresented, either by
explicit claim or by omission. Since few users ever read sources,
credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
misrepresented as being the original software. Since few users
ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

(26) Mike Barcroft

Copyright (c) 2001 Mike Barcroft <mike@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS
 PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(27) Konstantin Chuguev (--enable-newlib-iconv)

Copyright (c) 1999, 2000
  Konstantin Chuguev. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions
 of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

iconv (Charset Conversion Library) v2.0

(27) Artem Bityuckiy (--enable-newlib-iconv)

Copyright (c) 2003, Artem B. Bityuckiy, SoftMine Corporation.
Rights transferred to Franklin Electronic Publishers.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN
NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(28) Red Hat Incorporated

Unless otherwise stated in each remaining newlib file, the remaining
files in the newlib subdirectory default to the following copyright.
It should be noted that Red Hat Incorporated now owns copyrights
belonging to Cygnus Solutions and Cygnus Support.

Copyright (c) 1994, 1997, 2001, 2002, 2003, 2004 Red Hat Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

The name of Red Hat Incorporated may not be used to endorse
or promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL RED HAT INCORPORATED BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This is the Debian GNU/Linux prepackaged version of the Common Error
Description library. It is currently distributed together with the EXT2 file
system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and the M.I.T.
S.I.P.B. make no representations about
the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.
Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the
   distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
 INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
This package was debianized by Ivo Timmermans <ivo@debian.org> on
Fri, 3 Aug 2001 10:02:38 +0200.
It was taken over by Matthias Urlichs <smurf@debian.org>, and is now
maintained by Andreas Metzler <ametzler@debian.org> Eric Dorland
<eric@debian.org>, James Westby <jw+debian@jameswestby.net>

It was downloaded from https://ftp.gnupg.org/gcrypt/libgcrypt/.

Up to end of 2012 libgcrypt copyright was owned solely by FSF, since then
contributions without copyright assignment to the FSF have been integrated.

Upstream Authors (from AUTHORS)
8X----------

List of Copyright holders
==========

Copyright (C) 1989,1991-2019 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (C) 1996 L. Peter Deutsch
Copyright (C) 1997 Werner Koch
Copyright (C) 1998 The Internet Society
Copyright (C) 1996-1999 Peter Gutmann, Paul Kendall, and Chris Wedgwood
Copyright (C) 1996-2006 Peter Gutmann, Matt Thomlinson and Blake Coverett
Copyright (C) 2003 Nikos Mavroyanopoulos
Copyright (C) 2006-2007 NTT (Nippon Telegraph and Telephone Corporation)
Copyright (C) 2012-2019 g10 Code GmbH
Copyright (C) 2012 Simon Josefsson, Niels Mller
Copyright (c) 2012 Intel Corporation
Copyright (C) 2013 Christian Grothoff
Copyright (C) 2013-2017 Jussi Kivilinna
Copyright (C) 2013-2014 Dmitry Eremin-Solenikov
Copyright (C) 2014 Stephan Mueller
Copyright (C) 2017 Bundesamt fr Sicherheit in der Informationstechnik

Authors with a FSF copyright assignment
==========

LIBGCRYPT Werner Koch 2001-06-07
Assigns past and future changes.
Assignment for future changes terminated on 2012-12-04.
wk@gnupg.org
Designed and implemented Libgcrypt.

GNUPG Matthew Skala 1998-08-10
Disclaims changes.
mskala@ansuz.sooke.bc.ca
Wrote cipher/twofish.c.

GNUPG Natural Resources Canada 1998-08-11
Disclaims changes by Matthew Skala.

GNUPG Michael Roth Germany 1998-09-17
Assigns changes.
mroth@nessie.de
Wrote
cipher/des.c.
Changes and bug fixes all over the place.

GNUPG Niklas Hernaeus 1998-09-18
Disclaims changes.

nh@df.lth.se
Weak key patches.

GNUPG Rmi Guyomarch 1999-05-25
Assigns past and future changes. (g10/compress.c, g10/encr-data.c,
g10/free-packet.c, g10/mdfilter.c, g10/plaintext.c, util/iobuf.c)
rguyom@mail.dotcom.fr

ANY g10 Code GmbH 2001-06-07
Assignment for future changes terminated on 2012-12-04.
Code marked with ChangeLog entries of g10 Code employees.

LIBGCRYPT Timo Schulz 2001-08-31
Assigns past and future changes.
twoaday@freakmail.de

LIBGCRYPT Simon Josefsson 2002-10-25
Assigns past and future changes to FSF (cipher/{md4,crc}.c, CTR mode,
CTS/MAC flags, self test improvements)
simon@josefsson.org

LIBGCRYPT Moritz Schulte 2003-04-17
Assigns past and future changes.
moritz@g10code.com

GNUTLS Nikolaos Mavrogiannopoulos 2003-11-22
nmav@gnutls.org
Original code for cipher/rfc2268.c.

LIBGCRYPT The Written Word 2005-04-15
Assigns
past and future changes. (new: src/libgcrypt.pc.in,
src/Makefile.am, src/secmem.c, mpi/hppa1.1/mpih-mul3.S,
mpi/hppa1.1/udiv-qrnnd.S, mpi/hppa1.1/mpih-mul2.S,
mpi/hppa1.1/mpih-mul1.S, mpi/Makefile.am, tests/prime.c,
tests/register.c, tests/ac.c, tests/basic.c, tests/tsexp.c,
tests/keygen.c, tests/pubkey.c, configure.ac, acinclude.m4)

LIBGCRYPT Brad Hards 2006-02-09
Assigns Past and Future Changes
bradh@frogmouth.net
(Added OFB mode. Changed cipher/cipher.c, test/basic.c doc/gcrypt.tex.
added SHA-224, changed cipher/sha256.c, added HMAC tests.)

LIBGCRYPT Hye-Shik Chang 2006-09-07
Assigns Past and Future Changes
perky@freebsd.org
(SEED cipher)

LIBGCRYPT Werner Dittmann 2009-05-20
Assigns Past and Future Changes
werner.dittmann@t-online.de
(mpi/amd64, tests/mpitests.c)

GNUPG David Shaw
Assigns past and future changes.
dshaw@jabberwocky.com
(cipher/camellia-glue.c and related stuff)

LIBGCRYPT Andrey Jivsov 2010-12-09
Assigns
Past and Future Changes
openpgp@brainhub.org
(cipher/ecc.c and related files)

LIBGCRYPT Ulrich Mller 2012-02-15
Assigns Past and Future Changes
ulm@gentoo.org
(Changes to cipher/idea.c and related files)

LIBGCRYPT Vladimir Serbinenko 2012-04-26
Assigns Past and Future Changes
phcoder@gmail.com
(cipher/serpent.c)

Authors with a DCO
==========

Andrei Scherer <andsch@inbox.com>
2014-08-22:BF7CEF794F9.000003F0andsch@inbox.com:

Christian Aistleitner <christian@quelltextlich.at>
2013-02-26:20130226110144.GA12678@quelltextlich.at:

Christian Grothoff <christian@grothoff.org>
2013-03-21:514B5D8A.6040705@grothoff.org:

Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
2013-07-13:20130713144407.GA27334@fangorn.rup.mentorg.com:

Dmitry Kasatkin <dmitry.kasatkin@intel.com>
2012-12-14:50CAE2DB.80302@intel.com:

Jrmie Courrges-Anglas <jca@wxcvbn.org>
2016-05-26:87bn3ssqg0.fsf@ritchie.wxcvbn.org

Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
2012-11-15:20121115172331.150537dzb5i6jmy8@www.dalek.fi:

Jussi
Kivilinna <jussi.kivilinna@iki.fi>
2013-05-06:5186720A.4090101@iki.fi:

Markus Teich <markus dot teich at stusta dot mhn dot de>
2014-10-08:20141008180509.GA2770@trolle:

Mathias L. Baumann <mathias.baumann at sociomantic.com>
2017-01-30:07c06d79-0828-b564-d604-fd16c7c86ebe@sociomantic.com:

Milan Broz <gmazyland@gmail.com>
2014-01-13:52D44CC6.4050707@gmail.com:

Peter Wu <peter@lekensteyn.nl>
2015-07-22:20150722191325.GA8113@al:

Rafal Carr <funman@videolan.org>
2012-04-20:4F91988B.1080502@videolan.org:

Sergey V. <sftp.mtuci@gmail.com>
2013-11-07:2066221.5IYa7Yq760@darkstar:

Stephan Mueller <smueller@chronox.de>
2014-08-22:2008899.25OeoelVVA@myon.chronox.de:

Tom Mrz <tm@t8m.info>
2012-04-16:1334571250.5056.52.camel@vespa.frost.loc:

Vitezslav Cizek <vcizek@suse.com>
2015-11-05:20151105131424.GA32700@kolac.suse.cz

Werner Koch <wk@gnupg.org> (g10 Code GmbH)
2012-12-05:87obi8u4h2.fsf@vigenere.g10code.de:

More credits
============

Libgcrypt used
to be part of GnuPG but has been taken out into its own
package on 2000-12-21.

Most of the stuff in mpi has been taken from an old GMP library
version by Torbjorn Granlund <tege@noisy.tmg.se>.

The files cipher/rndunix.c and cipher/rndw32.c are based on those
files from Cryptlib. Copyright Peter Gutmann, Paul Kendall, and Chris
Wedgwood 1996-1999.

The ECC code cipher/ecc.c was based on code by Sergi Blanch i Torne,
sergi at calcurco dot org.

The implementation of the Camellia cipher has been taken from the
original NTT provided GPL source.

The CAVS testing program tests/cavs_driver.pl is not to be considered
a part of libgcrypt proper. We distribute it merely for convenience.
It has a permissive license and is copyrighted by atsec information
security corporation. See the file for details.

The file salsa20.c is based on D.J. Bernstein's public domain code and
taken from Nettle. Copyright 2012 Simon Josefsson and Niels Mller.

This file is free software; as a special exception
 the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without even the
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
8X----------

License:

Most of the package is licensed under the GNU Lesser General Public
License (LGPL) version 2.1 (or later), except for helper and debugging
binaries. See below for details. The documentation is licensed under
the GPLv2 (or later), see below.

Excerpt from upstream's README:

  The library is distributed under the terms of the GNU Lesser
  General Public License (LGPL); see the file COPYING.LIB for the
  actual terms. The helper programs (e.g. gcryptrnd and getrandom)
  as well as the documentation are distributed under the terms of
  the GNU General Public License
 (GPL); see the file COPYING for the
  actual terms.

  This library used to be available under the GPL - this was changed

with version 1.1.7 with the rationale that there are now many free
crypto libraries available and many of them come with capabilities
similar to Libcrypt. We decided that to foster the use of
cryptography in Free Software an LGPLed library would make more
sense because it avoids problems due to license incompatibilities
between some Free Software licenses and the GPL.

Please note that in many cases it is better for a library to be
licensed under the GPL, so that it provides an advantage for free
software projects. The Lesser GPL is so named because it does
less to protect the freedom of the users of the code that it
covers. See http://www.gnu.org/philosophy/why-not-lgpl.html for
more explanation.

An example of the license headers of the LGPL is

Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003,
2004, 2006
2007, 2008, 2009, 2010, 2011 Free Software Foundation, Inc.

This file is part of Libgcrypt.

Libgcrypt is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

Libgcrypt is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.

On Debian GNU/Linux systems, the complete text of the GNU Lesser
General Public License can be found in
`/usr/share/common-licenses/LGPL';

The documentation licensed under the GPL

Copyright
@copyright{} 2000, 2002, 2003, 2004, 2006, 2007, 2008, 2009, 2011, 2012 Free Software Foundation, Inc. @*
Copyright @copyright{} 2012, 2013, 2016 2017 g10 Code GmbH

@quotation

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 2 of the License, or (at your
option) any later version. The text of the license can be found in the
section entitled ``GNU General Public License".

Further details on licensing:
From upstream's LICENSES file
8X----------
Additional license notices for Libgcrypt. -*- org -*-

This file contains the copying permission notices for various files in
the Libgcrypt distribution which are not covered by the GNU Lesser
General Public License (LGPL) or the GNU General Public License (GPL).

These notices all require that a copy of the notice be included
in the accompanying
 documentation and be distributed with binary
distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

* BSD_3Clause

 For files:
 - cipher/sha256-avx-amd64.S
 - cipher/sha256-avx2-bmi2-amd64.S
 - cipher/sha256-ssse3-amd64.S
 - cipher/sha512-avx-amd64.S
 - cipher/sha512-avx2-bmi2-amd64.S
 - cipher/sha512-ssse3-amd64.S

#+begin_quote
 Copyright (c) 2012, Intel Corporation

 All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions are
 met:

 * Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 * Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the
   distribution.

* Neither
the name of the Intel Corporation nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#+end_quote

For files:
- random/jitterentropy-base.c
 - random/jitterentropy.h
- random/rndjent.c (plus common Libgcrypt copyright holders)

#+begin_quote
* Copyright Stephan Mueller <smueller@chronox.de>, 2013
*
* License
* =======
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, and the entire permission notice in its entirety,
*   including the disclaimer of warranties.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote
*   products derived from this software without specific prior
*   written permission.
*
* ALTERNATIVELY, this product may be distributed under the terms of
* the GNU General Public

License, in which case the provisions of the GPL are
* required INSTEAD OF the above restrictions. (This clause is
* necessary due to a potential bad interaction between the GPL and
* the restrictions contained in a BSD-style copyright.)
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
* WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
* USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
#+end_quote

*
X License

For files:
- install.sh

#+begin_quote
Copyright (C) 1994 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-

ings in this Software without prior written authorization from the X Consortium.
#+end_quote

* Public domain

For files:
- cipher/arcfour-amd64.S

#+begin_quote
Author: Marc Bevand <bevand_m (at) epita.fr>
Licence: I hereby disclaim the copyright on this code and place it
in the public domain.
#+end_quote

* OCB license 1

For files:
- cipher/cipher-ocb.c

#+begin_quote
OCB is covered by several patents but may be used freely by most
software. See http://web.cs.ucdavis.edu/~rogaway/ocb/license.htm .
In particular license 1 is suitable for Libgcrypt: See
http://web.cs.ucdavis.edu/~rogaway/ocb/license1.pdf for the full
license document; it basically says:

License
1 License for Open-Source Software Implementations of OCB
(Jan 9, 2013)

Under this license, you are authorized to make, use, and
distribute open-source software implementations of OCB. This
license terminates for you if you sue someone over their
open-source software implementation of OCB claiming that you have
a patent covering their implementation.

License for Open Source Software Implementations of OCB
January 9, 2013

1 Definitions

1.1 Licensor means Phillip Rogaway.

1.2 Licensed Patents means any patent that claims priority to United
States Patent Application No. 09/918,615 entitled Method and Apparatus

for Facilitating Efficient Authenticated Encryption, and any utility, divisional, provisional, continuation, continuations-in-part, reexamination, reissue, or foreign counterpart patents that may issue with respect to the aforesaid patent application. This includes, but is not limited to, United States Patent No. 7,046,802;
United States Patent No. 7,200,227; United
States Patent No. 7,949,129; United States Patent No. 8,321,675 ; and any patent that issues out of United States Patent Application No. 13/669,114.

1.3 Use means any practice of any invention claimed in the Licensed Patents.

1.4 Software Implementation means any practice of any invention claimed in the Licensed Patents that takes the form of software executing on a user-programmable, general-purpose computer or that takes the form of a computer-readable medium storing such software. Software Implementation does not include, for example, application-specific integrated circuits (ASICs), field-programmable gate arrays (FPGAs), embedded systems, or IP cores.

1.5 Open Source Software means software whose source code is published and made available for inspection and use by anyone because either (a) the source code is subject to a license that permits recipients to copy, modify, and distribute the source code without payment of fees
or royalties, or
(b) the source code is in the public domain, including code released for public use through a CC0 waiver. All licenses certified by the Open Source Initiative at opensource.org as of January 9, 2013 and all Creative Commons licenses identified on the creativecommons.org website as of January 9, 2013, including the Public License Fallback of the CC0 waiver, satisfy these requirements for the purposes of this license.

1.6 Open Source Software Implementation means a Software Implementation in which the software implicating the Licensed Patents is Open Source Software. Open Source Software Implementation does not include any Software Implementation in which the software implicating the Licensed Patents is combined, so as to form a larger program, with software that is not Open Source Software.

2 License Grant

2.1 License. Subject to your compliance with the term s of this license, including the restriction set forth in Section 2.2, Licensor hereby
grants
to you a perpetual, worldwide, non-exclusive, non-transferable, non-sublicenseable, no-charge, royalty-free, irrevocable license to practice any invention claimed in the Licensed Patents in any Open Source Software Implementation.

2.2 Restriction. If you or your affiliates institute patent litigation

(including, but not limited to, a cross-claim or counterclaim in a lawsuit)
against any entity alleging that any Use authorized by this license
infringes another patent, then any rights granted to you under this license
automatically terminate as of the date such litigation is filed.

3 Disclaimer
YOUR USE OF THE LICENSED PATENTS IS AT YOUR OWN RISK AND UNLESS REQUIRED
BY APPLICABLE LAW, LICENSOR MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY
KIND CONCERNING THE LICENSED PATENTS OR ANY PRODUCT EMBODYING ANY LICENSED
PATENT, EXPRESS OR IMPLIED, STATUT ORY OR OTHERWISE, INCLUDING, WITHOUT
LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR
PURPOSE, OR
NONINFRINGEMENT. IN NO EVENT WILL LICENSOR BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM OR RELATED TO ANY USE OF THE LICENSED PATENTS, INCLUDING,
WITHOUT LIMITATION, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE
OR SPECIAL DAMAGES, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES PRIOR TO SUCH AN OCCURRENCE.
#+end_quote
8X----------

On Debian GNU/Linux systems, the text of the GNU General Public License,
version 2 can be found in `/usr/share/common-licenses/GPL-2'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: auditd
Source: https://people.redhat.com/sgrubb/audit/

Files: *
Copyright: 2012-2016 Steve Grubb <sgrubb@redhat.com>
2006-2012 Rik Faith
License: GPL-2

Files: src/libev/*
Copyright: 2007-2009 Marc Alexamder Lehmann
License: GPL-2

Files: lib/*
Copyright: 2005-2008 Steve Grubb <sgrubb@redhat.com>
License: LGPL-2.1
The audit daemon's library libaudit.* is released under LGPL
so that it may be linked with 3rd party software.
.
On Debian systems, refer to /usr/share/common-licenses/LGPL-2.1
for the complete text of the GNU Lesser General Public License.

Files: debian/*
Copyright: 2007-2011 Philipp Matthias Hahn <pmhahn@debian.org>

2012-2016 Laurent Bigonville <bigon@debian.org>
License: GPL-2

License: GPL-2
This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License version 2,
as published by the Free Software
Foundation.
.
This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
.
On Debian systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-1'.
This is the Debian GNU prepackaged version of mawk, an implementation
of the AWK Programming Language. mawk was written by Mike Brennan
<brennan@whidbey.com>

This package was put together by Chris Fearnley <cjf@netaxs.com>,
from sources obtained from:
ftp://ftp.whidbey.net/pub/brennan/mawk1.3.3.tar.gz

It is currently being maintained by James Troup <james@nocrew.org>.

mawk 1.3.3 Nov 1996, Copyright (C) Michael D. Brennan
Modifications for Debian GNU/Linux Copyright (C) 1995-96 Chris Fearnley.
Modifications for Debian GNU/Linux Copyright (C) 1998-2003 James Troup.

Further modifications up to mawk 1.3.4.20200120 is of:
Copyright 2009-2018,2019,2020 by Thomas E. Dickey. The source code is
taken from https://invisible-island.net/mawk/ .

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License version 2 as published
by the Free Software Foundation.

This program is distributed in the hope that it will be useful, but
WITHOUT
ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License with
your Debian GNU system, in /usr/share/common-licenses/GPL-2, or with the
Debian GNU mawk source package as the file COPYING. If not, write to
the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301, USA.
JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
 FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
This package was debianized by Marcus Brinkmann <mb@g10code.de> on
Thu, 25 Jul 2002 21:50:21 +0200.
It was later taken over by Matthias Urlichs <smurf@debian.org>, and is now
maintained by Andreas Metzler <ametzler@debian.org>, Eric Dorland
<eric@debian.org>, James Westby <jw+debian@jameswestby.net>,
Peter Eisentraut <petere@debian.org>

It was downloaded from https://gnupg.org/ftp/gcrypt/libksba/.

Upstream Authors: g10 Code GmbH and Fabio Fiorina.

Copyright:
| Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2010, 2011
| 2012, 2013, 2014, 2015, 2018, 2019 2020 g10 Code GmbH
| Copyright (C) 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
| Copyright (C) 2000, 2001 Fabio Fiorina

The library and the header files are distributed under the following
terms (LGPLv3+/GPLv2+):

| KSBA is free software; you can redistribute it and/or modify
| it under the terms of either
|
| - the GNU Lesser General Public License as published by the Free
| Software Foundation;
 either version 3 of the License, or (at
| your option) any later version.
|
| or
|
| - the GNU General Public License as published by the Free
| Software Foundation; either version 2 of the License, or (at
| your option) any later version.
|
| or both in parallel, as here.
|
| KSBA is distributed in the hope that it will be useful, but WITHOUT
| ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
| or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public
| License for more details.

The other parts (e.g. manual, build system, tests) are distributed
under the following terms (GPLv3):

| KSBA is free software; you can redistribute it and/or modify
| it under the terms of the GNU General Public License as published by
| the Free Software Foundation; either version 3 of the License, or
| (at your option) any later version.
|
| KSBA is distributed in the hope that it will be useful,
| but WITHOUT ANY WARRANTY; without even the implied
 warranty of
| MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
| GNU General Public License for more details.

The ASN.1 definition for CMS is based on a specification published
under the following terms (see src/cms.asn):

| Copyright (C) The Internet Society (1999). All Rights Reserved.
|
| This document and translations of it may be copied and furnished to
| others, and derivative works that comment on or otherwise explain it
| or assist in its implementation may be prepared, copied, published
| and distributed, in whole or in part, without restriction of any

| kind, provided that the above copyright notice and this paragraph are
| included on all such copies and derivative works. However, this
| document itself may not be modified in any way, such as by removing
| the copyright notice or references to the Internet Society or other
| Internet organizations, except as needed for the purpose of
| developing Internet standards in which case the procedures
 for
| copyrights defined in the Internet Standards process must be
| followed, or as required to translate it into languages other than
| English.
|
| The limited permissions granted above are perpetual and will not be
| revoked by the Internet Society or its successors or assigns.
|
| This document and the information contained herein is provided on an
| "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING
| TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
| BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION
| HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
| MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

On Debian systems, the complete text of the GNU General Public License
can be found in `/usr/share/common-licenses/GPL-3'.

Files: src/asn1-constants.h
Copyright: 2020 g10 Code Gmbh
License: FSFUL

Files: src/der-builder.c src/der-builder.h
Copyright: 2020 g10 Code GmbH
License: LGPL-2.1-or-later

License:
 FSFUL
This file is free software; the authors give unlimited permission
to copy, distribute and modify it.
SPDX-License-Identifier: FSFUL

License: LGPL-2.1-or-later
This file is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.
.
This file is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.
SPDX-License-Identifier: LGPL-2.1-or-later
A. HISTORY OF THE SOFTWARE
==========

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations, which became
Zope Corporation. In 2001, the Python Software Foundation (PSF, see
https://www.python.org/psf/) was formed, a non-profit organization
created specifically to own Python-related Intellectual Property.
Zope Corporation was a sponsoring member of the PSF.

All
 Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		

PSF yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
the GPL. All Python licenses, unlike the GPL, let you distribute
a modified version without making your changes open source. The
GPL-compatible licenses make it possible to combine Python with
other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
because its license has a choice of law clause. According to
CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
==========

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
---

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL,
SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue,
Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated

documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE
ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html
may be used according to the
permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
---

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive,

Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law

of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

ACCEPT

CWI
LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: package
Source: https://sourceforge.net/projects/libtirpc/

Files: *
Copyright: 2005 Bull S.A
License: BSD-3-Clause

Files: debian/*
Copyright: 2009 Steinar H. Gunderson <sesse@debian.org>
        2019 Josue Ortega <josue@debian.org>
License: GPL-2

Files: src/auth_des.c
        src/auth_none.c
        src/auth_unix.c
        src/authdes_prot.c
        src/authunix_prot.c
        src/bindresvport.c
        src/clnt_bcast.c
        src/clnt_perror.c
        src/clnt_raw.c
        src/clnt_simple.c
        src/clnt_vc.c
        src/debug.c
        src/debug.h
        src/des_crypt.c
        src/getnetconfig.c
        src/getnetpath.c
        src/getrpcent.c
        src/getrpcport.c
        src/key_call.c
        src/key_prot_xdr.c
        src/pmap_clnt.c
        src/pmap_getmaps.c
        src/pmap_getport.c
        src/pmap_prot.c

src/pmap_prot2.c
src/pmap_rmt.c
src/rpc_callmsg.c
src/rpc_com.h
src/rpc_commondata.c
src/rpc_dtablesize.c
src/rpc_generic.c
src/rpc_prot.c
src/rpc_soc.c
src/rpcb_prot.c
src/rpcb_st_xdr.c
src/rtime.c
src/svc_auth.c
src/svc_auth_des.c
src/svc_auth_unix.c
src/svc_dg.c
src/svc_generic.c
src/svc_raw.c
src/svc_simple.c
src/svc_vc.c
src/xdr_array.c
src/xdr_float.c
src/xdr_mem.c
src/xdr_rec.c
src/xdr_reference.c
src/xdr_sizeof.c
src/xdr_stdio.c
tirpc/rpc/auth_des.h
tirpc/rpc/auth_unix.h
tirpc/rpc/des_crypt.h
tirpc/rpc/pmap_clnt.h
tirpc/rpc/pmap_prot.h
tirpc/rpc/pmap_rmt.h
tirpc/rpc/raw.h
tirpc/rpc/rpc_com.h

tirpc/rpc/rpc_msg.h
tirpc/rpc/rpcb_clnt.h
tirpc/rpc/rpcb_prot.h
tirpc/rpc/svc_auth.h

Copyright: 1984-2009 Sun Microsystems, Inc.
1986-1991 Sun Microsystems Inc.
1986-1991 Sun Microsystems Inc. In addition, portions of such source code were derived from Berkeley
1996 Jason Downs.
2014 Red Hat, Steve Dickson <steved@redhat.com>

License: BSD-3-Clause

Files: Makefile.in

aclocal.m4
compile
config.guess
config.sub
configure
depcomp
doc/Makefile.in
install-sh
ltmain.sh
m4/libtool.m4
m4/ltoptions.m4
m4/ltsugar.m4
m4/ltversion.m4
m4/lt~obsolete.m4
man/Makefile.in
missing
src/Makefile.in
Copyright: 1992-2017 Free Software Foundation, Inc.
1994 X Consortium
License: __AUTO_PERMISSIVE__
Autogenerated files with
permissive licenses.

Files: man/rpc_gss_get_error.3t
man/rpc_gss_get_mech_info.3t
man/rpc_gss_get_mechanisms.3t
man/rpc_gss_get_principal_name.3t
man/rpc_gss_get_versions.3t
man/rpc_gss_getcred.3t
man/rpc_gss_is_installed.3t
man/rpc_gss_max_data_length.3t
man/rpc_gss_mech_to_oid.3t
man/rpc_gss_qop_to_num.3t
man/rpc_gss_seccreate.3t
man/rpc_gss_set_callback.3t
man/rpc_gss_set_defaults.3t
man/rpc_gss_set_svc_name.3t
man/rpc_gss_svc_max_data_length.3t
man/rpcsec_gss.3t
Copyright: 2008 Isilon Inc http://www.isilon.com/
License: BSD-2-Clause

Files: src/auth_gss.c
src/authgss_prot.c
src/svc_auth_gss.c
src/svc_auth_none.c
tirpc/rpc/auth_gss.h
Copyright: 2000 Dug Song <dugsong@UMICH.EDU>. all wrongs reversed.

2000 The Regents of the University of Michigan.
License:
BSD-3-Clause

Files: src/binddynport.c
src/rpc_gss_utils.c
tirpc/rpc/rpcsec_gss.h
tirpc/rpc/svc_auth_gss.h
Copyright: 2013-2018 Oracle America, Inc.
License: BSD-3-Clause

Files: src/netname.c
src/netnamer.c
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/clnt_generic.c
src/rpcb_clnt.c
Copyright: 2010 Oracle America, Inc.
License: BSD-3-Clause

Files: src/crypt_client.c
tirpc/rpcsvc/crypt.x
Copyright: 1996 Bill Paul <wpaul@ctr.columbia.edu>.
License: BSD-4-Clause

Files: src/des_impl.c
Copyright: 1992 Eric Young Collected from libdes and modified for SECURE RPC Martin Kuck 1994
License: LGPL-2.1+

Files: INSTALL
Copyright: 1994-2013 Free Software Foundation, Inc.
License: PERMISSIVE
Copying and distribution of this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved.
This file is offered as-is,
without warranty of any kind.
.
Basic Installation

Files: tirpc/rpc/nettype.h
Copyright: 1986-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/reentrant.h
Copyright: 1997-1998 The NetBSD Foundation, Inc.
License: BSD-2-Clause

Files: tirpc/rpc/svc_mt.h
Copyright: 2015 Axentia Technologies AB.
License: BSD-2-Clause

Files: src/getpeereid.c
Copyright: 2001 Dima Dorfman.
License: BSD-2-Clause

Files: tirpc/un-namespace.h
Copyright: 2001 Daniel Eischen <deischen@FreeBSD.org>.
License: BSD-2-Clause

Files: tirpc/rpc/rpcent.h
Copyright: 1986-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/epoll_sub.c
Copyright: 2003 Niels Provos <provos@citi.umich.edu>
License: BSD-3-Clause

Files: tirpc/rpc/clnt.h
Copyright: 2010 Oracle America, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/xdr.h
Copyright: 1984-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/rpcdname.c
Copyright:
2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/types.h
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/des_soft.c
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/svc.c
Copyright: 1984-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/auth.h
Copyright: 1984-2009 Sun Microsystems, Inc.

License: BSD-3-Clause

Files: tirpc/rpc/svc_soc.h
Copyright: 1986-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/xdr.c
Copyright: 1986-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/getpublickey.c
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/rpc.h
Copyright: 1984-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/clnt_soc.h
Copyright: 1984-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/svc_run.c
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files:
tirpc/rpc/des.h
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/svc.h
Copyright: 1986-2009 Sun Microsystems, Inc.
License: BSD-3-Clause

Files: src/nis.h
Copyright: 2010 Oracle America, Inc.
License: BSD-3-Clause

Files: tirpc/rpc/svc_dg.h
Copyright: 2009 Sun Microsystems, Inc.
License: BSD-3-Clause

License: BSD-3-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
- Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- Neither the name of Sun Microsystems, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-Clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-4-Clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by Bill Paul.
4. Neither the name of the author nor the names of any co-contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY
Bill Paul AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL Bill Paul OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: LGPL-2.1+
This file is distributed under the terms of the GNU Lesser General
Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <http://www.gnu.org/licenses/> to obtain
a copy.
.
On Debian systems, the complete text of the GNU Lesser General Public License
Version 2.1 can be found in `/usr/share/common-licenses/LGPL-2.1'.

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, v2, as
published by the Free Software Foundation
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the complete text of the GNU General Public

License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:
    http://www.theFixx.org/Jeff
This is the Debian GNU/Linux prepackaged version of sed - the GNU stream
oriented editor.

This package was assembled from sources obtained from:
 ftp://ftp.gnu.org/gnu/sed/

It is currently maintained by Clint Adams <clint@debian.org>

Copyright: 1989,90,91,92,93,94,95,98,99,2002,2003,2006,2008,2009,2010 Free Software Foundation, Inc.

GNU sed is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

On Debian GNU/Linux systems you can find a copy of the GPL in
/usr/share/common-licenses/GPL-3

The sed info manual is released under the terms of the GNU Free
Documentation License as published by the Free Software Foundation;
either version 1.3, or (at your option) any later version.
This package was debianized by Matthew Vernon <matthew@debian.org>,
with sources downloaded from:
ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/

PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Release 10 of PCRE2 is distributed under the terms of the "BSD" licence, as
specified below. The documentation for PCRE2, supplied in the "doc"
directory, is distributed under the same terms as the software itself. The data
in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a just-in-time compiler that can be used to
optimize pattern matching. This is an optional feature that can be omitted when
the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain:
cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2015 University of Cambridge
All rights reserved.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

Copyright(c) 2010-2015 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

Copyright(c) 2009-2015 Zoltan Herczeg
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the name of the University of Cambridge nor the names of any
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libpsl
Source: https://github.com/rockdaboot/libpsl

Files: *
Copyright: 2014-2016 Tim Ruehsen
License: MIT

Files: debian/*
Copyright: 2014-2016 Daniel Kahn Gillmor
License: MIT

Files: src/psl-make-dafsa src/lookup_string_in_fixed_set.c
Copyright: 2014-2015 The Chromium Authors
License: Chromium

License: MIT
* Permission is hereby granted, free of charge, to any person obtaining a
* copy of this software and associated documentation files (the "Software"),
* to deal in the Software without restriction, including without limitation
* the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the
* Software is furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.

*
* THE SOFTWARE
IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.

License: Chromium
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither
the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
jQuery v3.5.1

jQuery License
```

jQuery v 3.5.1
Copyright 2005, 2018 jQuery Foundation, Inc. and other contributors
http://jquery.com/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
```

without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

****

The jQuery JavaScript Library v3.5.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/sizzle

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit
persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

****

```

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to
give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free
programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.
```

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that
everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim
copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that
in whole or in part contains the Program or any part thereof, either
with or without modifications, to be licensed
at no charge to all
third parties under the terms of this General Public License (except
that you may choose to grant warranty protection to some or all
third parties, at your option).

c) If the modified program normally reads commands interactively when
run, you must cause it, when started running for such interactive use
in the simplest and most usual way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how to view a copy of this General
Public License.

d) You may charge a fee for the physical act of transferring a
copy, and you may at your option offer warranty protection in
exchange for a fee.

Mere aggregation of another independent work with the Program (or its
derivative) on a volume of a storage or distribution medium
does not bring
the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of
it, under Paragraph 2) in object code or executable form under the terms of
Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of
Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three
years, to give any third party free (except for a nominal charge
for the cost of distribution) a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program
in object code or executable form alone.)

Source code for a work means the preferred form of the work for making

modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain
in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms
and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE
THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed

in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) 19xx name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License.
 Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 program `Gnomovision' (a program to direct compilers to make passes
 at assemblers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

That's all there is to it!
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
```

<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

### MPL v2.0
```
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered
```
```

Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent
claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,
to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*
 essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any
 character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************

8. Litigation
-------------
```

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With

Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.

```
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libgpg-error
Upstream-Contact: gnupg-devel@gnupg.org
Source: https://gnupg.org/ftp/gcrypt/libgpg-error/

Files: *
Copyright: 2001-2004, 2010, 2012-2018, g10 Code GmbH
License: LGPL-2.1+

Files: src/b64dec.c
Copyright: 2008, 2011 Free Software Foundation, Inc.
2008, 2011, 2016 g10 Code GmbH
License: LGPL-2.1+

Files: src/estream-printf.h src/estream-printf.c src/estream.c
Copyright: 2004-2012, 2014-2017 g10 Code GmbH
License: LGPL-2.1+ or BSD-3-clause

Files: src/w32-estream.c
Copyright: 2000 Werner Koch (dd9jn)
2001, 2002, 2003, 2004, 2007, 2010, 2016 g10 Code GmbH
License: LGPL-2.1+

Files: src/gettext.h
```

Copyright: 1995-1998, 2000-2002 Free Software Foundation, Inc.
License: LGPL-2.1+

Files: src/gpg-error-config.in
Copyright: 1999, 2002, 2003 Free Software Foundation, Inc.
License: g10-permissive

Files: src/mkheader.c
Copyright: 2010 Free Software Foundation, Inc.
2014 g10 Code GmbH
License:
g10-permissive

Files: src/posix-lock.c
Copyright: 2005-2009 Free Software Foundation, Inc.
2014 g10 Code GmbH
License: LGPL-2.1+

Files: src/w32-gettext.c
Copyright: 1995, 1996, 1997, 1999, 2005, 2007, 2008, 2010 Free Software Foundation, Inc.
License: LGPL-2.1+

Files: doc/yat2m.c
Copyright: 2005, 2013, 2015, 2016 g10 Code GmbH
2006, 2008, 2011 Free Software Foundation, Inc.
License: GPL-3+

Files: potomo
Copyright: 2008 g10 Code GmbH
2010 Free Software Foundation, Inc.
License: g10-permissive

License: g10-permissive
This file is free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.
.
This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without even the
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

License: LGPL-2.1+
This program is free software; you can redistribute
it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1
of the License, or (at your option) any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU Lesser General Public License
version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: GPL-3+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation;
 either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.
.
On Debian systems, the complete text of the GNU General Public License
version 3 can be found in /usr/share/common-licenses/GPL-3.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.
.
THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH
DAMAGE.
Apache Portable Runtime Utility Library
Copyright (c) 2000-2016 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were developed at the National Center
for Supercomputing Applications (NCSA) at the University of
Illinois at Urbana-Champaign.

This software contains code derived from the RSA Data Security
Inc. MD5 Message-Digest Algorithm, including various
modifications by Spyglass Inc., Carnegie Mellon University, and
Bell Communications Research, Inc (Bellcore).
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Contact: git@vger.kernel.org
Source: https://www.kernel.org/pub/software/scm/git/

Files: *
Copyright: 2005-2020, Linus Torvalds and others.
License: GPL-2

Files: xdiff/*
Copyright: 2003-2009, Davide Libenzi, Johannes E. Schindelin
License: LGPL-2.1+

Files: xdiff/xhistogram.c
Copyright: 2010, Google Inc.
and other copyright owners as documented in JGit's IP log.
License: EDL-1.0

Files: ewah/*
Copyright: 2013, GitHub Inc.
2009-2013, Daniel Lemire, Cliff Moon,
David McIntosh, Rober Becho, Google Inc. and Veronika Zenz
License: GPL-2+

Files: sha1dc/*
Copyright: 2017,
Marc Stevens

Cryptology Group
Centrum Wiskunde & Informatica
P.O. Box 94079, 1090 GB Amsterdam, Netherlands
marc@marc-stevens.nl
.
Dan Shumow
Microsoft Research
danshu@microsoft.com
License: Expat

Files: gitk-git/*
Copyright: 2005-2016, Paul Mackerras, et al.
License: GPL-2+

Files: gitk-git/po/bg.po
Copyright:
2014, 2015, 2016, 2017, 2018 Alexander Shopov <ash@kambanaria.org>
License: GPL-2
Comment: This file is distributed under the same license as the git package.

Files: git-gui/*
Copyright: 2005-2010, Shawn Pearce, et. al.
License: GPL-2+

Files: git-gui/po/bg.po git-gui/po/de.po git-gui/po/fr.po git-gui/po/glossary/*
Copyright: 2007-2008, Shawn Pearce, et al.
2012-2015, Alexander Shopov <ash@kambanaria.org>
License: GPL-2
Comment: This file is distributed under the same license as the git package.

Files: git-gui/po/glossary/el.po git-gui/po/glossary/pt_br.po
Copyright: 2007, Shawn Pearce, et al.
2009, Jimmy Angelakos
License: GPL-2+
Comment: This file is distributed under the same license as the git-gui package.

Files: gitweb/static/js/*
Copyright: 2007, Fredrik Kuivinen <frekui@gmail.com>
2007, Petr Baudis <pasky@suse.cz>
2008-2011, Jakub Narebski <jnareb@gmail.com>
2011, John 'Warthog9' Hawley <warthog9@eaglescrag.net>
License:
GPL-2+

Files: git-p4
Copyright: 2007, Simon Hausmann <simon@lst.de>
2007, Trolltech ASA
License: Expat

Files: git-svn.perl
Copyright: 2006, Eric Wong <normalperson@yhbt.net>
License: GPL-2+

Files: imap-send.c
Copyright: 2000-2002, Michael R. Elkins <me@mutt.org>
        2002-2004, Oswald Buddenhagen <ossi@users.sf.net>
        2004, Theodore Y. Ts'o <tytso@mit.edu>
        2006, Mike McCormack
Name: git-imap-send - drops patches into an imap Drafts folder
 derived from isync/mbsync - mailbox synchronizer
License: GPL-2+

Files: perl/Git.pm
Copyright: 2006, by Petr Baudis <pasky@suse.cz>
License: GPL-2+

Files: perl/private-Error.pm
Copyright: 1997-8, Graham Barr <gbarr@ti.com>
License: GPL-1+ or Artistic-1
This program is free software; you can redistribute it and/or modify
it under the terms of either:
.
  a) the GNU General Public License as published by the Free Software
     Foundation; either version 1, or (at your option)
 any later
     version, or
.
  b) the "Artistic License" which comes with Perl.
.
On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL' and
the Artistic Licence in '/usr/share/common-licenses/Artistic'.

Files: kwset.c kwset.h
Copyright: 1989, 1998, 2000, 2005, Free Software Foundation, Inc.
License: GPL-2+

Files: khash.h
Copyright: 2008, 2009, 2011 by Attractive Chaos <attractor@live.co.uk>
License: Expat

Files: trace.c
Copyright: 2000-2002, Michael R. Elkins <me@mutt.org>
        2002-2004, Oswald Buddenhagen <ossi@users.sf.net>
        2004, Theodore Y. Ts'o <tytso@mit.edu>
        2006, Mike McCormack

2006, Christian Couder
License: GPL-2+

Files: sh-i18n--envsubst.c
Copyright: 2010, var Arnfjr Bjarmason
1998-2007, Free Software Foundation, Inc.
License: GPL-2+

Files: t/test-lib.sh
Copyright: 2005, Junio C Hamano
License: GPL-2+

Files: compat/inet_ntop.c
compat/inet_pton.c
Copyright: 1996-2001, Internet Software Consortium.
License: ISC

Files: compat/poll/poll.c compat/poll/poll.h
Copyright: 2001-2003, 2006-2011, Free Software Foundation, Inc.
Name: Emulation for poll(2) from gnulib.
License: GPL-2+

Files: compat/vcbuild/include/sys/utime.h
Copyright: ?
License: mingw-runtime

Files: compat/nedmalloc/*
Copyright: 2005-2006 Niall Douglas
License: Boost

Files: compat/nedmalloc/malloc.c.h
Copyright: 2006, KJK::Hyperion <hackbunny@reactos.com>
License: dlmalloc

Files: compat/regex/*
Copyright: 1985, 1989-93, 1995-2010, Free Software Foundation, Inc.
Name: Extended regular expression matching and search library
License: LGPL-2.1+

Files: compat/obstack.c compat/obstack.h
Copyright: 1988-1994, 1996-2005, 2009, Free Software Foundation, Inc.
Name: Object stack macros.
License: LGPL-2.1+

Files: contrib/persistent-https/*
Copyright: 2012, Google Inc.
License: Apache-2.0

Files: contrib/credential/gnome-keyring/git-credential-gnome-keyring.c
Copyright:
  2011, John Szakmeister <john@szakmeister.net>
        2012, Philipp A. Hartmann <pah@qo.cx>
License: GPL-2+

Files: contrib/hg-to-git/hg-to-git.py
Copyright: 2007, Stelian Pop <stelian@popies.net>
Name: hg-to-git.py - A Mercurial to GIT converter
License: GPL-2+

Files: contrib/mw-to-git/git-*.perl contrib/mw-to-git/t/t*
Copyright: 2011
  Jrmie Nikaes <jeremie.nikaes@ensimag.imag.fr>
  Arnaud Lacurie <arnaud.lacurie@ensimag.imag.fr>
  Claire Fousse <claire.fousse@ensimag.imag.fr>
  David Amouyal <david.amouyal@ensimag.imag.fr>
  Matthieu Moy <matthieu.moy@grenoble-inp.fr>
        2012
  Charles Roussel <charles.roussel@ensimag.imag.fr>
  Simon Cathebras <simon.cathebras@ensimag.imag.fr>
  Julien Khayat <julien.khayat@ensimag.imag.fr>
  Guillaume Sasdy <guillaume.sasdy@ensimag.imag.fr>
  Simon Perrat <simon.perrat@ensimag.imag.fr>
    2013
  Benoit Person <benoit.person@ensimag.imag.fr>
  Celestin Matte <celestin.matte@ensimag.imag.fr>
License: GPL-2+

Files:
 debian/*
Copyright: 2005, Sebastian Kuzminsky <seb@highlab.com>
        2005-2006, Andres Salomon <dilinger@debian.org>
        2005-2012, Gerrit Pape <pape@smarden.org>
License: GPL-2

License: GPL-2
You can redistribute this software and/or modify it under the terms of
the GNU General Public License as published by the Free Software
Foundation; version 2 dated June, 1991.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 file.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any
later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 file.

License: LGPL-2+
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public License as
published by the Free Software Foundation; either version 2 of the
License, or (at your option) any later version.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.
.
On Debian systems, the complete text of the GNU Library General Public License
can be
found in the /usr/share/common-licenses/LGPL-2 file.

License: LGPL-2.1+
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
On Debian systems, the complete text of the GNU Lesser General Public License
can be found in /usr/share/common-licenses/LGPL-2.1.

License: Apache-2.0
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

.

http://www.apache.org/licenses/LICENSE-2.0

.

Unless required by applicable law or agreed
to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

.

On Debian systems, the full text of the Apache License version 2 can
be found in /usr/share/common-licenses/Apache-2.0.

License: ISC
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER
IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

License: Expat
<http://www.opensource.org/licenses/mit-license.php>:

.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: EDL-1.0
Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:
.
- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
.
- Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.
.
- Neither the name of the Eclipse Foundation, Inc. nor the
  names of its contributors may be used to endorse or promote
  products derived from this software without specific prior
  written permission.
.
THIS
 SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: mingw-runtime
This file has no copyright assigned and is placed in the Public Domain.
This file is a part of the mingw-runtime package.
.
The mingw-runtime package and its code is distributed in the hope that it
will be useful
 but WITHOUT ANY WARRANTY. ALL WARRANTIES, EXPRESSED OR
IMPLIED ARE HEREBY DISCLAIMED. This includes but is not limited to
warranties of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
.
You are free to use this package and its code without limitation.

License: Boost
It is licensed under the Boost Software License which basically means
you can do anything you like with it. This does not apply to the malloc.c.h
file which remains copyright to others.
.
Boost Software License - Version 1.0 - August 17th, 2003
.
Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:
.
The copyright notices in the Software and this
entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

License: dlmalloc
This is a version (aka dlmalloc) of malloc/free/realloc written by
Doug Lea and released to the public domain, as explained at
http://creativecommons.org/licenses/publicdomain.
Send questions,
comments, complaints, performance data, etc to dl@cs.oswego.edu
.
Incorporates code from intrin_x86.h, which bears the following notice:
.
Compatibility <intrin_x86.h> header for GCC -- GCC equivalents of intrinsic
Microsoft Visual C++ functions. Originally developed for the ReactOS
(<http://www.reactos.org/>) and TinyKrnl (<http://www.tinykrnl.org/>)
projects.
.
Copyright (c) 2006 KJK::Hyperion <hackbunny@reactos.com>
.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included
 in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: lz4
Source: https://github.com/Cyan4973/lz4

Files: *
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: BSD-2-clause

Files: lib/*
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: BSD-2-clause

Files: lib/liblz4.pc.in
Copyright: Copyright (C) 2011-2014, Yann Collet.
License: BSD-2-clause

Files: lib/lz4frame.c
    lib/lz4frame_static.h
    lib/xxhash.c
    lib/xxhash.h
Copyright: Copyright (C) 2011-2016, Yann Collet.
License: BSD-2-clause

Files: programs/*
Copyright: Copyright (C) 2011-2016, Yann Collet.
License: GPL-2+

Files: programs/lz4io.c
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: GPL-2+

Files: programs/platform.h

Copyright: Copyright (C) 2016 -present, Przemyslaw Skibinski, Yann Collet
License: GPL-2+

Files: programs/util.h
Copyright: Copyright (C) 2016 -present, Przemyslaw Skibinski, Yann Collet
License: GPL-2+

Files: ./examples/printVersion.c
Copyright:
 Takayuki Matsuoka & Yann Collet
License: GPL-2

Files: ./examples/blockStreaming_lineByLine.c
 ./examples/blockStreaming_doubleBuffer.c
Copyright: Takayuki Matsuoka
License: GPL-2

Files: ./examples/HCStreaming_ringBuffer.c
 ./examples/blockStreaming_ringBuffer.c
Copyright: Yann Collet
License: GPL-2

Files: ./examples/compress_functions.c
 ./examples/simple_buffer.c
Copyright: Kyle Harper
License: BSD-2-clause

Files: debian/*
Copyright: 2013 Nobuhiro Iwamatsu <iwamatsu@debian.org>
License: GPL-2+

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.
.
On Debian systems, the complete text of version 2 of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the
 GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991, or (at
your option) any later version.
.
On Debian systems, the complete text of version 2 of the GNU General

Public License can be found in '/usr/share/common-licenses/GPL-2'.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
 FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ==========

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
```

DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: sysvinit
Upstream-Contact: sysvinit-devel@nongnu.org
Source: https://download.savannah.gnu.org/releases/sysvinit/

Files: *
Copyright: 1997-2005 Miquel van Smoorenburg <miquels@cistron.nl>
License: GPL-2+

Files: debian/*
License: GPL-2+
Copyright: 2015      Adam Conrad <adconrad@debian.org>
        2018      Dmitry Bogatov <KAction@gnu.org>
        2018      Vincenzo (KatolaZ) Nicosia <katolaz@freaknet.org>
        2006      Henrique de Moraes Holschuh <hmh@debian.org>
        2017      Ian Jackson <ijackson@chiark.greenend.org.uk>
        2014      Petter Reinholdtsen <pere@debian.org>
        2014      Robert Millan <rmh@debian.org>
        2014      Thomas Goirand <zigo@debian.org>
        2006      Thomas Hood <jdthood@yahoo.co.uk>
        2015-2016 Andreas Henriksson <andreas@fatal.se>
        2011,2016 Ben Hutchings <ben@decadent.org.uk>
        2010-2012 Christian
 Perrier <bubulle@debian.org>
        2015-2016 Martin Pitt <mpitt@debian.org>
        2014-2018 Michael Biebl <biebl@debian.org>
        1996-2004 Miquel van Smoorenburg <miquels@cistron.nl>
        2005-2006 Petter Reinholdtsen <pere@debian.org>
        2006-2010 Petter Reinholdtsen <pere@debian.org>
        2011-2013 Roger Leigh <rleigh@debian.org>
        2006-2007 Steinar H. Gunderson <sesse@debian.org>
        2012-2013 Steve Langasek <vorlon@debian.org>

License: GPL-2+
This program is free software; you can redistribute it and/or
modify it under the terms of the GNU General Public License
```

as published by the Free Software Foundation; either version 2
of the License, or (at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
 You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian system, copy of GNU Lesser General Public License version 2
is also located at `/usr/share/common-licenses/GPL-2'
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: XZ Utils
Upstream-Contact:
Lasse Collin <lasse.collin@tukaani.org>
https://tukaani.org/xz/lists.html
Source:
https://tukaani.org/xz
https://git.tukaani.org/xz.git
Comment:
XZ Utils is developed and maintained upstream by Lasse Collin. Major
portions are based on code by other authors; see AUTHORS for details.
Most of the source has been put into the public domain, but some files
have not (details below).
.
This file describes the source package. The binary packages contain
some files derived from other works: for example, images in the API
documentation come from Doxygen.
License:
Different licenses apply to different files in this package. Here
is a rough summary of which licenses apply to which parts of this
package (but check the individual files to be sure!):
.
 - liblzma is in the public domain.
.
 - xz, xzdec, and lzmadec command line tools are in the public
   domain
unless GNU getopt_long had to be compiled and linked
   in from the lib directory. The getopt_long code is under
   GNU LGPLv2.1+.
.
 - The scripts to grep, diff, and view compressed files have been
   adapted from gzip. These scripts and their documentation are
   under GNU GPLv2+.
.
 - All the documentation in the doc directory and most of the

XZ Utils specific documentation files in other directories
are in the public domain.

.

- Translated messages are in the public domain.

.

- The build system contains public domain files, and files that
are under GNU GPLv2+ or GNU GPLv3+. None of these files end up
in the binaries being built.

.

- Test files and test code in the tests directory, and debugging
utilities in the debug directory are in the public domain.

.

- The extra directory may contain public domain files, and files
that are under various free software licenses.

.

You can do whatever you want with the files that have
been put into
the public domain. If you find public domain legally problematic,
take the previous sentence as a license grant. If you still find
the lack of copyright legally problematic, you have too many
lawyers.

.

As usual, this software is provided "as is", without any warranty.

.

If you copy significant amounts of public domain code from XZ Utils
into your project, acknowledging this somewhere in your software is
polite (especially if it is proprietary, non-free software), but
naturally it is not legally required. Here is an example of a good
notice to put into "about box" or into documentation:

.

This software includes code from XZ Utils <http://tukaani.org/xz/>.

.

The following license texts are included in the following files:

- COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
- COPYING.GPLv2: GNU General Public License version 2
- COPYING.GPLv3: GNU General Public License version 3

.

Note that the toolchain (compiler, linker etc.)
may add some code
pieces that are copyrighted. Thus, it is possible that e.g. liblzma
binary wouldn't actually be in the public domain in its entirety
even though it contains no copyrighted code from the XZ Utils source
package.

.

If you have questions, don't hesitate to ask the author(s) for more
information.

Files: *

Copyright: 2006-2018, Lasse Collin
1999-2008, Igor Pavlov
2006, Ville Koskinen
1998, Steve Reid
2000, Wei Dai
2003, Kevin Springle
2009, Jonathan Nieder
2010, Anders F Bjrklund
License: PD
This file has been put in the public domain.
You can do whatever you want with this file.
Comment:
From: Lasse Collin <lasse.collin@tukaani.org>
To: Jonathan Nieder <jrnieder@gmail.com>
Subject: Re: XZ utils for Debian
Date: Sun, 19 Jul 2009 13:28:23 +0300
Message-Id: <200907191328.23816.lasse.collin@tukaani.org>
.
[...]
.
> AUTHORS, ChangeLog, COPYING, README, THANKS, TODO,
> dos/README,
windows/README
.
COPYING says that most docs are in the public domain. Maybe that's not
clear enough, but on the other hand it looks a bit stupid to put
copyright information in tiny and relatively small docs like README.
.
I don't dare to say that _all_ XZ Utils specific docs are in the public
domain unless otherwise mentioned in the file. I'm including PDF files
generated by groff + ps2pdf, and some day I might include Doxygen-
generated HTML docs too. Those don't include any copyright notices, but
it seems likely that groff + ps2pdf or at least Doxygen put some
copyrighted content into the generated files.

Files: INSTALL NEWS PACKAGERS
windows/README-Windows.txt
windows/INSTALL-MinGW.txt
Copyright: 2009-2010, Lasse Collin
License: probably-PD
See the note on AUTHORS, README, and so on above.

Files: src/scripts/* lib/* extra/scanlzma/scanlzma.c
Copyright: 1993, Jean-loup Gailly
1989-1994, 1996-1999, 2001-2007, Free Software Foundation, Inc.
2006 Timo Lindfors
2005, Charles Levert
2005, 2009, Lasse Collin

2009, Andrew Dudman
Other-Authors: Paul Eggert, Ulrich Drepper
License: GPL-2+

Files: src/scripts/Makefile.am src/scripts/xzless.1
Copyright: 2009, Andrew Dudman
2009, Lasse Collin
License: PD
This file has been put in the public domain.
You can do whatever you want with this file.

Files: doc/examples/xz_pipe_comp.c doc/examples/xz_pipe_decomp.c
Copyright: 2010, Daniel Mealha Cabrita
License: PD
Not copyrighted -- provided to the public domain.

Files: lib/getopt.c lib/getopt1.c lib/getopt.in.h
Copyright: 1987-2007 Free Software Foundation, Inc.
Other-Authors: Ulrich Drepper
License: LGPL-2.1+

Files: m4/getopt.m4 m4/posix-shell.m4
Copyright: 2002-2006, 2008 Free Software Foundation, Inc.
2007-2008 Free Software Foundation, Inc.
Other-Authors: Bruno Haible, Paul Eggert
License: permissive-fsf

Files: m4/acx_pthread.m4
Copyright: 2008, Steven G. Johnson
<stevenj@alum.mit.edu>
License: Autoconf

files: m4/ax_check_capsicum.m4
Copyright: 2014, Google Inc.
2015, Lasse Collin <lasse.collin@tukaani.org>
License: permissive-nowarranty

Files: Doxyfile.in
Copyright: 1997-2007 by Dimitri van Heesch
Origin: Doxygen 1.4.7
License: GPL-2

Files: src/liblzma/check/crc32_table_?e.h
src/liblzma/check/crc64_table_?e.h
src/liblzma/lzma/fastpos_table.c
src/liblzma/rangecoder/price_table.c
Copyright: none, automatically generated data
Generated-With:

src/liblzma/check/crc32_tablegen.c
src/liblzma/check/crc64_tablegen.c
src/liblzma/lzma/fastpos_tablegen.c
src/liblzma/rangecoder/price_tablegen.c
License: none
No copyright to license.

Files: .gitignore m4/.gitignore po/.gitignore po/LINGUAS po/POTFILES.in
Copyright: none; these are just short lists.
License: none
No copyright to license.

Files: tests/compress_prepared_bcj_*
Copyright: 2008-2009, Lasse Collin
Source-Code: tests/bcj_test.c
License: PD
This file has been put
 into the public domain.
You can do whatever you want with this file.
Comment:
changelog.gz (commit 975d8fd) explains:
.
Recreated the BCJ test files for x86 and SPARC. The old files
were linked with crt*.o, which are copyrighted, and thus the
old test files were not in the public domain as a whole. They
are freely distributable though, but it is better to be careful
and avoid including any copyrighted pieces in the test files.
The new files are just compiled and assembled object files,
and thus don't contain any copyrighted code.

Files: po/cs.po po/de.po po/fr.po
Copyright: 2010, Marek ernock
        2010, Andre Noll
        2011, Adrien Nader
License: PD
This file is put in the public domain.

Files: po/it.po po/pl.po
Copyright: 2009, 2010, Gruppo traduzione italiano di Ubuntu-it
        2010, Lorenzo De Liso
        2009, 2010, 2011, Milo Casagrande
        2011, Jakub Bogusz
License: PD
This file is in the public domain

Files: INSTALL.generic
Copyright:

1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,
2006, 2007, 2008, 2009, 2010 Free Software Foundation, Inc.
License: permissive-nowarranty

Files: dos/config.h
Copyright: 1992, 1993, 1994, 1999, 2000, 2001, 2002, 2005
Free Software Foundation, Inc.
2007-2010, Lasse Collin
Other-Authors: Roland McGrath, Akim Demaille, Paul Eggert,
David Mackenzie, Bruno Haible, and many others.
Origin: configure.ac from XZ Utils,
visibility.m4 serial 1 (gettext-0.15),
Autoconf 2.52g
License: config-h
configure.ac:
.
Author: Lasse Collin
#
This file has been put into the public domain.
You can do whatever you want with this file.
.
visibility.m4:
.
dnl Copyright (C) 2005 Free Software Foundation, Inc.
dnl This file is free software; the Free Software Foundation
dnl gives unlimited permission to copy and/or distribute it,
dnl with or without modifications, as long as this notice is preserved.
.
dnl From
Bruno Haible.
.
comments from Autoconf 2.52g:
.
Copyright 1992, 1993, 1994, 1999, 2000, 2001, 2002
Free Software Foundation, Inc.
.
[...]
.
As a special exception, the Free Software Foundation gives unlimited
permission to copy, distribute and modify the configure scripts that
are the output of Autoconf. You need not follow the terms of the GNU
General Public License when using or distributing such scripts, even
though portions of the text of Autoconf appear in them. The GNU
General Public License (GPL) does govern all other use of the material
that constitutes the Autoconf program.
.
On Debian systems, the complete text of the GNU General Public
License version 2 can be found in /usr/share/common-licenses/GPL-2.

dos/config.h was generated with autoheader, which tells Autoconf to
output a script to generate a config.h file and then runs it.

Files: po/Makevars
Origin: gettext-runtime/po/Makevars (gettext-0.12)
Copyright: 2003 Free Software
 Foundation, Inc.
Authors: Bruno Haible
License: LGPL-2.1+
The gettext-runtime package is under the LGPL, see files intl/COPYING.LIB-2.0
and intl/COPYING.LIB-2.1.
.
On Debian systems, the complete text of intl/COPYING.LIB-2.0 from
gettext-runtime 0.12 can be found in /usr/share/common-licenses/LGPL-2
and the text of intl/COPYING.LIB-2.1 can be found in
/usr/share/common-licenses/LGPL-2.1.
.
po/Makevars consists mostly of helpful comments and does not contain a
copyright and license notice.

Files: COPYING.GPLv2 COPYING.GPLv3 COPYING.LGPLv2.1
Copyright: 1989, 1991, 1999, 2007 Free Software Foundation, Inc.
License: noderivs
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Files: debian/*
Copyright: 2009-2012, Jonathan Nieder
License: PD-debian
The Debian packaging files are in the public domain.
You may freely use, modify, distribute, and relicense them.

License: LGPL-2.1+
This program is free software;
 you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.

On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: GPL-2
Permission to use, copy, modify, and distribute this software and its
documentation under the terms of the GNU General Public License is
hereby granted.
 No representations are made about the suitability of
this software for any purpose. It is provided "as is" without express
or implied warranty. See the GNU General Public License for more
details.
.
Documents produced by doxygen are derivative works derived from the
input used in their production; they are not affected by this license.
.
On Debian systems, the complete text of the version of the GNU General
Public License distributed with Doxygen can be found in
/usr/share/common-licenses/GPL-2.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
 .
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU General Public License
version 2 can be found in /usr/share/common-licenses/GPL-2.

License: Autoconf
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation, either version 3 of the License, or (at your
option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General
Public License for more details.
.

You should have received a copy of the GNU General Public License along
with this program. If not, see <http://www.gnu.org/licenses/>.
.
As a special
 exception, the respective Autoconf Macro's copyright owner
gives unlimited permission to copy, distribute and modify the configure
scripts that are the output of Autoconf when processing the Macro. You
need not follow the terms of the GNU General Public License when using
or distributing such scripts, even though portions of the text of the
Macro appear in them. The GNU General Public License (GPL) does govern
all other use of the material that constitutes the Autoconf Macro.
.
This special exception to the GPL applies to versions of the Autoconf
Macro released by the Autoconf Archive. When you make and distribute a
modified version of the Autoconf Macro, you may extend this special
exception to the GPL to apply to your modified version as well.
.
On Debian systems, the complete text of the GNU General Public
License version 3 can be found in /usr/share/common-licenses/GPL-3.

License: permissive-fsf
This file is free software; the Free Software Foundation
gives unlimited
 permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.

License: permissive-nowarranty
Copying and distribution of this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved. This file is offered as-is,
without warranty of any kind.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: brotli
Source: https://github.com/google/brotli

Files: *
Copyright: 2009, 2010, 2013-2015 by the Brotli Authors
License: MIT

Files: debian/*
Copyright: 2015 Tomasz Buchert <tomasz@debian.org>
License: MIT

License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
This package was debianized by Thom May <thom@debian.org> on
Wed, 17 Nov 2004 11:27:14 -0800

It was downloaded from http://httpd.apache.org/download.cgi

Upstream Authors: The Apache Software Foundation - http://apr.apache.org/

Copyright:

Licensed to the Apache Software Foundation (ASF) under one or more contributor
license agreements. The ASF licenses this work to You under the Apache License,
Version 2.0 (the "License"); you may not use this work except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

On a Debian system, the license can be found at
/usr/share/common-licenses/Apache-2.0 .

APACHE PORTABLE RUNTIME SUBCOMPONENTS:

The Apache Portable Runtime includes a number of subcomponents with
separate copyright notices and license terms. Your use of the source
code for the these subcomponents is subject to the terms and
conditions of the following licenses.

From strings/apr_fnmatch.c, include/apr_fnmatch.h,
misc/unix/getopt.c,
file_io/unix/mktemp.c, strings/apr_strings.c:

/*
* Copyright (c) 1987, 1993, 1994
* The Regents of the University of California. All rights reserved.

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of
 its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

From network_io/unix/inet_ntop.c, network_io/unix/inet_pton.c:

/* Copyright (c)
 1996 by Internet Software Consortium.
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
* ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
* CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
* DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
* PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
* ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
* SOFTWARE.

From dso/aix/dso.c:

```
*  Based on libdl (dlfcn.c/dlfcn.h) which is
*  Copyright (c) 1992,1993,1995,1996,1997,1988
*  Jens-Uwe Mager, Helios Software GmbH, Hannover, Germany.
*
*  Not derived
 from licensed software.
*
*  Permission is granted to freely use, copy, modify, and redistribute
*  this software, provided that the author is not construed to be liable
*  for any results of using the software, alterations are clearly marked
*  as such, and this notice is not modified.
```

From strings/apr_strnatcmp.c, include/apr_strings.h:

```
 strnatcmp.c -- Perform 'natural order' comparisons of strings in C.
 Copyright (C) 2000 by Martin Pool <mbp@humbug.org.au>

 This software is provided 'as-is', without any express or implied
 warranty.  In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not
    claim that you wrote the original software. If you use this software
    in a product, an acknowledgment in the product documentation would be
    appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be
    misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.
```

From test/CuTest.c, test/CuTest.h:

```
* Copyright (c) 2002-2006 Asim Jalis
*
* This library is released under the zlib/libpng license as described at
*
* http://www.opensource.org/licenses/zlib-license.html
*
* Here is the statement of the license:
*
* This software is provided 'as-is', without any express or implied warranty.
* In no event will the authors be held liable for any damages arising from
```

* the use of this software.
*
* Permission is granted to anyone to use this software for any purpose,
* including commercial applications, and to alter it and redistribute it
* freely, subject to the following restrictions:
*
* 1. The origin of
this software must not be misrepresented; you must not
* claim that you wrote the original software. If you use this software in a
* product, an acknowledgment in the product documentation would be
* appreciated but is not required.
*
* 2. Altered source versions must be plainly marked as such, and must not be
* misrepresented as being the original software.
*
* 3. This notice may not be removed or altered from any source distribution.

The source files crypto/apr_md4.c and crypto/apr_md5.c contain code which is derived from reference code from RFC-1320, and RFC-1321. This code is copyright RSA Data Security, Inc. ("RSA"). RSA made the following statement about the conditions of use of this code. Debian chooses to use and distribute this code according to the conditions outlined in this statement and NOT according to the license contained in the source files.

The following was recevied Fenbruary 23,2000 From: "Linn, John" February 19, 2000

The purpose of this memo
is to clarify the status of intellectual
property rights asserted by RSA Security Inc. ("RSA") in the MD2, MD4 and MD5 message-digest algorithms, which are documented in RFC-1319, RFC-1320, and RFC-1321 respectively. Implementations of these message-digest algorithms, including implementations derived from the reference C code in RFC-1319, RFC-1320, and RFC-1321, may be made, used, and sold without license from RSA for any purpose. No rights other than the ones explicitly set forth above are granted. Further, although RSA grants rights to implement certain algorithms as defined by identified RFCs, including implementations derived from the reference C code in those RFCs, no right to use, copy, sell, or distribute any other implementations of the MD2, MD4, or MD5 message-digest algorithms created, implemented, or distributed by RSA is hereby granted by implication, estoppel, or otherwise. Parties interested in licensing security components and toolkits written
by RSA should contact the
company to discuss receiving a license. All other questions should be directed to Margaret K. Seif, General Counsel, RSA Security Inc., 36 Crosby Drive, Bedford, Massachusetts 01730. Implementations of the MD2, MD4, or MD5 algorithms may be subject to United States laws and regulations

controlling the export of technical data, computer software, laboratory prototypes and other commodities (including the Arms Export Control Act, as amended, and the Export Administration Act of 1970). The transfer of certain technical data and commodities may require a license from the cognizant agency of the United States Government. RSA neither represents that a license shall not be required for a particular implementation nor that, if required, one shall be issued.

DISCLAIMER: RSA MAKES NO REPRESENTATIONS AND EXTENDS NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, FITNESS FOR
A PARTICULAR PURPOSE, VALIDITY OF INTELLECTUAL
PROPERTY RIGHTS, ISSUED OR PENDING, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, WHETHER OR NOT DISCOVERABLE, IN CONNECTION WITH THE MD2, MD4, OR MD5 ALGORITHMS. NOTHING IN THIS GRANT OF RIGHTS SHALL BE CONSTRUED AS A REPRESENTATION OR WARRANTY GIVEN BY RSA THAT THE IMPLEMENTATION OF THE ALGORITHM WILL NOT INFRINGE THE INTELLECTUAL PROPERTY RIGHTS OF ANY THIRD PARTY. IN NO EVENT SHALL RSA, ITS TRUSTEES, DIRECTORS, OFFICERS, EMPLOYEES, PARENTS AND AFFILIATES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND RESULTING FROM IMPLEMENTATION OF THIS ALGORITHM, INCLUDING ECONOMIC DAMAGE OR INJURY TO PROPERTY AND LOST PROFITS, REGARDLESS OF WHETHER RSA SHALL BE ADVISED, SHALL HAVE OTHER REASON TO KNOW, OR IN FACT SHALL KNOW OF THE POSSIBILITY OF SUCH INJURY OR DAMAGE.

The statement was downloaded from http://www.ietf.org/ietf-ftp/IPR/RSA-MD-all
on January 8th, 2012.
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
  include the following acknowledgment:

  "This product includes software developed by IAIK of Graz University of
  Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: sensible-utils
Source: https://salsa.debian.org/debian/sensible-utils

Files: *
Copyright: 2002-2009, Clint Adams <schizo@debian.org>
2010- Anibal Monsalve Salazar <anibal@debian.org>
2012, David Prvot <taffit@debian.org>
2013, Thorsten Glaser
2017, Jrmy Bobbio
2017, Ximin Luo
2017- Bastien Roucaris <rouca@debian.org>
License: GPL-2+

Files: sensible-editor*
Copyright: 1997, Guy Maor
2002, 2004, 2006, Clint Adams
2010- Anibal Monsalve Salazar <anibal@debian.org>
License: GPL-2+

Files: sensible-pager*
Copyright: 1997, 1998, Guy Maor

2004, Clint Adams
2010- Anibal Monsalve Salazar <anibal@debian.org>
License: GPL-2+

Files: sensible-browser*
Copyright: 2002, Joey Hess
2003, 2007, 2008, Clint Adams
2010- Anibal Monsalve Salazar <anibal@debian.org>
License: GPL-2+

Files: select-editor*
Copyright: 2009, Dustin Kirkland <kirkland@canonical.com>.
2010- Anibal Monsalve
Salazar <anibal@debian.org>
License: GPL-2+

Files: man/Makefile.am
man/utf8toman.sed
Copyright: 2012-2017, Guillaume Jover
License: GPL-2+
Comment: Part of this are copied from dpkg

Files: man/po4a/cs*
Copyright: 2012, Michal Simunek
License: GPL-2+

Files: man/po4a/de*
Copyright: 2011, Helge Kreutzmann <debian@helgefjell.de>
License: GPL-2+

Files: man/po4a/fr*
Copyright: Nicolas Franois <nicolas.francois@centraliens.net>
License: GPL-2+

Files: man/po4a/es*
Copyright: 2010-2012, Omar Campagne
License: GPL-2+

Files: man/po4a/it*
Copyright: 2012, Beatrice Torracca
License: GPL-2+

Files: man/po4a/ja*
Copyright: 2010, Kurasawa Nozomu
License: GPL-2+

Files: man/po4a/pl*
Copyright: 2004, 2010, Robert Luberda <robert@debian.org>.

License: GPL-2+

Files: man/po4a/pt*
Copyright: 2014, Amrico Monteiro <a_monteiro@gmx.com>
License: GPL-2+

Files: aclocal.m4
Copyright: 1996-2017, Free Software Foundation, Inc.
License: All-permissive

Files: *Makefile.in
Copyright: 1994-2017, Free Software
 Foundation, Inc.
License: All-permissive

Files: configure
Copyright: 1992-1996, 1998-2012, Free Software Foundation, Inc.
License: configure
This configure script is free software; the Free Software Foundation
gives unlimited permission to copy, distribute and modify it.

Files: build-aux/missing
Copyright: 1996-2014, Free Software Foundation, Inc.
License: GPL-2+

Files: build-aux/install-sh
Copyright: 1994 X Consortium
License: installsh
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions
 of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-

ings in this Software without prior written authorization from the X Consortium.
.
FSF changes to this file are in the public domain.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

License: All-permissive
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty
of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.
Apache Subversion
Copyright 2021 The Apache Software Foundation

This product includes software developed by many people, and distributed
under Contributor License Agreements to The Apache Software Foundation
(http://www.apache.org/). See the accompanying COMMITTERS file and the
revision logs for an exact contribution history.

Portions of the test suite for Subversion's Python bindings are copyrighted
by Edgewall Software, Jonas Borgstrm and Christopher Lenz.
For more information, see LICENSE.

This product includes software developed under the X Consortium License
see: build/install-sh

This product includes software developed by Markus Kuhn under a permissive
license, see LICENSE.

This software contains code derived from the RSA Data Security
Inc. MD5 Message-Digest Algorithm, including various
modifications by Spyglass Inc., Carnegie Mellon University, and
Bell Communications Research, Inc (Bellcore).

This product includes software developed by Public Software Group e. V.
under a
permissive license, see LICENSE.

This software contains code derived from TropicSSL under a BSD 3-Clause
license, see LICENSE.

This product includes code derived from the software developed by Yann Collet
under a BSD 2-Clause license, see LICENSE.

This product includes code derived from the software developed by Thomas
Porschberg and Peter Adolphs under a permissive license, see LICENSE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: LSB implementation package

Files: *
Copyright: 2002-2010, Chris Lawrence <lawrencc@debian.org>
License: GPL-2

Files: init-functions.d/50-ubuntu-logging
Copyright: 2005-2011, Canonical Ltd.
License: GPL-2

Files: init-functions
Copyright: 2002-2009, Chris Lawrence <lawrencc@debian.org>
License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of other contributors
   may be used to endorse or promote
 products derived from this software
   without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS''
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2
This program is free software; you can redistribute it
and/or modify it under the terms of the GNU General Public
License as published by the
 Free Software Foundation;
version 2 dated June 1991.
.
This program is distributed in the hope that it will be
useful, but WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU General Public License for more
details.
.
You should have received a copy of the GNU General Public
License along with this package; if not, write to the Free
Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301 USA
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libassuan
Upstream-Contact: Werner Koch <wk@gnupg.org>
Source: https://gnupg.org/ftp/gcrypt/libassuan/

Files: *
Makefile.am
src/Makefile.am
src/assuan-buffer.c
src/assuan-error.c
src/assuan-inquire.c
src/assuan-io.c
src/assuan-listen.c
src/assuan-pipe-server.c
src/assuan-socket-connect.c

src/assuan-socket-server.c
src/assuan-socket.c
src/assuan-uds.c
src/client.c
src/context.c
src/funopen.c
src/memrchr.c
src/posix-fd-t.inc.h
src/posix-includes.inc.h
src/posix-sock-nonce.inc.h
src/posix-sys-pth-impl.h
src/posix-types.inc.h
src/putc_unlocked.c
src/server.c
src/setenv.c
src/stpcpy.c
src/system-posix.c
src/system-w32.c
src/system-w32ce.c
src/system.c
src/w32-fd-t.inc.h
src/w32-includes.inc.h
src/w32-sock-nonce.inc.h
src/w32-sys-pth-impl.h
src/w32-types.inc.h
src/w32ce-add.h
src/w32ce-fd-t.inc.h
Copyright: 1992, 1995-2010, Free Software Foundation, Inc
License: LGPL-2.1+

Files:
AUTHORS
aclocal.m4
build-aux/git-log-footer
configure
INSTALL
m4/gnupg-pth.m4
m4/ltoptions.m4
m4/ltsugar.m4
m4/ltversion.m4
m4/lt~obsolete.m4
m4/onceonly.m4
m4/socklen.m4
m4/sys_socket_h.m4
m4/Makefile.in
src/libassuan-config.in
src/libassuan.m4
src/mkheader.c

Copyright: 1992-1996, 1998-2013, Free Software Foundation, Inc
License: GAP~FSF
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.

Files: doc/Makefile.am
doc/Makefile.in
src/gpgcedev.c
src/gpgcedev.def
src/gpgcemgr.c
tests/Makefile.am
tests/Makefile.in
tests/ce-createpipe.c
tests/ce-server.c
tests/common.h
tests/fdpassing.c
tests/pipeconnect.c
Copyright: 2003, 2006, 2009-2010 Free Software Foundation, Inc
License: LGPL-3+
Assuan is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published
by the Free Software Foundation; either version 3 of
the License, or (at your option) any later version.
.
Assuan is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU Lesser General Public
License version 3 can be found in the file
`/usr/share/common-licenses/LGPL-3'

Files: src/debug.h
src/libassuan.def
src/libassuan.vers
tests/version.c
Copyright: 2002, 2004-2005, 2007, 2009, 2013 g10 Code GmbH
License: LGPL-2.1+

Files: build-aux/compile
build-aux/ltmain.sh
m4/libtool.m4

build-aux/missing
Copyright: 1999-2013, Free Software Foundation, Inc
License: GPL-2+ with libtool exception
GNU Libtool is free software;
you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
As a special exception to the GNU General Public License,
if you distribute this file as part of a program or library that
is built using GNU Libtool, you may include this file under the
same distribution terms that you use for the rest of that program.
.
GNU Libtool is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with GNU Libtool; see the file COPYING. If not, a copy
can be downloaded from http://www.gnu.org/licenses/gpl.html,
or obtained by writing to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth
Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

Files: build-aux/config.guess
build-aux/config.sub
doc/assuan.info
doc/assuan.texi
Copyright: 1985-1986, 1988, 1990-2013, Free Software Foundation, Inc
License: GPL-3+
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 3 of the License, or (at your
option) any later version. The text of the license can be found in the
section entitled ``Copying''.
.
On Debian systems, the full text of the GNU General Public
License version 3 can be found in the file
`/usr/share/common-licenses/GPL-3'.

Files: src/conversion.c
src/debug.c

Copyright: 2000, Werner Koch (dd9jn)
 2001-2005, 2007, 2009, g10 Code GmbH
License: LGPL-2.1+

Files: autogen.sh
m4/gpg-error.m4
src/versioninfo.rc.in
Copyright:
 2003-2013 g10 Code GmbH
License: GAP
This file is free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.

Files: src/assuan.c
Copyright: 2001-2002, 2012-2013, g10 Code GmbH
 2009, Free Software Foundation, Inc
License: LGPL-2.1+

Files: m4/autobuild.m4
Copyright: 2004, Simon Josefsson
License: GPL-2+
This file is free software, distributed under the terms of the GNU
General Public License. As a special exception to the GNU General
Public License, this file may be distributed as part of a program
that contains a configuration script generated by Autoconf, under
the same distribution terms as the rest of that program.
.
This file can be used in projects which are not available under
the GNU General Public License or the GNU Library General Public
License but which still want to provide support for Autobuild.
.
On Debian systems, the full
 text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

License: LGPL-2.1+
Assuan is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.
.
Assuan is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU Lesser General Public
License version 2.1 can be found in the file
`/usr/share/common-licenses/LGPL-2.1'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Pinentry
Upstream-Contact: gnupg-devel@gnupg.org
Source: https://gnupg.org/ftp/gcrypt/pinentry/

Files: *
Copyright: 2002-2015, g10 Code GmbH
License: GPL-2+

Files: fltk/*
Copyright: 2016 Anatoly madRat L. Berenblit
License: GPL-2+

Files: tqt/Makefile.am tqt/main.cpp tqt/pinentrydialog.h tqt/pinentrydialog.cpp
Copyright: 2002-2015 g10 Code GmbH
2002 Klarlvdalens Datakonsult AB
License: GPL-2+

Files: tqt/secqinternal.cpp tqt/secqinternal_p.h
Copyright: 1992-2000 Trolltech AS
License: GPL-2

Files: tqt/secqlineedit.cpp tqt/secqlineedit.h tqt/secqstring.cpp tqt/secqstring.h
Copyright: 1992-2002 Trolltech AS
2003 g10 Code GmbH
License: GPL-2

Files: build-aux/* depcomp doc/mdate-sh doc/texinfo.tex m4/curses.m4 m4/iconv.m4 missing secmem/secmem.c
Copyright: 1996-2007, Free Software Foundation
License: GPL-2+

Files: install-sh
Copyright: 1994 X Consortium
License: X11

Files: gtk+-2/pinentry-gtk-2.c
Copyright:
1999 Robert Bihlmeyer <robbe@orcus.priv.at>
2001, 2002, 2007 g10 Code GmbH
2004 Albrecht Dre
License: GPL-2+

Files: m4/pkg.m4
Copyright: 2004 Scott James Remnant <scott@netsplit.com>
License: GPL-2+

Files: m4/qt.m4
Copyright: 1997 Janos Farkas (chexum@shadow.banki.hu)o
1997,98,99 Stephan Kulow (coolo@kde.org)
2002 g10 Code GmbH
License: GPL-2+

Files: pinentry/argparse.c
Copyright: 1998-2001, 2006-2008, 2012 Free Software Foundation, Inc.
1997-2001, 2006-2008, 2013-2015 Werner Koch
License: LGPL-3+ or GPL-2+

Files: configure.ac secmem/util.*
Copyright: 1999, Robert Bihlmeyer <robbe@orcus.priv.at>
2001, 2002, 2003, 2004, 2007 g10 Code GmbH
License: GPL-2+

Files: secmem/memory.h
Copyright: 1998,1999 Free Software Foundation, Inc.
1999,2000 Robert Bihlmeyer <robbe@orcus.priv.at>
License: GPL-2+

Files: secmem/secmem++.h
Copyright: 2008 Marc Mutz <marc@kdab.com>
License: GPL-2+

Files: tty/pinentry-tty.c
Copyright: 2014 Serge Voilokov
License: GPL-2+

Files: qt/pinentrydialog.*
Copyright:
 2002, 2008 Klarlvdalens Datakonsult AB <steffen@klaralvdalens-datakonsult.se>
2007 Ingo Klcker
License: GPL-2+

Files: qt/pinentryconfirm.*
Copyright: 2011 Ben Kibbey <bjk@luxsci.net>
License: GPL-2+

Files: qt/main.cpp
Copyright: 2002, 2008 Klarlvdalens Datakonsult AB (KDAB)
2003 g10 Code GmbH
2007 Ingo Klcker
License: GPL-2+

Files: qt/Makefile.am
Copyright: 2002 Klarlvdalens Datakonsult AB (KDAB)
2008 g10 Code GmbH
License: GPL-2+

Files: debian/*
Copyright: 2004-2015 Peter Eisentraut <petere@debian.org>
Marcus Brinkmann
Michael Brame
Daniel Kahn Gillmor <dkg@fifthhorseman.net>
License: GPL-2+

License: X11
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons
 to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

License: GPL-2+
This is free software; you can redistribute it and/or modify
it
 under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
It is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

License: GPL-2
This is free software; you can redistribute it and/or modify
it under the terms of version 2 of the GNU General Public License
as published by the Free Software Foundation.
.
It is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
On Debian systems, the full
 text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

License: LGPL-3+
This is free software; you can redistribute it and/or modify it under
the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.
.
It is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
On Debian systems, the full text of the GNU General Public
License version 2.1 can be found in the file
`/usr/share/common-licenses/LGPL-3.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Nettle
Upstream-Contact: Niels Mller <nisse@lysator.liu.se>
Source: http://www.lysator.liu.se/~nisse/nettle/
Copyright: 2001-2020 Niels Mller
Some parts are Copyright the Free Software Foundation and various
people. See below and source code comments for details.
License: LGPL-3+ or GPL-2+
Comment:
Nettle is dual licenced under the GNU General Public License version
2 or later, and the GNU Lesser General Public License version 3 or
later. When using Nettle, you must comply fully with all conditions
of at least one of these licenses. A few of the individual files are
licensed under more permissive terms, or in the public domain. To

find the current status of particular files, you have to read the
copyright notices at the top of the files.

.

A list of the supported algorithms, their origins, and exceptions to
the above licensing:

.

AES

The implementation of the AES cipher (also
known as rijndael) is
written by Rafael Sevilla. Assembler for x86 by Rafael Sevilla and
Niels Mller, Sparc assembler by Niels Mller.

.

ARCFOUR

The implementation of the ARCFOUR (also known as RC4) cipher is
written by Niels Mller.

.

ARCTWO

The implementation of the ARCTWO (also known as RC2) cipher is
written by Nikos Mavroyanopoulos and modified by Werner Koch and
Simon Josefsson.

.

BLOWFISH

The implementation of the BLOWFISH cipher is written by Werner
Koch, copyright owned by the Free Software Foundation. Also hacked
by Simon Josefsson and Niels Mller.

.

CAMELLIA

The C implementation is by Nippon Telegraph and Telephone
Corporation (NTT), heavily modified by Niels Mller. Assembler for
x86 and x86_64 by Niels Mller.

.

CAST128

The implementation of the CAST128 cipher is written by Steve Reid.
Released into the public domain.

.

CHACHA

Implemented by Joachim Strmbergson, based on the implementation
of
SALSA20 (see below). Assembly for x86_64 by Niels Mller.

.

DES

The implementation of the DES cipher is written by Dana L. How, and
released under the LGPL, version 2 or later.

.

GOSTHASH94

The C implementation of the GOST94 message digest is written by
Aleksey Kravchenko and was ported from the rhash library by Nikos
Mavrogiannopoulos. It is released under the MIT license.

.
MD2
The implementation of MD2 is written by Andrew Kuchling, and hacked some by Andreas Sigfridsson and Niels Mller. Python Cryptography Toolkit license (essentially public domain).
.
MD4
This is almost the same code as for MD5 below, with modifications by Marcus Comstedt. Released into the public domain.
.
MD5
The implementation of the MD5 message digest is written by Colin Plumb. It has been hacked some more by Andrew Kuchling and Niels Mller. Released into the public domain.
.
PBKDF2
The C implementation of PBKDF2 is based on earlier work for Shishi and GnuTLS by Simon Josefsson.
.
RIPEMD160
The implementation of RIPEMD160 message digest is based on the code in libgcrypt, copyright owned by the Free Software Foundation. Ported to Nettle by Andres Mejia.
.
SALSA20
The C implementation of SALSA20 is based on D. J. Bernsteins reference implementation (in the public domain), adapted to Nettle by Simon Josefsson, and heavily modified by Niels Mller. Assembly for x86_64 and ARM by Niels Mller.
.
SERPENT
The implementation of the SERPENT cipher is based on the code in libgcrypt, copyright owned by the Free Software Foundation. Adapted to Nettle by Simon Josefsson and heavily modified by Niels Mller. Assembly for x86_64 by Niels Mller.
.
POLY1305
Based on the implementation by Andrew M. (floodyberry), modified by Nikos Mavrogiannopoulos and Niels Mller. Assembly for x86_64 by Niels Mller.
.
SHA1
The C implementation of the SHA1 message digest is written by Peter Gutmann, and hacked some more by Andrew Kuchling and Niels Mller. Released into the public domain. Assembler for x86, x86_64 and ARM by Niels Mller, released under the LGPL.

.
SHA2
Written by Niels Mller, using Peter Gutmanns SHA1 code as a model.
.
SHA3
Written by Niels Mller.
.
TWOFISH
The implementation of the TWOFISH cipher is written by Ruud de Rooij.
.
UMAC
Written by Niels Mller.
.
CMAC
Written by Nikos Mavrogiannopoulos, Niels Mller, Jeremy Allison, Michael Adam and Stefan Metzmacher.
.
RSA
Written by Niels Mller. Uses the GMP library for bignum operations.
.
DSA
Written by Niels Mller. Uses the GMP library for bignum operations.
.
ECDSA
Written by Niels Mller. Uses the GMP library for bignum operations. Development of Nettles ECC support was funded by the .SE Internet Fund.

Files: *
Copyright: 2001-2020 Niels Mller
License:
LGPL-3+ or GPL-2+

Files: aes-invert-internal.c aes-set-decrypt-key.c
aes-set-encrypt-key.c aes-set-key-internal.c
Copyright: 2013, Niels Mller
2000-2002, Rafael R. Sevilla, Niels Mller
License: LGPL-3+ or GPL-2+

Files: x86*/aes-*-internal.asm
Copyright: 2001, 2002, 2005 Rafael R. Sevilla, Niels Mller
2008, 2013 Niels Mller
License: LGPL-3+ or GPL-2+

Files: arctwo.c
Copyright: 2003 Nikos Mavroyanopoulos
2004 Simon Josefsson
2004 Free Software Foundation, Inc.
2002, 2004, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: arctwo-meta.c pbkdf2.c
salsa20-128-set-key.c salsa20-256-set-key.c
salsa20-core-internal.c
salsa20-set-key.c salsa20-set-nonce.c
Copyright: 2012-2014 Niels Mller
2004, 2012 Simon Josefsson
License: LGPL-3+ or GPL-2+

Files: arctwo.h
salsa20-internal.h salsa20.h
Copyright: 2004, 2012 Simon Josefsson
2001, 2002, 2004, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: base64.h base64-meta.c
Copyright: 2002 Dan Egnor, Niels Mller
License:
LGPL-3+ or GPL-2+

Files: base64url-decode.c base64url-encode.c
Copyright: 2015 Amos Jeffries, Niels Mller
License: LGPL-3+ or GPL-2+

Files: block-internal.h
Copyright: 2019 Dmitry Eremin-Solenikov
2018 Red Hat, Inc.
2011 Katholieke Universiteit Leuven
2011, 2013, 2018 Niels Mller
License: LGPL-3+ or GPL-2+

Files: blowfish.c
Copyright: 1998, 2001, 2002, 2003 Free Software Foundation, Inc.
2010 Simon Josefsson
License: LGPL-3+ or GPL-2+

Files: blowfish.h
Copyright: 1998, 2001 Free Software Foundation, Inc.
1998, 2001 Ray Dassen
1998, 2001 Niels Mller
License: LGPL-3+ or GPL-2+

Files: camellia-table.c camellia-crypt-internal.c camellia.h camellia-internal.h
camellia128-set-encrypt-key.c camellia256-set-encrypt-key.c camellia-absorb.c
Copyright: 2006, 2007 NTT (Nippon Telegraph and Telephone Corporation)
2010, 2013 Niels Mller
License: LGPL-3+ or GPL-2+

Files: ccm.c ccm.h ccm-aes128.c
ccm-aes192.c ccm-aes256.c
Copyright: 2014 Owen Kirby
2014 Exegin Technologies Limited
License: LGPL-3+ or GPL-2+

Files: cfb.c
cfb.h
ecc-gostdsa-sign.c
ecc-gostdsa-verify.c
gostdsa-sign.c
gostdsa-verify.c
Copyright: 2015, 2017 Dmitry Eremin-Solenikov
2001, 2011, 2013, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: chacha-core-internal.c chacha-crypt.c
chacha-internal.h chacha.h chacha-set-nonce.c
Copyright: 2012 Simon Josefsson
2013 Joachim Strmbergson
2012, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: cmac-aes128.c cmac-aes256.c
cmac.h hkdf.c hkdf.h
xts-aes128.c xts-aes256.c xts.c
Copyright: 2017, 2018 Red Hat, Inc.
License: LGPL-3+ or GPL-2+

Files: cmac-des3-meta.c
Copyright: 2020 Dmitry Baryshkov
License: LGPL-3+ or GPL-2+

Files: cmac-des3.c
ecc-gost-gc256b.c ecc-gost-gc512a.c
gost28147-internal.h gostdsa-vko.c
hmac-gosthash94.c pbkdf2-hmac-gosthash94.c
Copyright: 2016-2020 Dmitry Eremin-Solenikov
License: LGPL-3+ or GPL-2+

Files: cmac.c cmac64.c
Copyright: 2012 Stefan Metzmacher, Michael Adam, Jeremy Allison

2017 Red Hat Inc.
2019 Dmitry Eremin-Solenikov
License: LGPL-3+ or GPL-2+

Files: ctr16.c
pkcs1-internal.h pkcs1-sec-decrypt.c
version.h.in xts.h
Copyright: 2015, 2017, 2018 Red Hat, Inc.
2001, 2002, 2005-2018 Niels Mller
License: LGPL-3+ or GPL-2+

Files: curve448-eh-to-x.c curve448.h
curve448-mul-g.c curve448-mul.c
ecc-curve448.c ed448-shake256-pubkey.c
ed448-shake256-sign.c ed448-shake256-verify.c
shake256.c
Copyright: 2017 Red Hat, Inc.
2017 Daiki Ueno
License: LGPL-3+ or GPL-2+

Files: der2dsa.c
Copyright: 2005, 2009, 2014 Niels Mller
2009 Magnus Holmgren
License: LGPL-3+ or GPL-2+

Files: desCode.h descode.README desdata.c desinfo.c
Copyright: 2002 Dana L. How
License: LGPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU Library General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the
hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Library General Public License for more details.
.
You should have received a copy of the GNU Library General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian GNU/Linux systems, the complete text of the GNU Library
General Public License, version 2, can be found in
/usr/share/common-licenses/LGPL-2.

Files: des.c des.h

Copyright: 1992 Dana L. How
1997, 2001 Niels Mller
License: LGPL-3+ or GPL-2+

Files: dsa2sexp.c
Copyright: 2002, 2009, 2014 Niels Mller
2009 Magnus Holmgren
License: LGPL-3+ or GPL-2+

Files: eccdata.c eddsa-hash.c
Copyright: 2017 Red Hat, Inc.
2017 Daiki Ueno
2013, 2014, 2017, 2019 Niels Mller
License: LGPL-3+ or GPL-2+

Files: examples/base16dec.c examples/base16enc.c
examples/base64dec.c
examples/base64enc.c
Copyright: 2006, 2012, Jeronimo Pellegrini, Niels Mller
License: LGPL-3+ or GPL-2+

Files: examples/nettle-openssl.c
Copyright: 2015, 2017, 2018, Red Hat, Inc.
2001, 2002, 2005-2018, Niels Mller
License: LGPL-3+ or GPL-2+

Files: gcm.c gcm.h
Copyright: 2011 Katholieke Universiteit Leuven
2011, 2013, 2018 Niels Mller
2018 Red Hat, Inc.
License: LGPL-3+ or GPL-2+

Files: gmp-glue.c
gmp-glue.h
Copyright: 2013 Red Hat, Niels Mller
License: LGPL-3+ or GPL-2+

Files: gost28147.c gosthash94.c
Copyright: 2019 Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
2009-2012 Aleksey Kravchenko <rhash.admin@gmail.com>
License: Expat

Files: gostdsa.h
Copyright: 2015, Dmity Eremin-Solenikov
2013, Niels Mller
License: LGPL-3+ or GPL-2+

Files: gosthash94-meta.c

Copyright: 2012, Nikos Mavrogiannopoulos, Niels Mller
License: LGPL-3+ or GPL-2+

Files: gosthash94.h
Copyright: 2012, Nikos Mavrogiannopoulos, Niels Mller
License: LGPL-3+ or GPL-2+

Files: hmac-md5-meta.c hmac-ripemd160-meta.c
hmac-sha1-meta.c hmac-sha224-meta.c
hmac-sha256-meta.c hmac-sha384-meta.c
hmac-sha512-meta.c nettle-meta-macs.c
pss-mgf1.c pss-mgf1.h pss.c pss.h
rsa-pss-sha256-sign-tr.c rsa-pss-sha256-verify.c
rsa-pss-sha512-sign-tr.c rsa-pss-sha512-verify.c
Copyright: 2017, 2020 Daiki Ueno
License: LGPL-3+ or GPL-2+

Files: md2.c
Copyright: ? Andrew Kuchling
2003 Andreas Sigfridsson
2003 Niels Mller
License: LGPL-3+ or GPL-2+

Files: md4.c
Copyright: 2003 Marcus Comstedt
2003 Niels Mller
License: LGPL-3+ or GPL-2+

Files: md5.c md5-compress.c
Copyright: Colin Plumb, Andrew Kuchling
2001 Niels Mller
License: LGPL-3+ or GPL-2+

Files: memxor.c
Copyright: 1991,1993, 1995 Free Software Foundation, Inc.
2010 Niels Mller
License: LGPL-3+ or GPL-2+

Files: nettle-meta-armors.c
nettle-meta-ciphers.c
nettle-meta-hashes.c
Copyright: 2011 Daniel Kahn Gillmor
License: LGPL-3+ or GPL-2+

Files: pbkdf2-hmac-sha1.c
pbkdf2-hmac-sha256.c
pbkdf2.h
salsa20-crypt.c

Copyright:
2012, Simon Josefsson
License: LGPL-3+ or GPL-2+

Files: pbkdf2-hmac-sha384.c pbkdf2-hmac-sha512.c
Copyright: 2012 Simon Josefsson
2021 Nicolas Mora
License: LGPL-3+ or GPL-2+

Files: poly1305-aes.c
Copyright: 2014 Niels Mller
2013 Nikos Mavrogiannopoulos
License: LGPL-3+ or GPL-2+

Files: poly1305-internal.c
Copyright: 2013, Nikos Mavrogiannopoulos
2013 Niels Mller
2012, 2013 Andrew M. (floodyberry)
License: LGPL-3+ or GPL-2+

Files: poly1305-internal.h
poly1305.h
Copyright: 2013, Nikos Mavrogiannopoulos
2013, 2014, Niels Mller
License: LGPL-3+ or GPL-2+

Files: ripemd160.c ripemd160-compress.c
Copyright: 1998, 2001, 2002, 2003 Free Software Foundation, Inc.
License: LGPL-3+ or GPL-2+

Files: ripemd160-meta.c ripemd160.h ripemd160-internal.h
Copyright: 2011 Andres Mejia
License: LGPL-3+ or GPL-2+

Files: rsa-blind.c rsa-decrypt-tr.c
Copyright: 2001, 2012, Niels Mller, Nikos Mavrogiannopoulos
License: LGPL-3+ or GPL-2+

Files: rsa-pkcs1-sign-tr.c salsa20r12-crypt.c
siv-cmac-aes128.c siv-cmac-aes256.c
siv-cmac.c siv-cmac.h
Copyright: 2012, 2013, 2017, 2018, Nikos Mavrogiannopoulos
License: LGPL-3+ or GPL-2+

Files: rsa-sec-compute-root.c
Copyright: 2018 Red Hat, Inc
2018 Niels Mller
License: LGPL-3+ or GPL-2+

Files: rsa-sec-decrypt.c
Copyright: 2018, Red Hat, Inc.
2001, 2012, Niels Mller, Nikos Mavrogiannopoulos
License: LGPL-3+ or GPL-2+

Files: rsa-sign-tr.c
Copyright: 2018, Red Hat Inc.
2012, Nikos Mavrogiannopoulos
2001, 2015, Niels Mller
License: LGPL-3+ or GPL-2+

Files: serpent-encrypt.c serpent-decrypt.c serpent-set-key.c serpent-internal.h
Copyright: 1998 Ross Anderson, Eli Biham, Lars Knudsen
2003, 2004, 2005 Free Software Foundation, Inc.
2010, 2011 Simon Josefsson
2011, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: sha1-compress.c
Copyright: 2001, 2004 Peter Gutmann, Andrew Kuchling, Niels Mller
License: LGPL-3+ or GPL-2+

Files: sha512.c
Copyright: 2013, 2014 Joachim Strmbergson
2001, 2010, 2012, 2014 Niels
Mller
License: LGPL-3+ or GPL-2+

Files: testsuite/arctwo-test.c
Copyright: 2004, 2012 Simon Josefsson
2001, 2002, 2004, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: testsuite/ccm-test.c
Copyright: 2014 Owen Kirby
2014 Exegin Technologies Limited
License: LGPL-3+ or GPL-2+

Files: testsuite/chacha-test.c
Copyright: 2013, 2014 Joachim Strmbergson
2001, 2010, 2012, 2014 Niels Mller
License: LGPL-3+ or GPL-2+

Files: testsuite/curve448-dh-test.c
testsuite/ed448-test.c
testsuite/shake256-test.c
Copyright: 2017, Red Hat, Inc.

2017, Daiki Ueno
License: LGPL-3+ or GPL-2+

Files: testsuite/siv-test.c
Copyright: 2012, 2013, 2017, 2018 Nikos Mavrogiannopoulos
License: LGPL-3+ or GPL-2+

Files: texinfo.tex
Copyright: 1985, 1986, 1988, 1990-2009, Free Software Foundation, Inc.
License: GPL-3+
This texinfo.tex file is free software: you can redistribute it and/or
modify it under the terms of the GNU General Public License as
published by the Free Software Foundation, either version
3 of the
License, or (at your option) any later version.
.
This texinfo.tex file is distributed in the hope that it will be
useful, but WITHOUT ANY WARRANTY; without even the implied warranty
of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
As a special exception, when this file is read by TeX when processing
a Texinfo source document, you may use the result without
restriction. (This has been our intent since Texinfo was invented.)

Files: twofish*
Copyright: 1999 Ruud de Rooij <ruud@debian.org>
1999 J.H.M. Dassen (Ray) <jdassen@wi.LeidenUniv.nl>
2001 Niels Mller
License: LGPL-3+ or GPL-2+

Files: tools/pkcs1-conv.c
Copyright: 2005, 2009, 2014 Niels Mller
2009 Magnus Holmgren
License: LGPL-3+ or GPL-2+

Files: getopt*
Copyright: 1987-2001 Free Software Foundation, Inc.
License:
GPL-2+

Files: config.guess config.sub
Copyright: 1992-2020 Free Software Foundation, Inc.
License: GPL-3+ with Autoconf exception
As a special exception to the GNU General Public License, if you

distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that program.

Files: debian/*
Copyright: none
License: public-domain
I believe that most files in debian/ hardly contains any creative
expression eligible for copyright.

Files: debian/sexp-conv.1
Copyright: 2002 Timshel Knoll <timshel@debian.org>
2007 Magnus Holmgren
License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June. 1991.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied
 warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA.
.
On Debian GNU/Linux systems, the complete text of the GNU General
Public License, version 2, can be found in
/usr/share/common-licenses/GPL-2.
Comment:
This manpage was copied from the lsh-utils package. Timshel didn't
explicitly select a license for his packaging work, but I think that
it can be considered released under the same license as LSH itself.

Files: debian/pkcs1-conv.1 debian/nettle-lfib-stream.1
Copyright: 2007 Magnus Holmgren
License: GAP
Copying and distribution of this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved.

License: LGPL-3+
The nettle
 library is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by

the Free Software Foundation; either version 3 of the License, or (at your
option) any later version.
.
GNU Nettle is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this library; if not, see http://www.gnu.org/licenses/.
.
On Debian GNU/Linux systems, the complete text of the newest version
of the GNU Lesser General Public License can be found in
/usr/share/common-licenses/LGPL.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either
 version 2 of the License, or
(at your option) any later version.
.
GNU Nettle is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA.
.
On Debian GNU/Linux systems, the complete text of the newest version
of the GNU General Public License can be found in
/usr/share/common-licenses/GPL.

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell
 copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This package was debianized by Pierre Chifflier <pollux@debian.org> on
Mon, 22 Jun 2009 21:47:25 +0200.

It was downloaded from http://people.redhat.com/sgrubb/libcap-ng/

Upstream Author: Steve Grubb <sgrubb@redhat.com>

Copyright 2009 Red Hat Inc.

License:

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston,
  MA 02110-1301,
 USA.

see `/usr/share/common-licenses/LGPL-2.1'.

Files in the 'utils/' directory, Makefile.am and doc/Makefile.am are
licensed under the GNU General Public License version 2 or above
See `/usr/share/common-licenses/GPL-2'.

The Debian packaging is:

  Copyright (C) 2009 Pierre Chifflier <pollux@debian.org>

and is licensed under the GPL version 3,
see `/usr/share/common-licenses/GPL-3'.

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libpng
Source: http://www.libpng.org/pub/png/

Files: *
Copyright: 1995-2019 The PNG Reference Library Authors.
1998-2018 Glenn Randers-Pehrson
2018-2019 Cosmin Truta
License: libpng

Files: arm/arm_init.c
arm/filter_neon_intrinsics.c
arm/palette_neon_intrinsics.c
Copyright: 2018 Cosmin Truta
2017-2018 Arm Holdings. All rights reserved.
2014,2016 Glenn Randers-Pehrson
License: libpng

Files: contrib/pngminus/*
Copyright: 1999-2019 Willem van Schaik
License: expat

Files: contrib/tools/*
Copyright: 2013-2017 John Cunningham Bowler
License: libpng

Files: pngwutil.c pngstruct.h pngwrite.c pnginfo.h pngrio.c png.h
pngread.c pngwio.c pngrutil.c pngmem.c pngget.c pngtest.c
pngrtran.c pngpriv.h pngset.c pngpread.c
pngdebug.h pngerror.c pngwtran.c png.c pngtrans.c example.c
Copyright: 1996, 1997 Andreas Dilger
1995,
1996 Guy Eric Schalnat, Group 42, Inc.
1998-2013 Glenn Randers-Pehrson
License: libpng

Files: contrib/gregbook/rpng-win.c contrib/gregbook/rpng2-x.c contrib/gregbook/rpng-x.c
contrib/gregbook/readpng2.h contrib/gregbook/rpng2-win.c
Copyright: 1998-2008 Greg Roelofs
License: GPL-2+ or BSD-like-with-advertising-clause

Files: contrib/gregbook/writepng.h contrib/gregbook/readppm.c
contrib/gregbook/readpng.h contrib/gregbook/wpng.c
contrib/gregbook/readpng.c contrib/gregbook/readpng2.c
contrib/gregbook/writepng.c contrib/visupng/resource.h
contrib/visupng/cexcept.h
Copyright: 2000-2008 Adam M. Costello and Cosmin Truta
License: GPL-2+ or BSD-like-with-advertising-clause

Files: contrib/visupng/PngFile.c contrib/visupng/PngFile.h
contrib/visupng/VisualPng.c
Copyright: 2000,2017 Willem van Schaik
License: libpng

Files: contrib/libtests/tarith.c
Copyright: 2011-2013 John Cunningham Bowler
License: libpng

Files: contrib/oss-fuzz/*
Copyright:
2017 Glenn Randers-Pehrson
2016 Google Inc.
License: libpng OR Apache-2.0 OR BSD-3-clause

Files: contrib/oss-fuzz/Dockerfile
Copyright: 2016 Google Inc.
License: Apache-2.0

Files: debian/*
Copyright: 2001 Philippe Troin <phil@fifi.org>
2002 Junichi Uekawa <dancer@debian.org>
2003 Josselin Mouette <joss@debian.org>
2006-2009 Anibal Monsalve Salazar <anibal@debian.org>
2011-2014 Nobuhiro Iwamatsu <iwamatsu@debian.org>
2016-2019 Gianfranco Costamagna <locutusofborg@debian.org>
2016-2017 Tobias Frost <tobi@debian.org>
License: GPL-2+

License: expat
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit
persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: GPL-2+
This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This package is distributed in the hope that
 it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>
.
On Debian systems, the complete text of the GNU General
Public License version 2 can be found in "/usr/share/common-licenses/GPL-2".

License: BSD-like-with-advertising-clause
Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute
it freely, subject to the following restrictions:
.
1. Redistributions of source code must retain the above copyright
   notice, disclaimer, and this list of conditions.
2. Redistributions in binary form must reproduce the above copyright
  notice, disclaimer, and this list of conditions in the documenta-
  tion and/or other materials
 provided with the distribution.
 3. All advertising materials mentioning features or use of this
   software must display the following acknowledgment:
.
This product includes software developed by Greg Roelofs
and contributors for the book, "PNG: The Definitive Guide,"
published by O'Reilly and Associates.

License: libpng
Here is the copyright and license for libpng:
.
 libpng versions 1.2.6, August 15, 2004, through 1.5.2, March 31, 2011, are
 Copyright (c) 2004, 2006-2011 Glenn Randers-Pehrson, and are
 distributed according to the same disclaimer and license as libpng-1.2.5
 with the following individual added to the list of Contributing Authors
.

Cosmin Truta

.

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are
Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are
distributed according to the same disclaimer and license as libpng-1.0.6
with the following individuals added to the list of Contributing Authors

.

Simon-Pierre
Cadieux
Eric S. Raymond
Gilles Vollant

.

and with the following additions to the disclaimer:

.

There is no warranty against interference with your enjoyment of the
library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is with
the user.

.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are
distributed according to the same disclaimer and license as libpng-0.96,
with the following individuals added to the list of Contributing Authors:

.

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

.

(Version 0.96 Copyright (c) 1996, 1997 Andreas Dilger)
(Version 0.88 Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.)

.

Authors and
maintainers:
libpng versions 0.71, May 1995, through 0.88, January 1996: Guy Schalnat
libpng versions 0.89c, June 1996, through 0.96, May 1997: Andreas Dilger
libpng versions 0.97, January 1998, through 1.2.26 - April 2, 2008: Glenn
See also "Contributing Authors", below.

.

.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

.

If you modify libpng you may insert additional notices immediately following
this sentence.

.

libpng versions 1.2.6, August 15, 2004, through 1.2.26, April 2, 2008, are
Copyright (c) 2004, 2006-2008 Glenn Randers-Pehrson, and are

distributed according to the same disclaimer and license as libpng-1.2.5
with the following individual added to the list of Contributing Authors:

.

Cosmin Truta

.

libpng versions 1.0.7, July 1, 2000, through 1.2.5, October 3, 2002, are
Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are
distributed according to the same disclaimer and license as libpng-1.0.6
with the following individuals
added to the list of Contributing Authors:

.

Simon-Pierre Cadieux
Eric S. Raymond
Gilles Vollant

.

and with the following additions to the disclaimer:

.

There is no warranty against interference with your enjoyment of the
library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is with
the user.

.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998, 1999, 2000 Glenn Randers-Pehrson, and are
distributed according to the same disclaimer and license as libpng-0.96,
with the following individuals added to the list of Contributing Authors:

.

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

.

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996, 1997 Andreas Dilger
Distributed according to the same disclaimer and license as libpng-0.88,
with the following individuals added to the list of Contributing Authors:

.

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

.

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

.

The PNG Reference Library is supplied "AS IS". The Contributing Authors
and Group 42, Inc. disclaim all warranties, expressed or implied,
including, without limitation, the warranties of merchantability and of
fitness for any purpose. The Contributing Authors and Group 42, Inc.
assume no liability for
direct, indirect, incidental, special, exemplary,
or consequential damages, which may result from the use of the PNG
Reference Library, even if advised of the possibility of such damage.

.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

.

1. The origin of this source code must not be misrepresented.

.

2. Altered versions must be plainly marked as such and
must not be misrepresented as being the original source.

.

3. This Copyright notice may not be removed or altered from
any source or altered source distribution.

.

The Contributing Authors and Group 42, Inc. specifically permit, without
fee, and encourage the use of this source code as a component to
supporting the PNG file format in commercial products. If you use this
source code in a product, acknowledgment is not required but would be
appreciated.

.

contrib/pngsuite:

(c) Willem van Schaik, 1999, 2011

.

Permission to use, copy, modify, and distribute these images for any
purpose and without fee is hereby granted.

License: Apache-2.0
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

.

http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
.
On Debian systems, the full text of the Apache License
can be found in the file `/usr/share/common-licenses/Apache-2.0'.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided
that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*
Copyright:
Copyright 2000-2008 Silicon Graphics, Inc.
Copyright 1999-2001,2007-2009 Andreas Gruenbacher
License: GPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 2 of the License, or

(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the full text of the GNU General Public License
can be found in '/usr/share/common-licenses/GPL-2'.

Files:
exports
include/*.h
libacl/*.c
 libacl/*.h
libmisc/*.c
tools/do_set.*
tools/parse.*
tools/sequence.c
tools/setfacl.c
tools/user_group.h
Copyright:
Copyright 2001-2002 Silicon Graphics, Inc.
Copyright 1999-2003,2007,2009,2011 Andreas Gruenbacher
License: LGPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2.1 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the full text of the GNU Lesser General Public License
can be found in
 '/usr/share/common-licenses/LGPL-2.1'.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*

Copyright:
Copyright 2009, 2011, 2016 Guillem Jover <guillem@hadrons.org>
License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR
 PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
include/sha2.h
src/sha2.c
Copyright:
Copyright 2000-2001, Aaron D. Gifford
All rights reserved.
License: BSD-3-clause-Aaron-D-Gifford
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce
 the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTOR(S) ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
include/rmd160.h
src/rmd160.c
Copyright:
Copyright 2001 Markus Friedl. All rights reserved.
License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
src/md2.c
Copyright:
Copyright (c) 2001 The NetBSD Foundation, Inc.
All rights reserved.
.
This code is derived from software contributed to The NetBSD Foundation
by Andrew Brown.
License: BSD-2-clause-NetBSD
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must
 reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

Files:
man/rmd160.3
man/sha1.3
man/sha2.3
Copyright:
 Copyright 1997, 2003, 2004 Todd C. Miller <Todd.Miller@courtesan.com>
License: ISC
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:
man/mdX.3
src/helper.c
Copyright:
Poul-Henning Kamp <phk@login.dkuug.dk>
License: Beerware
"THE BEER-WARE LICENSE" (Revision 42):
<phk@login.dkuug.dk> wrote this file. As long as you retain

this notice you
can do whatever you want with this stuff. If we meet some day, and you think
this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

Files:
include/md4.h
src/md4.c
Copyright:
Colin Plumb
Todd C. Miller
License: public-domain-md4
This code implements the MD4 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.
Todd C. Miller modified the MD5 code to do MD4 based on RFC 1186.

Files:
include/md5.h
src/md5.c
Copyright:
Colin Plumb
License: public-domain-md5
This code implements the MD5 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.

Files:
include/sha1.h
src/sha1.c
Copyright:
Steve Reid <steve@edmweb.com>
License: public-domain-sha1
100% Public
Domain
Apache Portable Runtime
Copyright (c) 2000-2019 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were developed at the National Center
for Supercomputing Applications (NCSA) at the University of
Illinois at Urbana-Champaign.

This software contains code derived from the RSA Data Security
Inc. MD5 Message-Digest Algorithm.

This software contains code derived from UNIX V7, Copyright(C)
Caldera International Inc.
This is Debian GNU/Linux's prepackaged version of the PCRE regular
expression library and associated pgrep utility.

This package was put together by me, Mark Baker <mbaker@iee.org> from the
original sources obtained from ftp.csx.cam.ac.uk:/pub/software/programming/pcre.

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Release 7 of PCRE is distributed under the terms of the "BSD" licence, as
specified below. The documentation for PCRE, supplied in the "doc"
directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a set of C++ wrapper functions.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright
(c) 1997-2007 University of Cambridge
All rights reserved.

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

Copyright (c) 2007, Google Inc.
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

* Neither the name of the University of Cambridge nor the name of Google
  Inc. nor the names of their contributors may be used to endorse or
  promote products derived from this software without specific prior
  written permission.

THIS
SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

End
This package was debianized by Ivo Timmermans <ivo@debian.org> on
Sat, 15 Jun 2002 23:37:29 +0200.
Matthias Urlichs <smurf@debian.org>.

It is now maintained by Andreas Metzler <ametzler@debian.org>, Eric Dorland
<eric@debian.org> and James Westby <jw+debian@jameswestby.net>

It was downloaded from https://ftp.gnu.org/gnu/libtasn1/

Upstream Authors: Fabio Fiorina <fiorinaf@gnutls.org>
Simon Josefsson <jas@extundo.com>
Nikos Mavrogiannopoulos <nmav@gnutls.org>

The library itself is licensed as LGPLv2.1+, the build system, test-suite and
command-line tools (package libtasn1-bin) are GPLv3+.

Copyright (library):

```
/*
* Copyright (C) 2000-2020 Free Software Foundation, Inc.
*
* This file is part of LIBTASN1.
*
* The LIBTASN1 library is free software; you can redistribute it
* and/or modify it under the terms of the GNU Lesser General Public
* License as published by the Free Software Foundation; either
* version 2.1 of the License, or (at your option)
 any later version.
*
* This library is distributed in the hope that it will be useful, but
* WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
* Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this library; if not, write to the Free Software
* Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
* 02110-1301, USA
*/
```

On Debian GNU/Linux systems, the complete text of the GNU Lesser
General Public License can be found in
`/usr/share/common-licenses/LGPL'; the text of the earliest applying version
of the license (2.1) can be found in `/usr/share/common-licenses/LGPL-2.1'.

Copyright (build system, test-suite and command-line tools):

```
* Copyright (C) 2000-2020 Free Software Foundation, Inc.
*
* This file is part of LIBTASN1.
*
* This program is free software: you can redistribute it and/or modify
 * it under the terms of the GNU General Public License as published by
* the Free Software Foundation, either version 3 of the License, or
* (at your option) any later version.
*
* This program is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
* GNU General Public License for more details.
*
* You should have received a copy of the GNU General Public License
* along with this program.  If not, see <http://www.gnu.org/licenses/>.
*
*/
```

On Debian GNU/Linux systems, the complete text of the GNU General Public
License version 3 can be found in /usr/share/common-licenses/GPL-3.

The documentation is distributed under the terms of the GNU Free
Documentation License (FDL 1.3):

Copyright (c) 2001-2020 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this
document under the
terms of the GNU Free Documentation License,
Version 1.3 or any later version published by the Free Software
Foundation; with no Invariant Sections, no Front-Cover Texts, and no
Back-Cover Texts. A copy of the license is included in the section
entitled "GNU Free Documentation License".

On Debian systems a copy of the complete text of the GNU FDL 1.3
can be found in /usr/share/common-licenses/GFDL-1.3.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: mercurial
Source: http://www.selenic.com/mercurial/

Files: *
Copyright: 2005-2018, Matt Mackall <mpm@selenic.com> and others.
License: GPL-2+

Files: contrib/python-zstandard/*
Copyright: (c) 2016, Gregory Szorc
License:
Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:
.
1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
.
3. Neither the name of the copyright holder nor the names of its contributors
may be used to endorse or promote products derived from this software without
specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: mercurial/thirdparty/selectors2.py
Copyright: (c) 2017 Seth Michael Larson
License:
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"),
 to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: mercurial/thirdparty/attr/*
Copyright: (c) 2015 Hynek Schlawack
License:
Permission is hereby
 granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Files: mercurial/thirdparty/cbor/*
Copyright: (c) Alex Grnholm
License:
Permission is hereby granted, free of charge, to any person obtaining a copy of this
software and associated documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons
to whom the Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in all copies or
substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Files: mercurial/thirdparty/concurrent/*
Copyright: 2009 Brian Quinlan
License:
PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

.
1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.
.
2. Subject to the terms and conditions of this License Agreement, PSF
hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python
alone or in any derivative version, provided, however, that PSF's
License Agreement and PSF's notice of copyright, i.e., "Copyright (c)
2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights
Reserved" are retained in Python alone or in any derivative version

prepared by Licensee.

.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
 OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

Files: mercurial/thirdparty/xdiff/*
Copyright: (C) 2003 Davide Libenzi
License: LGPL-2.1+
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later
 version.

.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public

License along with this library; if not, see
<http://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU Lesser General Public
License version 2.1 can be found in the file
`/usr/share/common-licenses/LGPL-2.1'.

Files: mercurial/thirdparty/zope/*
Copyright: 2001-2006 Zope Foundation and Contributors.
License:
Zope Public License (ZPL) Version 2.1
.
A copyright notice accompanies this license document that identifies the
copyright holders.
.
This license has been certified as open source. It has also been designated as
GPL compatible by the Free Software Foundation (FSF).
.
Redistribution and use in source and binary forms, with or
without
modification, are permitted provided that the following conditions are met:
.
1. Redistributions in source code must retain the accompanying copyright
notice, this list of conditions, and the following disclaimer.
.
2. Redistributions in binary form must reproduce the accompanying copyright
notice, this list of conditions, and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
3. Names of the copyright holders must not be used to endorse or promote
products derived from this software without prior written permission from the
copyright holders.
.
4. The right to distribute this software or to use it for any purpose does not
give you the right to use Servicemarks (sm) or Trademarks (tm) of the
copyright
holders. Use of them is covered by separate agreement with the copyright
holders.
.
5. If any files are modified, you must cause the modified files to carry
prominent notices stating that you changed the files
and the date of any
change.
.
Disclaimer
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND ANY EXPRESSED
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: debian/*
Copyright: 2005-2010, Vincent Danjean <vdanjean@debian.org>
2011-2015, Javi Merino <vicho@debian.org>
2017 Tristan Seligmann <mithrandi@debian.org>
License: GPL-2+

License:
GPL-2+
This program is free software; you can redistribute it
and/or modify it under the terms of the GNU General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later
version.
.
This program is distributed in the hope that it will be
useful, but WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU General Public License for more
details.
.
You should have received a copy of the GNU General Public
License along with this package; if not, write to the Free
Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301 USA
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.
Apache Xerces v2.12.1

Apache Xerces Notice
<pre>
===
== NOTICE file corresponding to section 4(d) of the Apache License,   ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
===

Apache Xerces Java
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.
</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work,
but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make,

have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients
of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with
the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should
be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
This is the Debian GNU/Linux prepackaged version of the ss
command-line interface parsing library. It is currently
distributed together with the EXT2 file system utilities, which are
otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and
the M.I.T. S.I.P.B. make no representations about
the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less customary fashion, plus the right to make
reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files
created through textual modification.

"Standard Version" refers to such a Package if it has not been
modified, or has been modified in accordance with the wishes
of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or
copyrights for the package.

"You" is you, if you're thinking about copying or distributing
this Package.

"Reasonable copying fee" is whatever you can justify on the

basis
of media cost, duplication charges, time of people involved,
and so on. (You will not be required to justify it to the
Copyright Holder, but only to the computing community at large
as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item
itself, though there may be fees involved in handling the item.
It also means that recipients of the item may redistribute it
under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided
that you insert a prominent
notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or
an equivalent medium, or placing the modifications on a major archive
site such as uunet.uu.net, or by allowing the Copyright Holder to include
your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict
with standard executables, which must also be provided, and provide
a separate manual page for each non-standard executable that clearly
documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or
executable
form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where
to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the equivalent of input as in Paragraph 6, provided these subroutines do not change the language in any way that would cause it to fail the regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always permitted provided that the use of this Package is embedded; that is, when no overt attempt is made to make this Package's interfaces visible to the end user of the commercial distribution. Such use shall not be construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT
LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End
This work was packaged for Debian by:

Reinhard Tartler <siretart@tauware.de> on Sun, 30 May 2010 17:07:16 +0200

It was downloaded from http://rtmpdump.mplayerhq.hu/

Upstream Authors and Copyright:

RTMP Dump
(C) 2009 Andrej Stepanchuk
(C) 2009-2011 Howard Chu
(C) 2010 2a665470ced7adb7156fcef47f8199a6371c117b8a79e399a2771e0b36384090

License of the programs in the rtmpdump package:

rtmpdump - small dumper for media content streamed over the RTMP protocol
Copyright (C) 2009 Andrej Stepanchuk
Copyright (C) 2009-2010 Howard Chu

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

License of the librtmp library (included in the librtmp-dev package and in the
librmtp/ subdirectory in the source tree):

Copyright (C) 2005-2008 Team XBMC
http://www.xbmc.org
Copyright (C) 2008-2009 Andrej Stepanchuk
Copyright (C) 2009-2010 Howard Chu

librtmp is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1,
or (at your option) any later version.

librtmp is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See
the
GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with librtmp see the file COPYING. If not, write to
the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston,
MA 02110-1301, USA.
http://www.gnu.org/copyleft/lgpl.html

The Debian packaging is:

Copyright (C) 2010 Reinhard Tartler <siretart@tauware.de>

and is licensed under the GNU Lesser General Public License.

On Debian GNU/Linux systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2' and the text of the
GNU Lesser General Public License is in `/usr/share/common-licenses/LGPL-2.1'.
GMP Debian Package

This gmp package was built for Debian by

Steve M. Robbins <smr@debian.org>
Philipp Matthias Hahn <pmhahn@debian.org>

from sources obtained at http://gmplib.org/ .

GMP Source Code

Copyright 1991, 1996, 1999, 2000, 2007 Free Software Foundation, Inc.

This file is part of the GNU MP Library.

The GNU MP Library is free software; you can redistribute it and/or modify
it under the terms of either:

 * the GNU Lesser General Public License as published by the Free
   Software Foundation; either version 3 of the License, or (at your
   option) any later version.

or

 * the GNU General Public License as published by the Free Software
   Foundation; either version 2 of the License, or (at your option) any
   later version.

or both in parallel, as here.

The GNU MP Library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR
 PURPOSE. See the GNU General Public License
for more details.

You should have received copies of the GNU General Public License and the
GNU Lesser General Public License along with the GNU MP Library. If not,
see https://www.gnu.org/licenses/.

The GNU Lesser General Public License v3 text is contained in /usr/share/common-licenses/LGPL-3.
The GNU General Public License v2 text is contained in /usr/share/common-licenses/GPL-2.
The GNU General Public License v3 text is contained in /usr/share/common-licenses/GPL-3.

 GMP Documentation

The documentation is released under the GNU Free Documentation License
(GFDL) and it has cover texts. As such, it has been determined not to
meet the Debian Free Software Guidelines, and is not shipped in the
debian packages.

The demo code in the -doc package is covered either by the LGPL, or
under the GNU General Public License /usr/share/common-licenses/GPL.
See the individual source files to determine the license under
 which
it falls.

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: grep
Upstream-Contact: bug-grep@gnu.org
Source: https://savannah.gnu.org/projects/grep
git://git.savannah.gnu.org/grep.git

Files: *
Copyright: 1992, 1997-2002, 2004-2012 Free Software Foundation, Inc.
2004, Stepan Kasal <kasal@ucw.cz>
2007, Tony Abou-Assaleh <taa@acm.org>
2009-2012, Jim Meyering <jim@meyering.net> and Paolo Bonzini <bonzini@gnu.org>
License: GPL-3+

Files: debian/*
Copyright: 2005-2013 Anibal Monsalve Salazar <anibal@debian.org> and Santiago Ruano Rincn <santiago@debian.org>
2003-2004 Ryan M. Golbeck <rmgolbeck@debian.org>
2003, Jeff Bailey <jbailey@nisa.net>
2003, Clint Adams <schizo@debian.org> Mon, 10 Mar 2003 02:10:32 -0500
2001 Robert van der Meulen <rvdm@debian.org>
1996-2000 Wichert Akkerman <wakkerma@debian.org>
License: GPL-3+

License: GPL-3+
Copyright (C) 1992, 1997, 1998, 1999, 2000, 2001, 2002, 2004,
2005, 2006, 2007, 2008, 2009 Free Software Foundation,
 Inc.
.
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA
02110-1301, USA.
.
Comment:
.
On a Debian system you can find a copy of this license in
/usr/share/common-licenses/GPL-3.

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <http://www.gnu.org/copyleft/gpl.html> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at http://openjdk.java.net/legal/exception-modules-2007-05-08.html ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Apache Subversion
Source: https://subversion.apache.org/download/

Files: *
Copyright: Apache Software Foundation
2007 Max Bowsher
2005 Greg Stein
2007 David Glasser
License: Apache-2.0

Files: subversion/bindings/swig/python/tests/trac/*
Copyright: 2003, 2004, 2005 Edgewall Software
2003, 2004, 2005 Jonas Borgstrm <jonas@edgewall.com>
2005 Christopher Lenz <cmlenz@gmx.de>
License: BSD-3-clause or Apache-2.0

Files: subversion/libsvn_subr/utf_width.c
Copyright: 2007 Markus Kuhn
License: Utfwidth
Permission to use, copy, modify, and distribute this software

for any purpose and without fee is hereby granted. The author
disclaims all warranties with regard to this software.

Files: tools/dist/security/_gnupg.py
Copyright: 2008-2014 Vinay Sajip
License: BSD-3-clause

Files: debian/bin/svnwrap
 debian/man/svnwrap.1
Copyright: 2006 Peter Samuelson
License:
 Svnwrap
Permission is granted to everyone to use and distribute this work,
without limitation, modified or unmodified, in any way, for any purpose.

Files: debian/contrib/svn-clean
 debian/contrib/svn_apply_autoprops.py
 debian/contrib/emacs/psvn.el
 debian/contrib/emacs/dsvn.el
Copyright: 2004, 2005, 2006 Simon Perreault
 2005,2006 Blair Zajac <blair@orcaware.com>
 2002-2009 Stefan Reichoer
 2006-2010 Virtutech AB
 2010 Intel
License: GPL-2+

Files: debian/bin/svn-bisect
 debian/man/svn-bisect.1
Copyright: 2008,2009 by Robert Millan
 2009 by Peter Samuelson
License: GPL-3+

Files: debian/contrib/svn_load_dirs/*
Copyright: 2002,2003,2004,2005,2006,2007,2009 Dolby. All rights reserved.
License: AFL-3

Files: subversion/libsvn_subr/utf8proc/*
Copyright: 2014-2015 Steven G. Johnson, Jiahao Chen, Tony Kelman, Jonas Fonseca, and other contributors listed in the git history
 2009, 2013 Public
 Software Group e. V., Berlin, Germany
 1991-2007 Unicode, Inc.
License: Expat and Unicode

Files: subversion/libsvn_subr/lz4/*
Copyright: 2011-2016, Yann Collet
License: BSD-2-clause

Files: subversion/libsvn_subr/x509.h
subversion/libsvn_subr/x509parse.c
Copyright: 2006-2008 Christophe Devine
2009 Paul Bakker <polarssl_maintainer at polarssl dot org>
License: BSD-3-clause

Files: tools/dev/svnmover/linenoise/*
Copyright: 2010-2013, Peter Noordhuis <pcnoordhuis at gmail dot com>
2010-2014, Salvatore Sanfilippo <anitrez at gmail dot com>
License: BSD-2-clause

Files: build/ac-macros/ax_boost_base.m4
build/ac-macros/ax_boost_unit_test_framework.m4
Copyright: 2008 Thome Porschberg <thomas@randspringer.de>
2009 Peter Adolphs
License: BoostAcMacros

License: GPL-2+
On Debian systems, the complete text of the GPL version 2 license can be
found in `/usr/share/common-licenses/GPL-2'.

License: GPL-3+
On Debian systems, the complete
text of the GPL version 3 license can be
found in `/usr/share/common-licenses/GPL-3'.

License: Apache-2.0
Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
.
http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

License: BSD-3-clause
All rights reserved.
.
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:

.

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
the documentation and/or other materials provided with the
distribution.
3. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR "AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause
All rights reserved.

.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

.

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished
to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: Unicode
Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights
to use, copy, modify, merge,
publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.
.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

.

Unicode and the Unicode logo are trademarks of Unicode, Inc., and may be registered in some jurisdictions. All other trademarks and registered trademarks mentioned herein are the property of their respective owners.

License: AFL-3

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following licensing notice adjacent to the copyright notice for the Original Work:

.

Licensed
under the Academic Free License version 3.0

.

1) Grant of Copyright License. Licensor grants You a worldwide, royalty-free, non-exclusive, sublicensable license, for the duration of the copyright, to do the following:

a) to reproduce the Original Work in copies, either alone or as part of a collective work;

b) to translate, adapt, alter, transform, modify, or arrange the Original Work, thereby creating derivative works ("Derivative Works") based upon the Original Work;

c) to distribute or communicate copies of the Original Work and Derivative Works to the public, under any license of your choice that does not contradict the terms and conditions, including Licensor's reserved rights and remedies, in this Academic Free License;

d) to perform the Original Work publicly; and

e) to display the Original Work publicly.

.

2) Grant of Patent License. Licensor grants You a worldwide, royalty-free,
non- exclusive, sublicensable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, for the duration of the patents, to make, use, sell, offer for sale, have made, and import the Original Work and Derivative Works.

.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor agrees to provide a machine-readable copy

of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work.

.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior permission of the Licensor. Except as expressly stated herein, nothing in this License grants any license to Licensor's trademarks, copyrights, patents, trade secrets or any other intellectual property. No patent license is granted to make, use, sell, offer for sale, have made, or import embodiments of any patent claims other than the licensed claims defined in Section 2. No license is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under terms different from this License any Original Work that Licensor otherwise would have a right to license.

.

5) External Deployment. The term "External Deployment" means the use, distribution, or communication of the Original Work or Derivative Works in any way such that the Original Work or Derivative Works may be used by anyone other than You, whether those works are distributed or communicated to those persons or made available as an application intended for use over a network. As an express condition for the grants of license hereunder, You must treat any External Deployment by You of the Original Work or a Derivative Work as a distribution under section 1(c).

.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent, or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor

or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of non-infringement, merchantability or fitness for a particular purpose. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to the Original Work is granted by this License except under this disclaimer.

.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to anyone for any indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to the extent applicable law prohibits such limitation.

.

9) Acceptance and Termination. If, at any time, You expressly assented to this License, that assent indicates your clear and irrevocable acceptance of this License and all of its terms and conditions. If You distribute or communicate copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. This License conditions your rights to undertake the activities listed in Section 1, including your right to create Derivative Works based upon the Original Work, and doing so without honoring these terms and conditions is prohibited by copyright law and international treaty. Nothing in this License is intended to affect copyright exceptions and limitations (including "fair use" or "fair dealing"). This License shall terminate immediately and You may no longer exercise any of the rights granted to You by this License upon your failure to honor the conditions in Section 1(c).

.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, againstLicensor or any licensee alleging that the Original Work infringes a

patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of copyright or patent law in the appropriate jurisdiction. This section shall survive the termination of this License.

.

12) Attorneys' Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

.

13) Miscellaneous. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

.

16) Modification of This License. This License is Copyright 2005 Lawrence Rosen. Permission is granted to copy, distribute, or

communicate this License without modification. Nothing in this
License permits You to modify this License as applied to the
Original Work or to Derivative Works. However, You may modify the
text of this License and copy, distribute or communicate
your
modified version (the "Modified License") and apply it to other
original works of authorship subject to the following conditions:
(i) You may not indicate in any way that your Modified License is
the "Academic Free License" or "AFL" and you may not use those
names in the name of your Modified License; (ii) You must replace
the notice specified in the first paragraph above with the notice
"Licensed under <insert your license name here>" or with a notice
of your own that is not confusingly similar to the notice in this
License; and (iii) You may not claim that your original works are
open source software unless your Modified License has been
approved by Open Source Initiative (OSI) and You comply with its
license review and certification process.

License: BoostAcMacros
Copying and distribution of this file, with or without modification, are
permitted in any medium without royalty provided the copyright notice
and this
notice are preserved. This file is offered as-is, without any
warranty.
This is the Debian package for libselinux, and it is built from sources obtained from:
http://userspace.selinuxproject.org/trac/wiki/Releases

This package was debianized by Colin Walters <walters@debian.org> on
Thu, 3 Jul 2003 17:10:57 -0400.

This library (libselinux) is public domain software, i.e. not copyrighted.

Warranty Exclusion

You agree that this software is a
non-commercially developed program that may contain "bugs" (as that
term is used in the industry) and that it may not function as intended.
The software is licensed "as is". NSA makes no, and hereby expressly
disclaims all, warranties, express, implied, statutory, or otherwise
with respect to the software, including noninfringement and the implied
warranties of merchantability and fitness for a particular purpose.

Limitation of Liability

In no event will NSA be liable for any damages, including loss of data,
lost profits, cost of cover, or other special, incidental,
consequential,

direct or indirect damages arising from the software or
the use thereof, however caused and on any theory of liability. This
limitation will apply even if NSA has been advised of the possibility
of such damage. You acknowledge that this is a reasonable allocation of
risk.

However, one file (utils/avcstat.c) is
Copyright: 2004 Red Hat, Inc., James Morris <jmorris@redhat.com>
and is distributed underthe terms of the GNU General Public License,
version 2.

In addition, The Debian specific package was modified to include an
excerpt from the GNU libc package in the file
utils/ia64-inline-syscall.h. The GNU C Library is distributed under
the terms of the GNU Lesser General Public License as published by the
Free Software Foundation; either version 2.1 of the License, or (at
your option) any later version.

You should have received
a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, write to
Free Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301, USA.

On Debian systems, the complete text of the GNU Library
General Public License can be found in `/usr/share/common-licenses/LGPL-2.1'.

This package is maintained by Manoj Srivastava <srivasta@debian.org>.

The Debian specific changes are 2005, 2006, Manoj Srivastava
<srivasta@debian.org>, and distributed under the terms of the GNU
General Public License, version 2.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.

A copy of the GNU General Public License is also available at
<URL:http://www.gnu.org/copyleft/gpl.html>. You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St,
Fifth Floor, Boston, MA 02110-1301, USA.

Manoj Srivastava <srivasta@debian.org>
arch-tag: d4250e44-a0e0-4ee0-adb9-2bd74f6eeb27

Independent JPEG Group: JPEG release 6b

JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
 If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived
from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
  Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>
Apache Xalan v2.7.2

Apache Xalan Notice
<pre>

```
================================================================================
====
  ==  NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  ==  in this case for the Apache Xalan distribution.                           ==
================================================================================
```

====

This product includes software developed by
The Apache Software Foundation (http://www.apache.org/).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare

Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement,
then any patent licenses
granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing
the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: FreeType
Upstream-Contact: freetype-devel@nongnu.org
Source: https://www.freetype.org/download.html
Files-Excluded: docs/reference/assets/javascripts
Comment: The files in this path have been removed because they are minified
JavaScript files and are incompatible with the DFSG.

Files: *
Copyright: 1996-2020 David Turner, Robert Wilhelm and Werner Lemberg
1996-2020 Just van Rossum
2002-2020 Roberto Alameda
2003 Huw D M Davies for Codeweavers
2003-2020 Masatake Yamato, Redhat K.K.
2004-2020 Albert Chin-A-Young
2004-2020 Suzuki Toshiya
2007 Dmitry Timoshkov for Codeweavers
2007-2020 Rahul Bhalerao <rahul.bhalerao@redhat.com>
2007-2020 Derek Clegg, Michael Toftdal
2009-2020 Oran Agra, Mickey Gabel
2010-2020 Joel Klinghed
License: GPL-2+ or FTL

Files: vms_make.com
Copyright:
1996-2020 David Turner, Robert Wilhelm and Werner Lemberg
2001, 2002 Francesco Zappa Nardelli
2010-2020 Joel Klinghed

License: FTL and MIT

Files: builds/amiga/*
Copyright: 2005-2020 Werner Lemberg and Detlef Wrkner
License: FTL

Files: builds/amiga/src/base/*
Copyright: 1996-2020 David Turner, Robert Wilhelm, Werner Lemberg and Detlef Wrkner
License: FTL

Files: builds/cmake/FindHarfBuzz.cmake
Copyright: 2012 Intel Corporation
License: BSD-3-Clause

Files: builds/mac/ftmac.c
include/freetype/ftmac.h
src/base/ftmac.c
Copyright: 1996-2020 Just van Rossum, David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: builds/mac/README
Copyright: 2013 Suzuki Toshiya, Leonard Rosenthol, Just van Rossum
License: FTL

Files: builds/unix/aclocal.m4
Copyright: 1992-2018 Free Software Foundation, Inc.
License: FSFULLR and GPL-2+

Files: builds/unix/ax_compare_version.m4
Copyright: 2008 Tim Toolan
License: FSFAP

Files: builds/unix/ax_prog_python_version.m4
Copyright:
2009 Francesco Salvestrini
License: FSFAP

Files: builds/unix/config.guess builds/unix/config.sub
Copyright: 1992-2020 Free Software Foundation, Inc.
License: Permissive and GPL-3+

Files: builds/unix/configure
Copyright: 1992-2018 Free Software Foundation, Inc.
License: FSFUL and GPL-2+

Files: builds/unix/install-sh
Copyright: 1994 X Consortium
License: MIT

Files: builds/unix/ltmain.sh
Copyright: 1996-2015 Free Software Foundation, Inc.
License: GPL-2+ and GPL-3+

Files: builds/unix/pkg.m4
Copyright: 2004 Scott James Remnant <scott@netsplit.com>
License: GPL-2+

Files: debian/*
Copyright: 1996-2019 Christoph Lameter <clameter@waterf.org>,
Anthony Fok <foka@debian.org>,
Steve Langasek <vorlon@debian.org>, et al.
2018-2020 Hugh McMaster <hugh.mcmaster@outlook.com>
License: GPL-2+

Files: docs/DOCGUIDE
src/sfnt/sfwoff2.c
src/sfnt/woff2tags.c src/sfnt/woff2tags.h
Copyright: 1996-2020 Nikhil Ramakrishnan,
David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: docs/INSTALL.CROSS
Copyright: 2006-2020 Suzuki Toshiya, David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: docs/reference/*
Copyright: The FreeType Project
License: FTL

Files: docs/reference/assets/fonts/font-awesome.css
Copyright: 2016 Dave Gandy
License: MIT

Files: docs/reference/assets/fonts/material-icons.css
docs/reference/assets/fonts/specimen/MaterialIcons-Regular.ttf
docs/reference/assets/fonts/specimen/MaterialIcons-Regular.woff
docs/reference/assets/fonts/specimen/MaterialIcons-Regular.woff2
Copyright: 2015 Google, Inc.
License: Apache-2.0

Files: docs/reference/assets/fonts/specimen/FontAwesome.ttf
docs/reference/assets/fonts/specimen/FontAwesome.woff
docs/reference/assets/fonts/specimen/FontAwesome.woff2
Copyright: Dave Gandy
License: OFL-1.1

Files: ft2demos/graph/gblender.h
Copyright: 2001-2020 David Turner
License: FTL

Files: ft2demos/graph/beos/grbeos.cpp
Copyright:
2001-2020 Michael Pfeiffer
License: FTL

Files: ft2demos/graph/mac/grmac.c
Copyright: 1999-2020 Just van Rossum, Antoine Leca,
David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: ft2demos/graph/win32/grwin32.c ft2demos/graph/win32/grwin32.h
ft2demos/graph/x11/grx11.c ft2demos/graph/x11/grx11.h
Copyright: 1999-2020 Antoine Leca, David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: ft2demos/graph/graph.h
ft2demos/graph/grdevice.h
ft2demos/graph/grobjs.h
ft2demos/graph/grtypes.h
Copyright: 1999-2020 The FreeType Development Team
License: FTL

Files: ft2demos/graph/grswizzle.c
Copyright: None
License: Public-Domain
"this filtering code is explicitly placed in the public domain !!"

Files: ft2demos/mac/ftoldmac.c
Copyright: 1996-2020 Suzuki Toshiya, David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: ft2demos/mac/getargv.c
Copyright: 1991-2020 Stichting Mathematisch
Centrum
License: MIT

Files: ft2demos/src/mlgetopt.c ft2demos/src/mlgetopt.h
Copyright: None
License: Public-Domain
"This code is hereby expressly placed in the public domain."

Files: ft2demos/src/ftinspect/*
Copyright: 2016-2020 Werner Lemberg
License: FTL

Files: ft2docs/docs/js/jquery.ba-resize.min.js
Copyright: 2010 Ben Alman
License: MIT or GPL-2+

Files: ft2docs/docs/js/jquery-1.11.0.min.js
Copyright: 2005, 2014 jQuery Foundation, Inc.
License: MIT

Files: ft2docs/docs/tutorial/example2.cpp
ft2docs/docs/tutorial/example3.cpp
ft2docs/docs/tutorial/example4.cpp
Copyright: None
License: Public-Domain
"Public domain."

Files: ft2docs/docs/tutorial/example5.cpp
Copyright: 2016-2018 Static Jobs LLC
License: MIT

Files: include/freetype/ftbzip2.h
src/bzip2/*
Copyright: 2010-2020 Joel Klinghed
License: FTL

Files: include/freetype/ftcid.h
include/freetype/internal/services/svcid.h
src/base/ftcid.c
Copyright: 2007-2020 Derek Clegg
and Michael Toftdal
License: FTL

Files: include/freetype/ftgxval.h
include/freetype/internal/services/svgxval.h
include/freetype/internal/services/svttcmap.h
src/base/ftgxval.c
Copyright: 2003-2020 Masatake Yamato, Red Hat K.K.,
David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: include/freetype/internal/fthash.h
src/base/fthash.c
Copyright: 2000 Computing Research Labs, New Mexico State University
2001-2015 Francesco Zappa Nardelli
License: MIT

Files: include/freetype/internal/ftrfork.h
src/base/ftrfork.c

Copyright: 2004-2020 Masatake Yamato, Redhat K.K.
License: FTL

Files: src/sfnt/ttcmapc.h
Copyright: 2009-2020 Oran Agra and Mickey Gabel
License: FTL

Files: include/freetype/internal/services/svttglyf.h
src/base/ftpatent.c
src/lzw/ftzopen.c src/lzw/ftzopen.h
Copyright: 2002-2020 David Turner
License: FTL

Files: src/autofit/afindic.c src/autofit/afindic.h
Copyright: 2007-2020 Rahul
Bhalerao
License: FTL

Files: src/base/ftbase.h
Copyright: 2008-2020 David Turner, Robert Wilhelm, Werner Lemberg and Suzuki Toshiya
License: FTL

Files: src/base/fterrors.c
Copyright: 2018-2020 Armin Hasitzka, David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: src/base/md5.c src/base/md5.h
Copyright: None
License: Public-Domain
"No copyright is claimed, and the software is hereby placed in the public domain."

Files: src/bdf/bdf.c
src/bdf/bdfdrivr.c src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
src/pcf/module.mk
src/pcf/pcf.c src/pcf/pcf.h
src/pcf/pcfdrivr.c src/pcf/pcfdrivr.h
src/pcf/pcfread.c src/pcf/pcfread.h
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
Copyright: 2000-2014 Francesco Zappa Nardelli
License: MIT

Files: src/bdf/bdf.h src/bdf/bdflib.c

Copyright: 2000 Computing Research Labs, New Mexico State University

2001-2014 Francesco Zappa Nardelli
License: MIT

Files: src/gxvalid/*
Copyright: 2004-2020 Suzuki Toshiya, Masatake Yamato, Red Hat K.K.,
David Turner, Robert Wilhelm and Werner Lemberg
License: FTL

Files: src/gxvalid/gxvfgen.c
Copyright: 2004-2020 Masatake Yamato, Redhat K.K.
License: FTL

Files: src/gzip/adler32.c
src/gzip/infblock.c src/gzip/infblock.h
src/gzip/infcodes.c src/gzip/infcodes.h
src/gzip/inflate.c
src/gzip/inftrees.c src/gzip/inftrees.h
src/gzip/infutil.c src/gzip/infutil.h
Copyright: 1995-2002 Mark Adler
License: Zlib

Files: src/gzip/ftzconf.h
src/gzip/zutil.c src/gzip/zutil.h
Copyright: 1995-2002 Jean-loup Gailly
License: Zlib

Files: src/gzip/zlib.h
Copyright: 1995-2002 Jean-loup Gailly and Mark Adler
License: Zlib

Files: src/lzw/ftlzw.c src/lzw/rules.mk
Copyright: 2004-2020 Albert Chin-A-Young
License: FTL

Files: src/pcf/pcfutil.c
Copyright: 1990, 1994, 1998 The Open Group
License: OpenGroup-BSD-like

Files:
src/psaux/psarrst.c src/psaux/psarrst.h
src/psaux/psblues.c src/psaux/psblues.h
src/psaux/pserror.c src/psaux/pserror.h
src/psaux/psfixed.h
src/psaux/psfont.c src/psaux/psfont.h
src/psaux/psft.c src/psaux/psft.h
src/psaux/psglue.h

src/psaux/pshints.c src/psaux/pshints.h
src/psaux/psintrp.c src/psaux/psintrp.h
src/psaux/psread.c src/psaux/psread.h
src/psaux/psstack.c src/psaux/psstack.h
src/psaux/pstypes.h
Copyright: 2006-2014 Adobe Systems Incorporated
License: FTL

Files: src/sfnt/pngshim.c src/sfnt/pngshim.h
Copyright: 2013-2020 Google, Inc.
License: FTL

Files: src/sfnt/ttsbit.c
Copyright: 2005-2020 David Turner, Robert Wilhelm and Werner Lemberg
2013 Google, Inc.
License: FTL

Files: src/tools/apinames.c src/tools/chktrcmp.py
Copyright: None
License: Public-Domain
"This code is explicitly placed into the public domain."

Files: src/tools/update-copyright-year
Copyright: 2015-2020
Werner Lemberg
License: FTL

Files: src/tools/ftrandom/ftrandom.c
Copyright: 2005, 2007, 2008, 2013 George Williams
License: BSD-3-Clause

Files: src/truetype/ttgxvar.c src/truetype/ttgxvar.h
Copyright: 2004-2020 David Turner, Robert Wilhelm, Werner Lemberg and George Williams
License: FTL

Files: src/type42/t42drivr.c src/type42/t42drivr.h
src/type42/t42objs.c src/type42/t42objs.h
src/type42/t42parse.c src/type42/t42parse.h
src/type42/t42types.h
Copyright: 2002-2020 Roberto Alameda
License: FTL

Files: src/winfonts/winfnt.c
Copyright: 1996-2020 David Turner, Robert Wilhelm and Werner Lemberg
2003 Huw D M Davies for Codeweavers
2007 Dmitry Timoshkov for Codeweavers
License: FTL

Files: src/winfonts/winfnt.h
Copyright: 1996-2020 David Turner, Robert Wilhelm and Werner Lemberg
2007 Dmitry Timoshkov for Codeweavers
License: FTL

License: Apache-2.0
Licensed under the Apache License, Version 2.0 (the "License");
you may not
use this file except in compliance with the License.
You may obtain a copy of the License at
.
http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
.
On Debian GNU/Linux systems, the complete text of the Apache License
Version 2.0 can be found in `/usr/share/common-licenses/Apache-2.0'.

License: BSD-3-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
.
1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
.
3. Neither the name of the copyright holder nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: FSFAP
Copying and distribution of this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved. This file is offered as-is,
without any warranty.

License: FSFUL
This file is free software; the Free Software Foundation gives
gives unlimited permission to copy, distribute and modify it.

License: FSFULLR
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.

License: FTL
The FreeType Project LICENSE

.
2006-Jan-27
.
Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg
.
.
.
Introduction
==========
.
The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.
.
This license applies to all files found in such packages, and
which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.
.
This license was inspired by the BSD, Artistic, and IJG
(Independent JPEG Group) licenses, which all encourage inclusion
and use of free software in commercial and freeware products
alike. As a consequence, its main points are that:
.

o We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)

.

o You can use this software for whatever you want, in parts or full
form, without having to pay us. (`royalty-free' usage)

.

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

.

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

.

.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

.

"""
Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.
"""

.

Please replace <year> with the value from the FreeType version you actually use.

.

.

Legal Terms
==========

.

0. Definitions

.

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license,
you must contact us to verify this.

.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

.

1. No Warranty

.

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

.

2. Redistribution

.

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose;
and to
authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

.

o Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

.

o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

.

These conditions apply to any software derived from or based on
the FreeType Project, not just the unmodified files. If you use
our work, you must acknowledge us. However,
no fee need be paid
to us.

.

3. Advertising

.

Neither the FreeType authors and contributors nor you shall use
the name of the other for commercial, advertising, or promotional
purposes without specific prior written permission.

.

We suggest, but do not require, that you use one or more of the
following phrases to refer to this software in your documentation
or advertising materials: `FreeType Project', `FreeType Engine',
`FreeType library', or `FreeType Distribution'.

.

As you have not signed this license, you are not required to
accept it. However, as the FreeType Project is copyrighted
material, only this license, or another one contracted with the
authors, grants you the right to use, distribute, and modify it.
Therefore, by using, distributing, or modifying the FreeType
Project, you indicate that you understand and accept all the terms
of this license.

.

4. Contacts

.

There
are two mailing lists related to FreeType:

.

o freetype@nongnu.org

.

Discusses general use and applications of FreeType, as well as
future and wanted additions to the library and distribution.
If you are looking for support, start in this list if you
haven't found anything to help you in the documentation.

.

o freetype-devel@nongnu.org

.

Discusses bugs, as well as engine internals, design issues,
specific licenses, porting, etc.

.

Our home page can be found at

.

https://www.freetype.org

.

.

License: GPL-2+
 This program is free software; you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation; either version 2 of the License, or
 (at your option) any later version.
.
 This program is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A
 PARTICULAR PURPOSE. See the
 GNU General Public License for more details.
.
 You should have received a copy of the GNU General Public License
 along with this program; if not, write to the Free Software
 Foundation, Inc., 51 Franklin St, Fifth Floor, Boston,
 MA 02110-1301, USA.
.
 On Debian GNU/Linux systems, the complete text of the GNU General
 Public License version 2 can be found in
 `/usr/share/common-licenses/GPL-2'.

License: GPL-3+
 This program is free software: you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation, either version 3 of the License, or
 (at your option) any later version.
.
 This program is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU General Public License for more details.
.
 You should have received a copy of the GNU
 General Public License
 along with this program. If not, see <http://www.gnu.org/licenses/>.
.
 On Debian GNU/Linux systems, the complete text of the GNU General
 Public License version 3 can be found in
 `/usr/share/common-licenses/GPL-3'.

License: MIT
 Permission is hereby granted, free of charge, to any person obtaining a copy
 of this software and associated documentation files (the "Software"), to deal
 in the Software without restriction, including without limitation the rights
 to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License: OFL-1.1

SIL OPEN FONT LICENSE Version 1.1 - 26 February 2007

.

PREAMBLE
The goals of the Open Font License (OFL) are to stimulate worldwide development of collaborative font projects, to support the font creation efforts of academic and linguistic communities, and to provide a free and open framework in which fonts may be shared and improved in partnership with others.

.

The OFL allows the licensed fonts to be used, studied, modified and redistributed freely as long as they are not sold by themselves. The fonts, including
any derivative works, can be bundled, embedded,
redistributed and/or sold with any software provided that any reserved names are not used by derivative works. The fonts and derivatives, however, cannot be released under any other type of license. The requirement for fonts to remain under this license does not apply to any document created using the fonts or their derivatives.

.

DEFINITIONS
"Font Software" refers to the set of files released by the Copyright Holder(s) under this license and clearly marked as such. This may include source files, build scripts and documentation.

.

"Reserved Font Name" refers to any names specified as such after the copyright statement(s).

.

"Original Version" refers to the collection of Font Software components as distributed by the Copyright Holder(s).

.

"Modified Version" refers to any derivative made by adding to, deleting,

or substituting -- in part or in whole -- any of the components of the Original Version, by
changing formats or by porting the Font Software to a
new environment.

.

"Author" refers to any designer, engineer, programmer, technical
writer or other person who contributed to the Font Software.

.

PERMISSION & CONDITIONS

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Font Software, to use, study, copy, merge, embed, modify,
redistribute, and sell modified and unmodified copies of the Font
Software, subject to the following conditions:

.

1) Neither the Font Software nor any of its individual components,
in Original or Modified Versions, may be sold by itself.

.

2) Original or Modified Versions of the Font Software may be bundled,
redistributed and/or sold with any software, provided that each copy
contains the above copyright notice and this license. These can be
included either as stand-alone text files, human-readable headers or
in the appropriate machine-readable metadata fields within text or
binary files
as long as those fields can be easily viewed by the user.

.

3) No Modified Version of the Font Software may use the Reserved Font
Name(s) unless explicit written permission is granted by the corresponding
Copyright Holder. This restriction only applies to the primary font name as
presented to the users.

.

4) The name(s) of the Copyright Holder(s) or the Author(s) of the Font
Software shall not be used to promote, endorse or advertise any
Modified Version, except to acknowledge the contribution(s) of the
Copyright Holder(s) and the Author(s) or with their explicit written
permission.

.

5) The Font Software, modified or unmodified, in part or in whole,
must be distributed entirely under this license, and must not be
distributed under any other license. The requirement for fonts to
remain under this license does not apply to any document created
using the Font Software.

.

TERMINATION

This license becomes null and void if any of the above conditions are
not met.

.

DISCLAIMER

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

License: OpenGroup-BSD-like
Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.
.
The above copyright notice
and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

License: Permissive
This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

License: Zlib
This software
is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.
.
Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:
.
1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be

appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*
Copyright:
Copyright 2000-2007 Silicon Graphics, Inc.
Copyright 2001-2003,2006-2007,2009 Andreas Gruenbacher
License: GPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the full text of the GNU General Public License
can be found in '/usr/share/common-licenses/GPL-2'.

Files:
include/*.h
libattr/*.c
libmisc/*.c
Copyright:
Copyright 2001-2005 Silicon Graphics, Inc.
Copyright 2002,2003,2006-2007,2009 Andreas Gruenbacher
License: LGPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2.1 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.

Comment:
On Debian systems, the full text of the GNU Lesser General Public License
can be found in '/usr/share/common-licenses/LGPL-2.1'.
This is the Debian GNU/Linux prepackaged version of the GNU compiler
collection, containing Ada, C, C++, D, Fortran 95, Go, Objective-C,
Objective-C++, and Modula-2 compilers, documentation, and support
libraries. In addition, Debian provides the gm2 compiler, either in
the same source package, or built from a separate same source package.
Packaging is done by the Debian GCC Maintainers
<debian-gcc@lists.debian.org>, with sources obtained from:

 ftp://gcc.gnu.org/pub/gcc/releases/ (for full releases)
 svn://gcc.gnu.org/svn/gcc/   (for prereleases)
 ftp://sourceware.org/pub/newlib/   (for newlib)
 git://git.savannah.gnu.org/gm2.git   (for Modula-2)

The current gcc-10 source package is taken from the SVN gcc-10-branch.

Changes: See changelog.Debian.gz

Debian splits the GNU Compiler Collection into packages for each language,
library, and documentation as follows:

Language   Compiler package Library package   Documentation

Ada
           gnat-10   libgnat-10   gnat-10-doc
BRIG   gccbrig-10   libhsail-rt0
C   gcc-10   gcc-10-doc
C++   g++-10   libstdc++6   libstdc++6-10-doc
D   gdc-10
Fortran 95   gfortran-10   libgfortran5   gfortran-10-doc
Go   gccgo-10   libgo0
Objective C   gobjc-10   libobjc4
Objective C++ gobjc++-10
Modula-2   gm2-10   libgm2

For some language run-time libraries, Debian provides source files,
development files, debugging symbols and libraries containing position-
independent code in separate packages:

Language Sources   Development   Debugging   Position-Independent
----
C++   libstdc++6-10-dbg libstdc++6-10-pic
D   libphobos-10-dev

Additional packages include:

All languages:
libgcc1,
libgcc2, libgcc4 GCC intrinsics (platform-dependent)
gcc-10-base Base files common to all compilers
gcc-10-soft-float Software floating point (ARM only)
gcc-10-source The sources with patches

Ada:
libgnat-util10-dev, libgnat-util10 GNAT version library

C:
cpp-10, cpp-10-doc GNU C Preprocessor
libssp0-dev, libssp0 GCC stack smashing protection library
libquadmath0 Math routines for the __float128 type
fixincludes Fix non-ANSI header files

C, C++ and Fortran 95:
libgomp1-dev, libgomp1 GCC OpenMP (GOMP) support library
libitm1-dev, libitm1 GNU Transactional Memory Library

Biarch support: On some 64-bit platforms which can also run 32-bit code, Debian provides additional packages containing 32-bit versions of some libraries. These packages have names beginning with 'lib32' instead of 'lib', for example lib32stdc++6. Similarly, on some 32-bit platforms which can
also run 64-bit code, Debian provides additional packages with names beginning with 'lib64' instead of 'lib'. These packages contain 64-bit versions of the libraries. (At this time, not all platforms and not all libraries support biarch.) The license terms for these lib32 or lib64 packages are identical to the ones for the lib packages.

COPYRIGHT STATEMENTS AND LICENSING TERMS

GCC is Copyright (C) 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019 Free Software Foundation, Inc.

GCC is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GCC is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS

FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

Files that have exception clauses are licensed under the terms of the GNU General Public License; either version 3, or (at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General Public License is in `/usr/share/common-licenses/GPL', version 3 of this license in `/usr/share/common-licenses/GPL-3'.

The following runtime libraries are licensed under the terms of the GNU General Public License (v3 or later) with version 3.1 of the GCC Runtime Library Exception (included in this file):

- libgcc (libgcc/, gcc/libgcc2.[ch], gcc/unwind*, gcc/gthr*, gcc/coretypes.h, gcc/crtstuff.c, gcc/defaults.h, gcc/dwarf2.h, gcc/emults.c, gcc/gbl-ctors.h, gcc/gcov-io.h, gcc/libgcov.c, gcc/tsystem.h, gcc/typeclass.h).
- libatomic
- libdecnumber
- libgomp
- libitm
- libssp
- libstdc++-v3
- libobjc
- libgfortran
- The libgnat-10 Ada support library and libgnat-util10 library.
- Various config files in gcc/config/ used in runtime libraries.
- libvtv

The libbacktrace library is licensed under the following terms:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

(1) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

(2) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

(3) The name of the author may not be used to endorse or promote products derived from this software without

specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The libsanitizer libraries (libasan, liblsan, libtsan, libubsan) are
licensed under the following terms:

Copyright (c) 2009-2019 by the LLVM contributors.

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction,
including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to

endorse or promote products derived from this Software without specific
prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED
TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The libffi library is licensed under the following terms:

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

The documentation is licensed under the GNU Free Documentation License (v1.2).
On Debian GNU/Linux systems, the complete text of this license is in
`/usr/share/common-licenses/GFDL-1.2'.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library
Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of
non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3
(or a specified later version) of
the GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

libquadmath/*.[hc]:

Copyright (C) 2010 Free Software Foundation, Inc.
Written by Francois-Xavier Coudert <fxcoudert@gcc.gnu.org>
Written by Tobias Burnus <burnus@net-b.de>

This file is part of the libiberty library.
Libiberty is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

Libiberty is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

libquadmath/math:

atanq.c, expm1q.c, j0q.c, j1q.c, log1pq.c, logq.c:
  Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

  This library is free software; you can redistribute it and/or
  modify it under the
terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

coshq.c, erfq.c, jnq.c, lgammaq.c, powq.c, roundq.c:
 Changes for 128-bit __float128 are
 Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
 and are incorporated herein by permission of the author. The author
 reserves the right to distribute this material elsewhere under different
 copying permissions. These modifications are distributed here under
 the following terms:

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the
Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

ldexpq.c:

* Conversion to long double by Ulrich Drepper,
* Cygnus Support, drepper@cygnus.com.

cosq_kernel.c, expq.c, sincos_table.c, sincosq.c, sincosq_kernel.c,
sinq_kernel.c, truncq.c:
Copyright (C) 1997, 1999 Free Software Foundation, Inc.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even
the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

isinfq.c:
* Written by J.T. Conklin <jtc@netbsd.org>.
* Change for long double by Jakub Jelinek <jj@ultra.linux.cz>
* Public domain.

llroundq.c, lroundq.c, tgammaq.c:
Copyright (C) 1997, 1999, 2002, 2004 Free Software Foundation, Inc.
This file is part of the GNU C Library.
Contributed by Ulrich Drepper <drepper@cygnus.com>, 1997 and
Jakub Jelinek <jj@ultra.linux.cz>, 1999.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU
Lesser General Public License for more details.

log10q.c:
Cephes Math Library Release 2.2: January, 1991
Copyright 1984, 1991 by Stephen L. Moshier
Adapted for glibc November, 2001

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either

version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

remaining files:

* Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
*
* Developed at SunPro, a Sun Microsystems, Inc. business.
* Permission to use, copy, modify, and distribute this
* software is freely granted, provided that
this notice
* is preserved.

gcc/go/gofrontend, libgo:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

D:
gdc-10 GNU D Compiler
libphobos-10-dev D standard runtime library

The D source package is made up of the following components.

The D front-end for GCC:
- d/*

Copyright (C) 2004-2007 David Friedman
Modified by Vincenzo Ampolo, Michael Parrot, Iain Buclaw, (C) 2009, 2010

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free
Software Foundation; either version 2 of the License, or
(at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', version 2 of this
license in `/usr/share/common-licenses/GPL-2'.

The DMD Compiler implementation of the D programming language:
- d/dmd/*

Copyright (c) 1999-2010 by Digital Mars
All Rights Reserved
written by Walter Bright
http://www.digitalmars.com
License for redistribution is by either the Artistic License or
the GNU General Public License (v1).

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', the Artistic
license in `/usr/share/common-licenses/Artistic'.

The Zlib data compression library:
- d/phobos/etc/c/zlib/*

(C) 1995-2004 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any

damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The Phobos standard runtime library:
- d/phobos/*

Unless otherwise marked within the file, each file in the source
is under the following licenses:

Copyright (C) 2004-2005 by Digital Mars, www.digitalmars.com
Written by Walter Bright

This software is provided 'as-is', without any
 express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, in both source and binary form, subject to the following
restrictions:

o The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
o Altered source versions must be plainly marked as such, and must not
   be misrepresented as being the original software.
o This notice may not be removed or altered from any source
   distribution.

By plainly marking modifications, something along the lines of adding to each
file that has been changed a "Modified by Foo Bar" line
underneath the "Written by" line would be adequate.

The
libhsail-rt library is licensed under the following terms:

Copyright (C) 2015-2017 Free Software Foundation, Inc.
Contributed by Pekka Jaaskelainen <pekka.jaaskelainen@parmance.com>
for General Processor Tech.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files
(the "Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

libhsail-rt/rt/fp16.c is licensed under the following terms:

Copyright (C) 2008-2017 Free Software Foundation, Inc.
Contributed by CodeSourcery.

This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 3, or (at your option) any
later version.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

Under Section 7 of GPL version 3, you are granted additional
permissions
described in the GCC Runtime Library Exception, version
3.1, as published by the Free Software Foundation.

You should have received a copy of the GNU General Public License and

a copy of the GCC Runtime Library Exception along with this program;
see the files COPYING3 and COPYING.RUNTIME respectively. If not, see
<http://www.gnu.org/licenses/>.

gcc/m2:
gcc/m2/gm2-libiberty:
gcc/m2/mc-boot/:
gcc/m2/mc-boot-ch/:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General
Public License for more details.

gcc/m2/**/*.texi:
Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2012, 2013 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

gcc/m2/gm2-coroutines:
gcc/m2/gm2-libs:
gcc/m2/gm2-libs-min:
gcc/m2/gm2-libs-pim:
gcc/m2/gm2-libs-ch:
Copyright (C) 2002-2019 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty

of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

Under Section 7 of GPL version 3, you are granted additional
permissions described in the GCC Runtime Library Exception, version
3.1, as published by the Free Software Foundation.

gcc/m2/gm2-libs-iso/:
This has a mix of licenses, most as GPL-3+ plus GCC Runtime Library
Exception, version 3.1.

gcc/m2/gm2-libs-iso/*.def:
Library module defined by the International Standard
Information technology - programming languages
BS ISO/IEC 10514-1:1996E Part 1: Modula-2, Base Language.

Copyright ISO/IEC (International Organization for Standardization
and International Electrotechnical Commission) 1996, 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

gcc/m2/examples:
Copyright
(C) 2005-2015 Free Software Foundation, Inc.
Mix of LGPL-2.1 and GPL-3.0.

gcc/m2/images:
GPL-3+

gcc/m2/el/gm2-mode.el:
;; Everyone is granted permission to copy, modify and redistribute
;; GNU Emacs, but only under the conditions described in the
;; GNU Emacs General Public License. A copy of this license is
;; supposed to have been given to you along with GNU Emacs so you
;; can know your rights and responsibilities. It should be in a
;; file named COPYING. Among other things, the copyright notice
;; and this notice must be preserved on all copies.

Copyright (C) 2001-2018 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.
Mix of GPL-3 and LGPL-2.1.

gcc/testsuite/gm2/:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
Mix of GPL-2+ and GPL-3+

libgm2:

libgm2/libiso/:
libgm2/libpim/:
libgm2/liblog/:
libgm2/libcor/:
libgm2/libmin/:
Copyright (C) 2002-2019 Free Software Foundation, Inc.

This library is free software; you can redistribute it
 and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

Under Section 7 of GPL version 3, you are granted additional
permissions described in the GCC Runtime Library Exception, version
3.1, as published by the Free Software Foundation.

newlib-X.Y.Z/:

Upstream Authors:
newlib@sources.redhat.com
Jeff Johnston <jjohnstn@redhat.com>
Tom Fitzsimmons <fitzsim@redhat.com>

The newlib subdirectory is a collection of software from several sources.
Each file may have its own copyright/license that is embedded in the source
file.

This list documents those licenses which are more restrictive than
a BSD-like license or
 require the copyright notice
to be duplicated in documentation and/or other materials associated with
the distribution. Certain licenses documented here only apply to
specific targets. Certain clauses only apply if you are building the
code as part of your binary.

Note that this list may omit certain licenses that

only pertain to the copying/modifying of the individual source code.
If you are distributing the source code, then you do not need to
worry about these omitted licenses, so long as you do not modify the
copyright information already in place.

Parts of this work are licensed under the terms of the GNU General
Public License. On Debian systems, the complete text of this license
can be found in /usr/share/common-licenses/GPL.

Parts of this work are licensed under the terms of the GNU Library
General Public License. On Debian systems, the complete text of this
license be found in /usr/share/common-licenses/LGPL.

(1) University of California, Berkeley

[1a]

Copyright (c)
1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that any documentation,
and other materials related to such distribution and use
acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1b]

Copyright (c) 1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that
any documentation,
advertising materials, and other materials related to such
distribution and use acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1c]

Copyright (c) 1981, 1983, 1986, 1988, 1989, 1991, 1992, 1993, 1994
The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above
 copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
  must display the following acknowledgement:
    This product includes software developed by the University of
    California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1d]

Copyright (c) 1988, 1990, 1993 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse
or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1e]

Copyright (c) 1982, 1986, 1989, 1991, 1993, 1994
The Regents of the University of California. All rights reserved.
(c) UNIX System Laboratories, Inc.
All
or some portions of this file are derived from material licensed
to the University of California by American Telephone and Telegraph
Co. or Unix System Laboratories, Inc. and are reproduced herein with
the permission of UNIX System Laboratories, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:
This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the
University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1f]

Copyright (c) 1987, 1988, 2000 Regents of the University of California.
All rights reserved.

Redistribution
 and use in source and binary forms are permitted
provided that: (1) source distributions retain this entire copyright
notice and comment, and (2) distributions including binaries display
the following acknowledgement: ``This product includes software
developed by the University of California, Berkeley and its contributors''
in the documentation or other materials provided with the distribution
and in all advertising materials mentioning features or use of this
software. Neither the name of the University nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Please note that in some of the above alternate licenses, there
 is a
statement regarding that acknowledgement must be made in any
advertising materials for products using the code. This restriction
no longer applies due to the following license change:

 ftp://ftp.cs.berkeley.edu/pub/4bsd/README.Impt.License.Change

In some cases the defunct clause has been removed in modified newlib code and
in some cases, the clause has been left as-is.
---

(2) Cygwin (cygwin targets only)

Copyright 2001 Red Hat, Inc.

This software is a copyrighted work licensed under the terms of the
Cygwin license. Please consult the file "CYGWIN_LICENSE" for
details.

(3) David M. Gay at AT&T

The author of this software is David M. Gay.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software
and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY
REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(4) Advanced Micro Devices

Copyright 1989, 1990 Advanced Micro Devices, Inc.

This software is the property of Advanced Micro Devices, Inc (AMD) which
specifically grants the user the right to modify, use and distribute this
software provided this notice is not removed or altered. All other rights
are reserved by AMD.

AMD MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS
SOFTWARE. IN NO EVENT SHALL AMD BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL
DAMAGES IN CONNECTION WITH OR ARISING FROM THE FURNISHING, PERFORMANCE, OR
USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions
about this software to the 29K Technical Support Center at
800-29-29-AMD (800-292-9263) in the USA, or 0800-89-1131 in the UK, or
0031-11-1129 in Japan, toll free. The direct dial number is 512-462-4118.

Advanced Micro Devices, Inc.
29K Support Products
Mail Stop 573
5900 E. Ben White Blvd.

Austin, TX 78741
800-292-9263

(5) C.W. Sandmann

Copyright (C) 1993 C.W. Sandmann

This file may be freely distributed as long as the author's name remains.

(6) Eric Backus

(C) Copyright 1992 Eric Backus

This software may be used freely so long as this copyright notice is
left intact. There is no warrantee on this software.

(7) Sun Microsystems

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

(8) Hewlett Packard

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this
 file is provided "AS IS"
without any express or implied warranty:
   permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(9) Hans-Peter Nilsson

Copyright (C) 2001 Hans-Peter Nilsson

Permission to use, copy, modify, and distribute this software is
freely granted, provided that the above copyright notice, this notice
and the following disclaimer are preserved with no changes.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

(10) Stephane
Carrez (m68hc11-elf/m68hc12-elf targets only)

Copyright (C) 1999, 2000, 2001, 2002 Stephane Carrez (stcarrez@nerim.fr)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(11) Christopher G. Demetriou

Copyright (c) 2001 Christopher G. Demetriou
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above
copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(12) SuperH, Inc.

Copyright 2002 SuperH, Inc. All rights reserved

This software is the property of SuperH, Inc (SuperH) which specifically
grants the user the right to modify, use and distribute this software
provided this notice is not removed or altered. All other rights are
reserved by SuperH.

SUPERH MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO
THIS SOFTWARE. IN NO EVENT SHALL SUPERH BE LIABLE FOR INDIRECT, SPECIAL,
INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM
THE FURNISHING, PERFORMANCE, OR USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the SuperH Support Center via
e-mail at softwaresupport@superh.com .

SuperH, Inc.
405 River Oaks Parkway
San Jose
CA 95134
USA

(13) Royal Institute of Technology

Copyright
(c) 1999 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of KTH nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL KTH OR ITS CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(14) Alexey Zelkin

Copyright (c) 2000, 2001 Alexey Zelkin <phantom@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the
following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(15) Andrey A. Chernov

Copyright (C) 1997 by Andrey A. Chernov, Moscow, Russia.
All rights reserved.

Redistribution and use in source and binary forms, with

or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(16) FreeBSD

Copyright (c) 1997-2002 FreeBSD Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE
LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(17) S. L. Moshier

Author: S. L. Moshier.

Copyright (c) 1984,2000 S.L. Moshier

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, THE AUTHOR MAKES NO REPRESENTATION
OR WARRANTY
 OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS
SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(18) Citrus Project

Copyright (c)1999 Citrus Project,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
 EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(19) Todd C. Miller

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3.
 The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(20) DJ Delorie (i386)

Copyright (C) 1991 DJ Delorie
All rights reserved.

Redistribution and use in source and binary forms is permitted
provided that the above
 copyright notice and following paragraph are
duplicated in all such forms.

This file is distributed WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

(21) Free Software Foundation LGPL License (*-linux* targets only)

 Copyright (C) 1990-1999, 2000, 2001
 Free Software Foundation, Inc.
 This file is part of the GNU C Library.
 Contributed by Mark Kettenis <kettenis@phys.uva.nl>, 1997.

 The GNU C Library is free software; you can redistribute it and/or
 modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should
have received a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, write to the Free
Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301 USA

(22) Xavier Leroy LGPL License (i[3456]86-*-linux* targets only)

Copyright (C) 1996 Xavier Leroy (Xavier.Leroy@inria.fr)

This program is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public License
as published by the Free Software Foundation; either version 2
of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Library General Public License for more details.

(23) Intel (i960)

Copyright (c) 1993 Intel Corporation

Intel hereby grants you permission to copy, modify, and distribute
this
software and its documentation. Intel grants this permission provided
that the above copyright notice appears in all copies and that both the
copyright notice and this permission notice appear in supporting
documentation. In addition, Intel grants this permission provided that
you prominently mark as "not part of the original" any modifications
made to this software or documentation, and that the name of Intel
Corporation not be used in advertising or publicity pertaining to
distribution of the software or the documentation without specific,
written prior permission.

Intel Corporation provides this AS IS, WITHOUT ANY WARRANTY, EXPRESS OR
IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY
OR FITNESS FOR A PARTICULAR PURPOSE. Intel makes no guarantee or
representations regarding the use of, or the results of the use of,

the software and documentation in terms of correctness, accuracy,
reliability, currentness, or otherwise; and you rely on the software,
documentation
and results solely at your own risk.

IN NO EVENT SHALL INTEL BE LIABLE FOR ANY LOSS OF USE, LOSS OF BUSINESS,
LOSS OF PROFITS, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES
OF ANY KIND. IN NO EVENT SHALL INTEL'S TOTAL LIABILITY EXCEED THE SUM
PAID TO INTEL FOR THE PRODUCT LICENSED HEREUNDER.

(24) Hewlett-Packard (hppa targets only)

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(25) Henry Spencer (only
*-linux targets)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
explicit claim or by omission. Since few users ever read sources,
credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
misrepresented as being the original software. Since few users
ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

(26) Mike Barcroft

Copyright
(c) 2001 Mike Barcroft <mike@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(27) Konstantin Chuguev (--enable-newlib-iconv)

Copyright (c) 1999, 2000
Konstantin Chuguev. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

iconv (Charset Conversion Library) v2.0

(27) Artem Bityuckiy (--enable-newlib-iconv)

Copyright (c) 2003, Artem B. Bityuckiy, SoftMine Corporation.
Rights transferred to Franklin Electronic Publishers.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions
of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(28) Red Hat Incorporated

Unless otherwise stated in each remaining newlib file, the remaining
files in the newlib subdirectory default to the following copyright.
It should be noted that Red Hat Incorporated now owns copyrights
belonging to Cygnus Solutions and Cygnus Support.

Copyright (c) 1994, 1997, 2001, 2002, 2003, 2004 Red Hat Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

The name of Red Hat Incorporated may not be used to
endorse
or promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RED HAT INCORPORATED BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

contrib/unicode:

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/,
http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF online code charts under the directory http://www.unicode.org/Public/. Software includes any source code published in the Unicode Standard or under the directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

contrib/unicode/from_glibc:

Copyright (C) 2014-2019 Free Software Foundation, Inc.
This file is part of the GNU C Library.
#
The GNU C Library is free software; you can redistribute it and/or
#
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
#
The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
#
You should have received a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, see
<https://www.gnu.org/licenses/>.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Cyrus SASL
Source: ftp://ftp.cyrusimap.org/cyrus-sasl/
Files-Excluded: dlcompat-20010505
 doc/rfc*
 doc/draft*

Files: *
Copyright: 1998-2003, Carnegie Mellon University
License: BSD-4-clause

Files: debian/*
Copyright: 2002-2004, Dima Barsky <dima@debian.org>
        2006-2009, Fabian Fagerholm <fabbe@debian.org>
        2006-2011, 2014, Roberto C. Sanchez <roberto@connexer.com>
   2015-2016 Ondej Sur <ondrej@debian.org>
License: GPL-3+

Files: debian/saslfinger/*
Copyright: 2004, Patrick Koetter <p@state-of-mind.de>
License: GPL-3+
Comment: The saslfinger utility was downloaded from
http://postfix.state-of-mind.de/patrick.koetter/saslfinger/

Files: debian/gen-auth/*
Copyright: 2002-2006, John Jetmore <jj33@pobox.com>
License: GPL-3+
Comment: The gen-auth utility was downloaded from
http://jetmore.org/john/code/gen-auth

License: GPL-3+
This program is free software: you can redistribute
 it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
On Debian systems, the full text of the GNU General Public License
version 3 can be found in the file `/usr/share/common-licenses/GPL-3'.

License: BSD-4-clause
/*
 * Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions
of source code must retain the above copyright
 *   notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *   notice, this list of conditions and the following disclaimer in
 *   the documentation and/or other materials provided with the
 *   distribution.
 *
 * 3. The name "Carnegie Mellon University" must not be used to
 *   endorse or promote products derived from this software without
 *   prior written permission. For permission or any other legal
 *   details, please contact
 *   Office of Technology Transfer
 *   Carnegie Mellon University
 *   5000 Forbes Avenue
 *   Pittsburgh, PA 15213-3890
 *   (412) 268-4387, fax: (412) 268-7395
 *   tech-transfer@andrew.cmu.edu
 *
 * 4. Redistributions of any form whatsoever must retain the following
 *   acknowledgment:
 *   "This product includes software developed by Computing Services
 *   at
Carnegie Mellon University (http://www.cmu.edu/computing/)."
 *
 * CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
 * THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
 * AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
 * FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
 * AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
 * OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 */

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Expat
Upstream-Contact: Sebastian Pipping <sebastian@pipping.org>
Source: https://github.com/libexpat/libexpat
Copyright: Copyright (C) Expat maintainers

Files: *
Copyright:
Copyright (C) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (C) 2001-2017 Expat maintainers
License: MIT

Files: debian/*
Copyright:
Copyright (C) 1998-2000 Adam Di Carlo <aph@debian.org>
Copyright (C) 2000-2007 Ardo van Rangelrooij <ardo@debian.org>
Copyright (C) 2008-2009 Daniel Leidert (dale) <daniel.leidert@wgdd.de>
Copyright (C) 2013- Laszlo Boszormenyi (GCS) <gcs@debian.org>
License: MIT

License: MIT
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.
Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

Apache Commons BCEL Notice
<pre>

Apache Commons BCEL
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (https://www.apache.org/).

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity.
For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is
included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any
form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense,
and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for
that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution
notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms
and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Dynalink v.5

Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN
NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
CDebConf was initially written by Randolph Chung <tausq@debian.org>

Other contributors include:
Anthony Towns <ajt@debian.org>
David Whedon <dwhedon@gordian.com>
Dan Jacobowitz <dan@debian.org>
Tollef Fog Heen <tfheen@debian.org>
Attilio Fiandrotti <fiandro@tiscali.it>
Colin Watson <cjwatson@debian.org>
Regis Boudin <regis@debian.org>

CDebConf includes ideas and code from:
debconf - The original, de facto, perl implementation
(c) Joey Hess <joeyh@debian.org>
apt - The Debian Advanced Package Tool
(c) Jason Gunthorpe <jgg@debian.org>
(derived portions are public domain)

CDebConf is copyrighted (c) 2000-2009 by Randolph Chung <tausq@debian.org>,
the d-i team (see above), and Canonical Ltd. under the following license:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the
following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which
gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the
Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such

parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to

decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing
version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR
THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU
General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libcbor
Source: https://github.com/PJK/libcbor
Files-Excluded: docs/doxygen

Files: *
Copyright: Copyright (c) Pavel Kalvoda, 2014-2017
License: Expat

Files: src/cbor/internal/unicode.c
Copyright: (c) Pavel Kalvoda, 2014, 2015
(c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
License: Expat

Files: docs/stylesheets/github-light.css
Copyright: 2014 GitHub Inc
License: Apache-2.0
Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

.
http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations
under the License.
.
On Debian systems, the full license can be found in
/usr/share/common-licenses/Apache-2.0.

Files: debian/*
Copyright: 2015 Vincent Bernat <bernat@debian.org>
License: Expat

License: Expat
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
```

Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
 OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
 WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: http://ftp.debian.org/debian/pool/main/c/ca-certificates/

Files: debian/*
    examples/*
    Makefile
    mozilla/*
    sbin/*
Copyright: 2003 Fumitoshi UKAI <ukai@debian.or.jp>
       2009 Philipp Kern <pkern@debian.org>
       2011 Michael Shuler <michael@pbandjelly.org>
       Various Debian Contributors
License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
```

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this
 program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA.
.
On Debian GNU/Linux systems, the complete text of the GNU General Public
License can be found in '/usr/share/common-licenses/GPL-2'.

Files: mozilla/certdata.txt
     mozilla/nssckbi.h
Copyright: Mozilla Contributors
Comment: Original Copyright: 1994-2000 Netscape Communications Corporation
                  (certdata.txt <= CVS Revision: 1.82)
       NSS no longer contains explicit copyright. Upstream indicates
       that "Mozilla Contributors" is an appropriate attibution for the
       required Copyright: field in Debian's machine-readable format.
       https://bugzilla.mozilla.org/show_bug.cgi?id=850003
License: MPL-2.0
Mozilla Public License Version 2.0
==================================
.
1. Definitions

.
1.1. "Contributor"
   means each individual or legal entity that creates, contributes to
   the creation
 of, or owns Covered Software.
.
1.2. "Contributor Version"
   means the combination of the Contributions of others (if any) used
   by a Contributor and that particular Contributor's Contribution.
.
1.3. "Contribution"
   means Covered Software of a particular Contributor.
.
1.4. "Covered Software"
   means Source Code Form to which the initial Contributor has attached
   the notice in Exhibit A, the Executable Form of such Source Code
   Form, and Modifications of such Source Code Form, in each case
   including portions thereof.
.

1.5. "Incompatible With Secondary Licenses"
means

.

(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

.

(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

.

1.6. "Executable Form"
means any form of the work other than Source Code
Form.

.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in
a separate file or files, that is not Covered Software.

.

1.8. "License"
means this document.

.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant or subsequently, any and
all of the rights conveyed by this License.

.

1.10. "Modifications"
means any of the following:

.

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

.

(b) any new file in Source Code Form that contains any Covered
Software.

.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making,
using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those licenses.

.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

.

2. License Grants and Conditions

.

2.1. Grants

.

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

.

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

.

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

.

2.2. Effective Date

.

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

.

2.3. Limitations on Grant Scope

.

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

.
(a) for any code that a Contributor has removed from Covered Software; or

.
(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

.
(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

.
This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

.
2.4. Subsequent Licenses

.
No Contributor makes additional grants as a result of Your choice to distribute the Covered
Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

.
2.5. Representation

.
Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

.
2.6. Fair Use

.
This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

.
2.7. Conditions

.
Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

.
3. Responsibilities

.
3.1. Distribution of Source Form

.
All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under

the terms of this License. You must inform recipients that the Source Code Form of the Covered
Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

.

3.2. Distribution of Executable Form

.

If You distribute Covered Software in Executable Form then:

.

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

.

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

.

3.3. Distribution of a Larger Work

.

You may create and distribute
a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

.

3.4. Notices

.

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

.

3.5. Application
of Additional Terms

.

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

.

4. Inability to Comply Due to Statute or Regulation

.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

.

5. Termination

.

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

.
5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.
.
```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  ------------------------                                            *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer
 of warranty constitutes an   *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************
.
************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,
   *
*  special, incidental, or consequential damages of any character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
```

****

.

8. Litigation

.

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

.

9. Miscellaneous

.

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

.

10. Versions of the License

.

10.1. New Versions

.

Mozilla Foundation is the license steward. Except as provided in Section 10.3,

no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

.

10.2. Effect of New Versions

.

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

.

10.3. Modified Versions

.

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

.

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

.

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version
 of the License, the
notice described in Exhibit B of this License must be attached.

.

Exhibit A - Source Code Form License Notice

.

 This Source Code Form is subject to the terms of the Mozilla Public
 License, v. 2.0. If a copy of the MPL was not distributed with this
 file, You can obtain one at http://mozilla.org/MPL/2.0/.

.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

.

You may add additional accurate notices of copyright ownership.

.

Exhibit B - "Incompatible With Secondary Licenses" Notice

.

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.

Little Color Management System (LCMS) v2.12

LCMS License

<pre>

Little Color Management System
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
This package was debianized by Clint Adams <schizo@debian.org> on
Wed, 25 Jul 2007 20:37:51 +0700

It was downloaded from
http://www.oracle.com/technology/software/products/berkeley-db/db/index.html

Copyright and license:

The following is the license that applies to this copy of the Berkeley DB
software. For a license to use the Berkeley DB software under conditions
other than those described here, or to purchase support for this software,
please contact Oracle at berkeleydb-info_us@oracle.com.

=-=-=-

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
* Copyright (c) 1990, 1993, 1994, 1995
* The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/
/*
* Copyright (c) 1995, 1996
* The President and Fellows of Harvard University. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific
prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY HARVARD AND ITS CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL HARVARD OR ITS CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*/
=-=-=-

*/

1.111 jre 11.0.19+7-LTS

1.111.1 Available under license :

zlib v1.2.11

zlib License
<pre>

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
  claim that you wrote the original software. If you use this software
  in a product, an acknowledgment in the product documentation would be
  appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
  misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly   Mark Adler
jloup@gzip.org   madler@alumni.caltech.edu

</pre>
The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.
```

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder

shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN
 NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.


Some files are under GNU GPL v3 or any later version
- doc/example/pcsc_demo.c
- the files in src/spy/
- the files in UnitaryTests/

  Copyright (C) 2003-2014  Ludovic Rousseau

  This program is free software: you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation, either version 3 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
```

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Files src/auth.c and src/auth.h are:
* Copyright (C) 2013 Red Hat
*
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
*
* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>

Files src/simclist.c and src/simclist.h are:
* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>
*
* Permission to use, copy, modify, and distribute this software for any
* purpose with or without fee is hereby
granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
   http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

  Oracle America, Inc.
  Attn: Associate General Counsel,
  Development and Engineering Legal
  500 Oracle Parkway, 10th Floor

Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not
price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary
GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source
code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the

Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even
though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to
produce a
work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a

license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is

safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can
redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims
 all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

</pre>
xwd v1.0.7

xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
 FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>
The FreeType Project: Freetype v2.12.1

FreeType Notice

```
FreeType comes with two licenses from which you can choose the one
which fits your needs best.

  The FreeType License (FTL) is the most commonly used one. It is
  a BSD-style license with a credit clause and thus compatible with
  the GNU Public License (GPL) version 3, but not with the
  GPL version 2.

  The GNU General Public License (GPL), version 2. Use it for all
  projects which use the GPLv2 also, or which need a license
  compatible to the GPLv2.

```

FreeType License
```
```

Copyright (C) 1996-2022 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2022 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2022 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2004-2022 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2022 by Derek Clegg and Michael Toftdal.
Copyright (C) 2007-2022 by David Turner.
Copyright (C) 2022 by David Turner,
Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2022 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2022 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2019-2022 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2022 by Oran Agra and Mickey Gabel.
Copyright (C) 2004-2022 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.
Copyright (C) 2004-2022 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 2003-2022 by Masatake YAMATO, Redhat K.K.,
Copyright (C) 2013-2022 by Google, Inc.
Copyright (C) 2018-2022 by David Turner, Robert Wilhelm, Dominik Rttsches, and Werner Lemberg.
Copyright (C) 2005-2022 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright 2013 by Google, Inc.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
==========

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

This license applies to all files found in such packages, and
which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG
(Independent JPEG Group) licenses, which all encourage inclusion
and use of free software in commercial and freeware products

alike. As a consequence, its main points are that:

o We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)

o You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
"""
  Portions of this software are copyright <year> The FreeType
  Project (www.freetype.org).  All rights reserved.
"""
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'.

This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your

documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work,
you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

http://www.freetype.org

```

### GPL v2

```
      GNU GENERAL PUBLIC LICENSE
         Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
    51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

       Preamble

 The licenses for most software are designed to take away your
freedom to share and change it.
  By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to
 surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
```
```

distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally,
any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated
into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical
act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate
copyright notice and a
notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each
and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses

terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply
in other
circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical
distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other
free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE
COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample;
alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```

### Additional Freetype Attributions
```

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c

libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright
2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or
object code form as indicated by the copyright notice(s) included
herein (collectively, the "Work") is made available, and may only be
used, modified, and distributed under the FreeType Project License,
LICENSE.TXT. Additionally, subject to the terms and conditions of the
FreeType Project License, each contributor to the Work hereby grants
to any individual or legal entity exercising permissions granted by
the FreeType Project License and this section (hereafter, "You" or
"Your") a perpetual, worldwide, non-exclusive,
no-charge,
royalty-free, irrevocable (except as stated in this section) patent
license to make, have made, use, offer to sell, sell, import, and
otherwise transfer the Work, where such license applies only to those
patent claims licensable by such contributor that are necessarily
infringed by their contribution(s) alone or by combination of their
contribution(s) with the Work to which such contribution(s) was
submitted. If You institute patent litigation against any entity
(including a cross-claim or counterclaim in a lawsuit) alleging that
the Work or a contribution incorporated within the Work constitutes
direct or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate as of
the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you
have read and understood the terms and conditions of the
FreeType Project License as well as those provided in this section,
and you accept
them fully.

```

### MIT License
```

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
## PC/SC Lite v1.9.5

### PC/SC Lite License
<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
```

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS
SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING) file for details.

</pre>
This is the copyright file
Copyright 2005 Sun Microsystems, Inc. All rights reserved.
Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at http://mozilla.org/MPL/2.0/.
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case

including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU

Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes
such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes
additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the
maximum extent possible; and (b)
describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing
basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section

2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*  essential part of this License. No use of any Covered
 Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any character      *
*  including, without limitation,
 damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
```

* limitation may not apply to You.   *
*   *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place
 of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version
 number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove

any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Thai Dictionary

Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Apache Santuario v2.3.0

Apache Santuario Notice
<pre>

Apache Santuario - XML Security for Java
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity
authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that
do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from
the Work, provided
that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not
grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless
required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on
behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except
in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.

For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would
not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications
to this package which may subsequently be redistributed
and/or involve the use of third party software.
This file contains a list of people who've made non-trivial
contribution to the Google C++ Testing Framework project. People
who commit code to the project are encouraged to add their names
here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>
Balzs Dn <balazs.dan@gmail.com>
Bharat Mediratta <bharat@menalto.com>
Chandler Carruth <chandlerc@google.com>
Chris Prince <cprince@google.com>
Chris Taylor <taylorc@google.com>
Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>

Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston
Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean Mcafee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
Zhanyong Wan <wan@google.com>
OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found at the OASIS website:
[http://www.oasis-open.org/policies-guidelines/ipr]

This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself
may not be modified in any way, including by removing the copyright
notice or references to OASIS, except as needed for the purpose of
developing any
document or deliverable produced by an OASIS Technical
Committee (in which case the rules applicable to copyrights, as set
forth in the OASIS IPR Policy, must be followed) or as required to
translate it into languages other than English.

The limited permissions granted above are perpetual and will not be
revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 1. Redistributions of source code must retain the copyright notice,
    this list of conditions and the following disclaimer.

 2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in
    the documentation and/or other materials provided with the
    distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
 INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.
```

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```

All images in this directory are copyright 1995 by Jeff Dinkins.
## JRuby Joni v2.1.16

### MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING
 FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
## GIFLIB v5.2.1

### GIFLIB License
```

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
 TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

https://sourceforge.net/p/giflib/code/ci/master/tree/openbsd-reallocarray.c

Copyright (c) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:
    http://www.theFixx.org/Jeff
libpng v1.6.37

libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
==========

PNG Reference Library License version 2
---

* Copyright (c) 1995-2019 The PNG Reference Library Authors.
* Copyright (c) 2018-2019 Cosmin Truta.
* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
* Copyright (c) 1996-1997 Andreas Dilger.
* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and
non-infringement. In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising

from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of
such damage.

Permission is hereby granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
must not claim that you wrote the original software. If you
use this software in a product, an acknowledgment in the product
documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and
are distributed according to the same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is

with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20,
2000, are
Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined
as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or

implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
  be misrepresented as being the original source.

3. This Copyright
 notice may not be removed or altered from any
  source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

</pre>
NSS is available under the Mozilla Public License, version 2, a copy of which
is below.

Note on GPL Compatibility

The MPL 2, section 3.3, permits you to combine NSS with code under the GNU
General Public License (GPL) version 2, or any later version of that
license, to make a Larger Work, and distribute the result under the GPL.
The only condition is that you must also make NSS, and any changes you
have made to it, available to recipients under the terms of the MPL 2 also.

Anyone who receives the combined code from you does not have to continue
to dual licence in this way, and may, if they wish, distribute under the
terms of either of the two licences - either the MPL alone or the GPL
alone. However, we discourage people from distributing copies of NSS under
the GPL alone, because it means that any improvements they make cannot be
reincorporated into the main version of NSS. There is never a need to do
this for license compatibility reasons.

Note on LGPL Compatibility

The
above also applies to combining MPLed code in a single library with
code under the GNU Lesser General Public License (LGPL) version 2.1, or
any later version of that license. If the LGPLed code and the MPLed code
are not in the same library, then the copyleft coverage of the two
licences does not overlap, so no issues arise.

Mozilla Public License Version 2.0
==========

1. Definitions

1.1. "Contributor"
means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"
means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
means Covered Software of a particular Contributor.

1.4. "Covered Software"
means Source Code Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form
of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any
of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14.
"You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial

ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks,

or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections
3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code

Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor
are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of
this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

****
* *
* 6. Disclaimer of Warranty *
* ---------- *
* *
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *

* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire
risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *
****

****
* *
* 7. Limitation of Liability *
* ---------- *
* *
* Under no circumstances
and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
*
limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall
not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing
Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public

License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form
is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.
```

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
 notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## Mozilla Public Suffix List

### Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the

Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/3c213aab32b3c014f171b1673d4ce9b5cd72bf1c/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

### MPL v2.0
```
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered
 Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the
      terms of a Secondary License.
```
```

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct

or indirect,
to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available,
modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or
as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
for sale, have made, import, and otherwise transfer either its
Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for
each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

(a) for any code that a Contributor has removed from Covered Software;
or

(b) for infringements caused by: (i) Your and any other third party's
modifications of Covered Software, or (ii) the combination of its
Contributions with other software (except as part of its Contributor
Version); or

(c) under Patent Claims infringed by Covered Software in the absence of

its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

****
*
*
* 6. Disclaimer of Warranty   *

* ------------------------- *
* *
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *
****

****
* *
* 7. Limitation of Liability *
* ------------------------- *
* *
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *
****

8. Litigation

Any litigation relating to this License may be brought only in the
courts
of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that

jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.

```
Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE.  See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.
Copyright 2005 Sun Microsystems, Inc.  All rights reserved.
Use is subject to license terms.

***** BEGIN LICENSE BLOCK *****
Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this package are subject to the Mozilla Public License Version
1.1 (the "License"); you may not use this package except in compliance with
```

the License. You may obtain a copy of the License at
http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations under the
License.

The Original Code is the Netscape Portable Runtime (NSPR).

The Initial Developer of the Original Code is
Netscape Communications Corporation.
Portions created by the Initial Developer are Copyright (C) 1998-2000
the Initial Developer. All Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of
either the GNU General Public
 License Version 2 or later (the "GPL"), or
the GNU Lesser General Public License Version 2.1 or later (the "LGPL"),
in which case the provisions of the GPL or the LGPL are applicable instead
of those above. If you wish to allow use of your version of this file only
under the terms of either the GPL or the LGPL, and not to allow others to
use your version of this file under the terms of the MPL, indicate your
decision by deleting the provisions above and replace them with the notice
and other provisions required by the GPL or the LGPL. If you do not delete
the provisions above, a recipient may use your version of this file under
the terms of any one of the MPL, the GPL or the LGPL.

***** END LICENSE BLOCK *****
c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

==  BSD LICENSE  ================================================================

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
```

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
## Apache Xerces v2.12.2

### Apache Xerces Notice
<pre>
  ========================================================================
  == NOTICE file corresponding to section 4(d) of the Apache License,    ==
  == Version 2.0, in this case for the Apache Xerces Java distribution.  ==
  ========================================================================

  Apache Xerces Java
  Copyright 1999-2022 The Apache Software Foundation

  This product includes software developed at
  The Apache Software Foundation (http://www.apache.org/).

  Portions of this software were originally based on the following:
  - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
  - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
  - voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.
</pre>

### Apache 2.0 License
<pre>


                    Apache License
                  Version 2.0, January 2004
```

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients

of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with
the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any
Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
JLine v3.20.0

JLine License
<pre>

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

https://opensource.org/licenses/BSD-3-Clause

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY

AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Pako v1.0

Pako License
<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any
source distribution.

</pre>
IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of
Technology."

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this
software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF online code charts under the directory http://www.unicode.org/Public/. Software includes any source code published in the Unicode Standard or under the directories http://www.unicode.org/Public/, http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode,
Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software
that the data or
software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.
Harfbuzz v4.4.1

Harfbuzz License

https://github.com/harfbuzz/harfbuzz/blob/4.4.1/COPYING

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010-2022 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2019-2020 Facebook, Inc.
Copyright 2012-2015 Mozilla Foundation.
Copyright 2011 Codethink Limited
Copyright 2008-2010 Nokia Corporation and/or its subsidiary(-ies)
Copyright 2009 Keith Stribley
Copyright 2009 Martin Hosken and SIL International
Copyright 2007 Chris Wilson
Copyright 2005-2022 Behdad Esfahbod
Copyright 2005 David Turner
Copyright 2004-2013 Red Hat, Inc.
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2018-2019 Adobe Inc.
Copyright 2018 Khaled Hosny
Copyright 2016 Igalia S.L.

For
 full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR
DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source
 code, except for one section, is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION
 WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>
The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT
 OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Within this directory, each of the file listed below is licensed under
the terms given in the file LICENSE-MPL, also in this directory.

basecvt.pod
gcd.pod
invmod.pod
isprime.pod
lap.pod
mpi-test.pod
prime.txt
prng.pod
JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3
license.

The MIT License
```
Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
```

AUTHORS
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
```

### GPL version 3
```

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its
users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must
pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive

or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such
abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the
GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A

"Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users,
your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent
notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to

"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not
make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source
fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this

conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially,
and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer
product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,

procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source
conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special
password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover,
your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other
than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under
the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether
already acquired or
hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent

(such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make
such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with
a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent
license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the
present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different

permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of
your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING
BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS
```

## Double-conversion v1.1.5

### Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>
```

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
jQuery UI v1.12.1

jQuery UI License
```
Copyright jQuery Foundation and other contributors, https://jquery.org/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery-ui

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
```

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
 WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample
code is defined as all source code contained within the demos directory.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

```
Within this directory, each of the file listed below is licensed under
the terms given in the file LICENSE-MPL, also in this directory.

pi1k.txt
pi2k.txt
pi5k.txt
## jQuery v3.6.0

### jQuery License
```
jQuery v 3.6.0
Copyright OpenJS Foundation and other contributors, https://openjsf.org/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

****

The jQuery JavaScript Library v3.6.0 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/sizzle

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons
to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

****

```
## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation.  Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE.  See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact
 Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.
## DOM Level 3 Core Specification v1.0

### W3C Software Notice
<pre>
```

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.
</pre>

W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided
 by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

 1.The full text of this NOTICE in a location viewable to users of the
 redistributed or derivative work.

 2.Any pre-existing intellectual property disclaimers, notices, or terms and
 conditions. If none exist, the W3C Software Short Notice should be included
 (hypertext is preferred, text is permitted) within the body of any
 redistributed or derivative code.

 3.Notice of any changes or modifications to the files, including the date
 changes were made.
(We recommend you provide URIs to the location from
 which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS
MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This
version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>
jopt-simple v5.0.4

MIT License
<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Independent JPEG Group: JPEG release 6b

JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name
in advertising or publicity relating to this software or products derived

from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
  Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>
Apache Xalan v2.7.2

Apache Xalan Notice
<pre>

==
====
  == NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  == in this case for the Apache Xalan distribution.   ==
==
====

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
 The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
 compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
 the source from the packages that are part of the XSLTC sources.

 Portions of this software was originally based on the following:

  - software copyright (c) 1999-2002, Lotus Development Corporation.,
http://www.lotus.com.
  - software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
  - software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
  - voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
    Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

                    Apache License
                Version 2.0, January 2004
             http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

 "License" shall mean the terms and conditions for use, reproduction,
 and distribution as defined by Sections 1 through 9 of this document.

 "Licensor" shall mean the copyright owner or entity authorized by
 the copyright owner that is granting the License.

 "Legal Entity" shall mean the union of the acting entity and all
 other entities that control,

are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made
available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright
owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to

in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.
Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.
The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>
Within this directory, each of the file listed below is licensed under
the terms given in the file LICENSE-MPL, also in this directory.

PRIMES
COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
==========

PNG Reference Library License version 2
---

* Copyright (c) 1995-2019 The PNG Reference Library Authors.
* Copyright (c) 2018-2019 Cosmin Truta.
* Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
* Copyright (c) 1996-1997 Andreas Dilger.
* Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,
express or implied, including, without limitation, the warranties
of merchantability, fitness for a particular purpose, title, and

non-infringement. In no event shall the Copyright owners, or
anyone distributing the software, be liable for any damages or
other liability, whether in contract, tort or otherwise, arising
from, out of, or in connection with the software, or the use or
other dealings in the software, even if advised of the possibility
of such damage.

Permission is hereby granted
 to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you
   must not claim that you wrote the original software. If you
   use this software in a product, an acknowledgment in the product
   documentation would be appreciated, but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any
   source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)
---

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer
 and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

   Simon-Pierre Cadieux
   Eric S. Raymond
   Mans Rullgard
   Cosmin Truta
   Gilles Vollant
   James Yu
   Mandar Sahastrabuddhe
   Google Inc.
   Vadim Barkov

and with the following additions to the disclaimer:

   There is no warranty against interference with your enjoyment of
   the library or against infringement. There is no warranty that our

efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is
with the user.

Some files in the "contrib" directory and some configure-generated
files that are distributed with libpng have other copyright owners, and
are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are
Copyright (c) 1998-2000 Glenn Randers-Pehrson,
 are derived from
libpng-0.96, and are distributed according to the same disclaimer and
license as libpng-0.96, with the following individuals added to the
list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are
Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.
CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

```
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether
```

in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.
```

---
```

This is an open source license. It is also GPL-Compatible (see entry for
"Standard ML of New Jersey"). The portions of CUP output which are hard-coded
into the CUP source code are (naturally) covered by this same license, as is
the CUP runtime code linked with the generated parser.
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users. This General Public License applies to
most of the Free Software Foundation's software and to any other program whose
authors commit to using it. (Some other Free Software Foundation software is
covered by the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our
General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it if you want it, that you can change
the software or use pieces of it in new free programs; and that you know you
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny
you these rights or to ask you to surrender the rights. These restrictions
translate to certain responsibilities for you if you distribute copies of the
software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must
make sure that they, too, receive or can get the source code. And you must
```

show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be
distributed under the terms of
this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided
that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not

accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically
receives a license from the original licensor to
copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that

distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

> One line to give the program's name and a brief idea of what it does.
>
> Copyright (C) <year> <name of author>
>
> This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.
>
> This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.
>
> You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

> Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,

if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  'Gnomovision' (which makes passes at compilers) written by James Hacker.

  signature of Ty Coon, 1 April 1989

  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
 clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

  Linking this library statically or dynamically with other modules is making
  a combined work based on this library. Thus, the terms and conditions of
  the GNU General Public License cover the whole combination.

  As a special exception, the copyright holders of this library give you
  permission to link this library with independent modules to produce an
  executable, regardless of the license terms of these independent modules,
  and to copy and distribute the resulting executable under terms of your
  choice, provided that you also meet, for each linked independent module,
  the terms and conditions of the license of that module. An independent
  module is a module
 which is not derived from or based on this library. If
  you modify this library, you may extend this exception to your version of
  the library, but you are not obligated to do so. If you do not wish to do
  so, delete this exception statement from your version.
Apache Commons Byte Code Engineering Library (BCEL) Version 6.5.0

Apache Commons BCEL Notice
<pre>

  Apache Commons BCEL
  Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity.
For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is

included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any
form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense,
and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty
or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
***** BEGIN LICENSE BLOCK *****
Version: MPL 1.1/GPL 2.0/LGPL 2.1

The contents of this file are subject to the Mozilla Public License Version
1.1 (the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations under the
License.

The Original Code is the Netscape security libraries.

The Initial Developer of the Original Code is Netscape

Communications Corporation. Portions created by Netscape are
Copyright (C) 1994-2000 Netscape Communications Corporation. All
Rights Reserved.

Contributor(s):

Alternatively, the contents of this file may be used under the terms of
either the GNU General Public License Version 2 or later (the "GPL"), or
the GNU Lesser General Public License Version 2.1 or later
(the "LGPL"),
in which case the provisions of the GPL or the LGPL are applicable instead
of those above. If you wish to allow use of your version of this file only
under the terms of either the GPL or the LGPL, and not to allow others to
use your version of this file under the terms of the MPL, indicate your
decision by deleting the provisions above and replace them with the notice
and other provisions required by the GPL or the LGPL. If you do not delete
the provisions above, a recipient may use your version of this file under
the terms of any one of the MPL, the GPL or the LGPL.

***** END LICENSE BLOCK *****
Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

- Neither the name of Oracle nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Dynalink v.5

Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN
 NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Mesa 3-D Graphics Library v21.0.3

Mesa License

```
Copyright (C) 1999-2007  Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:
```

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution
and their respective licenses.
Mesa Component Licenses

Component	Location	License
Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

****

---
include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),

to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
 OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

****

---
include/GL/glext.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
 WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

---
include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

****

```
## Little Color Management System (LCMS) v2.12

### LCMS License
<pre>

Little Color Management System
Copyright (c) 1998-2020 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
```

THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.112 pax-utils 1.3.7-r1

1.112.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses
are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission
to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program
or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program

(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled
to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies
a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED
BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version
2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical
commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.113 openjdk 11.0.19

1.113.1 Available under license :

c-libutl 20160225

c-libutl License
```

This software is distributed under the terms of the BSD license.

== BSD LICENSE ==========

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
```

this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http://opensource.org/licenses/bsd-license.php

```
## The Unicode Standard, Unicode Character Database, Version 10.0.0

### Unicode Character Database

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE

THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
 this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```

## Pako v1.0

### Pako License
<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
```

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
claim that you wrote the original software. If you use this software
in a product, an acknowledgment in the product documentation would be
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any
source distribution.

</pre>
Little Color Management System (LCMS) v2.9

LCMS License
<pre>

Little Color Management System
Copyright (c) 1998-2011 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software

is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a
[copy](http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl)
of the Elliptic Curve Cryptography library in source
form with the JDK and OpenJDK source distributions, and as object code in
the JRE & JDK runtimes.
<pre>
In the case of the JRE & JDK runtimes, the terms of the Oracle license do
NOT apply to the Elliptic Curve Cryptography library; it is licensed under the
following license, separately from Oracle's JDK & JRE. If you do not wish to
install the Elliptic Curve Cryptography library, you may delete the
Elliptic Curve Cryptography library:
  - On Solaris and Linux systems: delete $(JAVA_HOME)/lib/libsunec.so
  - On Mac OSX systems: delete $(JAVA_HOME)/lib/libsunec.dylib
  - On Windows systems: delete $(JAVA_HOME)\bin\sunec.dll

</pre>

###
 Written Offer for Source Code
<pre>

For third party technology that you receive from Oracle in binary form
which is licensed under an open source license that gives you the right
to receive the source code for that binary, you can obtain a copy of
the applicable source code from this page:
   http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl

If the source code for the technology was not provided to you with the
binary, you can also receive a copy of the source code on physical
media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

http://www.oracle.com/goto/opensourcecode/request

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code

- The name and version
number of the Oracle product containing the binary

- The date you received the Oracle product

- Your name

- Your company name (if applicable)

- Your return mailing address and email and

- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.
Your request must be sent (i) within three (3) years of the date you
received the Oracle product that included the component or binary
file(s) that are the subject of your request, or (ii) in the case of
code licensed under the GPL v3, for as long as Oracle offers spare
parts or customer support for that product model.

</pre>

LGPL 2.1
<pre>

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not
price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library
after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal

permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs
enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in
the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must

be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole
must be on the terms of
this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary
GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on

which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library

subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time.

Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version
number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT
PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE
WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License
<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must
  include the following acknowledgment:

  "This product includes software developed by IAIK of Graz University of
   Technology."

  Alternately, this acknowledgment may appear in the software itself, if and
  wherever such third-party
 acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
  Technology" must not be used to endorse or promote products derived from this
  software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper",
  nor may "IAIK" appear in their name, without prior written permission of
  Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
 OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

</pre>

JLine v2.14.6

JLine License
<pre>

Copyright (c) 2002-2016, the original author or authors.
All rights reserved.

http://www.opensource.org/licenses/bsd-license.php

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.

Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Double-conversion v1.1.5

Double-conversion License

https://raw.githubusercontent.com/google/double-conversion/master/LICENSE

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.
* Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived
 from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Khronos Group OpenGL Headers v2.1

Khronos Group License
<pre>

Copyright (c) 2007 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

</pre>
JSZip v3.1.5

MIT License
<pre>

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>
libpng v1.6.35

libpng License
<pre>

This copy of the libpng notices is provided for your convenience. In case of
any discrepancy between this copy and the notices in the file png.h that is
included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.0.7, July 1, 2000 through 1.6.35, September 29, 2017 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is
no warranty against interference with your enjoyment of the
library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is with
the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas

Dilger, are derived from libpng-0.88,
and are distributed according to the same disclaimer and license as
libpng-0.88, with the following individuals added to the list of
Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors
and Group 42, Inc. disclaim all warranties, expressed or implied,
including, without limitation, the warranties of merchantability and of
fitness for any purpose. The Contributing Authors and Group 42,
Inc.
assume no liability for direct, indirect, incidental, special, exemplary,
or consequential damages, which may result from the use of the PNG
Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.

2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without
fee, and encourage the use of this source code as a component to
supporting the PNG file format in commercial products. If you use this
source code in a product, acknowledgment is not required but would be
appreciated.

END OF COPYRIGHT
 NOTICE, DISCLAIMER, and LICENSE.

</pre>
GIFLIB v5.1.4

GIFLIB License
<pre>

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
 TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

</pre>
Apache Xerces v2.11.0

Apache Xerces Notice
<pre>
  ==
  == NOTICE file corresponding to section 4(d) of the Apache License, ==
  == Version 2.0, in this case for the Apache Xerces Java distribution. ==
  ==

  Apache Xerces Java
  Copyright 1999-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).
Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.
</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual
or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should
be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
jQuery UI v1.11.4

jQuery UI License
```
Copyright jQuery Foundation and other contributors, https://jquery.org/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery-ui

The following license applies to all parts of this software except as
documented below:

====
```

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
 WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample
code is defined as all source code contained within the demos directory.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

```
## jQuery Migrate v3.0.1

### jQuery Migrate License
```
Copyright jQuery Foundation and other contributors, https://jquery.org/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/jquery-migrate

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS
 IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.
```
## Apache Xalan v2.7.2

### Apache Xalan Notice
<pre>

========================================================================
====
  ==  NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
  ==  in this case for the Apache Xalan distribution.                  ==
========================================================================
====

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

 Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
 The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
 compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
```

the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation., http://www.lotus.com.
- software copyright (c) 2001-2002, Sun Microsystems., http://www.sun.com.
- software copyright (c) 2003, IBM Corporation., http://www.ibm.com.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made
available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright
owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement,
then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative
Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement
to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing
the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including
any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
PC/SC Lite for Suse Linux v1.1.1

PC/SC Lite License
<pre>

Copyright (c) 1999-2004 David Corcoran <corcoran@linuxnet.com>
Copyright (c) 1999-2004 Ludovic Rousseau <ludovic.rousseau (at) free.fr>
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
  must display the following acknowledgement:
    This product includes software developed by:
     David Corcoran <corcoran@linuxnet.com>
     http://www.linuxnet.com (MUSCLE)
4. The name of the author may not be
 used to endorse or promote products
  derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with
explicit written consent.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
Thai Dictionary

Thai Dictionary License
<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,

Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
 OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
 not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under

the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
 to this package which may subsequently be redistributed
and/or involve the use of third party software.
JRuby Joni v1.1.9

JRuby License
<pre>

Jruby 2012

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF
 OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at
openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU
General Public License <http://www.gnu.org/copyleft/gpl.html> version 2
only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code
is making a combined work based on this library. Thus, the terms
and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this
OpenJDK Code with certain code licensed by Oracle as indicated at
http://openjdk.java.net/legal/exception-modules-2007-05-08.html
("Designated Exception Modules") to produce an executable,
regardless of the license terms of the Designated Exception Modules,
and to copy and distribute the resulting executable under GPL2,
provided that the Designated Exception Modules continue to be
governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code
to build an executable that includes those portions of necessary code that
Oracle could not provide under GPL2 (or that Oracle has provided under GPL2
with the Classpath exception). If you modify or add to the OpenJDK code,
that new GPL2 code may still be combined with Designated Exception Modules
if the new code is made subject to this exception by its copyright holder.
Cryptix AES v3.2.0

Cryptix General License
<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other materials provided with the
   distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
International Components for Unicode (ICU4J) v60.2

ICU4J License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
 AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright  1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
```

(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## jopt-simple v5.0.4

### MIT License
<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
```

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
Independent JPEG Group: JPEG release 6b

JPEG License
<pre>

Must reproduce following license in documentation and/or other materials
provided with distribution:

The authors make NO WARRANTY or representation, either express or implied,
with respect to this software, its quality, accuracy, merchantability, or
fitness for a particular purpose. This software is provided "AS IS",
and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute
this software (or portions thereof) for any purpose, without fee,
subject to these conditions:

(1) If any part of the source code for this software is distributed,
then this README file must be included, with this copyright and no-warranty
notice unaltered; and any additions, deletions, or changes to the original
files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation
must state that "this software is based in part on the work of the
Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts
full responsibility for any undesirable consequences; the authors accept
NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,
not just to the unmodified library. If you use our work, you ought to
acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name

in advertising or publicity relating to this software or products derived
from it. This software may be referred to only as "the Independent JPEG
Group's software".

We specifically permit and encourage the use of this software as the basis
of commercial products, provided that all warranty or liability claims are
assumed by the product vendor.

ansi2knr.c is included in this
 distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.
 Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>

Apache Commons Byte Code Engineering Library (BCEL) Version 6.0

Apache Commons BCEL Notice
<pre>

 ==
 == NOTICE file corresponding to the section 4 d of ==
 == the Apache License, Version 2.0, ==
 == in this case for the Apache Commons BCEL distribution. ==
 ==

 This product includes software developed by
 The Apache Software Foundation (http://www.apache.org/).

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

 "License" shall mean the terms and conditions for use, reproduction,
 and distribution as defined by Sections 1 through 9 of
 this document.

 "Licensor" shall mean the copyright owner or entity authorized by
 the copyright owner that is granting the License.

 "Legal Entity" shall mean the union of the acting entity and all
 other entities that control, are controlled by, or are under common
 control with that entity. For the purposes of this definition,
 "control" means (i) the power, direct or indirect, to cause the
 direction or management of such entity, whether by contract or
 otherwise, or (ii) ownership of fifty percent (50%) or more of the
 outstanding shares, or (iii) beneficial ownership of such entity.

 "You" (or "Your") shall mean an individual or Legal Entity
 exercising permissions granted by this License.

 "Source" form shall mean the preferred form for making modifications,
 including but not limited to software source code, documentation
 source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from
the Source form of the Work,
excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute,
alongside
or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor
regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether
in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License,
Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Mozilla Public Suffix List

Public Suffix Notice
```
You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
```

<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
https://raw.githubusercontent.com/publicsuffix/list/2225db8d9f4a2a27ec697c883360632fa0c16261/public_suffix_list.dat.
If a copy of the MPL was not distributed with this file, you can obtain one
at https://mozilla.org/MPL/2.0/.

Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations
 under the License.
```

### MPL v2.0
```
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered
```
```

Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"
means any form of the work other than Source Code Form.

1.7. "Larger Work"
means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"
means this document.

1.9. "Licensable"
means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent
claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,
to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its

Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section
3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms
of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.
Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known
factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
************************************************************************
*                                                                      *
*                                                                      *
*  6. Disclaimer of Warranty                                           *
*  -------------------------                                           *
*                                                                      *
*  Covered Software is provided under this License on an "as is"       *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the       *
*  Covered Software is free of defects, merchantable, fit for a        *
*  particular purpose or non-infringing. The entire risk as to the     *
*  quality and performance of the Covered Software is with You.        *
*  Should any Covered Software prove defective in any respect, You     *
*  (not any Contributor) assume the cost of any necessary servicing,   *
*  repair, or correction. This disclaimer of warranty constitutes an   *
*
 essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.         *
*                                                                      *
************************************************************************

************************************************************************
*                                                                      *
*  7. Limitation of Liability                                          *
*  --------------------------                                          *
*                                                                      *
*  Under no circumstances and under no legal theory, whether tort      *
*  (including negligence), contract, or otherwise, shall any           *
*  Contributor, or anyone who distributes Covered Software as          *
*  permitted above, be liable to You for any direct, indirect,         *
*  special, incidental, or consequential damages of any
 character      *
*  including, without limitation, damages for lost profits, loss of    *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the       *
*  extent applicable law prohibits such limitation. Some               *
*  jurisdictions do not allow the exclusion or limitation of           *
*  incidental or consequential damages, so this exclusion and          *
*  limitation may not apply to You.                                    *
*                                                                      *
************************************************************************

8. Litigation
-------------
```

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.
Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With

Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at https://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as
defined by the Mozilla Public License, v. 2.0.

```
## DOM Level 3 Core Specification v1.0

### W3C License
<pre>

W3C SOFTWARE NOTICE AND LICENSE

http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other
related items) is being provided by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
```

2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If
none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written
prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>
Mesa 3-D Graphics Library v4.1

Mesa License
<pre>

Mesa 3-D graphics library
Version: 4.1

Copyright (C) 1999-2002 Brian Paul   All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
BRIAN PAUL BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
 WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>
CUP Parser Generator for Java v 0.10k

CUP Parser Generator License
<pre>

Copyright 1996-1999 by Scott Hudson, Frank Flannery, C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both
the copyright notice and this permission notice and warranty disclaimer
appear in supporting documentation, and that the names of the authors or
their employers not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action
 of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software.

</pre>
The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,
for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or

in part contains or is derived from the Program or any part thereof, to be
licensed as a whole at no charge to all third parties under the terms of
this License.

c) If the modified program normally reads commands interactively when run,
you must cause it, when started running for such interactive use in the
most ordinary way, to print or display an announcement including an
appropriate copyright notice and a notice that there is no warranty (or
else, saying that you provide a warranty) and that users may redistribute
the program under these conditions, and telling the user how to view a copy
of this License. (Exception: if the Program itself is interactive but does
not normally print such an announcement, your work based on the Program is
not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its
terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and
2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source
code, which must be distributed under the terms of Sections 1 and 2 above
on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to
give any third party, for a charge no more than your cost of physically
performing source distribution, a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of Sections 1

and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you,
then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the

terms and conditions either of
that version or of any later version published by the Free Software Foundation.
If the Program does not specify a version number of this License, you may
choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs
whose distribution conditions are different, write to the author to ask for
permission. For software which is copyrighted by the Free Software Foundation,
write to the Free Software Foundation; we sometimes make exceptions for this.
Our decision will be guided by the two goals of preserving the free status of
all derivatives of our free software and of promoting the sharing and reuse of
software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR
THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE
STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE
PROGRAM "AS IS"
WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE,
YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL
ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE
THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR
INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA
BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER
OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible
use to the public, the best way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)
any later version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for
more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it
starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
 clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

  Linking this library statically or dynamically with other modules is making
  a combined work based on this library. Thus, the terms and conditions of
  the GNU General Public License cover the whole combination.

  As a special exception, the copyright holders of this library give you
  permission to link this library with independent modules to produce an
  executable, regardless of the license terms of these independent modules,
  and to copy and distribute the resulting executable under terms of your
  choice, provided that you also meet, for each linked independent module,
  the terms and conditions of the license of that module. An independent
  module is a module
 which is not derived from or based on this library. If
  you modify this library, you may extend this exception to your version of
  the library, but you are not obligated to do so. If you do not wish to do
  so, delete this exception statement from your version.
Unicode Common Local Data Repository (CLDR) v33

CLDR License

```

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
```

http://www.unicode.org/cldr/data/,
http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in http://www.unicode.org/copyright.html.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

```
## jQuery v3.3.1

### jQuery License
```
jQuery v 3.3.1
Copyright 2005, 2018 jQuery Foundation, Inc. and other contributors
http://jquery.com/

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
 LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

****

The jQuery JavaScript Library v3.3.1 also includes Sizzle.js

Sizzle.js includes the following license:

Copyright JS Foundation and other contributors, https://js.foundation/

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/jquery/sizzle

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit
 persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node_modules and external directories are
externally maintained libraries used by this software which have their
own licenses; we recommend you read them, as their terms may differ from
the terms above.

****

```
## Dynalink v.5

### Dynalink License
<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
```

IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN
NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
Harfbuzz v1.8.2

Harfbuzz License

http://cgit.freedesktop.org/harfbuzz/tree/COPYING

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual
files names COPYING in subdirectories where applicable.

Copyright 2010,2011,2012 Google, Inc.
Copyright 2012 Mozilla Foundation
Copyright 2011 Codethink Limited
Copyright 2008,2010 Nokia Corporation and/or its subsidiary(-ies)
Copyright 2009 Keith Stribley
Copyright 2009 Martin Hosken and SIL International
Copyright 2007 Chris Wilson
Copyright 2006 Behdad Esfahbod
Copyright 2005 David Turner
Copyright 2004,2007,2008,2009,2010 Red Hat, Inc.
Copyright 1998-2004 David Turner and Werner Lemberg

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without
license or royalty fees, to use, copy, modify, and distribute this
software and its
 documentation for any purpose, provided that the
above copyright notice and the following two paragraphs appear in
all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR

DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN
IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS
ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO
PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section, is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

Copyright (C) 2012 Grigori Goronzy
 <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

</pre>
X Windows System v6.8.2

X Windows System License
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright (c) 1994 Hewlett-Packard Co.
Copyright (c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE
AND NONINFRINGEMENT.
IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from the X Consortium.

The files in motif/lib/Xm/util included this copyright:
mkdirhier.man,xmkmf.man, chownxterm.c, makeg.man, mergelib.cpp,
lndir.man, makestrs.man, checktree.c, lndir.c, makestrs.c

Copyright (c) 1993, 1994 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify,
merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF
OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not

be used in advertising or otherwise to promote the sale, use or other
dealing in this Software without prior written authorization from the
X Consortium.

Xmos_r.h:
/*
Copyright
(c) 1996 X Consortium

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be
used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization from the X Consortium.
*/

Copyright notice for extutil.h:
Copyright 1989, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except
as contained in this notice, the name of The Open Group shall not be
used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization from The Open Group.
*
* Author: Jim Fulton, MIT The Open Group
*
* Xlib Extension-Writing Utilities
*
* This package contains utilities for writing the client API for various
* protocol extensions. THESE INTERFACES ARE NOT PART OF THE X STANDARD AND
* ARE SUBJECT TO CHANGE!
*/

Copyright notice for HPkeysym.h:
/*

Copyright 1987, 1998 The Open Group

All Rights Reserved.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM,
DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts,

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its

documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the names of Hewlett Packard
or Digital not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

DIGITAL DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL
DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

HEWLETT-PACKARD MAKES NO WARRANTY OF ANY KIND WITH REGARD
TO THIS SOFWARE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. Hewlett-Packard shall not be liable for errors
contained herein or direct, indirect, special, incidental or
consequential damages in connection with the furnishing,
performance, or use of this material.

*/

Copyright notice in keysym2ucs.h:

Copyright 1987, 1994, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its
documentation
for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from
The Open Group.

Copyright 1987 by Digital Equipment Corporation, Maynard, Massachusetts

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Digital not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

DIGITAL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL
DIGITAL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS,
WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION,
ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

**********/

</pre>
Apache Santuario v2.1.1

Apache Santuario Notice
<pre>

Apache Santuario - XML Security for Java
Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <http://www.nue.et-inf.uni-siegen.de/>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

</pre>

Apache 2.0 License
<pre>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity
authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object
code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that
do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from
the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not
grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless
required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on
behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except
in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>
PKCS #11 Cryptographic Token Interface v2.20 Amendment 3 Header Files

PKCS #11 Cryptographic Token Interface License
<pre>

License to copy and use this software is granted provided that it is
identified as "RSA Security Inc. PKCS #11 Cryptographic Token Interface
(Cryptoki)" in all material mentioning or referencing this software.

License is also granted to make and use derivative works provided that
such works are identified as "derived from the RSA Security Inc. PKCS #11
Cryptographic Token Interface (Cryptoki)" in all material mentioning or
referencing the derived work.

RSA Security Inc. makes no representations concerning either the
merchantability of this software or the suitability of this software for
any particular purpose. It is provided "as is" without express or implied
warranty of any kind.

</pre>

1.114 jsr305 3.0.2

1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2005 Brian Goetz
* Released under the Creative Commons Attribution License
*   (http://creativecommons.org/licenses/by/2.5)
* Official home: http://www.jcip.net

*/

Found in path(s):
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java
* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java

1.115 xml-apis 1.4.01

1.115.1 Available under license :

```
 ========================================================================
 ==  NOTICE file corresponding to section 4(d) of the Apache License,   ==
 ==  Version 2.0, in this case for the Apache xml-commons xml-apis      ==
 ==  distribution.                                                      ==
 ========================================================================

 Apache XML Commons XML APIs
 Copyright 1999-2009 The Apache Software Foundation.

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were originally based on the following:
   - software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
   - software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
   - software copyright (c) 2000 World Wide Web Consortium, http://www.w3.org
xml-commons/java/external/LICENSE.sax.txt $Id: LICENSE.sax.txt 225954 2002-01-31 23:26:48Z curcuru $


This license came from: http://www.megginson.com/SAX/copying.html
 However please note future versions of SAX may be covered
 under http://saxproject.org/?selected=pd


This page is now out of date -- see the new SAX site at
http://www.saxproject.org/ for more up-to-date
releases and other information. Please change your bookmarks.


SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for
```

XML), and release all of the SAX 2.0 source code, compiled code, and
documentation contained in this distribution into the Public Domain.
SAX comes with NO WARRANTY or guarantee of fitness for any
purpose.

David Megginson, david@megginson.com
2000-05-05
xml-commons/java/external/LICENSE.dom-software.txt $Id: LICENSE.dom-software.txt 734314 2009-01-14 03:33:27Z mrglavas $

This license came from: http://www.w3.org/TR/2004/REC-DOM-Level-3-Core-20040407/java-binding.zip (COPYRIGHT.html)

W3C SOFTWARE NOTICE AND LICENSE
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

Note: The original version of the
W3C Software Copyright Notice and License could
be found at http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the
W3C Software Short Notice should be
included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.
Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
xml-commons/java/external/LICENSE.dom-documentation.txt $Id: LICENSE.dom-documentation.txt 226215
2005-06-03 22:49:13Z mrglavas $

This license came from: http://www.w3.org/Consortium/Legal/copyright-documents-20021231

W3C DOCUMENT LICENSE
http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231

Public documents on the W3C site are provided by the copyright holders under

the following license. By using and/or copying this document, or the W3C document from which this statement is linked, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions:

Permission to copy, and distribute the contents of this document, or the W3C document from which this statement is linked, in any medium for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the document, or portions thereof, that you use:

1. A link or URL to the original W3C document.
2. The pre-existing
copyright notice of the original author, or if it
   doesn't exist, a notice (hypertext is preferred, but a textual
   representation is permitted) of the form: "Copyright [$date-of-document]
   World Wide Web Consortium, (Massachusetts Institute of Technology,
   European Research Consortium for Informatics and Mathematics, Keio
   University). All Rights Reserved.
   http://www.w3.org/Consortium/Legal/2002/copyright-documents-20021231"
3. If it exists, the STATUS of the W3C document.

When space permits, inclusion of the full text of this NOTICE should be provided. We request that authorship attribution be provided in any software, documents, or other items or products that you create pursuant to the implementation of the contents of this document, or any portion thereof.

No right to create modifications or derivatives of W3C documents is granted pursuant to this license. However, if additional requirements (documented in the Copyright FAQ) are satisfied, the right
to create modifications or
derivatives is sometimes granted by the W3C to individuals complying with those requirements.

THIS DOCUMENT IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THE DOCUMENT ARE SUITABLE FOR ANY PURPOSE; NOR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE DOCUMENT OR THE PERFORMANCE OR IMPLEMENTATION OF THE CONTENTS THEREOF.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to this document or its contents without specific, written prior permission. Title to copyright in this document will at all times remain with copyright

holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, moves information on style sheets, DTDs, and schemas to the Copyright FAQ, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". See the older formulation for the policy prior to this date. Please see our Copyright FAQ for common questions about using materials from our site, such as the translating or annotating specifications. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

Last revised by Reagle $Date: 2005-06-03 18:49:13 -0400 (Fri, 03 Jun 2005) $

1.116 servlet-api 3.0.1

1.116.1 Available under license :

```
/*
* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
*
* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.
*
* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License").  You
* may not use this file except in compliance with the License.  You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or packager/legal/LICENSE.txt.  See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at packager/legal/LICENSE.txt.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
 * file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
```

* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates
 work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

  1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

  1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

  1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

  1.4. Executable. means the Covered Software in any form other than Source Code.

  1.5. Initial Developer. means the individual or entity that first makes Original Software available under this

License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.
Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.
Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under
intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software
with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the
combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available
in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients. rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient.s rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES
THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses
that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER

CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS
DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item,. as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for
compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-

law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California
and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,
we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer
you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any
program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that
in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works

in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code
for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute
the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program),

you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear
what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be

guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits
your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular
source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module

which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but
you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.117 perfmark-api 0.17.0

1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2019 Carl Mastrangelo
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1656707133_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Impl.java
* /opt/cola/permits/1656707133_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/PerfMark.java
* /opt/cola/permits/1656707133_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/package-info.java
*
/opt/cola/permits/1656707133_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Link.java
* /opt/cola/permits/1656707133_1682600610.4687467/0/perfmark-api-0-17-0-sources-1-jar/io/perfmark/Tag.java

1.118 jackson-annotations 2.15.0

1.118.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.119 jackson-dataformat-yaml 2.15.0

1.119.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.120 jackson-databind 2.15.0

1.120.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.121 okio 3.3.0

1.121.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/SegmentSharingTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonAppleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/SegmentedByteString.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/appleMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ForwardingTimeout.kt

* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/SegmentedByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-Utf8.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/appleMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-CommonPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ByteStringTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/-NonJvmPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonAppleMain/okio/ByteString.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-JvmPlatform.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-Util.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ByteStringFactory.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha512.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Md5.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha256.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Sha1.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/hashFunctions/okio/internal/Sha512.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/MessageDigestConsistencyTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Md5.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/hashFunctions/okio/internal/Sha1.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/hashFunctions/okio/internal/Sha256.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc. and others.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherSourceTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherAlgorithm.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherFactory.kt
*

/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/CipherSinkTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/HashFunction.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/CipherSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/CipherSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/HashFunction.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-RealBufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-SegmentedByteString.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Segment.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferedSourceJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/JvmOkio.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipSinkTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/SegmentPool.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferedSinkJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/GzipSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ForwardingSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/SocketTimeoutTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/DeflaterSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/MockSink.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/ForwardingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/InflaterSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/DeflaterSinkTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/InflaterSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferedSourceTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/SegmentPool.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Timeout.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/OkioTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/GzipSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonBufferTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/AsyncTimeoutTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferedSinkTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/AsyncTimeout.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Buffer.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Sink.kt

*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/Utf8Test.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/TestUtil.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/ForwardingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ReadUtf8LineTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/SegmentPool.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2022 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ByteStringMoreTests.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2021 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and

* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/utilJvm.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/ResourceFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/JvmFileHandle.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/FileHandleTestingFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/FixedLengthSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ZipBuilder.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ZipFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/WindowsFileHandle.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/FileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/unixMain/okio/UnixFileHandle.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-FileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileHandle.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmTest/okio/utilNonJvm.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/FixedLengthSourceTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/TimeoutTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/ResourceFileSystem.kt
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/-Base64.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ThrottlerTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/DeflateKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ByteStringKotlinTest.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/GzipKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Throttler.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/OkioKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/Stopwatch.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ThrottlerTakeTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ForwardingTimeoutTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferCursorKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/NioTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedUtf8.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/PeekSource.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/Utf8KotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferCursorTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedOkio.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonOptionsTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ForwardingTimeoutKotlinTest.kt

* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/PipeKotlinTest.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2023 Block Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/AwaitSignalTest.kt
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2022 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*      http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ForwardingSourceTest.kt
No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-SizetVariant.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/HashingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonTest/okio/HashingSinkTest.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/commonTest/okio/HashingSourceTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-
jar/jvmTest/okio/WaitUntilNotifiedTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Pipe.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/PipeTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Options.kt

* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/LargeStreamsTest.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/zip.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ZipFileSystem.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/internal/ZipEntry.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Sink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferedSinkFactory.kt

* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Timeout.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/AbstractBufferedSinkTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/BufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonRealBufferedSinkTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferedSourceFactory.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-Buffer.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/util.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Sink.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Timeout.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonOkioKotlinTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/BufferFactory.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Buffer.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/BufferCommonTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/CommonRealBufferedSourceTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/BufferedSink.kt
*
 /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Buffer.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/BufferedSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/AbstractBufferedSourceTest.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/HashingTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ByteStringJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2017 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2020 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/Path.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/unixMain/okio/-UnixPosixVariant.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/HashingSource.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/JvmTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/HashingSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/HashingSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/ForwardingFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/internal/-Path.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/ZipFileSystemJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/UnsafeCursorTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nonJvmMain/okio/HashingSink.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/HmacTest.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/FileSource.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileMetadata.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/linuxX64Main/okio/-LinuxX64PosixVariant.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/JvmSystemFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/JvmSystemFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-Cinterop.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/ExperimentalFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/PosixFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/-WindowsPosixVariant.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/FakeFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/internal/Hmac.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-

jar/nativeTest/okio/NativeSystemFileSystemTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/ForwardingFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmTest/okio/FileSystemJavaTest.java
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/Path.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/mingwX64Main/okio/-Windows.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/appleMain/okio/-ApplePosixVariant.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/Path.kt
*
/opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonMain/okio/FileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/appleTest/okio/AppleByteStringTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/nativeMain/okio/-PosixVariant.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/commonTest/okio/PathTest.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/hashFunctions/okio/internal/Hmac.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jsMain/okio/FileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jvmMain/okio/NioSystemFileSystem.kt
* /opt/cola/permits/1657433255_1682648745.2014782/0/okio-3-3-0-sources-jar/jsMain/okio/-JsPlatform.kt

1.122 disruptor 2.11.2.3

1.122.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.123 musl 1.2.4-r0

1.123.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox
Ada Worcester
Alex Dowad
Alex Suykov
Alexander Monakov
Andre McCurdy
Andrew Kelley
Anthony G. Basile

Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham
Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehrtens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka
Perkov
M Farkas-Dyck (Strake)
Mahesh Bodapati
Markus Wichmann
Masanori Ogino
Michael Clark
Michael Forney

Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc
Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed
under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg* and
src/regex/tre*) is Copyright 2001-2008 Ville Laurikari and licensed
under a 2-clause BSD license (license text in the source files). The
included version has been heavily modified by Rich Felker in 2012, in
the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (src/math/* and src/complex/*) is
Copyright 1993,2004
 Sun Microsystems or
Copyright 2003-2011 David Schultz or
Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or
Copyright 2008 Stephen L. Moshier or
Copyright 2017-2018 Arm Limited
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/arm/memcpy.S) is Copyright 2008 The Android Open Source Project and is licensed under a two-clause BSD license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (src/string/aarch64/*) are Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (src/crypt/crypt_des.c) is Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was originally written by Solar Designer and placed into the public domain. The code also comes with a fallback permissive license for use in jurisdictions that may not recognize the
public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011 Valentin Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under the standard MIT terms.

The mips and microblaze ports were originally written by Richard Pennington for use in the ellcc project. The original code was adapted by Rich Felker for build system and code conventions during upstream integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington, and later supplemented and integrated by John Spencer. It is licensed under the standard MIT terms.

All other files which have no copyright comments are original works produced specifically for use as part of this library, written either by Rich Felker, the main author of the library, or by one or more contibutors listed
above. Details on authorship of individual files
can be found in the git version control history of the project. The omission of copyright and license comments in each file is in the interest of source tree size.

In addition, permission is hereby granted for all public header files (include/* and arch/*/bits/*) and crt files intended to be linked into applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of

attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington
Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of
the files covered by the above exception were sufficiently trivial not
to be subject to copyright, resulting in confusion over whether it
negated
 the permissions granted in the license. In the spirit of
permissive licensing, and of not having licensing issues being an
obstacle to adoption, that text has been removed.

1.124 ca-certificates 20230506-r0

1.124.1 Available under license :

No license file was found, but licenses were detected in source scan.

* You may opt to use, copy, modify, merge, publish, distribute and/or sell
* furnished to do so, under the terms of the COPYING file.

Found in path(s):
* /opt/cola/permits/1667253608_1683577718.267003/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl
No license file was found, but licenses were detected in source scan.

/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/

Found in path(s):
* /opt/cola/permits/1667253608_1683577718.267003/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c

1.125 apk-tools 2.14.0-r2

1.125.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for
each author's protection and ours, we want to make certain that
everyone understands that there is no warranty for this free software. If
the software is modified by someone else and passed on, we want its recipients
to know that what they have is not the original, so that any problems introduced
by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We
wish to avoid the danger that redistributors of a free program will individually
obtain patent licenses, in effect making the program proprietary. To prevent
this, we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification
follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice
placed by the copyright holder saying it may be distributed under
the terms
of this General Public License. The "Program", below, refers to any such program
or work, and a "work based on the Program" means either the Program or any
derivative work under copyright law: that is to say, a work containing the
Program or a portion of it, either verbatim or with modifications and/or translated
into another language. (Hereinafter, translation is included without limitation
in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered
by this License; they are outside its scope. The act of running the Program
is not restricted, and the output from the Program is covered only if its
contents constitute a work based on the Program (independent of having been
made by running the Program). Whether that is true depends on what the Program
does.

1. You may copy and distribute verbatim copies of the Program's source code
as you receive it, in any medium, provided that you conspicuously
and appropriately
publish on each copy an appropriate copyright notice and disclaimer of warranty;
keep intact all the notices that refer to this License and to the absence
of any warranty; and give any other recipients of the Program a copy of this
License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you
may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it,

thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge
to all third parties under the terms of this
License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.
But when you distribute the same sections as part of a whole
which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it
with the complete corresponding machine-readable source code,
which must be distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give
any third party, for a charge no more than your cost of physically performing
source distribution, a complete machine-readable copy of the corresponding
source code, to be distributed under the terms of Sections 1 and 2 above on
a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute
corresponding source code. (This alternative is allowed only for noncommercial
distribution and only if you received the program in object code or executable
form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making
modifications to it. For an executable work, complete source code means
all
the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation
of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or
binary form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component itself
accompanies the executable.

If distribution of executable or object code is made by offering access to
copy from a designated place, then offering equivalent access to copy the
source code from the same place counts as distribution of the source code,
even though third parties are not compelled to copy the source along with
the object code.

4. You may not copy, modify, sublicense, or distribute the Program except
as expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense or distribute the Program
is void, and will automatically terminate
your rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses terminated
so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed
it. However, nothing else grants you permission to modify or distribute the
Program or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by modifying or distributing the Program
(or any work based on the Program), you indicate your acceptance of this License
to do so, and all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program),
the recipient automatically receives a license from the original licensor
to copy, distribute or modify the Program subject to these terms and conditions.
You may
not impose any further restrictions on the recipients' exercise of
the rights granted herein. You are not responsible for enforcing compliance
by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement
or for any other reason (not limited to patent issues), conditions are imposed
on you (whether by court order, agreement or otherwise) that contradict the
conditions of this License, they do not excuse you from the conditions of
this License. If you cannot distribute so as to satisfy simultaneously your
obligations under this License and any other pertinent obligations, then as
a consequence you may not distribute the Program at all. For example, if a
patent license would not permit royalty-free redistribution of the Program
by all those who receive copies directly or indirectly through you, then the
only way you could satisfy both it and this License would be to refrain entirely
from distribution of the Program.

If any portion of
this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply and
the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents
or other property right claims or to contest validity of any such claims;
this section has the sole purpose of protecting the integrity of the free
software distribution system, which is implemented by public license practices.
Many people have made generous contributions to the wide range of software
distributed through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing to
distribute software through any other system and a licensee cannot impose
that choice.

This section is intended to make thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted
in certain
countries either by patents or by copyrighted interfaces, the original copyright
holder who places the Program under this License may add an explicit geographical
distribution limitation excluding those countries, so that distribution is
permitted only in or among countries not thus excluded. In such case, this
License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of

the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best

way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free Software
Foundation; either version 2 of the License, or (at your option) any later
version.

This program is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a
copy of the GNU General Public License along with
this program; if not, write to the Free Software Foundation, Inc., 51 Franklin
Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when
it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software,
and you are welcome to redistribute it under certain conditions; type `show
c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may be
called something other than `show w' and `show c'; they could even be mouse-clicks
or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright
disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision'
(which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.126 alpine-baselayout 3.4.3-r1

1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Create mount directories in fstab
*
* Copyright(c) 2008 Natanael Copa <natanael.copa@gmail.com>
* May be distributed under the terms of GPL-2
*
* usage: mkmntdirs [fstab]
*
*/

Found in path(s):
* /opt/cola/permits/1675356458_1684887865.7744117/0/alpine-baselayout-master-zip/alpine-baselayout-master/src/mkmntdirs.c

1.127 musl-utils 1.2.4-r0

1.127.1 Available under license :

The tools in this package are licensed under either (exclusive) a BSD license or the GPLv2. See below for more details.

getconf:

Copyright (c) 1996, 1998 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation by J.T. Conklin.

Mostly rewritten to be used in Alpine Linux (with musl c-library) by Timo Ters.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS

``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

getent:

Copyright (c) 2004-2006 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation
by Luke Mewburn.
Timo Ters cleaned up the code for use in Alpine Linux with musl libc.

Redistribution
and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

iconv:

iconv.c
Implementation of SUSv4 XCU iconv utility
Copyright 2011 Rich Felker
Licensed under the terms of the GNU General Public License, v2 or later

1.128 ca-certificates-bundle 20230506-r0

1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

* You may opt to use, copy, modify, merge, publish, distribute and/or sell
* furnished to do so, under the terms of the COPYING file.

Found in path(s):
* /opt/cola/permits/1679450782_1685340861.071418/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl
No license file was found, but licenses were detected in source scan.

/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>
* All rights reserved.
*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/

Found in path(s):
* /opt/cola/permits/1679450782_1685340861.071418/0/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c

1.129 libc-utils 0.7.2-r5

1.129.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 1991, 1993
* The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software
*   without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES,
 INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* @(#)queue.h 8.5 (Berkeley) 8/20/94
*/

Found in path(s):
* /opt/cola/permits/1686513755_1685082238.691036/0/aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-queue.h
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.

*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):
* /opt/cola/permits/1686513755_1685082238.691036/0/aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-tree.h

1.130 jackson-annotations 2.15.1

1.130.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.131 jackson-databind 2.15.1

1.131.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.132 jackson 2.15.1

1.132.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this
License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

FastDoubleParser

jackson-core bundles a shaded copy of FastDoubleParser <https://github.com/wrandelshofer/FastDoubleParser>.
That code is available under an MIT license
<https://github.com/wrandelshofer/FastDoubleParser/blob/main/LICENSE>
under the following
 copyright.

Copyright 2023 Werner Randelshofer, Switzerland. MIT License.

See FastDoubleParser-NOTICE for details of other source code included in FastDoubleParser
and the licenses and copyrights that apply to that code.

1.133 jackson-dataformat-yaml 2.15.1

1.133.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the
Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the
specific rights regarding derivative works.

You may obtain a copy of the License at:

http://www.apache.org/licenses/LICENSE-2.0
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0,
as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.134 alpine-baselayout-data 3.4.3-r1

1.134.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Create mount directories in fstab
*
* Copyright(c) 2008 Natanael Copa <natanael.copa@gmail.com>
* May be distributed under the terms of GPL-2
*
* usage: mkmntdirs [fstab]
*
*/

Found in path(s):
* /opt/cola/permits/1690300026_1684996389.3603017/0/alpine-baselayout-master-zip/alpine-baselayout-master/src/mkmntdirs.c

1.135 opentelemetry-sdk 1.24.0

1.135.1 Available under license :

Apache-2.0

1.136 opentelemetry-semconv 1.24.0-alpha

1.136.1 Available under license :

Apache-2.0

1.137 opentelemetry-sdk-extension-autoconfigure-spi 1.24.0

1.137.1 Available under license :

Apache-2.0

1.138 busybox 1.36.1-r0

1.138.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)
==========

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
  not claim that you wrote the original software. If you use this
  software in a product, an acknowledgment in the product
  documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
  not be misrepresented
 as being the original software.

4. The name of the author may not be used to endorse or promote
  products derived from this software without specific prior written
  permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006
--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's
software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make
exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice

like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year  name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.139 scanelf 1.3.7-r1

1.139.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses
are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission
to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program
or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish,
that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can
be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you

received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled
to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based
on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit
royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute
software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies
a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED
BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY
OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.140 openssl 3.1.1-r1

1.140.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

a) the GNU General Public License as published by the Free
  Software Foundation; either version 1, or (at your option) any
  later version, or
b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's

software and to any other program whose authors commit to using it.
You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions
for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source

code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the
Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use
in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of

Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three
years, to give any third party free (except for a nominal charge
for the cost of distribution) a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that
accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the
original
licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes

at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of

the source form of the
Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified
Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names,
and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this

Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.141 libssl3 3.1.1-r1

1.141.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the
Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive
use
in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring

the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these

terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution
conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your

program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
 the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 program `Gnomovision' (a program to direct compilers to make passes
 at assemblers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

 The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package
may be copied, such that the Copyright Holder maintains some semblance of
artistic control over the development of the package, while giving the users of
the package the right to use and distribute the Package in a more-or-less
customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright
  Holder, and derivatives of that collection
of files created through
  textual modification.
- "Standard Version" refers to such a Package if it has not been modified,
  or has been modified in accordance with the wishes of the Copyright
  Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for
  the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media

cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of
the source form of the
Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified
Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard

Version executables, giving the non-standard executables non-standard names,
and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.142 libcrypto3 3.1.1-r1

1.142.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

The precise terms and conditions
for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the
Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive
use
in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these

conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection

of files created through
  textual modification.
- "Standard Version" refers to such a Package if it has not been modified,
  or has been modified in accordance with the wishes of the Copyright
  Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for
  the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media
  cost, duplication charges, time of people involved, and so on. (You will
  not be required to justify it to the Copyright Holder, but only to the
  computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though
  there may be fees involved in handling the item. It also means that
  recipients of the item may redistribute it under the same conditions they
  received it.

1. You may make and give away verbatim copies of
 the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived
from the Public Domain or from the Copyright Holder. A Package modified in such
a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that
you insert a prominent notice in each changed file stating how and when you
changed that file, and provided that you do at least ONE of the following:

 a) place your modifications in the Public Domain or otherwise make them
    Freely Available, such as by posting said modifications to Usenet or an
    equivalent medium, or placing the modifications on a major archive site
    such as ftp.uu.net, or by allowing the Copyright Holder to include your
    modifications in the Standard Version of the Package.

 b) use the modified
 Package only within your corporation or organization.

 c) rename any non-standard executables so the names do not conflict with
    standard executables, which must also be provided, and provide a separate
    manual page for each non-standard executable that clearly documents how it
    differs from the Standard Version.

 d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable
form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where to
get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package
with your modifications.

c) accompany any non-standard executables with their corresponding Standard
Version executables, giving the non-standard executables non-standard
names,
and clearly documenting the differences in manual pages (or
equivalent), together with instructions on where to get the Standard
Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this
Package. You may charge any fee you choose for support of this Package. You
may not charge a fee for this Package itself. However, you may distribute this
Package in aggregate with other (possibly commercial) programs as part of a
larger (possibly commercial) software distribution provided that you do not
advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output
from the programs of this Package do not automatically fall under the copyright
of this Package, but belong to whomever generated them, and may be sold
commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package
shall not
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF
MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this
License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct,
indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.143 ssl-client 1.36.1-r0

1.143.1 Available under license :

IMPORTANT NOTICE: This license only applies if you downloaded this content as
an unsubscribed user. If you are a premium user (ie, you pay a subscription)
you are bound to the license terms described in the accompanying file
"License premium.txt".

You must attribute the image to its author:

In order to use a content or a part of it, you must attribute it to iconicbestiary / Freepik,
so we will be able to continue creating new graphic resources every day.

How to attribute it?

For websites:

Please, copy this code on your website to accredit the author:
Designed by iconicbestiary / Freepik

For printing:

Paste this text on the final work so the authorship is known.
- For example, in the acknowledgements chapter of a book:
"Designed by iconicbestiary / Freepik"

You are free to use this image:

- For both personal and commercial projects and to modify it.
- In a website or presentation template or application or as part of
your design.

You are not allowed to:

- Sub-license, resell or rent it.
- Include it in any online or offline archive or database.

The full terms of the license are described in section 7 of the Freepik
terms of use, available online in the following link:

http://www.freepik.com/terms_of_use

The terms described in the above link have precedence over the terms described
in the present document. In case of disagreement, the Freepik Terms of Use
will prevail.
IMPORTANT NOTICE: This license only applies if you downloaded this content as
a subscribed (or "premium") user. If you are an unsubscribed user (or "free"
user) you are bound to the license terms described in the accompanying file
"License free.txt".

You can download from your profile in Freepik a personalized license stating
your right to use this content as a "premium" user:

https://profile.freepik.com/my_downloads

You are free to use this image:

- For both personal and commercial projects and to modify it.
- In a website or presentation template or application or as part of your design.

You are not allowed to:

- Sub-license, resell or rent it.
- Include it in any online or offline archive or database.

The full terms of the license are described in sections 7 and 8 of the Freepik terms of use, available online in the following link:

http://www.freepik.com/terms_of_use

The terms described in the above link have precedence over the terms described in
the present document. In case of disagreement, the Freepik Terms of Use will prevail.

1.144 busybox 1.36.1

1.144.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)
==========

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must

not be misrepresented
as being the original software.

4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org
bzip2/libbzip2 version 1.0.4 of 20 December 2006
--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included
in its entirety, below). Version 2 is the only version of this license which
this version of BusyBox (or modified versions derived from this one) may be
distributed under.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's
software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by

the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent
this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this
License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and
copy and
distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict

the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make
exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED
ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where

the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice
 like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.145 free-type 2.12.1-r0

1.145.1 Available under license :

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction
============

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its
main points are that:

- We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)

- You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)

- You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```
 """
  Portions
of this software are copyright  <year> The FreeType
  Project (www.freetype.org).  All rights reserved.
 """
```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms
==========

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation,
unless otherwise stated in the file in its
original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner,

Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display,
copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional

purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the
following phrases to refer to this software in your documentation
or advertising materials: `FreeType Project', `FreeType Engine',
`FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to
accept it. However, as the FreeType Project is copyrighted
material, only this license, or another one contracted with the
authors, grants you the right to use, distribute, and modify it.
Therefore, by using,
distributing, or modifying the FreeType
Project, you indicate that you understand and accept all the terms
of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as
future and wanted additions to the library and distribution.
If you are looking for support, start in this list if you
haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues,
specific licenses, porting, etc.

Our home page can be found at

https://www.freetype.org

--- end of FTL.TXT ---
Files that don't get a copyright, or which are taken from elsewhere.
#
All lines in this file are patterns, including the comment lines; this
means that e.g. `FTL.TXT' matches all files that have this string in
the file name (including the path relative to the current directory,
always starting with `./').
#
Don't put empty lines into this file!
#

builds/unix/pkg.m4
#
docs/FTL.TXT
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c
src/base/md5.h
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdflib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c

src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
#
EOF
FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that *you* must choose *one* of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license *with* an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

  Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in `docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/fthash.c` and `include/freetype/internal/fthash.h`; they wer part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development

builds) is in the public domain.

--- end of LICENSE.TXT ---

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work
which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies
of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole
or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered
independent and separate works in
themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based

on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or
executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy
the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number
of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN
IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w'
and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries.To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2024 Cisco Systems, Inc. All rights reserved.